



## SUPPLEMENTS COVERED IN THIS ISSUE

<i>Document</i>	<i>Page Range</i>	<i>Date</i>	<i>Coverage</i>
NASA SP-7037(197)	1-73	February 1986	January 1986
NASA SP-7037(198)	75-131	March 1986	February 1986
NASA SP-7037(199)	133-195	April 1986	March 1986
NASA SP-7037(200)	197-268	May 1986	April 1986
NASA SP-7037(201)	269-333	June 1986	May 1986
NASA SP-7037(202)	335-403	July 1986	June 1986
NASA SP-7037(203)	405-471	August 1986	July 1986
NASA SP-7037(204)	473-537	September 1986	August 1986
NASA SP-7037(205)	539-620	October 1986	September 1986
NASA SP-7037(206)	621-684	November 1986	October 1986
NASA SP-7037(207)	685-758	December 1986	November 1986
NASA SP-7037(208)	759-857	January 1987	December 1986

This bibliography was prepared by the NASA Scientific and Technical Information Facility operated for the National Aeronautics and Space Administration by RMS Associates.



**A CUMULATIVE INDEX  
TO  
A CONTINUING BIBLIOGRAPHY ON  
  
AERONAUTICAL ENGINEERING**

This Cumulative Index supersedes the indexes contained in supplements [SP-7037(197) through SP-7037(208)] published by NASA during 1986.



Scientific and Technical Information Branch 1987  
**National Aeronautics and Space Administration**  
Washington, DC

This index is available as NTISUB/141/093 from the National Technical Information Service (NTIS), Springfield, Virginia 22161 at the price of \$11.50 domestic; \$23.00 foreign.

# INTRODUCTION

## WHAT THIS CUMULATIVE INDEX IS

This publication is a cumulative index to the abstracts contained in NASA SP-7037(197) through NASA SP-7037(208) of *Aeronautical Engineering: A Continuing Bibliography*, NASA SP-7037, and its supplements have been compiled through the cooperative efforts of the American Institute of Aeronautics and Astronautics (AIAA), and the National Aeronautics and Space Administration (NASA). Entries prepared by the two contributing organizations are identified as follows:

1. NASA entries by their *STAR* accession numbers (N86-10000).
2. AIAA entries by their *IAA* accession numbers (A86-10000 series).

## HOW THIS CUMULATIVE INDEX IS ORGANIZED

This Cumulative Index includes a subject, personal author, corporate source, foreign technology, contract number, report number, and accession number index.

## HOW TO USE THE SUBJECT INDEX

Two types of cross-references appear in the subject index:

1. Use (U) references indicate that the subject term is not "postable," i.e., not a valid term, and that the following term or terms are used instead. For example:

AIRCRAFT PROTUBERANCES

U PROTUBERANCES

FLIGHT PERFORMANCE

U FLIGHT CHARACTERISTICS

2. Narrower Term (NT) references refer the user to more specific headings in the same subject area, under which additional material on the subject may be found. For example:

FLOW RESISTANCE

NT AERODYNAMIC DRAG

NT FRICTION DRAG

NT SUPERSONIC DRAG

In addition, a searcher may use the title or title and title extension in the index to narrow further his quest for particular items; this is because subject terms may include documents on different aspects of the same subject term. For example:

AIRLINE OPERATIONS

All-weather operations, including pilot role, instrument landing systems and guidance aids.

Airport congestion as constraint on air travel, considering runway capacity and adjusted demand.

## HOW TO USE THE PERSONAL AUTHOR INDEX

All personal authors used in the abstract-section citations in the individual Supplements appear in the index. Differences in translation schemes may require multiple searching on the index for variants of an author's name. For example:

EMELIANOV, M. D.

and

YEMELYANOV, M. D.

## HOW TO USE THE CORPORATE SOURCE INDEX

The corporate source index entries are abridged versions of the corporate sources used in the abstract-section citations in the individual Supplements. The corporate source supplementary (organizational component) does not appear in the index. For example:

BOEING CO., SEATTLE, WASH. MILITARY AIRCRAFT SYSTEMS DIV.	(Source citation entry)
BOEING CO., SEATTLE, WASH.	(Source index entry)

## HOW TO USE THE CONTRACT NUMBER INDEX

All contract numbers that are identified in the abstract-section citations in the individual Supplements appear in this index. Changes by agencies in the style in which contract numbers are presented may require multiple searching for variants. For example:

AF 33(615)-71-C-1758  
F33615-71-C-1758

## HOW TO USE THE REPORT/ACCESSION NUMBER INDEX

All report numbers that have been assigned by the corporate source, monitoring agency or cataloging activity appear in this index. Variations in cataloging may result in different report number series. For example:

TP-924  
ONERA-TP-924

## IDENTIFICATION OF DESIRED SUPPLEMENT

The abstract and descriptive cataloging for any accession number selected from the indexes may be found in the appropriate Supplement. The page-number range of each Supplement appears on the inside front cover of this index. Once the range of page numbers containing the selected accession number is located in the second column, the desired supplement number will be found in the first column. For example:

Page 257 will be found in Supplement 200

## AVAILABILITY OF DOCUMENTS

Information concerning the availability of documents announced in *Aeronautical Engineering* Supplements is found in the Introduction to the most currently issued Supplement.

## PUBLIC COLLECTIONS OF NASA DOCUMENTS

**DOMESTIC:** NASA and NASA-sponsored documents and a large number of aerospace publications are available to the public for reference purposes at the library maintained by the American Institute of Aeronautics and Astronautics, Technical Information Service, 555 West 57th Street, 12th Floor, New York, New York 10019.

**EUROPEAN:** An extensive collection of NASA and NASA-sponsored publications is maintained by the British Library Lending Division, Boston Spa, Wetherby, Yorkshire, England for public access. The British Library Lending Division also has available many of the non-NASA publications cited in *STAR*. European requesters may purchase facsimile copy or microfiche of NASA and NASA-sponsored documents, those identified by both the symbols # and \* from ESA — Information Retrieval Service European Space Agency, 8-10 rue Mario-Nikis, 75738 CEDEX 15, France.


## FEDERAL DEPOSITORY LIBRARY PROGRAM

In order to provide the general public with greater access to U.S. government publications, Congress established the Federal Depository Library Program under the Government Printing Office (GPO), with 50 regional depositories responsible for permanent retention of material, inter-library loan, and reference services. Over 1,300 other depositories also exist. A list of the regional GPO libraries appears on the inside back cover.

# TABLE OF CONTENTS

	<i>Page</i>
Subject Index .....	A-1
Personal Author Index .....	B-1
Corporate Source Index .....	C-1
Foreign Technology Index .....	D-1
Contract Number Index .....	E-1
Report Number Index .....	F-1
Accession Number Index .....	G-1

### Typical Subject Index Listing



The subject heading is a key to the subject content of the document. The title is used to provide a description of the subject matter. When the title is insufficiently descriptive of the document content, the title extension is added, separated from the title by three hyphens. The (NASA or AIAA) accession number and the page number are included in each entry to assist the user in locating the abstract in the abstract section. If applicable, a report number is also included as an aid in identifying the document. Under any one subject heading, the accession numbers are arranged in sequence with the AIAA accession numbers appearing first.

## A

### A-10 AIRCRAFT

A review of pilot workload measurement techniques used on the A-10 single seat night attack test program [SAE PAPER 841492] p 327 A86-26016

### A-3 AIRCRAFT

Is there life after 10,000 flight hours? p 254 A86-22402

### A-300 AIRCRAFT

Take-off prediction for the Airbus A300-600 and the A310 compared with flight test results p 804 A86-49121

### A-310 AIRCRAFT

A comparison of solutions of the complete potential equation and the Euler equations for the transonic flow around the DFVLR-F4-wing [DGLR PAPER 85-121] p 475 A86-35171

Dynamic response of the A.310 in flight to control-surface loading [AAAF PAPER NT 85-18] p 797 A86-48467

Comparative evaluation of redundant flight data recorded by a Digital Airborne Integrated Data System Recorder (DAR) on board an Airbus A-310 aircraft p 439 N86-22575

Advanced composite structures in commercial transport aircraft [AI/TE3-384/82-ISSUE-2] p 451 N86-22648

Control systems for the Airbus design and functional experience --- cockpits [ETN-86-96936] p 653 N86-28094

### A-320 AIRCRAFT

Airbus Industrie stresses technology, availability of A320 p 98 A86-16000

The A320 wing - Designing for commercial success p 286 A86-23799

The 7J7 - Boeing's answer to the Airbus A320 p 426 A86-31039

Details on the optimization of cruising drag of the Airbus A320 [DGLR PAPER 85-089] p 487 A86-35152

Front seat on the future --- in Airbus 320

p 509 A86-35563

A320 flight controls p 724 A86-44946

Airbus A 320 - New concept of aircraft control p 796 A86-47797

The high lift development of the A320 aircraft p 772 A86-49012

Integrated wing engine system (IFAS), phase 2 [BMFT-FB-W-85-008] p 151 N86-14257

Main flight controls --- Airbus [SNIAS-861-111-111] p 653 N86-28096

Anemobarometry in flight control. A-320 aerodynamics. The turboreactors air inlet [SNIAS-861-111-114] p 806 N86-31565

The A-320 aerodynamics. The turboreactor air inlet [NOTE-427.021/86] p 806 N86-31567

### A-4 AIRCRAFT

Aircraft design --- Book p 161 A86-16213

### A-6 AIRCRAFT

Blended blown flaps and vectored thrust for low-speed flight [AIAA PAPER 84-2199] p 221 A86-20157

### A-7 AIRCRAFT

DIGITAC multimode control laws --- for military aircraft missions [SAE PAPER 851826] p 594 A86-38332

### ABRASION

Abrasion behavior of aluminum and composite skin coupons, stiffened skins and stiffened panels representative of transport airplane structures [NASA-TP-2520] p 100 N86-13316

### ABRASION RESISTANCE

Coating requirements in gas turbine engines p 173 A86-17490

### ABSORPTION

Measurement of preferential moisture ingress in composite wing/spar joints p 116 A86-16100

An internal variable assisted formulation of moisture sorption models for polymers and composites p 515 A86-34650

Effect of moisture on thermal properties of composite materials for aerospace applications p 661 A86-40345

### ABSTRACTS

Catalog of air weather service technical documents [AD-A159881] p 324 N86-18912

Publications of the National Bureau of Standards, 1984 catalog [PB85-245878] p 402 N86-21435

The Shock and Vibration Digest, volume 18, no. 1 [AD-A165726] p 612 N86-27468

The Shock and Vibration Digest, volume 17, no. 8 [AD-A165115] p 612 N86-27471

### AC GENERATORS

Digital simulation of regulated electrical power supplies for military applications p 669 A86-40775

### ACCELERATED LIFE TESTS

F/A-18 Hornet - Reliability development testing p 225 A86-22400

A survey of accelerated vibratory fatigue test method of aero-engine compressor blade [ASME PAPER 85-IGT-105] p 317 A86-23904

Accelerated testing as a means of ensuring the reliability of aircraft equipment p 335 A86-28306

Substantiation of regimes for accelerated equivalent tests of gas-turbine aeroengines p 644 A86-41549

A method for the analytical determination of accelerated test schedules for compressor blades working in a corrosive medium p 673 A86-43411

Engine control reliability and durability improvement through accelerated mission environmental testing [ASME PAPER 86-GT-52] p 813 A86-48132

### ACCELERATION (PHYSICS)

Optimization and acceleration guidance of flight trajectories in a windshear [AIAA PAPER 86-2036] p 822 A86-47425

Acceleration performance of helicopter engines [ASME PAPER 86-GT-121] p 814 A86-48180

Critical analysis of turbulence restitution from acceleration measurements --- aircraft construction [ONERA-RT-3/3567-RY-C40-R] p 227 N86-17340

Compressible, unsteady lifting-surface theory for a helicopter rotor in forward flight [NASA-TP-2503] p 277 N86-18289

Structural loads preliminary results p 391 N86-21940

Digital filtering and acceleration pulse interpretation p 400 N86-21941

### ACCELERATION PROTECTION

Altitude and acceleration protection system for high performance aircraft p 217 A86-19314

Programming a multiple-orifice hydraulic decelerator [AD-A159428] p 181 N86-15326

### ACCELERATION STRESSES (PHYSIOLOGY)

Development of an electro-pneumatic anti-G valve for high performance fighter aircraft p 218 A86-19317

Effect of seat cushions of human response to +Gz impact p 426 N86-25652

G protection by an extreme crouch position [AD-A157081] p 91 N86-12213

### ACCELERATION TOLERANCE

G protection by an extreme crouch position [AD-A157081] p 91 N86-12213

NASA seat experiment and occupant responses p 390 N86-21939

Impact dynamics instrumentation p 392 N86-21948

Crash-resistant crewseat limit-load optimization through dynamic testing with cadavers [AD-A164828] p 569 N86-26296

### ACCELEROMETERS

Optical determination of the effects of a microminiature accelerometer on resonance of a small airfoil p 668 A86-40712

Identification and estimation of the random error models for inertial accelerometer and baro-altimeter p 717 A86-43481

BLR studies on conic model with LDA in FL-1 wind tunnel p 87 N86-12434

NASA experiments on the B-720 structure and seats p 390 N86-21936

Digital filtering and acceleration pulse interpretation p 400 N86-21941

Impact dynamics instrumentation p 392 N86-21948

Proceedings of the 12th Biennial Guidance Test Symposium held at Holloman AFB, New Mexico on 22-24 October 1985, volume 1 [AD-A161996] p 425 N86-23563

### ACCEPTABILITY

Development and evaluation of a microburst test apparatus for use as a minimum destructive test for parachute material [AD-A158110] p 123 N86-12620

Technical support of the Wall Street/Battery Park city heliport MLS (Microwave Landing System) project [AD-A165073] p 575 N86-27273

### ACCESS CONTROL

Dependable avionics data transmission p 362 N86-20405

LQG/LTR design of a robust flight controller for the STOL F-15 [AD-A164111] p 512 N86-24708

### ACCIDENT INVESTIGATION

General aviation crashworthiness project, phase 3: Acceleration loads and velocity changes of survivable general aviation accidents [NTSB/SR-85/02] p 280 N86-18306

Results of the technical investigation of accidents during the operation of German aircraft at home and abroad, and of foreign aircraft in Germany p 420 N86-23578

Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 3 of 1984 accidents [PB85-916922] p 570 N86-26303

Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 4 of 1984 accidents [PB85-916923] p 570 N86-26304

Aircraft accident reports: Brief format US Civil and Foreign Aviation, issue number 10 of 1984 accidents [PB86-916906] p 634 N86-28070

### ACCIDENT PREVENTION

The market price for air safety p 633 A86-40226

Systems safety: Phantom or reality [SNIAS-852-422-103] p 215 N86-17330

- DFW (Dallas-Ft. Worth) microburst on August 2, 1985  
[NASA-CR-178794] p 529 N86-25956
- ACCOMMODATION**
- Robust detection-isolation-accommodation for sensor failures  
[NASA-CR-174797] p 255 N86-16486
- Robust detection, isolation and accommodation for sensor failures  
[NASA-CR-174825] p 722 N86-30732
- ACCUMULATIONS**
- Electrostatic hazards of urethane packed fuel tanks  
[AD-A166803] p 717 N86-30725
- ACCURACY**
- Measurements accuracy with 3D laser velocimetry  
[ONERA, TP NO. 1985-171] p 318 A86-24646
- The accuracy problem of airplane development force testing in cryogenic wind tunnels  
[AIAA PAPER 86-0776] p 310 A86-24765
- National transonic facility Mach number system  
p 597 A86-38076
- Experimental and theoretical study of the effect of wave propagation on the positional accuracy of Omega navigation in Germany — German thesis  
p 572 A86-38974
- Flight training simulators. Effects of terrain accuracy on simulated radar image quality  
[AD-A160605] p 311 N86-18333
- Relative accuracy of ALPEX aircraft data: An evaluation of the ALPEX intercomparison flight with the NCAR (National Center for Atmospheric Research) Electra, the NOAA (National Oceanic and Atmospheric Administration) P3 and the DFVLR (Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt) Falcon  
[PB86-100623] p 394 N86-22067
- Increments in aerofoil maximum lift coefficient due to deployment of various high-lift devices  
[ESDU-85033] p 480 N86-25325
- ACEE PROGRAM**
- Subscale-model and full-scale engine mixed-flow exhaust system performance comparison  
p 106 A86-14528
- Composites in today's and tomorrow's U.S. airliners  
p 841 A86-47603
- Integrated Application of Active Controls (IAAC) technology to an advanced subsonic transport project: Test act system description  
[NASA-CR-172221] p 176 N86-14277
- ACOUSTIC ATTENUATION**
- Acoustic characteristics of models of ejector suppressors of jet noise  
p 129 A86-13416
- Laboratory study of the effects of sidewall treatment, source directivity and temperature on the interior noise of a light aircraft fuselage  
[AIAA PAPER 86-0390] p 219 A86-19851
- Laboratory study of cabin acoustic treatments installed in an aircraft fuselage  
p 221 A86-20158
- The effect on the transmission loss of a double wall panel of using helium gas in the gap  
p 855 A86-48590
- Acoustic guide for noise transmission testing of aircraft  
[NASA-CASE-LAR-13111-1-CU] p 332 N86-20086
- ACOUSTIC DUCTS**
- Collocation for an integral equation arising in duct acoustics  
p 682 A86-43038
- A study on the transmission of sound through flow ducts of varying cross section  
[NLR-TR-83128-U] p 683 N86-29636
- ACOUSTIC EMISSION**
- Assessment of structural damage in composites utilizing acoustic emission technology  
p 521 A86-35651
- An analysis of acoustic emission detected during fatigue testing of an aircraft  
p 670 A86-41596
- Interaction of airborne and structureborne noise radiated by plates. Volume 1: Analytical study  
[NASA-TM-87746] p 683 N86-29633
- ACOUSTIC EXCITATION**
- Tone excited jets. I - Introduction  
p 193 A86-16486
- Tone excited jets. IV - Acoustic measurements  
p 193 A86-16469
- Nonlinear multimode response of clamped rectangular plates to acoustic loading  
p 457 A86-32973
- ACOUSTIC FATIGUE**
- Problems in the dynamics of aircraft structures exposed to intensive acoustic loading  
p 384 A86-28316
- Effects of nonlinear damping on random response of beams to acoustic loading  
[AIAA PAPER 86-1004] p 609 A86-38945
- Predicted and measured strain response of rectangular panels due to acoustic loading  
[AIAA PAPER 86-1931] p 751 A86-45421
- Response of symmetric rectangular composite laminates with nonlinear damping subjected to acoustic loading  
[AIAA PAPER 86-1933] p 738 A86-45422
- The Shock and Vibration Bulletin 55. Part 1: Welcome, keynote address, invited papers, isolation and damping and damping practices  
[AD-A160263] p 256 N86-16616
- Passive damping, sonic fatigue and the KC-135A  
p 256 N86-16625
- Laminated damped fuselage structures  
p 389 N86-21916
- ACOUSTIC IMPEDANCE**
- A new application of adaptive noise cancellation — in acoustic barriers  
p 282 A86-22626
- ACOUSTIC INSTABILITY**
- Longitudinal combustion instabilities in ramjet engines  
Identification of acoustic modes  
p 440 A86-31586
- ACOUSTIC MEASUREMENT**
- Tone excited jets. I - Introduction  
p 193 A86-16466
- Tone excited jets. IV - Acoustic measurements  
p 193 A86-16469
- The development and calibration of an acoustic wall transonic test section  
[AIAA PAPER 86-0759] p 514 A86-37090
- Details of analysis of airplane structure acoustic loading in flight testing  
p 804 A86-49129
- Aeroacoustic research in the Netherlands related to aircraft development  
[NLR-MP-84049-U] p 265 N86-17061
- International Civil Aviation Organization Helicopter Noise Measurement Repeatability Program: US test report, Bell 206L-1, noise measurement flight test  
[AD-A159898] p 333 N86-20090
- B-52G crew noise exposure study  
[AD-A161112] p 333 N86-20094
- Experimental study of the acoustic fields far and near a Microturbo TRS 18 turbofan  
[ISL-R-113/84] p 333 N86-20095
- Free jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual flow. Comprehensive data report. Volume 1: Test nozzles and acoustic data  
[NASA-CR-174817] p 469 N86-23371
- Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and supersonic. Base pressure data  
[NASA-CR-174818] p 469 N86-23372
- Modifications to the 4x7 meter tunnel for acoustic research: Engineering feasibility study  
[NASA-CR-178079] p 470 N86-24394
- Wind-tunnel acoustic results of two rotor models with several tip designs  
[NASA-TM-87698] p 682 N86-28701
- Structureborne noise in aircraft: Modal tests  
[NASA-TM-87739] p 757 N86-31339
- Directivity and trends of noise generated by a propeller in a wake  
[NASA-TP-2609] p 757 N86-31341
- Airborne intruder detection considerations  
[DE86-006482] p 808 N86-31578
- Measurement and extraction of recurring waveforms: For applications to active transmissions, flow-noise, and helicopter-radiated noise problems  
[AD-A167400] p 856 N86-32249
- ACOUSTIC PROPAGATION**
- A numerical model of acoustic choking. II - Shocked solutions  
p 265 A86-20795
- Weakly nonlinear acoustic and shock-wave theory of the noise of advanced high-speed turbopropellers  
p 534 A86-35146
- Identification of longitudinal acoustic modes associated with pressure oscillations in ramjets  
p 591 A86-39079
- ACOUSTIC PROPERTIES**
- An approach to the calculation of the pressure field produced by rigid wide chord dual rotation propellers of high solidity in compressible flow  
[AIAA PAPER 86-0467] p 856 A86-49566
- Hover and forward flight acoustics and performance of a small-scale helicopter rotor system  
[NASA-TM-88584] p 295 N86-19314
- International Civil Aviation Organization Helicopter Noise Measurement Repeatability Program: US test report, Bell 206L-1, noise measurement flight test  
[AD-A159898] p 333 N86-20090
- Flame driving of longitudinal instabilities in dump type ramjet combustors  
p 658 N86-28239
- Acoustic-vortex interactions in an idealized ramjet combustor  
p 659 N86-28242
- Acoustic treatment of the NASA Langley 4- by 7-meter tunnel: A feasibility study  
[NASA-TP-2563] p 757 N86-31337
- ACOUSTIC RETROFITTING**
- Battle of the hushkits - All quieter on western front  
p 440 A86-31349
- ACOUSTIC SCATTERING**
- Acoustic-backscattering studies of transverse cracks in composite thick laminates  
p 451 A86-33088
- ACOUSTICAL HOLOGRAPHY**
- Experimental study using nearfield acoustic holography of sound transmission through fuselage sidewall structures  
[NASA-CR-177162] p 683 N86-26702
- ACOUSTICS**
- Design considerations for application of laminar flow control systems to transport aircraft  
p 155 N86-15270
- Triaxial vibration system  
p 257 N86-16647
- Technical evaluation report on the Fluid Dynamics Panel Symposium on Aerodynamics and Acoustics of Propellers  
[AGARD-AR-213] p 279 N86-19298
- Hover and forward flight acoustics and performance of a small-scale helicopter rotor system  
[NASA-TM-88584] p 295 N86-19314
- Modeling the effects of wind tunnel wall absorption on the acoustic radiation characteristics of propellers  
[NASA-TM-87333] p 683 N86-29630
- ACOUSTO-OPTICS**
- Sensitivity, noise and optical crosstalk in heterodyne acousto-optical signal processors  
p 740 A86-46701
- ACQUISITION**
- Materials and manufacturing processes for advanced jet engines  
p 105 A86-13173
- Avionics standardization: Perceptions and recommendations  
[AD-A161709] p 361 N86-20388
- An examination of the life support equipment development and acquisition process  
[AD-A162241] p 463 N86-24221
- The C-17: An attempt at increased airlift versatility  
[AD-A164822] p 540 N86-26280
- The search for an advanced fighter: A history from the XF-108 to the advanced tactical fighter  
[AD-A166724] p 687 N86-29764
- ACRYLIC RESINS**
- Fire-retardant decorative inks for aircraft interiors  
[NASA-TM-88198] p 313 N86-18441
- ACTIVE CONTROL**
- For agile read active — control of military helicopters  
p 175 A86-17175
- Design of an active flutter suppression system  
p 239 A86-20236
- Control of a forward-swept-wing configuration dominated by flight dynamic/aeroelastic interactions  
p 239 A86-20237
- The effectiveness of various control surfaces in quasi-steady and unsteady flows - Applications  
[ONERA, TP NO. 1985-147] p 306 A86-24633
- Trends of active control technology  
p 307 A86-25213
- Helicopter attitude stabilization using individual-blade-control  
p 307 A86-26170
- Kinematic observers for rotor control  
p 366 A86-27664
- Finite state modelling of aeroelastic systems for active control applications - A general theory  
p 444 A86-33249
- NLR experience in the application of active flutter suppression and gust load alleviation, applied to a wind-tunnel model  
p 444 A86-33250
- The design and wind tunnel demonstration of an active control system for gust load alleviation and flutter suppression  
p 445 A86-33251
- Helicopter gust alleviation, attitude stabilization, and vibration alleviation using individual-blade-control through a conventional swash plate  
p 510 A86-35604
- A wind tunnel study of active control technology on a high aspect ratio wing  
[AIAA PAPER 86-0956] p 594 A86-38930
- Dynamic interactions between active control systems and a flexible aircraft structure  
[AIAA PAPER 86-0980] p 594 A86-38932
- Active control of propeller induced noise fields inside a flexible cylinder  
[AIAA PAPER 86-1957] p 711 A86-45442
- Active minimization of acoustic potential energy in harmonically excited cylindrical enclosed sound fields  
[AIAA PAPER 86-1958] p 752 A86-45443
- A feasibility study on the numerical modeling of interior noise fields  
[AIAA PAPER 86-1862] p 754 A86-45482
- Eigenanalysis synthesis for active flutter suppression on an oblique-wing aircraft  
[AIAA PAPER 86-2243] p 824 A86-47491
- Active flutter suppression  
p 832 A86-49004
- Active control technology for civil transport  
p 832 A86-49005
- Designing a load alleviation system for a modern civil aircraft  
p 832 A86-49006
- Research on active suppression technology for wing/aileron flutter  
p 835 A86-49096
- Active noise control — in prop-fan aircraft cabins  
p 803 A86-49101

- Integrated Application of Active Controls (IAAC) technology to an advanced subsonic transport project: Test act system description [NASA-CR-172221] p 176 N86-14277
- The use of active controls to augment rotor/fuselage stability p 176 N86-15281
- An investigation of adaptive controllers for helicopter vibration and the development of a new dual controller [NASA-CR-177377] p 239 N86-18228
- Aeroelasticity at the NASA Langley Research Center: Recent progress, new challenges [NASA-TM-87680] p 336 N86-20342
- A research program in active control/aeroelasticity [NASA-TR-176773] p 511 N86-24702
- Role of optimization methods in improvement of flight control for airplanes p 513 N86-25803
- Wind tunnel test and analysis on gust load alleviation of a high-aspect-ratio wing [NAL-TR-890] p 556 N86-27185
- Identification of aircraft characteristics including gust induced dynamic effects p 565 N86-27263
- Individual-blade-control research in the MIT VTOL Technology Laboratory 1977-1985 [NASA-CR-177121] p 654 N86-28954
- Optical technology for flight control systems [NASA-TM-88400] p 655 N86-28960
- Active flutter suppression on a delta wing model structure [DFVLR-FB-86-01] p 727 N86-29670
- Development of a flutter suppression control law by use of linear quadratic Gaussian and constrained optimization design techniques p 728 N86-30647
- Finite state modelling of aeroelastic systems for active control applications: A general theory p 749 N86-30648
- NLR experience in the application of active flutter suppression and gust load alleviation, applied to a wind tunnel model p 728 N86-30649
- The design and wind tunnel demonstration of an active control system for gust load alleviation and flutter suppression p 728 N86-30650
- Preliminary control law and hardware designs for a ride quality augmentation system for commuter aircraft. Phase 2 [NASA-CR-4014] p 836 N86-32440
- ACTIVITY (BIOLOGY)**
- Composition and photochemical reactivity of turbine engine exhaust [AD-A157643] p 107 N86-12230
- ACTUATION**
- Aerodynamic delay following control actuation in a glider [AIAA PAPER 86-2226] p 829 N86-47689
- ACTUATOR DISKS**
- A revision of the actuator disk concept and momentum theory — rotary wing flow [REPT-R-732-D] p 341 N86-20374
- ACTUATORS**
- Fiber optics for propulsion control systems [ASME PAPER 84-GT-97] p 105 N86-13054
- Electromechanical actuation reliability and survivability — for flight control surface motion in military aircraft p 354 N86-28397
- Electronics for advanced electromechanical actuators design considerations — for flight control p 354 N86-28398
- Digital fault tolerant flight actuation systems p 354 N86-28400
- Microprocessor controlled and managed fly-by-wire hydraulic actuator p 368 N86-28401
- A survivable fly-by-wire spoiler actuation system featuring nonflammable fluid, 8,000 PSI hydraulics and direct drive valves p 355 N86-28402
- Designing compact electromechanical actuators for flight control p 583 N86-37332
- Controllability of redundant flight control system and pressure equalization of redundant servo actuators p 723 N86-43497
- Pneumatic actuator device [AD-D011794] p 99 N86-12217
- Simulation of a six degrees of freedom flight simulator motion system [UA-00-39] p 241 N86-18230
- Digital fault-tolerant flight actuation systems [AFWAL-83-3041] p 362 N86-20408
- Direct model reference adaptive control of a flexible robotic manipulator [NASA-CR-176859] p 396 N86-22113
- Operational flight experience and disassembly/inspection results of Space Shuttle orbiter actuators p 600 N86-27354
- Multivariable control systems with saturating actuators and reset windup strategies [NASA-CR-177100] p 682 N86-29580
- On control concept for in-flight simulation including actuator nonlinearities and time delays [ESA-TT-948] p 836 N86-31593
- Servo-actuator for sampled-data feedback disturbance rejection — helicopters [DFVLR-FB-86-08] p 837 N86-32446
- ADA (PROGRAMMING LANGUAGE)**
- First use of Ada in flight-critical avionics [AIAA PAPER 86-8822] p 443 N86-32146
- Ada for Simulators [SAE PAPER 851984] p 532 N86-36945
- RT-BUILD - Automatic generation of Ada code for flight control applications [AIAA PAPER 86-2088] p 852 N86-47439
- Advanced avionics computer architecture. Volume 1. Executive summary [AD-A158119] p 104 N86-12222
- Advanced avionics computer architecture. Volume 2. Instruction set architecture specification [AD-A158120] p 104 N86-12223
- Using Ada in the real-time avionics environment: Issues and conclusions [AD-A163844] p 533 N86-25151
- A high-order language for a system of closely coupled processing elements [NASA-CR-177280] p 619 N86-27930
- ADAPTERS**
- Adapter pallet system [AD-D011858] p 191 N86-15671
- ADAPTIVE CONTROL**
- Control law and logic development for controllable ejection seat catapult p 218 N86-19320
- The study of adaptive control augmentation system implemented with microcomputer — aircraft flight p 306 N86-24577
- On the development of equiobservable forms with application to adaptive control p 465 N86-33134
- Adaptive flight control of unstable helicopters during transition p 444 N86-33178
- A discrete adaptive observer for a multi-output aircraft control system p 444 N86-33180
- Adaptive flutter suppression in the presence of turbulence p 508 N86-35370
- Adaptive fuel control testing p 502 N86-35615
- Application of closed-loop machining in the manufacture of gas turbines p 521 N86-35659
- Adaptive control robustness in flexible aircraft application p 511 N86-37070
- Dynamic interactions between active control systems and a flexible aircraft structure [AIAA PAPER 86-0960] p 594 N86-38932
- An terrain-aided guidance system with high convergence speed p 573 N86-38766
- Aerodynamic investigations toward an adaptive airfoil for a transonic transport aircraft p 823 N86-40115
- An expert system for control system design p 680 N86-40774
- A design approach to a performance seeking control — for fighter aircraft engines [AIAA PAPER 86-1674] p 652 N86-42785
- Robust simplified adaptive control for a class of multivariable-continuous-time systems p 680 N86-42860
- Dual control and prevention of the turn-off phenomenon in a class of mimo systems p 681 N86-43000
- Application of adaptive control to aircraft systems p 748 N86-43478
- An adaptive flight control system design for CCV with an unknown interactor matrix p 723 N86-43536
- Synthesis of an adaptive flight controller under unknown deterministic disturbances [AIAA PAPER 86-2157] p 823 N86-47484
- An explicit adaptive flight control system based on the modified gain extended Kalman filter [AIAA PAPER 86-2158] p 823 N86-47485
- Recursive real-time identification of step-response matrices of high-performance aircraft for adaptive digital flight control [AIAA PAPER 86-2017] p 826 N86-47652
- A robust adaptive flightpath reconstruction technique [AIAA PAPER 86-2018] p 826 N86-47653
- Boeing control law for CREST demonstration ejection seat p 794 N86-47758
- Development of HIDECA adaptive engine control systems [ASME PAPER 86-GT-252] p 818 N86-48278
- Application of a dynamic grid adaptation in the ASWR procedure p 149 N86-14243
- An investigation of adaptive controllers for helicopter vibration and the development of a new dual controller [NASA-CR-177377] p 239 N86-18228
- An application of adaptive learning to malfunction recovery [NASA-CR-168620] p 533 N86-25169
- Adaptive wall wind tunnels: A selected, annotated bibliography [NASA-TM-87639] p 731 N86-29671
- Active control of helicopter vibrations. Flight evaluation of a vibration reduction system on a Gazelle SA 349 helicopter [SNIAS-861-210-108] p 836 N86-32444
- ADAPTIVE FILTERS**
- Statistical formulation of the objectives of the aerodynamic experiment p 80 N86-13381
- A new application of adaptive noise cancellation — in acoustic barriers p 262 N86-22626
- Computationally simple adaptive tracking filters based on weighted averages p 457 N86-32642
- Adaptive filtering of biodynamic stick feedthrough in manipulation tasks on board moving platforms [AIAA PAPER 86-2248] p 825 N86-47495
- ADDITIVES**
- Properties of aircraft fuels and related materials [AD-A184532] p 604 N86-27481
- Continuous inline blending of antimisting kerosene p 734 N86-30015
- Olefin polymers as jet fuel antimisting additives p 734 N86-30016
- Amine-CO<sub>2</sub> adducts as aviation fuel gelling agents p 701 N86-30020
- GTA/BASF antimisting fuel research p 734 N86-30021
- ADHESION TESTS**
- Dynamic thermal analysis characterizations of electron-beam cured adhesives p 182 N86-16234
- Environmental and adhesive durability of aluminum-polymer systems protected with organic corrosion inhibitors p 801 N86-37708
- Principles and applications of the Fokker bond tester — flue gases [ETN-86-96960] p 612 N86-27624
- ADHESIVE BONDING**
- Structural bonding with polysulfide adhesive on B-1B aircraft p 94 N86-13106
- Repeatability of mixed-mode adhesive debonding p 249 N86-20638
- Requirements for tailoring of material properties of viscoelastically damped bonded laminates in aircraft structures p 250 N86-21714
- Process for adhesive bonding of metal skins to aircraft structures [SAE PAPER 851805] p 606 N86-38321
- Adhesive bonding of aluminum-lithium alloys p 680 N86-40267
- Structural analysis of adhesive-bonded joints p 846 N86-47722
- Adhesive-bonded aluminum structure repair p 846 N86-47725
- A durable airfield marking system [AD-A157953] p 113 N86-13339
- Failure mechanisms of laminates transversely loaded by bolt push-through [NASA-TM-87603] p 184 N86-14314
- Lightning protection guidelines and test data for adhesively bonded aircraft structures [NASA-CR-3762] p 436 N86-23586
- Constant amplitude and flight simulation of fatigue tests on adhesive bonded lap joint specimens of 2024-T3 sheet material — semisubmersible platform [NLR-TR-84090-U] p 612 N86-26663
- Principles and applications of the Fokker bond tester — flue gases [ETN-86-96960] p 612 N86-27624
- ADHESIVES**
- Adhesive system for high temperature destructive testing of composite structures p 115 N86-13101
- Electrically conductive structural adhesive p 115 N86-13170
- Prediction and measurement of damping of vibrations of structures by adhesives p 118 N86-13171
- Adhesive selection from the user's viewpoint p 841 N86-47715
- Elevated-temperature-resistant adhesives p 842 N86-47717
- Compartmented, filament wound, one-piece aircraft fuel tanks [AD-D011793] p 107 N86-12225
- Aminophenoxycyclotriphosphazene cured epoxy resins and the composites, laminates and structures thereof [NASA-CASE-ARC-11548-1] p 379 N86-21686
- ADIABATIC CONDITIONS**
- Experimental study of the supersonic turbulent boundary layer on a blunt axisymmetric body [AD-A163736] p 479 N86-24689
- ADIABATIC FLOW**
- Steady transonic flow p 413 N86-33408
- ADJUSTING**
- Extensions to PIFCGT: Multirate output feedback and optimal disturbance suppression [NASA-CR-3968] p 446 N86-22581



## ADVANCED RANGE INSTRUMENTATION AIRCRAFT

Airborne telemetry - The advanced range instrumentation aircraft p 92 A86-13225

## AERIAL EXPLOSIONS

Calculation of the explosion of a rapidly flying body p 738 A86-45344

## AERIAL PHOTOGRAPHY

PC-183B standoff imaging system p 229 A86-19578

Automatic exposure control employing scene statistics in reconnaissance cameras p 230 A86-19588

Camera flight tests and image evaluation p 230 A86-19591

AN-102 photography airplane outfitted for cloud-seeding missions p 393 A86-20688

Design, development and integrate/install an airborne remote instrumentation system (AIREYE) [AD-A166755] p 719 A86-30728

## AERIAL RECONNAISSANCE

Airborne reconnaissance VIII; Proceedings of the Meeting, San Diego, CA, August 21, 22, 1984 [SPIE-496] p 228 A86-19576

Application of binocular viewers to airborne reconnaissance p 229 A86-19580

KA-102 film/EO standoff system p 229 A86-19581

Evolution of real time airborne reconnaissance p 229 A86-19586

Sensor control and film annotation for long range, standoff reconnaissance p 230 A86-19597

Airborne radar. I - Air-to-surface p 296 A86-23293

A constant altitude flight survey method for mapping atmospheric ambient pressures and systematic radar errors p 360 A86-28507

Measurements of ocean wave spectra and modulation transfer function with the airborne two-frequency scatterometer p 393 A86-28618

Developmental sciences prepares Skyeye for Army competition p 495 A86-36819

Army completing development tests for Lockheed Aquila RPV system p 495 A86-36820

U. S. Army plans to evaluate Canadair CL-227 sentinel p 495 A86-36821

Northrop delivers RPVs to Navy to aid in development proposal p 496 A86-36822

Enhanced mission versatility of the Aquila RPV system p 575 A86-37338

Development of a computer-managed readiness assessment system [AD-A162931] p 463 A86-24215

The impact of artificial intelligence on airborne maritime reconnaissance p 675 A86-28374

Design, development and integrate/install an airborne remote instrumentation system (AIREYE) [AD-A166755] p 719 A86-30728

## AERIAL RUDDERS

Design and certification of a composite control surface [SAE PAPER 850886] p 582 A86-38516

Operational flight experience and disassembly/inspection results of Space Shuttle orbiter actuators p 600 A86-27354

## AEROACOUSTICS

Sound generation by flow over relatively deep cylindrical cavities p 129 A86-18058

Tone excited jets. I - Introduction p 193 A86-16466

Discrete tones generated by an impinging underexpanded rectangular jet p 193 A86-17138

Helicopter linear noise p 193 A86-17776

Evaluation of a correction for sound propagation through free-jet shear layers p 193 A86-17783

Modification to the NASA Langley 4- by 7-meter tunnel for improved rotorcraft aerodynamics and acoustics p 179 A86-18414

Acoustic and turbulence influences on stall hysteresis [AIAA PAPER 86-0170] p 200 A86-19731

Isolated and interacting round parallel heated jets [AIAA PAPER 86-0281] p 284 A86-19790

Aeroacoustics of an advanced propeller design under takeoff and landing conditions p 284 A86-23190

Sound generation by an energetically inhomogeneous gas flow in a gas-turbine aircraft engine p 300 A86-23753

Excitation of blade vibration by flow induced acoustic resonances in axial-flow compressors p 303 A86-24712

A theoretical analysis of the effect of thrust-related turbulence distortion on helicopter rotor low-frequency broadband noise p 289 A86-26113

The German-Dutch wind tunnel - An aeroacoustics experimenter's dream p 488 A86-31965

Acoustical design economic tradeoff for transport aircraft p 488 A86-32783

Prediction of advanced propeller noise in the time domain p 489 A86-32963

Measurements regarding the emission angle dependence of propeller-acoustic pressure/time signals, taking into account passing flight conditions [DGLR PAPER 85-112] p 534 A86-35165

The role of scale models in the design of 'low BVI noise' rotorcraft p 534 A86-35617

A comparative study of tail rotor noise mechanisms p 534 A86-35618

Model helicopter blade slap at low tip speeds - Theoretical and experimental correlations p 535 A86-35621

Flow field and near and far sound field of a subsonic jet p 476 A86-35855

Wave envelope and finite element approximations for turbofan noise radiation in flight p 619 A86-39057

Modeling wind tunnel effects on the radiation characteristics of acoustic sources p 682 A86-41689

The influence of source location on the structural-acoustic interaction of cylinders - in aerodynamics p 638 A86-41710

Numerical evaluation of propeller noise including nonlinear effects p 645 A86-41726

Interactions between acoustics and vortex structures in a central dump combustor [AIAA PAPER 86-1009] p 671 A86-42749

Collocation for an integral equation arising in duct acoustics p 682 A86-43038

On aerodynamic sound generation by airfoil-vortex interaction p 688 A86-44803

Modelling of acoustic radiation problems associated with turbomachinery and rotating blades p 749 A86-44905

Noise control characteristics of synchrophasing. I - Analytical investigation - of turboprop aircraft noise p 708 A86-44853

Calculation of transonic rotor noise using a frequency domain formulation [AIAA PAPER 86-1901] p 750 A86-45402

High speed rotor noise due to blade loading [AIAA PAPER 86-1902] p 750 A86-45403

Rotor noise due to atmospheric turbulence ingestion. II - Aeroacoustic results [AIAA PAPER 86-1903] p 750 A86-45404

Application of the Baseline Rotonet system to the prediction of helicopter tone noise [AIAA PAPER 86-1904] p 750 A86-45405

An experimental investigation of wing tip turbulence with applications to aerosound [AIAA PAPER 86-1918] p 691 A86-45413

The effect on radiated noise of non-zero propeller rotational plane attitude [AIAA PAPER 86-1926] p 750 A86-45417

Counter-rotating propeller noise directivity and trends [AIAA PAPER 86-1927] p 751 A86-45418

Experimental results of the noise radiation of propellers in non-uniform flows [AIAA PAPER 86-1928] p 751 A86-45419

Propeller-induced structure-borne noise - Laboratory-based test apparatus [AIAA PAPER 86-1938] p 730 A86-45425

The near and far acoustic fields of broadband shock associated noise [AIAA PAPER 86-1943] p 751 A86-45430

High speed flight effects on shock associated noise [AIAA PAPER 86-1944] p 751 A86-45431

Aeroacoustics of contoured plug-nozzle supersonic jet flows [AIAA PAPER 86-1946] p 752 A86-45433

Tone-like noise from an isolated two dimensional airfoil [AIAA PAPER 86-1947] p 752 A86-45434

Broad band noise from an isolated two dimensional airfoil [AIAA PAPER 86-1948] p 752 A86-45435

Active minimization of acoustic potential energy in harmonically excited cylindrical enclosed sound fields [AIAA PAPER 86-1958] p 752 A86-45443

Broadband noise - Its prediction and likely importance for advanced propfans [AIAA PAPER 86-1963] p 753 A86-45447

Broadband propeller noise prediction in the plane of the rotor [AIAA PAPER 86-1964] p 753 A86-45448

Concepts for reduction of blade-vortex interaction noise [AIAA PAPER 86-1955] p 753 A86-45477

Rotor noise due to atmospheric turbulence ingestion. I - Fluid mechanics [AIAA PAPER 86-1957] p 754 A86-45479

Prediction of structure-borne noise, based on the finite element method [AIAA PAPER 86-1961] p 754 A86-45481

Prediction of sound fields in cavities using boundary element methods [AIAA PAPER 86-1984] p 754 A86-45484

Features of discrete tones generated by jet flows over Coanda surfaces [AIAA PAPER 86-1865] p 691 A86-45485

On the screech tones of supersonic rectangular jets [AIAA PAPER 86-1866] p 754 A86-45486

Acoustic properties associated with rectangular geometry supersonic nozzles [AIAA PAPER 86-1867] p 754 A86-45487

The noise emitted by turbulent jets in close proximity to solid surfaces [AIAA PAPER 86-1869] p 755 A86-45489

Rotor-strut interaction noise of a model fan [AIAA PAPER 86-1871] p 755 A86-45491

Noise generated by convected gusts interacting with swept airfoil cascades [AIAA PAPER 86-1872] p 755 A86-45492

Aerodynamics via acoustics - Application of acoustic formulas for aerodynamic calculations [AIAA PAPER 86-1877] p 691 A86-45494

Development of an impulsive noise source to study the acoustic reflection characteristics of hard-walled wind tunnels [AIAA PAPER 86-1887] p 755 A86-45500

Acoustic reflection contamination measurements in the 16-foot NASA Langley Transonic Wind Tunnel [AIAA PAPER 86-1888] p 755 A86-45501

A study of the rotor/rotor interaction tones from a contra-rotating propeller driven aircraft [AIAA PAPER 86-1894] p 756 A86-45505

Effect of a wind tunnel on the acoustic field from various aeroacoustic sources [AIAA PAPER 86-1897] p 756 A86-45507

Statistical analysis of the influence of service parameters on the aeroacoustic effects p 712 A86-45750

Acoustic effect on stall hysteresis for low Reynolds number laminar flow p 855 A86-47971

Broadband noise of propellers and rotors p 855 A86-48586

Modelling of acoustic radiation problems associated with turbomachinery and rotating blades p 855 A86-48597

The aerodynamic potential of anti-sound p 855 A86-48977

Aeroacoustics at the German-Dutch wind tunnel p 839 A86-49061

Details of analysis of airplane structure acoustic loading in flight testing p 804 A86-49129

A study of helicopter main rotor noise in hover [AIAA PAPER 86-1858] p 856 A86-49575

Noise control characteristics of synchrophasing. II - Experimental investigation - on aircraft fuselage model p 805 A86-49808

Aeroacoustic calibration of the German-Dutch Wind Tunnel (DNW) open jet [DNW-TR-82-03] p 242 A86-16236

Acoustic evaluation of the German-Dutch Wind Tunnel (DNW) shear layer correction using a model jet [DNW-TR-82-04] p 242 A86-16237

Aeroacoustic research in the Netherlands related to aircraft development [NLR-MP-84048-U] p 265 A86-17081

Laboratory experiments on active suppression of advanced turboprop noise [NASA-TM-87129] p 331 A86-19125

Recent experiences in the analysis of aircraft cabin noise p 401 A86-21287

Modifications to the 4x7 meter tunnel for acoustic research: Engineering feasibility study [NASA-CR-178079] p 470 A86-24394

Aircraft Noise Prediction Program theoretical manual: Propeller aerodynamics and noise [NASA-TM-83199-PT-3] p 536 A86-25220

Helicopter noise p 560 A86-27223

Unsteady aerodynamics application to helicopter noise and vibration sources p 562 A86-27241

An analysis of blade vortex interaction aerodynamics and acoustics [NASA-CR-177016] p 630 A86-28912

Acoustic treatment of the NASA Langley 4- by 7-meter tunnel: A feasibility study [NASA-TP-2563] p 767 A86-31337

AEROASSIST

Measured and predicted heating distributions for biconics at Mach 10 p 624 A86-41734

Geometrical description for a proposed aerosist flight experiment vehicle [NASA-TM-87714] p 749 A86-31237

AERODYNAMIC BALANCE

Direct derivative measurements in the presence of sting plunging p 371 A86-28580

The effect of the admissible centering misalignment of a transport aircraft on its mass p 495 A86-35981

Mass balancing of hollow fan blades [NASA-TM-87197] p 255 A86-18611

Airplane automatic control force trimming device for asymmetric engine failures [NASA-CASE-LAR-13280-1] p 369 A86-20397

- Study on using a digital ride quality augmentation system to trim an engine-out in a Cessna 402B [NASA-CR-177272] p 595 A86-26342
- Recent developments in rotary-balance testing of fighter aircraft configurations at NASA Ames Research Center p 562 A86-27242
- Initial design and evaluation of automatic restructurable flight control system concepts [NASA-CR-178064] p 652 A86-28090
- Studies for the application of a flexible weight and balance (W/B) measuring facility for commercial aircraft [BMFT-FB-W-85-029] p 840 A86-31804
- ### AERODYNAMIC CHARACTERISTICS
- The linear theory of a profile in a compressible gas with additional jet flow p 78 A86-13351
- Symmetric transonic flow past wings of large aspect ratios p 78 A86-13352
- A study of flow near a shock wave interaction line p 78 A86-13353
- The effect of the incalculable flow regime of air scoops on flow past a wing p 78 A86-13354
- Selecting the principal parameters of a wedge-profiled wing p 78 A86-13358
- Aerodynamic characteristics of a finite-aspect-ratio wing in hypersonic flow of a radiating gas p 78 A86-13359
- Flow of a diatomic rarefied gas around a cone p 78 A86-13360
- Characteristics of the lifting properties of aircraft with sweptforward wings at supersonic velocities p 96 A86-13371
- A study of the normal of a delta-wing aircraft at large angles of attack during unsteady motion p 79 A86-13379
- Statistical formulation of the objectives of the aerodynamic experiment p 80 A86-13381
- Certain characteristics of parachute-wing aerodynamics p 80 A86-13389
- Using the shock-expansion method for calculating the aerodynamic characteristics of flight vehicles p 81 A86-13396
- The use of reverse flow to calculate transonic flow past bodies p 81 A86-13412
- Asymptotic solution of the fluid-flow problem in the core of a vortex sheet p 81 A86-13413
- Analytical method for considering the elasticity of the blades in the aerodynamic calculation of a helicopter propeller p 96 A86-13421
- Calculation of supersonic flow past a three-dimensional configuration using integral relationships p 81 A86-13423
- Certain problems of fluid flow near the core of a spiral discontinuity p 120 A86-13424
- Formation of asymmetric separated flow past slender bodies of revolution at large angles of attack p 82 A86-13429
- Certain properties of two-dimensional flows in the case of flow past bodies with jets p 82 A86-13431
- Supersonic gas flow past a V-shaped wing p 82 A86-13440
- A method for numerical analysis of the aerodynamic characteristics of an airplane wing in the subcritical range of the flying velocity p 83 A86-13933
- Quasi-solutions of an inverse boundary value problem of hydroaerodynamics p 120 A86-13983
- Experimental study of gas flow around blunt objects p 85 A86-15980
- Mathematical solution for unsteady subsonic flow past a thin profile in a channel p 140 A86-16851
- The effect of the curvature of the external contours of turbine blade profiles on their aerodynamic characteristics p 144 A86-18152
- Determination of the intensity of a free vortex sheet in the context of airfoil theory p 146 A86-18904
- Simple approximations of functions with additional constraints p 192 A86-18918
- Influence of the dropping conditions on container motion near the carrier and on the impact parameters p 158 A86-19069
- Lift-curve characteristics for an airfoil pitching at constant rate [AIAA PAPER 86-0117] p 199 A86-19898
- Design of a natural laminar flow wing for a transonic corporate transport [AIAA PAPER 86-0314] p 200 A86-19807
- A numerical solution of the downwash associated with a blown-flap system [AIAA PAPER 86-0473] p 202 A86-19892
- Lift augmentation via spanwise tip blowing - A numerical study [AIAA PAPER 86-0474] p 202 A86-19893
- Aerodynamic measurements of an airfoil with simulated glaze ice [AIAA PAPER 86-0484] p 202 A86-19897

- Practical applications of new LU-ADI scheme for the three-dimensional Navier-Stokes computation of transonic viscous flows [AIAA PAPER 86-0513] p 203 A86-19922
- Modeling aerodynamic responses to aircraft maneuvers - A numerical validation p 204 A86-20156
- Simulation and analysis of natural rain in a wind tunnel via digital image processing techniques [AIAA PAPER 86-0291] p 241 A86-22687
- Results of high angle-of-attack testing of the F-15 with conformal fuel tanks p 284 A86-23267
- Practical difficulties in the theoretical design of low-speed profiles p 271 A86-23775
- Distribution of optimal circulation on a propeller blade with a nonlinear dependence on the number of blades and with allowance tapering p 271 A86-23778
- Aerodynamics of swept wings with medium and small aspect ratios. II p 272 A86-23948
- Aerodynamic characteristics of general aviation at high angle of attack with the propeller slip stream p 306 A86-25204
- Recent computational fluid dynamics works about high angle of attack aerodynamics with separation vortex p 274 A86-25206
- Review of theory of vortex separated from a leading edge of a delta wing p 275 A86-25207
- Aerodynamic characteristics of slender wing-gap-body combinations. II p 275 A86-25240
- Optimal lifting surfaces of wings of complex configurations at supersonic flight velocities p 288 A86-25423
- Aerodynamics of lifting surfaces in steady flow - Russian book p 275 A86-25599
- Helicopter active control with blade stall alleviation model capability p 307 A86-26136
- Design and testing of a large scale helicopter fuselage model in the RAE 5 metre pressurized wind tunnel p 292 A86-26163
- The effect of limiting aerodynamic and structural coupling in models of mistuned bladed disk vibration p 363 A86-26905
- Matrix equations of the spatial flight of an asymmetrical rigid body p 365 A86-27446
- Effects of side-stick controllers on rotorcraft handling qualities for terrain flight p 366 A86-27659
- Aerodynamics of aircraft elements - Russian book p 337 A86-28525
- Vortex flows in aerodynamics p 338 A86-29417
- Aerodynamics. Part 2 - Methods of aerodynamic calculations p 338 A86-29841
- Understanding and predicting helicopter behavior - Then and now (Lecture) [AD-A164419] p 425 A86-30498
- Effects of intense rainfall on the aerodynamics of an airfoil profile p 409 A86-31013
- A correction of the angle of incidence for a two-dimensional wing model in the closed test section p 409 A86-31020
- Aircraft and rockets: Design concepts - Romanian book p 410 A86-32324
- Solution of the unsteady Euler equations for fixed and rotor wing configurations p 410 A86-32779
- Computation of prop-fan engine installation aerodynamics p 410 A86-32781
- Aerodynamic parameters estimated from flight and wind tunnel data p 410 A86-32782
- Experimental and theoretical study of wings with blunt trailing edges p 410 A86-32789
- Aerodynamic characteristics of a flexible membrane wing [AIAA PAPER 84-2168] p 410 A86-32959
- Airfoil design at sonic velocity p 411 A86-32989
- An improvement to the numerical method for calculations of aircraft configuration longitudinal aerodynamic characteristics p 411 A86-32994
- Exact closed-form solutions for nonlinear unsteady transonic aerodynamics p 412 A86-33231
- Steady and unsteady pressure distributions on various profiles in separated subsonic and transonic flow p 413 A86-33233
- Calculation of the load distribution, aerodynamic derivatives and dynamic characteristics of quasi-static elastic aircraft p 413 A86-33240
- Rising of the Ferrie point on the windward side of delta wings p 474 A86-34485
- A vortex lattice method for calculating nonlinear aerodynamic characteristics of interfering airfoils [DGLR PAPER 85-122] p 475 A86-35172
- Estimation of transport airplane aerodynamics using multiple stepwise regression p 489 A86-35385
- Calculation of the dynamic response of a flight vehicle using a discrete-continuous model p 476 A86-35979
- Classification of flight vehicles according to the type of propulsion - Determination of the type and number of lift solutions p 473 A86-35983

## AERODYNAMIC CHARACTERISTICS

- Calculation of the aerodynamic characteristics of three-dimensional wings of finite span in a potential incompressible flow p 476 A86-35985
- Group studies of equations of the laminar boundary layer on a rotating wing p 476 A86-35994
- The method of fundamental solutions in aerodynamics. II - Applications to the theory of lifting surfaces in supersonic flow p 477 A86-36285
- Nonlinear lift control at high speed and high angle of attack using vortex flow technology p 478 A86-37050
- The development and calibration of an acoustic wall transonic test section [AIAA PAPER 86-0759] p 514 A86-37090
- Aerodynamic characteristics of a circulation controlled symmetrical airfoil with dual jet p 541 A86-37198
- Calculation of helicopter airfoil characteristics for high tip-speed applications p 541 A86-37769
- Analytical observations on the aerodynamics of a delta wing with leading edge flaps [AIAA PAPER 86-1790] p 543 A86-37820
- A two-dimensional transonic aerodynamic design method [AIAA PAPER 86-1793] p 543 A86-37823
- Aerodynamic effects of wingtip-mounted propellers and turbines [AIAA PAPER 86-1802] p 544 A86-37826
- A high order supersonic triplet singularity [AIAA PAPER 86-1815] p 545 A86-37834
- Supersonic airfoil optimization [AIAA PAPER 86-1818] p 545 A86-37837
- Computational aerodynamic design - X-29, the Gulfstream series and a tactical fighter [SAE PAPER 851789] p 547 A86-38313
- An experimental study of a general aviation single-engine aircraft utilizing a natural laminar flow wing [SAE PAPER 850861] p 551 A86-38503
- Natural laminar flow and regional aircraft [SAE PAPER 850864] p 552 A86-38505
- Aerodynamic characteristics of an oscillating airfoil - for Vertical Axis Wind Turbine p 616 A86-39566
- Viscous effects on transonic airfoil stability and response p 623 A86-40110
- An LU implicit scheme for high speed inlet analysis [AIAA PAPER 86-1520] p 625 A86-42687
- Multi-stage compressor airfoil aerodynamics. I - Airfoil potential flow analysis [AIAA PAPER 86-1744] p 627 A86-42822
- Application of system identification to aircraft flight test data processing p 638 A86-43002
- Rotational-translational subsonic motion of a finite-span wing in an ideal gas p 628 A86-43384
- Experimental study of supersonic flow around a single-stage wedge with cheeks at sideslip angles p 628 A86-43404
- Control of the discrete vortices from a delta wing [AIAA PAPER 86-1915] p 690 A86-45411
- Aerodynamics of delta wings with leading edge blowing [AIAA PAPER 86-2230] p 764 A86-47891
- The dynamic response of a variable sweep aircraft in the course of changing geometry [AIAA PAPER 86-2234] p 829 A86-47694
- Flight tests and preliminary aerodynamic parameter extraction of an externally piloted vehicle aircraft model p 796 A86-47800
- Particulate flow solutions through centrifugal impeller with two splitters [ASME PAPER 86-GT-130] p 765 A86-48188
- Rotor-fuselage dynamic coupling characteristics of helicopter air and ground resonance p 799 A86-48666
- Hypothesis of two-dimensional cross sections for a wing of finite span at supersonic velocities p 767 A86-48769
- Effect of cantilever sweep on the aerodynamic characteristics of a wing with a projection in separated flow p 768 A86-48779
- Effect of the nonequilibrium character of the flow around a blunt plate with a bend on its aerodynamic characteristics p 768 A86-48783
- Divergence of an anisotropic sweptforward wing p 768 A86-48788
- Method for calculating subsonic ideal-gas flow past an aircraft p 768 A86-48807
- Method for the visualization of subsonic gas flows p 769 A86-48808
- Acceleration of the convergence of methods for calculating two- and three-dimensional transonic flow past bodies in an unbounded stream p 769 A86-48809
- Determination of off-design flowrates according to the position of branching points on an under-the-wing (over-the-wing) air intake p 769 A86-48812
- Similarity criteria for a circulation control airfoil p 769 A86-48815

Determination of the aerodynamic characteristics of separated flow past a wing with allowance for slight unsteadiness induced by changes in angle of attack p 769 A86-48816

Transonic flow past the root section of a wing with sweepback and sweepforward p 769 A86-48817

Symmetric and nonsymmetric separated flow past a low aspect ratio wing with a fuselage p 770 A86-48838

An analysis of flow of a nonviscous incompressible fluid past a wing of finite thickness in the presence of a screen p 770 A86-48841

A study of the characteristics of separated flow past wings and lifting systems p 770 A86-48842

The effect of equilibrium air properties and Mach number on the aerodynamic characteristics of a flight vehicle p 770 A86-48843

Determination of the required stiffness characteristics for a large aspect ratio wing from the conditions of static strength and aileron efficiency p 800 A86-48845

The effect of a kinetic air model on the aerodynamic characteristics of airfoils with flaps p 771 A86-48849

Design of a supercritical airfoil p 771 A86-48982

Validation on nonstationary aerodynamics models for longitudinal aeroplane motion on the basis of flight measurements p 833 A86-49026

Prediction of the aerodynamic characteristics of flight vehicles in large unsteady maneuvers p 834 A86-49048

Estimation of aerodynamic parameters from flight data of a high incidence research model p 834 A86-49057

Method of analysing data on a swept wing aircraft in flight p 775 A86-49103

An experimental study of a three lifting surface configuration p 775 A86-49104

Oscillating wings and bodies with flexure in supersonic flow Applications of harmonic potential panel method p 776 A86-49108

Prediction of gust loadings and alleviation at transonic speeds p 777 A86-49573

High-angle-of-attack aerodynamics - Lessons learned [AIAA PAPER 86-1774] p 777 A86-49578

Low-speed aerodynamics of apex fences on a tailless delta configuration p 779 A86-49583

Aerodynamic characteristics of a propulsive wing-canard concept at STOL speeds [NASA-CR-177982] p 886 N86-12205

Assessment of aerodynamic and dynamic models in a comprehensive analysis [NASA-TM-86835] p 76 N86-13286

Configuration and longitudinal wind tunnel testing of forward-swept wings p 181 N86-14449

The experimental determination of the subsonic aerodynamic characteristics of an Ogive-Cylinder body including a comparison with theoretical estimates, volume 1 [CAR-8509] p 151 N86-15242

Aerodynamic characteristics of a high-wing transport configuration with a over-the-wing nacelle-pylon arrangement [NASA-TP-2497] p 207 N86-16193

Flow field survey near the rotational plane of an advanced design propeller on a JetStar airplane [NASA-TM-86037] p 207 N86-16196

Aerodynamical calibration of the German-Dutch Wind Tunnel (DNW): A review of testing techniques and results [DNW-PA-82062] p 242 N86-16238

Image processing of aerodynamic data [NASA-TM-87629] p 255 N86-16553

The analysis of practical transonic swept wings with and without boundary layer effects p 211 N86-17300

Effect of dynamic stall and elastic parameters on the fundamental mechanisms of helicopter vibrations [AD-A160022] p 237 N86-17355

Calculation of helicopter airfoil characteristics for high tip-speed applications [AD-A160694] p 277 N86-18294

Effects of blade-to-blade dissimilarities on rotor-body lead-lag dynamics [AD-A160497] p 293 N86-18317

Wind tunnel calibration of a PMS (Particle Measuring Systems) canister instrumented for airflow measurement [AD-A161124] p 278 N86-19292

Exploratory low-speed wind-tunnel study of concepts designed to improve aircraft stability and control at high angles of attack [NASA-CR-176815] p 338 N86-20344

Aerodynamic characteristics of several current helicopter tail boom cross sections including the effect of spoilers [NASA-TP-2506] p 339 N86-20349

Research on the aerodynamic characteristics of vehicles by free flight testing at supersonic speeds [NAL-TR-878] p 339 N86-20353

Model analysis of a typical fighter aircraft using transient testing technique [NAL-TM-ST-8517] p 356 N86-20385

A programme of research into the aerodynamics, stability and control characteristics of a combat aircraft having a forward swept wing p 357 N86-21533

Numerical analysis of nonequilibrium flow about airfoil in thin shock layer approximation p 343 N86-22258

Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987 [AD-A162792] p 402 N86-22443

Effects of some geometric variations on missile aerodynamic characteristics at supersonic speeds [NASA-TM-87683] p 415 N86-22553

Low-speed stability and control characteristics of a transport model with aft-fuselage-mounted advanced turboprops [NASA-TP-2535] p 445 N86-22580

Some lessons learned with wind tunnels [NASA-TM-87710] p 408 N86-23555

Aerodynamic characteristics of a supersonic fighter aircraft model at Mach 0.40 to 2.47 [NASA-TP-2580] p 416 N86-23561

Effects of upper-surface nacelles on longitudinal aerodynamic characteristics of high-wing transport configuration [NASA-TP-2579] p 416 N86-23562

Investigation to advance prediction techniques of the low-speed aerodynamics of V/STOL aircraft [NASA-CR-166479] p 416 N86-23568

Validation of USAF stability and control Datcom methodologies for straight-tapered sweptforward wings [AD-A161876] p 417 N86-23570

USAF/SCEE (United States Air Force/Southeastern Center for Electrical Engineering Education) Research Initiation Program research reports, volume 2 [AD-A161908] p 480 N86-23752

Rotor performance characteristics from an aerodynamic helicopter wind-tunnel test program [NASA-TM-87661] p 479 N86-24665

Evaluation of propfan propulsion applied to general aviation [NASA-CR-175020] p 503 N86-24695

Evaluating turbine engine operating characteristics [FAA-AC-25.939-1] p 504 N86-24696

Lateral and longitudinal aerodynamic stability and control parameters of the basic vortex flap research aircraft as determined from flight test data [NASA-TM-87711] p 512 N86-24703

Unsteady heat transfer and direct comparison to steady-state measurements in a rotor-wake experiment [NASA-TM-87220] p 524 N86-24934

Flow around delta wings with broken-line leading edges p 481 N86-25560

Information on new AN-124 giant cargo plane p 498 N86-25601

Role of optimization methods in improvement of flight control for airplanes p 513 N86-25603

Air Force Academy Aeronautics Digest [AD-A164940] p 540 N86-26281

Tables for correcting airfoil data obtained in the Langley 0.3-meter transonic cryogenic tunnel for sidewall boundary-layer effects [NASA-TM-87723] p 555 N86-26289

An overview of the fundamental aerodynamics branch's research activities in wing leading-edge vortex flows at supersonic speeds p 558 N86-27207

Transonic aerodynamic and aeroelastic characteristics of a variable sweep wing p 561 N86-27237

New rotary rig at RAE and experiments on HIRM p 562 N86-27243

Recent experiences of unsteady aerodynamic effects on aircraft flight dynamics at high angle of attack p 564 N86-27252

Unsteady aerodynamics and dynamic aircraft maneuverability p 564 N86-27253

On the interface between unsteady aerodynamics, dynamics and control p 564 N86-27254

Theoretical prediction of wing rocking p 564 N86-27256

A perspective of computational fluid dynamics [NASA-TM-88246] p 629 N86-28057

The lift of sharp-leading-edged delta wings with blowing [NASA-CR-176967] p 631 N86-28915

Wake shape and its effects on aerodynamic characteristics [NASA-CR-178118] p 631 N86-28918

Comparison of theoretical and flight-measured local flow aerodynamics for a low-aspect-ratio fin [NASA-CR-176995] p 632 N86-28920

Aerodynamics of the Viggen 37 aircraft, Part 1: General characteristics at low speed [NASA-TM-88403] p 632 N86-28925

A supersonic fan equipped variable cycle engine for a Mach 2.7 supersonic transport [NASA-CR-177141] p 650 N86-28946

Multivariable control of a forward swept wing aircraft [NASA-CR-177112] p 654 N86-28953

An experimental and analytical investigation of isolated rotor flap-lag stability in forward flight [NASA-CR-177028] p 654 N86-28957

Shock-wave boundary layer interactions [AGARD-AG-280] p 676 N86-29173

Effect of film cooling on the aerodynamic performance of a turbine cascade p 742 N86-29859

Aerodynamic effect of coolant ejection in the rear part of transonic rotor blades p 742 N86-29861

Experience with synchronous and asynchronous digital control systems [NASA-TM-88271] p 726 N86-29866

Aerodynamics of engine-airframe interaction [NASA-CR-179657] p 697 N86-30697

Air-on demonstration of the AEDC PWT tunnel 16T captive trajectory support system [AD-A166888] p 698 N86-30700

A survey of handling qualities criteria and their applications to high performance aircraft [NASA-CR-179654] p 729 N86-30738

Three-dimensional shock wave and turbulent boundary layer interactions [AD-A167086] p 745 N86-31010

Aerodynamics of seeing on large transport aircraft [NASA-CR-177035] p 758 N86-31357

Low-speed aerodynamic characteristics of a 1/8-scale X-29A airplane model at high angles of attack and sideslip [NASA-TM-87722] p 781 N86-31532

The application of energy techniques to propeller-driven airplanes [AD-A167113] p 807 N86-31569

Aerodynamics of aircraft afterbody: Report of the working group on aerodynamics of aircraft afterbody [AGARD-AR-228] p 782 N86-32408

A mathematical model of the Sea King Mk.50 helicopter aerodynamics and kinematics [ARL-AERO-TM-379] p 808 N86-32425

## AERODYNAMIC COEFFICIENTS

Statistical formulation of the objectives of the aerodynamic experiment p 80 A86-13381

Free-falling autorotating plate - A coupled fluid and flight mechanics problem p 110 A86-14533

Aircraft flow effects on cloud drop images and concentrations measured by the NAE Twin Otter p 322 A86-23289

A consistent mathematical model to simulate steady and unsteady rotor-blade aerodynamics p 276 A86-26108

Design of the 225-knot conventional rotor p 289 A86-26116

On the exact solution of the linearized lifting-surface problem of an elliptic wing p 409 A86-31132

Comparison of F-101 ejection seat and ACES II static aerodynamic coefficients - Advanced Concept Ejection Seat p 428 A86-32067

Application of transonic unsteady methods for calculation of flutter airloads p 412 A86-33230

Analytic representation of steady and unsteady aerodynamic coefficients of modern helicopter rotors [DGLR PAPER 85-114] p 474 A86-35167

A new approach to finite state modelling of unsteady aerodynamics [AIAA PAPER 86-0865] p 552 A86-38900

Indicial coefficients for a cropped delta wing in incompressible flow p 623 A86-40111

Dual-wing systems with decalage angle optimization p 624 A86-40121

An aerodynamic analysis computer program and design notes for low speed wing flap systems [NASA-CR-3675] p 408 N86-23554

Experimental assessment of vortex retaining cavity flaps for maneuverability improvement on delta wing fighter aircraft [AD-A164104] p 497 N86-24690

Increments in aerofoil maximum lift coefficient due to deployment of various high-lift devices [ESDU-85033] p 480 N86-25325

Evaluation of 3 numerical methods for propulsion integration studies on transonic transport configurations [NASA-TM-87727] p 559 N86-27209

Extraction of aerodynamic parameters for aircraft at extreme flight conditions p 563 N86-27248

First order analysis of the effect of pitching on the drag coefficient [DE86-006324] p 633 N86-28926

## AERODYNAMIC CONFIGURATIONS

Sound generation by flow over relatively deep cylindrical cavities p 129 A86-16058

The computation of steady 3-D separated flows over aerodynamic bodies at incidence and yaw [AIAA PAPER 86-0109] p 199 A86-19693

- Experimental study of effects of forebody geometry on high angle of attack static and dynamic stability  
[AIAA PAPER 86-0331] p 238 A86-19818
- Definition and verification of a complex aircraft for aerodynamic calculations  
[AIAA PAPER 86-0431] p 202 A86-19873
- Influence of wing tip configuration on lateral blowing efficiency  
[AIAA PAPER 86-0475] p 208 A86-22702
- Aerodynamic design of an airfoil with allowance for the condition of nonseparated flow p 270 A86-23660
- The role of wind tunnel testing in future aircraft development  
[AIAA PAPER 86-0750] p 309 A86-24739
- Some lessons learned with wind tunnels  
[AIAA PAPER 86-0777] p 310 A86-24756
- An experimental study of the lift, drag and static longitudinal stability for a three lifting surface configuration  
[AIAA PAPER 86-0398] p 365 A86-26629
- Unusual aerodynamics of X-29 p 428 A86-31332
- Roll-damping measurements on two flight body configurations in the Goettingen DFVLR-AVA transonic wind tunnel  
[DGLR PAPER 85-090] p 508 A86-35153
- Configuration aspects of modern high-performance aircraft  
[DGLR PAPER 85-130] p 488 A86-35176
- Analytical tools for systematic transonic design  
p 477 A86-36201
- Aerodynamics and radar-signature - A theoretical approach to estimate the radar-signature of complex aircraft configurations compatible with aerodynamic panel-methods  
[AIAA PAPER 86-1770] p 577 A86-37807
- Effects of structural nonlinearities on limit cycle response of aerodynamic surfaces  
[AIAA PAPER 86-0899] p 585 A86-38910
- Classical flight dynamics of a variable forward-sweep-wing aircraft p 594 A86-39043
- Unsteady transonic flow calculations for interfering lifting surface configurations p 623 A86-40118
- Effect of longitudinal-contour shape on the aerodynamic characteristics of lifting bodies at supersonic and hypersonic flight velocities p 628 A86-43402
- More accurate simulations of whole aircraft p 691 A86-45702
- Unsteady low-speed aerodynamic model for complete aircraft configurations  
[AIAA PAPER 86-2180] p 829 A86-47683
- Power level influence on architecture of small helicopter turbohaft engines  
[ASME PAPER 86-GT-191] p 815 A86-48241
- Selecting the shape of the middle surface of the pylons and the mounting angles of single nacelles under the wing of subsonic aircraft p 800 A86-48787
- Transonic computations about complex configurations using coupled inner and outer flow equations p 771 A86-49008
- Application of the TranAir full-potential code to complete configurations p 772 A86-49009
- Precise solution for rational transfer parameters of flight vehicles p 801 A86-49022
- Algebraic grid generation about wing-fuselage bodies p 772 A86-49028
- Preliminary results of unsteady blade surface pressure measurements for the SR-3 propeller  
[AIAA PAPER 86-1893] p 780 A86-48625
- Aerodynamic characteristics of a propulsive wing-canard concept at STOL speeds  
[NASA-CR-177982] p 86 A86-12205
- Double-branched vortex generator  
[NASA-TM-88201] p 89 A86-13298
- Test cases for inviscid flow field methods  
[AGARD-AR-211] p 153 A86-15256
- Numerical solutions for three-dimensional cases: Swept wings p 154 A86-15263
- Aircraft drag reduction technology: A summary p 155 A86-15267
- Parasitic and interference drag prediction and reduction p 156 A86-15272
- Ground resonance analysis using a substructure modeling approach p 176 A86-15282
- A numerical solution of the transonic integral equation and its application to three-dimensional transonic wing design p 226 A86-17298
- Application of a constrained inverse method in the aerodynamic design of a low speed wing-slat configuration  
[NLR-TR-83123-U] p 211 A86-17320
- Aerodynamic design trends for commercial aircraft  
[NASA-TM-77976] p 227 A86-17338
- Estimation of sideforce, yawing moment and rolling moment derivatives due to rate of yaw for complete aircraft at subsonic speeds  
[ESDU-84002] p 240 A86-17357
- A survey of numerical methods for the calculation of inviscid, possibly rotational Euler flows around aeronautical configurations  
[NLR-TR-83130-U] p 258 A86-17699
- Effects of blade-to-blade dissimilarities on rotor-body lead-lag dynamics  
[AD-A160487] p 293 A86-18317
- Effects of planform geometry on hover performance of a 2-meter-diameter model of a four-bladed rotor  
[NASA-TM-87807] p 340 A86-20358
- Method for the prediction of the installation aerodynamics of a propfan at subsonic speeds: User manual  
[NASA-CR-178057] p 340 A86-20380
- Comparison of computational results of a few representative three-dimensional transonic potential flow analysis programs  
[NASA-TM-77983] p 341 A86-21509
- STEP and STEPSPL: Computer programs for aerodynamic model structure determination and parameter estimation  
[NASA-TM-86410] p 370 A86-21549
- Flow prediction for propfan engine installation effects on transport aircraft at transonic speeds  
[NASA-CR-3954] p 414 A86-22550
- Random-choice-method solutions for two-dimensional planar and axisymmetric steady supersonic flows  
[UTIAS-297] p 415 A86-22555
- Geometric and structural properties of a rectangular supercritical wing oscillated in pitch for measurement of unsteady transonic pressure distributions  
[NASA-TM-85673] p 418 A86-23567
- Nonlinear potential analysis techniques for supersonic-hypersonic aerodynamic design  
[NASA-CR-172299] p 417 A86-23569
- Design of fuselage shapes for natural laminar flow  
[NASA-CR-3970] p 460 A86-23852
- Study of the effects of discretizing quantitative feedback theory analog control system designs  
[AD-A164209] p 533 A86-25174
- Flutter analysis of low aspect ratio wings p 527 A86-25838
- Langley aerospace test highlights, 1985  
[NASA-TM-87703] p 537 A86-26276
- Preliminary results of unsteady blade surface pressure measurements for the SR-3 propeller  
[NASA-TM-87352] p 559 A86-27213
- Review of SMP 1984 Symposium on Transonic Unsteady Aerodynamics and its Aeroelastic Applications p 561 A86-27236
- Recent developments in rotary-balance testing of fighter aircraft configurations at NASA Ames Research Center p 562 A86-27242
- Modelling of the vortex-airfoil interaction p 565 A86-27262
- A computer programme for DATCOM methods of estimation of lateral stability and control derivatives  
[NAL-TM-AE-8601] p 596 A86-27289
- Rotor/wing aerodynamic interactions in hover  
[NASA-TM-88255] p 629 A86-28060
- A study of the factors affecting boundary layer two-dimensionality in wind tunnels  
[NASA-CR-177023] p 631 A86-28914
- The use of a panel code on high lift configurations of a swept forward wing  
[NASA-CR-176968] p 631 A86-28916
- Comparison of theoretical and flight-measured local flow aerodynamics for a low-aspect-ratio fin  
[NASA-CR-176995] p 632 A86-28920
- Aerodynamics of the Viggen 37 aircraft. Part 1: General characteristics at low speed  
[NASA-TM-88403] p 632 A86-28925
- Transonic Navier-Stokes wing solution using a zonal approach. Part 1: Solution methodology and code validation  
[NASA-TM-88248-PT-1] p 692 A86-29765
- NASA and general aviation  
[NASA-SP-485] p 716 A86-30720
- Development of a data acquisition system to aid in the aerodynamic study of various helicopter configurations  
[AD-A167717] p 781 A86-31539
- Aerodynamic design methods for modern transport aircraft  
[ESA-TT-923] p 782 A86-31543
- High speed viscous flow calculations about complex configurations  
[NASA-TM-88237] p 850 A86-31827
- Aerodynamics of aircraft afterbody: Report of the working group on aerodynamics of aircraft afterbody  
[AGARD-AR-226] p 782 A86-32408
- AERODYNAMIC DRAG**
- Certain characteristics of parachute-wing aerodynamics p 80 A86-13389
- Boundary-layer development on the afterbody of an engine nacelle p 82 A86-13532
- The drag of a thermally insulated plate in a stream of a compressible gas under mixed flow conditions p 120 A86-13671
- Thrust and drag: Its prediction and verification - Book p 86 A86-14181
- Ice shapes and the resulting drag increase for a NACA 0012 airfoil  
[AIAA PAPER 84-0109] p 90 A86-14427
- An experimental investigation of an airfoil pitching at moderate to high rates to large angles of attack  
[AIAA PAPER 86-0008] p 198 A86-19631
- Investigation of chord ratio, stagger, decalage angle, and flap angle for dual wing configurations  
[AIAA PAPER 86-0317] p 201 A86-19610
- Details on the optimization of cruising drag of the Airbus A320  
[DGLR PAPER 85-089] p 487 A86-35152
- Experimental investigation of rotorcraft hub and shaft fairing drag reduction  
[AIAA PAPER 86-1783] p 577 A86-37814
- Drag-reduction characteristics of aft-swept wing tips  
[AIAA PAPER 86-1824] p 545 A86-37840
- The external drag of a simple axisymmetric body of revolution in subsonic and supersonic flow with variable mass flowthrough ratios  
[AIAA PAPER 86-1828] p 545 A86-37842
- Analytical study of three-surface lifting systems  
[SAE PAPER 850686] p 552 A86-38507
- Heat transfer and drag of a body in the far supersonic wake p 554 A86-39657
- Application of unsteady aerodynamics to large-eddy breakup devices in a turbulent flow p 688 A86-44238
- Transient induced drag p 689 A86-44879
- Evaluation and reduction of drag  
[AAAF PAPER NT 85-01] p 786 A86-48452
- The drag of a pair of bodies at supersonic flight velocities p 788 A86-48802
- Thick supercritical airfoils with low drag and NLF capability p 771 A86-48981
- Take-off prediction for the Airbus A300-600 and the A310 compared with flight test results p 804 A86-49121
- Transonic wave drag estimation and optimization using the nonlinear area rule  
[AIAA PAPER 86-1798] p 778 A86-49582
- Length adjustable strut link with low aerodynamic drag  
[AD-D011851] p 107 A86-12232
- Preliminary report on in-flight measurement of rotor hub drag and lift using the RSRA  
[NASA-TM-86784] p 100 A86-13319
- Fluid forces on two circular cylinders in crossflow  
[DE85-014294] p 124 A86-13704
- Crushing strength of aluminum oxide agglomerates  
[AD-A158051] p 124 A86-13756
- Parasitic and interference drag prediction and reduction p 156 A86-15272
- Estimation of drag due to inoperative turbo-jet and turbo-fan engines using data item nos. 81009 and 84004  
[ESDU-84005] p 211 A86-17305
- Low speed aerodynamic characteristics of a two-dimensional sail wing with adjustable slack of the sail  
[VTH-LR-307] p 211 A86-17314
- Side force characteristics of a 20 deg cone at high angles of attack  
[NAL-TM-AE-8503] p 340 A86-20356
- Integration effects of underwing forward- and rearward-mounted separate-flow, flow-through nacelles on a high-wing transport  
[NASA-TM-87627] p 342 A86-21514
- Advanced technology helicopter landing gear preliminary design investigation  
[AD-A162087] p 437 A86-23584
- The behaviour and performance of leading edge vortex flaps  
[CAR-8601] p 479 A86-24666
- In-flight measurements of wing ice shapes and wing section drag increases caused by natural icing conditions  
[NASA-TM-87301] p 479 A86-24667
- Aircraft drag prediction and reduction. Addendum 1: Computational drag analyses and minimization; mission impossible?  
[AGARD-R-723-ADD-1] p 556 A86-27187
- Evaluation of 3 numerical methods for propulsion integration studies on transonic transport configurations  
[NASA-TM-87727] p 559 A86-27209
- First order analysis of the effect of pitching on the drag coefficient  
[DE86-008324] p 633 A86-28926
- Development of flight testing techniques  
[NASA-CR-176996] p 640 A86-28936
- Flow past a flat plate with a vortex/sink combination  
[NASA-CR-176908] p 676 A86-29159

## AERODYNAMIC FORCES

- A study of the normal of a delta-wing aircraft at large angles of attack during unsteady motion p 79 A86-13379
- A combined method for the analysis of the aerodynamic forces acting on an oscillating flight vehicle in supersonic flow p 79 A86-13380
- Comment on 'Aerodynamic estimation techniques for aerostats and airships' p 85 A86-14541
- Stability of the steady-state gliding of a flight vehicle p 175 A86-16787
- New aspects of the small-perturbation method in aerodynamics p 271 A86-23770
- Forced response analysis of an aerodynamically detuned supersonic turbomachine rotor p 363 A86-26902
- The National Transonic Facility p 447 A86-31847
- A new look at arbitrary motion unsteady aerodynamics and its application to rotary-wing aeroelasticity p 413 A86-33238
- Unsteady forces on counter-rotating propeller blades [AIAA PAPER 86-1804] p 590 A86-37827
- Passive control of aerodynamically forced vibrations of supersonic turbomachine rotors by splitter blades [AIAA PAPER 86-0844] p 590 A86-38892
- A calculation method for unsteady aerodynamic forces in the Laplace domain and its application to root loci [AIAA PAPER 86-0866] p 553 A86-38901
- Aeroelastic tailoring of advanced composite compressor blades [AIAA PAPER 86-1008] p 591 A86-38949
- Recurrent identification of unsteady aerodynamic forces of elastic vehicles p 554 A86-39762
- Six-force-factor identification of helicopters p 586 A86-39763
- The role of structural and aerodynamic damping on the aeroelastic behavior of wings p 708 A86-44894
- Investigation of the aerodynamic forces on bluff bodies at high Reynolds numbers [ESA-TT-914] p 209 A86-16206
- Side force characteristics of a 20 deg cone at high angles of attack [NAL-TM-AE-8503] p 340 A86-20356
- Analysis of aerodynamic coefficients using gradient data: Spanwise turbulence effects on airplane response [NASA-CR-3961] p 393 A86-21089
- Free jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual flow. Comprehensive data report. Volume 1: Test nozzles and acoustic data [NASA-CR-174817] p 469 A86-23371
- Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data [NASA-CR-174818] p 469 A86-23372
- Loads and motions of an F-106B flying through thunderstorms [NASA-TM-87871] p 483 A86-24672
- Application of CFD techniques toward the validation of nonlinear aerodynamic models p 585 A86-27265
- A theory for lateral wing-tip blowing [NASA-CR-176931] p 632 A86-28923
- AERODYNAMIC HEAT TRANSFER**
- A study of heat transfer on wedges with a swept leading edge and a sharply bent generatrix p 81 A86-13399
- Clearance effects on heat transfer at the tips of plain and grooved turbine airfoils p 644 A86-40737
- Measured and predicted heating distributions for biconics at Mach 10 p 624 A86-41734
- Measurements of fluctuations of surface heat transfer rate in the interacting region of oblique shock wave and turbulent boundary layer p 688 A86-43512
- AERODYNAMIC HEATING**
- Panel design for optimum strength and stability with allowance for the nonuniformity of heating p 119 A86-13357
- Subsonic thermal wind tunnel with an Eiffel chamber p 112 A86-13443
- X-15 high temperature advanced structure p 268 A86-22137
- Buckling behavior of Rene 41 tubular panels for a hypersonic aircraft wing [AIAA PAPER 86-0978] p 609 A86-38857
- Measured and predicted heating distributions for biconics at Mach 10 p 624 A86-41734
- Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987 [AD-A162792] p 402 A86-22443
- Comparison of measured and calculated temperatures for a Mach 8 hypersonic wing test structure [NASA-TM-85918] p 435 A86-22563
- AERODYNAMIC INTERFERENCE**
- An experimental study of geometrical effects on the drag and flow field of two bluff bodies separated by a gap p 141 A86-17055

- Reflections regarding recent rotary rig results [AIAA PAPER 86-0123] p 241 A86-19703
- Wind tunnel wall influence considering two-dimensional high-lift configurations p 308 A86-23167
- An estimation of the wall interference on a two-dimensional circulation control airfoil [AIAA PAPER 86-0738] p 273 A86-24732
- Characteristics of the effect of the powerplant jet streams on the design of VTOL aircraft p 354 A86-28320
- Direct derivative measurements in the presence of sting plunging p 371 A86-28560
- Unsteady transonic flow calculations for two-dimensional canard-wing configurations p 410 A86-32780
- Simulation and measurement of engine influences in a two-jet aircraft model using model engines [DGLR PAPER 85-092] p 513 A86-35155
- Unsteady transonic flow calculations for interfering lifting surface configurations p 623 A86-40118
- Advances at AEDC in treating transonic wind tunnel wall interference p 839 A86-49058
- On the computation of wing lift interference caused by high bypass engines p 776 A86-49109
- Wing laminar boundary layer in the presence of a propeller slipstream p 776 A86-49122
- Transonic airfoil calculations including wind tunnel wall-interference effects p 780 A86-49825
- Derivation of jack movement influence coefficients as a basis for selecting wall contours giving reduced levels of interference in flexible walled test sections [NASA-CR-177992] p 86 A86-12204
- FLEXWAL: A computer program for predicting the wall modifications for two-dimensional, solid, adaptive-wall tunnels [NASA-TM-84648] p 150 A86-14250
- German-Dutch wind tunnel (DNW). Present and future applications for industrial developments p 242 A86-16235
- Parametric determination of lift interference for three-dimensional models in the Emmen (Switzerland) aircraft works wind tunnel [F+W-FO-1740] p 277 A86-18304
- Effect of underwing aft-mounted nacelles on the longitudinal aerodynamic characteristics of a high-wing transport airplane [NASA-TP-2447] p 339 A86-20345
- Installation effects of long-duct pylon-mounted nacelles on a twin-jet transport model with swept supercritical wing [NASA-TP-2457] p 339 A86-20346
- Unsteady transonic flow calculations for wing-fuselage configurations [NASA-TM-87707] p 478 A86-24657
- A numerical study of the aerodynamic interference of a model support system used in the RAE 5 metre wind tunnel [AD-A165671] p 657 A86-28962
- Experimental and theoretical study of propeller spinner/shank interference [NASA-CR-176954] p 694 A86-29773
- Adaptive wall wind tunnels: A selected, annotated bibliography [NASA-TM-87639] p 731 A86-29871
- AERODYNAMIC LOADS**
- Separated flow unsteady aerodynamic theory p 85 A86-14529
- On the teaching of the principles of wing flexure-torsion flutter p 185 A86-16248
- Application of NLR's calculation methods to transonic flow about oscillating wings p 143 A86-17778
- Behaviour of a rectangular wing in a supersonic flow - Dynamic pressure and normal force analysis in the range 1.3-4.0 Mach p 146 A86-19005
- Vortex roll-up for an elliptically-loaded wing at moderately low Reynolds numbers [AIAA PAPER 86-0562] p 203 A86-19951
- Stator row unsteady aerodynamics due to wake excitations p 273 A86-24703
- Comparative analysis of two methods for evaluating the loads acting on the tail plane during a symmetric manoeuvre p 287 A86-25095
- An analysis of the influence of the duration and sharpness of a symmetric manoeuvre on the load acting on the tail plane p 287 A86-25096
- Applications of an analysis of axisymmetric body effects on rotor performance and loads p 289 A86-26105
- Safety aspects in stores management systems p 299 A86-26132
- Tests on whole A129 engine bay simulating the inertia and aerodynamic loads p 292 A86-26164
- Semi-empirical simulation of steady and unsteady rotor blade aerodynamic loading p 336 A86-27656

- Flight test techniques used for carriage load measurements at large underfuselage store configurations on Tornado combat A/C [AIAA PAPER 86-9755] p 429 A86-32096
- New and existing techniques for dynamic loads analyses of flexible airplanes p 432 A86-32787
- Application of transonic unsteady methods for calculation of flutter airloads p 412 A86-33230
- An improved potential gradient method for the calculation of unsteady aerodynamic pressures on oscillating wings in supersonic flow p 413 A86-33234
- An exact formulation of the unsteady aerodynamic theory of lifting surfaces undergoing arbitrary small motions in a supersonic flow field p 413 A86-33235
- Experimental transonic pressure distributions of a flexible wing-airfoil model and comparisons with results of several theoretical methods p 432 A86-33239
- Static aeroelastic analysis using aircraft vibration modes p 432 A86-33241
- Flutter calculation by a new program p 444 A86-33246
- NLR experience in the application of active flutter suppression and gust load alleviation, applied to a wind-tunnel model p 444 A86-33250
- Windtunnel test and laboratory simulation of a load alleviation system for a modern transport aircraft p 445 A86-33252
- Control law synthesis for gust load alleviation using linear quadratic Gaussian theory p 445 A86-33253
- Hovering rotor airload prediction using a full potential flow analysis with realistic wake geometry p 475 A86-35636
- Euler calculations for flowfield of a helicopter rotor in hover [AIAA PAPER 86-1782] p 577 A86-37849
- Instrumentation and other issues in non-linear dynamic testing in wind tunnels p 597 A86-38248
- Three dimensional unsteady aerodynamics and aeroelastic response of advanced turboprops [AIAA PAPER 86-0848] p 591 A86-38894
- Six-force-factor identification of helicopters p 586 A86-39763
- Wake induced unsteady aerodynamic interactions in a multi-stage compressor [AIAA PAPER 86-1455] p 625 A86-42653
- Application of harmonic analysis method to research on rotor airloads p 706 A86-43490
- High speed rotor noise due to blade loading [AIAA PAPER 86-1802] p 750 A86-45403
- Wing loads induced by a propeller wake [AIAA PAPER 86-1967] p 711 A86-45450
- Aerodynamics via acoustics - Application of acoustic formulas for aerodynamic calculations [AIAA PAPER 86-1877] p 691 A86-45494
- Vortex-induced effects on aircraft dynamics [AIAA PAPER 86-2279] p 830 A86-47697
- A new look at inflight loads on existing transport aircraft p 796 A86-47794
- Influence of rotor blade aerodynamic loading on the performance of a highly loaded turbine stage [ASME PAPER 86-GT-56] p 785 A86-48134
- Overview of helicopter wake and airloads technology p 767 A86-48854
- Calculation of the loading of the airframe in flight due to multidimensional turbulence p 799 A86-48759
- Determination of the required number of channels for controlling aircraft wing loading for several cases of calculation p 768 A86-48787
- Method for calculating pressure distribution on the surfaces of wings with slit mechanization p 768 A86-48806
- Active control technology for civil transport p 832 A86-49005
- Application of strain gauge methods to determination of in-flight loads of structure groups of small transport aircraft p 811 A86-49149
- Rotorcraft Dynamics 1984 [NASA-CP-2400] p 167 A86-15280
- Restructuring the rotor analysis program C-60 p 168 A86-15292
- Interactive effects of high- and low-frequency loading on fatigue [AD-A180601] p 293 A86-18318
- The test loads sequences applied to the CT4 full scale fatigue test [AD-A160736] p 294 A86-18320
- Design method for the calculation of performances and flap movement of flexible wind turbine blades [VTH-M-453] p 323 A86-18795
- Loads and motions of an F-106B flying through thunderstorms [NASA-TM-87871] p 483 A86-24672
- Review of SMP 1984 Symposium on Transonic Unsteady Aerodynamics and its Aeroelastic Applications p 561 A86-27236

- Unsteady airload computations for airfoil oscillating in attached and separated compressible flow p 561 N86-27238
- Unsteady aerodynamics application to helicopter noise and vibration sources p 582 N86-27241
- Standard dynamics model experiments with the DFVLR/AVA transonic derivative balance p 582 N86-27245
- Dynamic nonlinear airloads: Representation and measurement p 583 N86-27251
- Modelling of the vortex-airfoil interaction p 585 N86-27262
- Users guide: Steady-state aerodynamic-loads program for shuttle TPS tiles [NASA-TM-85724] p 800 N86-27406
- Analytical observations on the aerodynamics of a delta wing with leading edge flaps [NASA-CR-177022] p 830 N86-28913
- An investigation of tip planform influence on the aerodynamic load characteristics of a semi-span, unswep wing and wing-tip [NASA-CR-177110] p 893 N86-29786
- An experimental and analytical method for approximate determination of the tilt rotor research aircraft rotor/wing download [NASA-CR-176970] p 893 N86-29789
- Experimental transonic pressure distributions of a flexible wing-aileron model and comparisons with results of several theoretical methods p 896 N86-30639
- Calculation of the load distribution, aerodynamic derivatives and dynamic characteristics of quasi-static elastic aircraft p 896 N86-30640
- A survey of handling qualities criteria and their applications to high performance aircraft [NASA-CR-179654] p 729 N86-30738
- Aircraft response to turbulence [AGARD-R-738] p 729 N86-30739
- Gust load prediction and alleviation on a fighter aircraft [AGARD-R-728] p 729 N86-30741
- ### AERODYNAMIC NOISE
- Sound generation by flow over relatively deep cylindrical cavities p 129 A86-18058
- Evaluation of a correction for sound propagation through free-jet shear layers p 183 A86-17783
- Noise of counter-rotation propellers with nonsynchronous rotors p 183 A86-17788
- Noise generated by a stretching vortex p 183 A86-18689
- Isolated and interacting round parallel heated jets [AIAA PAPER 86-0281] p 264 A86-19790
- Scaling of helicopter main rotor noise in hover [AIAA PAPER 86-0393] p 265 A86-22699
- Airfoil tip vortex formation noise p 331 A86-23134
- Research on sonic inlet p 331 A86-25217
- Recombination of vortex filaments and its role in aerodynamic noise p 406 A86-30213
- Finite element modeling of acoustic singularities with application to propeller noise p 468 A86-32778
- Prediction of advanced propeller noise in the time domain p 489 A86-32983
- Weakly nonlinear acoustic and shock-wave theory of the noise of advanced high-speed turbopropellers p 534 A86-35146
- Effects of wind-tunnel noise on swept-cylinder transition at Mach 3.5 [AIAA PAPER 86-1085] p 550 A86-38447
- Flight effects on noise from coaxial dual flow, II - Heated jets p 644 A86-41706
- On aerodynamic sound generation by airfoil-vortex interaction p 688 A86-44803
- Calculation of transonic rotor noise using a frequency domain formulation [AIAA PAPER 86-1901] p 750 A86-45402
- High speed rotor noise due to blade loading [AIAA PAPER 86-1902] p 750 A86-45403
- Pusher propeller noise directivity and trends [AIAA PAPER 86-1929] p 751 A86-45420
- The near and far acoustic fields of broadband shock associated noise [AIAA PAPER 86-1943] p 751 A86-45430
- High speed flight effects on shock associated noise [AIAA PAPER 86-1944] p 751 A86-45431
- Shock noise from supersonic jets in simulated flight to Mach 0.4 [AIAA PAPER 86-1945] p 752 A86-45432
- Broad band noise from an isolated two dimensional airfoil [AIAA PAPER 86-1948] p 752 A86-45435
- Active control of propeller induced noise fields inside a flexible cylinder [AIAA PAPER 86-1957] p 711 A86-45442
- Broadband propeller noise prediction in the plane of the rotor [AIAA PAPER 86-1964] p 753 A86-45448
- Rotor noise due to atmospheric turbulence ingestion. I - Fluid mechanics [AIAA PAPER 86-1857] p 754 A86-45479
- Acoustic properties associated with rectangular geometry supersonic nozzles [AIAA PAPER 86-1867] p 754 A86-45487
- The noise emitted by turbulent jets in close proximity to solid surfaces [AIAA PAPER 86-1869] p 755 A86-45489
- Influence of airfoil camber on convected gust interaction noise [AIAA PAPER 86-1873] p 755 A86-45493
- Theoretical prediction of single rotation propeller noise [AIAA PAPER 86-1891] p 758 A86-45503
- Propeller noise caused by blade tip radial forces [AIAA PAPER 86-1892] p 721 A86-45504
- A study of the rotor/rotor interaction tones from a contra-rotating propeller driven aircraft [AIAA PAPER 86-1894] p 756 A86-45505
- Effect of a wind tunnel on the acoustic field from various aerodynamic sources [AIAA PAPER 86-1897] p 756 A86-45507
- Experimental study of flight effect on fan noise. I - A study of inflow control device for simulating in-flight fan noise in static test p 721 A86-48024
- Analysis of the noise emitted by a tail rotor p 266 N86-18129
- Sound excitation during vortex-airfoil interaction [MPIS-MITT-80] p 266 N86-18130
- Consideration of some factors affecting low-frequency fuselage noise transmission for propeller aircraft [NASA-TP-2552] p 469 N86-24393
- Modelling of the vortex-airfoil interaction p 585 N86-27262
- Noise transmission into propeller aircraft p 619 N86-27473
- Cryogenic wind tunnels: Problems of continuous operation at low temperatures [NASA-TM-88446] p 656 N86-28099
- Correlation of transonic-cone preston-tube data and skin friction [NASA-CR-176902] p 693 N86-29771
- Directivity and trends of noise generated by a propeller in a wake [NASA-TP-2609] p 757 N86-31341
- ### AERODYNAMIC STABILITY
- Hypersonic flow past non-slender wedges, cones and ogives in oscillation p 76 A86-13047
- Estimation of the fluctuation amplitude of the angle of attack of a flight vehicle with nonlinear damping characteristics in the presence of atmospheric turbulence p 114 A86-13396
- Aeromechanical stability analysis of a hybrid heavy lift multirotor vehicle in hover p 110 A86-14530
- Feasibility of simplifying coupled lag-flap-torsional models for rotor blade stability in forward flight p 98 A86-16123
- Static and dynamic pitch stability of a blunt cone with forward facing aerodynamic spike in hypersonic flow p 135 A86-16249
- Stability of limit cycles in frictionally damped and aerodynamically unstable rotor stages p 174 A86-19198
- Dynamics and controls flight testing of the X-29A airplane [AIAA PAPER 86-0167] p 237 A86-19728
- Elimination of buffeting on the rear fuselage of the Hercules tanker p 221 A86-20622
- Aerodynamic detuning analysis of an unstalled supersonic turbofan cascade [ASME PAPER 85-GT-182] p 270 A86-22732
- Analytical and experimental results of the ground resonance phenomenon for A.129 p 291 A86-26142
- Aircraft integration - A summary of U.S. Army research programs and plans p 310 A86-26149
- Flight test simulation of the T-46 [AIAA PAPER 86-0773] p 430 A86-32108
- Bifurcation techniques for nonlinear dynamic analysis of compressor stall phenomena p 501 A86-35403
- Correlation of stability test results and analysis for the 1/5 scale V-22 aeroelastic model p 490 A86-35803
- Unfolding of degenerate Hopf bifurcation for supersonic flow past a pitching wedge p 725 A86-46456
- F-5E departure warning system algorithm development and validation [AIAA PAPER 86-2284] p 830 A86-47702
- Numerical analysis of aeroelastic stability problem of helicopter rotor blade p 798 A86-48662
- Rotor aeroelastic stability p 798 A86-48664
- Interactive aircraft flight control and aeroelastic stabilization [NASA-CR-176323] p 110 N86-12233
- Pitch rate versus G command as the longitudinal flight control system design strategy for a statistically unstable fighter type aircraft with two control surfaces [AD-A158803] p 111 N86-13334
- Rotorcraft Dynamics 1984 [NASA-CP-2400] p 167 N86-15280
- Parametric study of the aeroelastic stability of a bearingless rotor p 176 N86-15283
- Development of an unsteady aerodynamics model to improve correlation of computed blade stresses with test data p 156 N86-15288
- Flight dynamics and aircraft piloting [ESA-TT-874] p 240 N86-16229
- Side force characteristics of a 20 deg cone at high angles of attack [NAL-TM-AE-8503] p 340 N86-20356
- Operation REDWING, Project 5.2, in-flight participation of a B-52 [AD-A965286] p 357 N86-21536
- Low-speed stability and control characteristics of a transport model with aft-fuselage-mounted advanced turboprops [NASA-TP-2535] p 445 N86-22580
- Optimization of tip store modeling [AD-A162119] p 417 N86-23571
- Flutter analysis of low aspect ratio wings p 527 N86-25836
- Unsteady aerodynamics-fundamentals and applications to aircraft dynamics [NASA-TM-88768] p 555 N86-27182
- Standard dynamics model experiments with the DFVLR/AVA transonic derivative balance p 582 N86-27245
- Recent developments in techniques for dynamic simulation for the identification of stability parameters p 582 N86-27246
- Dynamic nonlinear airloads: Representation and measurement p 583 N86-27251
- Recent experiences of unsteady aerodynamic effects on aircraft flight dynamics at high angle of attack p 564 N86-27252
- Correlation of predicted and free-flight responses near departure conditions of a high incidence research model p 564 N86-27255
- Effects of blade-to-blade dissimilarities on rotor-body lead-lag dynamics [NASA-TM-88828] p 639 N86-28079
- Critical evaluation of the unsteady aerodynamics approach to dynamic stability at high angles of attack [NASA-CR-177104] p 632 N86-28924
- Investigation of empennage buffeting [NASA-CR-177164] p 654 N86-28951
- Individual-blade-control research in the MIT VTOL Technology Laboratory 1977-1985 [NASA-CR-177121] p 654 N86-28954
- Linear and nonlinear dynamic analysis of redundant load path bearingless rotor systems [NASA-CR-177098] p 682 N86-29579
- Flight determination of the aerodynamic stability and control characteristics of the NASA SGS 1-36 sailplane in the conventional and deep stall angles-of-attack of between -5 and 75 degrees [NASA-CR-176962] p 726 N86-29865
- Aircraft response to turbulence [AGARD-R-738] p 729 N86-30739
- On the handling qualities of flight vehicles through variable flight conditions [AD-A167727] p 836 N86-31592
- ### AERODYNAMIC STALLING
- Unsteady aerodynamics of airfoils oscillating in and out of dynamic stall [AIAA PAPER 85-4078] p 84 A86-14453
- Mean flow properties measured around an airfoil close to its maximum lift p 140 A86-16395
- Computation of dynamic stall of NACA0012 airfoil by block pentadiagonal matrix scheme [AIAA PAPER 86-0116] p 199 A86-19697
- Lift-curve characteristics for an airfoil pitching at constant rate [AIAA PAPER 86-0117] p 199 A86-19698
- Acoustic and turbulence influences on stall hysteresis [AIAA PAPER 86-0170] p 200 A86-19731
- Post stall studies of untwisted varying aspect ratio blades with NACA 44XX series. II - Airfoil sections p 272 A86-24522
- Deep stall characteristics of the MU-300 p 308 A86-25203
- Stall flutter of helicopter blade p 308 A86-25205
- An experimental investigation of the influence of a range of airfoil design features on dynamic stall onset p 288 A86-26104
- Helicopter active control with blade stall alleviation modal capability p 307 A86-26136
- Development of spin resistance criteria for light general aviation airplanes [AIAA PAPER 86-0812] p 443 A86-32139
- Unsteady stall modelling in three-dimensional flow p 409 A86-32154
- Dynamic stall inception correlation for airfoils undergoing constant pitch rate motions p 411 A86-32978



- Bifurcation techniques for nonlinear dynamic analysis of compressor stall phenomena p 501 A86-35403
- The importance of dynamic stall in aerodynamic modeling of the Darrieus rotor p 528 A86-36448
- Unsteady aerodynamics of rapidly pitched airfoils [AIAA PAPER 86-1105] p 551 A86-38465
- An experimental study of the aerodynamics of incipient torsional stall flutter [AIAA PAPER 86-0901] p 553 A86-38912
- Axial-flow fan stalling behavior with circumferential inlet sectoring [AIAA PAPER 86-1822] p 626 A86-42756
- Reverse flow in multistage axial compressors [AIAA PAPER 86-1747] p 627 A86-42825
- Dynamic stall - The case of the vertical axis wind turbine p 746 A86-44150
- Visualization of dynamic stall controlled by large amplitude interrupted pitching motions [AIAA PAPER 86-2281] p 764 A86-47699
- Acoustic effect on stall hysteresis for low Reynolds number laminar flow p 855 A86-47971
- Subsonic/transonic stall flutter investigation of an advanced low pressure compressor [ASME PAPER 86-GT-90] p 813 A86-48156
- On the duration of low speed dynamic stall p 773 A86-49033
- Proposed control of compressor stall by pressure perturbation and blade design p 816 A86-49084
- A new, improved method for separating turbulent boundary layer for aerodynamic performance prediction of trailing edge stall airfoils [AIAA PAPER 86-1832] p 779 A86-49590
- Air Force Academy Aeronautics Digest [AD-A157215] p 76 N86-12200
- Compressor research facility F100 high pressure compressor inlet total pressure and swirl profile simulation [AD-A157108] p 107 N86-12229
- Post stall maneuvers and thrust vectoring performance analysis [AD-A158100] p 110 N86-12235
- Separated transonic airfoil flow calculations with a nonequilibrium turbulence model [NASA-TM-86830] p 152 N86-15247
- Aircraft accident report: Vieques Air Link, Inc., Britten-Norman BN-21-6 Islander, N589SA, Vieques, Puerto Rico, August 2, 1984 [PB85-901408] p 159 N86-15276
- Resonant cavities for stall recovery in gas turbine engines [AD-D011891] p 175 N86-15317
- Numerical analysis about flow over an aerofoil with a large angle of attack p 210 N86-17291
- Computation of three dimensional potential flow around a finite wing with a leading-edge discontinuity at high angle of attack p 341 N86-21504
- Effects of wing modification on an aircraft's aerodynamic parameters as determined from flight data [NASA-TM-87591] p 370 N86-21550
- Increments in aerofoil maximum lift coefficient due to deployment of various high-lift devices [ESDU-85033] p 480 N86-25325
- Pitch-location effects on dynamic stall [AD-A164322] p 480 N86-25329
- Air Force Academy Aeronautics Digest [AD-A164940] p 540 N86-26281
- Flight test guide for certification of transport category airplanes [FAA-AC-25-7] p 587 N86-26329
- La recherche aerospaciale. Bimonthly bulletin, no. 1984-6, November - December 1984 [ESA-TT-907] p 559 N86-27217
- Dynamic stall modeling of the NACA 0012 profile p 559 N86-27222
- Dynamic stall of swept and unswept oscillating wings p 560 N86-27226
- Velocity and turbulence measurements in dynamically stalled boundary layers on an oscillating airfoil p 560 N86-27228
- Wing profile in stalled position subject to a flow of alternating potential and strong vortex p 560 N86-27229
- Unsteady boundary-layer separation on airfoils performing large-amplitude oscillations: Dynamic stall p 561 N86-27231
- Nonlinear problems in flight dynamics involving aerodynamic bifurcations p 563 N86-27249
- Experimental study of the effect of turbulence on dynamic stalling p 565 N86-27264
- Flight determination of the aerodynamic stability and control characteristics of the NASA SGS 1-36 sailplane in the conventional and deep stall angles-of-attack of between -5 and 75 degrees [NASA-CR-176962] p 726 N86-29865

## AERODYNAMICS

- Aerodynamics - The role of the computer p 76 A86-13050
- Aerohydrodynamics - Russian book p 82 A86-13456
- Computational and theoretical studies of unsteady viscous aerodynamics p 137 A86-16307
- Aspect ratio effects on the aerodynamics of a Wortmann airfoil at low Reynolds number p 137 A86-16313
- A method for measuring pressure distribution by means of indicating coatings p 140 A86-16687
- Model for analytically describing edge vortices p 140 A86-16867
- Interactive graphics for geometry generation - A program with a contemporary design p 192 A86-17781
- Intake aerodynamics - Book p 145 A86-18450
- Airfoil aerodynamics in icing conditions p 204 A86-20164
- Euler solvers as an analysis tool for aircraft aerodynamics p 204 A86-20939
- A vortex lattice method for jet wing performance with nonlinear wake and tip flow p 205 A86-22311
- Air flow and particle trajectories around aircraft fuselages. III - Extensions to particles of arbitrary shape p 316 A86-23281
- Aerodynamic research on straight wall annular diffuser for turbofan augmentor [ASME PAPER 85-IGT-16] p 271 A86-23834
- Aerodynamic Testing Conference, 14th, West Palm Beach, FL, March 5-7, 1986, Technical Papers p 309 A86-24726
- Aerodynamic performance of two fifteen-percent-scale wind-tunnel drive fan designs [AIAA PAPER 86-0734] p 273 A86-24729
- Doublet strip method for oscillating rectangular wings in subsonic flow p 274 A86-25189
- BASIC aerodynamics - Book p 336 A86-26474
- Transonic flow calculations for aircraft p 338 A86-29474
- Aerodynamics. Part 1 - Fundamentals of theory. Aerodynamics of an airfoil and a wing - Book p 338 A86-29840
- Aerodynamics. Part 2 - Methods of aerodynamic calculations p 338 A86-29841
- The aeromechanics of aircraft: Flight dynamics (2nd revised and enlarged edition) - Russian textbook p 442 A86-30925
- Statistical dynamics and control optimization of flight vehicles - Russian textbook p 449 A86-33299
- Steady transonic flow p 413 A86-33408
- Aerodynamics and molecular gas dynamics - Russian book p 414 A86-33480
- The induced downwash and lift on a wing of high aspect ratio in unsteady motion p 474 A86-34160
- Application of elliptic continuation method for transonic aerofoil design and experimental verification p 477 A86-36206
- Calculation of helicopter airfoil characteristics for high tip-speed applications p 541 A86-37769
- Applied Aerodynamics Conference, 4th, San Diego, CA, June 9-11, 1986, Technical Papers p 541 A86-37801
- Optimization of a supersonic wing by combining linear and Euler methods [SAE PAPER 851791] p 547 A86-38315
- A faster 'transition' to laminar flow [SAE PAPER 851855] p 548 A86-38347
- Progress in the development of parabolized Navier-Stokes (PNS) methodology for analyzing propulsive jet mixing problems [AIAA PAPER 86-1115] p 551 A86-38473
- General aviation aircraft aerodynamics; Proceedings of the General Aviation Aircraft Meeting and Exposition, Wichita, KS, April 16-18, 1985 [SAE SP-821] p 581 A86-38501
- ASTROS - An advanced software environment for automated design [AIAA PAPER 86-0856] p 618 A86-38807
- The indirect boundary integral formulation for elliptic, hyperbolic and non-linear fluid flows p 553 A86-38971
- Application of a supersonic Euler code (SWINT) to wing-body-tail geometries p 624 A86-41697
- Numerical Navier-Stokes solutions of high speed propeller flows [AIAA PAPER 86-1538] p 626 A86-42700
- Theoretical and experimental investigation of test cell aerodynamics for turbofan applications [AIAA PAPER 86-1732] p 656 A86-42819
- Fundamentals of aviation technology and airport equipment - Russian book p 685 A86-44291
- Numerical modelling of the dynamics of aerobatic manoeuvres p 724 A86-45144
- Requirements and recommendations for the development of theoretical codes and experimental facilities in the near future - for aircraft design [ONERA, TP NO. 1986-10] p 731 A86-46155

- Aerodynamic technologies for general aviation aircraft p 713 A86-46198
- Atmospheric Flight Mechanics Conference, Williamsburg, VA, August 18-20, 1986, Technical Papers p 826 A86-47651
- Unsteady aerodynamics - Fundamental aspects and applications to aircraft dynamics [AAAF PAPER NT 85-16] p 767 A86-48465
- The aerodynamic potential of anti-sound p 855 A86-48977
- PLTTER user's guide [NASA-CR-177385] p 88 N86-13291
- A tomographic technique for aerodynamics at transonic speeds [NASA-TM-86766] p 89 N86-13297
- Acta aeronautica et astronautica sinica (selected articles) [AD-A158454] p 135 N86-14216
- Investigation of chemically-reacting supersonic internal flows [NASA-CR-176363] p 188 N86-14532
- Early transonic ideas in the light of later developments [AD-A159101] p 153 N86-15250
- Development and application of a time-history analysis for rotorcraft dynamics based on a component approach p 168 N86-15291
- Computational fluid dynamics at NASA Ames and the numerical aerodynamic simulation program [NASA-TM-86769] p 190 N86-15626
- Calculation of helicopter airfoil characteristics for high tip-speed applications [AD-A160694] p 277 N86-18294
- An approach to developing specification measures p 330 N86-19968
- A cumulative index to a continuing bibliography on aeronautical engineering [NASA-SP-7037(196)] p 408 N86-23552
- Aeronautical Engineering (a continuing bibliography with indexes) [NASA-SP-7037(198)] p 408 N86-23553
- Proceedings of the Conference on Low Reynolds Number Airfoil Aerodynamics [NASA-CR-177308] p 540 N86-26283
- Vortex Flow Aerodynamics, volume 1 [NASA-CP-2416-VOL-1] p 556 N86-27190
- Leading-edge vortex research: Some nonplanar concepts and current challenges p 556 N86-27192
- Unsteady Aerodynamics-Fundamentals and Applications to Aircraft Dynamics [AGARD-CP-386] p 560 N86-27224
- Nonlinear problems in flight dynamics involving aerodynamic bifurcations p 563 N86-27249
- Verification and aerodynamic calibration of the tunnel 16T Captive Trajectory Support (CTS) system [AD-A165235] p 599 N86-27295
- Cryogenic wind tunnels for high Reynolds number testing [NASA-TM-87743] p 731 N86-29872
- Development of a numerical procedure to map a general 3-d body onto a near-circle p 749 N86-31420
- International Aviation (selected articles) [AD-A166296] p 763 N86-31528
- On the handling qualities of flight vehicles through variable flight conditions [AD-A167727] p 836 N86-31592
- AEROELASTICITY**
- An algorithm for calculating the coupling between matrices of elastic influence coefficients for two systems of computational points p 119 A86-13362
- A study of flutter on the basis of frequency tests at subcritical regimes p 109 A86-13370
- A property of the elastic vibrations of nearly symmetric systems p 119 A86-13387
- Optimization of structural load-bearing designs using anisotropic models according to aeroelasticity conditions p 96 A86-13438
- Aeromechanical stability analysis of a hybrid heavy lift multirotor vehicle in hover p 110 A86-14530
- Flutter and divergence aeroelastic characteristics for composite forward swept cantilevered wing p 97 A86-14536
- Feasibility of simplifying coupled lag-flap-torsional models for rotor blade stability in forward flight p 98 A86-16123
- Experience with a new approach to rotor aeroelasticity p 99 A86-16125
- On the teaching of the principles of wing flexure-torsion flutter p 185 A86-16248
- Aeroelastic model helicopter rotor testing in the Langley TDT - Transonic Dynamics Tunnel p 163 A86-18402
- Computation of unsteady transonic flows with an implicit numerical method for solving the Euler equations p 145 A86-18686
- Aeroelasticity and dynamics of the helicopter structure - Russian book p 166 A86-18733

- Divergence study of a high-aspect ratio, forward-swept wing  
[AIAA PAPER 86-0009] p 219 A86-19632
- Aeroelastic tailoring - Theory, practice, and promise  
[AIAA PAPER 84-0982] p 220 A86-20155
- Control of a forward-swept-wing configuration dominated by flight dynamic/aeroelastic interactions  
p 239 A86-20237
- Control of aeroelastic instabilities through stiffness cross-coupling  
p 284 A86-25192
- Simulation of the vibration transmission path and the use of a mathematical model of vibration transmission for the vibrational diagnostics of an aircraft engine  
p 301 A86-23754
- New aspects of the small-perturbation method in aerodynamics  
p 271 A86-23770
- Excitation of blade vibration by flow induced acoustic resonances in axial-flow compressors  
p 303 A86-24712
- Aeroelastic oscillations caused by transitional boundary layers and their attenuation  
[AIAA PAPER 86-0736] p 286 A86-24731
- Effect of sweep angle on static aeroelasticity - Theory for physical meanings  
p 288 A86-25180
- Stall flutter of helicopter blade  
p 306 A86-25205
- Feasibility of simplifying coupled lag-flap-torsional models for rotor blade stability in forward flight  
p 290 A86-26138
- A nonlinear model of aeroelastic behaviour of rotor blades in forward flight  
p 290 A86-26139
- Aeromechanical stability analysis of a multirotor vehicle with application to hybrid heavy lift helicopter dynamics  
p 290 A86-26141
- Application of modern structural optimization to vibration reduction in rotorcraft  
p 352 A86-26587
- Mathematical models for studying aircraft vibrations with allowance for structural hysteresis  
p 365 A86-27081
- Aeroelastic tailoring study in aircraft design  
p 383 A86-27741
- Rotating aerodynamic exciters for in-flight flutter testing  
p 353 A86-27820
- Dynamic stability of elastic structures under random influences  
p 384 A86-28318
- Steady and unsteady transonic pressure distributions on NACA 0012  
p 337 A86-28585
- Linear and nonlinear modal analysis of aeroelastic structural systems  
p 387 A86-28742
- X-29A flight flutter data analysis by advanced methods  
[AIAA PAPER 86-9737] p 429 A86-32063
- Unsteady transonic flow calculations for two-dimensional canard-wing configurations  
p 410 A86-32780
- New and existing techniques for dynamic loads analyses of flexible airplanes  
p 432 A86-32787
- Dynamic characteristics of an assembly of prop-fan blades  
[ASME PAPER 85-GT-134] p 441 A86-32956
- International Symposium on Aeroelasticity and Structural Dynamics, 2nd, Rheinisch-Westfaelische Technische Hochschule, Aachen, West Germany, April 1-3, 1985, Collected Papers  
[DGLR BERICHT 85-02] p 406 A86-33226
- Transonic Equivalent Strip method for aeroelastic applications  
p 412 A86-33228
- A new look at arbitrary motion unsteady aerodynamics and its application to rotary-wing aeroelasticity  
p 413 A86-33238
- Static aeroelastic analysis using aircraft vibration modes  
p 432 A86-33241
- A review of aeroelastic research at the flight dynamics laboratory  
p 433 A86-33242
- Selected topics in experimental aeroelasticity at the NASA Langley Research Center  
p 433 A86-33243
- Aeroelastic wind tunnel similarity theory for anisotropic aircraft wings  
p 433 A86-33244
- Flutter calculation by a new program  
p 444 A86-33246
- Experience with aeroelastic analysis of a single engine turbo trainer using finite elements methods  
p 433 A86-33247
- Development of a flutter suppression control law by use of Linear Quadratic Gaussian and constrained optimization design techniques  
p 444 A86-33248
- Finite state modelling of aeroelastic systems for active control applications - A general theory  
p 444 A86-33249
- Control law synthesis for gust load alleviation using linear quadratic Gaussian theory  
p 445 A86-33253
- Tailoring methodology for aeroelastic stability and lateral control enhancement  
p 434 A86-33259
- Anisotropic wing aeroelastic theories with warping effects  
p 434 A86-33261
- Effects of anisotropic design on the static aeroelasticity of a swept wing  
p 434 A86-33263
- Aeroelastic problems and structural design of a tailless CFC-sailplane  
p 434 A86-33264
- Correlation of stability test results and analysis for the 1/5 scale V-22 aeroelastic model  
p 490 A86-35603
- Effects of analytical modeling assumptions on the predicted stability of a model hingeless rotor  
p 490 A86-35605
- Combined, nonlinear aerodynamic and structural method for the aeroelastic design of a three-dimensional wing in supersonic flow  
[AIAA PAPER 86-1769] p 542 A86-37806
- Experimental aeroelastic behavior of forward swept graphite/epoxy wings with rigid body freedoms  
[AIAA PAPER 86-0871] p 584 A86-38851
- Aeroelastic tailoring of composite wings with external stores  
[AIAA PAPER 86-1021] p 609 A86-38878
- Three dimensional unsteady aerodynamics and aeroelastic response of advanced turboprops  
[AIAA PAPER 86-0846] p 591 A86-38894
- Application of the unsteady vortex-lattice method to the nonlinear two-degree-of-freedom aeroelastic equations  
[AIAA PAPER 86-0867] p 585 A86-38902
- Effects of structural nonlinearities on limit cycle response of aerodynamic surfaces  
[AIAA PAPER 86-0899] p 585 A86-38910
- Use of the flight simulator in performing AFTI/F-16 airplane aeroservoelastic analysis  
[AIAA PAPER 86-0957] p 585 A86-38931
- Stochastic flutter of nonlinear aeroelastic structures with parameter random fluctuations  
[AIAA PAPER 86-0962] p 609 A86-38934
- Integrated aeroservoelastic tailoring of lifting surfaces  
[AIAA PAPER 86-1005] p 594 A86-38946
- Accurate dynamic theory for supermaneuverable aircraft wings  
[AIAA PAPER 86-1006] p 585 A86-38947
- Transonic aeroelasticity of wings with tip stores  
[AIAA PAPER 86-1007] p 553 A86-38948
- Aeroelastic tailoring of advanced composite compressor blades  
[AIAA PAPER 86-1008] p 591 A86-38949
- Flutter of wings with leading edge control surfaces  
[AIAA PAPER 86-0897] p 585 A86-38950
- Design of a flutter mode controller using positive real feedback  
p 594 A86-39041
- Recurrent identification of unsteady aerodynamic forces of elastic vehicles  
p 554 A86-39782
- Viscous effects on transonic airfoil stability and response  
p 623 A86-40110
- Transonic aeroelastic analysis of the B-1 wing  
[AIAA PAPER 85-0690] p 708 A86-44886
- The role of structural and aerodynamic damping on the aeroelastic behavior of wings  
p 708 A86-44894
- The methods implemented at ONERA to improve airplane ground vibration tests  
[ONERA, TP NO. 1986-8] p 713 A86-46153
- New model identification methods applied to aeronautical structures  
[ONERA, TP NO. 1986-35] p 713 A86-46177
- 10 years of rotor flows studies at ONERA - State of the art and future studies  
[ONERA, TP NO. 1986-49] p 692 A86-46185
- Identification of aeroelastic phenomenon employing bispectral analysis techniques  
p 740 A86-47124
- Real-time flutter identification with close mode resolution  
[AIAA PAPER 86-2019] p 827 A86-47654
- On the flight dynamics of aeroelastic vehicles  
[AIAA PAPER 86-2077] p 828 A86-47666
- Modelling of rigid-body and elastic aircraft dynamics for flight control development  
[AIAA PAPER 86-2232] p 829 A86-47693
- Computational engine structural analysis  
[ASME PAPER 86-GT-70] p 813 A86-48141
- Analytical and experimental investigation of the coupled bladed disk/shaft whirl of a cantilevered turbofan  
[ASME PAPER 86-GT-96] p 813 A86-48163
- Splitter blades as an aeroelastic detuning mechanism for unstalled supersonic flutter of turbomachine rotors  
[ASME PAPER 86-GT-99] p 813 A86-48164
- Aeroelastic behavior of low aspect ratio metal and composite blades  
[ASME PAPER 86-GT-243] p 846 A86-48271
- Numerical analysis of aeroelastic stability problem of helicopter rotor blade  
p 798 A86-48662
- Dynamic aspects in the design of advanced rotor systems  
p 798 A86-48663
- Rotor aeroelastic stability  
p 798 A86-48664
- Coupled aeroelastic hub loads reduction  
p 799 A86-48665
- Rotor-fuselage dynamic coupling characteristics of helicopter air and ground resonance  
p 799 A86-48666
- Implementation and verification of a comprehensive helicopter coupled rotor - Fuselage analysis  
p 799 A86-48667
- Oscillation equations for a helicopter rotor blade  
p 800 A86-48805
- Modeling the elasticity of a wing structure  
p 800 A86-48850
- Aeroelasticity today and tomorrow  
[ONERA, TP NO. 1986-105] p 800 A86-48978
- Aeroelastic tailoring for flutter constraints  
p 802 A86-49061
- A general formulation for the aeroelastic divergence of composite sweptforward wing structures  
p 802 A86-49095
- Research on active suppression technology for wing/aileron flutter  
p 835 A86-49098
- Aeroelastic tailoring of aft-swept high aspect ratio composite wings  
p 802 A86-49097
- Applications of potential theory computations to transonic aeroelasticity  
p 775 A86-49105
- Solid-beam model of a deformable aircraft for natural-vibration studies  
p 804 A86-49444
- Calculation of static elastic effects on a modern high performance fighter aircraft  
[AIAA PAPER 86-1771] p 777 A86-49577
- Vortex influence on oscillating airfoil at high angle-of-attack  
[AIAA PAPER 86-1837] p 779 A86-49592
- The development of aeroelastic tailoring in the United States  
p 805 A86-50111
- Interactive aircraft flight control and aeroelastic stabilization  
[NASA-CR-176323] p 110 N86-12233
- Acta aeronautica et astronautica sinica (selected articles)  
[AD-A158454] p 135 N86-14216
- Parametric study of the aeroelastic stability of a bearingless rotor  
p 176 N86-15263
- Aeroelastic considerations for torsionally soft rotors  
p 157 N86-15269
- Optimal design application on the advanced aeroelastic rotor blade  
p 167 N86-15290
- Influence of various unsteady aerodynamic models on the aeromechanical stability of a helicopter in ground resonance  
p 177 N86-15294
- The influence of dynamic inflow and torsional flexibility on rotor damping in forward flight from symbolically generated equations  
p 177 N86-15295
- Flap-lag-torsion stability in forward flight  
p 177 N86-15296
- Dynamic stability of a bearingless circulation control rotor blade in hover  
p 177 N86-15297
- An examination of the relations between rotor vibratory loads and airframe vibrations  
p 177 N86-15299
- Prediction of wing aeroelastic effects on aircraft lift and pitching moment characteristics  
[NASA-TM-87631] p 178 N86-15319
- On second propagation in radial fan casings  
[DFVLR-FB-85-32] p 194 N86-16053
- A FORTRAN program for the determination of unsteady airforces on general combinations of interfering lifting surfaces oscillating in subsonic flow  
[ARL-STRUCT-R-412] p 206 N86-16191
- Loads and aeroelasticity division research and technology accomplishments for FY 1985 and plans for FY 1986  
[NASA-TM-87676] p 278 N86-19288
- Transonic unsteady aerodynamics and its aeroelastic applications  
[AGARD-CP-374-ADD-1] p 279 N86-19299
- Ground vibration test results for Drones for Aerodynamic and Structural Testing (DAST)/Aeroelastic Research Wing (ARW-1R) aircraft  
[NASA-TM-85906] p 294 N86-19312
- Aeroelasticity at the NASA Langley Research Center  
Recent progress, new challenges  
[NASA-TM-87660] p 336 N86-20342
- Unsteady aerodynamics in time and frequency domains for finite-time arbitrary motion of helicopter rotor blades in hover and forward flight  
p 414 N86-22548
- Aeroelastic research on wind turbines  
[VTH-M-474] p 459 N86-23012
- Aeroelastic research on wind turbines  
[VTH-M-501] p 459 N86-23014
- Aeroelastic research on wind turbines  
[VTH-M-517] p 459 N86-23016
- Unsteady transonic flow calculations for wing-fuselage configurations  
[NASA-TM-87707] p 478 N86-24657
- A research program in active control/aeroelasticity  
[NASA-CR-176773] p 511 N86-24702
- Movement of flexible wing at supersonic velocity under influence of random gust  
p 481 N86-25562
- Flutter analysis of low aspect ratio wings  
p 527 N86-25638
- Review of SMP 1984 Symposium on Transonic Unsteady Aerodynamics and its Aeroelastic Applications  
p 561 N86-27236



- Transonic aerodynamic and aeroelastic characteristics of a variable sweep wing p 561 N86-27237  
Unsteady airload computations for airfoil oscillating in attached and separated compressible flow p 561 N86-27238
- Static aeroelasticity in combat aircraft [AGARD-R-725] p 613 N86-27678  
Loads calibrations of strain gage bridges on the DAST project Aeroelastic Research Wing (ARW-2) [NASA-TM-87677] p 639 N86-28075  
Aeroelastic tests of OA 206 and OA 207 profiles [ONERA-RT-22/1841-RY-310-R] p 641 N86-28942  
Individual-blade-control research in the MIT VTOL Technology Laboratory 1977-1985 [NASA-CR-177121] p 654 N86-28954  
Flutter prediction for a wing with active aileron control [NASA-CR-176994] p 655 N86-28959  
The Second International Symposium on Aeroelasticity and Structural Dynamics [DGLR-85-02] p 687 N86-30627  
Transonic equivalent strip method for aeroelastic applications p 695 N86-30628  
A new look at arbitrary motion unsteady aerodynamics and its application to rotary-wing aeroelasticity p 696 N86-30638  
Calculation of the load distribution, aerodynamic derivatives and dynamic characteristics of quasi-static elastic aircraft p 696 N86-30640  
Static aeroelastic analysis using aircraft vibration modes p 743 N86-30641  
A review of aeroelastic research at the Flight Dynamics Laboratory p 727 N86-30642  
Aeroelastic wind tunnel similarity theory for anisotropic aircraft wings p 728 N86-30643  
Experience with aeroelastic analysis of a single engine turbo trainer using finite element methods p 743 N86-30646  
Finite state modelling of aeroelastic systems for active control applications: A general theory p 749 N86-30648  
Tailoring methodology for aeroelastic stability and lateral control enhancement p 729 N86-30657  
Anisotropic wing aeroelastic theories with warping effects p 696 N86-30659  
Recent results on the weight minimization of panels with a flutter speed constraint p 715 N86-30660  
Effects of anisotropic design on the static aeroelasticity of a swept wing — aeroelastic tailoring p 687 N86-30661  
Aeroelastic problems and structural design of a tailless Carbon Fiber Composite (CFC) sailplane p 715 N86-30662
- Aircraft response to turbulence [AGARD-R-738] p 729 N86-30739  
Aeroelastic considerations for torsionally soft rotors [NASA-TM-87687] p 745 N86-31070  
ATRAN3S: An unsteady transonic code for clean wings [NASA-TM-86783] p 781 N86-31535  
An approach to integrated aeroservoelastic tailoring for stability p 836 N86-32439
- AEROMAGNETISM**  
Computer-controlled navigation for aeromagnetic survey flights during the GANOVEX IV Antarctic expedition during the southern summer of 1984/85 p 484 A86-35293  
The presence of the Trident III on Antarctica p 573 A86-39562
- AERONAUTICAL ENGINEERING**  
Fracture toughness characterization of light alloys for aeronautical use p 114 A86-12761  
Computation of aeronautical structures — Romanian book p 120 A86-14157  
Claude Dornier - Pioneer of aviation; Academic Seminar, Technische Universität München, Munich, West Germany, October 24, 1984, Papers p 195 A86-16325  
Application of mechanics to flight-simulator problems p 179 A86-16853  
Coupling artificial intelligence and numerical computation for engineering design (invited paper) [AIAA PAPER 86-0242] p 254 A86-22684  
Aircraft design at Kingston Polytechnic p 333 A86-25090  
The development of an advanced weight estimation technique for aircraft conceptual design [SAWE PAPER 1645] p 531 A86-35204  
American Helicopter Society, Annual Forum, 41st, Fort Worth, TX, May 15-17, 1985, Proceedings p 473 A86-35601  
Investigations in the history and theory of the development of aviation and space science and technology. Number 4 — Russian book p 620 A86-39984
- The theoretical basis of helicopter technology; Proceedings of the Seminar, Nanjing, People's Republic of China, November 6-8, 1985. Parts 1, 2, 3, 4, & 5 p 761 A86-48651
- A survey of aeronautical structural research in Australia [AD-A157211] p 78 N86-12199  
Computer aided instruction in engineering [AD-A156828] p 130 N86-13220  
Aeronautical technology 2000: A projection of advanced vehicle concepts [NASA-CR-176322] p 130 N86-13235  
Acta aeronautica et astronautica sinica (selected articles) [AD-A158454] p 135 N86-14216  
Increasing productivity of the McAuto CAD/CAE system by user-specific applications programming p 193 N86-15200  
Flight dynamics and aircraft piloting [ESA-TT-874] p 240 N86-16229  
The role of computational fluid dynamics in aeronautical engineering [REPT-2] p 257 N86-17296  
Research and development project selection methods at the Air Force Wright Aeronautical Laboratories [AD-A161153] p 333 N86-20165  
Scientists on aircraft development trends p 407 N86-22545  
China report: Science and technology [JPRS-CST-86-007] p 435 N86-22570  
A cumulative index to a continuing bibliography on aeronautical engineering [NASA-SP-7037(196)] p 408 N86-23552  
Aeronautical Engineering (a continuing bibliography with indexes) [NASA-SP-7037(198)] p 408 N86-23553  
Review and critical analysis: Rolling-element bearings for system life and reliability [NASA-CR-174710] p 525 N86-24991  
Cryogenic wind tunnels for high Reynolds number testing [NASA-TM-87743] p 731 N86-29672  
Survivability considerations during aircraft conceptual design [AD-A168555] p 809 N86-32428
- AERONAUTICAL SATELLITES**  
A shared satellite system would satisfy many future aviation needs p 249 A86-20921  
Applications of satellite communications technologies to International Civil Aviation p 702 A86-43708
- AERONAUTICS**  
Studies in the history and theory of the development of science and technology in the fields of aviation, rocketry, and space. Number 3 — Russian book p 131 A86-13462  
Classification of flight vehicles according to the type of propulsion - Determination of the type and number of lift solutions p 473 A86-35983  
Upper air forecasting for aviation in the United States p 615 A86-37501  
Society of Flight Test Engineers, Annual Symposium, 16th, Seattle, WA, July 29-August 2, 1985, Proceedings p 794 A86-47778  
ICAS, Congress, 15th, London, England, September 7-12, 1986, Proceedings. Volumes 1 & 2 p 761 A86-48976  
Computer aided instruction in engineering [AD-A156828] p 130 N86-13220  
Activities report in aeronautics p 198 N86-16189
- AEROSOLS**  
Airborne lidar measurements of El Chichon stratospheric aerosols [NASA-RP-1166] p 616 N86-27835
- AEROSPACE ENGINEERING**  
Application of computerized data acquisition and data processing to the surface contouring of large structures p 118 A86-13342  
Aerospace highlights 1985 p 195 A86-19052  
DFVLR, Annual Report 1984 p 135 A86-19284  
The viscoelastic damping technology design guide for aerospace structures [ASME PAPER 85-DET-104] p 318 A86-24230  
Experimental system identification for experimental/analytical correlation and modelling p 381 A86-26883  
NAECON 1985; Proceedings of the National Aerospace and Electronics Conference, Dayton, OH, May 20-24, 1985. Volumes 1 & 2 p 348 A86-28326  
Aircraft and rockets: Design concepts — Romanian book p 410 A86-32324  
Engineering flight simulation - A revolution of change [SAE PAPER 851901] p 513 A86-36941  
Society of Experimental Test Pilots, Symposium, 29th, Beverly Hills, CA, September 25-28, 1985, Proceedings p 709 A86-44936
- International Aerospace and Ground Conference on Lightning and Static Electricity, 10th, and Congress International Aéronautique, 17th, Paris, France, June 10-13, 1985, Proceedings p 844 A86-47292  
Integrated structure/control design - Present methodology and future opportunities p 854 A86-49094
- USSR report: Space [JPRS-USP-85-005] p 131 N86-14111  
Activities report in aerospace research p 135 N86-15240  
Activities report in aerospace research, with data concerning the scientific committee NLR-NIVR, international cooperation concerning AGARD, DNW, GARTEUR and cooperation with Indonesia p 257 N86-17588  
Japan report: Science and technology [JPRS-JST-86-001] p 389 N86-21723  
Japan report: Science and technology [JPRS-JST-86-007] p 460 N86-23773  
Rollout of XT-4 intermediate class training aircraft p 438 N86-23774  
Activities report in aerospace in West Germany [ISSN-0070-3986] p 471 N86-24592  
Langley aerospace test highlights, 1985 [NASA-TM-87703] p 537 N86-26276  
Activities report in aerospace research [ETN-86-97190] p 622 N86-28907
- AEROSPACE ENVIRONMENTS**  
Arnold Engineering Development Center - Simulators encompass spectrum of aerospace environments p 730 A86-45673  
China report: Science and technology [JPRS-CST-85-035] p 122 N86-12399
- AEROSPACE INDUSTRY**  
Forging in the aerospace industry p 121 A86-14424  
Conference on Steels and Special Alloys in Aeronautics, 11th, Le Bourget, France, June 6, 1985, Proceedings p 372 A86-26326  
Recycling of titanium scrap for the production of high-duty aerospace components p 382 A86-27211  
New aramid developments for aerospace/aircraft applications p 377 A86-27759  
Helicopter customer support - Are we aware of how great it can be p 536 A86-35644  
The field representative 'front line actioneer' — helicopter manufacturer field service representative responsibilities p 536 A86-35645  
World aerospace profile 1986 — Book p 686 A86-44919  
Certification granted to Franco-Italian ATR 42 p 92 N86-13617  
Air and space flight. Dream and facts [MBB-FILM-382] p 198 N86-16188  
Chinese space and aviation industries score major breakthroughs [NASA-TM-87973] p 459 N86-23749  
Activities report in aerospace in West Germany [ISSN-0070-3986] p 471 N86-24592  
Report on interest expressed in some Australian Defence Establishment products displayed at the 1985 Paris Air Show [AD-A160807] p 498 N86-25341
- AEROSPACE SCIENCES**  
Investigations in the history and theory of the development of aviation and space science and technology. Number 4 — Russian book p 620 A86-39984  
ICAS, Congress, 15th, London, England, September 7-12, 1986, Proceedings. Volumes 1 & 2 p 761 A86-48976
- AEROSPACE SYSTEMS**  
Interactive modal imaging process for vibrating structures [ASME PAPER 85-DET-110] p 318 A86-24231  
Advances in aerospace structural analysis; Proceedings of the Winter Annual Meeting, Miami Beach, FL, November 17-22, 1985 p 387 A86-28651  
Aerospace and electronic systems - Advanced concepts and pioneering perspectives; Proceedings of the Sixth Symposium, Dayton, OH, November 14, 15, 1984 p 455 A86-31253  
Aerospace simulation II; Proceedings of the Second Conference, San Diego, CA, January 23-25, 1986 p 596 A86-37178  
Discovery of the Kalman filter as a practical tool for aerospace and industry [NASA-TM-86847] p 94 N86-13311  
Activities report in aerospace in West Germany [ISSN-0070-3986] p 471 N86-24592  
Activities report in aerospace research [ETN-86-97190] p 622 N86-28907  
Fiscal year 1987 technical objective document [AD-A166859] p 758 N86-31454

## AEROSPACE TECHNOLOGY TRANSFER

- Composites technology transfer and transition  
p 253 A86-22144
- The impact of emerging technologies on an advanced supersonic transport  
p 761 A86-48997
- USSR report: Space  
[JPRS-USP-85-005] p 131 N86-14111
- Composite materials: A source of innovation — aircraft industry  
[SNIAS-852-430-113] p 248 N86-17493
- Tupolev bureau developing TU-204 passenger jet: Tupolev on features  
p 435 N86-22568
- Japan report: Science and technology  
[JPRS-JST-86-007] p 460 N86-23773

## AEROSPACE VEHICLES

- Dynamic strength problems in aerospace equipment  
p 120 A86-13690
- The right combination unlocks aerospace EMC  
p 112 A86-13848
- The lightning threat to aerospace vehicles  
p 214 A86-20162
- Variable control policies for future aerospace vehicles  
p 367 A86-28386
- Aeroelasticity at the NASA Langley Research Center  
Recent progress, new challenges  
[NASA-TM-87660] p 336 N86-20342

## AEROSPACEPLANES

- Aerospace planes and trans-atmospheric vehicles - Recent US studies revive dormant technologies  
p 449 A86-31348
- Can we develop the 1.5 million pound aerospace plane?  
p 515 A86-34195
- Mastering the transatmosphere  
p 658 A86-41274
- Launching the aerospace plane  
p 686 A86-44442

## AEROTHERMODYNAMICS

- A numerical study of axisymmetric flow past a disk  
p 79 A86-13377
- Wall cooling effects on hypersonic boundary layer transition,  $M(1) = 7.5 - 15$   
[AIAA PAPER 86-1088] p 550 A86-38450
- Experimental measurements of heat transfer from an iced surface during artificial and natural cloud icing conditions  
[AIAA PAPER 86-1352] p 598 A86-39948
- Flight effects on noise from coaxial dual flow, II - Heated jets  
p 644 A86-41708
- Measured and predicted heating distributions for bionics at Mach 10  
p 624 A86-41734
- Solution of problems of conjugate heat transfer during flow past bodies of different shape  
p 673 A86-43370
- Configuration and trajectory of hypersonic transport with aerothermodynamic control  
p 804 A86-49124

## AEROTHERMOELASTICITY

- Dynamic and aeroelastic analyses of turbosystems in NASTRAN  
p 527 N86-25826

## AFTERBODIES

- Boundary-layer development on the afterbody of an engine nacelle  
p 82 A86-13532
- On the effects of boundary-layer transition on a cylindrical afterbody at incidence in low-speed flow  
p 135 A86-18250
- Intersection of an oblique shock wave with a cylindrical afterbody  
p 775 A86-49096
- Generation of the starting plane flowfield for supersonic flow over a spherically capped body  
[AD-A181117] p 278 N86-19291
- Jet plume temperature effects on afterbody pressure distribution and drag  
[NAL-TM-FM-8502] p 340 N86-20354
- Experimental and numerical results for a generic axisymmetric single-engine afterbody with tails at transonic speeds  
[NASA-TM-87755] p 697 N86-30695
- Aerodynamics of aircraft afterbody: Report of the working group on aerodynamics of aircraft afterbody  
[AGARD-AR-226] p 782 N86-32406

## AFTERBURNING

- Calculation of recirculating flow behind flame-holders  
p 454 A86-30743
- Development of in-flight thrust measurement procedures for an afterburning turbofan engine  
[AIAA PAPER 85-1405] p 720 A86-45375
- High frequency-heated air turbojet  
[NASA-TM-77710] p 364 N86-21543
- The General Electric F404 - engine of the RAAF's new fighter  
[AD-A164562] p 592 N86-26338

## AGGLOMERATION

- Crushing strength of aluminum oxide agglomerates  
[AD-A158051] p 124 N86-13756

## AGING (MATERIALS)

- Age creep forming in an autoclave  
p 118 A86-13135

## AGING (METALLURGY)

- Coarsening of delta prime, T1, S prime phases and mechanical properties of two Al-Li-Cu-Mg alloys  
p 660 A86-40303

## AGRICULTURAL AIRCRAFT

- On the motion of spray drops in the wake of an agricultural aircraft  
p 777 A86-49441
- Vertically operating flight vehicle for drilling and agricultural use  
[NASA-TM-77713] p 357 N86-21535
- Details of new Ka-126 helicopter  
p 435 N86-22569

## AGRICULTURE

- Flutter clearance tests on a Transavia PL-12/T-400 Skyfarmer  
[AD-A157212] p 110 N86-12234

## AH-64 HELICOPTER

- Operational testing experience on the AH-64A Apache  
p 184 A86-18418
- Methods of full scale fatigue testing the Apache helicopter rotor systems  
p 180 A86-18439
- Fatigue test of the Apache AH-64 airframe  
p 180 A86-18441
- Hughes helicopters AH-64A electroluminescent lighting  
p 171 A86-18483
- Protective respirator for the AAH-64 Advanced Attack Helicopter  
p 261 A86-19336
- U.S. Army helicopter voice technology applications  
[SAE PAPER 841609] p 328 A86-26028
- Aerodynamic performance of a 27-percent-scale AH-64 wind-tunnel model with baseline/advanced rotor blades  
p 492 A86-35635
- Northrop's surrogate trainer --- simulating AH-64A helicopter  
p 709 A86-44941
- Simulation evaluation of display/FLIR concepts for low-altitude, terrain-following helicopter operations  
[NASA-TM-86779] p 789 N86-31551

## AILERONS

- Wing structure design for maximum aileron efficiency  
p 95 A86-13368
- SF-340 airfoil structure - A unique approach  
p 224 A86-21712
- Effect of sweep angle on static aeroelasticity - Theory for physical meanings  
p 288 A86-25180
- Experimental transonic pressure distributions of a flexible wing-aileron model and comparisons with results of several theoretical methods  
p 432 A86-33239
- Research on active suppression technology for wing/aileron flutter  
p 835 A86-49096
- Flight service evaluation of advanced composite ailerons on the L-1011 transport aircraft  
[NASA-CR-177960] p 184 N86-14317
- Flutter prediction for a wing with active aileron control  
[NASA-CR-176994] p 655 N86-28959
- Eigensystem synthesis for active flutter suppression on an oblique-wing aircraft  
[NASA-TM-88275] p 727 N86-29668
- Experimental transonic pressure distributions of a flexible wing-aileron model and comparisons with results of several theoretical methods  
p 696 N86-30639

## AIR

- Apparatus for the preparation of air  
[AD-A165603] p 673 N86-26266

## AIR BREATHING BOOSTERS

- A parametric study of a gas-generator air turbo ramjet (ATR)  
[NASA-TM-88806] p 819 N86-31586

## AIR BREATHING ENGINES

- Solid fuel gas generator air --- Air TurboRamjet  
[AIAA PAPER 86-1682] p 649 A86-42792
- Aeronautical facilities catalogue. Volume 2: Airbreathing propulsion and flight simulators  
[NASA-RP-1133] p 311 N86-18328
- Throttle dependent forces: A primer  
[AD-A162938] p 442 N86-23599
- Air Force Academy Aeronautics Digest  
[AD-A164940] p 540 N86-26281
- Experiments on high speed ejectors  
[NASA-CR-177419] p 721 N86-29820
- Fiscal year 1987 technical objective document  
[AD-A166859] p 758 N86-31454

## AIR CARGO

- Sniffing out trouble  
p 699 A86-45757
- Dynamics of a helicopter with a sling load  
[AIAA PAPER 86-2288] p 831 A86-47709
- Effectiveness of the civil aviation security program  
[AD-A159511] p 158 N86-14260
- AN-124 airplane's cargo-handling and automation equipment  
p 527 N86-25600
- Data on Mi-26 helicopter  
p 498 N86-25602

## AIR CONDITIONING EQUIPMENT

- The new environmental control system for the B-52 G/H aircraft  
[SAE PAPER 851320] p 285 A86-23510
- Modular air shut-off valve  
[AD-D011835] p 321 N86-18728

- Apparatus for the preparation of air  
[AD-A165603] p 673 N86-26266

## AIR COOLING

- Advanced concepts in small helicopter engine air-cooled turbine design  
p 819 A86-50075
- Dual mode heat exchanger  
[AD-D012156] p 524 N86-24944
- Pressure drop and heat transfer characteristics of circular and oblong low aspect ratio pin fins  
p 741 N86-29827
- A model for correlating flat plate film cooling effectiveness for rows of round holes  
p 741 N86-29840
- Effect of film cooling on the aerodynamic performance of a turbine cascade  
p 742 N86-29859
- Aerodynamic effect of coolant ejection in the rear part of transonic rotor blades  
p 742 N86-29861

## AIR DATA SYSTEMS

- Economical in-flight calibration of air data sensors using inertial navigation units as reference  
p 284 A86-23270
- High stability pressure transducers for air data systems and test sets  
p 359 A86-28362
- A novel primary air data quality pressure transducer  
p 359 A86-28363
- Wind tunnel calibration of a flow direction sensor and a pitot-static tube to high angles of attack and sideslip  
p 359 A86-28364
- Instrumentation of a light twin aircraft for flow energizer flight tests  
[AIAA PAPER 86-9759] p 438 A86-32099
- Flight testing on customer aircraft with a portable airborne digital data system  
p 810 A86-47788
- Avionics digital data acquisition system  
p 810 A86-47790
- From mainframe to micro - Structures and flutter testing at the Air Force Flight Test Center  
p 838 A86-47791
- Flight path reconstruction - A powerful tool for data compatibility check  
p 833 A86-49041
- Smart probes for air data  
p 811 A86-49498
- Flight test evaluation of the Netherlands flight inspection aircraft  
[NLR-MP-84052-U] p 295 N86-19318
- Conversion of air-data system pressure errors into height and speed corrections  
[ESDU-85036] p 497 N86-25338

## AIR DEFENSE

- Path-finder - An heuristic approach to aircraft routing  
p 368 A86-28499
- A survey of multiple targets tracking technique  
p 735 A86-43489
- The SKYEYE RPV - An NDI solution to today's unmanned aerial vehicle requirements  
p 712 A86-46134
- Radio-absorbing materials  
[AD-A157496] p 122 N86-12495
- National airspace system, system requirements specification  
[AD-A157944] p 94 N86-13312
- What USAF aircraft should be the Wild Weasel of the 1990's? An assessment of the F-4G, the F-15WW, and F-16WW  
[AD-A164727] p 539 N86-26279
- Flight simulator: Comparison of resolution thresholds for two light valve video projectors  
[AD-A164577] p 598 N86-26344

## AIR DROP OPERATIONS

- Parachute recovery systems design manual, chapters 1 through 4 offprint  
[AD-A157839] p 87 N86-12210
- Development drop test results of the 15-ft-dia ribbon parachute and 73-ft-dia cross parachute for the US Army Natick Laboratory UHLCADS system  
[DE85-017614] p 341 N86-20371

## AIR FILTERS

- Aircrew dose and engine dust ingestion from nuclear cloud penetration  
[AD-A159246] p 101 N86-13327

## AIR FLOW

- Compact gas ejector of a high degree of compression with spiral arrangement of the nozzles  
p 82 A86-13433
- Sound generation by flow over relatively deep cylindrical cavities  
p 129 A86-16058
- Air flow and particle trajectories around aircraft fuselages. III - Extensions to particles of arbitrary shape  
p 316 A86-23261
- An analytical method of the characteristics of the turbofan engine components  
p 304 A86-25201
- Design and testing of a large scale helicopter fuselage model in the RAE 5 metre pressurized wind tunnel  
p 292 A86-26163
- Numerical simulation of a controlled-flow tunnel for V/STOL testing  
p 371 A86-26561

- Verification of the thrust and airflow model obtained from the performance modelling process  
[AIAA PAPER 86-9790] p 441 A86-32121
- Installation of a bleed air heated radome/air motion sensing system on a Beech King Air 200 aircraft  
[SAE PAPER 861811] p 589 A86-38322
- Effect of different hydrogen-injection techniques on its burnup in a supersonic air flow p 664 A86-43420
- The effect of equilibrium air properties and Mach number on the aerodynamic characteristics of a flight vehicle p 770 A86-48843
- Dynamic response characteristics of a circulation control rotor model pneumatic system p 157 N86-15286
- Modular air shut-off valve p 321 N86-18728
- [AD-D011835] p 321 N86-18728
- Throttle dependent forces: A primer p 442 N86-23599
- [AD-A162939] p 442 N86-23599
- Altitude Ignition/lean decel study p 518 N86-24781
- [AD-A163052] p 518 N86-24781
- Dual mode heat exchanger p 524 N86-24944
- [AD-D012156] p 524 N86-24944
- AIR INTAKES**
- The effect of the incalculable flow regime of air scoops on flow past a wing p 78 A86-13354
- Calculation of supersonic inviscid flow past a plane air intake element with an isolated head wave p 79 A86-13364
- Intake aerodynamics — Book p 145 A86-18450
- Optical fibers application to visualization of flow separation inside an aircraft intake in wind tunnel [ONERA, TP NO. 1985-158] p 309 A86-24638
- Experimental study of supersonic flow around a single-stage wedge with cheeks at sidelip angles p 628 A86-43404
- Determination of off-design flowrates according to the position of branching points on an under-the-wing (over-the-wing) air intake p 789 A86-48812
- Design of nonaxisymmetric structures (turbojet engine nacelle element) p 248 N86-17498
- [SNIAS-852-430-119] p 248 N86-17498
- Throttle dependent forces: A primer p 442 N86-23599
- [AD-A162939] p 442 N86-23599
- Anemobarometry in flight control. A-320 aerodynamics. The turbosectors air inlet p 806 N86-31565
- [SNIAS-861-111-114] p 806 N86-31565
- The A-320 aerodynamics. The turbosector air inlet [NOTE-427.021/86] p 806 N86-31567
- AIR JETS**
- Heat transfer characteristics within an array of impinging jets. Effects of crossflow temperature relative to jet temperature [NASA-CR-3936] p 190 N86-15625
- AIR LAND INTERACTIONS**
- An extreme clear air turbulence incidence associated with a strong downslope windstorm [AIAA PAPER 86-0329] p 259 A86-19616
- AIR LAUNCHING**
- Preliminary airworthiness evaluation of the AH-1S (modernized cobra) with the Hellfire, TOW, and Stinger missiles installed [AD-A160682] p 294 N86-18322
- AIR LAW**
- Liability of air traffic control agencies and airport operators in civil law jurisdictions p 130 A86-14372
- How is airline deregulation working? p 194 A86-18537
- Airline deregulation - What will we know and when will we know it? p 194 A86-18538
- Recent developments in aviation case law p 194 A86-18848
- Pilot medical certification - Procedures and recent developments p 195 A86-18849
- Ultralight aircraft - A need for better regulation than 14 C.F.R. Section 103 — in air law p 343 A86-28000
- AIR NAVIGATION**
- Interference with aeronautical aids to navigation (frequencies of 108-118 MHz) by high power FM radio broadcasts (88-108 MHz) p 180 A86-18686
- Towards robust image matching algorithms p 230 A86-19620
- Inertial navigation - The beginnings of an ingenious invention p 282 A86-25025
- Effects of measurement errors on estimation of the probability of vertical overlap p 280 A86-25214
- Radionavigation planning in the FAA p 402 A86-26427
- Helicopter flight test demonstration of differential GPS p 345 A86-26438
- Omega - Commercial experiences with a mature system p 345 A86-26442
- Decentralization filtering and redundancy management/failure detection for multi-sensor integrated navigation systems p 346 A86-26443
- Institute of Navigation, Annual Meeting, 41st, U.S. Naval Academy, Annapolis, MD, June 25-27, 1985, Proceedings p 346 A86-26501

- Commercial aviation GPS Navigation Set flight test results p 346 A86-26507
- A new system simultaneously covering en route navigation and landing p 348 A86-27898
- Errors humanum est... sed perseverare diabolicum or navigation errors of the 747 and the 'heading' position p 348 A86-27900
- A combined optimal algorithm for filtering and calculating navigation coordinates p 348 A86-28311
- Reliability of aircraft navigation p 348 A86-28312
- A distributed, fault-tolerant implementation of the airborne digital map using VLSI common programmable modules p 349 A86-28337
- Navigation methodology - An investigation of an inertial navigation system (INS) enhancement p 349 A86-28356
- JTIDS RELNAV performance evaluation — Joint Tactical Information Distribution System in relative air navigation p 350 A86-28369
- Flight test of a velocity augmented strapdown navigation system LHN-81 p 421 A86-30314
- Aerial navigation p 421 A86-31006
- Navigation in aerial commerce p 422 A86-31323
- Instrumentation system for real time navigation system performance assessment [AIAA PAPER 86-9731] p 422 A86-32078
- Parameters of a dedicated weather radar for terminal air navigation, traffic control and safety p 423 A86-32616
- Guidance, navigation, and control for 21st century aircraft p 508 A86-34194
- LMR-83 - Inertial measurement unit for flight regulation and navigation [DGLR PAPER 85-132] p 508 A86-35177
- Computer-controlled navigation for aeromagnetic survey flights during the GANOVEX IV Antarctic expedition during the southern summer of 1984/85 p 484 A86-35293
- Microcomputers and aviation — Book p 567 A86-37625
- The presence of the Trident III on Antarctica p 573 A86-39562
- Integrated navigation, communication, and surveillance systems based on standard distance measuring equipment p 635 A86-40118
- VLF radio navigation systems — Russian book p 703 A86-44279
- Simulation of the algorithms of a navigation computer p 748 A86-46369
- Gravity-induced errors in airborne inertial navigation p 703 A86-46457
- The INS wind calibration in climb algorithm p 798 A86-47799
- High dynamic GPS receiver validation demonstration [NASA-CR-176530] p 283 N86-19306
- Interpolation of heights and slopes from a digital terrain elevation model [BAE-BT-13198] p 352 N86-20382
- A mission navigation and control system for modern military helicopters p 574 N86-26327
- Airborne navigation remote map reader evaluation [AD-A168976] p 719 N86-30729
- AIR PIRACY**
- Effectiveness of the civil aviation security program [AD-A159511] p 158 N86-14260
- AIR POLLUTION**
- Dispersion process of jet engine exhaust plume. II - Buoyant jet p 234 A86-20448
- Analysis of particulates in the exhaust plume of a J52-P3 turbojet engine at military power [AD-A157840] p 107 N86-12231
- Aircraft engine emissions estimator [AD-A164552] p 616 N86-26715
- AIR QUALITY**
- A microcomputer pollution model for civilian airports and Air Force bases [AD-A163232] p 616 N86-26714
- AIR START**
- Airstart performance of a digital electronic engine control system on an F100 engine [PAPER-8] p 505 N86-25350
- Backup control airstart performance on a digital electronic engine control-equipped F100-engine [PAPER-10] p 505 N86-25352
- AIR TO AIR MISSILES**
- Modeling realistic environmental stresses on external stores p 95 A86-13275
- Concept of automated aircraft guidance system for air-to-air missions [AIAA PAPER 86-2285] p 787 A86-47703
- Effect of emerging technology on a convertible, business/interceptor, supersonic-cruise jet [NASA-CR-178097] p 587 N86-27278
- Mirage A3-002 strain responses to ground calibration loadings between 1978 and 1985 [AD-A165848] p 640 N86-28060

## AIR TO AIR REFUELING

- Probe and drogue refuelling large receiver aircraft p 223 A86-21082
- Aerial refueling evaluation of the CH-47D helicopter [AD-A167575] p 808 N86-31574
- AIR TRAFFIC**
- General Aviation and Regional Air Traffic - Components of the Traffic System, Symposium, Friedrichshafen, West Germany, March 28, 29, 1985, Reports p 197 A86-21325
- Production-theoretical study of air traffic output production — German thesis p 402 A86-27834
- The economics of the North Atlantic air traffic system p 419 A86-31324
- Activities report of the aerospace industry in West Germany [ISSN-0176-5086] p 403 N86-22450
- Introduction to the recent developments of China's civil aviation [AD-A166194] p 687 N86-29783
- Evaluation of alternatives for an Army precision landing system [AD-A167780] p 789 N86-31554
- AIR TRAFFIC CONTROL**
- Using roll-angle measurements to track aircraft maneuvers p 92 A86-12677
- Air traffic prediction and optimal control of air transportation system — Russian book p 90 A86-13452
- Liability of air traffic control agencies and airport operators in civil law jurisdictions p 130 A86-14372
- A shared satellite system would satisfy many future aviation needs p 249 A86-20921
- Evolution of the air traffic control beacon system p 215 A86-21806
- Radars in air traffic control - A status report p 216 A86-21607
- Plessey displays in air traffic control p 216 A86-21608
- Mode-S beacon system to cover all U.S. upper airspace by 1991 p 281 A86-23376
- Radionavigation planning in the FAA p 402 A86-26427
- A procedure for the evaluation and analysis of the operational practicability and effectiveness of automated traffic flow control procedures for the near terminal area — German thesis p 347 A86-27829
- Flight mechanics contributions to the time-based trajectory control in the aircraft longitudinal plane — German thesis p 348 A86-27852
- A speech processing system for an air traffic control radar simulator p 351 A86-28447
- A satellite system for aeronautical data communications [AIAA PAPER 86-0802] p 351 A86-29578
- Controlled-Flight-Into-Terrain accidents during unpublished-route radar vectoring p 418 A86-29872
- Advanced concepts flight simulation facility p 446 A86-29916
- Graphic simulation for air traffic control development p 421 A86-30358
- Aerial navigation p 421 A86-31006
- Trends in the design of airfield radars p 421 A86-31008
- Airlines and the new technology aircraft - A discussion paper p 419 A86-31325
- Detection and recognition of hazardous weather conditions by primary surveillance radar p 457 A86-32614
- Parameters of a dedicated weather radar for terminal air navigation, traffic control and safety p 423 A86-32616
- Space based radar application to air traffic control p 423 A86-32626
- Multiradar tracking in the new ATC system at Mazatlan (Mexico) area control center p 424 A86-32640
- FAA Air Traffic Control program management technology applications p 424 A86-32925
- Simulation of time-control procedures for terminal area flow management p 484 A86-35369
- The FAA/M.I.T. Lincoln Laboratory Doppler Weather Radar program p 614 A86-37461
- Evaluation of the ASR-9 weather reflectivity product — airport surveillance radar p 614 A86-37485
- The aviation weather forecasting task force - Assessing the current system p 616 A86-37504
- Air traffic control (ATC) and vessel traffic systems (VTS) p 572 A86-39558
- Computerisation of air information services in France p 635 A86-40229
- The French air traffic control system today - A paradox p 635 A86-40230
- Language problems in air traffic control p 635 A86-40570

System and technology considerations for space-based air traffic surveillance  
[AIAA PAPER 86-1170] p 658 A86-40581

Sophistication and safety in a semi-automated air traffic control system p 635 A86-41874

A survey of multiple targets tracking technique p 735 A86-43489

A graphic terminal for air traffic control of Canadian military airports p 703 A86-44399

The protected volume of airspace generated by an airborne collision avoidance system p 703 A86-46146

Design factors and considerations for a time-based flight management system  
[AIAA PAPER 86-2144] p 822 A86-47455

Secondary radar leads - Monopulse points the way p 787 A86-48372

Flight management concepts compatible with air traffic control p 788 A86-49018

A simulation facility for assessing the next generation of 4-D air traffic control procedures p 788 A86-49034

Airplane landing behaviors controlled by man-pilots p 835 A86-49244

Advanced ATC - An aircraft perspective p 788 A86-49837

Statistical sampling of aircraft operations at non-towered airports  
[AD-A157085] p 128 N86-13051

National airspace system, system requirements specification  
[AD-A157944] p 94 N86-13312

Alerted monitors: Human operators aided by automated detectors  
[PB85-222750] p 126 N86-13908

The mission oriented terminal area simulation facility  
[NASA-TM-87621] p 128 N86-13944

Aircraft accident report: Midair collision of Wings West Airlines Beech C-99 (N866U) and Aesthetec Inc., Rockwell Commander (N112SM), near San Luis Obispo, California, August 24, 1984 p 214 N86-16207

[NTSB/AAAR-85/07] p 214 N86-16207

AFOS (Automation of Field Operations and Services) monitor of terminal forecasts  
[PB85-236388] p 280 N86-16843

Markov jump-diffusion models and decision-making free filtering - air traffic control  
[NLR-MP-83067-U] p 264 N86-17046

Activities in air traffic control p 216 N86-17331

A sophisticated tracking algorithm for Air Traffic Control (ATC) surveillance radar data  
[NLR-MP-84004-U] p 216 N86-17334

Comparison of a jump-diffusion tracker with a Kalman tracker: An evaluation with emphasis on air traffic control  
[NLR-TR-83063-U] p 216 N86-17335

An efficient filter for abruptly changing systems  
[NLR-MP-84071-U] p 264 N86-18056

Calibration of an on-ground aircraft tracking radar by aerial photogrammetry  
[NAL-TR-861] p 282 N86-18311

Video processor for air traffic control beacon system  
[NASA-CASE-KSC-11155-1] p 283 N86-19304

Safety study: Ultraviolet vehicle accidents  
[PB85-917001] p 343 N86-20377

The Stapleton microburst advisory service project: An operational viewpoint  
[AD-A161543] p 394 N86-21078

Oversight on the Federal Aviation Administration fiscal year 1986 research, engineering and development budget request  
[GPO-46-725] p 402 N86-21447

Chief on unfavorable year for Soviet air traffic control p 424 N86-22568

The impact of a traffic alert and collision avoidance system on the air traffic control radar beacon system and the mode S system in the Los Angeles Basin  
[FAA-MP-84-30] p 425 N86-23581

Pressure based separation in the upper airspace  
[CAR-8614] p 486 N86-24679

Pilot evaluation of TCAS in the Long Ranger helicopter  
[FAA/PM-85/30] p 486 N86-25334

Parametric optimization of algorithm for estimating values of one class of unsteady random processes p 534 N86-26181

Integrated risk/cost planning models for the US Air Traffic system  
[NASA-CR-177274] p 573 N86-26312

Microwave Landing System (MLS) station interface control report  
[DOT/FAA/PM-86/17] p 540 N86-27178

An optimization model for the US Air-Traffic System  
[NASA-CR-177277] p 574 N86-27271

TCAS Experimental Unit (TEU) hardware description  
[FAA/PM-85/2] p 574 N86-27272

A time-based concept for terminal-area traffic management  
[NASA-TM-88243] p 622 N86-28049

Time-based air traffic management using expert systems  
[NASA-TM-88234] p 634 N86-28068

Local flow management/profile descent algorithm. Fuel-efficient, time-controlled profiles for the NASA TSRV airplane  
[NASA-CR-172593] p 636 N86-28074

A comparison of the effects of two traffic alert and collision avoidance systems (TCAS 3 and TCAS 2) on the performance of the Air Traffic Control Radar Beacon System  
[DOT/FAA/PM-86/8] p 636 N86-28930

Design requirements and development of an airborne descent path definition algorithm for time navigation  
[NASA-CR-178037] p 641 N86-28939

An investigation of TNAV equipped aircraft in a simulated en route metering environment  
[NASA-CR-178031] p 641 N86-28940

Will the USAF need ground-based air traffic control radar in the year 2000?  
[AD-A168504] p 704 N86-29805

Development of an algorithm to model an aircraft equipped with a generic CDTI display  
[NASA-TM-87732] p 748 N86-30349

Minimum operational performance standards for airborne area navigation equipment using Omega/VLF inputs  
[RTCA/DO-190] p 705 N86-30711

Comprehensive test and evaluation of the Daimo Victor TCAS 2 industry prototype  
[FAA/PM-862] p 705 N86-30712

Operations concept for the TCCC (Tower Control Computer Complex) man-machine interface  
[AD-A168899] p 705 N86-30714

NASA and general aviation  
[NASA-SP-485] p 716 N86-30720

A feasibility study for the use of electronic flight strips in Air Traffic Control (ATC) controller workstations  
[ESA-TT-928] p 789 N86-31558

**AIR TRAFFIC CONTROLLERS (PERSONNEL)**

The French air traffic control system today - A paradox p 635 A86-40230

Aviation weather hazards: FAA (Federal Aviation Administration) system for disseminating severe weather warnings to pilots  
[PB86-195070] p 702 N86-30707

A feasibility study for the use of electronic flight strips in Air Traffic Control (ATC) controller workstations  
[ESA-TT-928] p 789 N86-31558

**AIR TRANSPORTATION**

Air traffic prediction and optimal control of air transportation system - Russian book p 90 A86-13452

Environment protection in connection with air transportation - Russian book p 124 A86-13487

How is airline deregulation working? p 194 A86-18537

Airline deregulation - What will we know and when will we know it? p 194 A86-18538

Aspects of current interest concerning the development of world air traffic. II p 135 A86-18724

General Aviation and Regional Air Traffic - Components of the Traffic System, Symposium, Friedrichshafen, West Germany, March 28, 29, 1985, Reports p 197 A86-21325

Sniffing out trouble p 699 A86-45757

Report of accomplishments under the airport improvement program  
[AD-A158834] p 113 N86-12241

Activities report in aeronautics p 198 N86-16189

Segmented tubular cushion springs and spring assembly  
[NASA-CASE-ARC-11349-1] p 388 N86-20797

Information on airport and airway trust fund revenues and outlays by states and large airports  
[PB86-129665] p 449 N86-23609

**AIRBORNE EQUIPMENT**

Correlation of GPS receiver channel track continuity with aircraft structural masking p 92 A86-13217

Airborne telemetry - The advanced range instrumentation aircraft p 92 A86-13225

Icing wind tunnel tests on the CSIRO liquid water probe p 102 A86-14220

Evaluation of meteorological airborne Doppler radar. I - Dual-Doppler analyses of air motions. II - Triple-Doppler analyses of air motions p 103 A86-14223

Evaluation of tape recordings from an airborne digital recorder p 170 A86-18658

Processing of airborne tape recordings with the aid of user programs for monitoring the technical condition of aircraft p 133 A86-18680

The CA-810 - A modern tri-lens camera p 228 A86-19577

PC-1838 standoff imaging system p 229 A86-19578

Application of binocular viewers to airborne reconnaissance p 229 A86-19580

KS-146A camera development and flight test results p 229 A86-19583

Description of and results from camera systems for recording daytime lightning strikes to an airplane in flight  
[AIAA PAPER 86-0020] p 230 A86-19836

Development of an airborne CCD scanner for land and sea applications p 231 A86-21163

Comparison of calculated and measured height profiles of transverse electric VLF signals across the daytime earth-ionosphere waveguide p 250 A86-21513

Some thoughts on the vibration testing of helicopter equipment in the UK p 283 A86-23022

Inflight resolution evaluation for thermal imaging systems p 296 A86-23272

Air Force Flight Test Instrumentation System - An introduction for flight test engineers and managers p 296 A86-23275

Airborne diagnostic equipment p 297 A86-23762

The measuring and control units of airborne recording systems p 297 A86-23763

Omega - Commercial experiences with a mature system p 345 A86-26442

Frequency synthesis type airborne transmitters p 347 A86-27819

Accelerated testing as a means of ensuring the reliability of aircraft equipment p 335 A86-28306

Dynamic retraining approaches for an airborne speech recognition system p 395 A86-28444

Cloud particle effects on laminar flow in the NASA LEFT program - Preliminary results - Leading Edge Flight Test  
[AIAA PAPER 86-9811] p 432 A86-32136

Airborne infrared measurement systems and techniques  
[AIAA PAPER 86-9814] p 439 A86-32140

Performance analysis of airborne pulse Doppler radar p 423 A86-32578

Efficient, closed-form computation of airborne pulse-Doppler radar clutter p 423 A86-32579

An airborne multiple-beam 1.4 GHz pushbroom microwave radiometer p 498 A86-33583

High resolution millimeter-wave imaging sensor p 498 A86-33590

SHARP (Stationary High Altitude Relay Platform) Telecommunications missions and systems p 519 A86-33943

SHARP (Stationary High Altitude Relay Platform) - Rectenna and low altitude tests p 519 A86-33944

A comparative study of an articulated integrated side-arm controller in a variable stability helicopter p 510 A86-35626

Capabilities of airborne and ground based flight simulation  
[SAE PAPER 851944] p 513 A86-36944

The Phoenix sensor turret system p 588 A86-37342

Applications of sensor payloads p 588 A86-37343

Installation of a bleed air heated radome/air motion sensing system on a Beech King Air 200 aircraft  
[SAE PAPER 851811] p 589 A86-36322

Simulation and analysis of antennas radiating in a complex environment p 572 A86-39535

Smart Built-In-Test (BIT) p 747 A86-43889

Gravity-induced errors in airborne inertial navigation p 703 A86-46457

An upward looking airborne millimeter wave radiometer for atmospheric water vapor sounding and rain detection p 718 A86-46676

Ranging and azimuthal problems of an airborne crossed loop used as a single-station lightning locator p 809 A86-47325

Helicopter IFR director algorithm development and flight evaluation on the NAE airborne simulator  
[AIAA PAPER 86-2205] p 787 A86-47519

Flight testing on customer aircraft with a portable airborne digital data system p 810 A86-47788

Optimization of onboard systems of data acquisition and processing - Russian book p 810 A86-48531

Avionics fault data acquisition - A concept for civil transport aircraft p 810 A86-49051

The application of sensors in light tests  
[NLR-MP-84056-U] p 232 N86-17362

Remote sensing of oil on sea: Lidar and passive IR experiments p 320 N86-18370

Joint agency turbulence experiment  
[AD-A160420] p 325 N86-18624

Flight test evaluation of the Netherlands flight inspection aircraft  
[NLR-MP-84052-U] p 295 N86-19318

Analysis of airborne Doppler lidar, Doppler radar and  
tail tower measurements of atmospheric flows in quiescent  
and stormy weather  
[NASA-CR-3960] p 482 N86-23159  
Minimum operational performance standards for  
airborne thunderstorm detection equipment  
[RTCA/DO-191] p 617 N86-27851

**AIRBORNE LASERS**

Laser systems for use with airborne platforms  
p 228 A86-19571  
Sensor system concept for future fighter and strike  
aircraft p 297 A86-24583  
A laser-inertial airborne surveying system  
p 438 A86-30315

**AIRBORNE RADAR APPROACH**

Development and flight test of a helicopter, X-band,  
portable precision landing system concept  
p 485 A86-35608

**AIRBORNE SURVEILLANCE RADAR**

Airborne radar. I - Air-to-surface p 296 A86-23293  
Detection of non-moving targets by airborne mm-wave  
radars p 351 A86-29783  
Airborne radar - The greater watershed  
p 438 A86-31343  
The design, construction and early trials of a novel  
airborne surveillance radar p 424 A86-32635  
Elimination of directional wave spectrum contamination  
from noise in elevation measurements  
p 641 A86-40854

Mil-DAP: its architecture and role as a real time airborne  
digital signal processor p 681 N86-28359  
The application of high-performance integrated circuits  
for airport fire control radars p 674 N86-28369  
Comprehensive test and evaluation of the Daimo Victor  
TCAS 2 industry prototypes p 705 N86-30712

Air safety: Federal Aviation Administration's role in  
developing mid-air collision avoidance back-up systems  
[PB86-197508] p 787 N86-32418

**AIRBORNE/SPACEBORNE COMPUTERS**

Local area command/control networks: The design of  
an on-board network - ANTINEA - French thesis  
p 215 A86-21327

Analysis of the F/A-18 Hornet flight control computer  
field mean time between failure p 231 A86-22386  
A VME bus microcomputer system for experiment control  
and analysis on board an aircraft p 297 A86-23313  
A study of programmable switch symbology - for  
cockpits p 329 A86-23708  
The possibility of using the on-board computer for  
in-flight diagnostics p 297 A86-23765  
The use of microcomputers in inertial navigation systems  
with strapdown sensors and for measurement systems of  
average accuracy - German thesis p 347 A86-27849  
A Modular Stress Management System (MSMS) with  
worldwide applications p 359 A86-28367  
Implementation of TF/TA in the digital terrain  
management and display system p 359 A86-28390  
Pilot/Vehicle Interface Design System (PIVIDS)  
p 361 A86-28512

An avionics software test and evaluation technique  
p 499 A86-35650

A computer controlled autopilot and an announcement  
system for light aircraft p 511 A86-36871  
Avionics system architecture for Beechcraft Starship 1  
[SAE PAPER 851851] p 589 A86-38346  
Pilot's Associate - What should it do? - pilot and  
airborne computer task allocations  
[SAE PAPER 851890] p 539 A86-38356  
Implications associated with the operation of digital data  
processing in the presence of the relatively harsh EMP  
environments produced by lightning p 809 A86-47319  
Digitalization of avionics in today's and tomorrow's  
aircraft and implications on aircraft maintenance  
p 760 A86-47809

An artificial intelligence approach to onboard fault  
monitoring and diagnosis for aircraft applications  
[AIAA PAPER 86-2093] p 853 A86-48577  
Smart probes for air data p 811 A86-49498  
A knowledge-based expert system for scheduling of  
airborne astronomical observations p 854 A86-49627  
Hardware/software Failure Mode Effect Analysis  
(FMEA) applied to airplane safety  
[NLR-MP-84073-U] p 215 N86-17325  
Activities report in aerospace research, with data  
concerning the scientific committee NLR-NIVR,  
international cooperation concerning AGARD, DNW,  
GARTEUR and cooperation with Indonesia  
p 257 N86-17588

Development and evaluation of math library routines for  
a 1750A airborne microcomputer  
[AD-A164050] p 533 N86-28030

Local flow management/profile descent algorithm.  
Fuel-efficient, time-controlled profiles for the NASA TSRV  
airplane  
[NASA-CR-172593] p 636 N86-28074

An experiment in software reliability  
[NASA-CR-172553] p 682 N86-29547

**AIRCRAFT**

Upsilon invariants - A uniform set of moment  
invariants p 262 A86-19608  
Requirements for second generation aircraft weighing  
systems  
[SAWE PAPER 1689] p 513 A86-35213

Radar characteristics of flight vehicles - Russian  
book p 485 A86-35464  
Results of the expert study of accidents during operation  
of German aircraft in the homeland and abroad as well  
as of foreign aircraft in the homeland  
p 158 N86-14261

Results of the expert study of accidents during operation  
of German aircraft in the homeland and abroad as well  
as of foreign aircraft in the homeland  
p 159 N86-14262

**AIRCRAFT ACCIDENT INVESTIGATION**

Liability of air traffic control agencies and airport  
operators in civil law jurisdictions p 130 A86-14372  
Injury pattern analysis of helicopter wire strike accidents  
(+ Gz load) p 158 A86-18843  
Accident investigation as a way of assessing aviation  
life support system performance p 212 A86-19323  
Determining the effects of weather in aircraft accident  
investigations p 213 A86-19813

[AIAA PAPER 86-0323] p 213 A86-19813  
Meteorological factors in selected aircraft accident  
investigations p 213 A86-19814

[AIAA PAPER 86-0324] p 213 A86-19814  
Affordable safety p 269 A86-25850  
Air transport pilot involvement in general aviation  
accidents p 418 A86-29936

Investigation of an aircraft accident by fractographic  
analysis p 418 A86-30087  
Accident of the DC-10 EC-DEG aircraft at Malaga on  
September 13, 1982 p 419 A86-31011

Evaluation of the crash environment and injury-causing  
hazards in U.S. Navy helicopters p 419 A86-32070  
Pilot error accidents - A total system approach to  
analysis p 481 A86-33799

Faulty cockpit communication as a factor in the failure  
of flight 90 p 482 A86-35452  
[SAE PAPER 851859] p 482 A86-35452

Terrain-induced wind shear - Potential cause of Jetstar  
accident p 566 A86-37482  
The crash of C-GTLA - The cumulative effects of small  
defects and a hint of a previously unrecognized major  
meteorological hazard p 567 A86-37489

The analysis of airline flight records for winds and  
performance with application to the Delta 191 accident  
[AIAA PAPER 86-2227] p 829 A86-47890

Angle-of-attack estimation for analysis of CAT  
encounters p 831 A86-47798  
Results of the expert study of accidents during operation  
of German aircraft in the homeland and abroad as well  
as of foreign aircraft in the homeland  
p 158 N86-14261

Results of the expert study of accidents during operation  
of German aircraft in the homeland and abroad as well  
as of foreign aircraft in the homeland  
p 159 N86-14262

Aircraft accident report: Midair collision of Wings West  
Airlines Beech C-99 (N686U) and Aesthetec Inc., Rockwell  
Commander (N112SM), near San Luis Obispo, California,  
August 24, 1984  
[NTSB/AAR-85/07] p 214 N86-16207

Aircraft accident report: Air Canada Flight 797,  
McDonnell Douglas DC-9-32, C-FTLU Greater Cincinnati  
International Airport, Covington, Kentucky, June 2, 1983  
[PB86-910402] p 344 N86-21525

Aircraft accident report: Galaxy Airlines, Inc., Lockheed  
Electra-L-188C, N5532, Reno, Nevada, January 21,  
1985  
[PB86-910401] p 344 N86-21526

Aircraft mishap fire pattern investigations  
[AD-A161094] p 344 N86-21528  
Aircraft accident/incident summary reports: Denver,  
Colorado, August 19, 1983; Blountville, Tennessee, July  
16, 1983; Tucson, Arizona, February 6, 1983; Cockeysville,  
Maryland, April 28, 1984; Akron, Ohio, September 30, 1984;  
Seattle, Washington, October 18, 1984; Miami, Florida,  
November 11, 1983  
[PB85-910409] p 483 N86-24675

Aircraft accident/incident summary reports: Concord,  
California, July 14, 1984; Atlanta, Georgia, September 24,  
1984; Jasper, Alabama, December 16, 1984; Avalon,  
California, January 30, 1984; Charlottesville, Virginia,  
February 17, 1984; Kansas City, Kansas, January 9,  
1985  
[PB86-910410] p 484 N86-25333

Annual review of aircraft accident data. US air carrier  
operations: Calendar year 1982  
[PB86-212529] p 634 N86-28929

Aircraft accident report: Provincetown, Boston Airlines  
Flight 1039, Embraer Bandeirante, EMB-110P1, N96PB,  
Jacksonville, Florida, December 8, 1984  
[PB86-910405] p 701 N86-30703

**AIRCRAFT ACCIDENTS**

Microbursts - A hazard for aircraft - small, intense  
thunderstorm outflow p 124 A86-14816  
How much inherent buoyancy is acceptable in a  
helicopter passenger immersion suit  
p 261 A86-19310

The effect of water ingress on buoyancy and thermal  
quality of survival suits p 261 A86-19333  
Weather-involved U.S. air carrier accidents 1982-1984  
- A compendium and brief summary p 214 A86-19815

[AIAA PAPER 86-0327] p 214 A86-19815  
Airport preparedness for mass disaster - A proposed  
schematic plan p 214 A86-20411

1985 - A turning point for safety? p 280 A86-25849  
Controlled-Flight-Into-Terrain accidents during  
unpublished-route radar vectoring p 418 A86-29872

Survival of helicopter accidents p 419 A86-31005  
Parameters of a dedicated weather radar for terminal  
air navigation, traffic control and safety p 423 A86-32616

Cockpit communication and aircraft safety - An empirical  
study p 482 A86-35451  
[SAE PAPER 851858] p 482 A86-35451

The risk to third party personnel from RPV operations  
p 566 A86-37327  
Wind shear studies and cockpit integration  
[SAE PAPER 851812] p 593 A86-38323

Structural dynamics research in a full-scale transport  
aircraft crash test p 785 A86-49053  
Aircraft crashing. Analysis and identification methods.  
Presentation of a solution method p 91 N86-13308

[IMFL-4116] p 91 N86-13308  
Downburst: Microburst and macroburst  
[PB85-148880] p 191 N86-14826

Controlled Impact Demonstration (CID)  
[GPO-46-870] p 214 N86-17324  
General aviation crashworthiness project, phase 3:  
Acceleration loads and velocity changes of survivable  
general aviation accidents p 280 N86-18306

[NTSB/SR-85/02] p 280 N86-18306  
Aircraft accident reports: Brief formats, US civil and  
foreign aviation, issue number 1 of 1984 accidents  
[PB85-916920] p 281 N86-18309

Aircraft accident reports: Brief format US Civil and  
Foreign Aviation, issue 2 of 1984 accidents  
[PB85-916921] p 281 N86-18310

Safety study: Ultraviolet vehicle accidents  
[PB85-917001] p 343 N86-20377  
Galley and overhead compartment experiment results:  
Full-scale transport controlled impact demonstration  
[DOT/FAA/CT-85/33] p 343 N86-20378

Full-Scale Transport controlled Impact Demonstration  
[NASA-CP-2395] p 390 N86-21933  
CID overview p 390 N86-21934

CID flight/impact p 390 N86-21935  
Controlled impact demonstration seat/cabin restraint  
systems: FAA p 390 N86-21937

Data reduction, management, and analysis software for  
CID p 399 N86-21938  
NASA seat experiment and occupant responses  
p 390 N86-21939

Structural loads preliminary results p 391 N86-21940  
Digital filtering and acceleration pulse interpretation  
p 400 N86-21941

Controlled impact demonstration flight data  
recorders/cockpit voice recorders p 391 N86-21944  
United States Navy - Canadian forces solid state flight  
data recorder/crash position locator experiment on the  
B-720 controlled impact demonstration p 391 N86-21945

Results of the technical investigation of accidents during  
the operation of German aircraft at home and abroad, and  
of foreign aircraft in Germany p 420 N86-23578

Aircraft accident/incident summary reports: Denver,  
Colorado, August 19, 1983; Blountville, Tennessee, July  
16, 1983; Tucson, Arizona, February 6, 1983; Cockeysville,  
Maryland, April 28, 1984; Akron, Ohio, September 30, 1984;  
Seattle, Washington, October 18, 1984; Miami, Florida,  
November 11, 1983  
[PB85-910409] p 483 N86-24675

Aircraft accident/incident summary reports: Concord,  
California, July 14, 1984; Atlanta, Georgia, September 24,  
1984; Jasper, Alabama, December 16, 1984; Avalon,  
California, January 30, 1984; Charlottesville, Virginia,  
February 17, 1984; Kansas City, Kansas, January 9,  
1985  
[PB86-910410] p 484 N86-25333

DFW (Dallas-Ft. Worth) microburst on August 2, 1985  
[NASA-CR-176794] p 529 N86-25956

- Crash-resistant crewseat limit-load optimization through dynamic testing with cadavers  
[AD-A164828] p 569 N86-26296
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 3 of 1984 accidents  
[PB85-916922] p 570 N86-26303
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 4 of 1984 accidents  
[PB85-916923] p 570 N86-26304
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 5 of 1984 accidents  
[PB86-916901] p 570 N86-26305
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 6 of 1984 accidents  
[PB86-916902] p 570 N86-26306
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 7 of 1984 accidents  
[PB86-916903] p 570 N86-26307
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 8 of 1984 accidents  
[PB86-916904] p 570 N86-26308
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 9 of 1984 Accidents  
[PB86-916905] p 570 N86-26309
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 11 of 1984 accidents  
[PB86-916907] p 571 N86-26310
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 13 of 1984 accidents  
[PB86-916909] p 571 N86-26311
- National Transportation Safety Board safety recommendation  
[NTSB-A102C/300A] p 571 N86-27267
- Aircraft accident reports: Brief format, US civil and foreign aviation, issue number 17 of 1983 accidents  
[PB85-916918] p 571 N86-27269
- Aircraft accident report: China Airlines Boeing 747-SP, N4522V 300 nautical miles northwest of San Francisco, California, February 19, 1985  
[PB86-910403] p 634 N86-28069
- Aircraft accident reports: Brief format, US Civil and Foreign Aviation, issue number 10 of 1984 accidents  
[PB86-916906] p 634 N86-28070
- Annual review of aircraft accident data. US air carrier operations: Calendar year 1982  
[PB86-212529] p 634 N86-28929
- Safety recommendation  
[NTSB-A-86-22] p 699 N86-29790
- National Transportation Safety Board safety recommendation  
[NTSB-4357/1] p 699 N86-29792
- Investigation of hazards of helicopter operations and root causes of helicopter accidents  
[FAA/PM-86/28] p 700 N86-29796
- Post Controlled Impact Demonstration (CID) analysis  
p 733 N86-30010
- Impact data from a transport aircraft during a controlled impact demonstration  
[NASA-TP-2589] p 716 N86-30721
- ### AIRCRAFT ANTENNAS
- ELT antenna gain distributions under simulated crash conditions  
p 92 A86-12698
- Antenna siting on helicopters  
p 282 A86-26133
- Aircraft coupling model evaluations at SHF/EHF  
p 345 A86-27128
- Mechanical design and evaluation of a slotted CFRP waveguide antenna  
p 383 A86-27703
- Corona threshold determination by three-stage physical modelling of aircraft  
p 792 A86-47333
- Simulation of the enhanced traffic alert and collision avoidance system (TCAS 2)  
[NASA-CR-176328] p 83 N86-12216
- Limited Airworthiness and Flight Characteristics (A and FC) test of the quick fix configuration  
[AD-A157716] p 101 N86-13323
- VHF-AM communications equipment selection and installation practices for helicopters  
[DOT/FAA/PM-85/8] p 189 N86-15518
- VHF-FM communications antennas for project SINGARS (UH-1 tail whip and cabin roof bent whip evaluation)  
[AD-A163561] p 524 N86-24883
- Monopole element at the center of a circular groundplane of arbitrary radius. Volume 1: Theory and results  
[AD-A166991] p 744 N86-30908
- Determination of antennae patterns and radar reflection characteristics of aircraft  
[AGARD-AG-300-VOL-4] p 744 N86-30931
- ### AIRCRAFT APPROACH SPACING
- Performance evaluation of a linear recursive technique for aircraft altitude prediction in airborne collision avoidance systems  
p 811 A86-49085
- Guidance studies for curved, descending approaches using the Microwave Landing System (MLS)  
[NASA-CR-178030] p 486 N86-25335
- Time-based air traffic management using expert systems  
[NASA-TM-88234] p 634 N86-28068
- ### AIRCRAFT BRAKES
- Carbon-carbon composites for braking  
p 661 A86-40364
- ### AIRCRAFT CARRIERS
- Determination of limitations for helicopter ship-borne operations  
p 280 A86-26151
- Control of V/STOL aircraft  
p 724 A86-48002
- Terminal control factors for the carrier landing task  
[AIAA PAPER 86-2251] p 825 A86-47497
- Flight testing in the aircraft carrier environment  
p 794 A86-47779
- Catapult holdback design examined  
p 838 A86-48041
- Analysis of a mirror deck landing aid  
[AD-A167968] p 789 N86-31556
- ### AIRCRAFT COMMUNICATION
- An over the horizon command/data link system  
p 92 A86-13224
- EC-135 fiber optic technology review  
p 75 A86-15341
- Optical communication between aircraft in low-visibility atmosphere using diode lasers  
p 122 A86-15584
- The disturbance of aircraft navigation and communication systems by atmospheric static electricity  
p 160 A86-18695
- A shared satellite system would satisfy many future aviation needs  
p 249 A86-20921
- Local area command/control networks: The design of an on-board network - ANTINEA - French thesis  
p 215 A86-21327
- Airborne communications reconstitution experiments  
p 251 A86-21891
- Communication with land vehicles and aircraft via satellite  
p 319 A86-25016
- The effects of atmospheric turbulence on an air-to-air optical communication link  
p 351 A86-28470
- The development status of JTIDS dual mode TDMA and distributed TDMA (DTDMA) full scale development terminals - An update  
p 351 A86-28473
- Improving intelligibility in audio distribution systems  
p 395 A86-28513
- A satellite system for aeronautical data communications  
[AIAA PAPER 86-0602] p 351 A86-29578
- Aerial navigation  
p 421 A86-31008
- Radio communication between manoeuvring platforms  
p 456 A86-31921
- Cockpit communication and aircraft safety - An empirical study  
[SAE PAPER 851858] p 482 A86-35451
- A technique to evaluate the accessibility of airborne receivers to interfering signals  
p 572 A86-37555
- Simulation and analysis of antennas radiating in a complex environment  
p 572 A86-39535
- Radio telephony - A case for growing concern  
p 635 A86-40569
- A computer model to evaluate airborne receiver performance in interference environments  
p 703 A86-43862
- Laser communication through low-visibility atmosphere for aircraft application  
p 788 A86-48581
- VHF-AM communications equipment selection and installation practices for helicopters  
[DOT/FAA/PM-85/8] p 189 N86-15518
- Effects of noise and workload on a communication task  
[AD-A160743] p 321 N86-18599
- High dynamic GPS receiver validation demonstration  
[NASA-CR-176530] p 283 N86-18306
- Future Aeronautical Communication System (FACS): Report  
[ETN-86-96959] p 673 N86-28309
- ### AIRCRAFT COMPARTMENTS
- Review of recent research on interior noise of propeller aircraft  
p 97 A86-14527
- Aircraft compartment preheating device LUVU 100  
p 180 A86-18722
- A propeller model for studying trace velocity effects on interior noise  
p 284 A86-23191
- Helicopter cabin noise - Actual vs. statistical energy predictions  
p 491 A86-35620
- Cabin noise characteristics of a small propeller powered aircraft  
[AIAA PAPER 86-1906] p 710 A86-45407
- Effects of an internal floor on low frequency sound transmission into aircraft cabins - An experimental investigation  
[AIAA PAPER 86-1839] p 711 A86-45426
- Structural influence of cabin floor on sound transmission into propeller aircraft - Analytical investigations  
[AIAA PAPER 86-1940] p 711 A86-45427
- A comparison of the structureborne and airborne paths for propfan interior noise  
[AIAA PAPER 86-1893] p 711 A86-45483
- Prediction of sound fields in cavities using boundary element methods  
[AIAA PAPER 86-1864] p 754 A86-45484
- Measurements and computer modelling of engine exhaust noise in the cabin of single-engine aircraft  
p 798 A86-48594
- Investigation of the level difference between sound pressure and sound intensity in an aircraft cabin under different fuselage conditions  
p 799 A86-48738
- Control of interior noise in advanced turbopropeller aircraft  
p 802 A86-49100
- Active noise control - in prop-fan aircraft cabins  
p 803 A86-49101
- Aircraft interior panel test criteria derived from full-scale fire tests  
[FAA/CT-85/23] p 91 N86-12214
- Aircrowd dose and engine dust ingestion from nuclear cloud penetration  
[AD-A159246] p 101 N86-13327
- General aviation interior noise problem: Some suggested solutions  
p 194 N86-15053
- Fire-retardant decorative inks for aircraft interiors  
[NASA-TM-88196] p 313 N86-18441
- Galley and overhead compartment experiment results: Full-scale transport controlled impact demonstration  
[DOT/FAA/CT-85/33] p 343 N86-20378
- Recent experiences in the analysis of aircraft cabin noise  
p 401 N86-21287
- Proceedings of Cabin Safety Conference and Workshop held on 11-14 December 1984  
[AD-A160950] p 344 N86-21527
- Controlled impact demonstration seat/cabin restraint systems: FAA  
p 390 N86-21837
- Fire extinguishing agents for oxygen-enriched atmospheres  
[AD-A166967] p 743 N86-30890
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 2: Aircraft engine nacelle fire test programs. Part 1: Fire detection, fire extinguishment and surface ignition studies  
[AD-A167356] p 807 N86-31570
- A comparison between acoustic mode measurements and acoustic finite element analysis performed for SAAB SF 340 - propeller-driven aircraft  
[FFA-TN-1886-22] p 856 N86-33125
- ### AIRCRAFT CONFIGURATIONS
- Characteristics of the lifting properties of aircraft with sweptforward wings at supersonic velocities  
p 96 A86-13371
- Calculation of supersonic flow past a three-dimensional configuration using integral relationships  
p 81 A86-13423
- Shaping of airplane fuselages for minimum drag  
[AIAA PAPER 86-0316] p 201 A86-19809
- Three-dimensional body-fitting grid system for a complete aircraft  
[AIAA PAPER 86-0428] p 201 A86-19870
- Investigation of aircraft departure susceptibility using a total-G simulator  
[AIAA PAPER 86-0492] p 238 A86-19903
- Conformal mapping as an aid in grid generation for complex three-dimensional configurations  
[AIAA PAPER 86-0497] p 203 A86-19908
- Aircraft viscous drag reduction technology  
p 204 A86-20124
- The numerical solution of the compressible viscous flow field about a complete aircraft in flight  
p 205 A86-21033
- Flight testing the fixed wing configuration of the Rotor Systems Research Aircraft (RSRA)  
p 223 A86-21064
- Multi-knot Boolean sum interpolating surface interactive design of aircraft configuration  
p 263 A86-22305
- Figures of out surface of an airplane model  
p 288 A86-25237
- Optimal lifting surfaces of wings of complex configurations at supersonic flight velocities  
p 288 A86-25423
- Nucleation of ice crystals in supercooled clouds caused by passage of an airplane  
p 323 A86-26175
- Aircraft of special configurations - Russian book  
p 335 A86-28521
- The joined wing - An overview - aircraft tandem wings in diamond configurations  
p 355 A86-28559
- Outer surface of airplane and computational grid for flow analysis in physical space  
p 409 A86-31022
- An improvement to the numerical method for calculations of aircraft configuration longitudinal aerodynamic characteristics  
p 411 A86-32994
- The development of an advanced weight estimation technique for aircraft conceptual design  
[SAWE PAPER 1845] p 531 A86-35204



- Wing aspect ratio optimization problems for transport turbojet airplanes p 488 A86-35206  
[SAWE PAPER 1880]
- RSRA flight development test in the airplane configuration — Rotor Systems Research Aircraft p 493 A86-35653
- AV-8B High Angle of Attack/departure resistance system flight test program p 496 A86-37082  
[AIAA PAPER 86-9729]
- An analysis of elliptic grid generation techniques using an implicit Euler solver p 542 A86-37804  
[AIAA PAPER 86-1786]
- Euler solutions for aircraft configurations employing upper surface blowing (USB) p 542 A86-37805  
[AIAA PAPER 86-1787]
- Aerodynamics and radar-signature - A theoretical approach to estimate the radar-signature of complex aircraft configurations compatible with aerodynamic panel-methods p 577 A86-37807  
[AIAA PAPER 86-1770]
- Planform effects for low-finesse ratio multibody configurations at supersonic speeds p 544 A86-37825  
[AIAA PAPER 86-1799]
- PAN AIR analysis of a transport high-lift configuration [AIAA PAPER 86-1811] p 544 A86-37832
- Application of NCOREL to aircraft configurations — CFD program p 577 A86-37843  
[AIAA PAPER 86-1830]
- EAP - Fighter blueprint p 577 A86-37939
- Effects of jet flap on AV8-B 'Harrier' performance [SAE PAPER 851843] p 579 A86-38340
- Analytical study of three-surface lifting systems [SAE PAPER 850886] p 552 A86-38507
- Recent developments in the dynamics of advanced rotor systems. I p 586 A86-39597
- A computer-augmented procedure for commercial aircraft configuration development and optimization p 637 A86-40114
- Turbofan and propan as basis for future economic propulsion concepts [AIAA PAPER 86-1474] p 845 A86-42662
- Comparison of published HEMP and natural lightning on the surface of an aircraft — High-Altitude Electromagnetic Pulse p 783 A86-47293
- Induced current surface density after a direct lightning strike on an aircraft p 790 A86-47297
- Can Europe meet the challenge of LH7? p 797 A86-48370
- Identification of unsteady response in rudders at low velocities [AAAF PAPER NT 85-19] p 797 A86-48468
- Method for calculating subsonic ideal-gas flow past an aircraft p 768 A86-48807
- Shape optimization of aircraft structural elements with stress raisers p 848 A86-48846
- A review of unconventional aircraft design concepts p 801 A86-48995
- Evaluation of pressure distributions on an aircraft by two different panel methods and comparison with experimental measurements p 774 A86-49044
- An experimental study of a three lifting surface configuration p 775 A86-49104
- Configuration and trajectory of hypersonic transport with aerothermodynamic control p 804 A86-49124
- Validation of a full potential method for combined yaw and angle of attack [AIAA PAPER 86-1834] p 779 A86-49591
- The helicopter to fixed wing conversion program: A critical review [AD-A156820] p 125 N86-12966
- Aircraft of the future [NASA-TM-77952] p 100 N86-13318
- Aircraft flight performance methods. Revision 2 [AD-A158227] p 169 N86-15310
- A FORTRAN program for the determination of unsteady airforces on general combinations of interfering lifting surfaces oscillating in subsonic flow [ARL-STRUCT-R-412] p 206 N86-16191
- Preliminary airworthiness evaluation of the AH-1S (modernized cobra) with the Hellfire, TOW, and Stinger missiles installed [AD-A160862] p 294 N86-18322
- Motion planning in the presence of moving obstacles [AD-A161374] p 400 N86-22206
- Numerical generation of 3D curvilinear coordinate systems and computational grids for aircraft configurations [AD-A162249] p 482 N86-23997
- Aircraft performance optimization with thrust vector control [AD-A165388] p 587 N86-26334
- Recent extensions to the free-vortex-sheet theory for expanded convergence capability p 556 N86-27194
- Towards an advanced vortex flap system: The cavity flap p 557 N86-27200
- Viscous vortical flow calculations over delta wings p 558 N86-27202
- Generation of two-dimensional gust fields in subsonic wind-tunnels p 563 N86-27247
- Gust alleviation on a transport airplane p 565 N86-27259
- Patched-grid calculations with the Euler and Navier-Stokes equations: Theory and applications [NASA-TM-88228] p 630 N86-29062
- Experimental and numerical results for a generic axisymmetric single-engine afterbody with tails at transonic speeds [NASA-TM-87755] p 697 N86-30895
- PAN AIR application to the F-108B [NASA-CR-178185] p 698 N86-30898
- High speed viscous flow calculations about complex configurations [NASA-TM-88237] p 850 N86-31827
- Transonic Navier-Stokes wing solutions using a zonal approach. Part 2: High angle-of-attack simulation [NASA-TM-88248-PT-2] p 782 N86-32392
- ### AIRCRAFT CONSTRUCTION MATERIALS
- Materials and manufacturing processes for advanced jet engines p 105 A86-13173
- Metals and plastics - State of the art and perspectives [MBB-Z-49-85-OE] p 116 A86-14474
- Structural materials in aeronautics - Prospects and perspectives p 183 A86-16866
- Generic aspects of delamination in fatigue of composite materials p 183 A86-18432
- Thermographic inspection of carbon epoxy structures p 249 A86-20649
- Recent developments in carbon fibre composite p 244 A86-21296
- Effect of manufacturing defects and service-induced damage on the strength of aircraft composite structures p 245 A86-21729
- Composite fabrics in a thermal protection application p 245 A86-21734
- Evolution of Aircraft/Aerospace Structures and Materials Symposium, Dayton, OH, April 24, 25, 1985, Proceedings p 197 A86-22128
- The Wright Brothers experience in the evolution of aircraft design, structures, and materials p 267 A86-22129
- XB-70 structures and materials advancements p 224 A86-22131
- Starship 1 p 225 A86-22133
- Structural and material considerations for advanced fighters p 252 A86-22134
- Composites technology transfer and transition p 253 A86-22144
- Current concepts of composite applications in aircraft and engines p 312 A86-23690
- A numerical analysis of singular stress fields at the free edge of layered composites [ONERA, TP NO. 1985-154] p 313 A86-24636
- High-temperature composite ducts [SME PAPER MF85-501] p 319 A86-24663
- Composites in the development of Augusta helicopters p 320 A86-26121
- ARALL - A light weight structural material for impact and fatigue sensitive structures p 313 A86-26158
- Conference on Steels and Special Alloys in Aeronautics, 11th, Le Bourget, France, June 6, 1985, Proceedings p 372 A86-26326
- New developments in the materials used in airliner, helicopter and spacecraft structures p 372 A86-26327
- Development of materials used in landing gear p 373 A86-26329
- Materials in thrust reversers p 373 A86-26332
- The new aluminium alloys for the aeronautical industry p 373 A86-26334
- The thermo-mechanical processing during closed die forging - A method of improving aeronautical materials p 380 A86-26336
- The development of high strength stainless steels for the aeronautical industry p 373 A86-26337
- Properties and potential aerospace applications of E Z 3 CNDA 13-08 steel. II p 374 A86-26338
- Strength in adversity — of aircraft construction materials p 335 A86-27020
- Applications of titanium and titanium alloys p 374 A86-27202
- Development in PM HHDH-Ti6Al4V technology for aircraft application — High-quality Hydride Dehydrogenation Process p 375 A86-27224
- Producibility of aircraft structural parts by superplastic forming and diffusion bonding p 382 A86-27272
- EB repair welding of a critical aircraft part made from the nonweldable titanium alloy 3.7184.7 (Ti-6Al-4Mo-4Sn-2Si) p 382 A86-27278
- Analytical and experimental studies of textile structural composites p 377 A86-27652
- Factors affecting the design of military aircraft structures in carbon fibre reinforced composites p 449 A86-29972
- Spectrum fatigue crack growth behavior of aluminum alloys p 450 A86-30006
- Fatigue behaviour of advanced aluminium alloy lugs of 7475-T761 with and without initial cracks p 450 A86-30030
- Multipurpose corrosion inhibitors for aerospace alloys in naval environments p 450 A86-33021
- Configuration aspects of modern high-performance aircraft [DGLR PAPER 85-130] p 488 A86-35176
- Comparison of Al alloys and carbon fiber composite materials in aircraft construction [DGLR PAPER 85-136] p 515 A86-35179
- The impact of accommodating defects on the efficiency of aircraft design [SAWE PAPER 1835] p 488 A86-35201
- Impact of advanced materials on aircraft design weights - The weight improvement factor [SAWE PAPER 1836] p 488 A86-35202
- Some characteristics of structure formation in forged semifinished products of V93pch aluminum alloy p 522 A86-35999
- Structural materials in aeronautics - Prospects and perspectives p 516 A86-36335
- What is the choice for primary aircraft structures - Composite or aluminum materials? p 516 A86-36750
- Advanced composites - The structural revolution p 517 A86-37136
- Composites: Design and manufacturing for general aviation aircraft; Proceedings of the General Aviation Aircraft Meeting and Exposition, Wichita, KS, April 16-19, 1985 [SAE SP-623] p 582 A86-38515
- Ingot metallurgy aluminum - Lithium alloys for aircraft structure [AIAA PAPER 86-0890] p 603 A86-38822
- Operational experience of U.S. Air Force with structural composites [AIAA PAPER 86-0948] p 583 A86-38840
- Composite material service experience on Boeing commercial airplanes [AIAA PAPER 86-0947] p 603 A86-38841
- Crash energy absorbing composite sub-floor structure [AIAA PAPER 86-0944] p 585 A86-38952
- Overview — of new metallic and nonmetallic aircraft materials p 659 A86-40252
- Production of aluminium-lithium alloy with high specific properties p 659 A86-40255
- 'Althalite' alloys - Progress, products and properties p 660 A86-40256
- Comparison of corrosion behaviour of lithium-containing aluminium alloys and conventional aerospace alloys p 660 A86-40280
- Experiences in FRG in aerospace application — of carbon fiber reinforced plastics p 661 A86-40498
- Experiences in UK and France in aerospace application — of glass and carbon fiber reinforced composites p 621 A86-40499
- Structural materials in aeronautics. II - Prospects and perspectives p 662 A86-40619
- A fiber optic damage monitor p 670 A86-41805
- Application of medical computed tomography (CT) scanners to advanced aerospace composites p 670 A86-41631
- Thermoplastic composites - Design material of the 1990s? p 683 A86-41685
- New alloys from the quantum engineer p 683 A86-42424
- Small turboshaft/turboprop engine technology study [AIAA PAPER 86-1623] p 647 A86-42757
- The certification of airframes and components in metals and composites p 737 A86-43796
- CFRP-wing for the Alpha Jet p 686 A86-46199
- AIRMEC '85 - Aviation equipment servicing: Aircraft and helicopter maintenance; International Exhibition and Conference, 4th, Dueseldorf, West Germany, February 26-March 3, 1985, Conference Reports p 759 A86-47601
- A round-up on CFRP p 841 A86-47602
- Composites in today's and tomorrow's U.S. airliners p 841 A86-47603
- How one A/C manufacturer transits to composites p 759 A86-47604
- Analysis of the costs and weight effects of CFK on air transport structure p 842 A86-48097
- Method for determining the efficiency of utilization of the material in a thin-wall aircraft structure according to the strength conditions p 847 A86-48776
- Fire safety investigations for material selection and design of a carbon fibre reinforced fuselage structure p 785 A86-48989
- Materials in aerospace - Can the emerging thermoplastics meet the challenge? p 843 A86-49020

- Advanced polymer composites for high temperature applications p 843 A86-49021
- Plastic or metal - The judgement factors — for selecting aircraft construction material p 762 A86-49037
- The applications of composite materials in the aeronautical domain [SNAIS-852-551-103] p 247 N86-16279
- Lecture notes on fatigue, static tensile strength and stress corrosion of aircraft materials and structures. Part 2: Figures [VTH-LR-360-PT-2] p 227 N86-17345
- Separation of airborne and structureborne noise radiated by plates constructed of conventional and composite materials with applications for prediction of interior noise paths in propeller driven aircraft [NASA-TM-87414] p 265 N86-18121
- Sukhoi design bureau builds sport plane made of plastic p 294 N86-18324
- Structural materials in aeronautics: Prospects and perspectives [RAE-TR-85077] p 357 N86-21532
- NASA experiments on the B-720 structure and seats p 390 N86-21936
- The development of aluminum-lithium alloys for aerospace applications p 451 N86-22618
- Activities report of the Department of Aerospace Engineering p 470 N86-23491
- Comparison of aluminum alloys concerning strength and damage tolerance — aircraft construction materials [MBB-UT-111/85] p 452 N86-23714
- Chemical control for Airbus composites. HPLC standardization [I-104/84] p 664 N86-26133
- New transparent solid material for helicopter windshields [SNPE-NT-37/85/CRB/NP] p 641 N86-26941
- The future of surface treatments in aeronautical construction [SNAIS-861-551-101] p 665 N86-29037
- Advances in the study of the mechanical behavior of materials [AD-A184656] p 735 N86-30838
- Weight estimation techniques for composite airplanes in general aviation industry [NASA-CR-178163] p 781 N86-31531
- AIRCRAFT CONTROL**
- Dynamics of non-autonomous spatial motion of an aeroplane with deformable control systems p 109 A86-13931
- Stability and control of VTOL capable airships in hovering flight p 109 A86-14236
- Ground-simulation investigation of VTOL airworthiness criteria for terminal area operations p 90 A86-14237
- Use of differential leading edge flaps for lateral control at high angle of attack [AIAA PAPER 86-0168] p 238 A86-19729
- Investigation of aircraft departure susceptibility using a total-G simulator [AIAA PAPER 86-0492] p 238 A86-19903
- Endurance increase by cyclic control — of aircraft p 221 A86-20235
- Design of an active flutter suppression system p 239 A86-20236
- Comparison of performance characteristics of DDC algorithms implemented on a microprocessor — Direct Digital Control p 263 A86-20518
- Probe and drogue refuelling large receiver aircraft p 223 A86-21062
- Flight stability and controllability. II - Aircraft longitudinal stability — Serbo-Croatian book p 239 A86-21318
- Talking to your aircraft p 239 A86-21900
- Facility for closed loop testing of aircraft control systems p 241 A86-22188
- Composite statistical method for modeling wind gusts p 308 A86-23189
- A stable discrete-time adaptive observer applied to multivariable aircraft p 305 A86-23348
- Computer controlled variable pressure reducing/shut-off valve for aircraft ECS [SAE PAPER 851360] p 285 A86-23545
- A preliminary flight evaluation of the peripheral vision display using the NT-33A aircraft p 297 A86-23729
- A possible approach to the diagnostics of the hydraulic servomechanism of the aircraft control system p 285 A86-23757
- Proposal for the choice of state variables for equations of motion of aircraft in moving air p 306 A86-24588
- The HUD as a primary flight instrument [SAE PAPER 841483] p 298 A86-26006
- Flight deck displays for managing wind shear encounters [SAE PAPER 841485] p 298 A86-26006
- Advances in simulation, control and guidance and other systems for manned and unmanned aircraft p 269 A86-26072
- Flight mechanics contributions to the time-based trajectory control in the aircraft longitudinal plane — German thesis p 348 A86-27852
- Quantitative feedback design approach to pilot-in-the-loop analysis p 366 A86-28377
- Multivariable control law design for the AFTI/F-16 with a failed control surface p 367 A86-28380
- Variable control policies for future aerospace vehicles p 367 A86-28386
- Design of direct digital flight-mode control systems for high-performance aircraft using step-response matrices p 367 A86-28387
- Detection and isolation of control surface effectiveness failures in high performance aircraft p 367 A86-28392
- An automatic redesign approach for restructurable control systems p 368 A86-28394
- Digital fault tolerant flight actuation systems p 354 A86-28400
- A survivable fly-by-wire spoiler actuation system featuring nonflammable fluid, 8,000 PSI hydraulics and direct drive valves p 355 A86-28402
- An expert system for integrated aircraft/engine controls design p 355 A86-28405
- Path-finder - An heuristic approach to aircraft routing p 368 A86-28499
- Evaluation of formats for aircraft control/display units p 438 A86-29864
- Periodic control for minimum-fuel aircraft trajectories p 427 A86-31657
- An interpretation of airplane general motion and control as inverse problem p 443 A86-31661
- Flight investigation of a multivariable model-following control system for rotorcraft [AIAA PAPER 86-9779] p 443 A86-32114
- Inflight excitation of the F-16XL [AIAA PAPER 86-9782] p 430 A86-32116
- A discrete adaptive observer for a multi-output aircraft control system p 444 A86-33180
- Statistical dynamics and control optimization of flight vehicles — Russian textbook p 449 A86-33299
- On the vertical turns sustaining corner velocity — optimal control in aircraft minimum time pull-ups from dives p 507 A86-33979
- Guidance, navigation, and control for 21st century aircraft p 508 A86-34194
- Application of digital/electric systems to advanced technology aircraft [SAWE PAPER 1639] p 488 A86-35203
- Application of eigenspace techniques to design of aircraft control systems p 508 A86-35360
- Time domain control design for robust stability of linear regulators - Application to aircraft control p 508 A86-35383
- Locally optimal control in systems with delay — for flight vehicle stabilization p 510 A86-35964
- The influence of sampling rate on the dynamics and control of aeronautical systems p 511 A86-37061
- Adaptive control robustness in flexible aircraft application p 511 A86-37070
- DIGITAC multimode control laws — for military aircraft missions [SAE PAPER 851826] p 594 A86-38332
- USAF Test Pilot School use of DIGITAC in systems testing [SAE PAPER 851827] p 594 A86-38333
- Integrated braking and ground directional control for tactical aircraft [SAE PAPER 851941] p 581 A86-38374
- Design of a flutter mode controller using positive real feedback p 594 A86-39041
- The measurement of aircraft performance and stability and control after flight through natural icing conditions [AIAA PAPER 86-9758] p 651 A86-40681
- The design of a sliding mode controller for dutch roll damping in a non-linear aircraft system p 651 A86-40766
- Design issues for fault tolerant-restructurable aircraft control p 652 A86-42937
- Identification of frequency characteristics during bench tests p 681 A86-43367
- Application of adaptive control to aircraft systems p 746 A86-43476
- An optimal parameter estimation method compatible with stable parameter prediction in time domain p 746 A86-43482
- Design and research of aircraft parameter-adaptive lateral command augmentation systems p 723 A86-43498
- Flight testing of the navigation and flight control complexes of aircraft and helicopters — Russian book p 708 A86-44283
- Optimal take-off trajectories in the presence of wind/shear p 708 A86-44386
- New technologies offer quantum leap in future fighter capabilities p 686 A86-45063
- Boeing developing new cockpit displays to ease pilot workload p 717 A86-45086
- Numerical modelling of the dynamics of aerobatic manoeuvres p 724 A86-45144
- The singular-G method for unstable non-minimum-phase plants p 747 A86-45736
- Control of V/STOL aircraft p 724 A86-46002
- An analysis of the motion of an aircraft on the ground p 725 A86-46367
- Disturbance attenuation by a frequency-shaped linear-quadratic-regulator method — applied to design of feedback control system for aircraft gust alleviation p 725 A86-46453
- Decision aiding for tactical aircraft p 718 A86-46715
- Piloting of unmanned air vehicles p 726 A86-46716
- Aircraft hydraulic systems: An introduction to the analysis of systems and components — Book p 713 A86-46850
- Guidance, Navigation and Control Conference, Williamsburg, VA, August 18-20, 1986, Technical Papers p 852 A86-47401
- Aircraft control surface failure detection and isolation using the OSGLR test — orthogonal series generalized likelihood ratio [AIAA PAPER 86-2028] p 821 A86-47419
- Sensitivity analysis of high-order digital flight control systems using singular-value concepts [AIAA PAPER 86-2084] p 822 A86-47437
- Rotary-wing aircraft terrain-following/terrain-avoidance system development [AIAA PAPER 86-2147] p 823 A86-47456
- An explicit adaptive flight control system based on the modified gain extended Kalman filter [AIAA PAPER 86-2158] p 823 A86-47465
- A design methodology for robust stabilizing controllers [AIAA PAPER 86-2195] p 823 A86-47475
- A preliminary investigation of H (infinity) optimization [AIAA PAPER 86-2197] p 853 A86-47477
- A controller for robust asymptotic tracking in systems with time-varying uncertainties [AIAA PAPER 86-2199] p 853 A86-47479
- Effect of time delay on flying qualities - An update [AIAA PAPER 86-2202] p 823 A86-47482
- Cooperative synthesis of control and display augmentation [AIAA PAPER 86-2204] p 853 A86-47484
- Control reconfigurable combat aircraft flight control system development [AIAA PAPER 86-2236] p 824 A86-47488
- Flight control system development and flight test experience with the F-111 mission adaptive wing aircraft [AIAA PAPER 86-2237] p 824 A86-47489
- Design of an integrated control system for flutter margin augmentation and gust load alleviation, tested on a dynamic windtunnel model [AIAA PAPER 86-2242] p 824 A86-47490
- Model-following control for an oblique-wing aircraft [AIAA PAPER 86-2244] p 824 A86-47492
- Terminal control factors for the carrier landing task [AIAA PAPER 86-2251] p 825 A86-47497
- Design considerations for flight test of a fault inferring nonlinear detection system algorithm for avionics sensors [AIAA PAPER 86-2030] p 810 A86-47511
- NASA B737 flight test results of the Total Energy Control System [AIAA PAPER 86-2143] p 826 A86-47516
- A fundamental approach to equivalent systems analysis — in evaluating aircraft handling qualities [AIAA PAPER 86-2126] p 828 A86-47674
- The MIL-prime standard for aircraft flying qualities [AIAA PAPER 86-2131] p 828 A86-47677
- Aerodynamic delay following control actuation in a glider [AIAA PAPER 86-2226] p 829 A86-47689
- Stability and control of aircraft with manual roll-moving tailplanes [AIAA PAPER 86-2231] p 829 A86-47692
- Modelling of rigid-body and elastic aircraft dynamics for flight control development [AIAA PAPER 86-2232] p 829 A86-47693
- Enhanced controllability through vortex manipulation on fighter aircraft at high angles of attack [AIAA PAPER 86-2277] p 830 A86-47695
- Use of hinged strakes for lateral control at high angles of attack [AIAA PAPER 86-2278] p 830 A86-47696
- Spherical mapping and analysis of aircraft angles for maneuvering flight [AIAA PAPER 86-2283] p 830 A86-47701
- Boundary-layer transition effects on airplane stability and control [AIAA PAPER 86-2229] p 831 A86-47706
- Precise control surface position measurements for hysteresis and twist testing p 795 A86-47789



- Airbus A 320 - New concept of aircraft control  
p 796 A86-47787
- An approach to an integrated control system for a modern fighter aircraft engine  
[ASME PAPER 86-GT-277] p 816 A86-48296
- Determination of the required number of channels for controlling aircraft wing loading for several cases of calculation  
p 788 A86-48787
- Determination of the statistical characteristics of aircraft motion during an automatic approach  
p 832 A86-48844
- Influence of EFCS-control laws on structural design of modern transport aircraft  
p 800 A86-48984
- Active control technology for civil transport  
p 832 A86-49005
- Handling qualities for unstable combat aircraft  
p 833 A86-49025
- Experimental study of effects of forebody geometry on high angle of attack static and dynamic stability and control  
p 833 A86-49039
- Forebody vortex management for yaw control at high angles of attack  
p 833 A86-49047
- The estimation of the stability and control characteristics of a canard configured combat aircraft having a forward swept wing  
p 834 A86-49056
- Optimal control laws for microburst encounter  
p 834 A86-49070
- The M53 turbofan control system - A strong basis for the development of the future digital control systems  
p 817 A86-49088
- Design of a nonlinear lever-type mechanism for aircraft control systems  
p 835 A86-49139
- A preliminary evaluation of the generalized likelihood ratio for detecting and identifying control element failures in a transport aircraft  
p 111 A86-13332
- [NASA-TM-87620] p 111 A86-13332
- Pitch rate versus G command as the longitudinal flight control system design strategy for a statistically unstable fighter type aircraft with two control surfaces  
[AD-A158803] p 111 A86-13334
- Use of hinged strakes for lateral control at high angles of attack  
[AD-A158005] p 178 A86-15321
- Flight dynamics and aircraft piloting  
[ESA-TT-874] p 240 A86-16229
- Airworthiness flight test program of an aircraft equipment fairing  
p 226 A86-16653
- Development of a knowledge acquisition tool for an expert system flight status monitor  
[NASA-TM-86802] p 263 A86-16944
- Computer Aided Design (CAD) at the National Aerospace Laboratory (Netherlands) with the accent on aircraft flight control systems  
[NLR-MP-84032-U] p 264 A86-18030
- Determination of performance and stability characteristics from dynamic maneuvers with a transport aircraft using parameter identification techniques  
[NLR-MP-84024-U] p 308 A86-18326
- Study on the digital position transducer with optical time-delay pulse  
[NAL-TR-878] p 322 A86-19583
- Airplane automatic control force trimming device for asymmetric engine failures  
[NASA-CASE-LAR-13280-1] p 369 A86-20397
- Study on the digital position transducer with optical time-delay pulse  
[NAL-TR-878] p 388 A86-20759
- Propulsion and control propellers with thruster nozzles primarily for aircraft applications  
[NASA-TM-77715] p 342 A86-21511
- The measurement of aircraft performance and stability and control after flight through natural icing conditions  
[NASA-TM-87265] p 446 A86-22582
- Robustness of discrete-time dynamical systems: Application to the multivariable digital control of combat aircraft  
[ESA-TT-906] p 446 A86-22583
- Analysis of data from NASA B-57B gust gradient program  
[NASA-CR-178736] p 446 A86-23604
- The evaluation of the OSGLR algorithm for restructurable controls  
[NASA-CR-178083] p 485 A86-24678
- An LQG up-and-away flight control design for the STOL F-15 aircraft  
[AD-A164108] p 512 A86-24707
- An LQG up-and-away flight control design for the STOL F-15 aircraft  
[AD-A164108] p 512 A86-25384
- The domain design of robust controllers for LQG (Linear Quadratic Gaussian); application to large space structures  
[AD-A163635] p 533 A86-26074
- Simulation problem of controlling lateral movement of aircraft during landing approach  
p 534 A86-26160
- Summary of results of NASA F-15 flight research program  
[NASA-TM-86811] p 539 A86-26277
- Flight test guide for certification of transport category airplanes  
[FAA-AC-25-7] p 587 A86-26329
- Decoupling control synthesis for an oblique-wing aircraft  
[NASA-TM-86801] p 595 A86-26339
- Study on using a digital ride quality augmentation system to trim an engine-out in a Cessna 402B  
[NASA-CR-177272] p 595 A86-26342
- Failures in advanced flight control systems of future transport aircraft - semiautonomous platform  
[NLR-TR-84108-U] p 595 A86-26343
- Towards an advanced vortex flap system: The cavity flap  
p 557 A86-27200
- A self-organising control system for non-linear aircraft dynamics  
p 564 A86-27258
- A computer programme for DATCOM methods of estimation of lateral stability and control derivatives  
[NAL-TM-AE-8601] p 596 A86-27289
- Initial design and evaluation of automatic restructurable flight control system concepts  
[NASA-CR-178064] p 652 A86-28090
- Implementation and flight tests for the Digital Integrated Automatic Landing System (DIALS). Part 2: Complete set of flight data  
[NASA-TM-87632-PT-2] p 653 A86-28093
- Control systems for the Airbus design and functional experience - cockpits  
[ETN-86-96936] p 653 A86-28094
- Apparatus for the preparation of air  
[AD-A165603] p 673 A86-28266
- Model-following control for an oblique-wing aircraft  
[NASA-TM-88269] p 726 A86-29867
- The design and wind tunnel demonstration of an active control system for gust load alleviation and flutter suppression  
p 728 A86-30650
- Tailoring methodology for aeroelastic stability and lateral control enhancement  
p 729 A86-30657
- Longitudinal stability and control derivatives obtained from flight data of a PA-30 aircraft  
[NASA-CR-176999] p 729 A86-30736
- A survey of handling qualities criteria and their applications to high performance aircraft  
[NASA-CR-179854] p 729 A86-30738
- Control design for robust stability in linear regulators: Application to aerospace flight control  
[NASA-CR-176858] p 749 A86-31265
- On the handling qualities of flight vehicles through variable flight conditions  
[AD-A167727] p 836 A86-31592
- On control concept for in-flight simulation including actuator nonlinearities and time delays  
[ESA-TT-948] p 836 A86-31593
- An approach to integrated aeroservoelastic tailoring for stability  
p 836 A86-32439
- Preliminary control law and hardware designs for a ride quality augmentation system for commuter aircraft. Phase 2  
[NASA-CR-4014] p 836 A86-32440
- ### AIRCRAFT DESIGN
- The influence of advanced propulsion on short- to medium-range transport design  
p 95 A86-13264
- Panel design for optimum strength and stability with allowance for the nonuniformity of heating  
p 119 A86-13357
- Wing structure design for maximum aileron efficiency  
p 95 A86-13368
- Design of a minimum-weight gliding wing  
p 96 A86-13437
- Optimization of structural load-bearing designs using anisotropic models according to aeroelasticity conditions  
p 96 A86-13438
- Manufacturers prepare for Europe's new fighters  
p 75 A86-13549
- Thrust and drag: Its prediction and verification - Book  
p 96 A86-14161
- A self-repairing aircraft? - new control methods for fighter stabilization  
p 110 A86-14243
- 'But not with the greatest of ease' - A feasibility study of a human-powered ACV  
p 121 A86-14355
- 7J7 - Boeing sets the pace  
p 97 A86-14361
- The 'Super Etendard' is always of interest - transonic attack aircraft  
p 97 A86-14423
- Expert systems and their use in augmenting design optimization  
[AIAA PAPER 85-3095] p 127 A86-14434
- The fundamentals of aircraft combat survivability analysis and design - Book  
p 97 A86-14498
- Productivity improvements through the use of CAD/CAM  
p 121 A86-14538
- The laminar airliner - Prospects and problems - review of boundary layer control research  
p 98 A86-14822
- Wing aspect ratio optimization related to payload and to fuel consumption of transport propeller airplanes  
[SAWE PAPER 1615] p 98 A86-14875
- 4 x S = S(ATF) - Advanced Tactical Fighter development  
p 98 A86-15598
- Douglas plans continuing upgrades to maintain MD-80 competitiveness  
p 98 A86-15999
- Airbus Industrie stresses technology, availability of A320  
p 98 A86-16000
- The V-22 - Preparing for full-scale development  
p 98 A86-16095
- Army VTOL research and development - The first century  
p 75 A86-16096
- Aircraft design - Book  
p 161 A86-16213
- Claude Dornier - Pioneer of aviation; Academic Seminar, Technische Universität München, Munich, West Germany, October 24, 1984, Papers  
p 195 A86-16325
- A transonic wing-body flowfield calculation with improved grid topology  
p 142 A86-17134
- Design against corrosion - applicable to aircraft structures  
p 161 A86-17382
- Stealth  
p 134 A86-17434
- The fighter. II  
p 162 A86-17522
- The fighter. III  
p 162 A86-17523
- 2001 Phantom odyssey  
p 162 A86-17525
- Characteristics of the design of VTOL jet aircraft - Russian book  
p 162 A86-17600
- Observations on helicopter integrated system testing based on F/A-18 experiences  
p 134 A86-18417
- Specialists' Meeting on Advanced Cockpit Design, Grapevine, TX, October 3, 4, 1984, Proceedings  
p 170 A86-18451
- Influence of rough runways on undercarriage design  
p 166 A86-19277
- Natural selection in transport aircraft propulsion  
p 174 A86-19278
- The future of advanced crew escape capsule technology  
p 217 A86-19306
- Lubrication and performance of high-speed rolling-element bearings  
p 248 A86-19375
- Design of a twin-engine short-haul commuter aircraft for the 1990s  
[AIAA PAPER 86-0077] p 219 A86-19674
- Propeller design by optimization  
[AIAA PAPER 86-0081] p 232 A86-19678
- Exploratory investigation of deflectable forebody strakes for high angle of attack yaw control  
[AIAA PAPER 86-0333] p 238 A86-19619
- Control methodology for stochastic system characteristics modulation  
[AIAA PAPER 86-0335] p 262 A86-19821
- Definition and verification of a complex aircraft for aerodynamic calculations  
[AIAA PAPER 86-0431] p 202 A86-19873
- Use of simulation during preliminary design of the V-22 Osprey  
[AIAA PAPER 86-0491] p 238 A86-19902
- The damage tolerance approach in the type approval process  
p 220 A86-20036
- Research on high-strength aerospace aluminum alloys  
p 244 A86-20037
- Assessing cost-effective weight saving in aircraft operations  
p 220 A86-20039
- Aircraft viscous drag reduction technology  
p 204 A86-20124
- Bigger is better - Stretching the C-141 Starlifter  
p 220 A86-20125
- Aeroelastic tailoring - Theory, practice, and promise  
[AIAA PAPER 84-0982] p 220 A86-20155
- Blended blown flaps and vectored thrust for low-speed flight  
[AIAA PAPER 84-2199] p 221 A86-20157
- Finite element analysis of an ultralight aircraft  
p 221 A86-20165
- A numerical method for the design and analysis of counter-rotating propellers  
[AIAA PAPER 84-1205] p 233 A86-20369
- Geometry generation for transonic design  
p 221 A86-20932
- Society of Experimental Test Pilots, Symposium, 28th, Beverly Hills, CA, September 26-29, 1984, Proceedings  
p 221 A86-21051
- F-20A Tigershark progress report  
p 222 A86-21057
- Designing an airlifter - McDonnell Douglas's C-17  
p 224 A86-21897
- 3-D design of turbine airfoils  
[ASME PAPER 85-GT-188] p 236 A86-22101
- The F-16 Common Engine Bay  
[ASME PAPER 85-GT-231] p 224 A86-22127
- The Wright Brothers experience in the evolution of aircraft design, structures, and materials  
p 267 A86-22129
- Aircraft design - From the myth of make-do to Mach 3  
p 267 A86-22130
- Structural evolution B-58 to F-16  
p 225 A86-22132

- X-20 structures overview p 268 A86-22138  
Airframe design to achieve minimum cost p 267 A86-22141  
AV-8B design for maintainability p 225 A86-22378  
A class of airfoils having finite trailing-edge pressure gradients p 270 A86-23184  
The role of the Flight Test Department in the development of new technology aircraft p 285 A86-23271  
The problem of optimizing the final design modifications of stochastic oscillatory systems p 316 A86-23651  
Aerodynamic design of an airfoil with allowance for the condition of nonseparated flow p 270 A86-23660  
Problems in rudder design for small transport aircraft p 308 A86-23781  
The A320 wing - Designing for commercial success p 286 A86-23799  
A new direction in energy conversion - The all-electric aircraft p 319 A86-24830  
The helicopter and the other VTOL designs - An interview reader's manual p 287 A86-24989  
Lavi - Advanced fighter and industrial springboard p 287 A86-24990  
Computer-aided 'somatography' for the ergonomic design of the ATTAS experimental cockpit - Advanced Technologies Testing Aircraft System p 287 A86-25024  
Aircraft design at Kingston Polytechnic p 333 A86-25090  
Energy saving in aircraft p 288 A86-25188  
Figures of out surface of an airplane model p 288 A86-25237  
Structural airworthiness - A decade of developments p 288 A86-25925  
Flight deck automation decisions [SAE PAPER 841471] p 326 A86-26002  
Flight deck design methodology using computerized anthropometric models [SAE PAPER 841472] p 326 A86-26003  
Advanced fighter technology integration (AFTI) F-16 - The pilot interface [SAE PAPER 841633] p 327 A86-26018  
Tomorrow... Concorde's successor? p 293 A86-26299  
Materials in thrust reversers p 373 A86-26332  
An engineering approach to the inverse transonic wing design problem p 336 A86-26409  
Strength in adversity - of aircraft construction materials p 335 A86-27020  
Aeroelastic tailoring study in aircraft design p 383 A86-27741  
ATRA42 - First of a family p 353 A86-28060  
Light aircraft - The way ahead in design and operation; Proceedings of the Symposium, Loughborough, England, March 31, April 1, 1984 p 354 A86-28093  
A robust 100 MBPS network for avionics applications p 385 A86-28341  
High speed fiber optic data bus for avionics integration p 385 A86-28342  
High speed bus for Pave Pillar applications p 385 A86-28343  
Digital avionics for modern aircraft - A case study into the problems and promise of aircraft electronics p 358 A86-28346  
A modeling structure for computer aided design p 397 A86-28403  
2010 - The symbiotic cockpit p 355 A86-28455  
Multivariable control law design for the X-29 aircraft p 369 A86-28510  
Aircraft of special configurations - Russian book p 335 A86-28521  
The joined wing - An overview - aircraft tandem wings in diamond configurations p 355 A86-28559  
Comparison of discrete and continuous gust methods for airplane design loads determination p 356 A86-28567  
CAD/CAM supports flight test modifications p 356 A86-29823  
Factors affecting the design of military aircraft structures in carbon fibre reinforced composites p 449 A86-29972  
What technologies await the future airliner? p 405 A86-31038  
The 7J7 - Boeing's answer to the Airbus A320 p 426 A86-31039  
Coming up - The 330 and 340 p 426 A86-31221  
X-aircraft for world leadership in aeronautics p 405 A86-31330  
X-29 revives the experimental aircraft p 426 A86-31331  
Unusual aerodynamics of X-29 p 426 A86-31332  
Soviet aircraft close technology gap p 427 A86-31336  
Sweden's Gripen - A tough bird to tangle with p 427 A86-31341  
Aerospace planes and trans-atmospheric vehicles - Recent US studies revive dormant technologies p 449 A86-31348  
A general criterion in design - of aircraft p 455 A86-31412  
Integrating the pilot into the cockpit [AIAA PAPER 86-9765] p 429 A86-32102  
High technology test bed program - for Hercules cargo aircraft [AIAA PAPER 86-9803] p 431 A86-32132  
Aircraft and rockets: Design concepts - Romanian book p 410 A86-32324  
Experimental analysis of a pitot-type air intake p 410 A86-32777  
Acoustical design economic tradeoff for transport aircraft p 468 A86-32783  
Optimum supersonic wings with subsonic leading edges p 410 A86-32785  
International Symposium on Aeroelasticity and Structural Dynamics, 2nd, Rheinisch-Westfälische Technische Hochschule, Aachen, West Germany, April 1-3, 1985, Collected Papers [DGLR BERICHT 85-02] p 406 A86-33226  
A numerical analysis for vertical gust field induced by gust generator p 432 A86-33237  
The application of practical optimization techniques in the preliminary structural design of a forward-swept wing p 433 A86-33256  
Structural optimisation programs and methods - computer aided aircraft design p 434 A86-33257  
Tailoring methodology for aeroelastic stability and lateral control enhancement p 434 A86-33259  
Anisotropic wing aeroelastic theories with warping effects p 434 A86-33261  
Effects of anisotropic design on the static aeroelasticity of a swept wing p 434 A86-33263  
Aeroelastic problems and structural design of a tailless CFC-airplane p 434 A86-33264  
Cockpit automation technology - A further look p 499 A86-33814  
The Soviet fighter - Four decades of development p 488 A86-33969  
Evolving 8000 psi hydraulic systems p 487 A86-34196  
Fokker 50 - Replacing a legend p 487 A86-34475  
Design of the CL-227 air vehicle p 487 A86-34924  
From wind tunnel to large aircraft [DGLR PAPER 85-088] p 487 A86-35151  
Details on the optimization of cruising drag of the Airbus A320 [DGLR PAPER 85-089] p 487 A86-35152  
Development trends in the case of high-performance aircraft [DGLR PAPER 85-106] p 473 A86-35163  
Comparative investigation of optimization procedures in aircraft preliminary design [DGLR PAPER 85-119] p 487 A86-35170  
Configuration aspects of modern high-performance aircraft [DGLR PAPER 85-130] p 488 A86-35176  
Optimization of seaplanes [DGLR PAPER 85-170] p 488 A86-35189  
The impact of accommodating defects on the efficiency of aircraft design [SAWE PAPER 1635] p 488 A86-35201  
Impact of advanced materials on aircraft design weights - The weight improvement factor [SAWE PAPER 1636] p 488 A86-35202  
Application of digital/electric systems to advanced technology aircraft [SAWE PAPER 1639] p 488 A86-35203  
The development of an advanced weight estimation technique for aircraft conceptual design [SAWE PAPER 1645] p 531 A86-35204  
Wing aspect ratio optimization problems for transport turbojet airplanes [SAWE PAPER 1660] p 488 A86-35206  
An airframer's view of an electric fighter [SAWE PAPER 1662] p 488 A86-35208  
The Grumman X-29 technology demonstrator - Technology interplay and weight evolution [SAWE PAPER 1665] p 488 A86-35210  
Starship I - A weight control challenge - for next generation business aircraft [SAWE PAPER 1682] p 489 A86-35223  
Weight control of aircraft modification projects [SAWE PAPER 1683] p 489 A86-35224  
An optimization procedure for a redundant wing structure [SAWE PAPER 1684] p 521 A86-35225  
Application of eigenspace techniques to design of aircraft control systems p 508 A86-35360  
Cockpit automation - Design and implementation issues [SAE PAPER 851921] p 529 A86-35431  
Advanced concepts transport aircraft of 1995 [SAE PAPER 851808] p 490 A86-35438  
American Helicopter Society, Annual Forum, 41st, Fort Worth, TX, May 15-17, 1985, Proceedings p 473 A86-35601  
Design aspects of the XV-15 advanced technology blade program p 492 A86-35630  
VTOL aircraft ice protection design considerations p 493 A86-35654  
Tilt rotor crashworthiness p 493 A86-35661  
Crashworthy design of rotorcraft - A basic research approach p 494 A86-35665  
A reliability concept in structural optimization of flight vehicles p 494 A86-35977  
The effect of the admissible centering misalignment of a transport aircraft on its mass p 495 A86-35981  
Classification of flight vehicles according to the type of propulsion - Determination of the type and number of lift solutions p 473 A86-35983  
Application of elliptic continuation method for transonic aerofoil design and experimental verification p 477 A86-36206  
Optimization in design processes - An informatics point of view p 531 A86-36208  
Stealth comes stealthily p 495 A86-36334  
Northrop delivers RPVs to Navy to aid in development proposal p 496 A86-36822  
Engineering flight simulation - A revolution of change [SAE PAPER 851901] p 513 A86-36941  
Remotely piloted vehicles; International Conference, 5th, Bristol, England, September 9-11, 1985, Proceedings and Supplementary Papers p 575 A86-37326  
Canadair rotary wing, full scale engineering development, III p 575 A86-37330  
P T A - Design considerations for an airframe system and detailed design of fuel subsystem - Pilotless Target Aircraft p 590 A86-37331  
Applied Aerodynamics Conference, 4th, San Diego, CA, June 9-11, 1986, Technical Papers p 541 A86-37801  
EAP - Fighter blueprint p 577 A86-37939  
Hawk - The British fighting trainer [SAE PAPER 851768] p 578 A86-38303  
The EMB-312 Tucano - A Brazilian trainer [SAE PAPER 851769] p 578 A86-38304  
Swept wing-tip shapes for low-speed airplanes [SAE PAPER 851770] p 546 A86-38305  
X-wing - A low disc-loading V/STOL for the Navy [SAE PAPER 851772] p 578 A86-38307  
Computational aerodynamic design - X-29, the Gulfstream series and a tactical fighter [SAE PAPER 851789] p 547 A86-38313  
Optimization of a supersonic wing by combining linear and Euler methods [SAE PAPER 851791] p 547 A86-38315  
Leading-edge design for improved spin resistance of wings incorporating conventional and advanced airfoils [SAE PAPER 851816] p 578 A86-38325  
Requirements for future RALS/STOVL operating concepts - Remote Augmented Lift System [SAE PAPER 851840] p 578 A86-38337  
The impact of technology on fighter aircraft requirements [SAE PAPER 851841] p 579 A86-38338  
A faster 'transition' to laminar flow [SAE PAPER 851855] p 548 A86-38347  
European aircraft steering systems [SAE PAPER 851940] p 581 A86-38373  
Interdependence of parameters important to the design of subsonic canard-configured aircraft [SAE PAPER 850865] p 581 A86-38506  
Preliminary design research for the Caravan 1 crew seat [SAE PAPER 850856] p 582 A86-38514  
Design and certification of a composite control surface [SAE PAPER 850888] p 582 A86-38516  
Time runs out for the clockwork cockpit p 583 A86-38701  
Aircraft wheel design and proving p 583 A86-38721  
Influence of FBW - Control laws on structural design of modern transport aircraft - fly by wire [AIAA PAPER 86-0953] p 584 A86-38846  
Integrated aeroservoelastic tailoring of lifting surfaces [AIAA PAPER 86-1005] p 584 A86-38846  
Research on the technology of an airplane concept for a Stationary High-Altitude Relay Platform (SHARP) p 586 A86-39564  
Computer sizing of fighter aircraft [AIAA PAPER 85-0212] p 637 A86-40106  
Airfoil optimization p 623 A86-40107  
A computer-augmented procedure for commercial aircraft configuration development and optimization p 637 A86-40114  
Dual-wing systems with decalage angle optimization p 624 A86-40121  
Beech's enterprising Starship p 637 A86-40471

- Which transport technologies will fly? p 621 A86-41037
- Effect of engine technology on advanced fighter design and cost p 644 A86-41661
- A forward-swept-wing fighter configuration designed by a transonic computational method p 638 A86-41666
- Weight minimization of orthotropic flat panels subjected to a flutter speed constraint p 671 A86-41715
- A theoretical study of deltoid planforms operating in the ground effect region p 638 A86-41977
- Small turboshaft/turboprop engine technology study [AIAA PAPER 86-1823] p 647 A86-42757
- Helicopter rotor and engine sizing for preliminary performance estimation [AIAA PAPER 86-1758] p 638 A86-42829
- Damage tolerance assessment of aircraft attachment lugs p 672 A86-43064
- Influence of structural changes on the fuel-consumption efficiency of a transport aircraft p 638 A86-43380
- An adaptive flight control system design for CCV with an unknown interaction matrix p 723 A86-43536
- Durability and damage tolerance in aircraft design; Proceedings of the Thirteenth Symposium, Pisa, Italy, May 22-24, 1985 p 706 A86-43776
- Fatigue and damage tolerance work during the aircraft design process p 706 A86-43777
- Damage tolerance - USAF experience p 736 A86-43784
- Damage tolerance and durability in the design of a short-haul turboprop aircraft p 707 A86-43790
- Residual strength characterization of jet transport structures p 707 A86-43795
- The optimization of seaplanes - New chances and requirements regarding flying boats p 707 A86-43930
- X-wing rotor systems test vehicle scheduled for flight in October p 707 A86-44001
- Rafale will keep tricolor flying - experimental combat aircraft p 707 A86-44003
- New technologies for a European fighter p 708 A86-44004
- Doubling the Air Force through greater reliability p 685 A86-44006
- Fundamentals of aviation technology and airport equipment - Russian book p 695 A86-44291
- Launching the aerospace plane p 696 A86-44442
- Rapid sizing method for airplanes p 708 A86-44887
- World aerospace profile 1986 - Book p 686 A86-44919
- New technologies offer quantum leap in future fighter capabilities p 686 A86-45063
- British experimental aircraft program providing insight into new technology p 710 A86-45064
- NASA's Langley Center making gains in advanced technology projects p 686 A86-45065
- Boeing developing new cockpit displays to ease pilot workload p 717 A86-45066
- Crew situational awareness drives avionics developments p 718 A86-45067
- More accurate simulations of whole aircraft p 691 A86-45702
- LHX targets dollars as well as bogeys p 686 A86-45704
- Corporate flying, Italian style p 712 A86-45753
- More than a Mirage p 712 A86-45758
- A come-back in canards p 712 A86-46125
- Requirements and recommendations for the development of theoretical codes and experimental facilities in the near future - for aircraft design [ONERA, TP NO. 1986-10] p 731 A86-46155
- Aerodynamic technologies for general aviation aircraft p 713 A86-46198
- How one A/C manufacturer transits to composites p 759 A86-47604
- Ageing aircraft as seen by an authority p 783 A86-47611
- Results of technology programs for general aviation aircraft at Dornier p 795 A86-47787
- T-48A - The USAF next generation trainer p 796 A86-47796
- CFD for engine-airframe integration [ASME PAPER 86-GT-125] p 797 A86-48184
- Fighter power for the 1990s p 816 A86-48369
- Selecting the shape of the middle surface of the pylons and the mounting angles of single nacelles under the wing of subsonic aircraft p 800 A86-48767
- Method for the calculation and design of fuselage flaps made of composite materials p 847 A86-48830
- Determination of the required stiffness characteristics for a large aspect ratio wing from the conditions of static strength and aileron efficiency p 800 A86-48845
- Modeling the elasticity of a wing structure p 800 A86-48850
- Aeroelasticity today and tomorrow [ONERA, TP NO. 1986-105] p 800 A86-48978
- The race for speed from the beginning of aviation to the present day p 781 A86-48980
- Design of a supercritical airfoil p 771 A86-48982
- Influence of EFCS-control laws on structural design of modern transport aircraft p 800 A86-48984
- 747 modernization p 800 A86-48985
- Applications of computer-aided engineering to subsonic aircraft design in a university environment p 801 A86-48986
- Automated structural optimization at Warton - for aircraft p 854 A86-48987
- A review of unconventional aircraft design concepts p 801 A86-48995
- The British Aerospace Experimental Aircraft Programme and the role of system development cockpits p 801 A86-48996
- The impact of emerging technologies on an advanced supersonic transport p 761 A86-48997
- Lighter-than-air aircraft as control configured vehicle p 801 A86-48998
- Active control technology for civil transport p 832 A86-49005
- Optimum-Optimum integrated wing-fuselage configuration for supersonic transport aircraft of second generation p 801 A86-49010
- The high lift development of the A320 aircraft p 772 A86-49012
- Precise solution for rational transfer parameters of flight vehicles p 801 A86-49022
- Validation on nonstationary aerodynamics models for longitudinal aeroplane motion on the basis of flight measurements p 833 A86-49026
- Algebraic grid generation about wing-fuselage bodies p 772 A86-49028
- Application of a full potential method to practical problems in supersonic aircraft design and analysis p 773 A86-49030
- Certification of advanced experimental aircraft p 785 A86-49036
- Automated systems for the manufacture of Airbus Vertical Stabilizer Spar box in composite materials p 782 A86-49067
- Aeroelastic tailoring for flutter constraints p 802 A86-49061
- Experimental investigation of electrostatic fire and explosion accidents after aircraft landing and preventive design p 786 A86-49083
- Integrated structure/control design - Present methodology and future opportunities p 854 A86-49094
- Utilization of computation and experiment for airframe propulsion integration development p 803 A86-49110
- New design procedures applied to landing gear development p 803 A86-49117
- Topics in landing gear dynamics research at NASA Langley p 803 A86-49120
- Selection of fatigue S-N curves within the framework of new aircraft development p 804 A86-49137
- Design of a nonlinear lever-type mechanism for aircraft control systems p 835 A86-49139
- Design bureaus: The brain drainers. I - Toulouse - Aircraft mobilize a task force over 1700-strong p 763 A86-49464
- High-angle-of-attack aerodynamics - Lessons learned [AIAA PAPER 86-1774] p 777 A86-49578
- Sounding a happy note for lift - sound generation to prevent stalling p 780 A86-49676
- Canard canard - performance of light aircraft p 783 A86-49682
- Wind tunnels battle the number-crunchers p 840 A86-49683
- The development of aeroelastic tailoring in the United States p 805 A86-50111
- F-106 data summary and model results relative to threat criteria and protection design analysis p 786 A86-50259
- Laminar flow research applicable to subsonic aircraft p 781 A86-50269
- Flutter clearance tests on a Transavia PL-12/T-400 Skyfarmer [AD-A157212] p 110 A86-12234
- Aeronautical technology 2000: A projection of advanced vehicle concepts [NASA-CR-176322] p 130 A86-13235
- Aircraft of the future [NASA-TM-77952] p 100 A86-13318
- Activities report in aerospace research p 135 A86-15240
- Design considerations for application of laminar flow control systems to transport aircraft p 155 A86-15270
- Some comparisons of US and USSR aircraft design developments [NASA-TM-87611] p 214 A86-16208
- The applications of composite materials in the aeronautical domain [SNIAS-852-551-103] p 247 A86-16279
- A different approach to designed in passive damping p 256 A86-16627
- Activities report in aircraft development and astronautics p 267 A86-17233
- The comparison of the transonic airfoil calculation by NSFOIL with the wind tunnel test data at high Reynolds number p 210 A86-17295
- The role of computational fluid dynamics in aeronautical engineering [REPT-2] p 257 A86-17296
- Application of computational aerodynamics to wing design p 226 A86-17297
- A numerical solution of the transonic integral equation and its application to three-dimensional transonic wing design p 226 A86-17298
- A wing design based on the three-dimensional transonic inverse method and the comparison with the wind tunnel testing data p 226 A86-17299
- Aerodynamic design trends for commercial aircraft [NASA-TM-77976] p 227 A86-17338
- Damage-tolerant aircraft design [NLR-MP-84005-U] p 227 A86-17342
- Optimization in design processes: An informatics point of view [NLR-MP-84074-U] p 228 A86-17349
- Computer Aided Design (CAD) at the National Aerospace Laboratory (Netherlands) with the accent on aircraft flight control systems [NLR-MP-84032-U] p 284 A86-18030
- Calculation of the external nacelle surface for single and double stream jet engines for civil aircraft [VTH-M-445] p 277 A86-18301
- Features of planned IL-96-300, IL-114 aircraft p 294 A86-18325
- An introduction to the application of Computer Aided Design (CAD) to the pre-design of aircraft and the design of aircraft structures at the Aerospace Section [VTH-M-512] p 330 A86-19045
- Technical evaluation report on the Fluid Dynamics Panel Symposium on Aerodynamics and Acoustics of Propellers [AGARD-AR-213] p 279 A86-19298
- Ground vibration test results for Drones for Aerodynamic and Structural Testing (DAST)/Aeroelastic Research Wing (ARW-1R) aircraft [NASA-TM-85906] p 294 A86-19312
- Parametric Bi-cubic surface patch for computer aided geometric design of aircraft and/or other three-dimensional geometries [NAL-TM-AE-8505] p 399 A86-21168
- Comparison of computational results of a few representative three-dimensional transonic potential flow analysis programs [NASA-TM-77963] p 341 A86-21509
- Three-dimensional boundary layer analysis program Blay and its application [NASA-TM-77962] p 342 A86-21516
- Controlled impact demonstration seat/cabin restraint systems: FAA p 390 A86-21937
- Scientists on aircraft development trends p 407 A86-22545
- USSR report: Transportation [JPRS-UTR-86-004] p 435 A86-22565
- More on new IL-96, IL-114 aircraft p 435 A86-22567
- Tupolev bureau developing TU-204 passenger jet: Tupolev on features p 435 A86-22568
- Improved Y-7, Y-12 aircraft described p 436 A86-22572
- Details of Y-121 STOL aircraft presented p 436 A86-22573
- Activities report of the Department of Aerospace Engineering p 470 A86-23491
- Improvements to the FATOLA computer program including added actively controlled landing gear subroutines [NASA-CR-168069] p 436 A86-23568
- Rollout of XT-4 intermediate class training aircraft p 438 A86-23774
- Design of fuselage shapes for natural laminar flow [NASA-CR-3970] p 460 A86-23852
- Activities report in aerospace in West Germany [ISSN-0070-3966] p 471 A86-24592
- A study of a collision avoidance system mounted on a curved ground plane [NASA-CR-176771] p 485 A86-24677
- Evaluation of propan propulsion applied to general aviation [NASA-CR-175020] p 503 A86-24695
- Evaluating turbine engine operating characteristics [FAA-AC-25.939-1] p 504 A86-24696
- Wind tunnel technology for the development of future commercial aircraft [NASA-TM-88390] p 514 A86-24710
- AN-124 airplane's cargo-handling and automation equipment p 527 A86-25600
- Information on new AN-124 giant cargo plane p 498 A86-25601

- Data on Mi-26 helicopter p 498 N86-25602  
Langley aerospace test highlights, 1985  
[NASA-TM-87703] p 537 N86-26276  
Proceedings of the Conference on Low Reynolds  
Number Airfoil Aerodynamics  
[NASA-CR-177308] p 540 N86-26283  
Vortex Flow Aerodynamics, volume 1  
[NASA-CP-2416-VOL-1] p 556 N86-27190  
Unsteady aerodynamics and dynamic aircraft  
maneuverability p 564 N86-27253  
Static aeroelasticity in combat aircraft  
[AGARD-R-725] p 613 N86-27678  
NASTRAN/FLEXSTAB procedure for static aeroelastic  
analysis  
[NASA-TM-84897] p 639 N86-28076  
The design of composite structures — aircraft design  
[SNAS-861-111-103] p 640 N86-28082  
Eigenvalue assignment method: An application to  
designing an autopilot  
[SNAS-861-111-106] p 653 N86-28095  
The use of mathematical optimization techniques by the  
designer  
[NLR-MP-85005-U] p 682 N86-28673  
Activities report in aerospace research  
[ETN-86-97190] p 622 N86-28907  
General designer Balabuyev on An-124 Russian  
features p 623 N86-28910  
Identification of linearized equations of motion for the  
fixed wing configuration of the rotor systems research  
aircraft  
[NASA-CR-176977] p 631 N86-28917  
Aerodynamics of the Viggen 37 aircraft. Part 1: General  
characteristics at low speed  
[NASA-TM-88403] p 632 N86-28925  
Multivariable control of a forward swept wing aircraft  
[NASA-CR-177112] p 654 N86-28953  
Aerialist: Avionics, optoelectronics research, ATR 42  
p 642 N86-29060  
Vortex sheet modeling with higher order curved panels  
[NASA-CR-176971] p 693 N86-29770  
Feasibility study for ergonomic analysis and design of  
future helicopter cockpit systems  
[NASA-CR-176942] p 714 N86-29811  
Model-following control for an oblique-wing aircraft  
[NASA-TM-88268] p 726 N86-29867  
Current design procedures for minimizing post crash fire  
hazards p 700 N86-30019  
Control law synthesis for gust load alleviation using linear  
quadratic Gaussian theory p 728 N86-30651  
The application of practical optimization techniques in  
the preliminary structural design of a forward-swept wing  
p 715 N86-30654  
Tailoring methodology for aeroelastic stability and lateral  
control enhancement p 729 N86-30657  
Aeroelastic problems and structural design of a tailless  
Carbon Fiber Composite (CFC) sailplane  
p 715 N86-30662  
Advisory Circular: Auxiliary fuel system installations  
[FAA/AC-25-8] p 716 N86-30719  
NASA and general aviation  
[NASA-SP-485] p 716 N86-30720  
Aerodynamic design methods for modern transport  
aircraft  
[ESA-TT-923] p 762 N86-31543  
Advisory Circular: Design considerations to protect fuel  
systems during a wheels-up landing  
[FAA/AC/25.994-1] p 806 N86-31564  
Anemobarometry in flight control. A-320 aerodynamics.  
The turboreactors air inlet  
[SNAS-861-111-114] p 806 N86-31565  
The A-320 aerodynamics. The turboreactor air inlet  
[NOTE-427.021/86] p 806 N86-31567  
Technology demonstration for investigation of the new  
possibilities of amphibious flying boats, phase 2  
[BMFT-FB-W-85-022] p 806 N86-31577  
New technology propulsion (ANT) for general aviation  
aircraft, phase 1  
[BMFT-FB-W-85-031] p 820 N86-31589  
Aerodynamics of aircraft afterbody: Report of the  
working group on aerodynamics of aircraft afterbody  
[AGARD-AR-226] p 782 N86-32408  
Survivability considerations during aircraft conceptual  
design  
[AD-A168555] p 809 N86-32428  
The generation of equal probability design load  
conditions, using Power Spectral Density (PSD) techniques  
— aircraft design  
[NLR-TR-85014-U] p 809 N86-32430  
Recent developments in propulsion aerodynamics  
[NLR-MP-85031-U] p 820 N86-32437  
Computation of the stress intensity factor in stiffened  
panels (built in or adhesive bonded stiffeners)  
[SNAS-436.021/85] p 851 N86-32764  
Simulation and optimization techniques in computer  
aided design  
[NLR-MP-85022-U] p 854 N86-33053  
An infrastructure for information processing for computer  
aided design  
[NLR-MP-85038-U] p 854 N86-33054  
**AIRCRAFT DETECTION**  
AIRID - An application of the KAS/Prospector expert  
system builder to airplane identification  
p 128 A86-15283  
Stealth p 134 A86-17434  
Acoustic recognition of aircraft types in flight  
p 193 A86-18121  
Air targeting of the third kind - Airborne vehicles  
p 230 A86-19617  
Infrared emission from jet engine exhaust plumes  
[AIAA PAPER 86-0465] p 233 A86-19888  
RASP - A system generating very accurate position  
markers during flight testing — Radiographic Spotting of  
Position of aircraft  
[AIAA PAPER 86-9802] p 422 A86-32131  
Detectability of low flying targets in real terrain using a  
diffraction model p 457 A86-32605  
Raid count by autocorrelation — performed on radar  
receiver by reflection from aircraft p 424 A86-32631  
New linear tracking filters — for modeling target  
maneuvering aircraft motion p 508 A86-35342  
Stealth comes stealthily p 495 A86-36334  
Aerodynamics and radar-signature - A theoretical  
approach to estimate the radar-signature of complex  
aircraft configurations compatible with aerodynamic  
panel-methods  
[AIAA PAPER 86-1770] p 577 A86-37807  
An terrain-aided guidance system with high convergence  
speed p 573 A86-39766  
Weibull-distributed ground clutter in the frequency  
domain p 671 A86-41883  
Probabilistic evaluation of individual aircraft tracking  
techniques  
[AD-A160146] p 282 N86-18312  
Performance of resonant radar target identification  
algorithms using intra-class weighting functions  
p 321 N86-19490  
An efficient decision-making-free filter for processes with  
abrupt changes — aircraft tracking  
[NLR-MP-84080-U] p 618 N86-27018  
Determination of antennae patterns and radar reflection  
characteristics of aircraft  
[AGARD-AG-300-VOL-4] p 744 N86-30631  
**AIRCRAFT ENGINES**  
Derivative engines versus new engines - What  
determines the choice? p 104 A86-13051  
F-4 functional modernization  
[ASME PAPER 85-GT-69] p 94 A86-13052  
Experimental evaluation of heavy fan-high-pressure  
compressor interaction in a three-shaft engine. I -  
Experimental setup and results  
[ASME PAPER 85-GT-173] p 104 A86-13053  
Design of the flow path of aircraft gas-turbine engines  
— Russian book p 105 A86-13447  
Boundary-layer development on the afterbody of an  
engine nacelle p 82 A86-13532  
Sensor failure detection for jet engines using analytical  
redundancy p 106 A86-14226  
Reserve generator for over-ocean twins  
p 106 A86-14244  
J7 - Boeing sets the pace p 97 A86-14361  
Evaluation of a method for analyzing the aperture region  
of two-dimensional external compression inlets  
[AIAA PAPER 85-3072] p 83 A86-14432  
Subscale-model and full-scale engine mixed-flow  
exhaust system performance comparison  
p 108 A86-14528  
Counterrotating intershaft seals for advanced engines  
p 121 A86-14554  
A linear multivariable dynamical model of a supersonic  
inlet-engine combination p 85 A86-14560  
Precision casting at Rolls-Royce p 121 A86-14973  
Structural materials in aeronautics - Prospects and  
perspectives p 183 A86-16866  
Flame rig testing of thermal barrier coatings and  
correlation with engine results p 173 A86-17491  
The V2500 engine p 173 A86-17750  
Propulsion system integration configurations for future  
prop-fan powered aircraft p 173 A86-17777  
Propulsion for advanced commercial transports  
[AIAA PAPER 85-3061] p 173 A86-17829  
Intake aerodynamics — Book p 145 A86-18450  
Heat transfer in cooled parts of aircraft gas-turbine  
engines — Russian book p 174 A86-18745  
Natural selection in transport aircraft propulsion  
p 174 A86-19278  
An analytical investigation of the effects of swirler design  
on the performance of annular propulsive nozzles  
[AIAA PAPER 86-0587] p 233 A86-19865  
Evolution and status of CFD techniques for scramjet  
applications  
[AIAA PAPER 86-0160] p 248 A86-19870  
Variable cyclic turboshaft technology for rotorcraft of  
the '90s p 233 A86-20371  
Synchronizing characteristics of a large variable  
frequency starting system p 249 A86-20516  
High strength nickel-palladium-chromium brazing  
alloys p 244 A86-20579  
PM techniques for making near-net-shape titanium alloy  
components p 246 A86-21756  
'Smart' engine components - A micro in every blade?  
p 234 A86-21896  
Cold flow and combustion experiments with a new burner  
air distribution concept  
[ASME PAPER 85-GT-40] p 235 A86-22029  
Dynamic analysis of complex composite rotor systems  
with substructure transfer matrix method  
[ASME PAPER 85-GT-74] p 235 A86-22049  
Power dense gas turbine APUs  
[ASME PAPER 85-GT-124] p 235 A86-22074  
An improved simple method for designing optimum  
annular diffusers  
[ASME PAPER 85-GT-126] p 235 A86-22075  
NASA Lewis Research Center/university graduate  
research program on engine structures  
[ASME PAPER 85-GT-159] p 252 A86-22084  
Re-engineing the Harrier  
[ASME PAPER 85-GT-175] p 235 A86-22091  
T56 derivative engine in the improved E-2C  
[ASME PAPER 85-GT-176] p 236 A86-22092  
F-14 re-engineing with the F110 engine  
[ASME PAPER 85-GT-184] p 224 A86-22098  
Developing concepts in the rotordynamic analysis of  
aero gas turbines  
[ASME PAPER 85-GT-230] p 236 A86-22126  
The F-16 Common Engine Bay  
[ASME PAPER 85-GT-231] p 224 A86-22127  
The evolution of reciprocating engines at Lycoming  
p 267 A86-22135  
Evolution of the turbofan aircraft engine  
p 236 A86-22136  
Maintenance strategies for aero engines  
p 253 A86-22384  
Small propulsion engine LOX considerations  
p 267 A86-22399  
A propeller model for studying trace velocity effects on  
interior noise p 284 A86-23191  
Engine/airframe health and usage monitoring an  
alternate approach via advanced vibration monitoring  
systems p 296 A86-23255  
Flight test data acquisition and processing system  
p 329 A86-23263  
A new high temperature silicon on sapphire transducer  
for jet engine control applications p 315 A86-23266  
A flight evaluation of a digital electronic engine control  
p 299 A86-23273  
Determination of the service life of aviation oils  
p 312 A86-23450  
Digital control for engine bleed air  
[SAE PAPER 851316] p 300 A86-23506  
The effect of the velocity profile at the diffuser inlet on  
the flow pattern p 300 A86-23664  
Emission characteristics of a section of the combustion  
chamber of a gas-turbine engine with various modifications  
of the burners p 300 A86-23670  
Current concepts of composite applications in aircraft  
and engines p 312 A86-23690  
Diagnostic methods for gas-turbine aircraft  
powerplants p 300 A86-23751  
Determination of diagnostic parameters for the in situ  
diagnostics of the air-gas path of the Al-25TL engine  
p 300 A86-23752  
Sound generation by an energetically inhomogeneous  
gas flow in a gas-turbine aircraft engine  
p 300 A86-23753  
Simulation of the vibration transmission path and the  
use of a mathematical model of vibration transmission for  
the vibrational diagnostics of an aircraft engine  
p 301 A86-23754  
In situ methods for crack detection in the master  
connecting rods of M 462 RF aircraft engines  
p 318 A86-23755  
A holographic study of the vibrational modes of aircraft  
engine rotors p 301 A86-23756  
Using wear products for assessing and predicting the  
condition of aircraft jet engines p 316 A86-23759  
Discussion about dynamic simulation test of an  
aero-engine control system  
[ASME PAPER 85-IGT-30] p 308 A86-23845  
Method of spare parts - Digital simulation of aircraft  
turbine engine control system  
[ASME PAPER 85-IGT-52] p 301 A86-23856  
Optimal control change of state of aircraft turbine  
engine  
[ASME PAPER 85-IGT-53] p 301 A86-23859  
The finite element stress analysis for solid-shell  
combined parts in aeroengines  
[ASME PAPER 85-IGT-72] p 317 A86-23873

- Measurement of turbine blade temperature using pyrometer  
[ASME PAPER 85-IGT-78] p 317 A86-23879
- State of the art in aircraft gas turbine technology  
[ASME PAPER 85-IGT-87] p 302 A86-23888
- A survey of accelerated vibratory fatigue test method of aero-engine compressor blade  
[ASME PAPER 85-IGT-105] p 317 A86-23904
- Further applications of the Lucas fan spray fuel injection combustion system  
[ASME PAPER 85-IGT-116] p 302 A86-23912
- Gas turbine combustion efficiency  
[ASME PAPER 85-IGT-121] p 302 A86-23917
- Fuel deposit characteristics at low velocity  
[ASME PAPER 85-IGT-130] p 313 A86-23922
- Life prediction for the main shaft of aircraft turbine engine  
[ASME PAPER 85-IGT-136] p 303 A86-23928
- Investigation into the cause of failure of a turboprop impeller in service  
[ASME PAPER 85-IGT-147] p 303 A86-23938
- The forced response of shrouded fan stages  
[ASME PAPER 85-DET-19] p 303 A86-24226
- Heat transfer problems in aero-engines  
p 272 A86-24470
- Fundamental heat transfer research for gas turbine engines NASA workshop overview  
p 272 A86-24471
- The prop-fan introduces a new engine generation  
p 304 A86-25021
- A world review on air breathing engine altitude test facilities  
p 310 A86-25187
- Electronic display of powerplant parameters  
[SAE PAPER 841467] p 298 A86-26010
- Flat rating concept introduced in the GTX engine  
p 304 A86-26071
- T700 - A program designed for early maturity and growth potential  
p 305 A86-26158
- Will 1990s aircraft be powered by propfan or advanced turbofan?  
p 363 A86-26370
- Propfan engine designs examined  
p 363 A86-26371
- Electro-impulse de-icing of aircraft engine inlets  
[AIAA PAPER 86-0546] p 352 A86-26647
- Forced response analysis of an aerodynamically detuned supersonic turbomachine rotor  
p 363 A86-26902
- The effect of limiting aerodynamic and structural coupling in models of mistuned bladed disk vibration  
p 363 A86-26905
- Fatigue behaviour of titanium materials in aircraft engines  
p 375 A86-27275
- Embrittled trailing edges of compressor blades (titanium alloy Ti6Al-4V and Ti6Al2Sn4Zr2Mo) of gas turbine aero-engines  
p 376 A86-27279
- The strain controlled fatigue behaviour of a near-alpha titanium alloy  
p 376 A86-27383
- Studies on crack growth rate of high temperature titanium alloys  
p 376 A86-27384
- A loss of dynamic stability of the torsional vibrations of blades due to cascade flutter  
p 364 A86-27543
- A unified method for evaluating the strength and reliability of the blades of the axial-flow compressors and gas turbines of aircraft engines  
p 364 A86-28317
- Characteristics of the effect of the powerplant jet streams on the design of VTOL aircraft  
p 354 A86-28320
- Power thyristor starter for aircraft engine  
p 366 A86-28373
- IV&V for the automatic test control system in the USAF Aeropropulsion Systems Test Facility  
p 398 A86-28430
- Ultrasonic liquid quantity measurement — in oils  
p 360 A86-28478
- Short crack development in mechanical structures  
p 453 A86-30027
- Calculation of recirculating flow behind flame-holders  
p 454 A86-30743
- Computation of prop-fan engine installation aerodynamics  
p 410 A86-32781
- Dynamic analysis of structures with flexible rotors  
p 441 A86-33266
- Simulation and measurement of engine influences in a two-jet aircraft model using model engines  
[DGLR PAPER 85-092] p 513 A86-35155
- Bifurcation techniques for nonlinear dynamic analysis of compressor stall phenomena  
p 501 A86-35403
- Practical diagnostics of aircraft gas turbines — Russian book  
p 502 A86-35472
- Application of CFD design technology in development of the JXV engine inlet  
p 502 A86-35612
- Advanced structural casting applications for a gas turbine engine  
p 521 A86-35658
- Application of closed-loop machining in the manufacture of gas turbines  
p 521 A86-35659
- Vibration characteristics of aircraft engine-bladed-disk assembly  
p 502 A86-35865
- Limiting values of the specific parameters of a ramjet engine  
p 502 A86-35992
- The possibility of using ion implantation for increasing the life of the compressor blades of gas-turbine aircraft engines  
p 522 A86-35998
- Aircraft engine technology windows (Lecture)  
p 502 A86-36336
- Front-line power  
p 503 A86-37096
- The material development, component manufacture and post-service evaluation of RB 211-524 cowl doors utilising carbon fibre composite materials  
p 523 A86-37106
- Effects of section thickness and orientation on creep-rupture properties of two advanced single crystal alloys  
[SAE PAPER 851785] p 601 A86-38309
- Reliability and maintainability - A look at the Rolls-Royce RB.211  
[SAE PAPER 851829] p 590 A86-38334
- The STOL performance of a two-engine, USB powered-lift aircraft with cross-shafted fans  
[SAE PAPER 851839] p 578 A86-38336
- Harrier III-AV8B with a modern engine  
[SAE PAPER 851881] p 579 A86-38349
- The significance of advanced technology engines on V/STOL systems  
[SAE PAPER 851882] p 579 A86-38350
- A verification of propulsion and airplane performance models generated from flight  
[SAE PAPER 851899] p 580 A86-38362
- Aviation gas turbine lubricants - Military and civil aspects: Aviation fuel and lubricants - Performance testing; Proceedings of the Aerospace Technology Conference and Exposition, Long Beach, CA, October 14-17, 1985  
[SAE SP-833] p 607 A86-38526
- Performance advantages of high load aviation lubricants  
[SAE PAPER 851798] p 607 A86-38528
- Flight effects on noise from coaxial dual flow, I - Unheated jets  
p 619 A86-39058
- Surface layer activation technique for monitoring and in situ wear measurement of turbine components  
p 591 A86-39086
- Surge margin enhancement by a porous throat diffuser  
p 592 A86-39568
- Gas and erosion corrosion of the combustion chambers of aircraft engines  
p 592 A86-39725
- Turbomachinery performance deterioration; Proceedings of the Fourth Joint Fluid Mechanics, Plasma Dynamics, and Lasers Conference, Atlanta, GA, May 12-14, 1986  
p 642 A86-40726
- Compressor erosion and performance deterioration  
p 643 A86-40727
- Factors relating to deterioration based on Rolls-Royce RB 211 in service performance  
p 643 A86-40730
- Direct and system effects of water ingestion into jet engine compressors  
p 644 A86-40739
- Substantiation of regimes for accelerated equivalent tests of gas-turbine aerogenerators  
p 644 A86-41549
- Automatic eddy current hole centering for aircraft engine components  
p 670 A86-41582
- Effect of engine technology on advanced fighter design and cost  
p 644 A86-41691
- After the big turbofans  
p 645 A86-42099
- Development of 'CADEGA' CAD system for aero engine design  
p 645 A86-42425
- S-duct inlet/diffusers for turboprop offset gearbox applications  
[AIAA PAPER 86-1462] p 625 A86-42655
- Air turbine test results for three turbine stages with varying radial distribution of camber  
[AIAA PAPER 86-1487] p 645 A86-42657
- Turboprop and open rotor propulsion for the future  
[AIAA PAPER 86-1472] p 645 A86-42660
- UHB technology flight validation program — Ultra High Bypass engines for large passenger aircraft  
[AIAA PAPER 86-1473] p 656 A86-42661
- Turboprop and propfan as basis for future economic propulsion concepts  
[AIAA PAPER 86-1474] p 645 A86-42662
- Altitude ignition/lean deceleration study  
[AIAA PAPER 86-1530] p 646 A86-42694
- Development of the Boeing 767 thrust reverser  
[AIAA PAPER 86-1536] p 646 A86-42698
- Dynamic pressure loads associated with twin supersonic plume resonance  
[AIAA PAPER 86-1539] p 646 A86-42701
- Rotorcraft propulsion for year 2000 plus  
[AIAA PAPER 86-1543] p 646 A86-42702
- Small engine technology payoffs for future commuter aircraft  
[AIAA PAPER 86-1544] p 646 A86-42703
- High performance, stratified charge rotary engines for general aviation  
[AIAA PAPER 86-1553] p 647 A86-42710
- Advanced rotary engine components utilizing fiber reinforced Mg castings  
[AIAA PAPER 86-1559] p 663 A86-42712
- Transient engine performance with water ingestion  
[AIAA PAPER 86-1621] p 647 A86-42755
- Small engine propulsion readiness for the 21st century  
[AIAA PAPER 86-1624] p 647 A86-42758
- Propan test assessment (PTA) quick engine change (QEC) nacelle  
[AIAA PAPER 86-1626] p 648 A86-42759
- A turbine engine inlet viewing system  
[AIAA PAPER 86-1647] p 656 A86-42769
- Design for engine supportability  
[AIAA PAPER 86-1671] p 648 A86-42784
- A design approach to a performance seeking control — for fighter aircraft engines  
[AIAA PAPER 86-1674] p 652 A86-42785
- Test and evaluation of the HIDE engine uptrim algorithm — Highly Integrated Digital Electronic Control for aircraft  
[AIAA PAPER 86-1676] p 648 A86-42787
- Advances in aero engine dynamics  
[AIAA PAPER 86-1677] p 648 A86-42788
- An overview of USAF engine diagnostic systems  
[AIAA PAPER 86-1679] p 649 A86-42790
- Using Derivative engine technology to achieve maturity goals  
[AIAA PAPER 86-1752] p 649 A86-42826
- Propulsion education at the Air Force Institute of Technology  
[AIAA PAPER 86-1754] p 684 A86-42827
- Performance estimation of the mixed flow, afterburning, cooled, two-spool turbofan engine with bleed and power extraction  
[AIAA PAPER 86-1757] p 649 A86-42830
- Holographic mode shape investigation of aircraft engine impellers  
p 672 A86-43105
- Use of protective coatings in aero gas turbine engines  
p 664 A86-43147
- Calculation of the characteristics of a multistage gas turbine with allowance for the circumferential nonuniformity of inlet temperature  
p 649 A86-43381
- Generalization of experimental data on the internal hydraulic resistance of laminated porous materials  
p 650 A86-43383
- Theory of the motion of propeller blades for large displacements  
p 639 A86-43385
- The development of a model for the unstable operation of a turbocompressor and the design of a device to protect a gas turbine engine against stalling and surging  
p 650 A86-43390
- Modeling the combustion zone of gas-turbine-engine combustion chambers  
p 650 A86-43393
- X-ray fluorescence analysis of wear metals in used lubricating oils  
p 673 A86-43430
- Mode II fatigue crack growth specimen development  
p 736 A86-43566
- Influence of turbine-engine design on flight safety  
p 720 A86-43939
- The next hot fighter engine  
p 720 A86-44005
- Rotary grows up  
p 720 A86-44007
- Axisymmetric three-dimensional flow in the cooled gas turbine — German thesis  
p 720 A86-44925
- Arnold Engineering Development Center - New facility to assess engine-airframe compatibility prior to first flight  
p 730 A86-45674
- The use of surface static pressure data as a diagnostic tool in multistage compressor development  
[ASME PAPER 86-GT-3] p 812 A86-48103
- Engine component life prediction methodology for conceptual design investigations  
[ASME PAPER 86-GT-24] p 812 A86-48116
- Life cycle cost methodology for preliminary design evaluation  
[ASME PAPER 86-GT-37] p 812 A86-48124
- Heat management in advanced aircraft gas turbine engines  
[ASME PAPER 86-GT-76] p 813 A86-48144
- Comparison of methods for lifetime calculations of highly loaded aero-engine discs  
[ASME PAPER 86-GT-102] p 814 A86-48165
- A study on NOx emissions from gas turbine combustor  
[ASME PAPER 86-GT-168] p 814 A86-48220
- A general computational method for simulation and prediction of transient behavior of gas turbines  
[ASME PAPER 86-GT-180] p 815 A86-48230
- Stratified charge rotary engine for general aviation  
[ASME PAPER 86-GT-181] p 815 A86-48231
- Fuel effects on aircraft combustor emissions  
[ASME PAPER 86-GT-212] p 815 A86-48252
- An approach to an integrated control system for a modern fighter aircraft engine  
[ASME PAPER 86-GT-277] p 816 A86-48296

- Aircraft/engine integration for an advanced fighter considering mission specifics  
[ASME PAPER 86-GT-295] p 797 A86-48308
- Engine condition monitoring at KLM Royal Dutch Airlines  
[ASME PAPER 86-GT-300] p 816 A86-48312
- Fighter power for the 1990s p 816 A86-48369
- Future trends in propulsion p 816 A86-48979
- Single crystal superalloys for turbine blades in advanced aircraft engines  
[ONERA, TP NO. 1986-102] p 843 A86-49077
- Potential application of advanced propulsion systems to civil aircraft p 802 A86-49083
- On the computation of wing lift interference caused by high bypass engines p 776 A86-49109
- Theoretical considerations of the specific impulse of ramjet engines p 817 A86-49111
- A comparison of pod and tail mounted ramjets p 818 A86-49112
- Unified constitutive materials model development and evaluation for high-temperature structural analysis applications — for aircraft gas turbine engines p 849 A86-49133
- Contactless measurement of the torque of an aircraft engine p 849 A86-49145
- The competitive and cooperative outlook for aircraft propulsion systems  
[AIAA PAPER 86-1134] p 857 A86-49571
- An analysis of the quality of aviation lubricants by liquid and gas-liquid chromatography p 844 A86-49964
- Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 1  
[NASA-CR-174923-VOL-1] p 108 N86-13328
- Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 2  
[NASA-CR-174923-VOL-2] p 108 N86-13329
- Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 3  
[NASA-CR-174923-VOL-3] p 108 N86-13330
- Polymer, metal and ceramic matrix composites for advanced aircraft engine applications  
[NASA-TM-87132] p 117 N86-13407
- Development of optical diaphragm deflection sensors  
[NASA-CR-175008] p 194 N86-15113
- Resonant cavities for stall recovery in gas turbine engines  
[AD-D011891] p 175 N86-15317
- An analysis of rig test disc failures  
[PNR-90278] p 237 N86-16224
- Certification of aeroengines fitted with full authority digital control  
[PNR-90287] p 237 N86-16225
- Is the traditional 150 hour endurance test outdated?  
[PNR-90288] p 237 N86-16226
- Hot corrosion in aircraft engines  
[ESA-TT-887] p 237 N86-16227
- The material development, component manufacture, and post-service evaluation of RB211-524 cowl doors utilizing carbon fibre composite materials  
[PNR-90275] p 247 N86-16273
- The technical development of cooled gas turbine blades  
[PNR-90292] p 255 N86-16595
- Aircraft noise control: Prospects for the 21st century  
[PNR-90272] p 260 N86-16757
- Description of a nondestructive facility using holographic interferometry  
[SNIAS-852-430-105] p 258 N86-17726
- Interactive effects of high- and low-frequency loading on fatigue  
[AD-A180601] p 293 N86-18318
- Proceedings of the 1985 ONR/NAVAIR Wave Rotor Research and Technology Workshop  
[AD-A181539] p 369 N86-20813
- Structural materials in aeronautics: Prospects and perspectives  
[RAE-TR-85077] p 357 N86-21532
- Comparison of airborne data acquisition systems at ARL (Aeronautical Research Laboratories)  
[AD-A181664] p 357 N86-21537
- China report: Science and technology  
[JPRS-CST-86-004] p 458 N86-22735
- Statue of aircraft engine research at NPU reviewed p 441 N86-22736
- Shanghai's outdoor aeroengine test facility detailed p 448 N86-22737
- Depot maintenance of aviation components: Contractor versus organic repair  
[AD-A182071] p 408 N86-23556
- Application of artificial intelligence to improve aircraft survivability  
[AD-A184172] p 483 N86-24674
- Evaluating turbine engine operating characteristics  
[FAA-AC-25.939-1] p 504 N86-24686
- Damage Tolerance Concepts for Critical Engine Components  
[AGARD-CP-393] p 506 N86-25360
- TURBISTAN: A standard load sequence for aircraft engine discs p 526 N86-25380
- Aircraft engine emissions estimator  
[AD-A164552] p 616 N86-26715
- Design, development and operation of a high simultaneous capacity digital telemetry system p 613 N86-27632
- Laser fringe anemometry for aero engine components  
[NASA-TM-88796] p 629 N86-28053
- Development of a portable wear metal analyzer for field use  
[AD-A166013] p 622 N86-28906
- Aircraft and Bearing Tribological Systems  
[AGARD-CP-394] p 677 N86-29236
- Aero-engine gears: Manufacturing cracks and their effect on operation p 677 N86-29239
- Design and calculation of high speed engine bearings p 677 N86-29241
- Requirements on lubrication oil from the view of a helicopter manufacturer p 666 N86-29244
- Military aircraft propulsion lubricants: Current and future trends p 666 N86-29249
- Aircraft engine oils and their behaviour at high temperatures p 667 N86-29251
- Scoring tests of aircraft transmission lubricants at high speeds and high temperatures p 667 N86-29253
- National Transportation Safety Board safety recommendation  
[NTSB-4380/33] p 699 N86-29791
- Multi-variable control of the GE T700 engine using the LQG/LTR design methodology  
[NASA-CR-177080] p 721 N86-29819
- Transient thermal behaviour of a compressor rotor with ventilation: Test results under simulated engine conditions p 741 N86-29856
- Dynamic analysis of structures with flexible rotors — aircraft engines p 722 N86-30664
- NASA and general aviation  
[NASA-SP-485] p 716 N86-30720
- Robust detection, isolation and accommodation for sensor failures  
[NASA-CR-174825] p 722 N86-30732
- Advances in the study of the mechanical behavior of materials  
[AD-A164656] p 735 N86-30838
- The application of energy techniques to propeller-driven airplanes  
[AD-A187113] p 807 N86-31569
- An overview of the Small Engine Component Technology (SECT) studies  
[NASA-TM-88796] p 819 N86-31587
- Development of a takeoff performance monitoring system  
[NASA-TM-89001] p 835 N86-31591
- Cost reductions from introduction of new life philosophies for aircraft engine discs  
[NLR-MP-85076-U] p 820 N86-32438
- AIRCRAFT EQUIPMENT**
- The past, the present, and the future of aircraft test and diagnostic technology p 179 A86-16854
- Approach for service life extension of explosive devices for aircraft escape systems p 243 A86-18349
- Computer controlled operation of reconnaissance cameras p 229 A86-19587
- Sensor control and film annotation for long range, standoff reconnaissance p 230 A86-19597
- Designing an electro-impulse de-icing system  
[AIAA PAPER 86-0545] p 220 A86-19940
- Evolution of emerging environmental testing and evaluation techniques p 315 A86-23011
- Airborne instrumentation magnetic tape recording thru the early 80's p 315 A86-23253
- Design of the F-16 aircraft electrical system built-in-test monitor p 298 A86-24827
- High stability pressure transducers for air data systems and test sets p 359 A86-28362
- A novel primary air data quality pressure transducer p 359 A86-28363
- Electromechanical actuation reliability and survivability — for flight control surface motion in military aircraft p 354 A86-28397
- Electronics for advanced electromechanical actuators design considerations — for flight control p 354 A86-28398
- Unified EM transient protection requirements for aircraft avionics line replaceable units p 355 A86-28485
- Airborne radar - The greater watershed p 438 A86-31343
- A thermal imaging payload for RPV applications p 588 A86-37333
- Layout of electrical equipment on an aircraft with allowance for equipment size constraints in the framework of computer-aided design p 639 A86-43369
- Methods of the assembly of aircraft instrumentation and systems — Russian book p 685 A86-44284
- Navy should join the Air Force and Army program to develop an advanced integrated avionics system  
[PB85-222503] p 104 N86-12224
- Compartmented, filament wound, one-piece aircraft fuel tanks  
[AD-D011793] p 107 N86-12225
- Physical distribution system for aircraft external fuel tanks-survey  
[AD-A158275] p 101 N86-13324
- Airworthiness flight test program of an aircraft equipment fairing p 226 N86-16653
- Piezoelectric deicing device  
[NASA-CASE-LEW-13773-2] p 388 N86-20671
- Aircraft interior panel test criteria derived from full-scale fire tests  
[AD-A161637] p 345 N86-21529
- Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987  
[AD-A182792] p 402 N86-22443
- Aircraft window clamping device  
[AD-D011999] p 435 N86-22564
- Improved Y-7, Y-12 aircraft described p 436 N86-22572
- Frameless transparencies for aircraft cockpit enclosures  
[AD-D012155] p 497 N86-24689
- A review of the pilot backache problem in the CH113 Labrador helicopter  
[AD-A164011] p 530 N86-25113
- Lightning discharge protection rod  
[NASA-CASE-LAR-13470-1] p 569 N86-26296
- Crash-resistant creaseless limit-load optimization through dynamic testing with cadavers  
[AD-A184828] p 569 N86-26298
- Guidance-Control-Navigation Automation for Night All-Weather Tactical Operations  
[AGARD-CP-387] p 573 N86-26316
- Synthetic real-time relief display all-weather airborne missions p 589 N86-26321
- The wide field helmet mounted display p 589 N86-26322
- A solid-state map display for rapid response operation p 589 N86-26323
- Applications of digital terrain data in flight operations p 573 N86-26324
- Use of a CO2 laser lidar for flight and penetration at very low altitudes p 610 N86-26326
- Minimum operational performance standards for airborne thunderstorm detection equipment  
[RTCA/DO-191] p 617 N86-27851
- Aircraft avionics suitable for advanced approach applications. Volume 1: Aircraft fleet equipage  
[DOT/FAA/PM-86/25.1] p 642 N86-28944
- Minimum operational performance standards for airborne area navigation equipment using Omega/VLF inputs  
[RTCA/DO-190] p 705 N86-30711
- Airborne navigation remote map reader evaluation  
[AD-A166976] p 719 N86-30729
- AIRCRAFT FUEL SYSTEMS**
- Electrodeposited primer scale-up and qualification p 245 A86-21735
- Aircraft fuel pump design p 300 A86-23350
- Control of a high-speed, brushless dc motor driven through a cycloconverter line — for aircraft fuel pumps p 388 A86-28372
- Digital correction of the readings of an aircraft fuel-measurement system p 500 A86-36725
- P T A - Design considerations for an airframe system and detailed design of fuel subsystem — Pilotless Target Aircraft p 590 A86-37331
- Feasibility of a nuclear gauge for fuel quantity measurement aboard aircraft  
[NASA-TM-87706] p 675 N86-28385
- Safety recommendation  
[NTSB-A-86-22] p 699 N86-29790
- AIRCRAFT FUELS**
- Long term deposit formation in aviation turbine fuel at elevated temperature  
[AIAA PAPER 86-0525] p 243 A86-19929
- The quantification and improvement of the thermal stability of aviation turbine fuel  
[ASME PAPER 85-GT-33] p 247 A86-22022
- USAF toxicology research on petroleum and shale-derived aviation gas turbine fuels  
[ASME PAPER 85-GT-34] p 262 A86-22023
- The effect of fuel composition upon combustion performance in a Rolls Royce Tyne combustor  
[ASME PAPER 85-GT-39] p 234 A86-22028
- Research on antimisting fuel for suppression of postcrash aircraft fires  
[AIAA PAPER 86-0573] p 247 A86-22706
- Gas turbine fuels and their influence on combustion — Book p 312 A86-23274



- Aviation fuels technology — Book p 601 A86-38266
- Evaluation of less toxic fuels for aircraft emergency power systems [SAE PAPER 851974] p 601 A86-38384
- Aviation gas turbine lubricants - Military and civil aspects: Aviation fuel and lubricants - Performance testing; Proceedings of the Aerospace Technology Conference and Exposition, Long Beach, CA, October 14-17, 1985 [SAE SP-633] p 607 A86-38526
- Development of a high temperature jet engine oil - Laboratory and field evaluation [SAE PAPER 851787] p 607 A86-38527
- Development of the portable water separator for the WSIM test [SAE PAPER 851870] p 608 A86-38537
- The influence of JFTOT operating parameters on the assessment of fuel thermal stability — Jet Fuel Thermal Oxidation Tester [SAE PAPER 851871] p 602 A86-38538
- A mathematical model for calculation of effects of air humidity fuel composition and gas dissociation on engine performance and its actual application p 591 A86-38994
- Thermal decomposition of aircraft fuel [ASME PAPER 86-GT-36] p 842 A86-48123
- Thermal stability concerns of Navy aviation fuel [ASME PAPER 86-GT-94] p 842 A86-48159
- The performance of a reverse flow combustor using JP 10 fuel [ASME PAPER 86-GT-146] p 814 A86-48202
- Fuel effects on aircraft combustor emissions [ASME PAPER 86-GT-212] p 815 A86-48252
- Impact of higher freeze point fuels on naval aircraft operations [ASME PAPER 86-GT-262] p 843 A86-48285
- Physical distribution system for aircraft external fuel tanks-survey [AD-A158275] p 101 N86-13324
- Effects of vibration-induced cavitation of physicochemical characteristics of aircraft fuel p 184 N86-15346
- Variability of major organic components in aircraft fuels [AD-A159057] p 185 N86-15415
- Producibility and cost studies of aviation kerosene [AGARD-AR-227] p 379 N86-20580
- General aviation pilot and aircraft activity survey [AD-A161665] p 345 N86-21530
- Robotic refueling system for tactical and strategic aircraft [AD-D011980] p 358 N86-21540
- Development of LC-13C NMR [NASA-CR-176656] p 379 N86-21704
- Full-Scale Transport controlled Impact Demonstration [NASA-CP-2395] p 390 N86-21933
- Scientists on aircraft development trends p 407 N86-22545
- Emission FTIR analyses of thin microscopic patches of jet fuel residues deposited on heated metal surfaces [NASA-CR-176786] p 519 N86-25502
- Properties of aircraft fuels and related materials [AD-A164532] p 604 N86-27461
- Full-Scale Transport Controlled Impact Demonstration Program photographic/video coverage [DOT/FAA/CT-85/35] p 700 N86-29795
- Liquid hydrogen fueled passenger aircraft [AD-A166229] p 717 N86-30724
- High accuracy fuel flowmeter [NASA-CR-174869] p 745 N86-31030
- Advisory Circular: Design considerations to protect fuel systems during a wheels-up landing [FAA-AC/25.994-1] p 806 N86-31564
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 3: On-Board Inert Gas Generator System (OBIGGS) studies. Part 2: Fuel scrubbing and oxygen evolution tests [AD-A167445] p 807 N86-31573
- Aerial refueling evaluation of the CH-47D helicopter [AD-A167575] p 808 N86-31574
- AIRCRAFT GUIDANCE**
- Terrain following avoidance technique of very low altitude penetration p 239 A86-22309
- New nose-in aircraft guidance/docking system developed p 308 A86-23380
- Aircraft approach guidance using relative Loran-C navigation p 282 A86-24533
- Flight tests of MLS elevation guidance p 348 A86-27899
- Autonomous landing guidance systems p 350 A86-28385
- Guidance, navigation, and control for 21st century aircraft p 508 A86-34194
- A preliminary study of the basic display/guidance requirements for flying near optimal trajectories p 499 A86-35366
- Simulation of time-control procedures for terminal area flow management p 484 A86-35369
- An terrain-aided guidance system with high convergence speed p 573 A86-39786
- Concept of automated aircraft guidance system for air-to-air missions [AIAA PAPER 86-2285] p 787 A86-47703
- Optimization and gamma/theta guidance of flight trajectories in a windshear p 834 A86-49071
- Algorithms for the automatic four-dimensional guidance of aircraft, taking into account the current wind situation [ESA-TT-908] p 352 N86-21531
- Guidance studies for curved, descending approaches using the Microwave Landing System (MLS) [NASA-CR-178030] p 486 N86-25335
- Guidance-Control-Navigation Automation for Night All-Weather Tactical Operations [AGARD-CP-387] p 573 N86-26316
- A new technique for terrain following/terrain avoidance guidance command generation p 574 N86-26325
- A mission navigation and control system for modern military helicopters p 574 N86-26327
- A time-based concept for terminal-area traffic management [NASA-TM-88243] p 622 N86-28049
- AIRCRAFT HAZARDS**
- The numerical computation of aircraft response to arbitrary vertical gust distributions p 110 A86-14534
- Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes [AIAA PAPER 86-0021] p 213 A86-19637
- The lightning threat to aerospace vehicles p 214 A86-20162
- Verification and application of the icing scaling equations [AIAA PAPER 86-0481] p 343 A86-26640
- Electromagnetic pulse test aircraft (EMPTAC) program p 335 A86-27145
- The parallel-plate and rhombic EMP simulators - A summarizing review p 381 A86-27146
- Knowledge engineering for a flight management expert system p 368 A86-28498
- Measurements of the response of transport aircraft ceiling panels to fuel fires p 343 A86-28564
- Effects of intense rainfall on the aerodynamics of an airfoil profile p 409 A86-31013
- An ill wind — wind shear p 461 A86-31225
- Tomorrow's weather - New accuracy in forecasting p 482 A86-32450
- An aviation composite hazards product — for meteorological radar observations p 566 A86-37469
- The hazards of ash clouds to civil air transport p 566 A86-37477
- Meteosat-derived quantitative measurements on volcanic ash plumes for warning to aviation p 566 A86-37478
- NASA storm hazards research in lightning strikes to aircraft p 566 A86-37479
- Lightning measurements of an aircraft flying at low altitude p 567 A86-37490
- The equivalent deterministic function of the Dryden's spectra of atmospheric turbulence and its application to the aircraft response problem p 585 A86-39768
- Experimental measurements of heat transfer from an iced surface during artificial and natural cloud icing conditions [AIAA PAPER 86-1352] p 598 A86-39948
- The measurement of aircraft performance and stability and control after flight through natural icing conditions [AIAA PAPER 86-9758] p 651 A86-40681
- Compressor erosion and performance deterioration p 643 A86-40727
- Protecting electronics against lightning gets harder p 633 A86-41034
- Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes p 634 A86-41695
- From a strike to a kill p 634 A86-42423
- The fire-hard airliner p 698 A86-44400
- F-14A inlet icing p 709 A86-44937
- Comparison of published HEMP and natural lightning on the surface of an aircraft — High-Altitude Electromagnetic Pulse p 783 A86-47293
- Electromagnetic interaction of external impulse fields with aircraft p 790 A86-47295
- Induced current surface density after a direct lightning strike on an aircraft p 790 A86-47297
- Location of lightning strokes on aircraft in storm field with measured electrical, microphysical and dynamical properties p 783 A86-47299
- Implementation of a crowbar switch in a Marx generator/peaking capacitor lightning simulator system p 790 A86-47305
- Lightning simulation tests on FAA CV-580 lightning research aircraft p 790 A86-47307
- Optical detection methods for testing of fuel tank lightning ignition hazards p 791 A86-47309
- High voltage laboratory tests and lightning phenomena p 844 A86-47312
- The energy requirements of an aircraft triggered discharge p 844 A86-47315
- Aircraft lightning attachment at low altitudes p 791 A86-47317
- Research in lightning swept-stroke attachment patterns and flight conditions with the NASA F-106B airplane p 791 A86-47318
- Lightning-induced transient test on a transport aircraft p 791 A86-47327
- Lightning stroke tests at the CFRP horizontal stabilizer of alpha jet p 792 A86-47331
- The risk of collision in a two seat aircraft ejection p 783 A86-47730
- NASA's aircraft icing analysis program p 786 A86-49107
- Aircraft protection against lightning strikes p 806 A86-50347
- Antimisting kerosene: Development of a continuous 10 GPM in-line blender [NASA-CR-176432] p 185 N86-15412
- Controlled Impact Demonstration (CID) [GPO-48-870] p 214 N86-17324
- The aircraft icing environment in wintertime, low ceiling conditions [AD-A160578] p 280 N86-18307
- Some microphysical processes affecting aircraft icing [AD-A160375] p 325 N86-18921
- Joint agency turbulence experiment [AD-A160420] p 325 N86-18924
- Calculation of ice accretion on cylindrical rods according to Bain's model, and comparison with experimental results — stratus clouds [DFVLR-FB-85-46] p 325 N86-18933
- A numerical and experimental investigation of electrochemical aircraft deicing [NASA-CR-175024] p 344 N86-20380
- The measurement of aircraft performance and stability and control after flight through natural icing conditions [NASA-TM-87265] p 446 N86-22582
- Statistical analysis of direct-strike lightning data (1980 to 1982) [NASA-TP-2252] p 463 N86-24090
- Storm precipitation and wind structure during aircraft strike lightning events [AD-A162338] p 463 N86-24100
- Flammability of aircraft hydraulic fluids: A bibliography [AD-A165463] p 569 N86-26299
- Calibration of droplet sizing and liquid water content instruments: Survey and analysis [NASA-CR-175099] p 611 N86-26596
- Development of airborne electric field and lightning detection instrumentation for aviation safety [AD-A167342] p 701 N86-30705
- Electrostatic hazards of urethane packed fuel tanks [AD-A166803] p 717 N86-30725
- Fire extinguishing agents for oxygen-enriched atmospheres [AD-A166967] p 743 N86-30890
- NASA's Aircraft Icing Analysis Program [NASA-TM-88791] p 786 N86-31548
- Fireproof hydraulic brake system [AD-A167774] p 786 N86-31549
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 2: Aircraft engine nacelle fire test programs. Part 1: Fire detection, fire extinguishment and surface ignition studies [AD-A167356] p 807 N86-31570
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 1: Executive summary [AD-A167443] p 807 N86-31571
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 2: Aircraft engine nacelle fire test programs. Part 2: Small scale testing of dry chemical fire extinguishants [AD-A167444] p 807 N86-31572
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 3: On-Board Inert Gas Generator System (OBIGGS) studies. Part 2: Fuel scrubbing and oxygen evolution tests [AD-A167445] p 807 N86-31573
- AIRCRAFT HYDRAULIC SYSTEMS**
- A possible approach to the diagnostics of the hydraulic servomechanism of the aircraft control system p 285 A86-23757
- Microprocessor controlled and managed fly-by-wire hydraulic actuator p 368 A86-28401
- A survivable fly-by-wire spoiler actuation system featuring nonflammable fluid, 8,000 PSI hydraulics and direct drive valves p 355 A86-28402
- Evolving 8000 psi hydraulic systems p 487 A86-34196

- Nonflammable fluid and 8,000 psi technology for future aircraft hydraulic systems (22 CFR 125.4 /b/ /13/ applicable)  
[SAE PAPER 851909] p 580 A86-38384
- Lightweight hydraulic system technology - 8000 psi update — for military aircraft  
[SAE PAPER 851910] p 580 A86-38385
- Hydraulic pumps for high pressure non-flammable fluids — for aircraft  
[SAE PAPER 851911] p 580 A86-38386
- 8000 psi hydraulic system seals and materials test program - A progress report  
[SAE PAPER 851913] p 580 A86-38387
- Aircraft hydraulic systems: An introduction to the analysis of systems and components — Book p 713 A86-48850
- Pumps for 8000 psi hydraulic systems examined p 846 A86-48042
- ### AIRCRAFT INDUSTRY
- The world aircraft industry — Book p 269 A86-26114
- New aramid developments for aerospace/aircraft applications p 377 A86-27759
- How Sweden decided to build the Gripen p 405 A86-31340
- Case studies in aircraft manufacturing automation p 782 A86-49000
- Air and space flight. Dream and facts [MBB-FILM-382] p 198 A86-16188
- Problems found when introducing new materials — aircraft industry [SNIAS-852-551-101] p 198 A86-16190
- Nondestructive inspection: An efficient investment — composite materials [SNIAS-852-430-110] p 247 A86-16276
- Systems safety: Phantom or reality [SNIAS-852-422-103] p 215 A86-17330
- Study of composite material curing molds [DGT-26.817] p 248 A86-17486
- Composite materials: A source of innovation — aircraft industry [SNIAS-852-430-113] p 248 A86-17483
- An example of integrated logistic support applied also to production testing — aircraft industry p 744 A86-30896
- ### AIRCRAFT INSTRUMENTS
- Air Force flight test instrumentation system p 102 A86-13202
- Avionics update 1986 p 170 A86-17524
- Overview of advanced display technologies p 171 A86-18455
- A thin film electroluminescent display for cockpit applications p 171 A86-18456
- The evolution of the cockpit displays in commercial airlines p 172 A86-18894
- Airborne reconnaissance VIII; Proceedings of the Meeting, San Diego, CA, August 21, 22, 1984 [SPIE-496] p 228 A86-19576
- A new generation advanced I.R. Linescan Sensor system p 229 A86-19585
- Camera flight tests and image evaluation p 230 A86-19591
- Helicopter fatigue monitoring using a single channel recorder p 220 A86-20038
- United States Coast Guard acquisition of remote sensing capability for ocean surveillance p 231 A86-21234
- Use of video cassette recorders for combined video and PCM data recording p 315 A86-23256
- Economical in-flight calibration of air data sensors using inertial navigation units as reference p 284 A86-23270
- Sensor system concept for future fighter and strike aircraft p 297 A86-24583
- Presentation of information on multimode displays - Abnormal and emergency aircraft operations [SAE PAPER 841494] p 298 A86-26012
- Cockpit advances in Boeing Vertol Company's Model 360 helicopter [SAE PAPER 841629] p 298 A86-26032
- Errare humanum est... sed perseverare diabolicum or navigation errors of the 747 and the 'heading' position p 348 A86-27900
- Colour design in aviation cartography p 358 A86-28068
- A distributed, fault-tolerant implementation of the airborne digital map using VLSI common programmable modules p 349 A86-28337
- Pilot/Vehicle Interface Design System (PVIDS) p 361 A86-28512
- The history of instrument flight p 405 A86-29868
- A peripheral integrated system status display - Figural goodness or proximity effects? p 453 A86-29870
- Airlines and the new technology aircraft - A discussion paper p 419 A86-31325
- New interfaces in the cockpit p 427 A86-31346
- Instrumentation of a light twin aircraft for flow energizer flight tests [AIAA PAPER 86-9759] p 438 A86-32099
- Studies on turning errors of the magnetic compass in flight experiments p 499 A86-34276
- Processes for the manufacture of aviation instrument components (2nd revised and enlarged edition) — Russian book p 610 A86-39979
- The calculation of the entropy distribution along cloud traverses using aircraft measurements p 678 A86-40555
- Protecting electronics against lightning gets harder p 633 A86-41034
- Built in Test (BIT) utilization for improved supportability of the F-20 aircraft p 685 A86-43906
- Methods of the assembly of aircraft instrumentation and systems — Russian book p 685 A86-44284
- An intelligent amplifier and its application to modal testing — for inflight aircraft testing p 719 A86-47106
- Aircraft lightning attachment at low altitudes p 791 A86-47317
- Research in lightning swept-stroke attachment patterns and flight conditions with the NASA F-108B airplane p 791 A86-47318
- A parameter insensitive technique for aircraft sensor fault analysis using eigenstructure assignment and analytical redundancy [AIAA PAPER 86-2029] p 809 A86-47420
- Strain-gauge autopilot altitude corrector p 811 A86-49142
- T-33 (Silver Star MK 3) pilot-static system calibration [AD-A157854] p 104 A86-12221
- Navy should join the Air Force and Army program to develop an advanced integrated avionics system [PB85-222503] p 104 A86-12224
- Navy aircraft support data systems study: ECAMS/NALCOMIS integration feasibility and procedure [DE85-016977] p 182 A86-15003
- A mission navigation and control system for modern military helicopters p 574 A86-26327
- Materials technology for electrical appliances: Magnetic and electrical properties of metals and alloys [PB86-184314] p 665 A86-26186
- Aircraft avionics suitable for advanced approach applications. Volume 1: Aircraft fleet equipage [DOT/FAA/PM-86/25,1] p 642 A86-28944
- Anemobarometry: An essential element of flight control p 835 A86-31566
- The application of energy techniques to propeller-driven airplanes [AD-A167113] p 807 A86-31569
- ### AIRCRAFT LANDING
- Aircraft field repair p 115 A86-13172
- Estimation of the deviation limits of the aircraft path parameters during automatic landing p 108 A86-13365
- High-speed braking of an aircraft tire on grooved surfaces p 162 A86-17787
- Dynamic interface - Conventional flight testing plus a new analytical approach p 163 A86-18405
- The Microwave Landing System (MLS) p 160 A86-18723
- A flightpath overshoot flying qualities metric for the landing task [AIAA PAPER 86-0334] p 238 A86-19820
- Aircraft terminal area guidance based on the discrete tracking problem of optimal control theory p 215 A86-20520
- Conventional takeoff and landing (CTOL) airplane ski jump evaluation p 222 A86-21058
- The data transmission and processing equipment of a high-precision trajectory measurement system p 298 A86-22728
- Aeroacoustics of an advanced propeller design under takeoff and landing conditions p 284 A86-23190
- The utility of Head-Up Displays - Eye-focus vs decision times p 297 A86-23728
- Simulator design features for helicopter landing on small ships p 308 A86-23750
- A first step for reducing helicopter IFR approach minima Agusta A109 IFR CAT II certification p 280 A86-26127
- Microwave Landing System (MLS) p 348 A86-26444
- Realtime piloted simulation investigation of helicopter flying qualities during approach and landing on nonaviation ships [AIAA PAPER 86-0490] p 365 A86-26642
- A new system simultaneously covering en route navigation and landing p 348 A86-27886
- Microwave Landing System p 349 A86-28358
- Autonomous landing guidance systems p 350 A86-28385
- STALINS method for takeoff and landing trajectory measurements p 358 A86-28566
- Thrust-vector takeoff, landing, and ground handling of an airship p 343 A86-28571
- Maneuvers for aircraft noise reduction in takeoff, climb, and landing approach operations p 487 A86-31010
- New developments in antennas of classical radio navigational and landing systems p 484 A86-33741
- Terrain-induced wind shear - Potential cause of Jetstar accident p 566 A86-37482
- Aircraft Landing Dynamics Facility - A unique facility with new capabilities [SAE PAPER 851938] p 586 A86-38371
- Integrated braking and ground directional control for tactical aircraft [SAE PAPER 851941] p 581 A86-38374
- Fuel conservative guidance for shipboard landing of powered-lift STOL aircraft p 572 A86-39048
- Design technique to reduce effects of tidal variations on an ILS glide slope system p 635 A86-41335
- Development of the Boeing 767 thrust reverser [AIAA PAPER 86-1536] p 646 A86-42698
- Ground resonance of a helicopter during the take-off and landing run p 712 A86-45749
- DME/P - A necessary MLS component for the future p 703 A86-48140
- ILS goal - Automatic landings, safety p 703 A86-48142
- Terminal control factors for the carrier landing task [AIAA PAPER 86-2251] p 825 A86-47497
- Use of flight simulation to develop terminal instrument procedures for transport category aircraft [AIAA PAPER 86-2072] p 837 A86-47682
- Validation of a new flying quality criterion for the landing task [AIAA PAPER 86-2126] p 826 A86-47672
- Flight evaluation of a precision landing task for a powered-lift STOL aircraft [AIAA PAPER 86-2130] p 826 A86-47676
- Optimal landing of a helicopter in autorotation [AIAA PAPER 86-2287] p 793 A86-47705
- Effects of time delay and pitch control sensitivity in the flared landing [AIAA PAPER 86-2075] p 831 A86-47706
- The ground effects of a powered-lift STOL aircraft during landing approach p 795 A86-47784
- Analysis and simulation of the MLS landing signal - Echo separation — French thesis p 788 A86-48564
- Take-off and landing in a downburst p 786 A86-49069
- Measurements of landing gear loads of a commuter airliner p 803 A86-49119
- Airplane landing behaviors controlled by man-pilots p 835 A86-49244
- An investigation into the vertical axis control power requirements for landing VTOL type aircraft onboard nonaviation ships in various sea states [NASA-CR-176355] p 88 A86-13294
- A durable airfield marking system [AD-A157953] p 113 A86-13339
- Investigations of the aircraft landing process using a computerized simulation model based on the Monte Carlo method [DFVLR-FB-85-27] p 167 A86-14269
- A flightpath overshoot flying qualities metric for the landing task [NASA-TM-86796] p 176 A86-14276
- Advanced simulator for pilot training: Effects of collimation on accommodation and vergence [AD-A159545] p 181 A86-14279
- Helicopter-ship qualification testing [NLR-MP-84082-U] p 227 A86-17343
- Operational application of the STALINS method for measuring take-off and landing trajectories [NLR-TR-83010-U] p 227 A86-17348
- Wind shear investigation program at the NLR [NLR-MP-84027-U] p 325 A86-19808
- Glide slope indicator system [AD-D012077] p 424 A86-23580
- Improvements to the FATOLA computer program including added actively controlled landing gear subroutines [NASA-CR-160069] p 438 A86-23588
- Multivariable output control law design for the STOL (Short Takeoff and Landing) F-15 in landing configuration [AD-A164516] p 498 A86-25340
- Simulation problem of controlling lateral movement of aircraft during landing approach p 534 A86-26160
- Validation of a new flying quality criterion for the landing task [NASA-TM-88261] p 595 A86-26341
- A time-based concept for terminal-area traffic management [NASA-TM-88243] p 622 A86-28049
- Aircraft barricade [AD-D012194] p 656 A86-26102



Implementation and flight tests for the Digital Integrated Automatic Landing System (DIALS). Part 1: Flight software equations, flight test description and selected flight test data  
[NASA-TM-87632-PT-1] p 653 N86-28950

The integrated manual and automatic control of complex flight systems  
[NASA-CR-176940] p 729 N86-30737

Fireproof hydraulic brake system  
[AD-A167774] p 786 N86-31549

Portable glide slope indicator  
[AD-D012240] p 789 N86-31552

Analysis of a mirror deck landing aid  
[AD-A167988] p 789 N86-31556

Investigations in landing process of aircraft by means of the Monte-Carlo method  
[ESA-TT-951] p 806 N86-31578

**AIRCRAFT LAUNCHING DEVICES**

A new compressed air launching system  
p 596 A86-37337

The Phoenix air vehicle, its launch and recovery  
p 578 A86-37340

'A flywheel powered RPV launcher - Putting theory into practice'  
p 590 A86-37344

A spring in the air — launching device for RPV  
p 590 A86-37345

The history and development of the repeatable release catapult holdback bar  
[SAE PAPER 851942] p 581 A86-38375

CTOL ski jump - Analysis, simulation, and flight test  
p 637 A86-40113

Catapult holdback design examined  
p 838 A86-48041

**AIRCRAFT LIGHTS**

Aircraft lighting systems  
p 491 A86-35607

**AIRCRAFT MAINTENANCE**

Composite repairs — Book  
p 115 A86-13103

Constant temperature heaters for the repair of composite structures  
p 115 A86-13174

A self-repairing aircraft? — new control methods for fighter stabilization  
p 110 A86-14243

Parts integration - Advantages and problems — in aircraft design  
p 133 A86-16207

An aircraft maintenance and repair strategy using a test and diagnostic system  
p 133 A86-16855

A study of the operating condition of aircraft from the recordings of the onboard recording equipment  
p 133 A86-16859

Processing of airborne tape recordings with the aid of user programs for monitoring the technical condition of aircraft  
p 133 A86-16880

Impact of loads recording methodology on crack-growth-based individual aircraft tracking  
p 162 A86-17790

Maintainable demonstration for Army helicopters  
p 134 A86-18413

R&M test data management during helicopter system development  
p 164 A86-18419

Aviation maintenance management — Book  
p 197 A86-21055

AV-8B design for maintainability  
p 225 A86-22378

Maintenance strategies for aero engines  
p 253 A86-22384

Relating factory and field reliability and maintainability measures  
p 253 A86-22391

Small propulsion engine LCC considerations  
p 267 A86-22399

A multiple-parameter allocation process  
p 254 A86-22407

AVIP Air Force thrust for reliability — Avionics Integrity Programs  
p 315 A86-23003

Testability of aircraft  
p 269 A86-23760

Rotorcraft trends. II - Requirements and monitoring  
p 287 A86-25089

Reliability and structural inspection program for transport aeroplanes  
p 269 A86-25176

Affordable safety  
p 269 A86-25850

The health and usage monitoring system of the Westland 30 series 300 helicopter  
p 299 A86-26153

EB repair welding of a critical aircraft part made from the nonweldable titanium alloy 3.7184.7 (Ti-6Al-4Mo-Sn2-Si)  
p 382 A86-27278

Remote aircraft maintenance monitoring using telemetry  
p 347 A86-27813

Reliability and maintenance of aircraft  
p 384 A86-28309

Optimum maintenance of aircraft systems on the basis of their condition with allowance for measurement errors  
p 354 A86-28310

Data systems for logistics evaluation during operational test  
p 398 A86-28483

Diagnosis - Using automatic test equipment and artificial intelligence expert systems — for F-15 aircraft  
p 386 A86-28492

Helicopter maintenance in the real world  
p 405 A86-30549

Simulation of aircraft components for training purposes  
[SAE PAPER 851985] p 496 A86-36946

Developments in airworthiness control for Canadian airlines  
[SAE PAPER 851784] p 620 A86-38308

Mechanical interface devices for automatic test equipment  
[SAE PAPER 851795] p 606 A86-38318

The F-18 aircraft and hydrazine - An industrial hygiene perspective  
[SAE PAPER 851971] p 568 A86-38381

Bolted composite repairs subjected to biaxial or shear loads  
p 662 A86-41052

Bringing on the B-1B  
p 621 A86-41276

Composite repair techniques examined  
p 662 A86-41684

Delivery of B-1B changes maintenance procedures  
p 621 A86-41800

R&M 2000 - A look to the future — Air Force Reliability and Maintainability  
[AIAA PAPER 86-1668] p 672 A86-42781

An overview of USAF engine diagnostic systems  
[AIAA PAPER 86-1679] p 649 A86-42790

Prospects for intelligent aerospace structures  
[AIAA PAPER 86-1139] p 672 A86-43328

Composite repair at the Naval Air Rework Facility, North Island — composite aircraft structures  
[AIAA PAPER 86-1140] p 664 A86-43329

Expert systems for aviation maintenance  
[AIAA PAPER 86-1143] p 622 A86-43332

Developing a maintenance concept for future electronic systems  
[AIAA PAPER 86-1145] p 684 A86-43333

Maintenance system by means of damage tolerance principle  
p 736 A86-43791

Built in Test (BIT) utilization for improved supportability of the F-20 aircraft  
p 685 A86-43906

Doubling the Air Force through greater reliability  
p 685 A86-44006

Generic integrated maintenance diagnostics  
p 685 A86-44422

DOD overhauls maintenance  
p 758 A86-45703

Supplemental inspections of aging aircraft  
p 845 A86-47525

Analytical applications in the Army oil analysis program  
p 845 A86-47595

AIRMEC '85 - Aviation equipment servicing: Aircraft and helicopter maintenance; International Exhibition and Conference, 4th, Dusseldorf, West Germany, February 28-March 3, 1985, Conference Reports  
p 759 A86-47601

Potential of BITE's and what it means to aircraft maintenance  
p 759 A86-47607

Working with today's BITE - One airline's experience  
p 759 A86-47608

Digitalization of avionics in today's and tomorrow's aircraft and implications on aircraft maintenance  
p 760 A86-47609

Practical implementation of a maintenance and engineering system in an airline  
p 760 A86-47610

Ageing aircraft as seen by an authority  
p 783 A86-47611

Early corrosion detection and prevention measures — for aircraft  
p 760 A86-47612

Modern crack detection methods - The use of low frequency eddy currents to assist structural integrity auditing  
p 845 A86-47613

Stripping and painting a plane - Technological and economic aspects  
p 760 A86-47614

Aircraft maintenance in China - Approaches to modernization  
p 760 A86-47615

Planning for minimum overhaul time  
p 760 A86-47616

Can future aircraft maintenance be afforded?  
p 857 A86-47617

Adhesive-bonded aluminum structure repair  
p 846 A86-47725

Power turbine vane ring (PT6 engine) repair development  
[ASME PAPER 86-GT-2] p 812 A86-48102

Durability and damage tolerance assessment of the TF34-100 engine  
[ASME PAPER 86-GT-38] p 812 A86-48125

Fabrication of high-alumina ceramic fixtures for jet engine repair applications  
[ASME PAPER 86-GT-46] p 846 A86-48130

Use and maintenance of helicopters on the plateau — areas of China  
p 785 A86-48669

Avionics fault data acquisition - A concept for civil transport aircraft  
p 810 A86-49051

Maintainability optimization - The future challenge — for aircraft maintenance  
p 762 A86-49052

On the fast repair of aircraft panel components  
p 762 A86-49066

Compilation and analysis of the Federal Aviation Administration's inspection of a sample of commercial air carriers  
[PB85-241198] p 159 N86-14264

Flight service evaluation of advanced composite ailerons on the L-1011 transport aircraft  
[NASA-CR-177980] p 184 N86-14317

Dynamics R and D in the AFWAL Structures and Dynamics Division  
p 256 N86-16618

Development of a computerised method of determining aircraft maintenance intervals  
[AD-A161339] p 336 N86-21500

A methodology for applying bar code technology to Aircraft Maintenance Unit support sections  
[AD-A161783] p 402 N86-22441

The MRCA automatic test system  
p 407 N86-22538

Fuzzy inference system to diagnose aircraft hydraulic faults  
p 407 N86-22775

Depot maintenance of aviation components: Contractor versus organic repair  
[AD-A162071] p 408 N86-23556

Automating knowledge acquisition in a flightline robot  
[AD-A163829] p 525 N86-24997

An analysis of S-3 SDLM (Standard Depot Level Maintenance) corrosion documentation procedures  
[AD-A165588] p 540 N86-26282

**AIRCRAFT MANEUVERS**

Using roll-angle measurements to track aircraft maneuvers  
p 92 A86-12677

Method for calculating the equilibrium spin of an aircraft  
p 109 A86-13435

Calculation of equilibrium turn  
p 109 A86-13436

Aero-propulsion technology for STOL and maneuver  
[AIAA PAPER 85-4013] p 97 A86-14436

Spatial orientation of an aircraft during the execution of lateral maneuvers  
p 175 A86-18967

The Adaptive Maneuvering Logic program in support of the pilot's associate program - A heuristic approach to missile evasion  
[AIAA PAPER 86-0423] p 263 A86-19965

Flight test maneuver modeling and control  
[AIAA PAPER 86-0426] p 219 A86-19968

Modeling aerodynamic responses to aircraft maneuvers - A numerical validation  
p 204 A86-20156

The use of analytical methods to assess aircraft maneuverability  
p 305 A86-23771

Comparative analysis of two methods for evaluating the loads acting on the tail plane during a symmetric manoeuvre  
p 287 A86-25095

An analysis of the influence of the duration and sharpness of a symmetric manoeuvre on the load acting on the tail plane  
p 287 A86-25096

Studies of rotorcraft agility and maneuverability  
p 291 A86-26145

A computer based study of helicopter agility, including the influence of an active tailplane  
p 291 A86-26146

Helicopter maneuver stability - A new twist  
p 307 A86-26160

Discrete maneuver flying qualities considerations in control system design  
p 366 A86-28378

Demonstration of an innovative technique for Terrain Following/Terrain Avoidance - The Dynapath Algorithm  
p 350 A86-28389

Multivariable control law design for the X-29 aircraft  
p 369 A86-28510

Maneuvers for aircraft noise reduction in takeoff, climb, and landing approach operations  
p 467 A86-31010

An interpretation of airplane general motion and control as inverse problem  
p 443 A86-31661

Modeling of aircraft cruise performance using acceleration and deceleration maneuvers - Results and application  
[AIAA PAPER 86-9735] p 428 A86-32082

Specific excess power applications for rotary wing aircraft  
[AIAA PAPER 86-9810] p 431 A86-32137

On the vertical turns sustaining corner velocity — optimal control in aircraft minimum time pull-ups from dives  
p 507 A86-33979

Estimation of transport airplane aerodynamics using multiple stepwise regression  
p 489 A86-35385

Helicopter handling requirements based on analysis of flight maneuvers  
p 510 A86-35625

AV-8B High Angle of Attack/departure resistance system flight test program  
[AIAA PAPER 86-9729] p 496 A86-37082

Accurate dynamic theory for supermaneuverable aircraft wings  
[AIAA PAPER 86-1008] p 585 A86-38947

Transfer of alignment and calibration of multiple sensors in flexible systems  
p 681 A86-43003

The effect of rain and contamination of the front surface on the in-flight behavior of aircraft during roll. II  
p 688 A86-43938

- Navy departure/spin and air combat maneuvering evaluation of a National Aeronautics and Space Administration developed flight control system for the F-14 p 724 A86-44944
- Numerical modelling of the dynamics of aerobatic manoeuvres p 724 A86-45144
- The dynamics of limiting helicopter maneuvers at a very low altitude p 724 A86-45748
- Development of control laws for a flight test maneuver autopilot p 725 A86-46480
- Spherical mapping and analysis of aircraft angles for maneuvering flight p 830 A86-47701
- [AIAA PAPER 86-2283] p 830 A86-47701
- Prediction of the aerodynamic characteristics of flight vehicles in large unsteady maneuvers p 834 A86-49048
- A flightpath overshoot flying qualities metric for the landing task [NASA-TM-86795] p 176 N86-14276
- Markov jump-diffusion models and decision-making free filtering — air traffic control [NLR-MP-83067-U] p 264 N86-17046
- A sophisticated tracking algorithm for Air Traffic Control (ATC) surveillance radar data [NLR-MP-84004-U] p 216 N86-17334
- Three-dimensional flight-path reconstruction by means of spline approximation [NLR-TR-83091-U] p 228 N86-17347
- Use of state estimation to calculate angle-of-attack position error from flight test data [AD-A183962] p 480 N86-24670
- Lateral and longitudinal aerodynamic stability and control parameters of the basic vortex flap research aircraft as determined from flight test data [NASA-TM-87711] p 512 N86-24703
- Multivariable control law design for enhanced air combat maneuvering, F-15/STOL (Short Take-Off and Landing) derivative fighter [AD-A184017] p 512 N86-24706
- Extraction of aerodynamic parameters for aircraft at extreme flight conditions p 563 N86-27248
- Recent experiences of unsteady aerodynamic effects on aircraft flight dynamics at high angle of attack p 564 N86-27252
- Unsteady aerodynamics and dynamic aircraft maneuverability p 564 N86-27253
- A self-organising control system for non-linear aircraft dynamics p 564 N86-27258
- Application of CFD techniques toward the validation of nonlinear aerodynamic models p 565 N86-27265
- Flight simulation motion-base drive algorithms. Part 2: Selecting the system parameters [UTIAS-307] p 618 N86-27829
- The performance evaluation of a jet flap on an advanced supersonic harrier [NASA-CR-179653] p 716 N86-30722
- A survey of handling qualities criteria and their applications to high performance aircraft [NASA-CR-179654] p 729 N86-30738
- A mathematical model of the Sea King Mk.50 helicopter aerodynamics and kinematics [ARL-AERO-TM-379] p 808 N86-32425
- ### AIRCRAFT MODELS
- Evaluation of an aerodynamic-load prediction method on a STOL fighter configuration [AIAA PAPER 86-0590] p 203 A86-19966
- Frequency methods of aircraft identification — Russian book p 306 A86-24148
- The effectiveness of various control surfaces in quasi-steady and unsteady flows - Applications [ONERA, TP NO. 1985-147] p 306 A86-24633
- Dynamic support interference in high alpha testing — of aircraft models p 309 A86-24746
- [AIAA PAPER 86-0760] p 309 A86-24746
- Hover in-ground-effect testing of a full-scale, tilt-nacelle V/STOL model p 286 A86-24759
- [AIAA PAPER 86-0760] p 286 A86-24759
- Figures of out surface of an airplane model p 288 A86-25237
- Design and testing of a large scale helicopter fuselage model in the RAE 5 metre pressurized wind tunnel p 292 A86-26163
- Low-speed stability characteristics of a helicopter with a sling load p 365 A86-26586
- A modeling structure for computer aided design p 397 A86-28403
- Avoiding probe to model collisions in wind tunnel testing p 397 A86-28413
- Lightning simulation tests on a graphite/epoxy airplane mockup p 355 A86-28514
- Modeling of aircraft cruise performance using acceleration and deceleration maneuvers - Results and application [AIAA PAPER 86-9735] p 426 A86-32062
- Aerodynamic parameters estimated from flight and wind tunnel data p 410 A86-32782
- Correlation of stability test results and analysis for the 1/5 scale V-22 aeroelastic model p 490 A86-35603
- Effects of analytical modelling assumptions on the predicted stability of a model hingeless rotor p 490 A86-35605
- FAA structural crash dynamics program update - Transport category aircraft [SAE PAPER 851887] p 568 A86-38354
- An analysis of a four state model for pursuit-evasion games — during air combat p 680 A86-42957
- Rapid sizing method for airplanes p 706 A86-44887
- Vibration analysis of a helicopter fuselage by means of mathematical models p 725 A86-46368
- Corona threshold determination by three-stage physical modelling of aircraft p 792 A86-47333
- Unsteady low-speed aerodynamic model for complete aircraft configurations [AIAA PAPER 86-2180] p 829 A86-47683
- Flight tests and preliminary aerodynamic parameter extraction of an externally piloted vehicle aircraft model p 796 A86-47800
- Experimental investigation of a boundary layer on a schematic aircraft model p 769 A86-48824
- The use of the magnetic aerohydrodynamic analogy method to simulate three-dimensional flow past aircraft, taking powerplant operation into account p 770 A86-48833
- Estimation of aerodynamic parameters from flight data of a high incidence research model p 834 A86-49057
- Wind tunnels battle the number-crunchers p 840 A86-49683
- Investigation of a supersonic cruise fighter model flow field [NASA-TM-86361] p 152 N86-15248
- Development of a sensitivity analysis technique for multiloop flight control systems [NASA-CR-186619] p 240 N86-17358
- Analysis of dynamic stability derivatives for high angle of attack aircraft p 414 N86-22546
- A study of a collision avoidance system mounted on a curved ground plane [NASA-CR-176771] p 485 N86-24677
- Multivariable control law design for enhanced air combat maneuvering, F-15/STOL (Short Take-Off and Landing) derivative fighter [AD-A184017] p 512 N86-24706
- Vortex Flow Aerodynamics, volume 1 [NASA-CP-2416-VOL-1] p 556 N86-27190
- Development, construction, and manufacturing of wind tunnel models for aerodynamic investigations [BMFT-FB-WV-85-012] p 600 N86-27296
- Analysis of direct and nearby lightning strike data for aircraft [NASA-CR-172127] p 617 N86-27855
- Hover in-ground-effect testing of a full-scale, tilt-nacelle V/STOL model [NASA-TM-88218] p 629 N86-28066
- NASTRAN/FLEXSTAB procedure for static aeroelastic analysis [NASA-TM-94897] p 639 N86-28076
- Rapid vibration mode analysis of aircraft with external stores p 716 N86-30679
- KRASH 85 user's guide: Input/output format, revision [AD-A168846] p 787 N86-32416
- ### AIRCRAFT NOISE
- Helicopter linear noise p 193 A86-17776
- Acoustic recognition of aircraft types in flight p 193 A86-18121
- Laboratory study of the effects of sidewall treatment, source directivity and temperature on the interior noise of a light aircraft fuselage [AIAA PAPER 86-0390] p 219 A86-19851
- The effect of acoustic reflections on combustor noise measurements p 265 A86-20364
- Aeroacoustics of an advanced propeller design under takeoff and landing conditions p 284 A86-23190
- A propeller model for studying trace velocity effects on interior noise p 284 A86-23191
- Noise levels in cockpits of aircraft during normal cruise and considerations of auditory risk p 326 A86-25651
- A theoretical analysis of the effect of thrust-related turbulence distortion on helicopter rotor low-frequency broadband noise p 289 A86-26113
- Helicopter model rotor-blade vortex interaction impulsive noise - Scalability and parametric variations p 400 A86-27658
- Maneuvers for aircraft noise reduction in takeoff, climb, and landing approach operations p 467 A86-31010
- Noise of the general aviation airplanes influence on environment of the airfield, airfields and on crews p 461 A86-31955
- Anatomy of a noise-abetment climb p 419 A86-31956
- Aircraft noise - Different ways to monitor the noise load p 467 A86-31959
- Characteristics of back-radiated departure noise at San Francisco International Airport p 467 A86-31960
- Noise of military aircraft in the range of airports and at low level flights p 468 A86-31961
- What should be known on the environmental impact assessment for a planning airport p 462 A86-31962
- A quiet STOLport? Convincing the public p 462 A86-31963
- Comparison of different aircraft noise exposure indices in flight corridors near airports p 468 A86-31964
- Progress towards international standardisation of aircraft noise contour calculations p 468 A86-31966
- Mobile Experimental Laboratory (MEL) — computer system for real-time acoustic and vibration field tests of aircraft [AIAA PAPER 86-9801] p 465 A86-32130
- Acoustical design economic tradeoff for transport aircraft p 468 A86-32783
- Turbulent boundary-layer wall pressure fluctuations downstream of a tandem LEBU — Large-Eddy BreakUp devices p 457 A86-32984
- 757 Major Static Test instrumentation systems p 520 A86-34636
- The role of scale models in the design of 'low BVI noise' rotorcraft p 534 A86-35617
- A comparative study of tail rotor noise mechanisms p 534 A86-35618
- FAA/HAI helicopter flight operations noise tests and initial results p 535 A86-35619
- The influence of source location on the structural-acoustic interaction of cylinders — in aerodynamics p 638 A86-41710
- Counter-rotation prop-fan optimization [AIAA PAPER 86-1470] p 645 A86-42859
- Sinusoidal disturbance rejection with application to helicopter flight data estimation p 747 A86-44505
- Application of the Baseline Rotonet system to the prediction of helicopter tone noise [AIAA PAPER 86-1804] p 750 A86-45405
- Structureborne noise investigations of a twin engine aircraft [AIAA PAPER 86-1905] p 710 A86-45406
- The effect on radiated noise of non-zero propeller rotational plane attitude [AIAA PAPER 86-1926] p 750 A86-45417
- Experimental results of the noise radiation of propellers in non-uniform flows [AIAA PAPER 86-1928] p 751 A86-45419
- Propeller-induced structure-borne noise - Laboratory-based test apparatus [AIAA PAPER 86-1938] p 730 A86-45425
- Effects of an internal floor on low frequency sound transmission into aircraft cabins - An experimental investigation [AIAA PAPER 86-1939] p 711 A86-45426
- Structural influence of cabin floor on sound transmission into propeller aircraft - Analytical investigations [AIAA PAPER 86-1940] p 711 A86-45427
- Tone-like noise from an isolated two dimensional airfoil [AIAA PAPER 86-1947] p 752 A86-45434
- Active control of propeller induced noise fields inside a flexible cylinder [AIAA PAPER 86-1957] p 711 A86-45442
- Active minimisation of acoustic potential energy in harmonically excited cylindrical enclosed sound fields [AIAA PAPER 86-1958] p 752 A86-45443
- Advanced turboprop aircraft noise annoyance - A review of recent NASA research [AIAA PAPER 86-1959] p 752 A86-45444
- Aircraft noise measurement - Alternatives to the standard 1-2 metre microphone height [AIAA PAPER 86-1960] p 752 A86-45445
- Broadband noise - Its prediction and likely importance for advanced propfans [AIAA PAPER 86-1963] p 753 A86-45447
- An experimental investigation of reducing advanced turboprop cabin noise by wing shielding [AIAA PAPER 86-1966] p 711 A86-45449
- Wing loads induced by a propeller wake [AIAA PAPER 86-1967] p 711 A86-45450
- Prediction of structure-borne noise, based on the finite element method [AIAA PAPER 86-1861] p 754 A86-45481
- A comparison of the structureborne and airborne paths for propfan interior noise [AIAA PAPER 86-1863] p 711 A86-45483
- Theoretical prediction of single rotation propeller noise [AIAA PAPER 86-1891] p 756 A86-45503
- A study of the rotor/rotor interaction tones from a contra-rotating propeller driven aircraft [AIAA PAPER 86-1894] p 756 A86-45505
- Statistical analysis of the influence of service parameters on the aeroacoustic effects p 712 A86-45750

The effect on the transmission loss of a double wall panel of using helium gas in the gap

p 855 A86-48590

Measurements and computer modelling of engine exhaust noise in the cabin of single-engine aircraft

p 798 A86-48594

Area equivalent method (AEM) on VISALC and LOTUS 1-2-3 - The Federal Aviation Administration's spreadsheet programs for predicting noise exposure contour areas around an airport

p 853 A86-48595

Broadband noise of propellers and rotors

p 855 A86-48596

Investigation of the level difference between sound pressure and sound intensity in an aircraft cabin under different fuselage conditions

p 799 A86-48738

The aerodynamic potential of anti-sound

p 855 A86-48977

Aeroacoustics at the German-Dutch wind tunnel

p 839 A86-49061

Method for determining the ISO-noise levels by simulated aircraft flight operations

p 856 A86-49099

Control of interior noise in advanced turbopropeller aircraft

p 802 A86-49100

Active noise control — in prop-fan aircraft cabins

p 803 A86-49101

A study of helicopter main rotor noise in hover [AIAA PAPER 86-1858]

p 856 A86-49575

Truncated Taylor series solutions to a generalized Burgers' equation

p 856 A86-49716

Transmission acoustic vibration testing [AD-A159022]

p 101 N86-13326

General aviation interior noise problem: Some suggested solutions

p 194 N86-15053

On second propagation in radial fan casings [DFVLR-FB-85-32]

p 194 N86-16053

Report of the Working Group for Sensitivity Analysis and Zoning Calculations (GAZOB)

p 259 N86-16749

Analysis and conclusions of the working Group for Sensitivity Analysis and Zoning Calculations (GAZOB)

p 259 N86-16750

Aircraft noise control: Prospects for the 21st century [PNR-90272]

p 260 N86-16757

Noise reduction technology

p 265 N86-17076

Comparison of advanced turboprop and conventional jet and propeller aircraft flyover noise annoyance: Preliminary results

p 265 N86-17077

Environment-friendly propeller aircraft with a maximum weight of 5700 kg, and motor gliders: Publication of the noise values

p 227 N86-17341

Noise assessment around Schiphol airport (the Netherlands) in 1981

p 260 N86-17915

Separation of airborne and structureborne noise radiated by plates constructed of conventional and composite materials with applications for prediction of interior noise paths in propeller driven aircraft

p 265 N86-18121

Analysis of the noise emitted by a tail rotor

p 266 N86-18129

Helicopter internal noise treatment. Recent methodologies and practical applications

p 266 N86-18133

[SNIAS-852-210-102]

Current wind tunnel capability and planned improvements at Lewis Research Center

p 311 N86-18329

Effects of noise and workload on a communication task

p 321 N86-18599

Report of noise measurements with 2 different microphone dispositions on airplane type Cessna F 172L [VTH-M-510]

p 332 N86-19143

Technical evaluation report on the Fluid Dynamics Panel Symposium on Aerodynamics and Acoustics of Propellers

p 279 N86-19298

Hover and forward flight acoustics and performance of a small-scale helicopter rotor system

p 295 N86-19314

[NASA-TM-88584]

Acoustic guide for noise transmission testing of aircraft

p 332 N86-20086

Status and capabilities of sonic boom simulators [NASA-TM-87664]

p 332 N86-20088

International Civil Aviation Organization Helicopter Noise Measurement Repeatability Program: US test report, Bell 206L-1, noise measurement flight test

p 333 N86-20090

[AD-A159898]

Vibrations and structureborne noise in space station [NASA-CR-176520]

p 372 N86-20485

Noise levels for US certificated and foreign aircraft [FAA-AC-36-1D]

p 401 N86-21279

Recent experiences in the analysis of aircraft cabin noise

p 401 N86-21287

The role of vibration and rattle in human response to helicopter noise

[AD-A162486] p 396 N86-22110

An experimental appraisal of the use of ground-plane microphones for aircraft noise measurement — certification tests

[NPL-AC-104] p 401 N86-22302

Airport-Noise Levels and Annoyance Model (ALAMO) user's guide

[NASA-TM-87695] p 401 N86-22304

Airport-Noise Levels and Annoyance Model (ALAMO) system's reference manual

[NASA-TM-87694] p 401 N86-22305

An evaluation of study design for estimating a time-of-day noise weighting

[NASA-CR-178082] p 401 N86-22306

Measurement of noise from airplanes traveling at heights 3500 to 6000m

[FFA-TI-AU-2168] p 401 N86-22312

Improved Y-7, Y-12 aircraft described

p 436 N86-22572

La Recherche Aerospatiale, bimonthly bulletin, number 1965-1, 224/January-February

[ESA-TT-915] p 458 N86-22729

The relative effect of noise at different times of day: An analysis of existing survey data

[NASA-CR-3965] p 469 N86-24392

Consideration of some factors affecting low-frequency fuselage noise transmission for propeller aircraft

[NASA-TP-2552] p 469 N86-24393

Rotor performance characteristics from an aeroacoustic helicopter wind-tunnel test program

[NASA-TM-87681] p 479 N86-24665

An estimate of the enroute noise of an advanced turboprop airplane NASA-TM-87302 E-3020 NAS 1.15:87302 HC A02/MF A01

[NASA-TM-87302] p 535 N86-25217

An experimental investigation of reducing advanced turboprop cabin noise by wing shielding

[NASA-TM-87112] p 536 N86-25218

Aircraft Noise Prediction Program theoretical manual: Propeller aerodynamics and noise

[NASA-TM-83199-PT-3] p 536 N86-25220

La recherche aerospatiale. Bimonthly bulletin, no. 1984-6, November - December 1984

[ESA-TT-907] p 559 N86-27217

Helicopter noise

p 560 N86-27223

Unsteady aerodynamics application to helicopter noise and vibration sources

p 562 N86-27241

Advisory Circular: Estimated airplane noise levels in A-weighted decibels

[AC-36-3D] p 620 N86-27969

Spectra of noise and amplified turbulence emanating from shock-turbulence interaction: Two scenarios

[NASA-TM-88786] p 620 N86-27970

Analysis of helicopter noise data using International helicopter noise certification procedures

[PB86-186533] p 620 N86-27972

Interaction of airborne and structureborne noise radiated by plates. Volume 2: Experimental study

[NASA-TM-87747] p 683 N86-29632

Interaction of airborne and structureborne noise radiated by plates. Volume 1: Analytical study

[NASA-TM-87746] p 683 N86-29633

A new version of the helicopter aural detection program, ICHIN

[NASA-TM-87745] p 756 N86-30471

A study of methods to predict and measure the transmission of sound through the walls of light aircraft [NASA-CR-177147]

p 757 N86-31335

Acoustic treatment of the NASA Langley 4- by 7-meter tunnel: A feasibility study

[NASA-TP-2563] p 757 N86-31337

Structureborne noise in aircraft: Modal tests

[NASA-TM-87739] p 757 N86-31339

New technology propulsion (ANT) for general aviation aircraft, phase 1

[BMFT-FB-W-85-031] p 820 N86-31589

Airport noise control strategies

[AD-A167977] p 840 N86-31602

Measurement and extraction of recurring waveforms: For applications to active transmissions, flow-noise, and helicopter-radiated noise problems

[AD-A167400] p 856 N86-32249

A comparison between acoustic mode measurements and acoustic finite element analysis performed for SAAB SF 340 — propeller-driven aircraft

[FFA-TN-1986-22] p 856 N86-33125

AIRPLANE PARTS

A low temperature curing, quick repair, fuel resistant aircraft sealant

p 115 A86-13062

A method for numerical analysis of the aerodynamic characteristics of an aeroplane wing in the subcritical range of the flying velocity

p 83 A86-13933

Parts integration - Advantages and problems — in aircraft design

p 133 A86-16207

Reliability development testing of SH-60B helicopter mechanical systems

p 164 A86-18420

The possibility of using the on-board computer for in-flight diagnostics

p 297 A86-23765

Locating and demagnetizing magnetized aircraft components following a lightning stroke

p 286 A86-23767

Effect of seat cushions of human response to +Gz impact

p 326 A86-25652

Manufacturing control over the reproduction of high integrity parts - A way to improve the safety of aeronautical products

p 320 A86-26122

Titanium near net shape components for demanding airframe applications

p 380 A86-26717

Applications of titanium and titanium alloys

p 374 A86-27202

Engineer's Guide to Titanium Castings

p 382 A86-27203

Recycling of titanium scrap for the production of high-duty aerospace components

p 382 A86-27211

Aerodynamics of aircraft elements — Russian book

p 337 A86-28525

Aerodynamics. Part 2 - Methods of aerodynamic calculations

p 338 A86-29841

Preliminary estimate of fatigue life for dynamic components of a new helicopter

p 493 A86-35639

Spare parts pricing - Impact on logistics support

p 537 A86-35647

Using the perturbation method for determining the die forging parameters for aircraft parts

p 522 A86-35997

Simulation of aircraft seat response to a crash environment

p 530 A86-36879

On the methodology of an interactive computer-aided optimal design of a dual-valve linkage

p 523 A86-36887

Simulation of aircraft components for training purposes

[SAE PAPER 851985] p 496 A86-36946

Structural certification and in-service flight experience of the RB 211-524 fan cowl doors utilising carbon fibre composite materials

p 496 A86-37108

Flexible manufacturing system for the fabrication of precision components with real time simulation

[SAE PAPER 851804] p 606 A86-38320

Aircraft wheel design and proving

p 583 A86-38721

Ingot metallurgy aluminum - Lithium alloys for aircraft structure

[AIAA PAPER 86-0890] p 603 A86-38822

Processes for the manufacture of aviation instrument components (2nd revised and enlarged edition) — Russian book

p 610 A86-39979

Layout of electrical equipment on an aircraft with allowance for equipment size constraints in the framework of computer-aided design

p 639 A86-43389

Precision casting of aero gas turbine components

p 739 A86-45816

Aviament's efforts to introduce laser technology

p 320 N86-18286

Analysis of direct and nearby lightning strike data for aircraft

[NASA-CR-172127] p 617 N86-27855

Tribology in aircraft systems: Basic principles and applications

p 677 N86-29240

AIRPLANE PERFORMANCE

Air Force flight test instrumentation system

p 102 A86-13202

A programmable data acquisition system with integrated test and calibration facilities — in-flight aircraft testing

p 102 A86-13215

Aero/propulsion technology for STOL and maneuver [AIAA PAPER 85-4013]

p 97 A86-14436

Testing time for AMX - The close support specialist moves towards production

p 162 A86-17435

The electrodynamic operation of electro-impulse deicing systems

[AIAA PAPER 86-0547] p 220 A86-19941

Performance of a forward swept wing fighter utilizing thrust vectoring and reversing

p 221 A86-20163

Airfoil aerodynamics in icing conditions

p 204 A86-20164

AV-8B initial sea trials

p 222 A86-21054

Conventional takeoff and landing (CTOL) airplane ski jump evaluation

p 222 A86-21058

Non-rigid airship testing

p 223 A86-21059

Testing Canadian unique features of the CF-18 - The first year

p 223 A86-21060

Probe and drogue refuelling large receiver aircraft

p 223 A86-21062

F-15 Dual-Role Fighter flight testing

p 224 A86-21065

Basic aircraft performance — Book

p 224 A86-21306

Designing an airlifter - McDonnell Douglas's C-17

p 224 A86-21897

Canard Mirage on test

p 225 A86-22261

Society of Flight Test Engineers, Annual Symposium, 15th, St. Louis, MO, August 12-16, 1984, Proceedings  
 The F-16XL flight test program p 284 A86-23252  
 The possibility of using the on-board computer for in-flight diagnostics p 284 A86-23260  
 Supersonic passenger decade p 288 A86-25848  
 JTIDS RELNAV performance evaluation — Joint Tactical Information Distribution System in relative air navigation p 350 A86-28369  
 Real-time circle generation for raster displays — computer graphics for aircraft displays p 361 A86-28511  
 STALINS method for takeoff and landing trajectory measurements p 356 A86-28566  
 X-29A advanced technology demonstrator program overview p 426 A86-32076  
 Modeling of aircraft cruise performance using acceleration and deceleration maneuvers - Results and application [AIAA PAPER 86-9735] p 428 A86-32082  
 Combined test force operations at the Air Force Flight Test Center p 406 A86-32085  
 Single heading climbs - An alternate technique for determining performance — in jet transport flight tests [AIAA PAPER 86-9757] p 429 A86-32098  
 High technology test bed program — for Hercules cargo aircraft [AIAA PAPER 86-9803] p 431 A86-32132  
 Configuration aspects of modern high-performance aircraft [DGLR PAPER 85-130] p 488 A86-35176  
 Cockpit automation - Design and implementation issues [SAE PAPER 851921] p 529 A86-35431  
 Pilot vehicle interfaces with smart avionics systems [SAE PAPER 851923] p 529 A86-35432  
 Titrotor - 'Copter and plane in one p 490 A86-35565  
 The performance characteristics of simulated ice on rotorcraft airfoils p 482 A86-35656  
 Sukhoi frogfoot p 495 A86-36333  
 Pacific aeroseystems continues development of Heron 26 vehicle p 495 A86-36818  
 Douglas Automated Weighing System p 597 A86-38069  
 The EMB-312 Tucano - A Brazilian trainer [SAE PAPER 851769] p 578 A86-38304  
 Retrofitting avionics - Closing the performance 'Generation gap' [SAE PAPER 851813] p 589 A86-38324  
 The STOL performance of a two-engine, USB powered-lift aircraft with cross-shafted fans [SAE PAPER 851839] p 578 A86-38336  
 Estimation of lift losses of hovering vehicles using a single jet [SAE PAPER 851842] p 579 A86-38339  
 Effects of jet flap on AV8-B 'Harrier' performance [SAE PAPER 851843] p 579 A86-38340  
 A verification of propulsion and airplane performance models generated from flight [SAE PAPER 851899] p 580 A86-38362  
 Aircraft flotation analysis - Current methods and perspective — of ground performance evaluation [SAE PAPER 851936] p 580 A86-38369  
 Techniques for sortie generation analysis [SAE PAPER 851950] p 618 A86-38376  
 Natural laminar flow and regional aircraft [SAE PAPER 850864] p 552 A86-38505  
 The measurement of aircraft performance and stability and control after flight through natural icing conditions [AIAA PAPER 86-9758] p 651 A86-40681  
 Pilot report - B-1B p 634 A86-41275  
 Canard/tail comparison for an advanced variable-sweep-wing fighter p 637 A86-41688  
 Society of Experimental Test Pilots, Symposium, 29th, Beverly Hills, CA, September 25-28, 1985, Proceedings p 709 A86-44936  
 Boeing 737-300 flight test and the first nine months service experience p 709 A86-44940  
 X-29 initial flight test results p 709 A86-44942  
 AV-8B high angle of attack/spin program p 710 A86-44943  
 New technologies offer quantum leap in future fighter capabilities p 686 A86-45063  
 British experimental aircraft program providing insight into new technology p 710 A86-45064  
 More accurate simulations of whole aircraft p 691 A86-45702  
 A methodology for evaluating the operational performance of an aircraft in a tactical environment [AIAA PAPER 86-2095] p 759 A86-47444

Design factors and considerations for a time-based flight management system [AIAA PAPER 86-2144] p 822 A86-47455  
 Validation of a new flying quality criterion for the landing task [AIAA PAPER 86-2126] p 828 A86-47672  
 The effect of heave damping (ZW) on helicopter handling qualities [AIAA PAPER 86-2129] p 828 A86-47675  
 Flight evaluation of a precision landing task for a powered-lift STOL aircraft [AIAA PAPER 86-2130] p 828 A86-47676  
 The MIL-prime standard for aircraft flying qualities [AIAA PAPER 86-2131] p 828 A86-47677  
 The analysis of airline flight records for winds and performance with application to the Delta 191 accident [AIAA PAPER 86-2227] p 829 A86-47690  
 Society of Flight Test Engineers, Annual Symposium, 16th, Seattle, WA, July 29-August 2, 1985, Proceedings p 794 A86-47776  
 The ground effects of a powered-lift STOL aircraft during landing approach p 795 A86-47784  
 Flight testing on customer aircraft with a portable airborne digital data system p 810 A86-47788  
 A new look at inflight loads on existing transport aircraft p 796 A86-47794  
 Self-oscillatory regimes of aircraft motion during spin-roll coupling p 832 A86-48775  
 The race for speed from the beginning of aviation to the present day p 761 A86-48980  
 Wind influence on the range of jet or propeller aircraft p 801 A86-48990  
 A review of unconventional aircraft design concepts p 801 A86-48995  
 The British Aerospace Experimental Aircraft Programme and the role of system development cockpits p 801 A86-48996  
 Long endurance aircraft performance p 805 A86-49478  
 Optical technique to study the impact of heavy rain on aircraft performance [NASA-CR-177989] p 123 N86-12580  
 Estimation of drag due to inoperative turbo-jet and turbo-fan engines using data item nos. 81009 and 84004 [ESDU-84005] p 211 N86-17305  
 Critical analysis of turbulence restitution from acceleration measurements — aircraft construction [ONERA-RT-3/3567-RV-C40-R] p 227 N86-17340  
 Determination of performance and stability characteristics from dynamic maneuvers with a transport aircraft using parameter identification techniques [NLR-MP-84024-U] p 308 N86-19326  
 Modal analysis of a typical fighter aircraft using transient testing technique [NAL-TM-ST-8517] p 356 N86-20385  
 The measurement of aircraft performance and stability and control after flight through natural icing conditions [NASA-TM-87265] p 448 N86-22582  
 Rollout of XT-4 intermediate class training aircraft p 438 N86-23774  
 Airstart performance of a digital electronic engine control system on an F100 engine [PAPER-8] p 505 N86-25350  
 X-29A technology demonstrator flight test program overview [NASA-TM-86809] p 588 N86-26328  
 Aircraft performance optimization with thrust vector control [AD-A165388] p 587 N86-26334  
 Validation of a new flying quality criterion for the landing task [NASA-TM-88261] p 595 N86-26341  
 An overview of the fundamental aerodynamics branch's research activities in wing leading-edge vortex flows at supersonic speeds p 558 N86-27207  
 Effect of time delay on flying qualities: An update [NASA-TM-88264] p 653 N86-28092  
 Flight determination of the aerodynamic stability and control characteristics of the NASA SGS 1-36 sailplane in the conventional and deep stall angles-of-attack of between -5 and 75 degrees [NASA-CR-176962] p 726 N86-29865  
 The performance evaluation of a jet flap on an advanced supersonic harrier [NASA-CR-179653] p 716 N86-30722  
 Development of a takeoff performance monitoring system [NASA-TM-89001] p 835 N86-31591  
**AIRCRAFT PILOTS**  
 Pilot medical certification - Procedures and recent developments p 195 A86-18849  
 Talking to your aircraft p 239 A86-21900  
 Situation versus command — flight information for pilots [SAE PAPER 841638] p 328 A86-26023

U.S. Army helicopter voice technology applications [SAE PAPER 841609] p 328 A86-26028  
 Expert systems for real time applications p 398 A86-28486  
 Knowledge engineering for a flight management expert system p 368 A86-28496  
 Air transport pilot involvement in general aviation accidents p 418 A86-29936  
 Twin-engine transport extended range operations [SAE PAPER 851960] p 482 A86-35456  
 MLS - The pilot's point of view p 572 A86-39557  
 Radio telephony - A case for growing concern p 635 A86-40569  
 Identification of pilot-vehicle dynamics from in-flight tracking data p 725 A86-46459  
 Identification of pilot dynamics in a system with a choice of feedback structures [AIAA PAPER 86-2250] p 825 A86-47496  
 Airplane landing behaviors controlled by man-pilots p 835 A86-49244  
 Aircraft accident report: China Airlines Boeing 747-SP, N4522V 300 nautical miles northwest of San Francisco, California, February 19, 1985 [PB86-910403] p 634 N86-28069  
 Will the USAF need ground-based air traffic control radar in the year 2000? [AD-A168504] p 704 N86-29805  
**AIRCRAFT POWER SUPPLIES**  
 Reserve generator for over-ocean twins p 106 A86-14244  
 AV-8B design for maintainability p 225 A86-22378  
 Design of the F-16 aircraft electrical system built-in-test monitor p 298 A86-24827  
 Electric power management and distribution for air and space applications p 319 A86-24828  
 Efficiently meeting electric power needs for future aircraft p 319 A86-24829  
 Development of autonomous power system testbed p 311 A86-24841  
 Design and development of an inertial power supply unit for carrier-based aircraft p 304 A86-24861  
 Multivoltage high power electrical power system p 386 A86-26376  
 Diagnosis - Using automatic test equipment and artificial intelligence expert systems — for F-15 aircraft p 386 A86-26492  
 Aircraft electrical power systems p 364 A86-28506  
 Solar powered vehicle may fly year-long missions p 356 A86-29824  
 Application of digital/electric systems to advanced technology aircraft [SAWE PAPER 1639] p 488 A86-35203  
 Evaluation of less toxic fuels for aircraft emergency power systems [SAE PAPER 851974] p 601 A86-38384  
 Digital simulation of regulated electrical power supplies for military applications p 669 A86-40775  
 Two-hundred to 300 KVA conditioned power system - development, phase 1 [AD-A158820] p 125 N86-13832  
 Controlled impact demonstration on-board (interior) photographic system p 392 N86-21946  
 Multifunctional requirements for a gearbox secondary power system in a modern fighter aircraft and its components and interface requirements p 678 N86-29243  
 Transmission line design for a power distribution system at 20 kHz for aircraft [NASA-CR-3967] p 721 N86-29618  
**AIRCRAFT PRODUCTION**  
 Flexible assembly subsystems — automated airframe assembly p 126 A86-13125  
 The use of automated riveting systems in aircraft construction p 95 A86-13127  
 Technological support for aircraft production — Russian book p 75 A86-13446  
 Manufacturers prepare for Europe's new fighters p 75 A86-13549  
 Forging in the aerospace industry p 121 A86-14424  
 Productivity improvements through the use of CAD/CAM p 121 A86-14538  
 Robotic applications to automated composite aircraft component manufacturing [SME PAPER MF85-506] p 319 A86-24667  
 Composites in the development of Agusta helicopters p 320 A86-26121  
 Manufacturing control over the reproduction of high integrity parts - A way to improve the safety of aeronautical products p 320 A86-26122  
 Requirements for recycling of valuable chips from and for aircraft manufacturing p 374 A86-27209  
 From wind tunnel to large aircraft [DGLR PAPER 85-088] p 487 A86-35151  
 Robotics in aircraft manufacturing p 522 A86-35660

- Generation of an electroformed nickel mold for use in manufacturing composite parts  
[SAE PAPER 850905] p 607 A86-38523
- UHB technology flight validation program — Ultra High Bypass engines for large passenger aircraft  
[AIAA PAPER 86-1473] p 656 A86-42861
- Methods of the assembly of aircraft instrumentation and systems — Russian book p 685 A86-44284
- Avanti to fly soon p 713 A86-48405
- How one A/C manufacturer transits to composites p 759 A86-47604
- Case studies in aircraft manufacturing automation p 762 A86-49000
- The competitive and cooperative outlook for aircraft propulsion systems p 857 A86-49571
- [AIAA PAPER 86-1134] p 92 N86-13617
- Certification granted to Franco-Italian ATR 42 ATR 42 production work in French, Italian plants detailed p 76 N86-13618
- A systems engineering methodology for the advanced tactical aircraft [AD-A182049] p 437 N86-23593
- ### AIRCRAFT PRODUCTION COSTS
- How US companies are attacking production costs — of aircraft p 605 A86-37323
- LHX targets dollars as well as bogeys p 686 A86-45704
- Manufacturers seek reduced costs through new fabrication techniques p 762 A86-49448
- Problems found when introducing new materials — aircraft industry [SNIAS-852-551-101] p 198 N86-18190
- ### AIRCRAFT RELIABILITY
- Estimation of the probability of a flight parameter exceeding a specified value under conditions of atmospheric turbulence p 108 A86-13355
- Ground-simulation investigation of VTOL airworthiness criteria for terminal area operations p 90 A86-14237
- Using diagnostic systems to collect data on the reliability of aircraft p 133 A86-16861
- Engine-out take-off climb - An old airworthiness problem reviewed p 161 A86-17061
- R&M test data management during helicopter system development p 164 A86-18419
- Reliability development testing of SH-60B helicopter mechanical systems p 164 A86-18420
- The US Army aviation flight activity - An overview p 134 A86-18425
- US Army Flight Condition Monitoring p 170 A86-18435
- Use of a Service Life Assessment Program (SLAP) for identifying Service Life Extension Program (SLEP) procedures for fatigue sensitive airframe components p 134 A86-18442
- Helicopter fatigue - The changing scene p 165 A86-18445
- The application of fatigue damage tolerance concepts to helicopters - The approach proposed by the UK military airworthiness authorities p 165 A86-18447
- Aircraft reliability, safety, and lifetime — Russian book p 166 A86-19290
- The damage tolerance approach in the type approval process p 220 A86-20038
- A case study in fatigue life extension - The main spar of RAAF Mirage IIIO wings p 225 A86-22165
- The Air Force approach to environmental stress screening p 253 A86-22192
- The automated, advanced matrix FMEA technique — Failure Modes and Effects Analysis p 253 A86-22382
- F/A-18 Hornet - Reliability development testing p 225 A86-22400
- Is there life after 10,000 flight hours? p 254 A86-22402
- A multiple-parameter allocation process p 254 A86-22407
- AVIP Air Force thrust for reliability — Avionics Integrity Programs p 315 A86-23003
- Evolution of emerging environmental testing and evaluation techniques p 315 A86-23011
- Unscreened part reliability rivals that of screened parts in new digital avionics p 315 A86-23015
- Some thoughts on the vibration testing of helicopter equipment in the UK p 283 A86-23022
- Engine/airframe health and usage monitoring an alternate approach via advanced vibration monitoring systems p 296 A86-23255
- Testability of aircraft p 269 A86-23760
- Rotorcraft trends. II - Requirements and monitoring p 287 A86-25089
- Reliability and structural inspection program for transport aeroplanes p 269 A86-25176
- Structural airworthiness - A decade of developments p 288 A86-25925
- Airworthiness aspects of fatigue in helicopters p 280 A86-26128
- The health and usage monitoring system of the Westland 30 series 300 helicopter p 299 A86-26153
- Flight Test Instrumentation System FTIS for type-certification of the Indonesian aircraft CN 235 p 358 A86-27818
- Helicopter Airworthiness Symposium, 19th, London, England, December 19, 1984, Proceedings p 354 A86-28261
- Problems of aircraft reliability p 383 A86-28303
- Accelerated testing as a means of ensuring the reliability of aircraft equipment p 335 A86-28306
- Control of the flight testing of aircraft as a means of increasing their reliability p 397 A86-28307
- Reliability and maintenance of aircraft p 384 A86-28309
- Reliability of aircraft navigation p 348 A86-28312
- The effect of changes in the static strength of a structure during service on the reliability of aircraft p 384 A86-28322
- Electromechanical actuation reliability and survivability — for flight control surface motion in military aircraft p 354 A86-28397
- The application of fracture mechanics methodology to the damage tolerance analysis of the Boeing 757 airplane p 425 A86-30090
- Fatigue crack growth in patched plates under constant amplitude and flight simulation loadings p 454 A86-30092
- Combined test force operations at the Air Force Flight Test Center [AIAA PAPER 86-9739] p 406 A86-32085
- T-46A flight test results [AIAA PAPER 86-9786] p 429 A86-32103
- Extended range operation of twin-engine commercial airplanes [SAE PAPER 851959] p 490 A86-35455
- The health and usage monitoring of helicopter systems - The next generation p 491 A86-35613
- Putting a price on safety p 567 A86-37940
- Developments in airworthiness control for Canadian airlines [SAE PAPER 851784] p 620 A86-38308
- Nonflammable fluid and 8,000 psi technology for future aircraft hydraulic systems (22 CFR 125.4 /b/ 113/ applicable) p 580 A86-38364
- An analysis of acoustic emission detected during fatigue testing of an aircraft p 670 A86-41596
- R&M 2000 - A look to the future — Air Force Reliability and Maintainability [AIAA PAPER 86-1668] p 672 A86-42781
- Design for engine supportability [AIAA PAPER 86-1871] p 648 A86-42784
- Fatigue and damage tolerance work during the aircraft design process p 706 A86-43777
- The significance of flight-simulation fatigue tests p 706 A86-43778
- Damage tolerance - USAF experience p 736 A86-43784
- U.S. Army requirements for damage tolerance of composite helicopter structure p 706 A86-43785
- Damage tolerance test program of the Fokker 100 p 706 A86-43786
- Airbus Industrie A310 and A300-800 experience with practical applications of damage tolerance design in fuselage primary structure p 707 A86-43787
- Continued airworthiness of damage tolerant aircraft p 707 A86-43788
- Continuing structural integrity program for transport aircraft p 736 A86-43789
- Damage tolerance and durability in the design of a short-haul turboprop aircraft p 707 A86-43790
- Maintenance system by means of damage tolerance principle p 736 A86-43791
- A rationale for the safe operation of an aircraft fleet having known cracks in primary structure p 737 A86-43792
- A simple crack closure model for predicting fatigue crack growth under flight simulation loading p 737 A86-43796
- The certification of airframes and components in metals and composites p 737 A86-43798
- Doubling the Air Force through greater reliability p 685 A86-44006
- DOD overhauls maintenance p 758 A86-45703
- Single-state observer design considerations for aircraft application [AIAA PAPER 86-1996] p 852 A86-47418
- A parameter insensitive technique for aircraft sensor fault analysis using eigenstructure assignment and analytical redundancy [AIAA PAPER 86-2029] p 809 A86-47420
- Robust fault detection and isolation for a high performance aircraft on STOL approach [AIAA PAPER 86-2031] p 821 A86-47421
- A methodology for evaluating the operational performance of an aircraft in a tactical environment [AIAA PAPER 86-2095] p 759 A86-47444
- AIRMEC '85 - Aviation equipment servicing: Aircraft and helicopter maintenance; International Exhibition and Conference, 4th, Dusseldorf, West Germany, February 26-March 3, 1985, Conference Reports p 759 A86-47601
- Ageing aircraft as seen by an authority p 783 A86-47611
- Modern crack detection methods - The use of low frequency eddy currents to assist structural integrity auditing p 845 A86-47613
- Engine control reliability and durability improvement through accelerated mission environmental testing [ASME PAPER 86-GT-52] p 813 A86-48132
- Managing airworthiness p 785 A86-49035
- A study of the structural integrity of the Canadair Challenger at ditching p 785 A86-49054
- A contribution to airworthiness certification of gas turbine disks p 849 A86-49136
- Selection of fatigue S-N curves within the framework of new aircraft development p 804 A86-49137
- Safe service life scattering coefficient 1 sub N (and/or eta sub 4) and the S-N curve p 804 A86-49138
- Limited Airworthiness and Flight Characteristics (A and FC) test of the quick fix configuration [AD-A157718] p 101 N86-13323
- The relationship between material failures and flight hours: Statistical considerations [AD-A159571] p 169 N86-15311
- The Shock and Vibration Bulletin 55. Part 2: Dynamic testing, flight vehicle dynamics, seismic loads and fluid-structure interaction [AD-A160264] p 257 N86-16648
- Airworthiness flight test program of an aircraft equipment fairing p 228 N86-16653
- Preliminary airworthiness evaluation of the AH-1S (modernized cobra) with the Hellfire, TOW, and Stinger missiles installed [AD-A160862] p 294 N86-18322
- Evaluating turbine engine operating characteristics [FAA-AC-25-939-1] p 504 N86-24696
- Flight test guide for certification of transport category airplanes [FAA-AC-25-7] p 587 N86-26329
- Aircraft nuclear survivability methods [AD-A163218] p 587 N86-26332
- National Transportation Safety Board safety recommendation [NTSB-4102C/300A] p 571 N86-27267
- Verification and aerodynamic calibration of the tunnel 16T Captive Trajectory Support (CTS) system [AD-A165235] p 599 N86-27295
- Air-on demonstration of the AEDC PWT tunnel 16T captive trajectory support system [AD-A168888] p 696 N86-30700
- Aircraft transparency testing: Artificial birds [AD-A168832] p 701 N86-30704
- An analytical methodology for predicting repair time distributions of advanced technology aircraft [AD-A167149] p 783 N86-31529
- Flight test instrumentation used in the Fokker F27 and F28 development and certification flight program [NLR-MP-84023-U] p 811 N86-32431
- ### AIRCRAFT SAFETY
- Hardware integrity — description of new 32-bit microprocessor architecture for increased air safety p 126 A86-13049
- The development of dynamic performance standards for general aviation aircraft seats [SAE PAPER 850853] p 97 A86-14449
- Flight tests of the helicopter pneumatic deicing system p 163 A86-18408
- Helicopter wire strike protection system qualification testing p 163 A86-18411
- Helicopter fatigue - The changing scene p 165 A86-18445
- Aircraft reliability, safety, and lifetime — Russian book p 166 A86-19290
- SAFE Association, Annual Symposium, 22nd, Las Vegas, NV, December 9-13, 1984, Proceedings p 212 A86-19301
- Computer tools and techniques for analysis of discrete data from aircrew automated escape systems (AAES) p 260 A86-19302
- The future of advanced crew escape capsule technology p 217 A86-19306
- Development of mechanical components for advanced aircrew seating systems p 217 A86-19307
- The continuing requirement for helicopter escape p 217 A86-19308
- U.S. Navy ALSS corporate report 1984 p 261 A86-19309
- F-111 escape systems - Today's module technology p 217 A86-19311

- The use of TLX energy transfer lines on the F-16 aircraft  
— Thin Layer explosive p 243 A86-18313
- Ballistic gas fired devices p 240 A86-18328
- Pilot underwater high pressure emergency breathing system p 261 A86-18343
- The state of the art of anthropomorphic manikins and requirements for the evaluation of advanced aircraft ejection systems p 262 A86-18345
- A philosophical basis for the use of high-performance, gliding parachutes in ejection seat aircraft p 213 A86-18352
- Airfoil aerodynamics in icing conditions p 204 A86-20184
- Hardware/software FMEA applied to airplane safety p 253 A86-22396
- Longitudinal flying qualities criteria for single-pilot instrument flight operations p 305 A86-23186
- An improved smoke generator for aircraft testing p 308 A86-23265
- 1985 - A turning point for safety? p 280 A86-25849
- Affordable safety p 269 A86-25850
- Manufacturing control over the reproduction of high integrity parts - A way to improve the safety of aeronautical products p 320 A86-26122
- Safety aspects in stores management systems p 299 A86-26132
- Tests on whole A129 engine bay simulating the inertia and aerodynamic loads p 292 A86-26164
- Structural impact and crashworthiness: Proceedings of the International Conference, Imperial College of Science and Technology, London, England, July 16-20, 1984. Volume 1 Keynote Lectures. Volume 2 - Conference Papers p 383 A86-28276
- Cockpit and cabin crew coordination and communication [SAE PAPER 851918] p 473 A86-35448
- Cockpit communication and aircraft safety - An empirical study [SAE PAPER 851858] p 482 A86-35451
- Extended range operation of twin-engine commercial airplanes [SAE PAPER 851959] p 490 A86-35455
- The design of the EH101 for safety and performance p 491 A86-35629
- Aerodynamics and radar-signature - A theoretical approach to estimate the radar-signature of complex aircraft configurations compatible with aerodynamic panel-methods [AIAA PAPER 86-1770] p 577 A86-37807
- Putting a price on safety p 567 A86-37940
- Upper torso restraint systems — for fixed wing and rotorcraft aircraft [SAE PAPER 851848] p 567 A86-38344
- Controlled impact demonstration review — for aircraft crashworthiness evaluation [SAE PAPER 851884] p 567 A86-38351
- Antimisting fuel technology for transport category aircraft [SAE PAPER 851888] p 568 A86-38353
- FAA structural crash dynamics program update - Transport category aircraft [SAE PAPER 851887] p 568 A86-38354
- Design, safety, and maintainability aspects for hydrazine use in emergency secondary power systems [SAE PAPER 851972] p 568 A86-38382
- Data for the development of criteria for general aviation seat and restraint system performance [SAE PAPER 850851] p 568 A86-38511
- A procedure to evaluate aircraft crash floor pulses [SAE PAPER 850854] p 582 A86-38513
- Preliminary design research for the Caravan 1 crew seat [SAE PAPER 850856] p 582 A86-38514
- The market price for air safety p 633 A86-40226
- Health and usage monitoring techniques for greater safety in helicopter operations p 621 A86-40232
- Neces - Today's ultimate seat p 637 A86-40472
- The fire-hard airliner p 698 A86-44400
- The Boeing crew escape technologies (CREST) program p 708 A86-44776
- 1985 USAF ejection summary p 698 A86-44777
- Sniffing out trouble p 699 A86-45757
- LLWAS - An integral part of the U.S. wind-shear safety programme p 746 A86-46138
- Aspects of lightning protection schemes for radomes p 792 A86-47338
- F-5E departure warning system algorithm development and validation [AIAA PAPER 86-2284] p 830 A86-47702
- Flow stagnation as an advanced windblast protection technique — for ejection seat safety p 793 A86-47727
- Evaluation of a pre-ejection upper torso retraction device p 793 A86-47728
- Scott emergency escape breathing device - Evaluation for use in Canadian forces aircraft p 784 A86-47731
- Development of a controllable catapult for ejection seats p 793 A86-47733
- Retrofit energy-absorbing crewseat for the SH-3 (S-61 series) Sea King helicopter p 793 A86-47736
- High speed ejection tests of a modified Hybrid III Manikin p 784 A86-47738
- Mach number immune microprocessor controlled sequencer for open ejection seats using on-board environmental sensors p 793 A86-47743
- Advancements in inertia reels for fixed seating aircraft p 784 A86-47744
- Emergency underwater escape from helicopters p 784 A86-47745
- Concept development of a canopy escape module p 784 A86-47759
- Development of a new lightweight emergency escape breathing device p 784 A86-47760
- Aircrew protection design, training and mission management for high altitude aerodynamic operations p 781 A86-47778
- Fire safety investigations for material selection and design of a carbon fibre reinforced fuselage structure p 785 A86-48989
- Managing airworthiness p 785 A86-49035
- Failure analysis of aircraft windshields subjected to bird impact p 802 A86-49055
- The airline engineering role in the management of safety p 782 A86-49084
- Aircraft protection against lightning strikes p 806 A86-50347
- FAA (Federal Aviation Administration) could improve overall aviation safety and reduce costs associated with airport instrument landing systems [PB85-195444] p 91 A86-12215
- Advanced emergency openings for commercial aircraft [NASA-TM-87580] p 91 A86-13305
- Results of the expert study of accidents during operation of German aircraft in the homeland and abroad as well as of foreign aircraft in the homeland p 158 A86-14261
- Results of the expert study of accidents during operation of German aircraft in the homeland and abroad as well as of foreign aircraft in the homeland p 159 A86-14262
- Antimisting kerosene: Development of a continuous 10 GPM in-line blender [NASA-CR-176432] p 185 A86-15412
- CERR: An aviation verification program [PB85-204824] p 260 A86-16854
- Systems safety: Phantom or reality [SNIAS-852-422-103] p 215 A86-17330
- Probabilistic evaluation of individual aircraft tracking techniques [AD-A180146] p 282 A86-18312
- Atmospheric electricity hazards threat environment definition [AD-A159739] p 324 A86-18909
- Microburst wind shear models from the Joint Airport Weather Studies (JAWS) [AD-A159758] p 324 A86-18910
- Obstruction marking and lighting [AC-70/7460-1G] p 371 A86-20410
- Aircraft accident report: Galaxy Airlines, Inc., Lockheed Electra-L-188C, N5532, Reno, Nevada, January 21, 1985 [PB86-910401] p 344 A86-21526
- Proceedings of Cabin Safety Conference and Workshop held on 11-14 December 1984 [AD-A160950] p 344 A86-21527
- Aircraft mishap fire pattern investigations [AD-A181094] p 344 A86-21528
- Results of the technical investigation of accidents during the operation of German aircraft at home and abroad, and of foreign aircraft in Germany p 420 A86-23578
- The impact of a traffic alert and collision avoidance system on the air traffic control radar beacon system and the mode S system in the Los Angeles Basin [FAA-PM-84-30] p 425 A86-23581
- Preliminary hazard analysis for self-contained navigation system [AD-A181883] p 425 A86-23582
- Lightning protection guidelines and test data for adhesively bonded aircraft structures [NASA-CR-3762] p 436 A86-23586
- Storm precipitation and wind structure during aircraft strike lightning events [AD-A162338] p 483 A86-24100
- Ice detector [NASA-CASE-LAR-13403-1] p 483 A86-24673
- KRASH dynamics analysis modeling: Transport airplane controlled impact demonstration test [DOT/FAA/CT-85/9-REV] p 483 A86-25331
- Safety report General Aviation Crashworthiness Project. Phase 3: Acceleration loads and velocity changes of survivable general aviation accidents [PB85-917016] p 569 A86-26302
- Analyses and tests for design of an electro-impulse de-icing system [NASA-CR-174919] p 571 A86-27268
- Aircraft accident reports: Brief format, US civil and foreign aviation, issue number 17 of 1983 accidents [PB85-916918] p 571 A86-27269
- Probabilistic damage tolerance analysis of aircraft structures [FFA-TN-1985-88] p 640 A86-28061
- A simplified model of the turbulent microburst [NASA-CR-177108] p 679 A86-29466
- Task Force report on emergency evacuation of transport airplanes, volume 1 [DOT/FAA/VS-86/1.1] p 699 A86-29793
- Task force report on emergency evacuation of transport airplanes. Volume 2: Supporting documentation [FAA/VS-86/1.2] p 700 A86-29797
- Proceedings of Fuel Safety Workshop [DOT/FAA/PM-86/13] p 733 A86-30007
- FAA fuel containment R and D p 733 A86-30011
- Safety fuels-specifications and progress p 734 A86-30018
- Current design procedures for minimizing post crash fire hazards p 700 A86-30019
- The physical and empirical basis for a specific clear-air turbulence risk index [NASA-CR-3971] p 746 A86-30285
- Development of airborne electric field and lightning detection instrumentation for aviation safety [AD-A167342] p 701 A86-30705
- Aviation weather hazards: FAA (Federal Aviation Administration) system for disseminating severe weather warnings to pilots [PB86-195070] p 702 A86-30707
- Antimisting fuel research and development for commercial aircraft [FAA/CT-86/7] p 735 A86-30883
- Advisory Circular: Design considerations to protect fuel systems during a wheels-up landing [FAA-AC/25-994-1] p 808 A86-31564
- Flight data recorders (FDR) and/or cockpit Voice Recorders (CVR) in the Lockheed Orion P-3C Update 2 [ETN-86-97395] p 811 A86-31581
- Air safety: Federal Aviation Administration's role in developing mid-air collision avoidance back-up systems [PB86-197506] p 787 A86-32418
- AIRCRAFT SPECIFICATIONS**
- Su-27 - Sukhoi plays its flanker p 427 A86-31344
- New technologies offer quantum leap in future fighter capabilities p 686 A86-45063
- AIRCRAFT SPIN**
- Evaluation of pilot performance and aircrew protective devices in a simulated F-14 flat spin environment p 262 A86-18351
- Flight test simulation of the T-46 [AIAA PAPER 86-9773] p 430 A86-32108
- Development of spin resistance criteria for light general aviation airplanes [AIAA PAPER 86-9812] p 443 A86-32139
- Leading-edge design for improved spin resistance of wings incorporating conventional and advanced airfoils [SAE PAPER 851816] p 578 A86-38325
- AV-8B high angle of attack/spin program p 710 A86-44943
- Navy departure/spin and air combat maneuvering evaluation of a National Aeronautics and Space Administration developed flight control system for the F-14 p 724 A86-44944
- F-5E departure warning system algorithm development and validation [AIAA PAPER 86-2284] p 830 A86-47702
- Energy dissipation of liquids in rotating spherical tanks measured by a forced motion-spin table [AD-A161884] p 460 A86-23874
- AIRCRAFT STABILITY**
- A property of the elastic vibrations of nearly symmetric systems p 119 A86-13387
- Dynamics of non-autonomous spatial motion of an aeroplane with deformable control systems p 109 A86-13931
- Stability of the steady-state gliding of a light vehicle p 175 A86-16787
- A study of aircraft motion stability in steady spin p 176 A86-19070
- Experimental study of effects of forebody geometry on high angle of attack static and dynamic stability [AIAA PAPER 86-0331] p 238 A86-19818
- Flight stability and controllability. II - Aircraft longitudinal stability — Serbo-Croatian book p 239 A86-21318
- Lapunov function for studying the stability in the whole of nonlinear systems p 331 A86-23576
- New aspects of the small-perturbation method in aerodynamics p 271 A86-23770
- Pressure fluctuations on the external surface of an aircraft p 271 A86-23780



- Proposal for the choice of state variables for equations of motion of aircraft in moving air p 306 A86-24588
- Aeromechanical stability analysis of a multicopter vehicle with application to hybrid heavy lift helicopter dynamics p 290 A86-26141
- Analytical and experimental results of the ground resonance phenomenon for A.129 p 291 A86-26142
- Helicopter maneuver stability - A new twist p 307 A86-26160
- Helicopter attitude stabilization using individual-blade-control p 307 A86-26170
- Direct derivative measurements in the presence of sting plunging p 371 A86-28560
- The aeromechanics of aircraft: Flight dynamics (2nd revised and enlarged edition) - Russian textbook p 442 A86-30925
- Transient motion of a hypersonic wedge, including time history effects p 443 A86-31682
- Development of spin resistance criteria for light general aviation airplanes p 443 A86-32139
- [AIAA PAPER 86-9812] p 443 A86-32139
- Adaptive flutter suppression in the presence of turbulence p 508 A86-35370
- Preliminary design of low authority SAS. I - stability augmentation system p 510 A86-36772
- Categorization of atmospheric turbulence in terms of aircraft response for use in turbulence reports and forecasts p 615 A86-37497
- A unified procedure for meeting power-spectral-density and statistical-discrete-gust requirements for flight in turbulence p 584 A86-38869
- [AIAA PAPER 86-1011] p 584 A86-38869
- The measurement of aircraft performance and stability and control after flight through natural icing conditions [AIAA PAPER 86-9758] p 651 A86-40681
- Preliminary design of low authority SAS. II - stability augmentation system p 724 A86-45058
- Active suppression of compressor instabilities [AIAA PAPER 86-1914] p 690 A86-45410
- The methods implemented at ONERA to improve airplane ground vibration tests [ONERA, TP NO. 1986-8] p 713 A86-46153
- Vibration analysis of a helicopter fuselage by means of mathematical models p 725 A86-46368
- A comparison of methods for aircraft ground vibration testing p 713 A86-47096
- Limitations of statically unstable aircraft due to the effects of sensor noise, turbulence, and structural dynamics p 824 A86-47483
- [AIAA PAPER 86-2203] p 824 A86-47483
- Real-time flutter identification with close mode resolution p 827 A86-47654
- [AIAA PAPER 86-2019] p 827 A86-47654
- Application of parameter estimation to highly unstable aircraft p 827 A86-47655
- [AIAA PAPER 86-2020] p 827 A86-47655
- On the flight dynamics of aeroelastic vehicles [AIAA PAPER 86-2077] p 828 A86-47666
- Stability and control of aircraft with manual all-moving tailplanes p 829 A86-47692
- [AIAA PAPER 86-2231] p 829 A86-47692
- Boundary-layer transition effects on airplane stability and control p 831 A86-47708
- [AIAA PAPER 86-2229] p 831 A86-47708
- Identification of unsteady response in rudders at low velocities [AAAF PAPER NT 85-19] p 797 A86-48468
- Overview of helicopter wake and airloads technology p 767 A86-48654
- A study of stability and control of a hingeless rotor helicopter with non-uniform induced velocity field p 831 A86-48655
- Rotor aeroelastic stability p 798 A86-48664
- The dynamic response of helicopters to fixed wing aircraft wake encounters p 832 A86-48671
- Design criteria for flight control systems p 833 A86-49023
- Handling qualities for unstable combat aircraft p 833 A86-49025
- The estimation of the stability and control characteristics of a canard configured combat aircraft having a forward swept wing p 834 A86-49056
- The use of active controls to augment rotor/fuselage stability p 178 N86-15281
- Test results from a dynamic model dynaflex rotor p 167 N86-15285
- Hardware/software Failure Mode Effect Analysis (FMEA) applied to airplane safety [NLR-MP-84073-U] p 215 N86-17325
- Estimation of sideforce, yawing moment and rolling moment derivatives due to rate of yaw for complete aircraft at subsonic speeds [ESDU-84002] p 240 N86-17357
- Effects of wing modification on an aircraft's aerodynamic parameters as determined from flight data [NASA-TM-87591] p 370 N86-21550
- The measurement of aircraft performance and stability and control after flight through natural icing conditions [NASA-TM-87265] p 448 N86-22582
- Summary of results of NASA F-15 flight research program p 539 N86-26277
- [NASA-TM-86811] p 539 N86-26277
- Six degree-of-freedom LIVE isolation systems, part 1 [NASA-CR-177928] p 567 N86-26331
- Study on using a digital ride quality augmentation system to trim an engine-out in a Cessna 402B [NASA-CR-177272] p 595 N86-26342
- Unsteady aerodynamics-fundamentals and applications to aircraft dynamics [NASA-TM-86768] p 555 N86-27182
- A computer programme for DATCOM methods of estimation of lateral stability and control derivatives [NAL-TM-AE-8601] p 596 N86-27289
- Application of parameter estimation to highly unstable aircraft [NASA-TM-86266] p 639 N86-28078
- Tailoring methodology for aeroelastic stability and lateral control enhancement p 729 N86-30657
- Aeroelastic problems and structural design of a tailless Carbon Fiber Composite (CFC) sailplane p 715 N86-30662
- An approach to integrated aeroservoelastic tailoring for stability p 836 N86-32439
- AIRCRAFT STRUCTURES**
- Age creep forming in an autoclave p 118 A86-13135
- Prediction and measurement of damping of vibrations of structures by adhesives p 118 A86-13171
- Constant temperature heaters for the repair of composite structures p 115 A86-13174
- Correlation of GPS receiver channel track continuity with aircraft structural masking p 92 A86-13217
- Strain measurement of the USB-flap structures of NAL STOL aircraft p 95 A86-13315
- Consideration of the multiplicity of critical spots in a structure in estimating the durability and the service life p 119 A86-13367
- A model for the life variance of a structural element under irregular loading p 119 A86-13388
- Using isoperimetric inequalities for the two-aided estimation of the torsional stiffness of a prismatic bar p 119 A86-13410
- Computation of aeronautical structures - Romanian book p 120 A86-14157
- Manufacturing advance towards high strain fibers p 182 A86-16203
- Experimental characterization of cracks at straight attachment lugs p 186 A86-16821
- Structural materials in aeronautics - Prospects and perspectives p 183 A86-16866
- Modelling for fatigue crack growth prediction in aircraft p 161 A86-17011
- Design against corrosion - applicable to aircraft structures p 161 A86-17382
- Impact of loads recording methodology on crack-growth-based individual aircraft tracking p 182 A86-17790
- Full scale fatigue testing of advanced fiber composite components p 183 A86-18437
- The AV-8B fatigue test program p 165 A86-18443
- Aeroelasticity and dynamics of the helicopter structure - Russian book p 166 A86-18733
- An introduction to the theory of nonlinear vibrations of aircraft structures - Russian book p 187 A86-18739
- Finite element analysis of an ultralight aircraft p 221 A86-20165
- Structural demonstration of the AV-8B Harrier II p 223 A86-21061
- SPF aluminum - A first for the S-76B helicopter - Superplastic Forming p 250 A86-21709
- Requirements for tailoring of material properties of viscoelastically damped bonded laminates in aircraft structures p 250 A86-21714
- Improved temperature resistant sealants for composite & adhesive bonded fuel-tank structures p 246 A86-21736
- Unique tooling and manufacturing approach for large advanced composite aircraft structure p 246 A86-21742
- Toward automated airframe assembly p 197 A86-21894
- Evolution of Aircraft/Aerospace Structures and Materials Symposium, Dayton, OH, April 24, 25, 1985, Proceedings p 197 A86-22128
- The Wright Brothers experience in the evolution of aircraft design, structures, and materials p 267 A86-22129
- XB-70 structures and materials advancements p 224 A86-22131
- Structural evolution B-58 to F-16 p 225 A86-22132
- Structural and material considerations for advanced fighters p 252 A86-22134
- X-15 high temperature advanced structure p 268 A86-22137
- X-20 structures overview p 268 A86-22138
- Transition of advanced materials and structures - Single crystal blades p 252 A86-22143
- Performance of AV-8B Harrier II structural test program p 241 A86-22189
- Recursive instrumental variable algorithms for modal parameter estimation of structural system p 263 A86-22306
- AVIP Air Force thrust for reliability - Avionics Integrity Programs p 315 A86-23003
- The problem of optimizing the final design modifications of stochastic oscillatory systems p 316 A86-23651
- A theory of large and finite displacements of bars p 316 A86-23662
- Methods for determining the weight and the center of gravity of aircraft - The platform balance of the Aeronautical Research and Test Institute p 286 A86-23768
- Autoparametric vibration of coupled beams under random support motion p 318 A86-24246
- [ASME PAPER 85-DET-184] p 318 A86-24246
- High-temperature composite ducts [SME PAPER MF85-501] p 319 A86-24663
- Reliability and structural inspection program for transport aeroplanes p 269 A86-25176
- Structural airworthiness - A decade of developments p 288 A86-25925
- ARALL - A light weight structural material for impact and fatigue sensitive structures p 313 A86-26158
- New developments in the materials used in airliner, helicopter and spacecraft structures p 372 A86-26327
- Reliable nondestructive testing - The key to using weldments in critical fighter aircraft structure p 380 A86-26544
- Application of modern structural optimization to vibration reduction in rotorcraft p 352 A86-26587
- Strength in adversity - of aircraft construction materials p 335 A86-27020
- Mathematical models for studying aircraft vibrations with allowance for structural hysteresis p 365 A86-27081
- The damping capacity of layered materials p 374 A86-27084
- A study of the static post buckling behavior of composite sandwich plates p 383 A86-27653
- S-2 glass fiber - Its role in military applications p 377 A86-27702
- Aerospace applications of PMR polyimide composites p 377 A86-27730
- Structural impact and crashworthiness: Proceedings of the International Conference, Imperial College of Science and Technology, London, England, July 18-20, 1984, Volume 1 Keynote Lectures. Volume 2 - Conference Papers p 383 A86-28276
- Reliability of the plates and shells of aircraft p 384 A86-28314
- Problems in the dynamics of aircraft structures exposed to intensive acoustic loading p 384 A86-28316
- The life of reinforced thin-walled structures in a random force field p 384 A86-28319
- Problems in the stability and dynamics of aircraft structures with physicochemical singularities p 384 A86-28321
- Measurements of the response of transport aircraft ceiling panels to fuel fires p 343 A86-28564
- Numerical synthesis of tri-variate velocity realizations of turbulence p 387 A86-28654
- Linear and nonlinear modal analysis of aeroelastic structural systems p 387 A86-28742
- Strength analysis of flight vehicles - Russian book p 356 A86-29842
- Fractographic study of fatigue crack kinetics in bodies and structures p 454 A86-30034
- A stress intensity factor solution due to holes ahead of growing cracks in thin sheet material p 454 A86-31123
- Plastic torsion of hollow elements of aircraft - Russian book p 455 A86-31374
- A mathematical model for structures consisting of elastic shell sections connected by open girders p 456 A86-31420
- New and existing techniques for dynamic loads analyses of flexible airplanes p 432 A86-32787
- Nonlinear multimode response of clamped rectangular plates to acoustic loading p 457 A86-32973
- Step relaxation method for modal test implemented with frequency-domain preprocessing p 457 A86-32975
- Rapid vibration mode analysis of aircraft with external stores p 435 A86-33261
- Calculation of structural elements of aircraft: Sandwich plates and shells - Russian book p 458 A86-33292
- Photogrammetry as a means of mapping postbuckled composite surfaces p 520 A86-34639
- The effect of center delamination on the instability of composite cylindrical panels p 520 A86-34642



An internal variable assisted formulation of moisture sorption models for polymers and composites p 515 A86-34650

Straining for weight savings in advanced composites [SAWE PAPER 1885] p 516 A86-35226

The Hughes integrated approach to helicopter crashworthiness Past, present, and future p 494 A86-35663

A reliability concept in structural optimization of flight vehicles p 494 A86-35977

Some aspects of variability in fatigue crack initiation and propagation in thick aluminium alloy sections p 522 A86-36176

Structural materials in aeronautics - Prospects and perspectives p 516 A86-36335

What is the choice for primary aircraft structures - Composite or aluminum materials? p 516 A86-36750

Drop testing and analysis of six-foot diameter graphite-epoxy frames p 517 A86-37068

Aircraft icing observations and analysis p 576 A86-37485

Process for adhesive bonding of metal skins to aircraft structures [SAE PAPER 851805] p 608 A86-38321

The design of repairable advanced composite structures [SAE PAPER 851830] p 608 A86-38335

Composites: Design and manufacturing for general aviation aircraft; Proceedings of the General Aviation Aircraft Meeting and Exposition, Wichita, KS, April 16-19, 1985 p 582 A86-38515

Design and use of Kevlar in aircraft structures [SAE PAPER 850893] p 583 A86-38520

A cementitious tooling/molding material - Room temperature castable, high temperature capable [SAE PAPER 850904] p 607 A86-38522

Equivalent plate analysis of aircraft wing box structures with general planform geometry [AIAA PAPER 86-0940] p 583 A86-38837

Operational experience of U.S. Air Force with structural composites [AIAA PAPER 86-0946] p 583 A86-38840

Composite material service experience on Boeing commercial airplanes [AIAA PAPER 86-0947] p 603 A86-38841

Optimum design of large structures with multiple constraints [AIAA PAPER 86-0952] p 600 A86-38845

Generic aircraft ground operation simulation [AIAA PAPER 86-0989] p 584 A86-38865

Dynamic interactions between active control systems and a flexible aircraft structure [AIAA PAPER 86-0980] p 594 A86-38932

Effects of nonlinear damping on random response of beams to acoustic loading [AIAA PAPER 86-1004] p 609 A86-38945

Accurate dynamic theory for supermaneuverable aircraft wings [AIAA PAPER 86-1006] p 585 A86-38947

Next generation aircraft structures - The need for co-ordinated Canadian R & D programs p 539 A86-39567

Robotic nondestructive inspection of aerospace structures p 668 A86-40509

Characterization of T300/V-378A graphite/bismaleimide for structural applications p 662 A86-41053

Composite repair techniques examined p 662 A86-41684

Design of a carbon-fiber reinforced wing for the Alpha-Jet major panel tests p 638 A86-41692

Composite repair at the Naval Air Rework Facility, North Island - composite aircraft structures [AIAA PAPER 86-1140] p 664 A86-43329

U.S. Army requirements for damage tolerance of composite helicopter structure p 706 A86-43785

Damage tolerance test program of the Fokker 100 p 706 A86-43786

Airbus Industrie A310 and A300-600 experience with practical applications of damage tolerance design in fuselage primary structure p 707 A86-43787

A rationale for the safe operation of an aircraft fleet having known cracks in primary structure p 737 A86-43792

The influence of slow growth and net section yielding on the residual strength of stiffened structure p 737 A86-43793

Fracture diagrams for stiffened aircraft structures - Effects of material non-linearity p 737 A86-43794

Residual strength characterization of jet transport structures p 707 A86-43795

Aircraft flutter analysis (The Fourth John Weston Memorial Lecture) p 724 A86-44932

Structural modification by modal correction p 738 A86-44934

An iterative method for statically indeterminate structures of flight vehicle p 738 A86-45059

Structureborne noise investigations of a twin engine aircraft [AIAA PAPER 86-1905] p 710 A86-45406

Predicted and measured strain responses of rectangular panels due to acoustic loading [AIAA PAPER 86-1931] p 751 A86-45421

Response of symmetric rectangular composite laminates with nonlinear damping subjected to acoustic loading [AIAA PAPER 86-1933] p 738 A86-45422

Optimization of stiffened panels under compression p 739 A86-45762

Fiber optic sensors for flexure measurement of aircraft structures p 739 A86-46135

New modal identification methods applied to aeronautical structures [ONERA, TP NO. 1986-35] p 713 A86-46177

Induced surface currents and fields on a conducting body by a lightning strike (frequency domain) p 844 A86-47296

Ring discharge on the backsurface of a composite skin with ohmic anisotropy in response to frontal high current injection p 845 A86-47329

Early corrosion detection and prevention measures - for aircraft p 760 A86-47612

Adhesive selection from the user's viewpoint p 841 A86-47715

Environmental durability testing - of Al alloy bonded aircraft structures p 845 A86-47719

Chemical analysis for control - of Al alloy aircraft structures p 842 A86-47720

Coatings - for Al alloy corrosion control p 845 A86-47721

Structural analysis of adhesive-bonded joints p 846 A86-47722

Adhesive-bonded aluminum structure repair p 846 A86-47725

From mainframe to micro - Structures and flutter testing at the Air Force Flight Test Center p 838 A86-47791

Computing codes for development of helicopter crashworthy structures and test substantiation p 798 A86-48657

Methods for minimizing Boolean functions in the automation of experimental studies of the survivability of aircraft structures p 853 A86-48760

Method for determining the efficiency of utilization of the material in a thin-wall aircraft structure according to the strength conditions p 847 A86-48776

Shape optimization of aircraft structural elements with stress raisers p 848 A86-48846

Automated structural optimization at Warton - for aircraft p 854 A86-48987

Fibre optic damage detection in composite structures p 848 A86-48988

Airbus-assembly concepts to improve productivity and flexibility in aircraft construction p 761 A86-48999

Analytical and experimental investigation on advanced composite wing box structures in bending including effects of initial imperfections and crushing pressure p 848 A86-49003

On the fast repair of aircraft panel components p 762 A86-49066

The control and use of residual stresses in aircraft structural parts p 849 A86-49114

Some aspects of the reliability analysis of aircraft structures p 849 A86-49127

Details of analysis of airplane structure acoustic loading in flight testing p 804 A86-49129

Selection of fatigue S-N curves within the framework of new aircraft development p 804 A86-49137

Safe service life scattering coefficient j sub N (and/or eta sub 4) and the S-N curve p 804 A86-49138

Application of strain gauge amplifiers and computer technology to the strength testing of aircraft p 849 A86-49144

Application of strain gauge methods to determination of in-flight loads of structure groups of small transport aircraft p 811 A86-49149

Prediction of the life of stressed structures - A comprehensive study of the aircraft landing gear - Russian book p 804 A86-49288

Solid-beam model of a deformable aircraft for natural-vibration studies p 804 A86-49444

Structural design and analysis aspects of composite helicopter components [MBB-UD-454-85-OE] p 806 A86-50256

Flutter clearance tests on a Transavia PL-12/T-400 Skyfarmer [AD-A157212] p 110 A86-12234

ATR 42 production work in French, Italian plants detailed p 76 A86-13618

Three-dimensional elastic-plastic finite-element analysis of fatigue crack propagation [NASA-CR-178415] p 189 A86-14687

01General aviation interior noise problem: Some suggested solutions p 194 A86-15053

Development and application of a time-history analysis for rotorcraft dynamics based on a component approach p 168 A86-15291

Method of calculating angular dimensions of flight vehicle cockpit canopy casings p 191 A86-15886

Fatigue life monitoring of aircraft [NLR-MP-83069-U] p 226 A86-16211

AGARD Corrosion Handbook. Volume 1: Corrosion, causes and case histories [AGARD-AG-278-VOL-1] p 248 A86-16374

Airworthiness flight test program of an aircraft equipment fairing p 226 A86-16653

Damage-tolerant aircraft design [NLR-MP-84005-U] p 227 A86-17342

Lecture notes on fatigue, static tensile strength and stress corrosion of aircraft materials and structures. Part 2: Figures [VTH-LR-380-PT-2] p 227 A86-17345

Feasibility study of a device to control aircraft electromagnetic protection - transparency [ONERA-RS-10/3466-PY] p 257 A86-17637

Design of hat-stiffened composite panels under uniaxial compression and shear. Minimum mass optimization based on a simplified theory [VTH-LR-312] p 259 A86-17806

An introduction to the application of Computer Aided Design (CAD) to the pre-design of aircraft and the design of aircraft structures at the Aerospace Section [VTH-M-512] p 330 A86-19045

Fatigue crack propagation under spectrum loading [NAL-TM-MT-8502] p 322 A86-19656

Application of mathematical optimization procedures to a structural model of a large finite-element wing [NASA-TM-87597] p 322 A86-19661

Aerostaticity at the NASA Langley Research Center Recent progress, new challenges [NASA-TM-87680] p 336 A86-20342

Modal analysis of a typical fighter aircraft using transient testing technique [NAL-TM-ST-8517] p 356 A86-20385

The 1-(diorganoxyphosphonyl)methyl-2, 4- and -2, 6-dinitro and diamino benzenes and their derivatives [NASA-CASE-ARC-11425-2] p 378 A86-20499

Development of a computerised method of determining aircraft maintenance intervals [AD-A181339] p 336 A86-21500

Aircraft interior panel test criteria derived from full-scale fire tests [AD-A181637] p 345 A86-21529

Structural materials in aeronautics: Prospects and perspectives [RAE-TR-85077] p 357 A86-21532

Beam dampers for skin vibration and noise reduction in the 747 p 389 A86-21917

Integrated damped fuselage structure p 389 A86-21918

Full-Scale Transport controlled Impact Demonstration [NASA-CP-2395] p 390 A86-21933

CID overview p 390 A86-21934

NASA experiments on the B-720 structure and seats p 390 A86-21936

Structural loads preliminary results p 391 A86-21940

Preliminary floor, seat, and dummy data p 391 A86-21942

CID-720 aircraft high-environment flight instrumentation system p 392 A86-21947

Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987 [AD-A162792] p 402 A86-22443

More on new IL-96, IL-114 aircraft p 435 A86-22567

Tupolev bureau developing TU-204 passenger jet: Tupolev on features p 435 A86-22568

Details of new Ka-126 helicopter p 435 A86-22569

Improved Y-7, Y-12 aircraft described p 436 A86-22572

Holography: The nondestructive testing of composite structures - aerospace structures p 458 A86-22611

Activities report of the Department of Aerospace Engineering p 470 A86-23491

Lightning protection guidelines and test data for adhesively bonded aircraft structures [NASA-CR-3762] p 436 A86-23586

Design of fuselage shapes for natural laminar flow [NASA-CR-3970] p 480 A86-23852

Ice detector [NASA-CASE-LAR-13403-1] p 483 A86-24673

Application of artificial intelligence to improve aircraft survivability [AD-A164172] p 483 A86-24674

Evaluation of capillary reinforced composites [NASA-CR-175081] p 517 A86-24760

- The Shock and Vibration Digest, volume 17, no. 8  
[AD-A165115] p 612 N86-27471  
Principles and applications of the Fokker bond tester  
— flue gases p 612 N86-27624  
Optimized bolted joint  
[NASA-CASE-LAR-13250-1] p 612 N86-27630  
NASTRAN/FLEXSTAB procedure for static aeroelastic  
analysis p 639 N86-28076  
Probabilistic damage tolerance analysis of aircraft  
structures  
[FFA-TN-1985-68] p 640 N86-28081  
The design of composite structures — aircraft design  
[SNIAS-861-111-103] p 640 N86-28082  
Stress intensity factor in an integral or bonded stiffened  
panel using an analytical method — aircraft structures  
[SNIAS-861-111-104] p 676 N86-28481  
Experimental study using nearfield acoustic holography  
of sound transmission through fuselage sidewall  
structures  
[NASA-CR-177182] p 683 N86-28702  
An introductory course on aircraft loading  
[NLR-MP-84090-U] p 641 N86-28943  
Interaction of airborne and structureborne noise radiated  
by plates. Volume 2: Experimental study  
[NASA-TM-87747] p 683 N86-29632  
Calculation of the load distribution, aerodynamic  
derivatives and dynamic characteristics of quasi-static  
elastic aircraft p 696 N86-30640  
Static aeroelastic analysis using aircraft vibration  
modes p 743 N86-30641  
Experience with aeroelastic analysis of a single engine  
turbo trainer using finite element methods  
p 743 N86-30646  
Structural optimization programs and methods — aircraft  
weight reduction p 715 N86-30655  
Aeroelastic problems and structural design of a tailless  
Carbon Fiber Composite (CFC) sailplane  
p 715 N86-30662  
Structural dynamic aspects of rotor nodal isolation —  
helicopters p 715 N86-30665  
Advances in ground vibration testing using a combination  
of phase resonance and phase separation methods —  
aircraft testing p 743 N86-30669  
The influence of large-scale computing on aircraft  
structural design  
[AGARD-R-726] p 717 N86-30726  
Assessing the effects of delaminations on the  
postbuckling strength of CRFP panels — aircraft  
structures p 743 N86-30781  
Structureborne noise in aircraft: Modal tests  
[NASA-TM-87738] p 757 N86-31339  
Development of a data acquisition system to aid in the  
aerodynamic study of various helicopter configurations  
[AD-A167717] p 781 N86-31539  
Dynamic analysis: Correlation of theory with experiment  
— MSC/NASTRAN analysis of Westland 30 G-BGHF  
[RP661] p 851 N86-31917  
The generation of equal probability design load  
conditions, using Power Spectral Density (PSD) techniques  
— aircraft design  
[NLR-TR-85014-U] p 809 N86-32430  
Review of aeronautical fatigue investigations in the  
Netherlands during the period March 1983 - February  
1985  
[NLR-MP-85025-U] p 851 N86-32779  
Short cracks in aerospace structures  
[NLR-MP-85054-U] p 851 N86-32781
- AIRCRAFT SURVIVABILITY**  
The fundamentals of aircraft combat survivability  
analysis and design — Book p 97 A86-14498  
Impact of flying qualities on mission effectiveness for  
helicopter air combat p 110 A86-14531  
Electromechanical actuation reliability and survivability  
— for flight control surface motion in military aircraft  
p 354 A86-28397  
Controlled impact demonstration review — for aircraft  
crashworthiness evaluation  
[SAE PAPER 851884] p 567 A86-38351  
Antimisting fuel technology for transport category  
aircraft  
[SAE PAPER 851886] p 568 A86-38353  
A methodology for evaluating the operational  
performance of an aircraft in a tactical environment  
[AIAA PAPER 86-2095] p 759 A86-47444  
Methods for minimizing Boolean functions in the  
automation of experimental studies of the survivability of  
aircraft structures p 853 A86-48760  
Integrated communication, navigation, and identification  
avionics: Impact analysis. Executive summary  
[AD-A161799] p 388 N86-20658  
Application of artificial intelligence to improve aircraft  
survivability  
[AD-A164172] p 483 N86-24674
- Safety report General Aviation Crashworthiness Project.  
Phase 3: Acceleration loads and velocity changes of  
survivable general aviation accidents  
[PB85-917016] p 569 N86-26302  
Aircraft nuclear survivability methods  
[AD-A163218] p 587 N86-26332  
Antimisting fuel research and development for  
commercial aircraft  
[FAA/CT-86/7] p 735 N86-30883  
Survivability considerations during aircraft conceptual  
design  
[AD-A168555] p 809 N86-32428
- AIRCRAFT TIRES**  
Equations of rolling for a wheel with an elastic tire  
p 96 A86-13369  
Long taxi rolls can lead to catastrophic blow-outs  
p 157 A86-17063  
High-speed braking of an aircraft tire on grooved  
surfaces p 162 A86-17787  
Investigation of main landing gear tire temperatures  
during taxi-out at heavy take-off masses  
[AIAA PAPER 86-9778] p 430 A86-32113  
The optimal take-off run of an aircraft on an unpaved  
surface p 494 A86-35978  
The generation of tire cornering forces in aircraft with  
a free-swiveling nose gear  
[SAE PAPER 851939] p 581 A86-38372  
A certain type of self-oscillation of aircraft landing-gear  
wheels p 800 A86-48829  
Shimmy problems of landing gears caused by elastic  
deformation of tires p 803 A86-49118  
Surface properties-vehicle interaction  
[PB85-242576] p 255 N86-16428  
Rubber removal specification development  
[FAA/PM-85/33] p 371 N86-21555  
Runway rubber removal specification development  
[DOT/FAA/PN-85/33] p 372 N86-21556  
Air force technical objective document, flight dynamics  
laboratory plans for fiscal year 1987  
[AD-A162792] p 402 N86-22443  
Development of an operating profile for aircraft tires  
[FAA/CT-85-32] p 677 N86-29218  
Simulation of aircraft taxi testing on the AGILE shaker  
test facility p 731 N86-30663
- AIRCRAFT WAKES**  
Effect of cantilevers on the lift characteristics of a thin  
swept wing and vortex-wake stability p 81 A86-13422  
An experimental investigation of propeller wakes using  
a laser Doppler velocimeter  
[AIAA PAPER 86-0080] p 232 A86-19677  
A vortex lattice method for jet wing performance with  
nonlinear wake and tip flow p 205 A86-22311  
Prospects for destructive self-induced interactions in a  
vortex pair due to sinusoidal disturbances — of large  
transport aircraft wakes  
[AIAA PAPER 86-1791] p 543 A86-37821  
Wake hazard alleviation associated with roll oscillations  
of wake-generating aircraft p 624 A86-41693  
An approximate model of vortex decay in the  
atmosphere p 689 A86-44889  
Control of wake structure behind an oscillating airfoil  
[AIAA PAPER 86-2282] p 764 A86-47700  
The dynamic response of helicopters to fixed wing  
aircraft wake encounters p 832 A86-48671  
Wake/boundary-layer interactions in two and three  
dimensions p 773 A86-49032  
On the motion of spray drops in the wake of an  
agricultural aircraft p 777 A86-49441  
Recent developments in three-dimensional wake  
analysis p 156 N86-15273  
Vortex wake alleviation studies with a variable twist  
wing  
[NASA-TP-2442] p 197 N86-16187  
Recent extensions to the free-vortex-sheet theory for  
expanded convergence capability p 556 N86-27194  
Directivity and trends of noise generated by a propeller  
in a wake  
[NASA-TP-2609] p 757 N86-31341
- AIRFIELD SURFACE MOVEMENTS**  
RASP - A system generating very accurate position  
markers during flight testing — Radiographic Spotting of  
Position of aircraft  
[AIAA PAPER 86-9802] p 422 A86-32131  
A review of computer simulations for aircraft-surface  
dynamics p 432 A86-32776  
Simulation of aircraft taxi testing on the AGILE shaker  
test facility p 448 A86-33265  
Airport surface navigation and traffic control  
p 635 A86-40227  
An analysis of the motion of an aircraft on the ground  
p 725 A86-46367  
Shimmy problems of landing gears caused by elastic  
deformation of tires p 803 A86-49118  
The effect of supply parameters on the volume of future  
aircraft movements p 158 N86-14258
- AIRFOIL FENCES**  
Low-speed aerodynamics of apex fences on a tailless  
delta configuration  
[AIAA PAPER 86-1838] p 779 A86-45983  
Basic studies on delta wing flow modifications by means  
of apex fences p 557 N86-27199
- AIRFOIL PROFILES**  
Critical values of the Mach number of a radial airfoil  
cascade — for determining turboprop engine efficiency  
p 105 A86-13408  
Linear theory of an equivalent profile in the problem  
concerning the influence of porous flow boundaries  
p 81 A86-13411  
A solution of inverse problem for multi-element airfoils  
through application of panel method p 83 A86-13546  
A new fast solver procedure applied to the BGK  
computer program for transonic flow past an airfoil  
p 83 A86-14360  
Viscous flow results for the vortex-airfoil interaction  
problem  
[AIAA PAPER 85-4053] p 83 A86-14451  
Performance of finite wings at low Reynolds numbers  
p 138 A86-16314  
Determination of the intensity of a free vortex sheet in  
the context of airfoil theory p 146 A86-18904  
SF-340 airfoil structure - A unique approach  
p 224 A86-21712  
3-D design of turbine airfoils  
[ASME PAPER 85-GT-188] p 236 A86-22101  
An eleven parameter axial turbine airfoil geometry  
model  
[ASME PAPER 85-GT-219] p 205 A86-22117  
Aerodynamic design of an airfoil with allowance for the  
condition of nonseparated flow p 270 A86-23660  
Practical difficulties in the theoretical design of  
low-speed profiles p 271 A86-23775  
Development of numerical methods of external  
high-speed aerodynamics p 271 A86-23777  
Post stall studies of untwisted varying aspect ratio blades  
with NACA 44XX series. II - Airfoil sections  
p 272 A86-24522  
Stator row unsteady aerodynamics due to wake  
excitations p 273 A86-24703  
Test cases for the plane potential flow past multi-element  
airfoils p 275 A86-25670  
Steady and unsteady transonic pressure distributions  
on NACA 0012 p 337 A86-28565  
Effects of intense rainfall on the aerodynamics of an  
airfoil profile p 409 A86-31013  
Experimental and theoretical study of wings with blunt  
trailing edges p 410 A86-32789  
Airfoil design at sonic velocity p 411 A86-32989  
Velocity distribution around a wing in a wind tunnel  
Verification of a calculation method by means of a laser  
anemometer p 476 A86-35925  
Application of elliptic continuation method for transonic  
airfoil design and experimental verification  
p 477 A86-36206  
Euler calculation for flow over a wing in ground effect  
[AIAA PAPER 86-1765] p 542 A86-37803  
A two-dimensional transonic aerodynamic design  
method  
[AIAA PAPER 86-1793] p 543 A86-37823  
The reverse-flow theorem for transonic flow  
p 688 A86-44802  
On aerodynamic sound generation by airfoil-vortex  
interaction p 688 A86-44803  
Nonuniqueness of laminar separated flow around an  
airfoil at angle of attack in the Kirchhoff scheme  
p 769 A86-48822  
The effect of a kinetic air model on the aerodynamic  
characteristics of airfoils with flaps p 771 A86-48849  
Thick supercritical airfoils with low drag and NLF  
capability p 771 A86-48981  
Trapping of a free vortex by airfoils with surface  
suction p 780 A86-49801  
Airfoil trailing-edge flow measurements  
p 780 A86-49803  
The state of development research in numerical  
aerodynamics in West Germany — conference  
[DGLR-84-01] p 147 N86-14225  
Procedure for solution of the Navier-Stokes equations  
at Dornier GmbH p 149 N86-14238  
Trailing edge flow with transonic profiles  
p 149 N86-14240  
Development of multigrid algorithms for problems from  
fluid dynamics p 187 N86-14244  
Contribution to the potential calculation of anisotropic  
compression shocks in a plane case  
p 150 N86-14245  
A procedure for solution of full potential equations with  
correction of the trailing edge condition  
p 150 N86-14246  
Numerical solutions for three-dimensional cases: Delta  
wings p 155 N86-15264  
Concluding remarks p 155 N86-15265

- Pressure distributions from high Reynolds number tests of a Boeing BAC 1 airfoil in the Langley 0.3-meter transonic cryogenic tunnel  
[NASA-TM-87600] p 208 N86-16199
- Investigation of the aerodynamic forces on bluff bodies at high Reynolds numbers  
[ESA-TT-914] p 209 N86-16206
- A system for computer aided analysis and design of multielement airfoils: MAD  
[NLR-TR-83136-U] p 212 N86-17321
- The conformal representation of the NACA 642A015 profile  
[VTH-M-502] p 277 N86-18296
- On the longest chord of the first Muller profile  
[VTH-M-486] p 277 N86-18303
- Acta Aerodynamica Sinica (selected articles)  
[AD-A162993] p 417 N86-23575
- Dynamic stall modeling of the NACA 0012 profile  
p 559 N86-27222
- Design of transonic airfoils with given pressure, subject to geometric constraints  
[NLR-TR-84064-U] p 633 N86-28928
- Design of a basic profile for a slightly swept wing. Part 2: Experimental investigation on the airfoil DFVLR-W1 in the Brunswick Transonic Wind Tunnel (TWB)  
[ESA-TT-916-PT-2] p 782 N86-31542
- ### AIRFOILS
- High-temperature thermocouple and heat flux gauge using a unique thin film hardware hot junction  
[ASME PAPER 85-GT-18] p 117 A86-13059
- Local heat-transfer measurements on a large scale-model turbine blade airfoil using a composite of a heater element and liquid crystals  
[ASME PAPER 85-GT-59] p 117 A86-13061
- Ice shapes and the resulting drag increase for a NACA 0012 airfoil  
[AIAA PAPER 84-0109] p 90 A86-14427
- Conference on Low Reynolds Number Airfoil Aerodynamics, Notre Dame, IN, June 16-18, 1985, Proceedings p 136 A86-16301
- Airfoil design for Reynolds numbers between 50,000 and 500,000 p 136 A86-16302
- Low Reynolds number airfoil design p 136 A86-16303
- Airfoil design at low Reynolds number with constrained pitching moment p 136 A86-16304
- A viscous-inviscid coupling method for the design of low Reynolds number airfoil sections p 136 A86-16305
- Effect of pressure gradients on the growth of subharmonic disturbances in boundary layers p 136 A86-16306
- Research on laminar separation bubbles at Delft University of Technology in relation to low Reynolds number airfoil aerodynamics p 137 A86-16306
- An analysis of a separation bubble transition criterion at low Reynolds numbers p 137 A86-16309
- Theoretical and experimental study of low Reynolds number transitional separation bubbles p 137 A86-16310
- Separation bubble behavior for a NACA 23009 airfoil p 137 A86-16312
- Aspect ratio effects on the aerodynamics of a Wortmann airfoil at low Reynolds number p 137 A86-16313
- Symmetry breaking and lift hysteresis arising from massive laminar separation - A study of multiple steady-state solutions p 138 A86-16316
- Computational study of flow over Milek and Wortmann airfoils p 138 A86-16317
- Streamwise and spanwise vortical patterns visualized over airfoils in unsteady flow p 138 A86-16319
- Preliminary experiments in unsteady flow on airfoils at low Reynolds numbers p 138 A86-16320
- The effect of trip wire roughness on the performance of the Wortmann FX 63-137 airfoil at low Reynolds numbers p 139 A86-16322
- Acoustic and turbulence influence on low-Reynolds number wing pressure distributions p 139 A86-16323
- Mean flow properties measured around an airfoil close to its maximum lift p 140 A86-16395
- On a weak solution for a transonic flow problem p 143 A86-17738
- Surface wetting effects on a laminar flow airfoil in simulated heavy rain p 162 A86-17780
- Oscillating hot-wire measurements above an FX63-137 airfoil  
[AIAA PAPER 86-0012] p 198 A86-19635
- Computation of dynamic stall of NACA0012 airfoil by block pentadiagonal matrix scheme  
[AIAA PAPER 86-0116] p 199 A86-19697
- Lift-curve characteristics for an airfoil pitching at constant rate  
[AIAA PAPER 86-0117] p 199 A86-19698
- Vortices produced by air pulse injection from the surface of an oscillating airfoil  
[AIAA PAPER 86-0118] p 199 A86-19699
- Acoustic and turbulence influences on stall hysteresis  
[AIAA PAPER 86-0170] p 200 A86-19731
- Vortex-airfoil interaction tests  
[AIAA PAPER 86-0354] p 201 A86-19633
- Aerodynamic measurements of an airfoil with simulated glaze ice  
[AIAA PAPER 86-0484] p 202 A86-19697
- Airfoil aerodynamics in icing conditions p 204 A86-20164
- Development of a design model for airfoil leading edge film cooling  
[ASME PAPER 85-GT-120] p 252 A86-22073
- Transition of advanced materials and structures - Single crystal blades p 252 A86-22143
- The response of airfoils to periodic disturbances - The unsteady Kutta condition  
[AIAA PAPER 84-0050] p 270 A86-23126
- Airfoil tip vortex formation noise p 331 A86-23134
- Compressibility corrections for multifoil sections p 270 A86-23193
- The development of a second-generation of Controlled Diffusion Airfoils for multistage compressors  
[ASME PAPER 85-IGT-9] p 271 A86-23630
- Aerodynamic performances of fabric surface airfoils p 275 A86-25224
- An experimental investigation of the influence of a range of aerofoil design features on dynamic stall onset p 288 A86-26104
- Design of the 225-knot conventional rotor p 289 A86-26116
- An engineering approach to the inverse transonic wing design problem p 336 A86-26409
- Aerodynamics. Part 1 - Fundamentals of theory. Aerodynamics of an airfoil and a wing - Book p 338 A86-29840
- Improved numerical method for lifting airfoils with oscillating control surfaces in subsonic flow p 409 A86-31021
- Comparative study between two Navier-Stokes algorithms for transonic airfoils p 411 A86-32986
- Dynamic stall inception correlation for airfoils undergoing constant pitch rate motions p 411 A86-32978
- Numerical modeling of transonic flows over airfoils and cascades p 414 A86-33409
- A vortex lattice method for calculating nonlinear aerodynamic characteristics of interfering airfoils  
[DGLR PAPER 85-122] p 475 A86-35172
- Inverse method with geometric constraints for transonic aerofoil design p 477 A86-36202
- Investigations of transonic trailing edge flows p 541 A86-37192
- Calculation of helicopter airfoil characteristics for high tip-speed applications p 541 A86-37769
- Inviscid and viscous simulations of high angle of attack flows  
[SAE PAPER 851820] p 548 A86-38328
- A faster 'transition' to laminar flow  
[SAE PAPER 851855] p 548 A86-38347
- Experimental determination of the laminar separation bubble characteristics on an airfoil at low Reynolds numbers  
[AIAA PAPER 86-1065] p 548 A86-38433
- Transonic potential flow calculations by two artificial density methods  
[AIAA PAPER 86-1084] p 549 A86-38446
- Aerodynamic characteristics of an oscillating airfoil --- for Vertical Axis Wind Turbine p 616 A86-39566
- Airfoil optimization p 623 A86-40107
- Euler solutions for airfoil/jet/ground-interaction flowfields p 623 A86-40112
- Optical determination of the effects of a microminiature accelerometer on resonance of a small airfoil p 668 A86-40712
- Application of continuous vorticity panels to general unsteady incompressible two-dimensional lifting flows p 624 A86-41690
- Turbine airfoil LCF life prediction verification  
[AIAA PAPER 86-1496] p 646 A86-42672
- Multi-stage compressor airfoil aerodynamics. I - Airfoil potential flow analysis  
[AIAA PAPER 86-1744] p 627 A86-42822
- Dynamic stall - The case of the vertical axis wind turbine p 746 A86-44150
- Helicopter tail rotor noise  
[AIAA PAPER 86-1900] p 750 A86-45401
- Tone-like noise from an isolated two dimensional airfoil  
[AIAA PAPER 86-1947] p 752 A86-45434
- Unfolding of degenerate Hopf bifurcation for supersonic flow past a pitching wedge p 725 A86-46456
- Visualization of dynamic stall controlled by large amplitude interrupted pitching motions  
[AIAA PAPER 86-2281] p 764 A86-47699
- Control of wake structure behind an oscillating airfoil  
[AIAA PAPER 86-2282] p 764 A86-47700
- Program system of computer-aided design of helicopter rotor blade airfoil p 788 A86-48659
- Potential flow models of airfoils with separated flow p 772 A86-49013
- An experimental study of turbulent wake/boundary layer mixing flows p 772 A86-49014
- Wake/boundary-layer interactions in two and three dimensions p 773 A86-49032
- On the duration of low speed dynamic stall p 773 A86-49033
- An entropy correction method for unsteady full potential flows with strong shocks  
[AIAA PAPER 86-1768] p 777 A86-49576
- Calculation of 2-D unsteady transonic full potential flow about oscillating airfoils by two complementary approaches  
[AIAA PAPER 86-1821] p 778 A86-49586
- A new, improved method for separating turbulent boundary layer for aerodynamic performance prediction of trailing edge stall airfoils  
[AIAA PAPER 86-1832] p 779 A86-49590
- Vortex influence on oscillating airfoil at high angle-of-attack  
[AIAA PAPER 86-1837] p 779 A86-49592
- Sounding a happy note for lift - sound generation to prevent stalling p 780 A86-49676
- Transonic airfoil calculations including wind tunnel wall-interference effects p 780 A86-49625
- Air Force Academy Aeronautics Digest  
[AD-A157215] p 78 N86-12200
- GRUMFOIL: A computer code for the viscous transonic flow over airfoils  
[NASA-CR-3806] p 86 N86-12202
- The status of two-dimensional testing at high transonic speeds in the University of Southampton transonic self-streamlining wind tunnel  
[NASA-CR-3919] p 86 N86-12203
- Aerodynamic characteristics of a propulsive wing-canard concept at STOL speeds  
[NASA-CR-177982] p 86 N86-12205
- An improved viscid/inviscid interaction procedure for transonic flow over airfoils  
[NASA-CR-3805] p 87 N86-12208
- An evaluation of four methods of numerical analysis for two-dimensional airfoil flows. Revision  
[AD-A157248] p 87 N86-12209
- Improved temperature detection system for use on film cooled turbine airfoils  
[AD-D011762] p 107 N86-12228
- A direct-inverse method for transonic and separated flows about airfoils  
[NASA-CR-176403] p 89 N86-13300
- Grid generation for single airfoil using conformal mapping  
[NAL-TR-851T] p 146 N86-14217
- An airfoil flutter model suspension system to accommodate large static transonic airloads  
[NASA-CR-177998] p 148 N86-14220
- Semiempirical method for predicting vortex-induced rolling moments  
[NASA-TM-87579] p 147 N86-14222
- Preliminary design of a supersonic cruise aircraft high-pressure turbine  
[NASA-CR-174878] p 174 N86-14272
- Reference test cases and contributors p 154 N86-15261
- Flutter generator control and force computer  
[AEL-0242-TM] p 178 N86-15318
- Vortex wake alleviation studies with a variable twist wing  
[NASA-TP-2442] p 197 N86-16187
- Implicit finite-difference methods for the calculation of unsteady transonic potential flow around two-dimensional airfoils: A discussion  
[NLR-MP-83063-U] p 208 N86-16202
- Calculations of transonic flows around single and multielement airfoils on a small computer  
[REPT-84-48] p 208 N86-16205
- Image processing of aerodynamic data  
[NASA-TM-87629] p 255 N86-16553
- Numerical simulation of unsteady flow around an airfoil by finite difference solution of Navier-Stokes equations p 209 N86-17273
- Transonic internal flow about an airfoil oscillating in pitch: Comparisons between computation and experiment p 209 N86-17278
- Numerical analysis for steady transonic flows past an airfoil using AF scheme p 209 N86-17289
- Numerical solution of viscous compressible flows past an airfoil using unconditionally stable explicit method p 210 N86-17290
- Numerical analysis about flow over an aerofoil with a large angle of attack p 210 N86-17291
- Numerical analysis of transonic flow around two-dimensional airfoil by solving Navier-Stokes equations p 210 N86-17292

Analysis of high Reynolds number transonic flow around an airfoil p 210 N86-17293  
Validation and comparison with experiment of a high Reynolds number transonic flow airfoil analysis code NSFOIL p 210 N86-17294  
The comparison of the transonic airfoil calculation by NSFOIL with the wind tunnel test data at high Reynolds number p 210 N86-17295  
The role of computational fluid dynamics in aeronautical engineering [REPT-2] p 257 N86-17296  
Studies of the flow field near a NACA 4412 airfoil at nearly maximum lift [RAE-TM-AERO-2026] p 211 N86-17307  
Application of a constrained inverse method in the aerodynamic design of a low speed wing-slat configuration [NLR-TR-83123-U] p 211 N86-17320  
Sound excitation during vortex-airfoil interaction [MPIS-MITT-80] p 266 N86-18130  
Calculation of helicopter airfoil characteristics for high tip-speed applications [AD-A160894] p 277 N86-18294  
The application to airfoils of a technique for reducing orifice-induced pressure error at high Reynolds numbers [NASA-TP-2537] p 339 N86-20351  
Computation of three dimensional potential flow around a finite wing with a leading-edge discontinuity at high angle of attack p 341 N86-21504  
A viscous-inviscid interaction method to predict the aerodynamic performance of airfoils at transonic speed [NAL-TR-873] p 341 N86-21508  
Numerical analysis of inviscid flows About wing-fuselage combinations. Part 1: Development of grid generation code YOKUDO-G [NAL-TR-864] p 414 N86-22551  
Thermal barrier coating life prediction model development [NASA-CR-175087] p 452 N86-22713  
Coupling linearized far-field boundary conditions with nonlinear near-field solutions in transonic flow [AD-A162334] p 417 N86-23573  
Investigations in the flow field of airfoils with various geometries in the domain of high angles of attack. Experimental investigations [REPT-A-13/85] p 418 N86-23576  
USAF/SCEE (United States Air Force/Southeastern Center for Electrical Engineering Education) Research Initiation Program research reports, volume 2 [AD-A161908] p 480 N86-23752  
ALESEP. Part 2: A computer program for the analysis of leading edge separation bubbles on infinite swept wings [NASA-CR-178015] p 479 N86-24664  
In-flight measurements of wing ice shape and wing section drag increases caused by natural icing conditions [NASA-TM-87301] p 479 N86-24667  
An experimental investigation on location of boundary layer transition on the NACA 0012 using surface hot film gages [NASA-TM-88285] p 524 N86-24936  
Life prediction and constitutive models for engine hot section anisotropic materials program [NASA-CR-174952] p 526 N86-25003  
Increments in aerfoil maximum lift coefficient due to deployment of various high-lift devices [ESDU-85033] p 480 N86-25325  
Transonic airfoil analysis and design in nonuniform flow [NASA-CR-3991] p 480 N86-25326  
Pitch-location effects on dynamic stall [AD-A164322] p 480 N86-25329  
Helicopter tail rotor noise analyses [NASA-CR-176829] p 536 N86-26163  
Proceedings of the Conference on Low Reynolds Number Airfoil Aerodynamics [NASA-CR-177308] p 540 N86-26283  
Velocity and turbulence measurements in dynamically stalled boundary layers on an oscillating airfoil p 560 N86-27228  
Unsteady boundary-layer separation on airfoils performing large-amplitude oscillations: Dynamic stall p 561 N86-27231  
Computational aspects of unsteady flows p 561 N86-27232  
Review of SMP 1984 Symposium on Transonic Unsteady Aerodynamics and its Aeroelastic Applications p 561 N86-27236  
Unsteady vortex airfoil interaction p 562 N86-27240  
Bifurcation theory applied to aircraft motions p 563 N86-27250  
Unsteady interactions of transonic airfoils with gusts and concentrated vortices p 565 N86-27261  
Modelling of the vortex-airfoil interaction p 565 N86-27262

Structural tailoring of engine blades (STAEBL) theoretical manual p 592 N86-27283  
[NASA-CR-175112] p 592 N86-27283  
Structural tailoring of engine blades (STAEBL) user's manual [NASA-CR-175113] p 592 N86-27284  
A comparison of computer-generated lift and drag polars for a Wortmann airfoil to flight and wind tunnel results [NASA-CR-176963] p 631 N86-28919  
Experimental analyses of trailing edge flows [NASA-CR-176904] p 632 N86-28921  
Critical evaluation of the unsteady aerodynamics approach to dynamic stability at high angles of attack [NASA-CR-177104] p 632 N86-28924  
First order analysis of the effect of pitching on the drag coefficient [DE86-006324] p 633 N86-28926  
Exact closed-form solutions for nonlinear unsteady transonic aerodynamics p 695 N86-30631  
Aerodynamic data banks for Clark-Y, NACA 4-digit and NACA 16-series airfoil families [NASA-CR-176883] p 697 N86-30693  
Numerical studies of porous airfoils in transonic flow [NASA-CR-179655] p 697 N86-30696  
Navier-Stokes computations for exotic airfoils [AIAA-85-0109] p 745 N86-30996  
**AIRFRAME MATERIALS**  
Research on high-strength aerospace aluminum alloys p 244 A86-20037  
Titanium Near Net Shape components for demanding airframe applications p 245 A86-21726  
Current and potential usage of titanium castings for airframe applications p 246 A86-21753  
Electrical connections and antenna performance of a large composite fuselage module in the high frequency range p 292 A86-26157  
What does the future hold for 1990's new airframe materials p 373 A86-26328  
Advanced structural components by SPF/DB processing — superplastic forming and diffusion bonding p 363 A86-27271  
Fatigue properties of Ti-10V-2Fe-0.3Al p 375 A86-27274  
Variation of anisotropic behaviour in structural optimization — for fiber reinforced airframes p 434 A86-33258  
Postbuckling and crippling behavior of graphite/epoxy thin-walled airframe members p 521 A86-35843  
The certification of airframes and components in metals and composites p 737 A86-43798  
Digital servocontroller system. Volume 1: Operations manual [AD-A158392] p 192 N86-14980  
Evaluation of the effects of a plastic bead paint removal process on properties of aircraft structural materials [AD-A165289] p 603 N86-26384  
Engineering property comparisons for 2324-T39 and 2024-T351 aluminum alloy plate — semisubmersible platform [NLR-TR-84021-U] p 603 N86-26429  
The postbuckling behavior of blade-stiffened carbon epoxy panels loaded in compression — semisubmersible platform [NLR-MP-85019-U] p 611 N86-26661  
Some tests to assess the effect of crack stoppers on the fatigue life of center-notched specimens — semisubmersible platform [NLR-TR-84051-U] p 611 N86-26662  
**AIRFRAMES**  
Flexible assembly subsystems — automated airframe assembly p 126 A86-13125  
Nondestructive test methods for composite structures p 118 A86-13147  
Studies of rotor-airframe interactions in forward flight [AIAA PAPER 85-5015] p 97 A86-14458  
Structural materials in aeronautics - Prospects and perspectives p 183 A86-16866  
Modal constraints on structural dynamic force determination p 161 A86-17070  
Developmental testing for composite frames — of helicopters p 163 A86-18403  
U.S. Army/Sikorsky ACAP airframe test techniques/methodology p 165 A86-18427  
Fatigue test of the Apache AH-64 airframe p 180 A86-18441  
Use of a Service Life Assessment Program (SLAP) for identifying Service Life Extension Program (SLEP) procedures for fatigue sensitive airframe components p 134 A86-18442  
SH-2F airframe fatigue test plan p 165 A86-18444  
Damage tolerance analysis of the H-53 helicopter p 166 A86-18449  
CAD/CAM designer - Jack of all trades p 251 A86-21895  
Airframe design to achieve minimum cost p 267 A86-22141

Superplastically-formed/diffusion-bonded titanium technology transition case study p 252 A86-22142  
Surfaces on a nonrectangular frame p 316 A86-23663  
A study of the service life of fail-safe airframe structures on the basis of routine inspections and crack size assessment p 286 A86-23769  
Titanium near net shape components for demanding airframe applications p 380 A86-26717  
Modal test requirements for coupled structure analysis using experimentally-derived component models p 380 A86-26878  
Durability and damage-tolerance design and analysis of titanium airframe structures p 454 A86-30091  
A study of the effect of certain factors on the fatigue strength of structural irregularities in the airframe of aircraft p 427 A86-31413  
An airframer's view of an electric fighter [SAWE PAPER 1662] p 488 A86-35206  
P T A - Design considerations for an airframe system and detailed design of fuel subsystem — Pilotless Target Aircraft p 590 A86-37331  
Observations on compressive local buckling, postbuckling and crippling of graphite/epoxy airframe structure [AIAA PAPER 86-0923] p 608 A86-38833  
Finite element analysis and optimum design of semi-monocoque airframe structures. I - Finite element analysis p 847 A86-48656  
Calculation of the loading of the airframe in flight due to multidimensional turbulence p 799 A86-48759  
The British Aerospace Experimental Aircraft Programme and the role of system development cockpits p 801 A86-48996  
Experience with stress analysis during airframe fatigue tests p 840 A86-49143  
Manufacturers seek reduced costs through new fabrication techniques p 762 A86-49448  
A survey of aeronautical structural research in Australia [AD-A157211] p 76 N86-12199  
Digital servocontroller system. Volume 4. Results and conclusions [AD-A159068] p 111 N86-13335  
Digital servocontroller system. Volume 1: Operations manual [AD-A158392] p 192 N86-14980  
An examination of the relations between rotor vibratory loads and airframe vibrations p 177 N86-15299  
Planning, creating and documenting a NASTRAN finite element model of a modern helicopter p 189 N86-15300  
Coupled rotor-body vibrations with inplane degrees of freedom p 177 N86-15301  
Adaptation of a modern medium helicopter (Sikorsky S-76) to higher harmonic control p 178 N86-15303  
Flutter generator control and force computer [AEL-0242-TM] p 178 N86-15318  
Digital servocontroller system. Volume 2. Maintenance manual [AD-A159068] p 179 N86-15322  
Effectiveness of fatigue life enhancing fasteners in the design and rework of aircraft structures [AD-A158678] p 293 N86-18316  
Optimal airframe synthesis for gust loads [NASA-CR-178047] p 357 N86-20386  
Use of skin damping treatments to control airframe dynamic response for interior noise control p 389 N86-21919  
Controlled impact demonstration airframe bending bridges p 391 N86-21943  
Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987 [AD-A162792] p 402 N86-22443  
The US Army's LHX (light helicopter family) program [AD-A161949] p 437 N86-23591  
Frameless transparencies for aircraft cockpit enclosures [AD-D012155] p 497 N86-24689  
Constant-Load-Amplitude fatigue crack growth testing of cast aluminum alloys A201-T7 and A357-T6 [AD-A163494] p 518 N86-24821  
Variation of anisotropic behavior in structural optimization — aircraft composite structures p 715 N86-30656  
Crashworthiness of airframes [AGARD-R-737] p 702 N86-30709  
The influence of large-scale computing on aircraft structural design [AGARD-R-726] p 717 N86-30726  
Low mass diffusion bonding tools [AD-D012295] p 851 N86-32746  
**AIRLINE OPERATIONS**  
Minimization of aircraft flight time for a given distance with return to the original point p 109 A86-13417

- Selection of an optimal cost index for airline hub operation p 130 A86-14239
- Airline efficiency p 157 A86-17174
- How is airline deregulation working? p 194 A86-18537
- Airline deregulation - What will we know and when will we know it? p 194 A86-18538
- The employment of operative aircraft dispatchers p 134 A86-18721
- Aspects of current interest concerning the development of world air traffic. II p 135 A86-18724
- Aviation maintenance management - Book p 197 A86-21055
- General Aviation and Regional Air Traffic - Components of the Traffic System, Symposium, Friedrichshafen, West Germany, March 28, 29, 1985, Reports p 197 A86-21325
- Maintenance strategies for aero engines p 253 A86-22384
- Production-theoretical study of air traffic output production - German theses p 402 A86-27834
- The private enterprise factor in regional airlines p 421 A86-31004
- Major short-haul role seen for tilt-rotor aircraft p 420 A86-33427
- Extended range operation of twin-engine commercial airplanes [SAE PAPER 851959] p 490 A86-35455
- Developments in airworthiness control for Canadian airlines [SAE PAPER 851784] p 620 A86-38308
- Aircraft ground support equipment standardization - The pros and cons of 'functional' vs 'technical' standardization [SAE PAPER 851794] p 620 A86-38317
- The market price for air safety p 633 A86-40228
- Health and usage monitoring techniques for greater safety in helicopter operations p 621 A86-40232
- Sophistication and safety in a semi-automated air traffic control system p 635 A86-41874
- The selection and acquisition of commercial aircraft fleets p 686 A86-44935
- Practical implementation of a maintenance and engineering system in an airline p 760 A86-47610
- Planning for minimum overhaul time p 760 A86-47616
- Can future aircraft maintenance be afforded? p 857 A86-47617
- Engine condition monitoring at KLM Royal Dutch Airlines [ASME PAPER 86-GT-300] p 816 A86-48312
- Flight management concepts compatible with air traffic control p 788 A86-49018
- The airline engineering role in the management of safety p 762 A86-49064
- The effect of supply parameters on the volume of future aircraft movements p 158 A86-14258
- Fuel saving by optimal integration of on-board avionics and air traffic control [NLR-MP-84035-U] p 159 A86-14263
- Activities report of the aerospace industry in West Germany [ISSN-0176-5086] p 403 A86-22450
- Annual review of aircraft accident data. US air carrier operations: Calendar year 1982 [PB86-212529] p 634 A86-28829
- AIRPORT BEACONS**
- Portable glide slope indicator [AD-D012240] p 789 A86-31552
- AIRPORT PLANNING**
- Long taxi rolls can lead to catastrophic blow-outs p 157 A86-17063
- Trends in the design of airfield radars p 421 A86-31008
- The extension of the Madeira airport runway - A unique task p 447 A86-31012
- What should be known on the environmental impact assessment for a planning airport p 462 A86-31962
- STOLport London - A design for safety p 655 A86-40226
- Runway requirements in instrument flight traffic at regional airports and commercial landing areas p 635 A86-41873
- Airports build for future traffic amid new security concern p 838 A86-48371
- Statistical sampling of aircraft operations at non-towered airports [AD-A157095] p 128 A86-13051
- The effect of supply parameters on the volume of future aircraft movements p 158 A86-14258
- General aviation pilot and aircraft activity survey [AD-A161685] p 345 A86-21530
- AIRPORT SECURITY**
- Airport preparedness for mass disaster - A proposed schematic plan p 214 A86-20411
- Airports build for future traffic amid new security concern p 838 A86-48371
- Effectiveness of the civil aviation security program [AD-A159511] p 158 A86-14260
- AIRPORT SURFACE DETECTION EQUIPMENT**
- The application of high-performance integrated circuits for airport fire control radars p 674 A86-28369
- AIRPORT TOWERS**
- Design criteria upgrade for US Army Type 2 air traffic control towers [AD-A159115] p 84 A86-13314
- Operations concept for the TCCC (Tower Control Computer Complex) man-machine interface [AD-A166899] p 705 A86-30714
- AIRPORTS**
- Aircraft field repair p 115 A86-13172
- Liability of air traffic control agencies and airport operators in civil law jurisdictions p 130 A86-14372
- The employment of operative aircraft dispatchers p 134 A86-18721
- General Aviation and Regional Air Traffic - Components of the Traffic System, Symposium, Friedrichshafen, West Germany, March 28, 29, 1985, Reports p 197 A86-21325
- New nose-in aircraft guidance/docking system developed p 308 A86-23380
- Noise of the general aviation airplanes influence on environment of the airbus, airfields and on crews p 461 A86-31955
- Characteristics of back-radiated departure noise at San Francisco International Airport p 467 A86-31960
- Noise of military aircraft in the range of airports and at low level flights p 468 A86-31961
- A quiet STOLport? Convincing the public p 462 A86-31963
- Comparison of different aircraft noise exposure indices in flight corridors near airports p 468 A86-31964
- Progress towards international standardisation of aircraft noise contour calculations p 468 A86-31966
- Evaluating the new automated weather observing system p 615 A86-37491
- The classify, locate, and avoid wind shear (CLAWS) project at Denver's Stapleton International Airport - Operational testing of terminal weather hazard warnings with an emphasis on microburst wind shear p 615 A86-37495
- Airport surface navigation and traffic control p 635 A86-40227
- Fundamentals of aviation technology and airport equipment - Russian book p 685 A86-44291
- Area equivalent method (AEM) on VISICALC and LOTUS 1-2-3 - The Federal Aviation Administration's spreadsheet programs for predicting noise exposure contour areas around an airport p 853 A86-48595
- Calculating method for Z - 9 helicopters mooring load p 799 A86-48668
- FAA (Federal Aviation Administration) could improve overall aviation safety and reduce costs associated with airport instrument landing systems [PB85-195444] p 91 A86-12215
- Report of accomplishments under the airport improvement program [AD-A156834] p 113 A86-12241
- CBR (California Bearing Ratio) design of flexible airfield pavements with case study [AD-A158101] p 113 A86-12242
- A durable airfield marking system [AD-A157953] p 113 A86-13339
- Furfuryl alcohol polymer concretes for use in all-weather repairs of concrete and asphalt surfaces [DE85-014825] p 184 A86-14391
- Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements [AD-A158004] p 181 A86-15324
- Evaluation of 23 inch radar viewing unit for Heathrow approach control room [CAA-PAPER-85011] p 216 A86-16209
- Report of the Working Group for Sensitivity Analysis and Zoning Calculations (GAZOB) p 259 A86-16749
- Noise nuisance calculations for Schiphol Airport on behalf of the Sensitivity Analysis and Zoning Calculations Working Group (GAZOB) [NLR-TR-85034-U] p 260 A86-16751
- AFOS (Automation of Field Operations and Services) monitoring of terminal forecasts [PB85-236388] p 260 A86-16843
- Noise reduction technology [GPO-48-028] p 265 A86-17076
- Noise assessment around Schiphol airport (the Netherlands) in 1981 [NLR-TR-82034-U] p 260 A86-17915
- Limited Surface Observations Climatic Summary (LISOCs). Parts A, C-F: Bremen International, West Germany [AD-A159656] p 323 A86-18894
- Revised Uniform Summary of Surface Weather Observations (RUSSWO). Parts A-F: General Billy Mitchell Field, Wisconsin [AD-A159658] p 324 A86-18896
- Revised Uniform Summary of Surface Weather Observations (RUSSWO). Parts A-F: Aviano AB, Italy [AD-A159662] p 324 A86-18900
- Giebelstadt ain Germany (West). Limited surface observations climatic summary (LISOCs): Parts A, C-F [AD-A159664] p 324 A86-18902
- Catalog of air weather service technical documents [AD-A159881] p 324 A86-18912
- The Stapleton microburst advisory service project: An operational viewpoint [AD-A161543] p 394 A86-21078
- Aircraft accident report: Air Canada Flight 797, McDonnell Douglas DC-9-32, C-FTLU Greater Cincinnati International Airport, Covington, Kentucky, June 2, 1983 [PB86-910402] p 344 A86-21525
- Weather radar studies [AD-A161622] p 394 A86-22061
- Airport-Noise Levels and Annoyance Model (ALAMO) user's guide [NASA-TM-87695] p 401 A86-22304
- Airport-Noise Levels and Annoyance Model (ALAMO) system's reference manual [NASA-TM-87694] p 401 A86-22305
- Computed centerline MLS (Microwave Landing System) approach demonstration at Washington National Airport [AD-A163722] p 486 A86-24681
- Materials for emergency repair of runways [AD-A164225] p 514 A86-25385
- DFW (Dallas-Ft. Worth) microburst on August 2, 1985 [NASA-CR-176784] p 529 A86-25956
- Use of NDE to evaluate reflection cracking in airfield pavements [AD-A164880] p 599 A86-27293
- Mechanistic methodology for airport pavement design with engineering fabrics. Volume 2: Advanced concepts, validation and criteria [DOT/FAA/PM-84/9,II-VOL-2] p 657 A86-28963
- Introduction to the recent developments of China's civil aviation [AD-A166194] p 687 A86-29763
- Engineering performance evaluation of small community airport microwave landing system (TI-model) at Philadelphia International Airport Runway 17 [FAA/PM-86/24] p 704 A86-29802
- Hardware performance analysis of the basic narrow Microwave Landing System (MLS) at Washington National Airport (DCA) in the Service Test and Evaluation Program (STEP) [AD-A166916] p 705 A86-30715
- Airport noise control strategies [AD-A167977] p 840 A86-31602
- AIRSHIPS**
- Stability and control of VTOL capable airships in hovering flight p 109 A86-14236
- Comment on 'Aerodynamic estimation techniques for aerostats and airships' p 85 A86-14541
- Very large stationary aerial platforms p 218 A86-19573
- Non-rigid airship testing p 223 A86-21059
- The golden age of the great passenger airships: Graf Zeppelin and Hindenburg - Book p 403 A86-27648
- Thrust-vectored takeoff, landing, and ground handling of an airship p 343 A86-28571
- Drigible airships for Martian surface exploration [AAS 84-176] p 372 A86-28802
- A theoretical study of deltoid planforms operating in the ground effect region p 638 A86-41977
- Lighter-than-air aircraft as control configured vehicle p 801 A86-48998
- AIRSPACE**
- The protected volume of airspace generated by an airborne collision avoidance system p 703 A86-46146
- Pressure based separation in the upper airspace [CAR-8614] p 486 A86-24679
- Analyzing the cost effectiveness of using flight simulators in the Israeli Air Force [AD-A164864] p 599 A86-26346
- An optimization model for the US Air-Traffic System [NASA-CR-177277] p 574 A86-27271
- Airborne intruder detection considerations [DE86-006462] p 806 A86-31576
- AIRSPEED**
- A method for numerical analysis of the aerodynamic characteristics of an aeroplane wing in the subcritical range of the flying velocity p 83 A86-13933
- A class of airfoils having finite trailing-edge pressure gradients p 270 A86-23184
- An application of the Carson cruise optimum airspeed - A compromise between speed and efficiency [SAE PAPER 850867] p 582 A86-38606
- Integrated aeroseeoeelastic tailoring of lifting surfaces [AIAA PAPER 86-1005] p 594 A86-38946

- Low airspeed envelope determination of the CH-139 Jet Ranger helicopter p 586 A86-39565
- A system for introducing mutual corrections into the airborne temperature and air-speed meters p 738 A86-45208
- The race for speed from the beginning of aviation to the present day p 761 A86-48980
- T-33 (Silver Star MK 3) pitot-static system calibration [AD-A157854] p 104 A86-12221
- Interactive aircraft flight control and aeroelastic stabilization [NASA-CR-176323] p 110 A86-12233
- Preliminary airworthiness evaluation of the AH-1S (modernized cobra) with the Hellfire, TOW, and Stinger missiles installed p 294 A86-18322
- International Civil Aviation Organization Helicopter Noise Measurement Repeatability Program: US test report, Bell 206L-1, noise measurement flight test [AD-A159898] p 333 A86-20090
- Analysis of aerodynamic coefficients using gradient data: Spanwise turbulence effects on airplane response [NASA-CR-3961] p 393 A86-21069
- Conversion of air-data system pressure errors into height and speed corrections [ESDU-85036] p 497 A86-25338
- ### ALGORITHMS
- Towards robust image matching algorithms p 230 A86-19620
- Comparison of performance characteristics of DDC algorithms implemented on a microprocessor — Direct Digital Control p 263 A86-20518
- Recursive instrumental variable algorithms for modal parameter estimation of structural system p 263 A86-22306
- Comparative study between two Navier-Stokes algorithms for transonic airfoils p 411 A86-32966
- Simulation of the algorithms of a navigation computer p 748 A86-46369
- Derivation of jack movement influence coefficients as a basis for selecting wall contours giving reduced levels of interference in flexible walled test sections [NASA-CR-177992] p 86 A86-12204
- Computational aspects of zonal algorithms for solving the compressible Navier-Stokes equations in three dimensions [NASA-TM-86774] p 88 A86-13296
- The evaluation of failure detection and isolation algorithms for restructurable control [NASA-CR-177983] p 93 A86-13310
- Algorithms for the reduction of wind-tunnel data derived from strain gauge force balances [ARL/AERO-R-164] p 113 A86-13337
- Development of multigrid algorithms for problems from fluid dynamics p 187 A86-14244
- Investigation of chemically-reacting supersonic internal flows [NASA-CR-176363] p 188 A86-14532
- Digital servocontroller system. Volume 2. Maintenance manual [AD-A159066] p 179 A86-15322
- An investigation of adaptive controllers for helicopter vibration and the development of a new dual controller [NASA-CR-177377] p 239 A86-16228
- Robust detection-isolation-accommodation for sensor failures [NASA-CR-174797] p 255 A86-16486
- Numerical analysis about flow over an aerofoil with a large angle of attack p 210 A86-17291
- A sophisticated tracking algorithm for Air Traffic Control (ATC) surveillance radar data [NLR-MP-84004-U] p 216 A86-17334
- Comparison of a jump-diffusion tracker with a Kalman tracker: An evaluation with emphasis on air traffic control [NLR-TR-83063-U] p 216 A86-17335
- An efficient filter for abruptly changing systems [NLR-MP-84071-U] p 264 A86-18056
- Performance of resonant radar target identification algorithms using intra-class weighting functions p 321 A86-19490
- Design issues in data synchronous systems p 362 A86-20407
- Algorithms for the automatic four-dimensional guidance of aircraft, taking into account the current wind situation [ESA-TT-908] p 352 A86-21531
- A preliminary design for flight testing the FINDS algorithm [NASA-CR-178043] p 439 A86-22574
- A methodology for airplane parameter estimation and confidence interval determination in nonlinear estimation problems [NASA-RP-1153] p 445 A86-22579
- The evaluation of the OSGLR algorithm for restructurable controls [NASA-CR-178083] p 485 A86-24678
- A real-time simulation evaluation of an advanced detection. Isolation and accommodation algorithm for sensor failures in turbine engines [NASA-TM-87289] p 504 A86-24697
- Eigenstructure assignment and its application in design of flight control systems [NASA-TM-88411] p 511 A86-24701
- Real-time in-flight thrust calculation on a digital electronic engine control-equipped F100 engine in an F-15 airplane [PAPER-13] p 506 A86-25355
- Parametric optimization of algorithm for estimating values of one class of unsteady random processes p 534 A86-26161
- TCAS Experimental Unit (TEU) hardware description [FAA/PM-85/2] p 574 A86-27272
- Flight simulation motion-base drive algorithms. Part 2: Selecting the system parameters [UTIAS-307] p 618 A86-27929
- Local flow management/profile descent algorithm. Fuel-efficient, time-controlled profiles for the NASA TSRV airplane [NASA-CR-172593] p 636 A86-28074
- Test and evaluation of the HIDE engine uptrim algorithm [NASA-TM-88262] p 650 A86-28088
- Initial design and evaluation of automatic restructurable flight control system concepts [NASA-CR-178064] p 652 A86-28090
- Design considerations for flight test of a fault inferring nonlinear detection system algorithm for avionics sensors [NASA-TM-88998] p 637 A86-28933
- Design requirements and development of an airborne descent path definition algorithm for time navigation [NASA-CR-178037] p 641 A86-28939
- Prediction of the stability performance of a turboreactor combustion chamber [SNECMA-YKC-3269/85] p 651 A86-28949
- Multi-input, multi-output system control for experimental aircraft [NASA-CR-177017] p 654 A86-28955
- Transonic Navier-Stokes wing solution using a zonal approach. Part 1: Solution methodology and code validation [NASA-TM-88248-PT-1] p 692 A86-29765
- Pseudo-time algorithms for the Navier-Stokes equations [NASA-CR-178127] p 694 A86-29776
- The design of multirate digital control systems [NASA-CR-177126] p 726 A86-29863
- Development of an algorithm to model an aircraft equipped with a generic CDTI display [NASA-TM-87732] p 748 A86-30349
- Longitudinal stability and control derivatives obtained from flight data of a PA-30 aircraft [NASA-CR-176999] p 729 A86-30736
- Development of a takeoff performance monitoring system [NASA-TM-89001] p 835 A86-31591
- High speed viscous flow calculations about complex configurations [NASA-TM-88237] p 850 A86-31827
- Active control of helicopter vibrations. Flight evaluation of a vibration reduction system on a Gazelle SA 349 helicopter [SNIAS-861-210-108] p 836 A86-32444
- ### ALIGNMENT
- Transfer of alignment and calibration of multiple sensors in flexible systems p 681 A86-43003
- Simulator scene display evaluation device [NASA-CASE-ARC-11504-1] p 840 A86-32447
- ### ALKENES
- Olefin polymers as jet fuel antimist additives p 734 A86-30016
- ### ALL-WEATHER AIR NAVIGATION
- LANTIRN - Turning night into day p 103 A86-15599
- Flight testing of the Tornado Terrain Following Radar System in bad weather p 795 A86-47783
- Guidance-Control-Navigation Automation for Night All-Weather Tactical Operations [AGARD-CP-387] p 573 A86-26316
- Synthetic real-time relief display all-weather airborne missions p 589 A86-26321
- The wide field helmet mounted display p 589 A86-26322
- ### ALL-WEATHER LANDING SYSTEMS
- Microwave Landing System (MLS) p 346 A86-26444
- Autonomous landing guidance systems p 350 A86-28385
- An all-weather multimode landing system for tactical fighter aircraft [AIAA PAPER 86-2146] p 787 A86-47517
- ### ALLOCATIONS
- Information on airport and airway trust fund revenues and outlays by states and large airports [PB86-129665] p 449 A86-23609
- ### ALLOYS
- Ultrasonic characterization of microstructure in powder metal alloy p 469 A86-22964
- Materials technology for electrical appliances: Magnetic and electrical properties of metals and alloys [PB86-184314] p 665 A86-28186
- ### ALPHA JET AIRCRAFT
- Alpha Jet Training System single aircraft concept [SAE PAPER 851766] p 598 A86-38301
- Design of a carbon-fiber reinforced wing for the Alpha-Jet major panel tests p 638 A86-41692
- ### ALTIMETERS
- Effects of digital altimetry on pilot workload [SAE PAPER 841489] p 327 A86-26019
- Identification and estimation of the random error models for inertial accelerometer and baro-altimeter p 717 A86-43481
- Strain-gauge autopilot altitude corrector p 811 A86-49142
- Effects of digital altimetry on pilot workload [NASA-TM-86424] p 126 A86-13892
- Dynamic characteristics of air data sensor systems: Altimeter, speedometer and alpha times beta vane [NAL-TR-852] p 172 A86-15312
- Horizontal display for vertical flight: A direction of motion experiment [AD-A161113] p 299 A86-18321
- Analytical evaluations of accuracy in determining and predicting parameters of artificial Earth satellite motion using altimeter measurement data p 312 A86-20186
- Pressure based separation in the upper airspace [CAR-8614] p 486 A86-24679
- Anemobarometry in flight control. A-320 aerodynamics. The turboreactors air inlet [SNIAS-861-111-114] p 806 A86-31565
- Anemobarometry: An essential element of flight control p 835 A86-31566
- ### ALTIMETRY
- The accuracy of air-temperature and flight-altitude measurements aboard meteorological aircraft p 718 A86-45209
- Characteristics of altitude error at reduced quantization [FAA/PM-86/35] p 811 A86-31580
- ### ALTITUDE
- A constant altitude flight survey method for mapping atmospheric ambient pressures and systematic radar errors p 360 A86-28507
- Altitude ignition/lean decel study [AD-A163052] p 518 A86-24781
- ### ALTITUDE CONTROL
- Identification of pilot dynamics in a system with a choice of feedback structures [AIAA PAPER 86-2250] p 825 A86-47496
- Performance evaluation of a linear recursive technique for aircraft altitude prediction in airborne collision avoidance systems p 811 A86-49085
- Strain-gauge autopilot altitude corrector p 811 A86-49142
- Pilot-oriented performance measurement [AD-A158849] p 126 A86-13890
- ### ALTITUDE SIMULATION
- Wind tunnel turning vanes of modern design [NASA-TM-87146] p 113 A86-12239
- Method to detect ethylene glycol in gaseous mixtures [AD-A158109] p 116 A86-12272
- Progress in the Lewis Research Center Altitude Wind Tunnel (AWT) Modeling Program [NASA-TM-87194] p 242 A86-16233
- ### ALTITUDE TESTS
- A world review on air breathing engine altitude test facilities p 310 A86-25197
- Constant altitude helicopter flight testing [AIAA PAPER 86-9787] p 431 A86-32119
- T-33 (Silver Star MK 3) pitot-static system calibration [AD-A157854] p 104 A86-12221
- ### ALUMINUM
- Environmental and adhesive durability of aluminium-polymer systems protected with organic corrosion inhibitors p 601 A86-37708
- Effect of crack growth rate variations on life predictions [AIAA PAPER 86-0981] p 603 A86-38859
- Abrasion behavior of aluminum and composite skin coupons, stiffened skins and stiffened panels representative of transport airplane structures [NASA-TP-2520] p 100 A86-13316
- ### ALUMINUM ALLOYS
- Fracture toughness characterization of light alloys for aeronautical use p 114 A86-12761
- Age creep forming in an autoclave p 118 A86-13135



Metals and plastics - State of the art and perspectives  
[MBB-Z-49-85-OE] p 116 A86-14474

Research on high-strength aerospace aluminum alloys p 244 A86-20037

Cast aluminum fatigue property/microstructure relationships p 244 A86-21707

SPF aluminum - A first for the S-76B helicopter --- Superplastic Forming p 250 A86-21709

The new aluminum alloys for the aeronautical industry p 373 A86-26334

Strength profile in Al-Li plate material p 374 A86-27198

Spectrum fatigue crack growth behavior of aluminum alloys p 450 A86-30006

Fatigue behaviour of advanced aluminum alloy lugs of 7475-T761 with and without initial cracks p 450 A86-30030

A weak beam transmission electron microscopy study of a fatigue crack tip in a 2024 aluminum alloy p 450 A86-30033

Multipurpose corrosion inhibitors for aerospace alloys in naval environments p 450 A86-33021

Dispersion strengthened P/M aluminum alloys p 451 A86-33223

Comparison of Al alloys and carbon fiber composite materials in aircraft construction [DGLR PAPER 85-136] p 515 A86-35179

Impact of advanced materials on aircraft design weights - The weight improvement factor [SAWE PAPER 1636] p 488 A86-35202

A weight method for structural boxes [SAWE PAPER 1680] p 521 A86-35221

Some characteristics of structure formation in forged semifinished products of V93pch aluminum alloy p 522 A86-35999

Some aspects of variability in fatigue crack initiation and propagation in thick aluminum alloy sections p 522 A86-36176

Comparison of the strength and damage tolerance of aluminum alloys p 516 A86-36178

What is the choice for primary aircraft structures - Composite or aluminum materials? p 516 A86-36750

Ingot metallurgy aluminum - Lithium alloys for aircraft structure [AIAA PAPER 86-0890] p 603 A86-38822

Fatigue behavior of Ti-6Al-4V powder metallurgy compacts p 603 A86-39617

Aluminum-lithium alloys III; Proceedings of the Third International Aluminum-Lithium Conference, Oxford University, England, July 8-11, 1985 p 659 A86-40251

Overview --- of new metallic and nonmetallic aircraft materials p 659 A86-40252

Production of aluminum-lithium alloy with high specific properties p 659 A86-40255

'Alitalite' alloys - Progress, products and properties p 660 A86-40256

Adhesive bonding of aluminum-lithium alloys p 660 A86-40267

Comparison of corrosion behaviour of lithium-containing aluminum alloys and conventional aerospace alloys p 660 A86-40280

Textures developed in Al-Li-Cu-Mg alloy p 660 A86-40291

Coarsening of delta prime, T1, S prime phases and mechanical properties of two Al-Li-Cu-Mg alloys p 660 A86-40303

Development of properties within high-strength aluminum-lithium alloys p 660 A86-40304

Age hardening behavior of DTD XXXA --- high-strength aluminum-lithium alloy (Lital A) p 660 A86-40305

Effect of precipitation on mechanical properties of Al-Li-Cu-Mg-Zr alloy p 661 A86-40306

Deformation and fracture in Al-Li base alloys p 661 A86-40312

Structural materials in aeronautics. II - Prospects and perspectives p 662 A86-40619

The need for rapidly solidified powder metallurgy aluminum alloys for aerospace applications p 732 A86-46827

Developments in premium high-strength powder metallurgy alloys by Kaiser Aluminum p 733 A86-46842

Adhesive selection from the user's viewpoint p 841 A86-47715

Elevated-temperature-resistant adhesives p 842 A86-47717

Environmental durability testing --- of Al alloy bonded aircraft structures p 845 A86-47719

Chemical analysis for control --- of Al alloy aircraft structures p 842 A86-47720

Coatings --- for Al alloy corrosion control p 845 A86-47721

Adhesive-bonded aluminum structure repair p 846 A86-47725

The control and use of residual stresses in aircraft structural parts p 849 A86-49114

The material development, component manufacture, and post-service evaluation of RB211-524 cowl doors utilizing carbon fibre composite materials [PNR-90275] p 247 A86-16273

Fatigue rated fastener systems in aluminum alloy structural joints --- aircraft structures [NLR-MP-83045-U] p 259 A86-17809

Structural evaluation of superplastic aluminum. Part 1. Mechanical, corrosion, metallurgical data [AD-A161366] p 379 A86-21862

The development of aluminum-lithium alloys for aerospace applications p 451 A86-22616

Comparison of aluminum alloys concerning strength and damage tolerance --- aircraft construction materials [MBB-UT-111/85] p 452 A86-23714

Constant-Load-Amplitude fatigue crack growth testing of cast aluminum alloys A201-T7 and A357-T6 [AD-A163494] p 518 A86-24821

Evaluation of the effects of a plastic bead paint removal process on properties of aircraft structural materials [AD-A165289] p 603 A86-26384

Engineering property comparisons for 2324-T39 and 2024-T351 aluminum alloy plate --- semisubmersible platform [NLR-TR-84021-U] p 603 A86-26429

Effects of cladding and anodizing on flight simulation fatigue of 2024-T3 and 7475-T761 aluminum alloys --- semisubmersible platform [NLR-TR-85006-U] p 604 A86-26430

Some tests to assess the effect of crack stoppers on the fatigue life of center-notched specimens --- semisubmersible platform [NLR-TR-84051-U] p 611 A86-26662

Constant amplitude and flight simulation of fatigue tests on adhesive bonded lap joint specimens of 2024-T3 sheet material --- semisubmersible platform [NLR-TR-84090-U] p 612 A86-26663

ALUMINUM COATINGS

Protecting gas turbine components - The relative durability of a conventional and a platinum-modified aluminide coating p 114 A86-13005

Use of protective coatings in aero gas turbine engines p 664 A86-43147

A durable airfield marking system [AD-A157953] p 113 A86-13339

ALUMINUM GRAPHITE COMPOSITES

Evaluation of the effects of a plastic bead paint removal process on properties of aircraft structural materials [AD-A165289] p 603 A86-26384

ALUMINUM OXIDES

Fabrication of high-alumina ceramic fixtures for jet engine repair applications [ASME PAPER 86-GT-46] p 846 A86-48130

Crushing strength of aluminum oxide agglomerates [AD-A158051] p 124 A86-13756

AMERICIUM ISOTOPES

Feasibility of a nuclear gauge for fuel quantity measurement aboard aircraft [NASA-TM-87706] p 675 A86-28385

AMINES

Amine-CO2 adducts as aviation fuel gelling agents p 701 A86-30020

AMOUNT

Feasibility of a nuclear gauge for fuel quantity measurement aboard aircraft [NASA-TM-87706] p 675 A86-28385

AMPHIBIOUS AIRCRAFT

Technology demonstration for investigation of the new possibilities of amphibious flying boats, phase 2 [BMFT-FB-W-85-022] p 808 A86-31577

AMPLIFICATION

Monopole element at the center of a circular groundplane of arbitrary radius. Volume 1: Theory and results [AD-A166991] p 744 A86-30908

AMPLIFIER DESIGN

An intelligent amplifier and its application to modal testing --- for inflight aircraft testing p 719 A86-47106

Application of strain gauge amplifiers and computer technology to the strength testing of aircraft p 849 A86-49144

AMPLITUDES

Waves due to a steadily moving source on a floating ice plate --- used as aircraft runway p 124 A86-13535

Effect of surface waviness on a supercritical laminar-flow-control airfoil [NASA-TM-85705] p 86 A86-12206

ANALOG COMPUTERS

Implications associated with the operation of digital data processing in the presence of the relatively harsh EMP environments produced by lightning p 809 A86-47319

## ANALOG DATA

Analogue signal conditioning for flight test instrumentation [AGARD-AG-160-VOL-17] p 719 A86-29616

## ANALOG SIMULATION

The use of the magnetic aerohydrodynamic analogy method to simulate three-dimensional flow past aircraft, taking powerplant operation into account p 770 A86-48833

## ANALOG TO DIGITAL CONVERTERS

Multiple thermocouple testing device [AD-D012276] p 850 A86-31860

## ANALYSIS (MATHEMATICS)

Discovery of the Kalman filter as a practical tool for aerospace and industry [NASA-TM-86847] p 94 A86-13311

## ANALYTIC FUNCTIONS

Stress intensity factor in an integral or bonded stiffened panel using an analytical method --- aircraft structures [SNIAS-861-111-104] p 676 A86-28481

## ANALYZERS

Development of a portable wear metal analyzer for field use [AD-A166013] p 622 A86-28906

The use of a pyrochemiluminescent nitrogen analyzer as a capillary GC (Gas Chromatograph) detector [AD-A166597] p 735 A86-30821

## ANEOCHIC CHAMBERS

Current wind tunnel capability and planned improvements at Lewis Research Center [NASA-TM-87190] p 311 A86-18329

Acoustic treatment of the NASA Langley 4- by 7-meter tunnel: A feasibility study [NASA-TP-2563] p 757 A86-31337

## ANEMOMETERS

Anemobarometry: An essential element of flight control p 835 A86-31566

## ANGLE OF ATTACK

A study of the normal of a delta-wing aircraft at large angles of attack during unsteady motion p 79 A86-13379

Estimation of the fluctuation amplitude of the angle of attack of a flight vehicle with nonlinear damping characteristics in the presence of atmospheric turbulence p 114 A86-13386

Static and dynamic pitch stability of a blunted cone with forward facing aerodynamic spike in hypersonic flow p 135 A86-18249

An experimental investigation of an airfoil pitching at moderate to high rates to large angles of attack [AIAA PAPER 86-0008] p 198 A86-19631

Reflections regarding recent rotary rig results [AIAA PAPER 86-0123] p 241 A86-19703

Experimental study of effects of forebody geometry on high angle of attack static and dynamic stability [AIAA PAPER 86-0331] p 238 A86-19818

Exploratory investigation of deflectable forebody strakes for high angle of attack yaw control [AIAA PAPER 86-0333] p 238 A86-19819

A class of airfoils having finite trailing-edge pressure gradients p 270 A86-23184

Results of high angle-of-attack testing of the F-15 with conformal fuel tanks p 284 A86-23267

The role of wind tunnel testing in future aircraft development [AIAA PAPER 86-0750] p 309 A86-24739

On hypersonic flow around winged-vehicles at high angles of attack p 275 A86-25227

F-14A low altitude high angle of attack simulation and flight test program [AIAA PAPER 86-9774] p 430 A86-32109

Investigation of vortex patterns on slender bodies at high angles of attack p 410 A86-32784

The optimal take-off run of an aircraft on an unpaved surface p 494 A86-35978

AV-8B High Angle of Attack/departure resistance system flight test program [AIAA PAPER 86-9729] p 498 A86-37082

An investigation of improving high angle of attack performance and flap effectiveness of a configuration with delta wing by spanwise blowing [AIAA PAPER 86-1777] p 542 A86-37811

Application of the vortex-lattice method to high-angle-of-attack subsonic aerodynamics [SAE PAPER 851817] p 547 A86-38326

Inviscid and viscous simulations of high angle of attack flows [SAE PAPER 851820] p 548 A86-38328

Pivotal strakes for high angle of attack control [SAE PAPER 851821] p 593 A86-38329

A numerical analysis applied to high angle of attack three-dimensional inlets [AIAA PAPER 86-1527] p 627 A86-42760



A second-order theory for three-dimensional unsteady flows and its application to thin wings with angle of attack at supersonic and hypersonic speeds p 687 A86-43485

AV-8B high angle of attack/spin program p 710 A86-44943

Use of hinged strakes for lateral control at high angles of attack

[AIAA PAPER 86-2278] p 830 A86-47886

Vortex-induced effects on aircraft dynamics

[AIAA PAPER 86-2279] p 830 A86-47887

Angle-of-attack estimation for analysis of CAT encounters p 831 A86-47798

A study of the relationship between nonlinear changes in the lifting force and the vortex structure of flow around a low aspect ratio wing at large angles of attack

p 767 A86-48782

Determination of the aerodynamic characteristics of separated flow past a wing with allowance for slight unsteadiness induced by changes in angle of attack

p 789 A86-48816

Nonuniqueness of laminar separated flow around an airfoil at angle of attack in the Kirchhoff scheme

p 789 A86-48822

Experimental study of effects of forebody geometry on high angle of attack static and dynamic stability and control

p 833 A86-49039

Forebody vortex management for yaw control at high angles of attack p 833 A86-49047

Estimation of aerodynamic parameters from flight data of a high incidence research model p 834 A86-49057

High-angle-of-attack aerodynamics - Lessons learned

[AIAA PAPER 86-1774] p 777 A86-49578

Flowfield survey over a 75 deg swept delta wing at an angle of attack of 20.5 deg

[AIAA PAPER 86-1775] p 777 A86-49579

Validation of a full potential method for combined yaw and angle of attack

[AIAA PAPER 86-1834] p 779 A86-49591

Preliminary results of unsteady blade surface pressure measurements for the SR-3 propeller

[AIAA PAPER 86-1893] p 780 A86-49625

Performance of an alpha-vane and pitot tube in simulated heavy rain environment

[NASA-CR-176353] p 103 N86-12220

Post stall maneuvers and thrust vectoring performance analysis

[AD-A158100] p 110 N86-12235

Simulation of three-dimensional viscous transonic flows p 148 N86-14233

Determination of corrections to flow direction sensor measurements over an angle-of-attack range from 0 degree to 85 degrees

[NASA-TM-86402] p 167 N86-14267

Hypersonic characteristics of an advanced aerospace plane at Mach 20.3

[NASA-TM-86435] p 152 N86-15245

Use of hinged strakes for lateral control at high angles of attack

[AD-A158005] p 178 N86-15321

Numerical simulation of viscous supersonic flow over a generic fighter configuration

[NASA-TM-86823] p 190 N86-15627

Supersonic aerodynamic characteristics of some reentry concepts for angles of attack to 90 deg

[NASA-TM-87645] p 243 N86-16243

Numerical analysis about flow over an airfoil with a large angle of attack p 210 N86-17291

Generation of the starting plane flowfield for supersonic flow over a spherically capped body

[AD-A161117] p 278 N86-19291

Exploratory low-speed wind-tunnel study of concepts designed to improve aircraft stability and control at high angles of attack

[NASA-CR-176615] p 338 N86-20344

Research on the aerodynamic characteristics of vehicles by free flight testing at supersonic speeds

[NAL-TR-878] p 339 N86-20353

Side force characteristics of a 20 deg cone at high angles of attack

[NAL-TM-AE-8503] p 340 N86-20356

Analysis of aerodynamic coefficients using gradient data: Spanwise turbulence effects on airplane response

[NASA-CR-3961] p 393 N86-21069

Computation of three dimensional potential flow around a finite wing with a leading-edge discontinuity at high angle of attack

p 341 N86-21504

Theoretical and experimental investigations of flow vector measurements with angle-of-attack and sideslip sensors on DFVLR meteorological research aircraft

[DFVLR-FB-85-50] p 358 N86-21541

STEP and STEPSP: Computer programs for aerodynamic model structure determination and parameter estimation

[NASA-TM-86410] p 370 N86-21549

Analysis of dynamic stability derivatives for high angle of attack aircraft p 414 N86-22546

Validation of USAF stability and control Datcom methodologies for straight-tapered sweptforward wings [AD-A161876] p 417 N86-23570

Investigations in the flow field of airfoils with various geometries in the domain of high angles of attack. Experimental investigations

[REPT-A-13/85] p 418 N86-23576

A numerical analysis applied to high angle of attack three-dimensional inlets

[NASA-TM-87296] p 478 N86-24658

Experimental study of the supersonic turbulent boundary layer on a blunted axisymmetric body

[AD-A163736] p 479 N86-24669

Use of state estimation to calculate angle-of-attack position error from flight test data

[AD-A163962] p 480 N86-24670

Experimental assessment of vortex retaining cavity flaps for maneuverability improvement on delta wing fighter aircraft

[AD-A164104] p 497 N86-24690

Pitch-location effects on dynamic stall

[AD-A164322] p 480 N86-25329

Hypersonic flow around a wing at large angles of attack with detached compression jump p 480 N86-25534

Normal force characteristics of sharp nosed bodies of revolution at high angles of attack in subsonic and transonic flow

p 527 N86-25555

Vortex flow hysteresis p 558 N86-27201

Preliminary results of unsteady blade surface pressure measurements for the SR-3 propeller

[NASA-TM-87352] p 559 N86-27213

Recent developments in rotary-balance testing of fighter aircraft configurations at NASA Ames Research Center

p 562 N86-27242

A self-organising control system for non-linear aircraft dynamics

p 564 N86-27258

Multiaxis aircraft control power from thrust vectoring at high angles of attack

[NASA-TM-87741] p 629 N86-28054

Experimental analyses of trailing edge flows

[NASA-CR-176904] p 632 N86-28921

Influence of the angle of attack and flutter on the lift of a supercritical wing. Comparison between theory and experiment

[ONERA-RT-24/3064-RY-044-R] p 695 N86-29786

Flight determination of the aerodynamic stability and control characteristics of the NASA SGS 1-36 sailplane in the conventional and deep stall angles-of-attack of between -5 and 75 degrees

[NASA-CR-176962] p 726 N86-29865

Computations and turbulent flow modeling in support of helicopter rotor technology

[NASA-CR-177095] p 742 N86-30090

Low-speed aerodynamic characteristics of a 1/8-scale X-29A airplane model at high angles of attack and sideslip

[NASA-TM-87722] p 781 N86-31532

High speed viscous flow calculations about complex configurations

[NASA-TM-88237] p 850 N86-31827

Transonic Navier-Stokes wing solutions using a zonal approach. Part 2: High angle-of-attack simulation

[NASA-TM-88248-PT-2] p 782 N86-32392

A low speed tunnel semi-free dynamic flying study of the high angle of attack pitch derivatives of HF-24 using MLE procedure

[NAL-TRM-SE-8603] p 782 N86-32393

ANGLES (GEOMETRY)

Compressor research facility F100 high pressure compressor inlet total pressure and swirl profile simulation

[AD-A157108] p 107 N86-12229

The concept of almost-parallel IFR (Instrument Flight Rules) approaches to parallel runways

[AD-A166485] p 704 N86-29804

ANGULAR MOMENTUM

Stability of large damped flexible spacecraft with stored angular momentum p 182 A86-18355

ANGULAR VELOCITY

Quantifying a propeller/engine power response rate mismatch p 796 A86-47801

Pitch-location effects on dynamic stall

[AD-A164322] p 480 N86-25329

ANISOTROPIC FLUIDS

Contribution to the potential calculation of anisotropic compression shocks in a plane case p 150 N86-14245

ANISOTROPIC MEDIA

Aeroelastic wind tunnel similarity theory for anisotropic aircraft wings p 433 A86-33244

A large displacement formulation for anisotropic beam analysis p 671 A86-42075

Divergence of an anisotropic sweptforward wing p 768 A86-48788

ANISOTROPIC PLATES

Anisotropic wing aeroelastic theories with warping effects p 434 A86-33281

Stress concentration around a small circular hole in the HIMAT composite plate

[NASA-TM-86038] p 184 N86-15350

Anisotropic wing aeroelastic theories with warping effects p 696 N86-30659

ANISOTROPIC SHELLS

On the optimization of flutter characteristics of laminated anisotropic cylindrical shells p 848 A86-49082

ANISOTROPY

Variation of anisotropic behaviour in structural optimization --- for fiber reinforced airframes

p 434 A86-33258

Aeroelastic wind tunnel similarity theory for anisotropic aircraft wings p 728 N86-30643

Variation of anisotropic behavior in structural optimization --- aircraft composite structures p 715 N86-30656

Effects of anisotropic design on the static aeroelasticity of a swept wing --- aeroelastic tailoring p 687 N86-30661

ANNUAL DUCTS

Temperature distribution investigation at the outlet of an annular combustor of P type turbojet engine

p 591 A86-38998

ANNUAL FLOW

Aerodynamic research on straight wall annular diffuser for turbofan augmentor

[ASME PAPER 85-IGT-16] p 271 A86-23834

Calculation of annular nozzle trisonic flowfields by the method of characteristics

[AIAA PAPER 86-1519] p 625 A86-42686

ANNUAL NOZZLES

An analytical investigation of the effects of swirler design on the performance of annular propulsive nozzles

[AIAA PAPER 86-0587] p 233 A86-19965

Throttle dependent forces: A primer

[AD-A162939] p 442 N86-23599

Aircraft performance optimization with thrust vector control

[AD-A165388] p 587 N86-26334

ANODIC COATINGS

Adhesive bonding of aluminium-lithium alloys

p 680 A86-40267

ANODIZING

Effects of cladding and anodizing on flight simulation fatigue of 2024-T3 and 7475-T761 aluminum alloys --- semiautomerizable platform

[NLR-TR-85006-U] p 604 N86-26430

ANOMALIES

Aircraft liftemeter

[NASA-CASE-LAR-12518-1] p 590 N86-27280

Investigations for improving operational reliability and maintainability of instrument landing system components. Volume 1: Text and appendices

[DOT/FAA/PM-86/7,1-VOL-1] p 704 N86-29801

ANTARCTIC REGIONS

The presence of the Trident III on Antarctica

p 573 A86-39562

ANTENNA ARRAYS

Simple technique moistureproofs ILS localizer antenna array

p 282 A86-23379

ANTENNA COMPONENTS

Electrical connections and antenna performance of a large composite fuselage module in the high frequency range p 292 A86-26157

Mechanical design and evaluation of a slotted CFRP waveguide antenna p 383 A86-27703

Design considerations for Doppler VOR ground station antenna arrangement p 349 A86-28380

ANTENNA COUPLERS

Electrical connections and antenna performance of a large composite fuselage module in the high frequency range p 292 A86-26157

VHF-FM communications antennas for project SINCGARS (UH-1 tail whip antenna evaluation)

[AD-A165897] p 676 N86-29119

ANTENNA DESIGN

Electrical connections and antenna performance of a large composite fuselage module in the high frequency range p 292 A86-26157

Mechanical design and evaluation of a slotted CFRP waveguide antenna p 383 A86-27703

Design considerations for Doppler VOR ground station antenna arrangement p 349 A86-28380

ANTENNA RADIATION PATTERNS

ELT antenna gain distributions under simulated crash conditions p 92 A86-12698

Prediction and measurement of near fields for antennas on structures p 316 A86-23403

Antenna siting on helicopters p 282 A86-26133

Considerations on the influence of positioning on the quality of GP ILS information p 421 A86-31007

Radio communication between manoeuvring platforms p 456 A86-31921

Simulation and analysis of antennas radiating in a complex environment p 572 A86-39535

## SUBJECT INDEX

## ARMED FORCES (UNITED STATES)

- Design technique to reduce effects of tidal variations on an ILS glide slope system p 635 A86-41335
- Monopole element at the center of a circular groundplane of arbitrary radius. Volume 1: Theory and results [AD-A166991] p 744 N86-30908
- Determination of antennae patterns and radar reflection characteristics of aircraft [AGARD-AG-300-VOL-4] p 744 N86-30931
- ### ANTENNAS
- Siting criteria for Microwave Landing Systems (MLS) [FAA/PM-86/18] p 636 N86-28073
- ### ANTHROPOMETRY
- The state of the art of anthropomorphic manikins and requirements for the evaluation of advanced aircraft ejection systems p 262 A86-19345
- Survival of helicopter accidents p 419 A86-31005
- Human injury criteria relative to civil aircraft seat and restraint systems [SAE PAPER 851847] p 567 A86-38343
- Anthropometric conditions for the construction of a helicopter cockpit p 794 A86-47768
- ### ANTIMISSILE DEFENSE
- The Adaptive Maneuvering Logic program in support of the pilot's associate program - A heuristic approach to missile evasion [AIAA PAPER 86-0423] p 263 A86-19865
- ### ANTIMISTING FUELS
- Research on antimisting fuel for suppression of postcrash aircraft fires [AIAA PAPER 86-0573] p 247 A86-22706
- Controlled impact demonstration review — for aircraft crashworthiness evaluation [SAE PAPER 851884] p 567 A86-38351
- Antimisting fuel technology for transport category aircraft [SAE PAPER 851886] p 568 A86-38353
- Antimisting kerosene: Development of a continuous 10 GPM in-line blender [NASA-CR-176432] p 185 N86-15412
- Full-Scale Transport controlled Impact Demonstration [NASA-CP-2395] p 390 N86-21933
- Full-Scale Transport Controlled Impact Demonstration Program photographic/video coverage [DOT/FAA/CT-85/35] p 700 N86-29795
- Antimisting fuel technology for transport category aircraft p 733 N86-30006
- AMK full-scale transport aircraft validation phase summary p 733 N86-30009
- Post Controlled Impact Demonstration (CID) analysis p 733 N86-30010
- UK work on safety fuels p 733 N86-30012
- Heat transfer, friction, and rheological characteristics of antimisting kerosene p 734 N86-30013
- Continuous inline blending of antimisting kerosene p 734 N86-30015
- Olefin polymers as jet fuel antimist additives p 734 N86-30016
- AMK: Still viable? p 734 N86-30017
- Amine-CO<sub>2</sub> adducts as aviation fuel gelling agents p 701 N86-30020
- GTA/BASF antimisting fuel research p 734 N86-30021
- Antimisting kerosene: Evaluation of improved FM-9 additive [DOT/FAA/CT-85-4] p 734 N86-30024
- Antimisting fuel research and development for commercial aircraft [FAA/CT-86/7] p 735 N86-30883
- ### ANTIRADAR COATINGS
- Radio-absorbing materials [AD-A157496] p 122 N86-12495
- ### ANTISUBMARINE WARFARE
- Flight testing of an ASW helicopter p 352 A86-26585
- ### ANTISUBMARINE WARFARE AIRCRAFT
- Radio frequency chamber improves LAMPS Mk III testing p 112 A86-15526
- ### ANTITANK MISSILES
- The project for anti-tank helicopter p 290 A86-26124
- ### ANTONOV AIRCRAFT
- AN-30 photography airplane outfitted for cloud-seeding missions p 393 N86-20888
- Information on new AN-124 giant cargo plane p 498 N86-25601
- ### APPENDAGES
- Numerical and experimental studies of 3-D and unsteady turbulent body/appendage/propeller flows [AD-A157078] p 123 N86-12552
- ### APPLICATIONS PROGRAMS (COMPUTERS)
- Bringing on the B-1B p 621 A86-41276
- Delivery of B-1B changes maintenance procedures p 621 A86-41800
- Increasing productivity of the McAuto CAD/CAE system by user-specific applications programming p 193 N86-15200
- Users guide: Steady-state aerodynamic-load program for shuttle TPS tiles [NASA-TM-85724] p 600 N86-27406
- Time-based air traffic management using expert systems [NASA-TM-88234] p 634 N86-28068
- A comparison of computer-generated lift and drag polars for a Wortmann airfoil to flight and wind tunnel results [NASA-CR-176863] p 631 N86-28919
- The method of complex characteristics for design of transonic blade sections [NASA-CR-176978] p 696 N86-30691
- Longitudinal stability and control derivatives obtained from flight data of a PA-30 aircraft [NASA-CR-176999] p 729 N86-30736
- ATRAN3S: An unsteady transonic code for clean wings [NASA-TM-86783] p 781 N86-31535
- NASA's Aircraft Icing Analysis Program [NASA-TM-86791] p 786 N86-31546
- ### APPROACH
- Controlled-Flight-Into-Terrain accidents during unpublished-route radar vectoring p 418 A86-29872
- Test and flight evaluation of precision distance measuring equipment p 788 A86-49017
- Computed centerline MLS (Microwave Landing System) approach demonstration at Washington National Airport [AD-A163722] p 486 N86-24681
- The concept of almost-parallel IFR (Instrument Flight Rules) approaches to parallel runways [AD-A166485] p 704 N86-29604
- ### APPROACH CONTROL
- Simulator evaluation of a remotely piloted vehicle visual landing task p 221 A86-20238
- Aircraft approach guidance using relative Loran-C navigation p 282 A86-24533
- Realtime piloted simulation investigation of helicopter flying qualities during approach and landing on nonaviation ships [AIAA PAPER 86-0490] p 365 A86-26642
- Robust fault detection and isolation for a high performance aircraft on STOL approach [AIAA PAPER 86-2031] p 821 A86-47421
- Flight simulation of MLS interception procedures applicable to laterally segmented approach paths [AIAA PAPER 86-2073] p 837 A86-47663
- Determination of the statistical characteristics of aircraft motion during an automatic approach p 832 A86-48844
- Investigations of the aircraft landing process using a computerized simulation model based on the Monte Carlo method [DFVLR-FB-85-27] p 167 N86-14269
- Guidance studies for curved, descending approaches using the Microwave Landing System (MLS) [NASA-CR-178030] p 486 N86-25335
- Investigations in landing process of aircraft by means of the Monte-Carlo method [ESA-TT-951] p 808 N86-31578
- ### APPROACH INDICATORS
- The data transmission and processing equipment of a high-precision trajectory measurement system p 296 A86-22728
- An analytical comparison of three visual approach slope indicators: VASIS, T-VASIS and PAPI [ARL/SYS-R-33] p 93 N86-13309
- Portable glide slope indicator [AD-D012240] p 789 N86-31552
- Analysis of a mirror deck landing aid [AD-A167988] p 789 N86-31556
- ### APPROPRIATIONS
- Oversight on the Federal Aviation Administration fiscal year 1986 research, engineering and development budget request [GPO-46-725] p 402 N86-21447
- ### APPROXIMATION
- Construction of equivalent profiles and approximate calculation of transonic flow past the root section of a swept wing p 80 A86-13396
- Determination of the shape of a profile from a specified chord diagram of Mach numbers in transonic flow p 80 A86-13397
- Using the shock-expansion method for calculating the aerodynamic characteristics of flight vehicles p 81 A86-13398
- Simple approximations of functions with additional constraints p 192 A86-18918
- Numerical approximation of the total drag of a body in a tube [AD-A159548] p 188 N86-14538
- Numerical solutions for three-dimensional cases: Delta wings p 155 N86-15264
- An entropy correction method for unsteady full potential flows with strong shocks [NASA-TM-87769] p 694 N86-29777
- ### ARC GENERATORS
- Design of a fast risetime lightning generator p 837 A86-47304
- ### ARCHITECTURE
- CBR (California Bearing Ratio) design of flexible airfield pavements with case study [AD-A158101] p 113 N86-12242
- Design criteria upgrade for US Army Type 2 air traffic control towers [AD-A159115] p 94 N86-13314
- ### ARCHITECTURE (COMPUTERS)
- Hardware integrity — description of new 32-bit microprocessor architecture for increased air safety p 126 A86-13049
- Data-driven operating concepts for real-time simulation systems p 397 A86-28348
- Modular simulators - A comprehensive unified architecture — for flight training p 371 A86-28458
- High-speed, automatic controller design considerations for integrating array processor, multi-microprocessor, and host computer system architectures p 531 A86-35409
- The possibility of achieving high productivity with vector-pipeline processors in solving problems of mathematical physics p 531 A86-36574
- Techniques for increasing the update rate of real-time dynamic computer graphic displays p 523 A86-37072
- Avionics system architecture for Beechcraft Starship 1 [SAE PAPER 851851] p 589 A86-38346
- Advanced avionics computer architecture. Volume 1. Executive summary [AD-A158119] p 104 N86-12222
- Advanced avionics computer architecture. Volume 2. Instruction set architecture specification [AD-A158120] p 104 N86-12223
- Fault Tolerant Hardware/Software Architecture for Flight Critical Function [AGARD-LS-143] p 369 N86-20399
- Introduction to Lecture Series No. 143: Fault tolerant hardware/software architectures for flight critical functions p 369 N86-20400
- Digital fly-by-wire experience p 361 N86-20401
- Dependable avionic data transmission p 362 N86-20405
- Design issues in data synchronous systems p 362 N86-20407
- Design validation of fly-by-wire flight control systems p 362 N86-20409
- Rivista Technica Selenia, volume 9, number 3, 1985 — combat aircraft p 407 N86-25337
- Control technology for future aircraft propulsion systems [PAPER-14] p 508 N86-25356
- The impact of Very High Performance Integrated Circuits on Radar, Guidance and Avionics Systems [AGARD-CP-380] p 674 N86-28337
- MIL-DAP: its architecture and role as a real time airborne digital signal processor p 661 N86-28359
- The impact of VHPIC on avionics system architecture, packaging and maintainability p 674 N86-28372
- Investigation of an advanced fault tolerant integrated avionics system [NASA-CR-176960] p 642 N86-26945
- ### ARCTIC REGIONS
- Operating experience in the Jeff (A) in the Arctic [ASME PAPER 85-GT-127] p 266 A86-22076
- ### AREA NAVIGATION
- Time navigation benefits in en route metered ATC p 462 A86-35368
- ### ARM (ANATOMY)
- Passive arm retention curtain [AD-D011878] p 91 N86-13307
- ### ARMED FORCES (UNITED STATES)
- AI applications to military pilot decision aiding - A perspective on transition [SAE PAPER 841533] p 327 A86-26004
- Air Force Flight Test Center range overview [AIAA PAPER 86-9748] p 448 A86-32092
- USAF Test Pilot School use of DIGITAC in systems testing [SAE PAPER 851827] p 594 A86-38333
- An overview of USAF engine diagnostic systems [AIAA PAPER 86-1679] p 649 A86-42790
- The C-17: We need it yesterday [AD-A157147] p 99 N86-12219
- The helicopter to fixed wing conversion program: A critical review [AD-A156820] p 125 N86-12968
- Design criteria upgrade for US Army Type 2 air traffic control towers [AD-A159115] p 94 N86-13314

- An electronic index of articles pertaining to Air Force transportation in the post-World War 2 era, with abstracts of selected articles  
[AD-A160837] p 281 N86-18308
- A comparative evaluation of the reliability improvement in line replaceable units warranted under the F-16 reliability improvement warranty  
[AD-A160830] p 321 N86-18630
- Research and development project selection methods at the Air Force Wright Aeronautical Laboratories  
[AD-A161153] p 333 N86-20165
- Development of a computerized method of determining aircraft maintenance intervals  
[AD-A161339] p 336 N86-21500
- The General Electric F404 - engine of the RAAF's new fighter  
[AD-A164582] p 592 N86-26338
- AROMATIC COMPOUNDS**  
Life prediction for aromatic polyamide reinforcements  
p 377 A86-27691
- ARRAYS**  
Heat transfer characteristics within an array of impinging jets. Effects of crossflow temperature relative to jet temperature  
[NASA-CR-3936] p 190 N86-15625
- ARRESTING GEAR**  
Aircraft barricade  
[AD-D012194] p 656 N86-28102
- ARROW WINGS**  
Selecting the principal parameters of a wedge-profiled wing  
p 78 A86-13358
- ARTIFICIAL INTELLIGENCE**  
Applications of artificial intelligence; Proceedings of the Meeting, Arlington, VA, May 3, 4, 1984  
[SPIE-485] p 127 A86-15278
- The Autonomous Helicopter System  
p 75 A86-15285
- General dynamics simulation and artificial intelligence integration  
[AIAA PAPER 85-4048] p 192 A86-17830
- Development of a knowledge acquisition tool for an expert system flight status monitor  
[AIAA PAPER 86-0240] p 230 A86-19764
- Understanding natural language commands  
p 263 A86-20667
- Plessey displays in air traffic control  
p 216 A86-21608
- Coupling artificial intelligence and numerical computation for engineering design (invited paper)  
[AIAA PAPER 86-0242] p 254 A86-22684
- Expert systems for real time applications  
p 398 A86-28486
- Diagnosis - Using automatic test equipment and artificial intelligence expert systems --- for F-15 aircraft  
p 386 A86-28492
- Path-finder - An heuristic approach to aircraft routing  
p 368 A86-28499
- The Crew Station Information Manager - An avionics expert system  
p 361 A86-28515
- Cockpits for 2010 and beyond  
p 427 A86-31849
- Interaction between controlling, planning, and fault managing in complex man-machine systems  
p 483 A86-33184
- Smart Built-In-Test (BIT)  
p 747 A86-43889
- Boeing developing new cockpit displays to ease pilot workload  
p 717 A86-45066
- Applications of artificial intelligence II; Proceedings of the Meeting, Arlington, VA, April 9-11, 1985  
[SPIE-548] p 748 A86-46706
- An artificial intelligence approach to onboard fault monitoring and diagnosis for aircraft applications  
[AIAA PAPER 86-2093] p 853 A86-48577
- A knowledge-based expert system for scheduling of airborne astronomical observations  
p 854 A86-49627
- An analysis of the application of AI to the development of intelligent aids for flight crew tasks  
[NASA-CR-3944] p 90 N86-12212
- Development experience with a simple expert system demonstrator for pilot emergency procedures  
[NASA-TM-85919] p 446 N86-23603
- Application of artificial intelligence to improve aircraft survivability  
[AD-A164172] p 483 N86-24674
- An application of adaptive learning to malfunction recovery  
[NASA-CR-166620] p 533 N86-25169
- A demonstration expert system for implementing emergency procedures in a high-performance fighter aircraft  
[MAE-1749] p 569 N86-26295
- The impact of artificial intelligence on airborne maritime reconnaissance  
p 675 N86-28374
- Pilot interaction with automated airborne decision making systems  
[NASA-CR-177002] p 679 N86-29508

- A.I.-based real-time support for high performance aircraft operations  
[NASA-CR-176906] p 716 N86-30718
- ARTIFICIAL SATELLITES**  
West Europe report: Science and technology  
[JPRS-WST-85-024] p 189 N86-15447
- Japan report: Science and technology  
[JPRS-JST-86-001] p 389 N86-21723
- ASBESTOS**  
Aramid fiber composites for general engineering  
p 517 A86-37137
- ASCENT PROPULSION SYSTEMS**  
Control technology for future aircraft propulsion systems  
[PAPER-14] p 506 N86-25356
- ASHES**  
The hazards of ash clouds to civil air transport  
p 566 A86-37477
- Meteorat-derived quantitative measurements on volcanic ash plumes for warning to aviation  
p 566 A86-37478
- ASPECT RATIO**  
An analysis of separated flow of an ideal fluid past a finite-aspect-ratio mechanized wing  
p 80 A86-13395
- Wing aspect ratio optimization related to payload and to fuel consumption of transport propeller airplanes  
[SAWE PAPER 1615] p 98 A86-14975
- Aspect ratio effects on the aerodynamics of a Wortmann airfoil at low Reynolds number  
p 137 A86-16313
- Post stall studies of untwisted varying aspect ratio blades with NACA 44XX series. II - Airfoil sections  
p 272 A86-24522
- The effect of the aspect ratio of the cylindrical section on the fuselage drag at transonic flight velocities  
p 768 A86-48801
- Aspect ratio effects on wings at low Reynolds numbers  
p 782 N86-32390
- ASPHALT**  
Furfuryl alcohol polymer concretes for use in all-weather repairs of concrete and asphalt surfaces  
[DEBS-014825] p 184 N86-14391
- Evaluation of the FAA design procedures for high traffic volume pavements  
[DOT/FAA/PM-84/14] p 352 N86-20383
- Comparative study of nondestructive pavement testing, WES (Waterways Experiment Station) NDT (nondestructive tests) methodologies  
[AD-A163379] p 610 N86-26480
- ASSEMBLIES**  
Development of a computerized method of determining aircraft maintenance intervals  
[AD-A161339] p 336 N86-21500
- ASSEMBLING**  
Flexible assembly subsystems --- automated airframe assembly  
p 126 A86-13125
- Methods of the assembly of aircraft instrumentation and systems --- Russian book  
p 685 A86-44284
- ATR 42 production work in French, Italian plants detailed  
p 76 N86-13618
- ASSESSMENTS**  
Assessment of aerodynamic and dynamic models in a comprehensive analysis  
[NASA-TM-86835] p 76 N86-13286
- Noise assessment around Schiphol airport (the Netherlands) in 1981  
[NLR-TR-82034-U] p 280 N86-17915
- ASSURANCE**  
AVIP Air Force thrust for reliability  
p 256 N86-16617
- Reliability aspects of software for digital avionics  
[NLR-TR-82126-U] p 232 N86-17354
- ASTEROIDS**  
Motion planning in the presence of moving obstacles  
[AD-A161374] p 400 N86-22208
- ASTRONOMICS**  
NAECON 1985; Proceedings of the National Aerospace and Electronics Conference, Dayton, OH, May 20-24, 1985. Volumes 1 & 2  
p 348 A86-28326
- ASTRODYNAMICS**  
China report: Science and technology  
[JPRS-CST-85-035] p 122 N86-12399
- ASTRONAUTICS**  
Activities report in aircraft development and astronautics  
p 267 N86-17233
- ASTRONOMICAL OBSERVATORIES**  
A knowledge-based expert system for scheduling of airborne astronomical observations  
p 854 A86-49627
- ASTRONOMY**  
USSR report: Space  
[JPRS-USP-85-005] p 131 N86-14111
- ASYMMETRY**  
Matrix equations of the spatial flight of an asymmetrical rigid body  
p 365 A86-27446
- Design of nonaxisymmetric structures (turbojet engine nacelle element)  
[SNIAS-852-430-119] p 248 N86-17498

- Side force characteristics of a 20 deg cone at high angles of attack  
[NAL-TM-AE-8503] p 340 N86-20356
- Asymmetric thrust warning system for dual engine aircraft  
[AD-D011960] p 361 N86-20387
- Experimental assessment of vortex retaining cavity flaps for maneuverability improvement on delta wing fighter aircraft  
[AD-A164104] p 497 N86-24690
- Decoupling control synthesis for an oblique-wing aircraft  
[NASA-TM-86801] p 595 N86-26339
- ASYMPTOTIC METHODS**  
Asymptotic solution of the fluid-flow problem in the core of a vortex sheet  
p 81 A86-13413
- Time domain control design for robust stability of linear regulators - Application to aircraft control  
p 508 A86-35383
- The effect of random forces on nonlinear oscillating systems  
p 535 A86-36710
- Control design for robust stability in linear regulators: Application to aerospace flight control  
[NASA-CR-176858] p 749 N86-31265
- ASYMPTOTIC PROPERTIES**  
A controller for robust asymptotic tracking in systems with time-varying uncertainties  
[AIAA PAPER 86-2199] p 853 A86-47479
- ATLANTIC OCEAN**  
The economics of the North Atlantic air traffic system  
p 419 A86-31324
- ATMOSPHERIC BOUNDARY LAYER**  
An intercomparison of turbulence data obtained by two aircraft during KonTur  
p 528 A86-36308
- Analysis of airborne Doppler lidar, Doppler radar and tall tower measurements of atmospheric flows in quiescent and stormy weather  
[NASA-CR-3960] p 462 N86-23159
- ATMOSPHERIC CHEMISTRY**  
Effect of the nonequilibrium character of the flow around a blunt plate with a bend on its aerodynamic characteristics  
p 768 A86-48783
- ATMOSPHERIC CIRCULATION**  
Evaluation of meteorological airborne Doppler radar. I - Dual-Doppler analyses of air motions. II - Triple-Doppler analyses of air motions  
p 103 A86-14223
- In-flight turbulence detection  
[AD-A160380] p 325 N86-18923
- Storm precipitation and wind structure during aircraft strike lightning events  
[AD-A162338] p 463 N86-24100
- ATMOSPHERIC DENSITY**  
A tomographic technique for aerodynamics at transonic speeds  
[NASA-TM-86766] p 89 N86-13297
- Profiles of temperature and density based on extremes at 5, 10, 20, 30 and 40 km  
p 616 N86-27727
- ATMOSPHERIC EFFECTS**  
The disturbance of aircraft navigation and communication systems by atmospheric static electricity  
p 160 A86-18695
- An approximate model of vortex decay in the atmosphere  
p 689 A86-44889
- The 737 graphite composite flight spoiler flight service evaluation  
[NASA-CR-172600] p 314 N86-18448
- ATMOSPHERIC ELECTRICITY**  
The disturbance of aircraft navigation and communication systems by atmospheric static electricity  
p 160 A86-18695
- Ring discharge on the back surface of a composite skin with ohmic anisotropy in response to frontal high current injection  
p 845 A86-47329
- Recent in-flight data and electromagnetic response of an aircraft structure struck by lightning  
p 804 A86-49132
- A wide bandwidth electrostatic field sensor for lightning research  
p 850 A86-50260
- Atmospheric electricity hazards threat environment definition  
[AD-A159739] p 324 N86-18909
- Lightning protection guidelines and test data for adhesively bonded aircraft structures  
[NASA-CR-3762] p 436 N86-23586
- ATMOSPHERIC MODELS**  
Probabilistic modeling of fields of atmospheric turbulence and sea roughness with reference to the study of complex systems --- for flight control  
p 528 A86-36480
- ATMOSPHERIC MOISTURE**  
An upward looking airborne millimeter wave radiometer for atmospheric water vapor sounding and rain detection  
p 718 A86-46676
- ATMOSPHERIC OPTICS**  
The effects of atmospheric turbulence on an air-to-air optical communication link  
p 351 A86-28470

## ATMOSPHERIC PRESSURE

- A constant altitude flight survey method for mapping atmospheric ambient pressures and systematic radar errors p 360 A86-28507
- Limited Surface Observations Climatic Summary (LISOCs). Parts A, C-F: Bremen International, West Germany [AD-A159656] p 323 N86-18894
- Revised Uniform Summary of Surface Weather Observations (RUSSWO). Parts A-F: General Billy Mitchell Field, Wisconsin [AD-A159658] p 324 N86-18896
- Revised Uniform Summary of Surface Weather Observations (RUSSWO). Parts A-F: Aviano AB, Italy [AD-A159662] p 324 N86-18900
- Giebelstadt in Germany (West). Limited surface observations climatic summary (LISOCs): Parts A, C-F [AD-A159664] p 324 N86-18902
- Pressure based separation in the upper airspace [CAR-8614] p 486 N86-24679

## ATMOSPHERIC SOUNDING

- Deduction of vertical motion in the atmosphere from aircraft measurements p 323 A86-23292
- An upward looking airborne millimeter wave radiometer for atmospheric water vapor sounding and rain detection p 718 A86-48676
- Mobile intercept of storms p 191 N86-15771
- Long-duration flights using infrared Montgolfieres p 323 N86-18861
- Profiles of temperature and density based on extremes at 5, 10, 20, 30 and 40 km p 616 N86-27727

## ATMOSPHERIC STRATIFICATION

- Wind shear induced by solitary waves in the lower atmosphere [IAF PAPER 85-410] p 125 A86-15886

## ATMOSPHERIC TEMPERATURE

- A system for introducing mutual corrections into the airborne temperature and air-speed meters p 738 A86-45208
- The accuracy of air-temperature and flight-altitude measurements aboard meteorological aircraft p 718 A86-45209
- Profiles of temperature and density based on extremes at 5, 10, 20, 30 and 40 km p 616 N86-27727

## ATMOSPHERIC TURBULENCE

- Estimation of the probability of a flight parameter exceeding a specified value under conditions of atmospheric turbulence p 108 A86-13355
- Estimation of the fluctuation amplitude of the angle of attack of a flight vehicle with nonlinear damping characteristics in the presence of atmospheric turbulence p 114 A86-13386
- Spanwise turbulence effects on aircraft response [AIAA PAPER 86-0255] p 200 A86-19774
- Gust alleviation using combined control laws p 239 A86-22317
- Progress in the analysis of atmospheric turbulence [ONERA, TP NO. 1985-164] p 323 A86-24631
- Helicopter active control with blade stall alleviation modal capability p 307 A86-26136
- The effects of atmospheric turbulence on an air-to-air optical communication link p 351 A86-28470
- Numerical synthesis of tri-variate velocity realizations of turbulence p 387 A86-28654
- Turbulence for flight simulation p 462 A86-32788
- Fatigue life in a coupled problem concerning the motion of a flexible wing p 474 A86-35082
- An intercomparison of turbulence data obtained by two aircraft during KonTur p 528 A86-36308
- Probabilistic modeling of fields of atmospheric turbulence and sea roughness with reference to the study of complex systems — for flight control p 528 A86-36480
- Categorization of atmospheric turbulence in terms of aircraft response for use in turbulence reports and forecasts p 615 A86-37497
- A unified procedure for meeting power-spectral-density and statistical-discrete-gust requirements for flight in turbulence [AIAA PAPER 86-1011] p 584 A86-38869
- The equivalent deterministic function of the Dryden's spectra of atmospheric turbulence and its application to the aircraft response problem p 595 A86-39768
- Rotor noise due to atmospheric turbulence ingestion. II - Aeroacoustic results [AIAA PAPER 86-1903] p 750 A86-45404
- Rotor noise due to atmospheric turbulence ingestion. I - Fluid mechanics [AIAA PAPER 86-1857] p 754 A86-45479
- Recent advances in Monte Carlo turbulence simulation — for aircraft flight simulation p 792 A86-47636
- Calculation of the loading of the airframe in flight due to multidimensional turbulence p 799 A86-48759
- Downburst: Microburst and macroburst [PB85-148880] p 191 N86-14826

- Critical analysis of turbulence restitution from acceleration measurements — aircraft construction [ONERA-RT-3/3567-RY-C40-R] p 227 N86-17340
- Covariance specification for the linear time-invariant output-feedback control systems using a Kalman filter [NAL-TR-882] p 399 N86-21219
- Helicopter rotor noise due to ingestion of atmospheric turbulence [NASA-CR-3973] p 535 N86-25216
- DFW (Dallas-Ft. Worth) microburst on August 2, 1985 [NASA-CR-176794] p 529 N86-25956
- Generation of two-dimensional gust fields in subsonic wind-tunnels p 563 N86-27247
- Effects of aerodynamic lags on aircraft responses p 564 N86-27257

## ATOMIC RECOMBINATION

- Measurement of the heterogeneous recombination probability of oxygen atoms in the course of supersonic dissociated gas flow interaction with solid body surfaces p 85 A86-14743

## ATOMIZERS

- Investigation of jet-filming airblast atomizer [ASME PAPER 85-GT-185] p 252 A86-22099
- Formation and characterization of simulated small droplet icing clouds [AIAA PAPER 86-0409] p 254 A86-22700
- Formation and characterization of simulated small droplet icing clouds [NASA-TM-87180] p 188 N86-14554

## ATTACK AIRCRAFT

- Modeling realistic environmental stresses on external stores p 95 A86-13275
- Protective respirator for the AAH-64 Advanced Attack Helicopter p 261 A86-19336
- AV-8B design for maintainability p 225 A86-22378
- Advanced fighter technology integration (AFTI) F-16 - The pilot interface [SAE PAPER 841633] p 327 A86-26018
- Hawk - The British fighting trainer [SAE PAPER 851768] p 578 A86-38303
- Soviet attack helicopters p 712 A86-46005
- A simulation of an integrated flight control/air-ground cannon firing system [ONERA, TP NO. 1986-31] p 725 A86-46173
- Flight testing a transonic wing with maneuver flaps and a direct side force control system for CAS aircraft p 794 A86-47782
- Comparison of quantity versus quality using performance, reliability, and life cycle cost data. A case study of the F-15, F-16, and A-10 aircraft [AD-A162238] p 470 N86-24580

## ATTITUDE (INCLINATION)

- Spatial orientation of an aircraft during the execution of lateral maneuvers p 175 A86-18987
- The generation of tire cornering forces in aircraft with a free-swiveling nose gear [SAE PAPER 851839] p 581 A86-38372

## ATTITUDE CONTROL

- Exploratory investigation of deflectable forebody strakes for high angle of attack yaw control [AIAA PAPER 86-0333] p 238 A86-19819
- Design features of automatic control system of D-4 RPV p 593 A86-37407
- On a method for pilot dynamics identification reflecting feedback structures p 747 A86-43511
- Lighter-than-air aircraft as control configured vehicle p 801 A86-48998
- Forebody vortex management for yaw control at high angles of attack p 833 A86-49047
- Pitch rate versus G command as the longitudinal flight control system design strategy for a statistically unstable fighter type aircraft with two control surfaces [AD-A158803] p 111 N86-13334
- A flightpath overshoot flying qualities metric for the landing task [NASA-TM-86795] p 178 N86-14276
- An investigation of the use of bandwidth criteria for rotorcraft handling-qualities specifications [AD-A160664] p 294 N86-18319
- Locally linearized longitudinal and lateral-directional aerodynamic stability and control derivatives for the X-29A aircraft [NASA-TM-84919] p 416 N86-23566
- Multivariable output control law design for the STOL (Short Takeoff and Landing) F-15 in landing configuration [AD-A164516] p 498 N86-25340
- Vector thrust digital flight control for crew escape, volume 1 [AD-A166580] p 700 N86-29798

## ATTITUDE INDICATORS

- Improving the interpretability of an aircraft attitude indicator [AD-A166329] p 719 N86-29817

## ATTITUDE STABILITY

- Helicopter attitude stabilization using individual-blade-control p 307 A86-26170
- Helicopter gust alleviation, attitude stabilization, and vibration alleviation using individual-blade-control through a conventional swash plate p 510 A86-35604

## AUDIO EQUIPMENT

- Improving intelligibility in audio distribution systems p 395 A86-28513

## AUDITORY DEFECTS

- Noise levels in cockpits of aircraft during normal cruise and considerations of auditory risk p 326 A86-25651

## AUDITORY PERCEPTION

- Advanced turboprop aircraft noise annoyance - A review of recent NASA research [AIAA PAPER 86-1959] p 752 A86-45444
- A new version of the helicopter aural detection program, ICHIN [NASA-TM-87745] p 756 N86-30471

## AUDITORY SIGNALS

- Auditory signals in military aircraft - Ergonomic principles versus practice p 395 A86-28442

## AUGMENTATION

- Aerodynamic research on straight wall annular diffuser for turbofan augmentor [ASME PAPER 85-IGT-16] p 271 A86-23834
- Augmentor transient capability of an F100 engine equipped with a digital electronic engine control [PAPER-11] p 505 N86-25353

## AUTOCLAVES

- Age creep forming in an autoclave p 118 A86-13135
- A cementitious tooling/molding material - Room temperature castable, high temperature capable [SAE PAPER 850904] p 607 A86-38522
- Autoclave, compression moulding p 688 A86-40495

## AUTOCORRELATION

- Raid count by autocorrelation — performed on radar receiver by reflection from aircraft p 424 A86-32631
- Analysis of data from NASA B-57B gust gradient program [NASA-CR-178736] p 446 N86-23604

## AUTOMATED EN ROUTE ATC

- Time navigation benefits in en route metered ATC p 482 A86-35368
- Sophistication and safety in a semi-automated air traffic control system p 635 A86-41874
- A simulation facility for assessing the next generation of 4-D air traffic control procedures p 788 A86-49034
- Preliminary design of an automated Air Traffic Control (ATC) radar evaluation system [NPL-VG-84-009-L] p 789 N86-32419

## AUTOMATED PILOT ADVISORY SYSTEM

- Situation versus command — flight information for pilots [SAE PAPER 841638] p 328 A86-26023
- Stored terrain data base aided pilotage for helicopters p 499 A86-35606

## AUTOMATIC CONTROL

- Flexible assembly subsystems — automated airframe assembly p 126 A86-13125
- The use of automated riveting systems in aircraft construction p 95 A86-13127
- Aircraft terminal area guidance based on the discrete tracking problem of optimal control theory p 215 A86-20520
- Automation effects in a multiloop manual control system p 329 A86-25035
- Flight deck automation decisions [SAE PAPER 841471] p 326 A86-26002
- Automation in the cockpit - Who's in charge? [SAE PAPER 841534] p 327 A86-26005
- A procedure for the evaluation and analysis of the operational practicability and effectiveness of automated traffic flow control procedures for the near terminal area — German thesis p 347 A86-27829
- Cockpit automation technology - A further look p 499 A86-33814
- Design of the CL-227 air vehicle p 487 A86-34924
- 1985 American Control Conference, 4th, Boston, MA, June 19-21, 1985, Proceedings. Volumes 1, 2, & 3 p 531 A86-35326
- Cockpit automation - Design and implementation issues [SAE PAPER 851921] p 529 A86-35431
- Design features of automatic control system of D-4 RPV p 593 A86-37407
- Evaluating the new automated weather observing system p 615 A86-37491
- Multi-input multi-output automatic design synthesis for performance and robustness p 618 A86-39034
- Rotary-wing aircraft terrain-following/terrain-avoidance system development [AIAA PAPER 86-2147] p 823 A86-47456

- Methods for minimizing Boolean functions in the automation of experimental studies of the survivability of aircraft structures p 853 A86-48760
- Light helicopter family trade-off analysis. Volume 7: Appendix R [AD-A158076] p 168 N86-15307
- Work on putting computer and CRTs in airliner control panels p 172 N86-15947
- Airplane automatic control force trimming device for asymmetric engine failures [NASA-CASE-LAR-13280-1] p 369 N86-20397
- After action report, CH-47 recovery using D-PAAC [AD-A161835] p 437 N86-23589
- Decoupling control synthesis for an oblique-wing aircraft [NASA-TM-86801] p 595 N86-26339
- Advances in the study of the mechanical behavior of materials [AD-A164856] p 735 N86-30838
- AUTOMATIC CONTROL VALVES**
- Development of an electro-pneumatic anti-G valve for high performance fighter aircraft p 218 A86-18317
- AUTOMATIC FLIGHT CONTROL**
- Winging it in the 1980's - Why guidelines are needed for cockpit automation [SAE PAPER 841634] p 328 A86-26022
- Situation versus command --- flight information for pilots [SAE PAPER 841638] p 328 A86-26023
- Knowledge-based approach toward developing an autonomous helicopter system p 421 A86-30488
- Flying hands off to a hover --- automatic flight control in helicopters p 507 A86-34193
- SR-71 digital automatic flight and inlet control system [SAE PAPER 851977] p 509 A86-35457
- Simulation of the algorithms of a navigation computer p 748 A86-46369
- Development of control laws for a flight test maneuver autopilot p 725 A86-46460
- Simulation results of automatic restructurable flight control system concepts [AIAA PAPER 86-2032] p 821 A86-47422
- Synthesis of an adaptive flight controller under unknown deterministic disturbances [AIAA PAPER 86-2157] p 823 A86-47464
- An explicit adaptive flight control system based on the modified gain extended Kalman filter [AIAA PAPER 86-2158] p 823 A86-47465
- Helicopter IFR director algorithm development and flight evaluation on the NAE airborne simulator [AIAA PAPER 86-2205] p 787 A86-47519
- Concept of automated aircraft guidance system for air-to-air missions [AIAA PAPER 86-2285] p 787 A86-47703
- Experts system control of autonomous airborne vehicle p 835 A86-49476
- Integrated Application of Active Controls (IAAC) technology to an advanced subsonic transport project: Test act system description [NASA-CR-172221] p 176 N86-14277
- Search and Rescue (SAR) System developed as part of the contract signed with the Irish Air Corps for the supply of 365 F Dauphin aircraft [SNIAS-852-210-105] p 215 N86-17329
- Performance of a commercial transport under typical MLS noise environment [NASA-CR-178032] p 352 N86-20384
- A new technique for terrain following/terrain avoidance guidance command generation p 574 N86-26325
- Implementation and flight tests for the Digital Integrated Automatic Landing System (DIALS). Part 2: Complete set of flight data [NASA-TM-87632-PT-2] p 653 N86-28093
- Implementation and flight tests for the Digital Integrated Automatic Landing System (DIALS). Part 1: Flight software equations, flight test description and selected flight test data [NASA-TM-87632-PT-1] p 653 N86-28950
- The integrated manual and automatic control of complex flight systems [NASA-CR-177086] p 654 N86-28952
- Nonlinear control of aircraft [NASA-TM-89225] p 655 N86-28958
- Development of an algorithm to model an aircraft equipped with a generic CDTI display [NASA-TM-87732] p 748 N86-30349
- AUTOMATIC GAIN CONTROL**
- An intelligent amplifier and its application to modal testing --- for inflight aircraft testing p 719 A86-47106
- AUTOMATIC LANDING CONTROL**
- Estimation of the deviation limits of the aircraft path parameters during automatic landing p 108 A86-13365
- Microwave Landing System p 349 A86-28358
- Wind shear estimation by frequency-shaped optimal estimator p 484 A86-31856
- ILS goal - Automatic landings, safety p 703 A86-46142
- Effects of time delay and pitch control sensitivity in the flared landing [AIAA PAPER 86-2075] p 831 A86-47708
- Automatic landing through the turbulent planetary boundary layer [UTIAS-289] p 283 N86-19305
- Algorithms for the automatic four-dimensional guidance of aircraft, taking into account the current wind situation [ESA-TT-808] p 352 N86-21531
- Implementation and flight tests for the Digital Integrated Automatic Landing System (DIALS). Part 1: Flight software equations, flight test description and selected flight test data [NASA-TM-87632-PT-1] p 653 N86-28950
- AUTOMATIC PILOTS**
- Automation and integration on AFTI/F-16 [AIAA PAPER 85-3089] p 103 A86-14433
- An expert planner for the dynamic flight environment p 368 A86-28490
- Coordinated bank-to-turn autopilot design p 509 A86-35384
- A computer controlled autopilot and an annunciation system for light aircraft p 511 A86-36871
- Development of control laws for a flight test maneuver autopilot p 725 A86-46460
- NASA B737 flight test results of the Total Energy Control System [AIAA PAPER 86-2143] p 826 A86-47516
- Strain-gauge autopilot altitude corrector p 811 A86-49142
- An analytical modularized treatment of autopilots for guided projectile simulations [AD-A159311] p 182 N86-14282
- PIFCGT: A PIF autopilot design program for general aviation aircraft [NASA-CR-166123] p 178 N86-15320
- Automatic landing through the turbulent planetary boundary layer [UTIAS-289] p 283 N86-19305
- Aircraft accident report: China Airlines Boeing 747-SP, N4522V 300 nautical miles northwest of San Francisco, California, February 19, 1985 [PB86-910403] p 634 N86-28069
- Eigenvalues assignment method: An application to designing an autopilot [SNIAS-861-111-106] p 653 N86-28095
- AUTOMATIC TEST EQUIPMENT**
- Boeing Military Airplane Company's robotic ultrasonic inspection system p 118 A86-13180
- Grumman's automated test systems p 111 A86-13214
- Portable computerized tester improves flight-line maintenance p 121 A86-15528
- The past, the present, and the future of aircraft test and diagnostic technology p 179 A86-16854
- An aircraft maintenance and repair strategy using a test and diagnostic system p 133 A86-16855
- A computerized automatic control system for structural testing p 192 A86-18438
- Air Force Flight Test Instrumentation System - An introduction for flight test engineers and managers p 296 A86-23275
- Helicopter vibration flight testing - The rototuner approach p 293 A86-26169
- IV&V for the automatic test control system in the USAF Aeropropulsion Systems Test Facility p 398 A86-28430
- Diagnosis - Using automatic test equipment and artificial intelligence expert systems --- for F-15 aircraft p 386 A86-28492
- CAD/CAM supports flight test modifications p 356 A86-29823
- Grumman's real time computing system for avionics testing [AIAA PAPER 86-9732] p 464 A86-32079
- A completely integrated system for the treatment of crack growth test data p 531 A86-34635
- Douglas Automated Weighing System p 597 A86-38069
- A new approach to automated gas turbine engine testing p 597 A86-38070
- Mechanical interface devices for automatic test equipment [SAE PAPER 851795] p 606 A86-38318
- Ground testing approach for the B-1B bomber [SAE PAPER 851796] p 598 A86-38319
- Smart Built-In-Test (BIT) p 747 A86-43889
- Line replaceable modules - The next generation of avionics p 685 A86-43890
- Built In Test (BIT) utilization for improved supportability of the F-20 aircraft p 685 A86-43906
- An intelligent amplifier and its application to modal testing --- for inflight aircraft testing p 719 A86-47106
- Potential of BITE's and what it means to aircraft maintenance p 759 A86-47807
- Working with today's BITE - One airline's experience p 759 A86-47808
- A minimum approach to flight testing p 810 A86-47780
- Flight test evaluation of the Netherlands flight inspection aircraft [NLR-MP-84052-U] p 295 N86-19318
- Rivista Technica Selenia, volume 9, number 3, 1985 --- combat aircraft p 407 N86-22537
- The MRCA automatic test system p 407 N86-22538
- Complex systems integrated logistic support: Automatic Test Equipment (ATE) and test oriented languages role --- military aircraft support equipment p 407 N86-22539
- Selenia's contribution to the development of systems support: Microwave Automatic Test Equipment (ATE) --- combat aircraft p 407 N86-22540
- Implicit activities in the post development phase --- test equipment systems, combat aircraft p 407 N86-22542
- Lines of evolution --- automatic test equipment, military aircraft p 407 N86-22543
- AUTOMATIC WEATHER STATIONS**
- The FAA Automated Weather Observing System (AWOS) p 613 A86-37459
- Automation of surface observations program --- for improvement of meteorological services p 614 A86-37460
- AUTOMATION**
- F/A 18 composite wing automated drilling system p 117 A86-13111
- The use of automated riveting systems in aircraft construction p 95 A86-13127
- Grumman's automated test systems p 111 A86-13214
- A self-repairing aircraft? --- new control methods for fighter stabilization p 110 A86-14243
- Simulating the total system, warts and all --- automatic target acquisition for LHX helicopter p 184 A86-18422
- System partitioning to provide for automatic mission and vehicle management p 175 A86-18465
- Computer tools and techniques for analysis of discrete data from aircrew automated escape systems (AAES) p 260 A86-18302
- Cockpit automation technology p 326 A86-23724
- Expert system applications to the cockpit of the '90s p 399 A86-28487
- Robotics in aircraft manufacturing p 522 A86-35660
- ASTROS - An advanced software environment for automated design [AIAA PAPER 86-0856] p 618 A86-38807
- Alerted monitors: Human operators aided by automated detectors [PB85-222750] p 126 N86-13906
- A time-based concept for terminal-area traffic management [NASA-TM-88243] p 622 N86-28049
- AUTOMOBILES**
- Advanced composites - The structural revolution p 517 A86-37136
- West Europe report: Science and technology [JPRES-WST-85-031] p 123 N86-13616
- AUTONOMOUS NAVIGATION**
- The Autonomous Helicopter System p 75 A86-15285
- Autonomous landing guidance systems p 350 A86-28385
- Knowledge-based approach toward developing an autonomous helicopter system p 421 A86-30488
- Piloting of unmanned air vehicles p 726 A86-46716
- Experts system control of autonomous airborne vehicle p 835 A86-49476
- AUTONOMY**
- Development of a temperature-compensated hot-film anemometer system for boundary-layer transition detection on high-performance aircraft p 605 A86-38236
- AUTOPSIES**
- Crash-resistant crewseat limit-load optimization through dynamic testing with cadavers [AD-A164828] p 569 N86-26296
- AUTOREGRESSIVE PROCESSES**
- Recursive instrumental variable algorithms for modal parameter estimation of structural system p 263 A86-22306
- Numerical synthesis of tri-variate velocity realizations of turbulence p 387 A86-28654
- On a method for pilot dynamics identification reflecting feedback structures p 747 A86-43511
- AUTOROTATION**
- Free-falling autorotating plate - A coupled fluid and flight mechanics problem p 110 A86-14533
- Optimal landing of a helicopter in autorotation [AIAA PAPER 86-2287] p 793 A86-47705

- Estimation of drag due to inoperative turbo-jet and turbo-fan engines using data item nos. 81009 and 84004 [ESDU-84005] p 211 N86-17305
- Helicopter performance computer programs for HP-41 hand-held computer [AD-A162794] p 358 N86-21539
- Investigation of hazards of helicopter operations and root causes of helicopter accidents [FAA/PM-86/28] p 700 N86-29796
- Optimal landing of a helicopter in autorotation [NASA-CR-177082] p 714 N86-29809
- AUXILIARY POWER SOURCES**
- Power dense gas turbine APUs [ASME PAPER 85-GT-124] p 235 A86-22074
- A new direction in energy conversion - The all-electric aircraft p 319 A86-24830
- Design, safety, and maintainability aspects for hydrazine use in emergency secondary power systems [SAE PAPER 851972] p 568 A86-38382
- Operation of the CT7 turboprop engine as an auxiliary power unit (APU) [ASME PAPER 86-GT-28] p 812 A86-48119
- The GTPC36-300 - A gas turbine auxiliary power unit for advanced technology transport aircraft [ASME PAPER 86-GT-285] p 816 A86-48302
- Digital engine control units for a fighter engine and an auxiliary power unit - A comparison p 817 A86-49089
- Small turbine technology review [AD-A158514] p 175 N86-15318
- AUXILIARY PROPULSION**
- Advanced technology payoffs for future rotorcraft, commuter aircraft, cruise missile, and APU propulsion systems [AIAA PAPER 86-1545] p 638 A86-42704
- AVAILABILITY**
- Life cycle cost and availability in military aeronautics p 266 A86-21872
- AVERAGE**
- Computationally simple adaptive tracking filters based on weighted averages p 457 A86-32642
- Propulsion and Energetics Panel Working Group 14 on suitable averaging techniques in non-uniform internal flows [AD-A133968] p 503 N86-24692
- AVIATION PSYCHOLOGY**
- Presentation of information on multimode displays - Abnormal and emergency aircraft operations [SAE PAPER 841494] p 298 A86-26012
- The decision to fly --- by aircraft pilots [SAE PAPER 841613] p 328 A86-26024
- Faulty cockpit communication as a factor in the failure of flight 90 [SAE PAPER 851859] p 482 A86-35452
- AVIONICS**
- A microprocessor-based digital voice network p 118 A86-13221
- Military avionics p 102 A86-13269
- The right combination unlocks aerospace EMC p 112 A86-13848
- Fiber optic aircraft systems electromagnetic pulse (EMP) survivability p 103 A86-15342
- Radio frequency chamber improves LAMPs Mk III testing p 112 A86-15526
- Avionics update 1986 p 170 A86-17524
- Flight evaluation of a digital electronic engine control in an F-15 airplane p 173 A86-17784
- A structured approach for integration and test of avionics systems p 170 A86-18423
- Helicopter cockpit avionics development or the advanced transport and next generation aircraft p 171 A86-18461
- System partitioning to provide for automatic mission and vehicle management p 175 A86-18465
- Toward an avionics supersystem p 172 A86-18552
- The evolution of the cockpit displays in commercial airlines p 172 A86-18694
- A new generation advanced I.R. Linescan Sensor system p 229 A86-19585
- Implications of new aircraft avionics reliability performance p 253 A86-22178
- Hardware/software FMEA applied to airplane safety p 253 A86-22396
- AVIP Air Force thrust for reliability --- Avionics Integrity Programs p 315 A86-23003
- Unscreened part reliability rivals that of screened parts in new digital avionics p 315 A86-23015
- Automated Electromagnetic Compatibility (EMC) testing of Naval aircraft and integrated avionics p 284 A86-23254
- A flight evaluation of a digital electronic engine control p 299 A86-23273
- Efficiently meeting electric power needs for future aircraft p 319 A86-24829
- Development testing of integrated avionics systems using dynamic environment simulation p 330 A86-26166
- Decentralization filtering and redundancy management/failure detection for multisensor integrated navigation systems p 348 A86-26443
- Methodology for determination of circuit safety margins for MIL-E-8051 EMC system test p 381 A86-27151
- Remote aircraft maintenance monitoring using telemetry p 347 A86-27813
- Optimum maintenance of aircraft systems on the basis of their condition with allowance for measurement errors p 354 A86-28310
- NAECON 1985; Proceedings of the National Aerospace and Electronics Conference, Dayton, OH, May 20-24, 1985. Volumes 1 & 2 p 348 A86-28326
- A flexible programmable signal processor for next generation fighter aircraft p 385 A86-28330
- A novel voice activated switch (VOX) for high noise environments p 348 A86-28335
- A distributed, fault-tolerant implementation of the airborne digital map using VLSI common programmable modules p 349 A86-28337
- Fiber optic high speed data bus p 385 A86-28338
- Imaging connector interconnect system for a parallel fiber optic data bus p 385 A86-28340
- A robust 100 MBPS network for avionics applications p 385 A86-28341
- High speed fiber optic data bus for avionics integration p 385 A86-28342
- High speed bus for Pave Pillar applications p 385 A86-28343
- Digital avionics for modern aircraft - A case study into the problems and promise of aircraft electronics p 358 A86-28348
- A Modular Stress Management System (MSMS) with worldwide applications p 359 A86-28367
- Electronics for advanced electromechanical actuators design considerations --- for flight control p 354 A86-28398
- A new approach to ensuring deterministic processing in an integrated avionics software system p 398 A86-28419
- Designing into the unknown --- military aircraft software p 398 A86-28420
- A FORTRAN algorithm for terrain perspective and plan view display p 398 A86-28421
- Software management for integrated avionics systems p 402 A86-28425
- A speech recognition research tool for the C-130 Hercules p 350 A86-28443
- A case study in simulation vs. stimulation - The B-1 weapon system trainer p 398 A86-28456
- Embedded training avionics integration p 360 A86-28463
- Unified EM transient protection requirements for aircraft avionics line replaceable units p 355 A86-28485
- Expert system applications to the cockpit of the '90s p 399 A86-28487
- Application of magneto-optic modulators to advanced avionic displays p 360 A86-28508
- The Crew Station Information Manager - An avionics expert system p 361 A86-28515
- Evaluation of formats for aircraft control/display units p 438 A86-29864
- Aerospace and electronic systems - Advanced concepts and pioneering perspectives; Proceedings of the Sixth Symposium, Dayton, OH, November 14, 15, 1984 p 455 A86-31253
- Grumman's real time computing system for avionics testing [AIAA PAPER 86-9732] p 464 A86-32079
- F-16 radar data acquisition and analysis [AIAA PAPER 86-9798] p 422 A86-32127
- AFFTIS - What now? --- Air Force Flight Instrumentation System [AIAA PAPER 86-9799] p 439 A86-32128
- Experience with flight testing integrated avionics systems [AIAA PAPER 86-9804] p 431 A86-32133
- Tornado avionic flight testing [AIAA PAPER 86-9805] p 431 A86-32134
- Integration test facility for P3 aircraft purpose and uses [AIAA PAPER 86-9807] p 448 A86-32135
- First use of Ada in flight-critical avionics [AIAA PAPER 86-9822] p 443 A86-32146
- F-16 radar flight test - A lesson in software development [AIAA PAPER 86-9827] p 406 A86-32149
- Weight assessment of electronic boxes --- for aircraft design [SAE PAPER 1861] p 499 A86-35207
- Pilot vehicle interfaces with smart avionics systems [SAE PAPER 851923] p 529 A86-35432
- American Helicopter Society, Annual Forum, 41st, Fort Worth, TX, May 15-17, 1985, Proceedings p 473 A86-35601
- An avionics software test and evaluation technique p 499 A86-35650
- Integrated avionics suite as implemented on the Agusta A-129 p 500 A86-35666
- A computer controlled autopilot and an annunciation system for light aircraft p 511 A86-36871
- Retrofitting avionics - Closing the performance 'Generation gap' [SAE PAPER 851813] p 589 A86-38324
- The integrated digital avionics system for the F-20 Tigershark [SAE PAPER 851850] p 589 A86-38345
- Avionics system architecture for Beechcraft Starship 1 [SAE PAPER 851851] p 589 A86-38346
- Protecting electronics against lightning gets harder p 633 A86-41034
- Developing a maintenance concept for future electronic systems [AIAA PAPER 86-1145] p 684 A86-43333
- Line replaceable modules - The next generation of avionics p 685 A86-43890
- Built In Test (BIT) utilization for improved supportability of the F-20 aircraft p 685 A86-43906
- Crew situational awareness drives avionics developments p 718 A86-45067
- Trends in civil avionics for the near future p 718 A86-46141
- Special protection circuits against transient currents for aircraft systems p 791 A86-47326
- Design considerations for flight test of a fault inferring nonlinear detection system algorithm for avionics sensors [AIAA PAPER 86-2030] p 810 A86-47511
- AIRMEC '85 - Aviation equipment servicing: Aircraft and helicopter maintenance; International Exhibition and Conference, 4th, Duesseldorf, West Germany, February 26-March 3, 1985, Conference Reports p 759 A86-47801
- Potential of BITE's and what it means to aircraft maintenance p 759 A86-47807
- Working with today's BITE - One airline's experience p 759 A86-47808
- Digitalization of avionics in today's and tomorrow's aircraft and implications on aircraft maintenance p 760 A86-47809
- Avionics digital data acquisition system p 810 A86-47790
- The development of a fibre optic data bus for helicopters p 811 A86-49131
- Advanced avionics computer architecture. Volume 1. Executive summary [AD-A158119] p 104 N86-12222
- Advanced avionics computer architecture. Volume 2. Instruction set architecture specification [AD-A158120] p 104 N86-12223
- Navy should join the Air Force and Army program to develop an advanced integrated avionics system [PB85-222503] p 104 N86-12224
- Introduction to operational ASDAR system p 125 N86-12915
- Avionics system for future civil helicopters [BMFT-FB-W-85-005] p 160 N86-14266
- Cold regions logistic supportability testing of electronic, avionic and communications equipment [AD-A158887] p 188 N86-14514
- A fault tolerant system for an integrated avionics sensor configuration [NASA-CR-3834] p 160 N86-15278
- FINDS: A fault inferring nonlinear detection system programmers manual, version 3.0 [NASA-CR-177986] p 231 N86-16212
- Stress level testing of electronics, avionics communications and C3I equipments [AD-A159395] p 231 N86-16214
- The Shock and Vibration Bulletin 55. Part 1: Welcome, keynote address, invited papers, isolation and damping and damping practices [AD-A160263] p 256 N86-16616
- AVIP Air Force thrust for reliability p 256 N86-16617
- A decade of reliability testing progress p 256 N86-16619
- CERT: Where we have been, where we are going p 256 N86-16620
- Error propagation in a digital avionic processor: A simulation-based study [NASA-CR-176501] p 232 N86-17351
- Development of a piezoelectric quartz pressure sensor for avionics with excellent long term stability (with final demonstration of the results on a prototype) [BMFT-FB-W-85-010] p 232 N86-17353
- Reliability aspects of software for digital avionics [NLR-TR-82126-U] p 232 N86-17354



A comparative evaluation of the reliability improvement in line replaceable units warranted under the F-16 reliability improvement warranty  
[AD-A160830] p 321 N86-18630

Avionics standardization: Perceptions and recommendations  
[AD-A161709] p 361 N86-20388

Fault Tolerant Hardware/Software Architecture for Flight Critical Function  
[AGARD-LS-143] p 369 N86-20399

Introduction to Lecture Series No. 143: Fault tolerant hardware/software architectures for flight critical functions  
p 369 N86-20400

Dependable avionics data transmission  
p 362 N86-20405

Digital fault-tolerant flight actuation systems  
[AFWAL-83-3041] p 362 N86-20408

Integrated communication, navigation, and identification avionics: Impact analysis. Executive summary  
[AD-A161799] p 388 N86-20658

Rivista Tecnica Selenia, volume 9, number 3, 1985  
— combat aircraft p 407 N86-22537

The MRCA automatic test system  
p 407 N86-22538

Logistics engineering analysis techniques for fault-tolerant avionics systems  
[AD-A161981] p 439 N86-23596

Development experience with a simple expert system demonstrator for pilot emergency procedures  
[NASA-TM-85919] p 446 N86-23603

Feasibility study for a static aircraft flight  
[AD-A163129] p 466 N86-24233

An engineering approach to the use of expert systems technology in avionics applications  
[NASA-TM-88263] p 497 N86-24687

Using Ada in the real-time avionics environment issues and conclusions  
[AD-A163844] p 533 N86-25151

Cost estimating relationships for fixed wing aircraft: List price versus empty weight  
[AD-A164196] p 537 N86-25300

AN-124 airplane's cargo-handling and automation equipment  
p 527 N86-25600

Development and evaluation of math library routines for a 1750A airborne microcomputer  
[AD-A164050] p 533 N86-26030

Langley aerospace test highlights, 1985  
[NASA-TM-87703] p 537 N86-26276

Main flight controls — Airbus  
[SNIAS-861-111-111] p 653 N86-28096

The Impact of Very High Performance Integrated Circuits on Radar, Guidance and Avionics Systems  
[AGARD-CP-380] p 674 N86-28337

The future of bipolar technology for avionics  
p 674 N86-28341

Possible impacts of VHSIC on MIL-STD-1553B data transmission management  
p 674 N86-28371

The impact of VHPIC on avionics system architecture, packaging and maintainability  
p 674 N86-28372

The impact of very high performance integrated circuits on avionics system readiness  
p 674 N86-28373

Design requirements and development of an airborne descent path definition algorithm for time navigation  
[NASA-CR-178037] p 641 N86-28939

Aircraft avionics suitable for advanced approach applications. Volume 1: Aircraft fleet equipage  
[DOT/FAA/PM-86/25.1] p 642 N86-28944

Investigation of an advanced fault tolerant integrated avionics system  
[NASA-CR-176980] p 642 N86-28945

Aerialia: Avionics, optoelectronics research, ATR 42  
p 642 N86-29080

VHF-FM communications antennas for project SINGARS (UH-1 tail whip antenna evaluation)  
[AD-A165897] p 676 N86-29119

Vectored thrust digital flight control for crew escape, volume 1  
[AD-A166580] p 700 N86-29796

Vectored thrust digital flight control for crew escape, volume 2  
[AD-A166596] p 700 N86-29799

Technology research for strapdown inertial experiment and digital flight control and guidance  
[NASA-CR-176907] p 703 N86-29800

Advanced laser based inertial instrument development  
[AD-A166307] p 742 N86-30128

Interaction between EMP (Electromagnetic Pulse), lightning and static electricity with aircraft and missile avionics systems  
[AGARD-LS-144] p 702 N86-30708

NASA and general aviation  
[NASA-SP-485] p 716 N86-30720

**AXIAL COMPRESSION LOADS**  
Weight optimization of stiffened cylinders under axial compression  
p 120 N86-14348

Stability analysis of composite stiffened layer plates under compression  
p 735 N86-43495

Buckling and initial post buckling analysis of composite panels under axial compression  
p 735 N86-43496

**AXIAL FLOW**  
Transonic blade to blade calculations in an axial, radial or mixed flow cascade equipped with splitter blades  
[ASME PAPER 85-GT-86] p 205 N86-22057

An eleven parameter axial turbine airfoil geometry model  
[ASME PAPER 85-GT-219] p 205 N86-22117

The superposition distortion index — in axial flow fans of turbofan engines  
p 500 N86-34279

Analysis of the effects of transient heat transfer on axial flow compressor blade boundary layers  
[AD-A158094] p 175 N86-15315

Spanwise redistribution of energy and loss in an axial flow compressor by wake centrifugation  
[AD-A159312] p 237 N86-16222

Laser beam duct pressure controller system  
[AD-DO12017] p 525 N86-24984

Dynamic and aeroelastic analyses of turbosystems in NASTRAN  
p 527 N86-25826

**AXIAL FLOW PUMPS**  
Fluid machines: Expanding the limits, past and future  
[NASA-TM-87161] p 107 N86-12227

**AXIAL FLOW TURBINES**  
Design of the flow path of aircraft gas-turbine engines — Russian book  
p 105 N86-13447

Axial flow contra-rotating turbines  
[ASME PAPER 85-GT-218] p 236 N86-22116

Investigation of a tip clearance cascade in a water analogy ring  
[ASME PAPER 85-IGT-65] p 270 N86-22730

Redistribution of an inlet temperature distortion in an axial flow turbine stage  
[AIAA PAPER 86-1468] p 671 N86-42658

Predictions of endwall losses and secondary flows in axial flow turbine cascades  
[ASME PAPER 86-GT-228] p 766 N86-48262

**AXIAL LOADS**  
Fiber-reinforced plastic composites for energy absorption purposes  
p 312 N86-23823

Bolted composite repairs subjected to biaxial or shear loads  
p 662 N86-41052

**AXISYMMETRIC BODIES**  
A joint analysis of the boundary layer and inviscid flow around the axisymmetric rear section of a fuselage  
p 79 N86-13373

Drag reduction of perforated axisymmetric bodies in supersonic flow  
p 144 N86-18047

Applications of an analysis of axisymmetric body effects on rotor performance and loads  
p 289 N86-26105

Shape optimization of axisymmetric structures — French thesis  
p 458 N86-33453

Numerical approximation of the total drag of a body in a tube  
[AD-A159548] p 188 N86-14538

Experimental study of the supersonic turbulent boundary layer on a blunt axisymmetric body  
[AD-A163736] p 479 N86-24689

Experimental and numerical results for a generic axisymmetric single-engine afterbody with tails at transonic speeds  
[NASA-TM-87755] p 697 N86-30695

**AXISYMMETRIC FLOW**  
A numerical study of axisymmetric flow past a disk  
p 79 N86-13377

Theory of self-similar regimes of supersonic flow in an axisymmetric channel with a sudden expansion  
p 82 N86-13427

A numerical method for calculating internal subsonic swirling flows of an ideal gas  
p 85 N86-14679

Longitudinal potential distribution in a jet of an ionized gas  
p 331 N86-23674

Impinging jets  
p 458 N86-33419

Lifting bodies designed for flow behind axisymmetric conical shock waves  
p 554 N86-39660

Application of a supersonic Euler code (SWINT) to wing-body-tail geometries  
p 624 N86-41697

Axisymmetric three-dimensional flow in the cooled gas turbine — German thesis  
p 720 N86-44925

An implicit finite-difference procedure for the numerical solution of unsteady supersonic flow over a blunt body  
p 148 N86-14229

Calculation of axisymmetric laminar supersonic flows over blunt bodies  
p 148 N86-14234

Generation of the starting plane flowfield for supersonic flow over a spherically capped body  
[AD-A161117] p 278 N86-19291

Random-choice-method solutions for two-dimensional planar and axisymmetric steady supersonic flows  
[UTIAS-297] p 415 N86-22555

Static investigation of two STOL nozzle concepts with pitch thrust-vectoring capability  
[NASA-TP-2559] p 415 N86-23559

## AZIMUTH

Characteristics of synthetic aperture radars  
p 610 N86-39683

Computed centerline MLS (Microwave Landing System) approach demonstration at Washington National Airport  
[AD-A163722] p 486 N86-24681

## B

### B-1 AIRCRAFT

Structural bonding with polysulfide adhesive on B-1B aircraft  
p 94 N86-13106

Digital control for engine bleed air  
[SAE PAPER 851316] p 300 N86-23506

A case study in simulation vs. stimulation - The B-1 weapon system trainer  
p 398 N86-28456

Instrumentation system for real time navigation system performance assessment  
[AIAA PAPER 86-9731] p 422 N86-32078

Ground testing approach for the B-1B bomber  
[SAE PAPER 851796] p 598 N86-38319

Pilot report - B-1B  
p 634 N86-41275

Bringing on the B-1B  
p 621 N86-41276

Delivery of B-1B changes maintenance procedures  
p 621 N86-41800

Transonic aeroelastic analysis of the B-1 wing  
[AIAA PAPER 85-0690] p 708 N86-44886

**B-52 AIRCRAFT**  
The new environmental control system for the B-52 G/H aircraft  
[SAE PAPER 851320] p 285 N86-23510

Operation REDWING, Project 5.2, in-flight participation of a B-52  
[AD-A955286] p 357 N86-21536

**B-70 AIRCRAFT**  
XB-70 structures and materials advancements  
p 224 N86-22131

### BACKGROUND NOISE

A new application of adaptive noise cancellation — in acoustic barriers  
p 262 N86-22626

Number of targets threatened simultaneously (NOTTS) in conjunction with over the horizon back-scatter (OTHB) radar coverage  
[AD-A159304] p 189 N86-15528

### BACKSCATTERING

Ultrasonic direct backscattering technique for material surface inspection  
p 740 N86-47133

Performance of resonant radar target identification algorithms using intra-class weighting functions  
p 321 N86-19490

Airborne lidar measurements of El Chichon stratospheric aerosols  
[NASA-RP-1166] p 616 N86-27835

### BACKWARD FACING STEPS

Influence of excitation on coherent structures in reattaching turbulent shear layers  
[AIAA PAPER 86-0112] p 199 N86-19096

### BAGGAGE

Sniffing out trouble  
p 699 N86-45757

### BALL BEARINGS

Review and critical analysis: Rolling-element bearings for system life and reliability  
[NASA-CR-174710] p 525 N86-24991

### BALLISTIC MISSILE DECOYS

Aerospace knowledge magazine (selected articles)  
[AD-A164720] p 539 N86-26278

### BALLISTICS

The drag of a pair of bodies at supersonic flight velocities  
p 768 N86-48802

Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987  
[AD-A162792] p 402 N86-22443

Impact damage to composite structures  
[AGARD-R-729] p 604 N86-27425

### BALLOON SOUNDING

Long-duration flights using infrared Montgolfieres  
p 323 N86-18861

### BALLOONS

Long-duration flights using infrared Montgolfieres  
p 323 N86-18861

### BANDWIDTH

An investigation of the use of bandwidth criteria for rotorcraft handling-qualities specifications  
[AD-A160664] p 294 N86-18319

### BAROMETERS

Identification and estimation of the random error models for inertial accelerometer and baro-altimeter  
p 717 N86-43481

Anemobarometry: An essential element of flight control  
p 835 N86-31566

### BARRIERS

Mathematical model of the interaction of a single unsteady supersonic jet with a moving barrier of finite size  
p 628 N86-43401



**BASE PRESSURE**

A hot air tunnel for base bleed experimentation  
p 597 A86-38252

**BASIC (PROGRAMMING LANGUAGE)**

BASIC aerodynamics — Book p 336 A86-26474

**BATHYMETERS**

Data analysis of airborne electromagnetic bathymetry  
[AD-A157132] p 125 N86-12744

**BAYS (STRUCTURAL UNITS)**

Particulate contaminant relocation during shuttle ascent  
[NASA-TM-87794] p 600 N86-27351

**BEAMS (SUPPORTS)**

Autoparametric vibration of coupled beams under random support motion  
[ASME PAPER 85-DET-184] p 318 A86-24246  
Crash energy absorbing composite sub-floor structure  
[AIAA PAPER 86-0944] p 585 A86-38952  
A model for the equivalent bending characteristics of a composite beam p 667 A86-40361  
A large displacement formulation for anisotropic beam analysis p 671 A86-42075  
Beam dampers for skin vibration and noise reduction in the 747 p 389 N86-21917

**BEARING (DIRECTION)**

Analytical estimation of the variance of error in determining geographic-meridian direction by the gyrocompass method with random oscillation of the base p 180 A86-18990

**BEARINGLESS ROTORS**

Dynamic stability of hingeless and bearingless rotors in forward flight p 366 A86-27662  
Parametric study of the aeroelastic stability of a bearingless rotor p 178 N86-15283  
Experimentally determined flutter from two- and three-bladed model bearingless rotors in hover p 177 N86-15286  
Linear and nonlinear dynamic analysis of redundant load path bearingless rotor systems  
[NASA-CR-177098] p 682 N86-29579

**BEARINGS**

Elastomeric rod end bearings - A solution for improving reliability and maintainability p 320 A86-26125  
Electrochemical evaluation of corrosivity in turbine engine oils  
[SAE PAPER 851887] p 602 A86-38534  
Mode II fatigue crack growth specimen development p 736 A86-43566  
Expert systems for mechanical fault diagnosis p 737 A86-43896  
Fatigue life analysis of a turboprop reduction gearbox  
[ASME PAPER 85-DET-10] p 738 A86-45256  
Passive eddy-current damping as a means of vibration control in cryogenic turbomachinery  
[NASA-TP-2562] p 515 N86-24722  
Effects of unfavorable environmental conditions on the service life of jet engine and helicopter bearings p 677 N86-29238

**BEECHCRAFT AIRCRAFT**

Starship 1 p 225 A86-22133  
Avionics system architecture for Beechcraft Starship 1  
[SAE PAPER 851851] p 589 A86-38346

**BELL AIRCRAFT**

Flight investigation of Bell model 206 ring fin p 491 A86-35624  
A comparative study of an articulated integrated side-arm controller in a variable stability helicopter p 510 A86-35626

**BENDING**

Vortex-induced bending oscillation of a swept wing  
[AIAA PAPER 86-1773] p 542 A86-37809  
Analytical and experimental investigation on advanced composite wing box structures in bending including effects of initial imperfections and crushing pressure p 848 A86-49003  
Controlled impact demonstration airframe bending bridges p 391 N86-21943  
Impact dynamics instrumentation p 392 N86-21948

**BENDING FATIGUE**

Composite integral response sensing  
[AD-A163136] p 470 N86-24457

**BENDING MOMENTS**

On the teaching of the principles of wing flexure-torsion flutter p 185 A86-16248  
Aeroelastic oscillations caused by transitional boundary layers and their attenuation  
[AIAA PAPER 86-0736] p 286 A86-24731  
An optimization procedure for a redundant wing structure  
[SAE PAPER 1684] p 521 A86-35225  
Controlled impact demonstration airframe bending bridges p 391 N86-21943

**BENDING VIBRATION**

Certain criteria and formulas for the analysis of flexural-torsional flutter p 109 A86-13394

Feasibility of simplifying coupled lag-flap-torsional models for rotor blade stability in forward flight p 290 A86-26138

The effect of a fault on the stiffness and the natural frequency of a plate in bending p 850 A86-49918

**BIBLIOGRAPHIES**

An electronic index of articles pertaining to Air Force transportation in the post-World War 2 era, with abstracts of selected articles  
[AD-A160837] p 281 N86-18308  
Publications of the National Bureau of Standards, 1984 catalog  
[PB85-245678] p 402 N86-21435  
A cumulative index to a continuing bibliography on aeronautical engineering  
[NASA-SP-7037(196)] p 408 N86-23552  
Aeronautical Engineering (a continuing bibliography with indexes)  
[NASA-SP-7037(196)] p 408 N86-23553  
Sonic-boom research: Selected bibliography with annotation  
[NASA-TM-87685] p 756 N86-30470

**BINOCLULAR VISION**

Displacement thresholds in central and peripheral vision during tracking p 679 A86-41782

**BIODYNAMICS**

Biodynamics of personnel parachute landings - A fresh look at parachute descent rates p 419 A86-32068  
The use of ellipsoidal solids to display human body dynamic response p 530 A86-36852  
Adaptive filtering of biodynamic stick feedthrough in manipulation tasks on board moving platforms  
[AIAA PAPER 86-2248] p 825 A86-47495  
Crash-resistant crewseat limit-load optimization through dynamic testing with cadavers  
[AD-A164828] p 569 N86-26296

**BIOLOGICAL MODELS (MATHEMATICS)**

Wickens' resource allocation model - Implications for the design of human-machine systems p 395 A86-28453  
The use of ellipsoidal solids to display human body dynamic response p 530 A86-36852

**BIOTECHNOLOGY**

West Europe report: Science and technology  
[JPRS-WST-85-031] p 123 N86-13616  
West Europe report: Science and technology  
[JPRS-WST-85-024] p 189 N86-15447  
Japan report: Science and technology  
[JPRS-JST-86-007] p 460 N86-23773

**BIPLANES**

China report: Science and technology  
[JPRS-CST-85-029] p 122 N86-12446  
Wingtip sails tested on Y-5 aircraft p 99 N86-12450

**BIPOLAR TRANSISTORS**

Programmable, automated transistor test system  
[NASA-TP-2554] p 389 N86-21755

**BIPOLARITY**

The future of bipolar technology for avionics p 674 N86-28341

**BIRD-AIRCRAFT COLLISIONS**

Response determination of propeller to bird strike using high speed photography p 90 A86-15308  
Bird impact testing at AEDC's range S-3  
[AIAA PAPER 86-9818] p 432 A86-32143  
From a strike to a kill p 634 A86-42423  
Propeller FOD qualification using modal analysis, artificial birds, and a static impact facility p 731 A86-47127  
Failure analysis of aircraft windshields subjected to bird impact p 802 A86-49055  
Finite element analysis of soft-body impact  
[AD-A158438] p 158 N86-14259  
Aircraft transparency testing: Artificial birds  
[AD-A166832] p 701 N86-30704

**BIRDS**

Aircraft transparency testing: Artificial birds  
[AD-A166832] p 701 N86-30704

**BISMALEIMIDE**

Characterization of T300/V-378A graphite/bismaleimide for structural applications p 662 A86-41053

**BIT SYNCHRONIZATION**

Design issues in data synchronous systems p 362 N86-20407

**BITUMENS**

Turbine fuels from tar sands bitumen and heavy oil. Phase 1: Preliminary process analysis  
[AD-A161300] p 452 N86-22724

**BLACK AND WHITE PHOTOGRAPHY**

Image processing of aerodynamic data  
[NASA-TM-87629] p 255 N86-16553

**BLADE SLAP NOISE**

Review of recent research on interior noise of propeller aircraft p 97 A86-14527  
Numerical evaluation of propeller noise including nonlinear effects p 645 A86-41726

Noise control characteristics of synchrophasing. I - Analytical investigation — of turboprop aircraft noise p 708 A86-44853

Mid-field and far-field calculations of Blade-Vortex Interactions  
[AIAA PAPER 86-1854] p 753 A86-45476

Preliminary results of unsteady blade surface pressure measurements for the SR-3 propeller  
[AIAA PAPER 86-1893] p 780 A86-49625

Noise control characteristics of synchrophasing. II - Experimental investigation — on aircraft fuselage model p 805 A86-49808

Recent experiences in the analysis of aircraft cabin noise p 401 N86-21287

Preliminary results of unsteady blade surface pressure measurements for the SR-3 propeller  
[NASA-TM-87352] p 559 N86-27213

Unsteady aerodynamics application to helicopter noise and vibration sources p 562 N86-27241

An analysis of blade vortex interaction aerodynamics and acoustics  
[NASA-CR-177016] p 630 N86-28912

**BLADE TIPS**

Velocity measurements in the near field of a rotor blade in hover  
[AIAA PAPER 85-5013] p 84 A86-14457

Pressure fluctuations on rotor blades generated by blade-vortex interaction p 86 A86-16122

Investigation of a tip clearance cascade in a water analogy ring  
[ASME PAPER 85-IGT-65] p 270 A86-22730

Comparative measurements of the unsteady pressures and the tip-vortex parameters on four oscillating wing tip models p 273 A86-24708

Some calculations of tip vortex - Blade loadings p 276 A86-26107

Comparative measurements of the unsteady pressures and the tip-vortex parameters of four oscillating wing tip models p 276 A86-26109

Theoretical prediction of running-time measurements in unsteady flow — for various shapes of rotor blade tips p 276 A86-26112

The prediction of flow around blade tips p 337 A86-27668

Model helicopter blade slap at low tip speeds - Theoretical and experimental correlations p 535 A86-35621

Free-tip-rotor wind-tunnel test results p 491 A86-35628

Clearance effects on heat transfer at the tips of plain and grooved turbine airfoils p 644 A86-40737

Tip leakage reduction through tip injection in turbomachines  
[AIAA PAPER 86-1746] p 627 A86-42824

Propeller noise caused by blade tip radial forces  
[AIAA PAPER 86-1892] p 721 A86-45504

10 years of rotor flows studies at ONERA - State of the art and future studies  
[ONERA, TP NO. 1986-49] p 692 A86-46185

Rotor tip vortex geometry measurements using the wide-field shadowgraph technique  
[AIAA PAPER 86-1780] p 778 A86-49580

Three-dimensional, transonic rotor flow field reconstructed from holographic interferogram data  
[NASA-TM-86816] p 188 N86-14555

Aeroelastic considerations for torsionally soft rotors p 157 N86-15289

One-piece HPTR blade squealer tip  
[AD-D012003] p 504 N86-24698

Wind-tunnel acoustic results of two rotor models with several tip designs  
[NASA-TM-87698] p 682 N86-28701

An analysis of blade vortex interaction aerodynamics and acoustics  
[NASA-CR-177016] p 630 N86-28912

An investigation of tip planform influence on the aerodynamic load characteristics of a semi-span, unswept wing and wing-tip  
[NASA-CR-177110] p 693 N86-29766

Aeroelastic considerations for torsionally soft rotors  
[NASA-TM-87687] p 745 N86-31070

**BLAST LOADS**

Response of an operational turbofan engine to a simulated nuclear blast p 643 A86-40728

The Shock and Vibration Bulletin 55. Part 2: Dynamic testing, flight vehicle dynamics, seismic loads and fluid-structure interaction  
[AD-A160264] p 257 N86-16646

**BLOWDOWN WIND TUNNELS**

Investigations of transonic trailing edge flows p 541 A86-37192

An airfoil flutter model suspension system to accommodate large static transonic airloads  
[NASA-CR-177998] p 146 N86-14220

- Recent improvements to the NAE 5 ft. x 5 ft. blowdown wind tunnel  
[AD-A182034] p 449 N86-23608
- BLOWING**
- Influence of wing tip configuration on lateral blowing efficiency  
[AIAA PAPER 86-0475] p 206 A86-22702
- Flow structure of lateral wing-tip blowing  
[AIAA PAPER 86-1810] p 544 A86-37831
- Aerodynamics of delta wings with leading edge blowing  
[AIAA PAPER 86-2230] p 764 A86-47691
- Enhanced controllability through vortex manipulation on fighter aircraft at high angles of attack  
[AIAA PAPER 86-2277] p 830 A86-47695
- The lift of sharp-leading-edged delta wings with blowing  
[NASA-CR-176967] p 631 N86-28915
- BLOWOUTS**
- Long taxi rolls can lead to catastrophic blow-outs  
p 157 A86-17083
- Altitude ignition/lean deceleration study  
[AIAA PAPER 86-1530] p 646 A86-42694
- Altitude ignition/lean decel study  
[AD-A183052] p 518 N86-24781
- BLUFF BODIES**
- An experimental study of geometrical effects on the drag and flow field of two bluff bodies separated by a gap  
p 141 A86-17055
- Investigation of the aerodynamic forces on bluff bodies at high Reynolds numbers  
[ESA-TT-914] p 209 N86-18206
- BLUNT BODIES**
- A marching explicit-implicit procedure for calculating supersonic flow past bodies  
p 78 A86-13296
- The effect of the bluntness and the half-angle of a cone on the turbulent transition of a boundary layer at free-stream Mach 6  
p 80 A86-13391
- Experimental study of gas flow around blunt objects  
p 85 A86-15980
- Static and dynamic pitch stability of a blunt cone with forward facing aerodynamic spike in hypersonic flow  
p 135 A86-18249
- L.D.A. measurements in the turbulent near-wake of blunt bodies  
p 139 A86-18371
- Heat transfer at the lateral surface of a blunt cone during the absorption of the entropy layer by a laminar or a turbulent boundary layer  
p 187 A86-18907
- Experimental and theoretical study of wings with blunt trailing edges  
p 410 A86-32789
- Transonic flow solutions on a blunt, finned body of revolution using the Euler equations  
[AIAA PAPER 86-1082] p 549 A86-38445
- Effect of the nonequilibrium character of the flow around a blunt plate with a bend on its aerodynamic characteristics  
p 788 A86-48783
- An implicit finite-difference procedure for the numerical solution of unsteady supersonic flow over a blunt body  
p 148 N86-14229
- Calculation of axisymmetric laminar supersonic flows over blunt bodies  
p 148 N86-14234
- Calculation of separated laminar supersonic flows over blunt bodies of revolution at zero angle of attack  
[DFVLR-FB-85-30] p 151 N86-14256
- Experimental study of the supersonic turbulent boundary layer on a blunt axisymmetric body  
[AD-A163736] p 479 N86-24669
- Supersonic flow around blunt perforated shields  
p 480 N86-25558
- Numerical computation of viscous flow around bodies and wings moving at supersonic speeds  
[NASA-CR-176903] p 693 N86-29772
- BLUNT LEADING EDGES**
- Hypersonic viscous shock layer on a surface with an abrupt variation of catalytic activity  
p 737 A86-43994
- BO-105 HELICOPTER**
- DFVLR flying qualities research using operational helicopters  
p 307 A86-26147
- DFVLR helicopter in-flight simulator for flying quality research  
p 310 A86-26148
- Flight test of a velocity augmented strapdown navigation system LHN-81  
p 421 A86-30314
- Development of the BO 105 LS  
p 487 A86-34920
- [MBB-UD-458-85-OE] p 805 A86-50255
- Avionics system for future civil helicopters  
[BMFT-FB-W-85-005] p 160 N86-14266
- Construction of a measuring method using fiber optics and an LTN-90 laser gyro strapdown system for BO-195 helicopters  
[DFVLR-MITT-85-10] p 216 N86-17333
- BODIES OF REVOLUTION**
- The external drag of a simple axisymmetric body of revolution in subsonic and supersonic flow with variable mass flowthrough ratios  
[AIAA PAPER 86-1828] p 545 A86-37842
- Transonic flow solutions on a blunt, finned body of revolution using the Euler equations  
[AIAA PAPER 86-1082] p 549 A86-38445
- A method for the design of shock-free slender bodies of revolution  
p 554 A86-39054
- Modeling three-dimensional flows in terms of viscous-inviscid interaction by means of the MSZ method  
[ONERA, TP NO. 1988-29] p 692 A86-46171
- BODY KINEMATICS**
- The dynamics of elastic bars under conditions of arbitrary kinematic excitation  
p 185 A86-16761
- Calculation of the explosion of a rapidly flying body  
p 738 A86-45344
- BODY-WING AND TAIL CONFIGURATIONS**
- Figures of out surface of an airplane model  
p 288 A86-25237
- Tail profile effects on unsteady large scale flow structure in the wing and plate junction  
p 387 A86-28666
- Canard/tail comparison for an advanced variable-sweep-wing fighter  
p 637 A86-41688
- Application of a supersonic Euler code (SWINT) to wing-body-tail geometries  
p 824 A86-41697
- An experimental study of a three lifting surface configuration  
p 775 A86-49104
- BODY-WING CONFIGURATIONS**
- Juncture flow control using leading-edge fillets  
[AIAA PAPER 85-4097] p 84 A86-14454
- A transonic wing-body flowfield calculation with improved grid topology  
p 142 A86-17134
- Geometry generation for transonic design  
p 221 A86-20932
- Aerodynamic characteristics of slender wing-gap-body combinations. II  
p 275 A86-25240
- Analysis of the wing/rotor and rotor/rotor interactions present in tilt-rotor aircraft  
p 353 A86-27657
- An experimental study of the flow and wall pressure field around a wing-body junction  
p 337 A86-28637
- Wing and conical body of arbitrary cross-section combinations in supersonic flow  
p 545 A86-37841
- Experimental study of a turbulent horseshoe vortex using a three-component laser velocimeter  
[AIAA PAPER 86-1089] p 548 A86-38436
- Unsteady transonic flow calculations for wing-fuselage configurations  
[AIAA PAPER 86-0862] p 552 A86-38897
- Some problems in the finite-difference computation of three-dimensional transonic flows  
p 687 A86-43501
- Experimental investigation of a boundary layer on a schematic aircraft model  
p 769 A86-48824
- Symmetric and nonsymmetric separated flow past a low aspect ratio wing with a fuselage  
p 770 A86-48838
- Optimum-Optimorum integrated wing-fuselage configuration for supersonic transport aircraft of second generation  
p 801 A86-49010
- Algebraic grid generation about wing-fuselage bodies  
p 772 A86-49028
- Effects of spanwise blowing on pressure distribution and leading-edge vortex stability  
p 774 A86-49046
- PN/S calculations for a fighter W/F at high-lift yaw conditions — parabolized Navier-Stokes computer code  
[AIAA PAPER 86-1829] p 779 A86-49588
- Navier-Stokes simulation of transonic flow over wing-fuselage combinations  
[AIAA PAPER 86-1831] p 779 A86-49589
- Review of research in numerical aerodynamics at the DFVLR in Brunswick  
p 150 N86-14248
- Procedure for solution of the full potential equation at Dornier GmbH  
p 150 N86-14249
- Transonic wind tunnel tests of a swept supercritical wing-body model, PT 8  
[FFA-TN-1982-24] p 211 N86-17316
- Lift distribution on a high aspect ratio circulation control wing with root lift cutoff  
[AD-A157024] p 341 N86-20368
- Comparison of computational results of a few representative three-dimensional transonic potential flow analysis programs  
[NASA-TM-77963] p 341 N86-21509
- Effects of some geometric variations on missile aerodynamic characteristics at supersonic speeds  
[NASA-TM-87683] p 415 N86-22553
- Effects of upper-surface nacelles on longitudinal aerodynamic characteristics of high-wing transport configuration  
[NASA-TP-2579] p 416 N86-23562
- Optimization of tip store modeling  
[AD-A162119] p 417 N86-23571
- Unsteady transonic flow calculations for wing-fuselage configurations  
[NASA-TM-87707] p 478 N86-24657
- Experimental study of apex fences for lift enhancement on a highly swept delta wing configuration  
[AD-A163877] p 512 N86-24705
- Elliptic generation of composite three-dimensional grids about realistic aircraft  
[NASA-TM-88240] p 763 N86-31527
- BOEING AIRCRAFT**
- Boeing Military Airplane Company's robotic ultrasonic inspection system  
p 118 A86-14380
- 7J7 - Boeing sets the pace  
p 97 A86-14361
- Productivity improvements through the use of CAD/CAM  
p 121 A86-14538
- Unscreened part reliability rivals that of screened parts in new digital avionics  
p 315 A86-23015
- Cockpit advances in Boeing Vertol Company's Model 360 helicopter  
[SAE PAPER 841629] p 298 A86-28032
- The 7J7 - Boeing's answer to the Airbus A320  
p 426 A86-31039
- Experience with flight testing integrated avionics systems  
[AIAA PAPER 86-9804] p 431 A86-32133
- Boeing Robotic Air Vehicle  
p 576 A86-37339
- Composite material service experience on Boeing commercial airplanes  
[AIAA PAPER 86-0947] p 603 A86-38841
- Pressure distributions from high Reynolds number tests of a Boeing BAC 1 airfoil in the Langley 0.3-meter transonic cryogenic tunnel  
[NASA-TM-87600] p 208 N86-16199
- BOEING 720 AIRCRAFT**
- Electromagnetic pulse test aircraft (EMPTAC) program  
p 335 A86-27145
- NASA experiments onboard the controlled impact demonstration  
[SAE PAPER 851885] p 568 A86-38352
- Impact data from a transport aircraft during a controlled impact demonstration  
[NASA-TP-2589] p 716 N86-30721
- BOEING 727 AIRCRAFT**
- Wind shear characterization  
[AIAA PAPER 86-0180] p 213 A86-19737
- Engineering applications of an advanced low-order panel method  
[SAE PAPER 851793] p 547 A86-38316
- BOEING 737 AIRCRAFT**
- PAN AIR analysis of a transport high-lift configuration  
[AIAA PAPER 86-1811] p 544 A86-37832
- Boeing 737-300 flight test and the first nine months service experience  
p 709 A86-44940
- A preliminary evaluation of the generalized likelihood ratio for detecting and identifying control element failures in a transport aircraft  
[NASA-TM-87620] p 111 N86-13332
- BOEING 747 AIRCRAFT**
- An engineering simulation of the Boeing 747 primary flight control systems  
[AIAA PAPER 86-0494] p 239 A86-19905
- Wake hazard alleviation associated with roll oscillations of wake-generating aircraft  
p 824 A86-41893
- 747 modernization  
p 800 A86-48985
- Aircraft accident report: China Airlines Boeing 747-SP, N4522V 300 nautical miles northwest of San Francisco, California, February 19, 1985  
[PB86-910403] p 634 N86-28069
- BOEING 757 AIRCRAFT**
- The application of fracture mechanics methodology to the damage tolerance analysis of the Boeing 757 airplane  
p 425 A86-30080
- 757 Major Static Test instrumentation systems  
p 520 A86-34636
- Precise control surface position measurements for hysteresis and twist testing  
p 795 A86-47789
- BOEING 767 AIRCRAFT**
- Reserve generator for over-ocean twins  
p 106 A86-14244
- Development of the Boeing 767 thrust reverser  
[AIAA PAPER 86-1536] p 646 A86-42696
- BOLTS**
- Bolted composite repairs subjected to biaxial or shear loads  
p 662 A86-41052
- Failure mechanisms of laminates transversely loaded by bolt push-through  
[NASA-TM-87603] p 184 N86-14314
- Some tests to assess the effect of crack stoppers on the fatigue life of center-notched specimens — semiautonomous platform  
[NLR-TR-84051-U] p 611 N86-26662
- Optimized bolted joint  
[NASA-CASE-LAR-13250-1] p 612 N86-27630
- BOMBER AIRCRAFT**
- Number of targets threatened simultaneously (NOTTS) in conjunction with over the horizon back-scatter (OTHB) radar coverage  
[AD-A159304] p 189 N86-15528
- B-52G crew noise exposure study  
[AD-A161112] p 333 N86-20094
- Aerospace knowledge magazine (selected articles)  
[AD-A164720] p 539 N86-26278

**BOMBS (ORDNANCE)**

- Supersonic conventional weapon testing of the F/A-18A Hornet p 222 A86-21052

**BONDING**

- Low mass diffusion bonding tools [AD-D012295] p 851 N86-32746

**BOOLEAN FUNCTIONS**

- Multi-knot Boolean sum interpolating surface interactive design of aircraft configuration p 263 A86-22305  
Methods for minimizing Boolean functions in the automation of experimental studies of the survivability of aircraft structures p 853 A86-48790

**BOOMS (EQUIPMENT)**

- Correlation of results of an OH-58A helicopter composite tail boom test with a finite element model [AD-A181062] p 295 N86-18316  
Robotic refueling system for tactical and strategic aircraft [AD-D011980] p 358 N86-21540

**BOOSTGLIDE VEHICLES**

- Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987 [AD-A182792] p 402 N86-22443

**BOUNDARIES**

- Coupling linearized far-field boundary conditions with nonlinear near-field solutions in transonic flow [AD-A182334] p 417 N86-23573

**BOUNDARY ELEMENT METHOD**

- Advanced topics in boundary element analysis; Proceedings of the Winter Annual Meeting, Miami Beach, FL, November 17-22, 1985 p 520 A86-34442  
Stress analysis of gas turbine engine structures using the boundary element method p 520 A86-34444  
Developments in boundary element methods - 4 p 609 A86-38966

- Prediction of sound fields in cavities using boundary element methods [AIAA PAPER 86-1864] p 754 A86-45484

**BOUNDARY INTEGRAL METHOD**

- Developments in boundary element methods - 4 p 609 A86-38966  
The indirect boundary integral formulation for elliptic, hyperbolic and non-linear fluid flows p 553 A86-38971

**BOUNDARY LAYER COMBUSTION**

- Development of new combustor technologies for application to alternative aeroengine fuels, phase 1 [BMFT-FB-W-85-004] p 184 N86-14402

**BOUNDARY LAYER CONTROL**

- The laminar airliner - Prospects and problems - review of boundary layer control research p 98 A86-14822  
Shock wave/turbulent boundary layer interaction and its control [ONERA, TP NO. 1985-165] p 145 A86-18535

- Aircraft viscous drag reduction technology p 204 A86-20124

- Transition to three-dimensional flow and laminarization of the boundary layer on a swept-back wing [AAAF PAPER NT 85-03] p 766 A86-48454

- Ground vibration test of the laminar flow control JStar airplane [NASA-TM-86398] p 100 N86-13321

- Aircraft Drag Prediction and Reduction [AGARD-R-723] p 155 N86-15266

- Aircraft drag reduction technology: A summary p 155 N86-15267

- Laminar flow control with suction: Theory and experiment p 155 N86-15269

- Design considerations for application of laminar flow control systems to transport aircraft p 155 N86-15270

- Turbulent drag reduction for external flows p 156 N86-15271

- Transonic drag rise and drag reduction by active/passive boundary layer control p 156 N86-15275

- Acta Aerodynamica Sinica (selected articles) [AD-A182993] p 417 N86-23575

- Evaluation of laminar flow control systems concepts for subsonic commercial transport aircraft [NASA-CR-159251] p 639 N86-28077

- Design and fabrication of large suction panels with perforated surfaces for laminar flow control testing in a transonic wind tunnel [NASA-TM-89011] p 715 N86-29815

**BOUNDARY LAYER EQUATIONS**

- The efficient simulation of separated three-dimensional viscous flows using the boundary-layer equations [AIAA PAPER 85-4064] p 84 A86-14452

- Group studies of equations of the laminar boundary layer on a rotating wing p 476 A86-35994

- Predictions of endwall losses and secondary flows in axial flow turbine cascades [ASME PAPER 86-GT-228] p 766 A86-48262

- Boundary layer calculation and viscous-inviscid coupling p 773 A86-49031

- A direct and inverse boundary layer method for subsonic flow over delta wings p 557 N86-27195

**Viscous vortical flow calculations over delta wings**

- p 558 N86-27202

**Computational aspects of unsteady flows**

- p 561 N86-27232

- Unsteady airload computations for airfoil oscillating in attached and separated compressible flow p 561 N86-27238

**BOUNDARY LAYER FLOW**

- A joint analysis of the boundary layer and inviscid flow around the axisymmetric rear section of a fuselage p 79 A86-13373

- Multistage compressor stator/rotor interaction p 85 A86-14556

- The effect of trip wire roughness on the performance of the Wortmann FX 63-137 airfoil at low Reynolds numbers p 139 A86-16322

- Material contravariant components - Vorticity transport and vortex theorems p 387 A86-28553

- Comment on 'Conical similarity of shock/boundary-layer interactions generated by swept and unswept wings' p 337 A86-28558

- Aerodynamics and molecular gas dynamics - Russian book p 414 A86-33480

- Experimental determination of the laminar separation bubble characteristics on an airfoil at low Reynolds numbers [AIAA PAPER 86-1065] p 548 A86-38433

- Calculation of flow over multielement airfoils at high lift p 772 A86-49011

- An experimental study of turbulent wake/boundary layer mixing flows p 772 A86-49014

- Wake/boundary-layer interactions in two and three dimensions p 773 A86-49032

- An evaluation of four methods of numerical analysis for two-dimensional airfoil flows. Revision [AD-A157248] p 87 N86-12209

- BLR studies on conic model with LDA in FL-1 wind tunnel p 87 N86-12434

- Procedure for solution of the Navier-Stokes equations at Dornier GmbH p 149 N86-14238

- Numerical approximation of the total drag of a body in a tube [AD-A159548] p 188 N86-14538

- Prediction of the drag of wings at subsonic speeds by viscous/inviscid interaction techniques p 156 N86-15274

- Wind tunnel calibration of a PMS (Particle Measuring Systems) canister instrumented for airflow measurement [AD-A181124] p 278 N86-19292

- Comparison of computational results of a few representative three-dimensional transonic potential flow analysis programs [NASA-TM-77963] p 341 N86-21509

- A direct and inverse boundary layer method for subsonic flow over delta wings p 557 N86-27195

- The effect of a splitter plate as boundary layer removal system in half-model testing - wings [DFVLR-FB-85-84] p 657 N86-28969

- Shock-wave boundary layer interactions [AGARD-AG-280] p 676 N86-29173

**BOUNDARY LAYER SEPARATION**

- The efficient simulation of separated three-dimensional viscous flows using the boundary-layer equations [AIAA PAPER 85-4064] p 84 A86-14452

- On the effects of boundary-layer transition on a cylindrical afterbody at incidence in low-speed flow p 135 A86-16250

- Airfoil design for Reynolds numbers between 50,000 and 500,000 p 136 A86-16302

- Low Reynolds number airfoil design p 136 A86-16303

- Airfoil design at low Reynolds number with constrained pitching moment p 136 A86-16304

- Research on laminar separation bubbles at Delft University of Technology in relation to low Reynolds number airfoil aerodynamics p 137 A86-16306

- An analysis of a separation bubble transition criterion at low Reynolds numbers p 137 A86-16309

- Theoretical and experimental study of low Reynolds number transitional separation bubbles p 137 A86-16310

- Separation bubble behavior for a NACA 23009 airfoil p 137 A86-16312

- Symmetry breaking and lift hysteresis arising from massive laminar separation - A study of multiple steady-state solutions p 138 A86-16316

- Attached cavitation and the boundary layer - Experimental investigation and numerical treatment p 186 A86-17032

- Experimental investigation of three dimensional separation on an ellipsoid-cylinder body at incidence [AIAA PAPER 85-1686] p 143 A86-17845

- The vortex patterns of dynamic separation - A parametric and comparative study p 145 A86-18534

**BOUNDARY LAYER TRANSITION**

- Recent computational fluid dynamics works about high angle of attack aerodynamics with separation vortex p 274 A86-25206

- Review of theory of vortex separated from a leading edge of a delta wing p 275 A86-25207

- An experimental study of the flow and wall pressure field around a wing-body junction p 337 A86-28637

- Vortex flows in aerodynamics p 338 A86-29417

- A three-dimensional boundary-layer method for flow over delta wings with leading-edge separation [SAE PAPER 851818] p 547 A86-38327

- Effects of S-bends on diffuser internal performance and turbulence characteristics [AIAA PAPER 86-1459] p 625 A86-42654

- Acoustic effect on stall hysteresis for low Reynolds number laminar flow p 855 A86-47971

- Theoretical and experimental analysis of separations on helicopter fuselages [AAAF PAPER NT 85-08] p 766 A86-48458

- A new, improved method for separating turbulent boundary layer for aerodynamic performance prediction of trailing edge stall airfoils [AIAA PAPER 86-1832] p 779 A86-49590

- Sounding a happy note for lift - sound generation to prevent stalling p 780 A86-49676

- An evaluation of four methods of numerical analysis for two-dimensional airfoil flows. Revision [AD-A157248] p 87 N86-12209

- Numerical and experimental studies of 3-D and unsteady turbulent body/appendage/propeller flows [AD-A157078] p 123 N86-12552

- Calculation of separated laminar supersonic flows over blunt bodies of revolution at zero angle of attack [DFVLR-FB-85-30] p 151 N86-14256

- Boundary layer calculations on the leeward surface of a slender delta wing at incidence [NLR-TR-84001-U] p 258 N86-17700

- Acta Aerodynamica Sinica (selected articles) [AD-A162993] p 417 N86-23575

- Experimental study of the supersonic turbulent boundary layer on a blunt axisymmetric body [AD-A163736] p 479 N86-24669

- Unsteady boundary-layer separation on airfoils performing large-amplitude oscillations: Dynamic stall p 561 N86-27231

- Computational aspects of unsteady flows p 561 N86-27232

- A study of the factors affecting boundary layer two-dimensionality in wind tunnels [NASA-CR-177023] p 631 N86-28914

- Three-dimensional shock wave and turbulent boundary layer interactions [AD-A167096] p 745 N86-31010

**BOUNDARY LAYER STABILITY**

- A numerical analysis of the characteristics of a Tollmien-Schlichting wave packet in a boundary layer on a flat plate p 79 A86-13374

- Effect of pressure gradients on the growth of subharmonic disturbances in boundary layers p 136 A86-16306

- Three-dimensional and unsteady boundary-layer computations p 338 A86-29415

- Laminar boundary layer stability experiments on a cone at Mach 6. IV - On unit Reynolds number and environmental effects [AIAA PAPER 86-1087] p 550 A86-38449

- Boundary-layer transition: T-S waves and crossflow mechanisms p 155 N86-15268

- Laminar flow control with suction: Theory and experiment p 155 N86-15269

- The application to airfoils of a technique for reducing orifice-induced pressure error at high Reynolds numbers [NASA-TP-2537] p 339 N86-20351

- Boundary layer stability measurements over a flat plate at mach 3 [AD-A166188] p 694 N86-29778

**BOUNDARY LAYER TRANSITION**

- The effect of the bluntness and the half-angle of a cone on the turbulent transition of a boundary layer at free-stream Mach 6 p 80 A86-13391

- The drag of a thermally insulated plate in a stream of a compressible gas under mixed flow conditions p 120 A86-13671

- On the effects of boundary-layer transition on a cylindrical afterbody at incidence in low-speed flow p 135 A86-16250

- Effect of pressure gradients on the growth of subharmonic disturbances in boundary layers p 136 A86-16306

- Theoretical and experimental study of low Reynolds number transitional separation bubbles p 137 A86-16310

- A review and analysis of boundary layer transition data for turbine application [ASME PAPER 85-GT-83] p 251 A86-22054

- Aeroelastic oscillations caused by transitional boundary layers and their attenuation  
[AIAA PAPER 86-0736] p 286 A86-24731
- Natural laminar flow flight experiments on a turbine engine nacelle fairing  
[AIAA PAPER 86-9758] p 429 A86-32097
- Advanced boundary layer transition measurement methods for flight applications  
[AIAA PAPER 86-9786] p 500 A86-37083
- Development of a temperature-compensated hot-film anemometer system for boundary-layer transition detection on high-performance aircraft  
p 605 A86-38236
- Effects of wind-tunnel noise on swept-cylinder transition at Mach 3.5  
[AIAA PAPER 86-1085] p 550 A86-38447
- Wall cooling effects on hypersonic boundary layer transition,  $M(1) = 7.5 - 15$   
[AIAA PAPER 86-1088] p 550 A86-38450
- Boundary-layer transition effects on airplane stability and control  
[AIAA PAPER 86-2229] p 831 A86-47708
- Transition to three-dimensional flow and laminarization of the boundary layer on a swept-back wing  
[AAAF PAPER NT 85-03] p 786 A86-48454
- Tests on CAST 7 and CAST 10 profiles in the T2 adaptive-wall cryogenic wind tunnel - Study of the Reynolds-number effect in natural and triggered transitions  
[AAAF PAPER NT 85-08] p 838 A86-48457
- Numerical and experimental studies of 3-D and unsteady turbulent body/appendage/propeller flows  
[AD-A157078] p 123 A86-12552
- Aircraft Drag Prediction and Reduction  
[AGARD-R-723] p 155 A86-15266
- Boundary-layer transition: T-S waves and crossflow mechanisms  
p 155 A86-15268
- Laminar flow control with suction: Theory and experiment  
p 155 A86-15269
- A new method for laminar boundary layer transition visualization in flight: Color changes in liquid crystal coatings  
[NASA-TM-87666] p 342 A86-21518
- An experimental investigation on location of boundary layer transition on the NACA 0012 using surface hot film gages  
[NASA-TM-88285] p 524 A86-24936
- Analysis of transitional separation bubbles on infinite swept wings  
[NASA-CR-3956] p 555 A86-26288
- Feasibility study of optical boundary layer transition detection method  
[NASA-CR-178109] p 675 A86-28375
- A comparison of computer-generated lift and drag polars for a Wortmann airfoil to flight and wind tunnel results  
[NASA-CR-176963] p 631 A86-28919
- Correlation of transonic-cone preston-tube data and skin friction  
[NASA-CR-176902] p 693 A86-29771
- Boundary layer stability measurements over a flat plate at mach 3  
[AD-A166188] p 694 A86-29778
- Wake-passing in a turbine rotor cascade  
p 741 A86-29830
- BOUNDARY LAYERS**
- Interior transition layers in flight path optimization  
[AIAA PAPER 86-2037] p 797 A86-48576
- Relative advantages of thin-layer Navier-Stokes and interactive boundary-layer procedures  
[NASA-TM-86778] p 152 A86-15244
- F-111 natural laminar flow glove flight test data analysis and boundary layer stability analysis  
[NASA-CR-166051] p 168 A86-15305
- Analysis of the effects of transient heat transfer on axial flow compressor blade boundary layers  
[AD-A158094] p 175 A86-15315
- Flow field survey near the rotational plane of an advanced design propeller on a JetStar airplane  
[NASA-TM-88037] p 207 A86-16196
- Investigation of the development of laminar boundary-layer instabilities along a sharp cone  
[AD-A159370] p 255 A86-16521
- Vortex boundary-layer interactions  
[NASA-CR-176701] p 415 A86-22556
- Natural laminar flow flight experiments on a swept wing business jet-boundary layer stability analyses  
[NASA-CR-3975] p 478 A86-24659
- Tables for correcting airfoil data obtained in the Langley 0.3-meter transonic cryogenic tunnel for sidewall boundary-layer effects  
[NASA-TM-87723] p 555 A86-26289
- Aircraft drag prediction and reduction. Addendum 1: Computational drag analyses and minimization; mission impossible?  
[AGARD-R-723-ADD-1] p 556 A86-27187

- Unsteady Aerodynamics-Fundamentals and Applications to Aircraft Dynamics  
[AGARD-CP-386] p 560 A86-27224
- Boundary layer model to compute the edge effects in stratified composite plates  
[ONERA-RT-77/3542-RY-041-R] p 678 A86-29279
- A model for correlating flat plate film cooling effectiveness for rows of round holes  
p 741 A86-29840
- Numerical studies of porous airfoils in transonic flow  
[NASA-CR-179655] p 697 A86-30696
- BOUNDARY VALUE PROBLEMS**
- Equations of rolling for a wheel with an elastic tire  
p 96 A86-13369
- Quasi-solutions of an inverse boundary value problem of hydroaerodynamics  
p 120 A86-13983
- New applications of mu to real-parameter variation problems --- structured singular value theory for flight control systems stability analysis  
p 680 A86-42871
- Far-field boundary conditions for transonic lifting solutions to the Euler equations  
p 689 A86-44855
- The classical streamline curvature method in the supersonic range - A numerically ill-posed boundary value problem  
p 690 A86-45189
- The state of development research in numerical aerodynamics in West Germany --- conference  
[DGLR-84-01] p 147 A86-14225
- Summary report on the working group for conference 1: Solutions of the Navier-Stokes equations  
p 147 A86-14226
- Solutions of the Navier-Stokes equations with the finite volume method  
p 148 A86-14235
- A Navier-Stokes procedure for simulation of two-dimensional and quasi two-dimensional grid flows  
p 149 A86-14236
- Shock design for refined recalculations  
p 150 A86-14247
- Formulation of the Euler boundary value problem  
p 154 A86-15258
- Numerical methods  
p 154 A86-15259
- Numerical solutions for three-dimensional cases: Swept wings  
p 154 A86-15263
- Concluding remarks  
p 155 A86-15265
- Three-dimensional boundary layer analysis program Blay and its application  
[NASA-TM-77962] p 342 A86-21516
- A combined integrating and differentiating matrix formulation for boundary value problems on rectangular domains  
[NASA-CR-178074] p 466 A86-23350
- Comparison of absorption and radiation boundary conditions using a time-domain three-dimensional finite difference electromagnetic computer code  
[AD-A163828] p 532 A86-25149
- Movement of flexible wing at supersonic velocity under influence of random gust  
p 481 A86-25562
- A critical look at dynamic simulation of viscous flow  
p 560 A86-27230
- Unsteady boundary-layer separation on airfoils performing large-amplitude oscillations: Dynamic stall  
p 561 A86-27231
- Unsteady vortex airfoil interaction  
p 562 A86-27240
- Patched-grid calculations with the Euler and Navier-Stokes equations: Theory and applications  
[NASA-TM-88228] p 630 A86-28062
- Computation of the transonic flow about a swept wing in the presence of an engine nacelle  
[NASA-CR-177113] p 630 A86-28911
- An analysis of blade vortex interaction aerodynamics and acoustics  
[NASA-CR-177018] p 630 A86-28912
- Wake shape and its effects on aerodynamic characteristics  
[NASA-CR-178118] p 631 A86-28918
- The method of complex characteristics for design of transonic blade sections  
[NASA-CR-176978] p 696 A86-30691
- A study of methods to predict and measure the transmission of sound through the walls of light aircraft  
[NASA-CR-177147] p 757 A86-31335
- BOW WAVES**
- Supersonic interface instabilities of accelerated surfaces and jets  
p 455 A86-31356
- BOX BEAMS**
- Design and fabrication of an advanced composite cellular wing box  
[VTH-LR-315] p 227 A86-17344
- Equivalent plate analysis of aircraft wing box structures with general planform geometry  
[NASA-TM-87697] p 392 A86-21954
- BOXES**
- Equivalent plate analysis of aircraft wing box structures with general planform geometry  
[AIAA PAPER 86-0940] p 583 A86-38837

**BOXES (CONTAINERS)**

- The design of an advanced engineering gearbox  
p 320 A86-26155
- Manufacturing technology of composite torque box of vertical fin  
p 848 A86-49068
- BRACKETS**
- Process development and test evaluation of cast, HIP and heat treated titanium UH-60A M.R. Damper Bracket  
p 516 A86-35641

**BRAKES (FOR ARRESTING MOTION)**

- Carbon-carbon composites for braking  
p 861 A86-40364
- Programming a multiple-orifice hydraulic decelerator  
[AD-A159428] p 181 A86-15328
- Fireproof hydraulic brake system  
[AD-A163542] p 497 A86-24688
- Operational flight experience and disassembly/inspection results of Space Shuttle orbiter actuators  
p 600 A86-27354
- Fireproof hydraulic brake system  
[AD-A167774] p 786 A86-31549

**BRACING**

- High-speed braking of an aircraft tire on grooved surfaces  
p 162 A86-17787
- Integrated braking and ground directional control for tactical aircraft  
[SAE PAPER 851941] p 581 A86-38374
- A certain type of self-oscillation of aircraft landing-gear wheels  
p 800 A86-48829
- Runway rubber removal specification development  
[DOT/FAA/PN-85/33] p 372 A86-21556
- Development of an operating profile for aircraft tires  
[FAA/CT-85-32] p 677 A86-29218

**BRANCHING (MATHEMATICS)**

- Bifurcation techniques for nonlinear dynamic analysis of compressor stall phenomena  
p 501 A86-35403
- Unfolding of degenerate Hopf bifurcation for supersonic flow past a pitching wedge  
p 725 A86-48456
- Adapter pallet system  
[AD-D011858] p 191 A86-15671
- Nonlinear problems in flight dynamics involving aerodynamic bifurcations  
p 563 A86-27249
- Bifurcation theory applied to aircraft motions  
p 563 A86-27250
- Study of the transition behavior of an airplane in the vicinity of bifurcation points  
p 566 A86-27266
- Critical evaluation of the unsteady aerodynamics approach to dynamic stability at high angles of attack  
[NASA-CR-177104] p 632 A86-28924

**BREATHING APPARATUS**

- Scott emergency escape breathing device - Evaluation for use in Canadian forces aircraft  
p 784 A86-47731
- Development of a new lightweight emergency escape breathing device  
p 784 A86-47760

**BROADBAND**

- Broad band noise from an isolated two dimensional airfoil  
[AIAA PAPER 86-1948] p 752 A86-45435
- Broadband noise - Its prediction and likely importance for advanced propfans  
[AIAA PAPER 86-1963] p 753 A86-45447
- The 1982 direct strike lightning data  
[NASA-TM-84826] p 483 A86-24091

**BROKEN SYMMETRY**

- Symmetry breaking and lift hysteresis arising from massive laminar separation - A study of multiple steady-state solutions  
p 138 A86-16316

**BUBBLES**

- Measurements of rotating bubble shapes in low-gravity environment  
p 251 A86-21996
- Experimental determination of the laminar separation bubble characteristics on an airfoil at low Reynolds numbers  
[AIAA PAPER 86-1065] p 548 A86-38433
- ALESEP. Part 2: A computer program for the analysis of leading edge separation bubbles on infinite swept wings  
[NASA-CR-178015] p 479 A86-24664
- Analysis of transitional separation bubbles on infinite swept wings  
[NASA-CR-3956] p 555 A86-26288

**BUCKLING**

- Computation of aeronautical structures --- Romanian book  
p 120 A86-14157
- Photogrammetry as a means of mapping postbuckled composite surfaces  
p 520 A86-34639
- Postbuckling and crippling behavior of graphite/epoxy thin-walled airframe members  
p 521 A86-35643
- Postbuckling failure of composite panels  
p 523 A86-37112
- Observations on compressive local buckling, postbuckling and crippling of graphite/epoxy airframe structure  
[AIAA PAPER 86-0923] p 608 A86-38833

- Buckling behavior of Rene 41 tubular panels for a hypersonic aircraft wing  
[AIAA PAPER 86-0878] p 809 A86-38857
- Buckling and initial post buckling analysis of composite panels under axial compression p 735 A86-43496
- The design and construction of a post buckled carbon fibre wing box structure p 848 A86-49001
- Buckling behavior of Rene 41 tubular panels for a hypersonic aircraft wing  
[NASA-TM-86798] p 611 N86-28653
- The postbuckling behavior of blade-stiffened carbon epoxy panels loaded in compression — semisubmersible platform  
[NLR-MP-85019-U] p 611 N86-28661
- Assessing the effects of delaminations on the postbuckling strength of CRFP panels — aircraft structures p 743 N86-30781
- BUFFETING**
- Elimination of buffeting on the rear fuselage of the Hercules tanker p 221 A86-20822
- Wind tunnel and flight test analysis and evaluation of the buffet phenomena for the alpha jet transonic wing p 581 N86-27239
- Investigation of empennage buffeting  
[NASA-CR-177164] p 654 N86-28951
- An investigation of empennage buffeting  
[NASA-CR-176973] p 726 N86-29664
- BULKHEADS**
- CAD/CAM designer - Jack of all trades p 251 A86-21895
- A study of cracking in the pressure bulkhead of a military transport aircraft  
[AIAA PAPER 86-0983] p 584 A86-38861
- BUOYANCY**
- How much inherent buoyancy is acceptable in a helicopter passenger immersion suit p 261 A86-19310
- The effect of water ingress on buoyancy and thermal quality of survival suits p 261 A86-19333
- Dispersion process of jet engine exhaust plume. II - Buoyant jet p 234 A86-20448
- BURGER EQUATION**
- Truncated Taylor series solutions to a generalized Burgers' equation p 856 A86-49716
- BURNERS**
- Ribbon-burner simulation of T-700 turbine shroud for ceramic-lined seals research p 106 A86-15225
- Emission characteristics of a section of the combustion chamber of a gas-turbine engine with various modifications of the burners p 300 A86-23670
- BURNOUT**
- Effect of different hydrogen-injection techniques on its burnup in a supersonic air flow p 664 A86-43420
- BURSTS**
- Feasibility of generating an artificial burst in a turbulent boundary layer  
[NASA-CR-4003] p 875 N86-28377
- BUTENES**
- GTA/BASF antimisting fuel research p 734 N86-30021
- BUTT JOINTS**
- Properties of diffusion bonded butt joints in Ti-6Al-4V and Ti-4Al-4Mo-2Sn-0.5Si (IMI 550) alloys p 375 A86-27260
- Fatigue testing of tube to node butt welds envisaged for RAE Bedford flight simulator  
[REPT-23480/2/85] p 257 N86-16674
- BYPASS RATIO**
- After the big turbofans p 645 A86-42099
- UHB technology flight validation program — Ultra High Bypass engines for large passenger aircraft  
[AIAA PAPER 86-1473] p 656 A86-42661
- BYPASSES**
- Flight testing of general electric high bypass engines evolution and revolution p 812 A86-47786
- C**
- C-130 AIRCRAFT**
- Elimination of buffeting on the rear fuselage of the Hercules tanker p 221 A86-20822
- A speech recognition research tool for the C-130 Hercules p 350 A86-28443
- Ultrasonic liquid quantity measurement — in oils p 360 A86-28478
- High technology test bed program — for Hercules cargo aircraft  
[AIAA PAPER 86-9803] p 431 A86-32132
- Operating and support hazard analysis for the self-contained navigation system LSI model 6216A, B and C group A  
[AD-A166815] p 704 N86-29806
- C-135 AIRCRAFT**
- The KC-135/CFM56 Re-Engine Program  
[ASME PAPER 85-GT-211] p 224 A86-22112
- Re-engine KC-135R/CFM56 flight test program - An overview p 795 A86-47793
- Fireproof hydraulic brake system  
[AD-A167774] p 786 N86-31549
- C-140 AIRCRAFT**
- Ground vibration test of the laminar flow control JStar airplane  
[NASA-TM-86398] p 100 N86-13321
- C-141 AIRCRAFT**
- Bigger is better - Stretching the C-141 Starlifter p 220 A86-20125
- A knowledge-based expert system for scheduling of airborne astronomical observations p 854 A86-49827
- Computations and turbulent flow modeling in support of helicopter rotor technology  
[NASA-CR-177095] p 742 N86-30080
- Aerodynamics of seeing on large transport aircraft  
[NASA-CR-177035] p 758 N86-31357
- C-5 AIRCRAFT**
- Electrically conductive structural adhesive p 115 A86-13170
- CADMIUM**
- Evaluation of the effects of a plastic bead paint removal process on properties of aircraft structural materials  
[AD-A165289] p 603 N86-26384
- CALCULATORS**
- Helicopter performance computer programs for HP-41 hand-held computer  
[AD-A162794] p 358 N86-21539
- Programmable hand calculators in aviation sport p 465 N86-23309
- CALIBRATING**
- Economical in-flight calibration of air data sensors using inertial navigation units as reference p 284 A86-23270
- Future requirements of wind tunnels for CFD code verification  
[AIAA PAPER 86-0753] p 309 A86-24742
- Avner Electronic Magnetic Compass and low cost navigation system p 358 A86-26504
- Transfer of alignment and calibration of multiple sensors in flexible systems p 681 A86-43003
- The F2 wind tunnel of the Fauge-Mauzac Test Center [ONERA, TP NO. 1986-104] p 839 A86-49075
- T-33 (Silver Star MK 3) pitot-static system calibration  
[AD-A157854] p 104 N86-12221
- Evaluation of a load cell model for dynamic calibration of the rotor systems research aircraft p 168 N86-15304
- German-Dutch wind tunnel (DNW). Present and future applications for industrial developments p 242 N86-18235
- A smoke generator for the absolute calibration of gas turbine engine smoke sampling and measuring systems [RAE-TM-P-1044] p 258 N86-17702
- Spectroradiometric calibration of the Thematic Mapper and multispectral scanner system  
[E86-10022] p 260 N86-17816
- Calibration of an on-ground aircraft tracking radar by aerial photogrammetry  
[NAL-TR-861] p 282 N86-18311
- Theoretical and experimental investigations of flow vector measurements with angle-of-attack and sideslip sensors on DFVLR meteorological research aircraft  
[DFVLR-FB-85-50] p 358 N86-21541
- Controlled impact demonstration airframe bending bridges p 391 N86-21943
- An integrated development facility for the calibration of low-energy charged particle flight instrumentation  
[NASA-TM-86526] p 458 N86-22914
- Calibration of droplet sizing and liquid water content instruments: Survey and analysis  
[NASA-CR-175099] p 611 N86-26596
- An evaluation of the capability of the surface condition analyzer (SCAN) sensors to measure runway water depth  
[AD-A164719] p 611 N86-26603
- Loads calibrations of strain gage bridges on the DAST project Aeroelastic Research Wing (ARW-2)  
[NASA-TM-87677] p 639 N86-28075
- Mirage A3-002 strain responses to ground calibration loadings between 1978 and 1985  
[AD-A165846] p 640 N86-28080
- Technique for measuring side forces on a banked aircraft with a free-swiveling nose gear  
[NASA-TM-87719] p 743 N86-30233
- High accuracy fuel flowmeter  
[NASA-CR-174869] p 745 N86-31030
- Simulator scene display evaluation device  
[NASA-CASE-ARC-11504-1] p 840 N86-32447
- CAMBER**
- Delta wings with shock-free cross flow p 145 A86-18528
- Air turbine test results for three turbine stages with varying radial distribution of camber  
[AIAA PAPER 86-1467] p 645 A86-42657
- CAMBERED WINGS**
- Summary of a high subsonic force/pressure experiment for 58 deg cambered/twisted thick delta wings  
[AIAA PAPER 86-0169] p 200 A86-19730
- Influence of airfoil camber on convected gust interaction noise  
[AIAA PAPER 86-1873] p 755 A86-45493
- West Europe report: Science and technology  
[JPRS-WST-85-024] p 189 N86-15447
- MBB studies variable-camber wing for Airbus p 169 N86-15449
- Supersonic aerodynamic characteristics of some reentry concepts for angles of attack to 90 deg  
[NASA-TM-87645] p 243 N86-18243
- Mission adaptive wing soars at NASA Facility  
[P86-10182] p 806 N86-31563
- CAMERAS**
- The CA-810 - A modern tri-lens camera p 228 A86-19577
- PC-183B standoff imaging system p 229 A86-19578
- KA-102 film/EO standoff system p 229 A86-19581
- KS-148A camera development and flight test results p 229 A86-19583
- Computer controlled operation of reconnaissance cameras p 229 A86-19587
- Automatic exposure control employing scene statistics in reconnaissance cameras p 230 A86-19588
- Camera flight tests and image evaluation p 230 A86-19591
- Description of and results from camera systems for recording daytime lightning strikes to an airplane in flight  
[AIAA PAPER 86-0020] p 230 A86-19636
- An optimisation method for reconstruction of flight path trajectories from non-synchronous time-sampled observations by two cine cameras  
[ARL-SYS-R-34] p 167 N86-15279
- CANADA**
- Developments in airworthiness control for Canadian airlines  
[SAE PAPER 851784] p 620 A86-38308
- Selection of a man-modelling CAD (Computer-Aided Design)  
[AD-A161342] p 400 N86-22159
- CANARD CONFIGURATIONS**
- Canard Mirage on test p 225 A86-22261
- An experimental study of a high performance canard airfoil with boundary layer trip and vortex generators  
[AIAA PAPER 86-0781] p 273 A86-24760
- Russian book  
[AD-A161342] p 335 A86-28521
- Unsteady transonic flow calculations for two-dimensional canard-wing configurations p 410 A86-32780
- Three-dimensional, conservative, Euler computations using patched grid systems and explicit methods  
[AIAA PAPER 86-1081] p 549 A86-38444
- Interdependence of parameters important to the design of subsonic canard-configured aircraft  
[SAE PAPER 850865] p 581 A86-38506
- Canard/tail comparison for an advanced variable-sweep-wing fighter p 637 A86-41688
- A forward-sweep-wing fighter configuration designed by a transonic computational method p 638 A86-41696
- A come-back in canards p 712 A86-46125
- The estimation of the stability and control characteristics of a canard configured combat aircraft having a forward swept wing p 834 A86-49056
- Aeroelastic tailoring for flutter constraints p 802 A86-49081
- Canard canard — performance of light aircraft p 763 A86-49682
- Aerodynamic characteristics of a propulsive wing-canard concept at STOL speeds  
[NASA-CR-177982] p 86 N86-12205
- Configuration and longitudinal wind tunnel testing of forward-swept wings p 181 N86-14449
- Multivariable control law design for enhanced air combat maneuvering, F-15/STOL (Short Take-Off and Landing) derivative fighter  
[AD-A164017] p 512 N86-24706
- CANONICAL FORMS**
- A canonical form for nonlinear systems  
[NASA-CR-176974] p 748 N86-30371
- CANOPIES**
- Concept development of a canopy escape module p 784 A86-47759
- Development and evaluation of a microburst test apparatus for use as a minimum destructive test for parachute material  
[AD-A158110] p 123 N86-12620
- Numerical simulation of viscous supersonic flow over a generic fighter configuration  
[NASA-TM-86823] p 190 N86-15627
- Method of calculating angular dimensions of flight vehicle cockpit canopy casings p 191 N86-15686

- Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987  
[AD-A162792] p 402 N86-22443
- Characterisation and influence of orientation and internal stress in acrylic aircraft materials — windows, canopies, PMMA  
[NPL-DMA(A)113] p 665 N86-26193
- CANTILEVER BEAMS**
- Composite integral response sensing  
[AD-A163136] p 470 N86-24457
- CANTILEVER MEMBERS**
- Effect of cantilevers on the lift characteristics of a thin swept wing and vortex-wake stability p 81 A86-13422
- Flutter and divergence aeroelastic characteristics for composite forward swept cantilevered wing p 97 A86-14536
- Analytical and experimental investigation of the coupled bladed disk/shaft whirl of a cantilevered turbofan  
[ASME PAPER 86-GT-98] p 813 A86-48183
- Effect of cantilever sweep on the aerodynamic characteristics of a wing with a projection in separated flow p 768 A86-48779
- CAPACITORS**
- Ice detector  
[NASA-CASE-LAR-13403-1] p 483 N86-24673
- CAPILLARY FLOW**
- Evaluation of capillary reinforced composites  
[NASA-CR-175061] p 517 N86-24760
- The use of a pyrochemiluminescent nitrogen analyzer as a capillary GC (Gas Chromatograph) detector  
[AD-A166597] p 735 N86-30821
- CAPTIVE TESTS**
- Verification and aerodynamic calibration of the tunnel 16T Captive Trajectory Support (CTS) system  
[AD-A165235] p 599 N86-27295
- Air-on demonstration of the AEDC PWT tunnel 16T captive trajectory support system  
[AD-A166888] p 698 N86-30700
- CARBON**
- Evaluation of JFTOT tube deposits by carbon burnoff — Jet Fuel Thermal Oxidation Tester  
[SAE PAPER 851994] p 602 A86-38539
- Carbon residue studies with a microcarbon residue tester  
[ASLE PREPRINT 86-AM-7A-1] p 732 A86-45395
- CARBON DIOXIDE**
- Combustion gas properties. II - Prediction of partial pressures of CO<sub>2</sub> and H<sub>2</sub>O in combustion gases of aviation and diesel fuels  
[ASME PAPER 86-GT-163] p 843 A86-48216
- AN-30 photography airplane outfitted for cloud-seeding missions p 393 N86-20888
- CARBON DIOXIDE LASERS**
- Use of a CO<sub>2</sub> laser lidar for flight and penetration at very low altitudes p 610 N86-26326
- CARBON FIBER REINFORCED PLASTICS**
- Carbon fibres: Uses and prospects; Proceedings of the Third International Conference, London, England, October 8-10, 1985 p 182 A86-16201
- Manufacturing advance towards high strain fibers p 182 A86-16203
- Interleaf technology for carbon composite aircraft primary structure p 182 A86-16208
- Recent developments in carbon fibre composite p 244 A86-21296
- Electrical connections and antenna performance of a large composite fuselage module in the high frequency range p 292 A86-26157
- Mechanical design and evaluation of a slotted CFRP waveguide antenna p 383 A86-27703
- Diffusion of water in carbon epoxy composites p 377 A86-27754
- Factors affecting the design of military aircraft structures in carbon fibre reinforced composites p 449 A86-29972
- Comparison of Al alloys and carbon fibre composite materials in aircraft construction  
[DGLR PAPER 85-136] p 515 A86-35179
- The material development, component manufacture and post-service evaluation of RB 211-524 cowl doors utilising carbon fibre composite materials p 523 A86-37106
- Structural certification and in-service flight experience of the RB 211-524 fan cowl doors utilising carbon fibre composite materials p 496 A86-37108
- Postbuckling failure of composite panels p 523 A86-37112
- Carbon fibres and their composites p 661 A86-40487
- Technical status and future prospects of carbon fibres and their application in composites with polymer matrix (CFRPs) p 661 A86-40488
- Autoclave, compression moulding p 668 A86-40495
- Experiences in FRG in aerospace application — of carbon fiber reinforced plastics p 661 A86-40496
- Experiences in UK and France in aerospace application — of glass and carbon fiber reinforced composites p 621 A86-40499
- Thermoplastic composites - Design material of the 1990s? p 663 A86-41685
- Design of a carbon-fiber reinforced wing for the Alpha-Jet major panel tests p 638 A86-41692
- CFRP-wing for the Alpha jet p 686 A86-46199
- Lightning stroke tests at the CFRP horizontal stabilizer of alpha jet p 792 A86-47331
- A round-up on CFRP p 841 A86-47602
- Analysis of the costs and weight effects of CFK on air transport structure p 842 A86-48097
- Fire safety investigations for material selection and design of a carbon fibre reinforced fuselage structure p 785 A86-48989
- The design and construction of a post buckled carbon fibre wing box structure p 848 A86-49001
- Problems found when introducing new materials — aircraft industry  
[SNIAS-852-551-101] p 198 N86-16190
- The material development, component manufacture, and post-service evaluation of RB211-524 cowl doors utilizing carbon fibre composite materials  
[PNR-90275] p 247 N86-16273
- The applications of composite materials in the aeronautical domain  
[SNIAS-852-551-103] p 247 N86-16279
- Design and fabrication of an advanced composite cellular wing box  
[VTH-LR-315] p 227 N86-17344
- Study of composite material curing molds  
[DGT-26.817] p 248 N86-17486
- Interactions between flow, heat and mass transfer during formation of carbon-fiber reinforced epoxy composites p 451 N86-22642
- Advanced composite structures in commercial transport aircraft  
[AI/TE3-384/82-ISSUE-2] p 451 N86-22648
- The postbuckling behavior of blade-stiffened carbon epoxy panels loaded in compression — semisubmersible platform  
[NLR-MP-85019-U] p 611 N86-26661
- Assessing the effects of delaminations on the postbuckling strength of CRFP panels — aircraft structures p 743 N86-30781
- CARBON FIBERS**
- Carbon fibres: Uses and prospects; Proceedings of the Third International Conference, London, England, October 8-10, 1985 p 182 A86-16201
- CARBON 13**
- Development of LC-13C NMR  
[NASA-CR-176656] p 379 N86-21704
- CARBON-CARBON COMPOSITES**
- Carbon-carbon composites for braking p 661 A86-40364
- Application of medical computed tomography (CT) scanners to advanced aerospace composites p 670 A86-41631
- Dual material exhaust nozzle flap  
[AD-D011998] p 364 N86-21548
- CARET WINGS**
- Flow past caret wings with flaps p 146 A86-18903
- On hypersonic flow around winged-vehicles at high angles of attack p 275 A86-25227
- CARGO**
- General designer Balabuyev on An-124 Russian features p 623 N86-28910
- CARGO AIRCRAFT**
- High technology test bed program — for Hercules cargo aircraft  
[AIAA PAPER 86-9803] p 431 A86-32132
- Adapter pallet system  
[AD-D011858] p 191 N86-15671
- Development drop test results of the 15-ft-dia ribbon parachute and 73-ft-dia cross parachute for the US Army Natick Laboratory UHLCADS system  
[DE85-017614] p 341 N86-20371
- Tupolev bureau developing TU-204 passenger jet: Tupolev on features p 435 N86-22568
- The C-17: An attempt at increased aircraft versatility  
[AD-A164822] p 540 N86-26280
- General designer Balabuyev on An-124 Russian features p 623 N86-28910
- CARTESIAN COORDINATES**
- A preliminary note on the development of a three dimensional potential code in Cartesian Coordinates  
[NAL-TM-AE-8504] p 399 N86-21233
- Numerical generation of 3D curvilinear coordinate systems and computational grids for aircraft configurations  
[AD-A162249] p 482 N86-23997
- CASCADE CONTROL**
- Automation effects in a multiloop manual control system p 329 A86-25035
- CASCADE FLOW**
- Secondary flows and losses downstream of a turbine cascade  
[ASME PAPER 85-GT-64] p 77 A86-13062
- Performance evaluation of linear turbine cascades using three-dimensional viscous flow calculations  
[ASME PAPER 85-G-65] p 77 A86-13063
- Simulation of the effects of shock wave passing on a turbine rotor blade  
[ASME PAPER 85-GT-112] p 77 A86-13067
- Critical values of the Mach number of a radial airfoil cascade — for determining turboprop engine efficiency p 105 A86-13408
- Calculation of flow around rotating circular cascades with allowance for circumferential flow nonuniformity induced by a perturbation at the inlet p 82 A86-13426
- Computation of flowfields in high solidity and high turning angle cascades using Euler equations  
[AIAA PAPER 85-1705] p 144 A86-17847
- The effect of the curvature of the external contours of turbine blade profiles on their aerodynamic characteristics p 144 A86-18152
- Unsteady transonic flows in an axial flow compressor p 145 A86-18529
- Large-scale separation and hysteresis in cascades p 145 A86-18577
- Transonic blade to blade calculations in an axial, radial or mixed flow cascade equipped with splitter blades  
[ASME PAPER 85-GT-86] p 205 A86-22057
- Heat transfer measurements with film cooling on a turbine blade profile in cascade p 251 A86-22070
- Production and development of secondary flows and losses within a three dimensional turbine stator cascade  
[ASME PAPER 85-GT-217] p 205 A86-22115
- Investigation of a tip clearance cascade in a water analogy ring  
[ASME PAPER 85-IGT-65] p 270 A86-22730
- Excitation of blade vibration by flow induced acoustic resonances in axial-flow compressors p 303 A86-24712
- Navier-Stokes procedure for simulating two-dimensional and quasi-two-dimensional cascade flow p 274 A86-25006
- A loss of dynamic stability of the torsional vibrations of blades due to cascade flutter p 364 A86-27543
- A method for computer aided design of transonic turbine cascade p 409 A86-30734
- Application of unsteady wing collocation methods to cascades in subsonic flow p 413 A86-33236
- Numerical modeling of transonic flows over airfoils and cascades p 414 A86-33409
- Intrablade velocity mapping in transonic fan passages of gas turbine p 474 A86-34411
- Inverse design of supercritical nozzles and cascades p 477 A86-36207
- Particle trajectories in full 3D flow field of turbomachinery p 669 A86-40734
- Computation of two-dimensional transonic cascade flow using a new Navier-Stokes solver  
[AIAA PAPER 86-1381] p 624 A86-42605
- A comparison of computational methods for three-dimensional, turbulent turbomachinery flow fields  
[AIAA PAPER 86-1599] p 626 A86-42740
- Role of shocks in transonic/supersonic compressor rotor flutter p 720 A86-44872
- Noise generated by convected gusts interacting with swept airfoil cascades  
[AIAA PAPER 86-1872] p 755 A86-45492
- Some aspects of supersonic flow over a cavity cascade  
[AIAA PAPER 86-2025] p 764 A86-47659
- Development of an experimental correlation for transonic turbine flow  
[ASME PAPER 86-GT-108] p 765 A86-48170
- Numerical solution of transonic stream function equation on S1 stream surface in cascade  
[ASME PAPER 86-GT-110] p 765 A86-48172
- Evaluation of the blade-to-blade flow from a high speed compressor rotor  
[ASME PAPER 86-GT-117] p 765 A86-48176
- A method for transonic inverse cascade design with a stream function equation  
[ASME PAPER 86-GT-189] p 766 A86-48239
- Predictions of endwall losses and secondary flows in axial flow turbine cascades  
[ASME PAPER 86-GT-228] p 766 A86-48262
- Preliminary results of unsteady blade surface pressure measurements for the SR-3 propeller  
[AIAA PAPER 86-1893] p 760 A86-49625
- Reference test cases and contributors p 154 N86-15261
- Transonic internal flow about an airfoil oscillating in pitch: Comparisons between computation and experiment p 208 N86-17278



- Preliminary results of unsteady blade surface pressure measurements for the SR-3 propeller  
[NASA-TM-87352] p 559 N86-27213
- Theoretical flutter investigations on a plane cascade in incompressible flow — axial flow compressors and turbines p 727 N86-30635
- Application of unsteady wing collocation methods to cascades in subsonic flow p 696 N86-30636
- CASCADE WIND TUNNELS**
- Wind tunnel turning vanes of modern design  
[NASA-TM-87146] p 113 N86-12239
- Aerodynamic design methods for modern transport aircraft  
[ESA-TT-923] p 782 N86-31543
- CASE HISTORIES**
- Case studies in aircraft manufacturing automation p 782 A86-49000
- CASING**
- Method of calculating angular dimensions of flight vehicle cockpit canopy casings p 191 N86-15886
- CAST ALLOYS**
- Interpretation and evaluation of fatigue properties of cast, HIP and heat treated titanium UH-80A M. R. Hub p 183 A86-18434
- Cast aluminum fatigue property/microstructure relationships p 244 A86-21707
- Current and potential usage of titanium castings for airframe applications p 246 A86-21753
- Advanced structural casting applications for a gas turbine engine p 521 A86-36658
- Mechanical design of gas turbine blading in cast superalloys p 721 A86-45819
- Superalloy component durability enhancements p 739 A86-46562
- Constant-Load-Amplitude fatigue crack growth testing of cast aluminum alloys A201-T7 and A357-T6  
[AD-A163494] p 518 N86-24821
- CASTING**
- Engineer's Guide to Titanium Castings p 382 A86-27203
- Precision casting of aero gas turbine components p 739 A86-45816
- CASTINGS**
- An evaluation of centrifugally cast Ti-4Al-4Mo-2Sn-0.5Si (IMI 550) alloy p 374 A86-27207
- Advanced rotary engine components utilizing fiber reinforced Mg castings  
[AIAA PAPER 86-1559] p 663 A86-42712
- One-piece HPTR blade squealer tip  
[AD-D012003] p 504 N86-24686
- CASUALTIES**
- Results of the expert study of accidents during operation of German aircraft in the homeland and abroad as well as of foreign aircraft in the homeland p 158 N86-14261
- Results of the expert study of accidents during operation of German aircraft in the homeland and abroad as well as of foreign aircraft in the homeland p 159 N86-14262
- CATALOGS**
- Catalog of air weather service technical documents  
[AD-A159881] p 324 N86-18812
- CATALOGS (PUBLICATIONS)**
- Aeronautical facilities catalogue. Volume 2: Airbreathing propulsion and flight simulators  
[NASA-RP-1133] p 311 N86-18328
- Publications of the National Bureau of Standards, 1984 catalog  
[PB85-245678] p 402 N86-21435
- CATALYTIC ACTIVITY**
- Hypersonic viscous shock layer on a surface with an abrupt variation of catalytic activity p 737 A86-43994
- CATAPULTS**
- Control law and logic development for controllable ejection seat catapult p 218 A86-19320
- Controllable ejection seat catapult program p 218 A86-19339
- A new compressed air launching system p 598 A86-37337
- The history and development of the repeatable release catapult holdback bar  
[SAE PAPER 851942] p 581 A86-38375
- Development of a controllable catapult for ejection seats p 793 A86-47733
- Catapult holdback design examined p 838 A86-48041
- CATASTROPHE THEORY**
- Bifurcation techniques for nonlinear dynamic analysis of compressor stall phenomena p 501 A86-35403
- CATEGORIES**
- Categorization of atmospheric turbulence in terms of aircraft response for use in turbulence reports and forecasts p 615 A86-37497
- CATHODE RAY TUBES**
- The evolution of the cockpit displays in commercial airlines p 172 A86-18694
- Effect of vibration on the readability of color CRT displays  
[SAE PAPER 841466] p 327 A86-26009
- CRT displays in modern helicopter data presentation p 299 A86-26129
- 180 megapixels per second 2000 line display p 456 A86-32318
- Computer graphics applications to crew displays p 128 N86-14104
- Work on putting computer and CRT's in airliner control panels p 172 N86-15947
- CAUCHY PROBLEM**
- Random-choice-method solutions for two-dimensional planar and axisymmetric steady supersonic flows  
[UTIAS-297] p 415 N86-22555
- CAVITATION FLOW**
- Some aspects of supersonic flow over a cavity cascade  
[AIAA PAPER 86-2025] p 784 A86-47659
- Effects of vibration-induced cavitation of physicochemical characteristics of aircraft fuel p 184 N86-15346
- F100 fuel sampling analysis p 379 N86-21707
- Supersonic axial-force characteristics of a rectangular-box cavity with various length-to-depth ratios in a flat plate p 415 N86-22554
- [NASA-TM-87659] p 733 N86-30012
- UK work on safety fuels p 733 N86-30012
- Feasibility study for convertible engine torque converter  
[NASA-CR-175082] p 722 N86-30733
- CAVITIES**
- Sound generation by flow over relatively deep cylindrical cavities p 129 A86-16058
- Prediction of sound fields in cavities using boundary element methods p 754 A86-45484
- Experimental assessment of vortex retaining cavity flaps for maneuverability improvement on delta wing fighter aircraft  
[AD-A164104] p 497 N86-24890
- CAVITY RESONATORS**
- Resonant cavities for stall recovery in gas turbine engines p 175 N86-15317
- CEILING (AIRCRAFT CAPABILITY)**
- The aircraft icing environment in wintertime, low ceiling conditions  
[AD-A160578] p 280 N86-18307
- CEILINGS (METEOROLOGY)**
- AFOS (Automation of Field Operations and Services) monthly of terminal forecasts p 260 N86-16843
- [PB85-238368] p 260 N86-16843
- Limited Surface Observations Climatic Summary (LISOCs). Parts A, C-F: Bremen International, West Germany p 323 N86-18894
- [AD-A159656] p 324 N86-18896
- Revised Uniform Summary of Surface Weather Observations (RUSSWO). Parts A-F: General Billy Mitchell Field, Wisconsin p 324 N86-18896
- [AD-A159658] p 324 N86-18896
- Revised Uniform Summary of Surface Weather Observations (RUSSWO). Parts A-F: Aviano AB, Italy p 324 N86-18900
- [AD-A159662] p 324 N86-18900
- Gleibstadt a/c Germany (West). Limited surface observations climatic summary (LISOCs): Parts A, C-F  
[AD-A159664] p 324 N86-18902
- CEMENTITE**
- A cementitious tooling/molding material - Room temperature castable, high temperature capable  
[SAE PAPER 850904] p 607 A86-38522
- CEMENTS**
- Evaluation of the FAA design procedures for high traffic volume pavements p 352 N86-20383
- [DOT/FAA/PM-84/14] p 352 N86-20383
- Use of NDE to evaluate reflection cracking in airfield pavements p 599 N86-27293
- [AD-A164880] p 599 N86-27293
- CENTER OF GRAVITY**
- Methods for determining the weight and the center of gravity of aircraft - The platform balance of the Aeronautical Research and Test Institute p 286 A86-23768
- Requirements for second generation aircraft weighing systems p 513 A86-35213
- [SAWE PAPER 1689] p 513 A86-35213
- MEP: A program for cross section magnitudes of a multiwell wing profile p 459 N86-23013
- [VTH-M-487] p 459 N86-23013
- CENTRAL PROCESSING UNITS**
- Error propagation in a digital avionics processor: A simulation-based study p 232 N86-17351
- [NASA-CR-176501] p 232 N86-17351
- NASA supercomputer system to become available nationally p 681 N86-26628
- [NASA-NEWS-RELEASE-86-92] p 681 N86-26628
- CENTRIFUGAL CASTING**
- An evaluation of centrifugally cast Ti-4Al-4Mo-2Sn-0.5Si (IMI 550) alloy p 374 A86-27207
- CENTRIFUGAL COMPRESSORS**
- Interdependence of centrifugal compressor blade geometry and relative flow field  
[ASME PAPER 85-GT-85] p 251 A86-22056
- Surge margin enhancement by a porous throat diffuser p 582 A86-39568
- Dilute gas-particle flow in a centrifugal compressor impeller p 688 A86-40733
- Extended parametric representation of compressor fans and turbines. Volume 1: CMGEN user's manual  
[NASA-CR-174845] p 480 N86-23936
- Extended parametric representation of compressor fans and turbines. Volume 2: Part user's manual (parametric turbine)  
[NASA-CR-174846] p 461 N86-23937
- Extended parametric representation of compressor fans and turbines. Volume 3: MODFAN user's manual (parametric modulating flow fan)  
[NASA-CR-174847] p 461 N86-23938
- CENTRIFUGAL FORCE**
- Optimum design technique for rotating wheels  
[ASME PAPER 86-GT-255] p 846 A86-48281
- CENTRIFUGAL PUMPS**
- Fluid machines: Expanding the limits, past and future  
[NASA-TM-87161] p 107 N86-12227
- The Shock and Vibration Digest, volume 18, no. 1  
[AD-A165726] p 612 N86-27468
- CENTRIFUGING**
- Spanwise redistribution of energy and loss in an axial flow compressor by wake centrifugation  
[AD-A159312] p 237 N86-16222
- CEPSTRAL ANALYSIS**
- 01General aviation interior noise problem: Some suggested solutions p 194 N86-16053
- CERAMIC COATINGS**
- Thermal barrier coatings for jet engine improvement p 183 A86-16278
- Strain isolated ceramic coatings for gas turbine engines p 247 A86-22062
- [ASME PAPER 85-GT-96] p 247 A86-22062
- A durable airfield marking system  
[AD-A157953] p 113 N86-13339
- CERAMIC MATRIX COMPOSITES**
- Polymer, metal and ceramic matrix composites for advanced aircraft engine applications  
[NASA-TM-87132] p 117 N86-13407
- CERAMICS**
- Ribbon-burner simulation of T-700 turbine shroud for ceramic-lined seals research p 108 A86-15225
- Experimental study of ceramic-coated tip seals for turbojet engines p 121 A86-15227
- Advances in P/M titanium shape technology using the ceramic mold process p 246 A86-21741
- Fabrication of ceramic components for advanced gas turbine engines p 606 A86-38310
- [SAE PAPER 851786] p 606 A86-38310
- Fabrication of high-alumina ceramic fixtures for jet engine repair applications  
[ASME PAPER 86-GT-46] p 846 A86-48130
- West Europe report: Science and technology  
[JPRS-WST-85-031] p 123 N86-13616
- Ceramic heat exchangers for gas turbines or turbojet engines p 742 N86-29858
- CERTIFICATION**
- FAA certification of rotorcraft engine induction system for ice protection p 157 A86-18406
- New techniques for optimization and certification of helicopters in icing conditions p 164 A86-18416
- Pilot medical certification - Procedures and recent developments p 195 A86-18849
- The damage tolerance approach in the type approval process p 220 A86-20036
- Flight Test Instrumentation System FTIS for type-certification of the Indonesian aircraft CN 235 p 358 A86-27818
- Structural certification and in-service flight experience of the RB 211-524 fan cowl doors utilizing carbon fibre composite materials p 486 A86-37108
- Putting a price on safety p 567 A86-37940
- Certification flight testing of civilian helicopters in the United Kingdom p 710 A86-44947
- Advanced icing wind tunnel for flight test development of icing rate systems p 838 A86-47792
- Certification of advanced experimental aircraft p 785 A86-48036
- A contribution to airworthiness certification of gas turbine disks p 849 A86-49136
- Certification of aeroengines fitted with full authority digital control p 237 N86-16225
- Is the traditional 150 hour endurance test outdated?  
[PNR-90268] p 237 N86-16226



- Hardware/software Failure Mode Effect Analysis (FMEA) applied to airplane safety  
[NLR-MP-84073-U] p 215 N86-17325
- Reliability aspects of software for digital avionics  
[NLR-TR-82126-U] p 232 N86-17354
- Flight test evaluation of the Netherlands flight inspection aircraft  
[NLR-MP-84052-U] p 295 N86-18318
- Determination of performance and stability characteristics from dynamic maneuvers with a transport aircraft using parameter identification techniques  
[NLR-MP-84024-U] p 308 N86-18326
- International Civil Aviation Organization Helicopter Noise Measurement Repeatability Program: US test report, Bell 206L-1, noise measurement flight test  
[AD-A159898] p 333 N86-20090
- Noise levels for US certificated and foreign aircraft  
[FAA-AC-96-1D] p 401 N86-21279
- General aviation pilot and aircraft activity survey  
[AD-A161685] p 345 N86-21530
- An experimental appraisal of the use of ground-plane microphones for aircraft noise measurement — certification tests  
[NPL-AC-104] p 401 N86-22302
- Dynamic identification procedure and lift certification of light aircraft and gliders  
[ONERA-RT-12/1677-RY-090-R] p 809 N86-32429
- CESSNA AIRCRAFT**
- Study on using a digital ride quality augmentation system to trim an engine-out in a Cessna 402B  
[NASA-CR-177272] p 595 N86-26342
- Safety recommendation  
[NTSB-A-86-22] p 699 N86-29790
- CESSNA 172 AIRCRAFT**
- Report of noise measurements with 2 different microphone dispositions on airplane type Cessna F 172L  
[VTH-M-510] p 332 N86-19143
- Six degree of freedom simulation software  
[NAL-PD-SE-8614] p 854 N86-33042
- CH-47 HELICOPTER**
- New techniques for optimization and certification of helicopters in icing conditions p 184 A86-18416
- Higher harmonic control - Wind tunnel demonstration of fully effective vibratory hub force suppression p 509 A86-35602
- CHANNEL FLOW**
- Linear theory of an equivalent profile in the problem concerning the influence of porous flow boundaries p 81 A86-13411
- Theory of self-similar regimes of supersonic flow in an axisymmetric channel with a sudden expansion p 82 A86-13427
- Mathematical solution for unsteady subsonic flow past a thin profile in a channel p 140 A86-18851
- Supercritical mode of the nonlinear interaction of subsonic and supersonic inviscid jets in a two-dimensional channel p 142 A86-17098
- Velocity distribution around a wing in a wind tunnel. Verification of a calculation method by means of a laser anemometer p 476 A86-35925
- Wall-interference assessment in three-dimensional slotted-wall wind tunnels  
[NASA-CR-176320] p 113 N86-12240
- Experimental study of the combustion of gas-air mixtures in a channel and the diffusion combustion in a slipstream at high velocities  
[AD-A157495] p 116 N86-12271
- CHANNELS (DATA TRANSMISSION)**
- An over the horizon command/data link system p 92 A86-13224
- A high bandwidth signal distribution system for aircraft Stores Management Systems (SMS) p 231 A86-20505
- Real-time telemetry of complete 1553 data buses p 347 A86-27789
- Fiber optic high speed data bus p 385 A86-28338
- Imaging connector interconnect system for a parallel fiber optic data bus p 385 A86-28340
- High speed fiber optic data bus for avionics integration p 385 A86-28342
- High speed bus for Pave Pillar applications p 385 A86-28343
- A dual channel high speed fiber optics multiplex data bus system p 386 A86-28344
- The development of a fibre optic data bus for helicopters p 811 A86-49131
- Design issues in data synchronous systems p 362 N86-20407
- Optical technology for flight control systems  
[NASA-TM-88400] p 655 N86-28980
- Interface of the transport systems research vehicle monochrome display system to the digital autonomous terminal access communication data bus  
[NASA-TM-87728] p 656 N86-28961
- CHARACTERIZATION**
- Characterisation and influence of orientation and internal stress in acrylic aircraft materials — windows, canopies, PMMA  
[NPL-DMA(A)113] p 665 N86-28183
- CHARGE COUPLED DEVICES**
- Automatic exposure control employing scene statistics in reconnaissance cameras p 230 A86-19588
- Development of an airborne CCD scanner for land and sea applications p 231 A86-21183
- CHARGED PARTICLES**
- An integrated development facility for the calibration of low-energy charged particle flight instrumentation  
[NASA-TM-86526] p 458 N86-22914
- CHEMICAL ANALYSIS**
- Analytical applications in the Army oil analysis program p 845 A86-47595
- Chemical analysis for control — of Al alloy aircraft structures p 842 A86-47720
- Development of LC-13C NMR  
[NASA-CR-176656] p 379 N86-21704
- Chemical control for Airbus composites. HPLC standardization [I-104/84] p 664 N86-28133
- CHEMICAL COMPOSITION**
- Composition and photochemical reactivity of turbine engine exhaust  
[AD-A157843] p 107 N86-12230
- Variability of major organic components in aircraft fuels  
[AD-A159057] p 185 N86-15415
- Emission FTIR analyses of thin microscopic patches of jet fuel residues deposited on heated metal surfaces  
[NASA-CR-176786] p 519 N86-25502
- Development of a portable wear metal analyzer for field use  
[AD-A166013] p 622 N86-28906
- CHEMICAL ENGINEERING**
- Japan report: Science and technology  
[JPRS-JST-86-001] p 389 N86-21723
- CHEMICAL EQUILIBRIUM**
- Flame temperature estimation of conventional and future jet fuels  
[ASME PAPER 85-GT-31] p 246 A86-22020
- CHEMICAL FUELS**
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 2: Aircraft engine nacelle fire test programs. Part 2: Small scale testing of dry chemical fire extinguishants  
[AD-A167444] p 807 N86-31572
- CHEMICAL PROPERTIES**
- Properties of aircraft fuels and related materials  
[AD-A164532] p 604 N86-27461
- CHEMICAL REACTIONS**
- A detailed numerical model of a supersonic reacting mixing layer  
[AIAA PAPER 86-1427] p 671 A86-42636
- China report: Science and technology  
[JPRS-CST-85-035] p 122 N86-12399
- Investigation of chemically-reacting supersonic internal flows  
[NASA-CR-176363] p 188 N86-14532
- The 1-(dihydrogenoxophosphonyl)methyl-2, 4- and -2, 6-dinitro and diamino benzenes and their derivatives  
[NASA-CASE-ARC-11425-2] p 378 N86-20499
- CHEMICAL TESTS**
- Carbon residue studies with a microcarbon residue tester  
[ASLE PREPRINT 86-AM-7A-1] p 732 A86-45395
- CHEMILUMINESCENCE**
- The use of a pyrochemiluminescent nitrogen analyzer as a capillary GC (Gas Chromatograph) detector  
[AD-A166597] p 735 N86-30821
- CHEMISORPTION**
- Oxygen chemisorption cryogenic refrigerator  
[NASA-CASE-NPO-18734-1-CU] p 612 N86-27467
- CHINA**
- Aircraft maintenance in China - Approaches to modernization p 780 A86-47615
- China report: Science and technology  
[JPRS-CST-85-029] p 122 N86-12446
- China report: Science and technology  
[JPRS-CST-86-007] p 435 N86-22570
- CHINESE AIRCRAFT**
- The helicopter technology of China p 761 A86-48652
- CHINESE SPACE PROGRAM**
- Chinese space and aviation industries score major breakthroughs  
[NASA-TM-87973] p 459 N86-23749
- CHINESE SPACECRAFT**
- Chinese space and aviation industries score major breakthroughs  
[NASA-TM-87973] p 459 N86-23749
- CHIPS (ELECTRONICS)**
- China report: Science and technology  
[JPRS-CST-85-029] p 122 N86-12446
- The impact of very high performance integrated circuits on avionics system readiness p 674 N86-28373
- CHIRP SIGNALS**
- Digital chirp demodulation p 385 A86-28332
- CHOKES**
- Mach reflection and aerodynamic choking in two-dimensional ducted flow p 411 A86-32987
- CHORDS (GEOMETRY)**
- Determination of the shape of a profile from a specified chord diagram of Mach numbers in transonic flow p 80 A86-13397
- Investigation of chord ratio, stagger, decalage angle, and flap angle for dual wing configurations  
[AIAA PAPER 86-0317] p 201 A86-19810
- On the longest chord of the first Muller profile  
[VTH-M-486] p 277 N86-18303
- CHROMATES**
- The development of dichromated gelatin for holographic optical element applications p 468 A86-32312
- CHROMIUM**
- Potential of composite materials to replace chromium, cobalt and manganese in critical applications  
[PB86-123985] p 451 N86-22651
- CHROMIUM ALLOYS**
- High strength nickel-palladium-chromium brazing alloys p 244 A86-20579
- CHUTES**
- Task force report on emergency evacuation of transport airplanes. Volume 2: Supporting documentation  
[FAA/VS-86/1,2] p 700 N86-29797
- CINEMATOGRAPHY**
- Interferometric holographic cinematography  
[ISL-CO-219/85] p 851 N86-31872
- CIRCLES (GEOMETRY)**
- Monopole element at the center of a circular groundplane of arbitrary radius. Volume 1: Theory and results  
[AD-A166991] p 744 N86-30908
- CIRCUIT BREAKERS**
- Preliminary hazard analysis for self-contained navigation system  
[AD-A161883] p 425 N86-23582
- CIRCUIT PROTECTION**
- Conformal coating for surface mount assembly p 115 A86-13118
- Protecting electronics against lightning gets harder p 633 A86-41034
- Special protection circuits against transient currents for aircraft systems p 791 A86-47326
- CIRCUIT RELIABILITY**
- Efficiently meeting electric power needs for future aircraft p 319 A86-24829
- Methodology for determination of circuit safety margins for MIL-E-6051 EMC system test p 381 A86-27151
- Improved reliability of electronic circuits through the use of heat pipes p 386 A86-28479
- AVIP Air Force thrust for reliability p 256 N86-16617
- CIRCUITS**
- Transient test of suspension electronics for gyroscope  
[AD-D011853] p 123 N86-12585
- Two-hundred to 300 KVA conditioned power system - development, phase 1  
[AD-A158820] p 125 N86-13832
- CIRCULAR CONES**
- Heat transfer at the lateral surface of a blunt cone during the absorption of the entropy layer by a laminar or a turbulent boundary layer p 187 A86-18907
- Supersonic aerodynamic characteristics of some reentry concepts for angles of attack to 90 deg  
[NASA-TM-87645] p 243 N86-16243
- CIRCULAR CYLINDERS**
- Effects of wind-tunnel noise on swept-cylinder transition at Mach 3.5  
[AIAA PAPER 86-1085] p 550 A86-38447
- Flows past a rotating circular cylinder at high Reynolds number p 688 A86-43533
- Scheme for calculating an almost-axisymmetric gas flow and supersonic flow past the end of a cylinder at a small angle of attack p 690 A86-45345
- Results of icing flights in winter 1983/84: Ice accretion thickness in correlation with cloud physical parameters, object and cloud parameters  
[DFVLR-FB-85-39] p 191 N86-15838
- CIRCULAR TUBES**
- Segmented tubular cushion springs and spring assembly  
[NASA-CASE-ARC-11349-1] p 388 N86-20797
- CIRCULATION CONTROL AIRFOILS**
- Blended blown flaps and vectored thrust for low-speed flight  
[AIAA PAPER 84-2199] p 221 A86-20157

- An estimation of the wall interference on a two-dimensional circulation control airfoil [AIAA PAPER 86-0738] p 273 A86-24732
- A new and less complex alternative to the Handley Page slat p 356 A86-28563
- Applied aerodynamics of circulation control airfoils and rotors p 475 A86-35634
- Aerodynamic characteristics of a circulation controlled symmetrical airfoil with dual jet p 541 A86-37196
- Similarity criteria for a circulation control airfoil p 769 A86-48815
- International Aviation (selected articles) [AD-A166748] p 687 A86-30690
- Navier-Stokes computations for circulation controlled airfoils [AIAA-85-1587] p 744 A86-30995
- CIRCULATION CONTROL ROTORS**
- X-wing potential for Navy applications p 492 A86-35631
- Applied aerodynamics of circulation control airfoils and rotors p 475 A86-35634
- Application of rotor induced velocity field of the vortex theory to the study of stability and controllability of helicopter with hingeless rotor p 705 A86-43477
- Dynamic stability of a bearingless circulation control rotor blade in hover p 177 A86-15297
- Dynamic response characteristics of a circulation control rotor model pneumatic system p 157 A86-15296
- CIRCULATION DISTRIBUTION**
- Distribution of optimal circulation on a propeller blade with a nonlinear dependence on the number of blades and with allowance tapering p 271 A86-23778
- Radial distribution circulation of a rotor in hover measured by laser velocimeter p 276 A86-26110
- CIVIL AVIATION**
- Air traffic prediction and optimal control of air transportation system — Russian book p 90 A86-13452
- Liability of air traffic control agencies and airport operators in civil law jurisdictions p 130 A86-14372
- Airline efficiency p 157 A86-17174
- A shared satellite system would satisfy many future aviation needs p 249 A86-20921
- Aviation maintenance management — Book p 197 A86-21055
- General Aviation and Regional Air Traffic - Components of the Traffic System, Symposium, Friedrichshafen, West Germany, March 28, 29, 1985, Reports p 197 A86-21325
- Maintenance strategies for aero engines p 253 A86-22384
- An overview of civil helicopter operations - Past, present and future p 279 A86-23800
- Radionavigation planning in the FAA p 402 A86-26427
- Forecasting for civil aviation. I p 393 A86-29002
- Trends in the design of airfield radars p 421 A86-31008
- United Airlines windshear training update [SAE PAPER 851920] p 482 A86-35450
- The Federal Aviation Administration future aviation weather system p 613 A86-37458
- The hazards of ash clouds to civil air transport p 566 A86-37477
- Putting a price on safety p 567 A86-37940
- Human injury criteria relative to civil aircraft seat and restraint systems [SAE PAPER 851847] p 567 A86-38343
- Integrated navigation, communication, and surveillance systems based on standard distance measuring equipment p 635 A86-40116
- Regulation by the Civil Aviation Authority of air safety in the United Kingdom p 633 A86-40565
- Policing aviation safety in the Netherlands p 633 A86-40567
- From a strike to a kill p 634 A86-42423
- Applications of satellite communications technologies to International Civil Aviation p 702 A86-43708
- Fundamentals of aviation technology and airport equipment — Russian book p 685 A86-44291
- Forecasting for civil aviation. II p 748 A86-44380
- The selection and acquisition of commercial aircraft fleets p 686 A86-44935
- Trends in civil avionics for the near future p 718 A86-46141
- Civil helicopter handling qualities requirements for visual and instrument flight p 832 A86-48674
- Active control technology for civil transport p 832 A86-49005
- Designing a load alleviation system for a modern civil aircraft p 832 A86-49006
- Managing airworthiness p 785 A86-49035
- West Europe report: Science and technology [JPRS-WST-85-031] p 123 A86-13616
- Integration granted to Franco-Italian ATR 42 p 92 A86-13617
- ATR 42 production work in French, Italian plants detailed p 78 A86-13618
- Effectiveness of the civil aviation security program [AD-A159511] p 158 A86-14260
- Avionics system for future civil helicopters [BMFT-FB-W-85-006] p 160 A86-14266
- AN-22 test bed for advanced propeller technology p 174 A86-14274
- West Europe report: Science and technology [JPRS-WST-85-024] p 189 A86-15447
- Activities report in aeronautics p 196 A86-16189
- Establishment and use of time unification system for civil aviation p 258 A86-17648
- USSR report: Transportation [JPRS-UTR-85-014] p 270 A86-18284
- Calculation of the external nacelle surface for single and double stream jet engines for civil aircraft [VTH-M-445] p 277 A86-18301
- Aircraft accident reports: Brief formats, US civil and foreign aviation, issue number 1 of 1984 accidents [PB85-916920] p 281 A86-18309
- Aircraft accident reports: Brief format US Civil and Foreign Aviation, issue 2 of 1984 accidents [PB85-916921] p 281 A86-18310
- USSR report: Transportation [JPRS-UTR-85-015] p 294 A86-18323
- Sukhoi design bureau builds sport plane made of plastic p 294 A86-18324
- Features of planned IL-96-300, IL-114 aircraft p 294 A86-18325
- High speed aeronautics [GPO-51-341] p 278 A86-19284
- International Civil Aviation Organization Helicopter Noise Measurement Repeatability Program: US test report, Bell 206L-1, noise measurement flight test [AD-A159898] p 333 A86-20090
- Overview on the Federal Aviation Administration fiscal year 1986 research, engineering and development budget request [GPO-46-725] p 402 A86-21447
- State-of-the-art review on composite material fatigue/damage tolerance [FAA/CT-85/77] p 379 A86-21615
- Activities report of the aerospace industry in West Germany [ISSN-0176-5066] p 403 A86-22450
- USSR report: Transportation [JPRS-UTR-86-004] p 435 A86-22585
- Evaluation of propfan propulsion applied to general aviation [NASA-CR-175020] p 503 A86-24695
- A microcomputer pollution model for civilian airports and Air Force bases [AD-A163232] p 616 A86-26714
- Aircraft accident reports: Brief format, US civil and foreign aviation, issue number 17 of 1983 accidents [PB85-916918] p 571 A86-27269
- Aircraft accident reports: Brief format US Civil and Foreign Aviation, issue number 10 of 1984 accidents [PB85-916908] p 634 A86-28070
- USSR report: Transportation [JPRS-UTR-86-007] p 622 A86-28908
- Aeroflot officials roundtable on section's technical progress p 623 A86-28909
- Development of an operating profile for aircraft tires [FAA/CT-85-32] p 677 A86-29218
- Introduction to the recent developments of China's civil aviation [AD-A166194] p 687 A86-29763
- NASA and general aviation [NASA-SP-485] p 716 A86-30720
- Longitudinal stability and control derivatives obtained from flight data of a PA-30 aircraft [NASA-CR-176999] p 729 A86-30736
- CL-600 CHALLENGER AIRCRAFT**
- Continued airworthiness of damage tolerant aircraft p 707 A86-43788
- CLADDING**
- Evaluation of the effects of a plastic bead paint removal process on properties of aircraft structural materials [AD-A165289] p 603 A86-26384
- Effects of cladding and anodizing on flight simulation fatigue of 2024-T3 and 7475-T761 aluminum alloys — semisubmersible platform [NLR-TR-85006-U] p 604 A86-26430
- CLAMPS**
- Aircraft window clamping device [AD-D011999] p 435 A86-22564
- CLASSIFICATIONS**
- Air targeting of the third kind - Airborne vehicles p 230 A86-19617
- Comparison of two target classification techniques p 318 A86-23951
- Classification of flight vehicles according to the type of propulsion - Determination of the type and number of lift solutions p 473 A86-35983
- CLEANLINESS**
- Particulate contaminant relocation during shuttle ascent [NASA-TM-87794] p 600 A86-27351
- CLEAR AIR TURBULENCE**
- An extreme clear air turbulence incidence associated with a strong downslope windstorm [AIAA PAPER 86-0329] p 259 A86-19616
- Development of CAT detection and forecasting techniques for the PROFS Central Weather Processor p 615 A86-37498
- Angle-of-attack estimation for analysis of CAT encounters p 831 A86-47798
- The physical and empirical basis for a specific clear-air turbulence risk index [NASA-CR-39711] p 746 A86-30285
- CLEARANCES**
- Investigation of a tip clearance cascade in a water analogy ring [ASME PAPER 85-IGT-65] p 270 A86-22730
- Improved compressor performance using recessed clearance (trenches) over the rotor [AIAA PAPER 86-1745] p 649 A86-42823
- Store separation flight testing [AGARD-AG-300-VOL-5] p 717 A86-30727
- CLIMATOLOGY**
- A cold-season North American climatology of strong vertical wind shear p 614 A86-37466
- Limited Surface Observations Climatic Summary (LISOCs). Parts A, C-F: Bremen International, West Germany [AD-A159656] p 323 A86-18894
- Catalog of air weather service technical documents [AD-A159881] p 324 A86-18912
- CLIMBING FLIGHT**
- Engine-out take-off climb - An old airworthiness problem reviewed p 161 A86-17061
- Anatomy of a noise-abatement climb p 419 A86-31956
- Single heading climbs - An alternate technique for determining performance — in jet transport flight tests [AIAA PAPER 86-9757] p 429 A86-32096
- On the vertical turns sustaining corner velocity — optimal control in aircraft minimum time pull-ups from dives p 507 A86-33979
- The INS wind calibration in climb algorithm p 796 A86-47799
- CLINICAL MEDICINE**
- Criteria for a state-of-the-art vision test system [AD-A157099] p 126 A86-12973
- CLOCKS**
- Establishment and use of time unification system for civil aviation p 258 A86-17648
- Advanced laser based inertial instrument development [AD-A168307] p 742 A86-30128
- CLOSURE LAW**
- A model for closing the inviscid form of the average-passage equation system [NASA-TM-87199] p 147 A86-14224
- Separated transonic airfoil flow calculations with a nonequilibrium turbulence model [NASA-TM-86830] p 152 A86-15247
- CLOSURES**
- One-piece HPTR blade squealer tip [AD-D012003] p 504 A86-24698
- CLOUD COVER**
- Cloud particle effects on laminar flow in the NASA LEFT program - Preliminary results — Leading Edge Flight Test [AIAA PAPER 86-9811] p 432 A86-32138
- CLOUD GLACIATION**
- Nucleation of ice crystals in supercooled clouds caused by passage of an airplane p 323 A86-26175
- Experimental measurements of heat transfer from an iced surface during artificial and natural cloud icing conditions [AIAA PAPER 86-1352] p 598 A86-39948
- Field observations of aircraft charging in convective clouds p 783 A86-47332
- Heat transfer and pressure drop performance of a finned-tube heat exchanger proposed for use in the NASA Lewis Altitude Wind Tunnel [NASA-TM-87151] p 123 A86-13677
- CLOUD HEIGHT INDICATORS**
- AFOS (Automation of Field Operations and Services) monitor of terminal forecasts [PB85-236388] p 260 A86-16843
- CLOUD PHYSICS**
- Aircraft flow effects on cloud drop images and concentrations measured by the NAE Twin Otter p 322 A86-23289
- Downburst: Microburst and macroburst [PB85-148880] p 191 A86-14826

- Results of icing flights in winter 1983/84: ice accretion thickness in correlation with cloud physical parameters, object and cloud parameters [DFVLR-FB-85-39] p 191 N86-15838
- Some microphysical processes affecting aircraft icing [AD-A160375] p 325 N86-18921
- An assessment of data quality and quantity from airborne cloud physics projects from 1974 through 1984 [DOT/FAA/CT-85/37] p 528 N86-25079
- CLOUD SEEDING**
- AN-30 photography airplane outfitted for cloud-seeding missions p 393 N86-20888
- CLOUDS**
- Formation and characterization of simulated small droplet icing clouds [AIAA PAPER 86-0409] p 254 A86-22700
- Aircrew dose and engine dust ingestion from nuclear cloud penetration [AD-A159248] p 101 N86-13327
- Formation and characterization of simulated small droplet icing clouds [NASA-TM-87180] p 188 N86-14554
- CLOUDS (METEOROLOGY)**
- The calculation of the entropy distribution along cloud traverses using aircraft measurements p 678 A86-40555
- Sampling of solid particles in clouds p 668 A86-40720
- AFOS (Automation of Field Operations and Services) monitor of terminal forecasts [PB85-236388] p 280 N86-16843
- The aircraft icing environment in wintertime, low ceiling conditions [AD-A160578] p 280 N86-18307
- Some microphysical processes affecting aircraft icing [AD-A160375] p 325 N86-18921
- An assessment of data quality and quantity from airborne cloud physics projects from 1974 through 1984 [DOT/FAA/CT-85/37] p 528 N86-25079
- DFW (Dallas-Ft. Worth) microburst on August 2, 1985 [NASA-CR-176794] p 529 N86-25956
- CLUTCHES**
- Drive train simulation requirements for development of helicopter overrunning clutches p 186 A86-17071
- Multifunctional requirements for a gearbox secondary power system in a modern fighter aircraft and its components and interface requirements p 678 N86-29243
- CLUTTER**
- Detection of non-moving targets by airborne mm-wave radars p 351 A86-29783
- Efficient, closed-form computation of airborne pulse-Doppler radar clutter p 423 A86-32579
- New CFAR-processor based on an ordered statistic p 457 A86-32618
- Evaluation of the ASR-9 weather reflectivity product — airport surveillance radar p 614 A86-37485
- Weibull-distributed ground clutter in the frequency domain p 671 A86-41883
- Weather radar studies [AD-A161622] p 394 N86-22061
- COANDA EFFECT**
- Features of discrete tones generated by jet flows over Coanda surfaces [AIAA PAPER 86-1865] p 691 A86-45485
- Similarity criteria for a circulation control airfoil p 769 A86-48815
- Lift distribution on a high aspect ratio circulation control wing with root lift outout [AD-A157024] p 341 N86-20368
- COASTS**
- Design, development and integrate/install an airborne remote instrumentation system (AIREYE) [AD-A166755] p 719 N86-30728
- COATINGS**
- A method for measuring pressure distribution by means of indicating coatings p 140 A86-16687
- Evaluation of the effects of a plastic bead paint removal process on properties of aircraft structural materials [AD-A165289] p 603 N86-26384
- Nonalid coating formulations [AD-D012186] p 804 N86-27457
- COAXIAL FLOW**
- Flight effects on noise from coaxial dual flow. I - Unheated jets p 619 A86-39058
- Flight effects on noise from coaxial dual flow. II - Heated jets p 644 A86-41708
- COAXIAL NOZZLES**
- Multiaxis aircraft control power from thrust vectoring at high angles of attack [NASA-TM-87741] p 629 N86-28054
- COBALT**
- Potential of composite materials to replace chromium, cobalt and manganese in critical applications [PB86-123985] p 451 N86-22851

## COCKPIT SIMULATORS

- General dynamics simulation and artificial intelligence integration [AIAA PAPER 85-4048] p 192 A86-17830
- Manned simulation studies of aircrew workload in the F-15 dual role fighter p 158 A86-18454
- Advanced technology cockpit simulator p 180 A86-18482
- Wide-angle, low-altitude flight simulator vision system for cockpit research and aircrew training p 311 A86-26152
- Development testing of integrated avionics systems using dynamic environment simulation p 330 A86-26166
- Integrating the pilot into the cockpit [AIAA PAPER 86-9765] p 429 A86-32102
- A preliminary study of the basic display/guidance requirements for flying near optimal trajectories p 499 A86-35366
- Putting humans into virtual space — with visually coupled cockpit simulator p 588 A86-37193
- Comparison of pilot effective time delay for cockpit controllers used on space shuttle and conventional aircraft [NASA-TM-86030] p 307 N86-19324
- Evaluation of the usefulness of various simulation technology options for TERPS enhancement [NASA-CR-177408] p 636 N86-28931
- COCKPITS**
- Military avionics p 102 A86-13289
- Big Picture - Answer to the big problem? p 170 A86-17172
- Specialists' Meeting on Advanced Cockpit Design, Grapevine, TX, October 3, 4, 1984, Proceedings p 170 A86-18451
- Wide-angle, low-altitude flight simulator vision system for cockpit research and aircrew training p 180 A86-18453
- Overview of advanced display technologies p 171 A86-18455
- A thin film electroluminescent display for cockpit applications p 171 A86-18456
- Tomorrow's cockpit technology in today's modern helicopter p 168 A86-18457
- Helicopter cockpit avionics development or the advanced transport and next generation aircraft p 171 A86-18461
- The evolution of the cockpit displays in commercial airlines p 172 A86-18694
- A study of programmable switch symbology — for cockpits p 329 A86-23708
- Cockpit automation technology p 326 A86-23724
- One man and 3,000 million operations a second - Preparing for the LHX cockpit p 296 A86-24988
- Computer-aided 'somatography' for the ergonomic design of the ATTAS experimental cockpit — Advanced Technologies Testing Aircraft System p 287 A86-25024
- Noise levels in cockpits of aircraft during normal cruise and considerations of auditory risk p 326 A86-25651
- Flight deck automation decisions [SAE PAPER 841471] p 326 A86-26002
- Flight deck design methodology using computerized anthropometric models [SAE PAPER 841472] p 326 A86-26003
- Automation in the cockpit - Who's in charge? [SAE PAPER 841534] p 327 A86-26005
- Flight deck displays for managing wind shear encounters [SAE PAPER 841465] p 298 A86-26008
- Winging it in the 1980's - Why guidelines are needed for cockpit automation [SAE PAPER 841634] p 328 A86-26022
- Situation versus command — flight information for pilots [SAE PAPER 841638] p 328 A86-26023
- The decision to fly — by aircraft pilots [SAE PAPER 841613] p 328 A86-26024
- The development of an advanced helicopter research simulator [SAE PAPER 841610] p 310 A86-26029
- Comparison of voice types for helicopter voice warning systems [SAE PAPER 841611] p 328 A86-26030
- Cockpit advances in Boeing Vertol Company's Model 360 helicopter [SAE PAPER 841629] p 298 A86-26032
- A distributed, fault-tolerant implementation of the airborne digital map using VLSI common programmable modules p 349 A86-28337
- Selecting cockpit functions for speech I/O technology p 395 A86-28446
- Army 21 - Aviation — strategic and tactical operational concept p 355 A86-28454
- 2010 - The symbiotic cockpit p 355 A86-28455

- Expert system applications to the cockpit of the '90s p 399 A86-28487
- Electronic display luminance and gray scale control — for military aircraft p 360 A86-28505
- Pilot/Vehicle Interface Design System (PIVIDS) p 361 A86-28512
- Expert System Pilot Aid p 361 A86-28516
- Evaluation of formats for aircraft control/display units p 438 A86-29664
- A peripheral integrated system status display - Figural goodness or proximity effects? p 453 A86-29870
- New interfaces in the cockpit p 427 A86-31346
- Cockpits for 2010 and beyond p 427 A86-31849
- Integrating the pilot into the cockpit [AIAA PAPER 86-9765] p 429 A86-32102
- Thin film electroluminescent (TFEL) display optimized for cockpit applications p 456 A86-32321
- Pilot error accidents - A total system approach to analysis p 481 A86-33799
- Cockpit automation technology - A further look p 499 A86-33814
- Cockpit automation - Design and implementation issues [SAE PAPER 851921] p 529 A86-35431
- Cockpit and cabin crew coordination and communication [SAE PAPER 851918] p 473 A86-35448
- Cockpit communication and aircraft safety - An empirical study [SAE PAPER 851858] p 482 A86-35451
- Faulty cockpit communication as a factor in the failure of flight 90 [SAE PAPER 851859] p 482 A86-35452
- Front seat on the future — in airbus 320 p 509 A86-35563
- The role of flight simulation in helicopter crew station design [SAE PAPER 851900] p 530 A86-36940
- Wind shear studies and cockpit integration [SAE PAPER 851812] p 593 A86-38323
- Avionics system architecture for Beechcraft Starship 1 [SAE PAPER 851851] p 589 A86-38346
- Time runs out for the clockwork cockpit p 583 A86-38701
- Boeing developing new cockpit displays to ease pilot workload p 717 A86-45068
- Anthropometric conditions for the construction of a helicopter cockpit p 794 A86-47768
- The British Aerospace Experimental Aircraft Programme and the role of system development cockpits p 801 A86-48996
- An analysis of the application of AI to the development of intelligent aids for flight crew tasks [NASA-CR-3944] p 90 N86-12212
- Method of calculating angular dimensions of flight vehicle cockpit canopy casings p 191 N86-15886
- Helicopter internal noise treatment. Recent methodologies and practical applications [SNIAS-852-210-102] p 266 N86-18133
- Comparison of pilot effective time delay for cockpit controllers used on space shuttle and conventional aircraft [NASA-TM-86030] p 307 N86-19324
- The role of a real-time flight support facility in flight research programs [NASA-TM-86805] p 311 N86-19330
- Selection of a man-modelling CAD (Computer-Aided Design) [AD-A161342] p 400 N86-22159
- Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987 [AD-A162792] p 402 N86-22443
- Frameless transparencies for aircraft cockpit enclosures [AD-D012155] p 497 N86-24689
- Some quantitative methodology for cockpit design p 586 N86-26320
- Control systems for the Airbus design and functional experience — cockpits [ETN-86-96936] p 653 N86-28094
- Aircraft avionics suitable for advanced approach applications. Volume 1: Aircraft fleet equipage [DOT/FAA/PM-86/25.1] p 642 N86-28944
- Pilot interaction with automated airborne decision making systems [NASA-CR-177002] p 679 N86-29508
- Technology research for strapdown inertial experiment and digital flight control and guidance [NASA-CR-178907] p 703 N86-29800
- Development of an algorithm to model an aircraft equipped with a generic CDTI display [NASA-TM-87732] p 748 N86-30349
- CODING**
- A methodology for applying bar code technology to Aircraft Maintenance Unit support sections [AD-A161783] p 402 N86-22441

- Evaluation of 3 numerical methods for propulsion integration studies on transonic transport configurations [NASA-TM-87727] p 559 N86-27209
- Unsteady interactions of transonic airfoils with gusts and concentrated vortices p 565 N86-27261
- Structural tailoring of engine blades (STAEBL) user's manual [NASA-CR-175113] p 592 N86-27284
- A computer programme for DATCOM methods of estimation of lateral stability and control derivatives [NAL-TM-AE-8601] p 596 N86-27289
- PAN AIR application to the F-106B [NASA-CR-178165] p 698 N86-30698
- COEFFICIENT OF FRICTION**
- Fireproof hydraulic brake system [AD-A163542] p 497 N86-24688
- COEFFICIENTS**
- Feasibility of a nuclear gauge for fuel quantity measurement aboard aircraft [NASA-TM-87706] p 675 N86-28385
- COHERENT RADAR**
- F-16 radar data acquisition and analysis [AIAA PAPER 86-9798] p 422 A86-32127
- COILS**
- Ferromagnetic resonance probe liftoff suppression apparatus [AD-D011913] p 190 N86-15647
- COKE**
- Long term deposit formation in aviation turbine fuel at elevated temperature [AIAA PAPER 86-0525] p 243 A86-19929
- COLD FLOW TESTS**
- Solid fuel ramjet simulator results - Experiment and analysis in cold flow — solid fuel ramjet p 106 A86-14562
- Cold flow and combustion experiments with a new burner air distribution concept [ASME PAPER 85-GT-40] p 235 A86-22029
- Large eddy simulations of flow in a ramjet combustor p 659 N86-28241
- COLD FRONTS**
- Weather radar studies [AD-A161622] p 394 N86-22061
- COLD WEATHER**
- The Canadian forces twin Otter aircraft operations in the Arctic - A thermal assessment p 212 A86-19334
- A cold-season North American climatology of strong vertical wind shear p 614 A86-37466
- COLD WEATHER TESTS**
- Operating experience in the Jeff (A) in the Arctic [ASME PAPER 85-GT-127] p 266 A86-22076
- Cold regions logistic supportability testing of electronic, avionics and communications equipment [AD-A158887] p 188 N86-14514
- COLD WORKING**
- A simplified residual stress model for predicting fatigue crack growth behavior at coldworked fastener holes p 662 A86-40575
- Evaluation of the effects of a plastic bead paint removal process on properties of aircraft structural materials [AD-A165289] p 603 N86-26384
- COLLISION AVOIDANCE**
- Avoiding probe to model collisions in wind tunnel testing p 397 A86-28413
- The consideration of pilot factors in development of future collision avoidance systems [SAE PAPER 851807] p 484 A86-35437
- The protected volume of airspace generated by an airborne collision avoidance system p 703 A86-46146
- The risk of collision in a two seat aircraft ejection p 783 A86-47730
- Performance evaluation of a linear recursive technique for aircraft altitude prediction in airborne collision avoidance systems p 811 A86-49085
- Simulation of the enhanced traffic alert and collision avoidance system (TCAS 2) [NASA-CR-176328] p 93 N86-12216
- Aircraft accident report: Midair collision of Wings West Airlines Beech C-99 (N666U) and Aesthetec Inc., Rockwell Commander (N112SM), near San Luis Obispo, California, August 24, 1984 [NTSB/AAR-85/07] p 214 N86-16207
- Motion planning in the presence of moving obstacles [AD-A161374] p 400 N86-22208
- The impact of a traffic alert and collision avoidance system on the air traffic control radar beacon system and the mode S system in the Los Angeles Basin [FAA-PM-84-30] p 425 N86-23581
- A study of a collision avoidance system mounted on a curved ground plane [NASA-CR-176771] p 485 N86-24677
- Pilot evaluation of TCAS in the Long Ranger helicopter [FAA/PM-85/30] p 486 N86-25334
- TCAS Experimental Unit (TEU) hardware description [FAA/PM-85/2] p 574 N86-27272
- A comparison of the effects of two traffic alert and collision avoidance systems (TCAS 3 and TCAS 2) on the performance of the Air Traffic Control Radar Beacon System [DOT/FAA/PM-86/8] p 636 N86-28930
- Comprehensive test and evaluation of the Daimler-Benz TCAS 2 industry prototypes [FAA/PM-862] p 705 N86-30712
- Air safety: Federal Aviation Administration's role in developing mid-air collision avoidance back-up systems [PB86-197506] p 787 N86-32418
- COLLOCATION**
- Application of unsteady wing collocation methods to cascades in subsonic flow p 696 N86-30636
- COLOR**
- Military avionics p 102 A86-13269
- COLOR CODING**
- Colour design in aviation cartography p 358 A86-28066
- COLOR PHOTOGRAPHY**
- Image processing of aerodynamic data [NASA-TM-87829] p 255 N86-16553
- COLOR TELEVISION**
- Development of a raster/stroke full-color TV projector for simulation p 456 A86-32320
- COLOR VISION**
- Effect of vibration on the readability of color CRT displays [SAE PAPER 841466] p 327 A86-26009
- Criteria for a state-of-the-art vision test system [AD-A157099] p 126 N86-12973
- COLUMBIA (ORBITER)**
- Operational flight experience and disassembly/inspection results of Space Shuttle orbiter actuators p 600 N86-27354
- COMBAT**
- The fundamentals of aircraft combat survivability analysis and design — Book p 97 A86-14498
- Impact of flying qualities on mission effectiveness for helicopter air combat p 110 A86-14531
- The fighter, III p 162 A86-17523
- Testing helicopters for the air-to-air combat role p 164 A86-18424
- A comparison of digital terrain models and terrain masking algorithms p 350 A86-28391
- Design considerations for on-board simulation p 360 A86-28465
- Application of helicopter air-to-air combat test (AACT) data to current LHX concerns p 491 A86-35627
- Techniques for sortie generation analysis [SAE PAPER 851950] p 618 A86-38376
- Computer sizing of fighter aircraft [AIAA PAPER 85-0212] p 637 A86-40106
- An analysis of a four state model for pursuit-evasion games — during air combat p 680 A86-42957
- Concept of automated aircraft guidance system for air-to-air missions [AIAA PAPER 86-2285] p 787 A86-47703
- Unsteady aerodynamics and dynamic aircraft maneuverability p 564 N86-27253
- Survivability considerations during aircraft conceptual design [AD-A168555] p 809 N86-32428
- COMBINED STRESS**
- Certain criteria and formulas for the analysis of flexural-torsional flutter p 109 A86-13394
- Analytical method for considering the elasticity of the blades in the aerodynamic calculation of a helicopter propeller p 96 A86-13421
- Fatigue crack propagation from an inclined crack under combined mode loading p 450 A86-30013
- A weight method for structural boxes [SAWE PAPER 1680] p 521 A86-35221
- Various approaches in solving stability problems for symmetric angle-ply laminates under combined loading p 848 A86-49040
- CERT: Where we have been, where we are going p 256 N86-16620
- COMBUSTIBLE FLOW**
- Identification of longitudinal acoustic modes associated with pressure oscillations in ramjets p 591 A86-39079
- A detailed numerical model of a supersonic reacting mixing layer [AIAA PAPER 86-1427] p 671 A86-42636
- Interactions between acoustics and vortex structures in a central dump combustor [AIAA PAPER 86-1609] p 671 A86-42749
- The General Electric F404 - engine of the RAAF's new fighter [AD-A164562] p 592 N86-26338
- COMBUSTION**
- Experimental study of the combustion of gas-air mixtures in a channel and the diffusion combustion in a slipstream at high velocities [AD-A157495] p 116 N86-12271
- The two-fluid model of turbulent combustion applied to an idealised one-dimensional, unsteady, confined, pre-mixed flame [PDR/CFDU/IC/21] p 247 N86-16315
- Aircraft mishap fire pattern investigations [AD-A161094] p 344 N86-21528
- Data sources for parameters used in predictive modeling of fire growth and smoke spread [PB86-130986] p 518 N86-24788
- COMBUSTION CHAMBERS**
- The effect of acoustic reflections on combustor noise measurements p 265 A86-20364
- Fuel property effects upon exhaust smoke and the weak extinction characteristics of the Pratt and Whitney PT6A-65 engine [ASME PAPER 85-GT-27] p 234 A86-22018
- Design of combustor cooling slots for high film effectiveness. I - Film general development [ASME PAPER 85-GT-35] p 234 A86-22024
- Design of combustor cooling slots for high film effectiveness. II - Film initial region [ASME PAPER 85-GT-36] p 234 A86-22025
- The effect of fuel composition upon combustion performance in a Rolls Royce Tyne combustor [ASME PAPER 85-GT-39] p 234 A86-22028
- Cold flow and combustion experiments with a new burner air distribution concept [ASME PAPER 85-GT-40] p 235 A86-22029
- Full coverage discrete hole film cooling - The influence of hole size [ASME PAPER 85-GT-47] p 251 A86-22035
- Evaluation of fuel preparation systems for lean pre-mixing-prevaporizing combustors [ASME PAPER 85-GT-137] p 235 A86-22081
- Emission characteristics of a section of the combustion chamber of a gas-turbine engine with various modifications of the burners p 300 A86-23670
- Further applications of the Lucas fan spray fuel injection combustion system [ASME PAPER 85-IGT-116] p 302 A86-23912
- Temperature distribution investigation at the outlet of an annular combustor of P type turbojet engine p 591 A86-38998
- Gas and erosion corrosion of the combustion chambers of aircraft engines p 592 A86-39725
- Altitude ignition/lean deceleration study [AIAA PAPER 86-1530] p 646 A86-42694
- Computational models for the analysis/design of hypersonic scramjet components. I - Combustor and nozzle models [AIAA PAPER 86-1595] p 647 A86-42737
- Modeling the combustion zone of gas-turbine-engine combustion chambers p 650 A86-43393
- Small film-evaporation type combustion chamber for a low-power gas turbine engine p 650 A86-43395
- The performance of a reverse flow combustor using JP 10 fuel [ASME PAPER 86-GT-146] p 814 A86-48202
- Conical grid plate flame stabilizers - Stability and emissions for liquid fuels [ASME PAPER 86-GT-156] p 842 A86-48210
- Premixing gas and air to reduce NOx emissions with existing proven gas turbine combustion chambers [ASME PAPER 86-GT-157] p 814 A86-48211
- A study on NOx emissions from gas turbine combustor [ASME PAPER 86-GT-168] p 814 A86-48220
- Toward improved durability in advanced combustors and turbines - Progress in prediction of thermomechanical loads [ASME PAPER 86-GT-172] p 815 A86-48224
- Fuel effects on aircraft combustor emissions [ASME PAPER 86-GT-212] p 815 A86-48252
- Small gas turbine combustor experimental study - Compliant metal/ceramic liner and performance evaluation [AIAA PAPER 86-1452] p 818 A86-49611
- Perspectives on dilution jet mixing — in creating temperature patterns at combustor exits in gas turbine engines [AIAA PAPER 86-1811] p 818 A86-49614
- Composition and photochemical reactivity of turbine engine exhaust [AD-A157643] p 107 N86-12230
- Development of new combustor technologies for application to alternative aeroengine fuels, phase I [BMFT-FB-W-85-004] p 184 N86-14402
- Fuel effects on soot formation in turbojet engines [AD-A159073] p 185 N86-15416
- Fuel property effects on combustion [AD-A162451] p 378 N86-20522
- Altitude ignition/lean decel study [AD-A163052] p 518 N86-24781
- The flowfield of a side-dump combustor p 673 N86-28237

- Flame driving of longitudinal instabilities in dump type ramjet combustors p 658 N86-28239
- Nonlinear analysis of pressure oscillations in ramjet engines p 659 N86-28240
- Large eddy simulations of flow in a ramjet combustor p 659 N86-28241
- Acoustic-vortex interactions in an idealized ramjet combustor p 659 N86-28242
- Prediction of the stability performance of a turboreactor combustion chamber [SNECMA-YKC-3269/85] p 651 N86-28949
- National Transportation Safety Board safety recommendation [NTSB-4360/33] p 699 N86-29791
- Cooling techniques for turbojet pre-heater channels p 741 N86-29847
- Jet-engine combustor spectral radiation measurements using fiberoptic instrumentation system. Radiant energy power source for jet aircraft [DE86-007289] p 723 N86-30735
- Small gas turbine combustor experimental study: Compliant metal/ceramic liner and performance evaluation [NASA-TM-87304] p 819 N86-31582
- COMBUSTION CHEMISTRY**
- Dynamic features of combustion p 114 A86-12925
- The effect of fuel composition upon combustion performance in a Rolls Royce Tyne combustor [ASME PAPER 85-GT-39] p 234 A86-22028
- A transport model for flammability of premixed gases p 516 A86-36874
- Effect of silane concentration on the supersonic combustion of a silane/methane mixture [AIAA PAPER 86-1396] p 663 A86-42610
- COMBUSTION CONTROL**
- A novel feedback concept for combustion instability in ramjets p 665 N86-28236
- COMBUSTION EFFICIENCY**
- Gas turbine combustion efficiency [ASME PAPER 85-IGT-121] p 302 A86-23917
- An analytical method of the characteristics of the turbofan engine components p 304 A86-25201
- Regression rate study for a solid fuel ramjet p 818 A86-49113
- Minimum time and fuel flight profiles for an F-15 airplane with a Highly Integrated Digital Electronic Control (HIDEC) system [NASA-TM-86042] p 436 N86-23587
- Prediction of the stability performance of a turboreactor combustion chamber [SNECMA-YKC-3269/85] p 651 N86-28949
- Small gas turbine combustor experimental study: Compliant metal/ceramic liner and performance evaluation [NASA-TM-87304] p 819 N86-31582
- COMBUSTION PHYSICS**
- Dynamic features of combustion p 114 A86-12925
- Calculation of unsteady flow in a two-stage gas turbine engine p 105 A86-13444
- Modeling the combustion zone of gas-turbine-engine combustion chambers p 650 A86-43393
- Combustion gas properties. II - Prediction of partial pressures of CO<sub>2</sub> and H<sub>2</sub>O in combustion gases of aviation and diesel fuels [ASME PAPER 86-GT-163] p 843 A86-48216
- COMBUSTION PRODUCTS**
- Gas and erosion corrosion of the combustion chambers of aircraft engines p 592 A86-39725
- Crushing strength of aluminum oxide agglomerates [AD-A158051] p 124 N86-13756
- COMBUSTION STABILITY**
- Longitudinal combustion instabilities in ramjet engines Identification of acoustic modes p 440 A86-31586
- Identification of longitudinal acoustic modes associated with pressure oscillations in ramjets p 591 A86-39079
- A novel feedback concept for combustion instability in ramjets p 665 N86-28236
- Flame driving of longitudinal instabilities in dump type ramjet combustors p 658 N86-28239
- Prediction of the stability performance of a turboreactor combustion chamber [SNECMA-YKC-3269/85] p 651 N86-28949
- COMBUSTION TEMPERATURE**
- Temperature distribution investigation at the outlet of an annular combustor of P type turbojet engine p 591 A86-38998
- COMMAND AND CONTROL**
- Modernizing tactical C3I p 159 A86-18551
- Local area command/control networks: The design of an on-board network - ANTINEA - French thesis p 215 A86-21327
- Airborne communications reconstitution experiments p 251 A86-21891
- Situation versus command - flight information for pilots [SAE PAPER 841638] p 328 A86-26023
- Certification of aeroengines fitted with full authority digital control [PNR-90287] p 237 N86-16225
- Eigenvalues assignment method: An application to designing an autopilot [SNIA-861-111-108] p 653 N86-28095
- COMMAND LANGUAGES**
- Understanding natural language commands p 263 A86-20667
- COMMERCIAL AIRCRAFT**
- The influence of advanced propulsion on short- to medium-range transport design p 95 A86-13264
- 7J7 - Boeing sets the pace p 97 A86-14361
- Douglas plans continuing upgrades to maintain MD-80 competitiveness p 98 A86-15999
- Propulsion for advanced commercial transports [AIAA PAPER 85-3061] p 173 A86-17829
- Turbofan engines for commercial aircraft p 173 A86-18725
- Design of a twin-engine short-haul commuter aircraft for the 1990s [AIAA PAPER 86-0077] p 219 A86-19674
- Wind shear characterization [AIAA PAPER 86-0180] p 213 A86-19737
- SF-340 airfoil structure - A unique approach p 224 A86-21712
- Is there life after 10,000 flight hours? p 254 A86-22402
- The effectiveness of various control surfaces in quasi-steady and unsteady flows - Applications [ONERA, TP NO. 1985-147] p 306 A86-24633
- The accuracy problem of airplane development force testing in cryogenic wind tunnels [AIAA PAPER 86-0776] p 310 A86-24765
- The laminar wing - A way for improving the economy of commercial aircraft p 274 A86-25022
- Supersonic passenger decade p 288 A86-25848
- Affordable safety p 289 A86-25850
- Airworthiness aspects of fatigue in helicopters p 280 A86-26128
- T700 - A program designed for early maturity and growth potential p 305 A86-26156
- Development testing of integrated avionics systems using dynamic environment simulation p 330 A86-26166
- Remote aircraft maintenance monitoring using telemetry p 347 A86-27813
- ATRA42 - First of a family p 353 A86-28060
- Major short-haul role seen for tilt-rotor aircraft p 420 A86-33427
- An application of self-tuning regulator to GLA system of an aircraft - Gust Load Alleviation p 508 A86-34926
- Extended range operation of twin-engine commercial airplanes [SAE PAPER 851959] p 490 A86-35455
- Time runs out for the clockwork cockpit p 583 A86-38701
- Composite material service experience on Boeing commercial airplanes [AIAA PAPER 86-0947] p 603 A86-38841
- A computer-augmented procedure for commercial aircraft configuration development and optimization p 637 A86-40114
- The market price for air safety p 633 A86-40228
- Overview - of new metallic and nonmetallic aircraft materials p 659 A86-40252
- Beech's enterprising Starship p 637 A86-40471
- Which transport technologies will fly? p 621 A86-41037
- The selection and acquisition of commercial aircraft fleets p 686 A86-44935
- Corporate flying, Italian style p 712 A86-45753
- Avanti to fly soon p 713 A86-46405
- Thirty years with the jets: Commercial transport flight management systems - Past, present, and future [AIAA PAPER 86-2289] p 821 A86-47402
- Pilot evaluation of experimental flight trajectories in the near-terminal area [AIAA PAPER 86-2074] p 838 A86-47664
- Analysis of the costs and weight effects of CFK on air transport structure p 842 A86-48097
- Reduction of turbulent drag - Turbulence manipulators [AAAF PAPER NT 85-04] p 766 A86-48455
- Avionics fault data acquisition - A concept for civil transport aircraft p 810 A86-49051
- A propfan status report p 817 A86-49091
- Propfan and turbofan - Antagonism or synthesis p 817 A86-49092
- Potential application of advanced propulsion systems to civil aircraft p 802 A86-49093
- Aeroelastic tailoring of aft-swept high aspect ratio composite wings p 802 A86-49097
- On the computation of wing lift interference caused by high bypass engines p 776 A86-49109
- Certification granted to Franco-Italian ATR 42 p 92 N86-13617
- ATR 42 production work in French, Italian plants detailed p 76 N86-13618
- Compilation and analysis of the Federal Aviation Administration's inspection of a sample of commercial air carriers [PB85-241198] p 159 N86-14264
- Aerodynamic design trends for commercial aircraft [NASA-TM-77976] p 227 N86-17338
- Critical analysis of turbulence restitution from acceleration measurements - aircraft construction [ONERA-RT-3/3567-RY-C40-R] p 227 N86-17340
- Features of planned IL-96-300, IL-114 aircraft p 294 N86-18325
- Environmental exposure effects on composite materials for commercial aircraft [NASA-CR-177929] p 314 N86-18449
- Improving commercial aircraft training simulators p 295 N86-19836
- Noise levels for US certificated and foreign aircraft [FAA-AC-36-1D] p 401 N86-21279
- Wind tunnel technology for the development of future commercial aircraft [NASA-TM-88390] p 514 N86-24710
- Aeroflot officials roundtable on section's technical progress p 623 N86-28909
- Annual review of aircraft accident data. US air carrier operations: Calendar year 1982 [PB86-212529] p 634 N86-28929
- Introduction to the recent developments of China's civil aviation [AD-A166194] p 687 N86-29763
- Aircraft accident report: Provincetown, Boston Airlines Flight 1039, Embraer Bandeirante, EMB-110P1, N98PB, Jacksonville, Florida, December 6, 1984 [PB86-910405] p 701 N86-30703
- Comprehensive test and evaluation of the Daimler Victor TCAS 2 industry prototypes [FAA/PM-862] p 705 N86-30712
- COMMUNICATING**
- Faulty cockpit communication as a factor in the failure of flight 90 [SAE PAPER 851659] p 482 A86-35452
- COMMUNICATION EQUIPMENT**
- The RAJPO GPS range equipment family - navigation modules for various military applications p 92 A86-13216
- Modernizing tactical C3I p 159 A86-18551
- SHARP (Stationary High Altitude Relay Platform) Telecommunications missions and systems p 519 A86-33943
- Cold regions logistic supportability testing of electronic, avionic and communications equipment [AD-A158887] p 188 N86-14514
- VHF-FM communications antennas for project SINGARS (UH-1 tail whip antenna evaluation) [AD-A165897] p 676 N86-29119
- COMMUNICATION NETWORKS**
- Local area command/control networks: The design of an on-board network - ANTINEA - French thesis p 215 A86-21327
- Airborne communications reconstitution experiments p 251 A86-21891
- Communication with land vehicles and aircraft via satellite p 319 A86-25016
- A robust 100 MBPS network for avionics applications p 385 A86-28341
- Modular simulators - Is a local area network sufficient? - for use in flight simulators p 371 A86-28480
- A satellite system for aeronautical data communications [AIAA PAPER 86-0602] p 351 A86-29578
- COMMUNICATION SATELLITES**
- A satellite system for aeronautical data communications [AIAA PAPER 86-0602] p 351 A86-29578
- COMMUNITIES**
- Some design philosophy for reducing the community noise of advanced counter-rotation propellers [NASA-TM-87099] p 129 N86-14007
- COMPARISON**
- Comparison of advanced turboprop and conventional jet and propeller aircraft flyover noise annoyance: Preliminary results [NASA-TM-87637] p 265 N86-17077
- Comparison of airborne data acquisition systems at ARL (Aeronautical Research Laboratories) [AD-A161664] p 357 N86-21537
- Relative accuracy of ALPEX aircraft data: An evaluation of the ALPEX intercomparison flight with the NCAR (National Center for Atmospheric Research) Electra, the NOAA (National Oceanic and Atmospheric Administration) P3 and the DFVLR (Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt) Falcon [PB86-100823] p 394 N86-22067

- A comparison of voice and keyboard data entry for a helicopter navigation task  
[AD-A163245] p 610 N86-26501
- Comparison of experimental surface pressures with theoretical predictions on twin two-dimensional convergent-divergent nozzles  
[NASA-TM-87757] p 697 N86-30694
- COMPASSES**  
An apparatus for and a method of determining compass headings  
[AD-D012051] p 425 N86-23584
- COMPATIBILITY**  
Some aspects of fluorocarbon elastomer compatibility with gas turbine lubricants  
[SAE PAPER 851799] p 601 A86-38529  
Selection of a man-modelling CAD (Computer-Aided Design)  
[AD-A161342] p 400 N86-22159  
Antimisting fuel technology for transport category aircraft  
p 733 N86-30006
- COMPENSATORS**  
A contribution to the digital compensation of periodic disturbances with frequencies in bounded intervals — in helicopters  
[DFVLR-FB-85-55] p 370 N86-21553  
Study of the effects of discretizing quantitative feedback theory analog control system designs  
[AD-A164209] p 533 N86-25174  
The design of multirate digital control systems  
[NASA-CR-177126] p 726 N86-29663
- COMPENSATORY TRACKING**  
Cooperative synthesis of control and display augmentation  
[AIAA PAPER 86-2204] p 853 A86-47484
- COMPLERS**  
Using Ada in the real-time avionics environment issues and conclusions  
[AD-A163844] p 533 N86-25151
- COMPLEX NUMBERS**  
Rotor dynamics equations in complex form  
p 122 A86-18040
- COMPLEX SYSTEMS**  
A stable discrete-time adaptive observer applied to multivariable aircraft  
p 305 A86-23346  
Interaction between controlling, planning, and fault managing in complex man-machine systems  
p 463 A86-33184
- COMPONENT RELIABILITY**  
The relationship of ultrasonic filtration and oil debris monitoring for helicopter propulsion systems  
p 305 A86-26154  
Optimum maintenance of aircraft systems on the basis of their condition with allowance for measurement errors  
p 354 A86-28310  
Problems in the dynamics of aircraft structures exposed to intensive acoustic loading  
p 384 A86-28316  
The Shock and Vibration Bulletin 55. Part 1: Welcome, keynote address, invited papers, isolation and damping and damping practices  
[AD-A160263] p 256 N86-16616  
A decade of reliability testing progress  
p 256 N86-16619  
Acoustic guide for noise transmission testing of aircraft  
[NASA-CASE-LAR-13111-1-CU] p 332 N86-20086  
Flight service evaluation of composite components on the Bell helicopter model 206L  
[NASA-CR-178148] p 734 N86-30612
- COMPOSITE MATERIALS**  
Composite tail section offers superior performance  
p 133 A86-17379  
Pultrusion used to fabricate tail rotor spar  
p 133 A86-17380  
Generic aspects of delamination in fatigue of composite materials  
p 183 A86-18432  
National SAMPE Technical Conference, 17th, Kiamesha Lake, NY, October 22-24, 1985, Proceedings  
p 244. A86-21701  
Impact of composite materials on advanced fighters  
p 245 A86-21722  
Composite fabrics in a thermal protection application  
p 245 A86-21734  
Starship 1  
p 225 A86-22133  
Composites technology transfer and transition  
p 253 A86-22144  
Current concepts of composite applications in aircraft and engines  
p 312 A86-23690  
A numerical analysis of singular stress fields at the free edge of layered composites  
[ONERA, TP NO. 1985-154] p 313 A86-24636  
Interlaminar fracture of composites  
p 313 A86-24986  
Composites in the development of Augusta helicopters  
p 320 A86-26121  
The damping capacity of layered materials  
p 374 A86-27084
- Analytical and experimental studies of textile structural composites  
p 377 A86-27652  
Materials and processes; Proceedings of the Fifth Technology Conference, Montreux, Switzerland, June 12-14, 1984. Volumes 1&2  
p 450 A86-31475  
An internal variable assisted formulation of moisture sorption models for polymers and composites  
p 515 A86-34850  
What is the choice for primary aircraft structures - Composite or aluminum materials?  
p 516 A86-36750  
Method to determine the complete three-dimensional elastic compliance matrix of composite materials  
p 517 A86-37134  
Composites: Design and manufacturing for general aviation aircraft; Proceedings of the General Aviation Aircraft Meeting and Exposition, Wichita, KS, April 16-19, 1985  
[SAE SP-623] p 582 A86-38515  
Operational experience of U.S. Air Force with structural composites  
p 583 A86-38840  
Composite material service experience on Boeing commercial airplanes  
[AIAA PAPER 86-0947] p 603 A86-38841  
Crash energy absorbing composite sub-floor structure  
[AIAA PAPER 86-0944] p 585 A86-38952  
Recent developments in the dynamics of advanced rotor systems. I  
p 586 A86-39597  
Failure analysis of composite angle structures  
p 667 A86-40353  
A model for the equivalent bending characteristics of a composite beam  
p 667 A86-40361  
Carbon fibres and their composites  
p 661 A86-40487  
Composite materials: Testing and design; Proceedings of the Seventh Conference, Philadelphia, PA, April 2-4, 1984  
p 662 A86-41051  
Composite repair techniques examined  
p 662 A86-41684  
Multipath lightning protection for composite structure  
p 790 A86-47308  
Integral fuel tank design  
p 790 A86-47308  
Composites in today's and tomorrow's U.S. airliners  
p 841 A86-47603  
How one A/C manufacturer transits to composites  
p 759 A86-47604  
Method for the calculation and design of fuselage flaps made of composite materials  
p 847 A86-48830  
Automated systems for the manufacture of Airbus Vertical Stabilizer Spar box in composite materials  
p 762 A86-49067  
Manufacturing technology of composite torque box of vertical fin  
p 848 A86-49068  
Manufacturers seek reduced costs through new fabrication techniques  
p 762 A86-49448  
Aircraft interior panel test criteria derived from full-scale fire tests  
[FAA/CT-85/23] p 91 N86-12214  
Effect of measured material properties on the finite element analysis of an OH-58 composite tail boom  
[NASA-TM-86430] p 116 N86-12259  
Polymer, metal and ceramic matrix composites for advanced aircraft engine applications  
[NASA-TM-87132] p 117 N86-13407  
Failure mechanisms of laminates transversely loaded by bolt push-through  
[NASA-TM-87603] p 184 N86-14314  
Stress concentration around a small circular hole in the HIMAT composite plate  
[NASA-TM-86038] p 184 N86-15350  
Nondestructive inspection: An efficient investment — composite materials  
[SNIAS-852-430-110] p 247 N86-16276  
Arenyt: A soluble mold technology  
[SNIAS-852-430-111] p 247 N86-16277  
Composite materials: A source of innovation — aircraft industry  
[SNIAS-852-430-113] p 248 N86-17493  
Design of nonaxisymmetric structures (turbojet engine nacelle element)  
[SNIAS-852-430-119] p 248 N86-17496  
Description of a nondestructive facility using holographic interferometry  
[SNIAS-852-430-105] p 258 N86-17726  
Separation of airborne and structureborne noise radiated by plates constructed of conventional and composite materials with applications for prediction of interior noise paths in propeller driven aircraft  
[NASA-TM-87414] p 265 N86-18121  
Environmental exposure effects on composite materials for commercial aircraft  
[NASA-CR-177929] p 314 N86-18449  
Ultrasonic f-scan inspection of composite materials  
[AD-A159974] p 314 N86-18451  
State-of-the-art review on composite material fatigue/damage tolerance  
[FAA/CT-85/77] p 379 N86-21615
- Aminophenoxycyclophosphazene cured epoxy resins and the composites, laminates and structures thereof  
[NASA-CASE-ARC-11548-1] p 379 N86-21686  
NASA experiments on the B-720 structure and seats  
p 390 N86-21936  
China report: Science and technology  
[JPRS-CST-88-007] p 435 N86-22570  
Potential of composite materials to replace chromium, cobalt and manganese in critical applications  
[PB86-123985] p 451 N86-22651  
Lightning protection guidelines and test data for adhesively bonded aircraft structures  
[NASA-CR-3762] p 436 N86-23586  
USAF/SCEE (United States Air Force/Southeastern Center for Electrical Engineering Education) Research Initiation Program research reports, volume 2  
[AD-A161908] p 460 N86-23752  
Evaluation of capillary reinforced composites  
[NASA-CR-175081] p 517 N86-24760
- COMPOSITE STRUCTURES**  
Adhesive system for high temperature destructive testing of composite structures  
p 115 A86-13101  
F/A 18 composite wing automated drilling system  
p 117 A86-13111  
Nondestructive test methods for composite structures  
p 118 A86-13147  
Constant temperature heaters for the repair of composite structures  
p 115 A86-13174  
Flutter and divergence aeroelastic characteristics for composite forward swept cantilevered wing  
p 97 A86-14536  
The performance of composite structures  
p 121 A86-14680  
Manufacturing advance towards high strain fibers  
p 182 A86-16203  
Parts integration - Advantages and problems — in aircraft design  
p 133 A86-16207  
Interleaf technology for carbon composite aircraft primary structure  
p 182 A86-16206  
Developmental testing for composite frames — of helicopters  
p 183 A86-18403  
Development testing of the H-60 composite main rotor blade  
p 183 A86-18404  
U.S. Army/Sikorsky ACAP airframe test techniques/methodology  
p 185 A86-18427  
Applications of tubular composite structures  
p 245 A86-21719  
Impact of composite materials on advanced fighters  
p 245 A86-21722  
Effect of manufacturing defects and service-induced damage on the strength of aircraft composite structures  
p 245 A86-21729  
Improved temperature resistant sealants for composite & adhesive bonded fuel-tank structures  
p 246 A86-21736  
Unique tooling and manufacturing approach for large advanced composite aircraft structure  
p 246 A86-21742  
High-temperature composite ducts  
[SME PAPER MF85-501] p 319 A86-24663  
Robotic applications to automated composite aircraft component manufacturing  
[SME PAPER MF85-506] p 319 A86-24667  
Investigation on a small scale model of ducted composite counterrotating rotor  
p 289 A86-26119  
ARALL - A light weight structural material for impact and fatigue sensitive structures  
p 313 A86-26158  
A study of the static post buckling behavior of composite sandwich plates  
p 383 A86-27653  
Optimal design of composite power transmission shafting  
p 353 A86-27654  
Measurements of the response of transport aircraft ceiling panels to fuel fires  
p 343 A86-28564  
Advances in aerospace structural analysis; Proceedings of the Winter Annual Meeting, Miami Beach, FL, November 17-22, 1985  
p 387 A86-28651  
Effects of anisotropic design on the static aeroelasticity of a swept wing  
p 434 A86-33263  
Photogrammetry as a means of mapping postbuckled composite surfaces  
p 520 A86-34639  
The effect of center delamination on the instability of composite cylindrical panels  
p 520 A86-34642  
The impact of accommodating defects on the efficiency of aircraft design  
[SAWE PAPER 1635] p 488 A86-35201  
Impact of advanced materials on aircraft design weights - The weight improvement factor  
[SAWE PAPER 1636] p 488 A86-35202  
Straining for weight savings in advanced composites  
[SAWE PAPER 1685] p 516 A86-35226  
A skin-stringer design for a crashworthy composite fuselage for the Hughes 500E helicopter  
p 492 A86-35637  
Combining analysis and test for rotor blade development  
p 493 A86-35648



- Development of a composite tail rotor blade for the MH-53E p 493 A86-35649
- Assessment of structural damage in composites utilizing acoustic emission technology p 521 A86-35651
- Structural certification and in-service flight experience of the RB 211-524 fan cowl doors utilizing carbon fibre composite materials p 496 A86-37108
- Postbuckling failure of composite panels p 523 A86-37112
- Damage tolerant composite design development p 524 A86-37119
- Advanced composites - The structural revolution p 517 A86-37136
- The design of repairable advanced composite structures [SAE PAPER 851830] p 606 A86-38335
- Generation of an electroformed nickel mold for use in manufacturing composite parts [SAE PAPER 850905] p 607 A86-38523
- Composite material service experience on Boeing commercial airplanes [AIAA PAPER 86-0947] p 603 A86-38841
- Strength evaluation of helicopter composite bolted joints [AIAA PAPER 86-0873] p 608 A86-38853
- Application of low temperature curing prepreps and vacuum bag molding techniques to the manufacturing of a composite wing [AIAA PAPER 86-1019] p 609 A86-38876
- Aeroelastic tailoring of composite wings with external stores [AIAA PAPER 86-1021] p 609 A86-38878
- Autoclave, compression moulding p 668 A86-40495
- Composite repair at the Naval Air Rework Facility, North Island - composite aircraft structures [AIAA PAPER 86-1140] p 664 A86-43329
- Stability analysis of composite stiffened layer plates under compression p 735 A86-43495
- Buckling and initial post buckling analysis of composite panels under axial compression p 735 A86-43496
- U.S. Army requirements for damage tolerance of composite helicopter structure p 706 A86-43785
- The certification of airframes and components in metals and composites p 737 A86-43798
- Ring discharge on the backsurface of a composite skin with ohmic anisotropy in response to frontal high current injection p 845 A86-47329
- How one A/C manufacturer transits to composites p 759 A86-47604
- Aeroelastic behavior of low aspect ratio metal and composite blades [ASME PAPER 86-GT-243] p 846 A86-48271
- Finite element analysis and optimum design of semi-monocoque airframe structures. I - Finite element analysis p 847 A86-48656
- Fibre optic damage detection in composite structures p 848 A86-48988
- Analytical and experimental investigation on advanced composite wing box structures in bending including effects of initial imperfections and crushing pressure p 848 A86-49003
- Plastic or metal - The judgement factors - for selecting aircraft construction material p 762 A86-49037
- A general formulation for the aeroelastic divergence of composite sweptforward wing structures p 802 A86-49095
- Aeroelastic tailoring of aft-swept high aspect ratio composite wings p 802 A86-49097
- Optimization of composite structures by controlled insertion or deletion of diverse fiber types p 844 A86-50122
- Structural design and analysis aspects of composite helicopter components [MBB-UD-454-85-OE] p 806 A86-50256
- Flight service evaluation of advanced composite ailerons on the L-1011 transport aircraft [NASA-CR-177960] p 184 A86-14317
- Test results from a dynamic model dynaflex rotor p 167 A86-15285
- Correlation of results of an OH-58A helicopter composite tail boom test with a finite element model [AD-A161062] p 295 A86-19316
- Aminophenoxycyclotriphosphazene cured epoxy resins and the composites, laminates and structures thereof [NASA-CASE-ARC-11548-1] p 379 A86-21686
- The US Army's LHX (light helicopter family) program [AD-A161949] p 437 A86-23591
- Evaluation of the effects of a plastic bead paint removal process on properties of aircraft structural materials [AD-A165289] p 603 A86-26384
- Impact damage to composite structures [AGARD-R-729] p 604 A86-27425
- Optimized bolted joint [NASA-CASE-LAR-13250-1] p 612 A86-27630
- The design of composite structures - aircraft design [SNIAS-861-111-103] p 640 A86-28082
- Light weight fire resistant graphite composites [NASA-CASE-ARC-11615-1SB] p 664 A86-28131
- Multivariable control of a forward swept wing aircraft [NASA-CR-177112] p 654 A86-28953
- Boundary layer model to compute the edge effects in stratified composite plates [ONERA-RT-7/3542-RY-041-R] p 678 A86-29279
- Variation of anisotropic behavior in structural optimization - aircraft composite structures p 715 A86-30656
- Flight service evaluation of composite components on the Bell helicopter model 206L [NASA-CR-178148] p 734 A86-30812
- Weight estimation techniques for composite airplanes in general aviation industry [NASA-CR-178163] p 781 A86-31531
- COMPRESSED AIR**
- A new compressed air launching system p 596 A86-37337
- Compressors study: Improving the efficiency of a high performance multistage compressor [ETN-86-97192] p 651 A86-28948
- COMPRESSED GAS**
- Compact gas ejector of a high degree of compression with spiral arrangement of the nozzles p 82 A86-13433
- Multistage metal hydride compressor [DE86-001965] p 604 A86-27465
- COMPRESSIBILITY EFFECTS**
- The effect of compressibility on slender vortices p 317 A86-23944
- COMPRESSIBLE BOUNDARY LAYER**
- A numerical analysis of the characteristics of a Tollmien-Schlichting wave packet in a boundary layer on a flat plate p 79 A86-13374
- A compressible laminar boundary layer on a plane triangular plate with an attached shock wave p 146 A86-18902
- COMPRESSIBLE FLOW**
- The linear theory of a profile in a compressible gas with additional jet flow p 78 A86-13351
- The drag of a thermally insulated plate in a stream of a compressible gas under mixed flow conditions p 120 A86-13671
- The numerical solution of the compressible viscous flow field about a complete aircraft in flight p 205 A86-21033
- Compressibility corrections for multifoil sections p 270 A86-23193
- The effect of compressibility on slender vortices p 317 A86-23944
- Solution of the Navier-Stokes equations in a compressible fluid by an implicit method [ONERA, TP NO. 1985-148] p 272 A86-24634
- A perturbative lambda formulation - for compressible flow p 337 A86-28535
- Outer surface of airplane and computational grid for flow analysis in physical space p 409 A86-31022
- Analytical tools for systematic transonic design p 477 A86-36201
- A comparison of experimental and numerical results for delta wings with vortex flaps [AIAA PAPER 86-1840] p 546 A86-37848
- Application of optical interferometry in compressible flows p 546 A86-38258
- The indirect boundary integral formulation for elliptic, hyperbolic and non-linear fluid flows p 553 A86-38971
- A nozzle design analysis technique [AIAA PAPER 86-1613] p 647 A86-42751
- Correlation of theory and experiment for propfan inlets [AIAA PAPER 86-1628] p 627 A86-42761
- Numerical solution of the supersonic laminar flow over a two-dimensional compression corner using an implicit approach p 690 A86-45054
- Remarks on the development of a multiblock three-dimensional Euler code for out of core and multiprocessor calculations p 748 A86-46791
- High resolution solutions of the Euler equations for vortex flows p 692 A86-46793
- An approach to the calculation of the pressure field produced by rigid wide chord dual rotation propellers of high solidity in compressible flow [AIAA PAPER 86-0467] p 856 A86-49566
- Implicit hybrid schemes for the flux-difference split, three-dimensional Navier-Stokes equations p 850 A86-50258
- Numerical solutions of Navier-Stokes equations for a Butler wing [NASA-CR-174202] p 88 A86-13293
- A fourth-order scheme for the unsteady compressible Navier-Stokes equations [NASA-CR-177994] p 147 A86-14221
- Solutions of the Navier-Stokes equations for vortical flow p 148 A86-14231
- Numerical solutions for three-dimensional cases: Swept wings p 154 A86-15263
- Analysis of the effects of transient heat transfer on axial flow compressor blade boundary layers [AD-A158094] p 175 A86-15315
- Numerical solution of viscous compressible flows past an airfoil using unconditionally stable explicit method p 210 A86-17290
- Numerical analysis of transonic flow around two-dimensional airfoil by solving Navier-Stokes equations p 210 A86-17292
- Compressible, unsteady lifting-surface theory for a helicopter rotor in forward flight [NASA-TP-2503] p 277 A86-18289
- La recherche aérospatiale. Bimonthly bulletin, no. 1984-6, November - December 1984 [ESA-TT-907] p 559 A86-27217
- Pseudo-time algorithms for the Navier-Stokes equations [NASA-CR-178127] p 694 A86-29776
- COMPRESSIBLE FLUIDS**
- Supersonic interface instabilities of accelerated surfaces and jets p 455 A86-31356
- COMPRESSING**
- Autoclave, compression moulding p 668 A86-40495
- COMPRESSION LOADS**
- Observations on compressive local buckling, postbuckling and crippling of graphite/epoxy airframe structure [AIAA PAPER 86-0923] p 608 A86-38833
- Optimization of stiffened panels under compression p 739 A86-45762
- Various approaches in solving stability problems for symmetric angle-ply laminates under combined loading p 848 A86-49040
- The postbuckling behavior of blade-stiffened carbon epoxy panels loaded in compression - semisubmersible platform [NLR-MP-85019-U] p 611 A86-26661
- COMPRESSION TESTS**
- Compressor research facility F100 high pressure compressor inlet total pressure and swirl profile simulation [AD-A157108] p 107 A86-12229
- COMPRESSIVE STRENGTH**
- Compressive strength of impact damaged graphite epoxy laminates p 517 A86-37118
- Materials for emergency repair of runways [AD-A164225] p 514 A86-25385
- COMPRESSOR BLADES**
- A survey of accelerated vibratory fatigue test method of aero-engine compressor blade [ASME PAPER 85-IGT-105] p 317 A86-23904
- Excitation of blade vibration by flow induced acoustic resonances in axial-flow compressors p 303 A86-24712
- Embrittled trailing edges of compressor blades (titanium alloy Ti6Al-4V and Ti6Al2Sn4Zr2Mo) of gas turbine aero-engines p 376 A86-27279
- A loss of dynamic stability of the torsional vibrations of blades due to cascade flutter p 364 A86-27543
- Aeroelastic tailoring of advanced composite compressor blades [AIAA PAPER 86-1008] p 591 A86-38949
- A method for the analytical determination of accelerated test schedules for compressor blades working in a corrosive medium p 673 A86-43411
- Splitter blades as an aeroelastic detuning mechanism for unstalled supersonic flutter of turbomachine rotors [ASME PAPER 86-GT-99] p 813 A86-48164
- Evaluation of the blade-to-blade flow from a high speed compressor rotor [ASME PAPER 86-GT-117] p 765 A86-48176
- Proposed control of compressor stall by pressure perturbation and blade design p 816 A86-49064
- Analysis of the effects of transient heat transfer on axial flow compressor blade boundary layers [AD-A158094] p 175 A86-15315
- Spanwise redistribution of energy and loss in an axial flow compressor by wake centrifugation [AD-A159312] p 237 A86-16222
- Three-dimensional flow in compressors and channels [AD-A161858] p 460 A86-23873
- Structural tailoring of engine blades (STAEBL) theoretical manual [NASA-CR-175112] p 592 A86-27283
- Structural tailoring of engine blades (STAEBL) user's manual [NASA-CR-175113] p 592 A86-27284
- COMPRESSOR EFFICIENCY**
- Modelling an axial flow compressor in starting of a turbojet engine p 440 A86-30737
- Improved compressor performance using recessed clearance (trenches) over the rotor [AIAA PAPER 86-1745] p 649 A86-42823



- Performance computation of turbofan and turbojet engines in off-design conditions  
[F+W-FO-1748] p 305 N86-18323
- High frequency-heated air turbojet  
[NASA-TM-77710] p 384 N86-21543
- Flight evaluation of a hydromechanical backup control for the digital electronic engine control system in an F100 engine  
[PAPER-9] p 505 N86-25351
- Compressors study: Improving the efficiency of a high performance multistage compressor  
[ETN-86-97192] p 651 N86-28948
- COMPRESSOR ROTORS**
- Axial-flow fan stalling behavior with circumferential inlet sectoring  
[AIAA PAPER 86-1622] p 626 A86-42756
- Multi-stage compressor airfoil aerodynamics. I - Airfoil potential flow analysis  
[AIAA PAPER 86-1744] p 627 A86-42822
- Calculation of the balancing efficiency of flexible rotors of compressor units on low-cycle balancing machines  
p 673 A86-43379
- Role of shocks in transonic/supersonic compressor rotor flutter  
p 720 A86-44872
- Evaluation of the blade-to-blade flow from a high speed compressor rotor  
[ASME PAPER 86-GT-117] p 765 A86-48176
- Optimum design technique for rotating wheels  
[ASME PAPER 86-GT-255] p 846 A86-48281
- Spanwise redistribution of energy and loss in an axial flow compressor by wake centrifugation  
[AD-A159312] p 237 N86-16222
- Extended parametric representation of compressor fans and turbines. Volume 1: CMGEN user's manual  
[NASA-CR-174645] p 460 N86-23936
- Extended parametric representation of compressor fans and turbines. Volume 2: Part user's manual (parametric turbine)  
[NASA-CR-174646] p 461 N86-23937
- Extended parametric representation of compressor fans and turbines. Volume 3: MODFAN user's manual (parametric modulating flow fan)  
[NASA-CR-174647] p 461 N86-23938
- Thermodynamic evaluation of transonic compressor rotors using the finite volume approach  
[NASA-CR-176840] p 610 N86-26546
- Transient thermal behaviour of a compressor rotor with ventilation: Test results under simulated engine conditions  
p 741 N86-29856
- Unsteady design-point flow phenomena in transonic compressors  
[NASA-CR-176879] p 722 N86-30730
- Time resolved and time averaged flow evaluation for an isolated transonic compressor rotor  
[AD-A166759] p 723 N86-30734
- TURBISTAN: A standard load sequence for aircraft engine disks  
[NLR-MP-85033-U] p 820 N86-32436
- Cost reductions from introduction of new life philosophies for aircraft engine discs  
[NLR-MP-85076-U] p 820 N86-32438
- COMPRESSORS**
- Radiative gasdynamic processes in imploding discharges in a plasmodynamic magnetoplasma compressor  
p 129 A86-13031
- Experimental evaluation of heavy fan-high-pressure compressor interaction in a three-shaft engine. I - Experimental setup and results  
[ASME PAPER 85-GT-173] p 104 A86-13053
- The development of a second-generation of Controlled Diffusion Airfoils for multistage compressors  
[ASME PAPER 85-IGT-9] p 271 A86-23830
- A cost-effective performance development of the PT6A-65 turboprop compressor  
[ASME PAPER 85-IGT-41] p 301 A86-23853
- An analytical method of the characteristics of the turbofan engine components  
p 304 A86-25201
- Bifurcation techniques for nonlinear dynamic analysis of compressor stall phenomena  
p 501 A86-35403
- Subsonic/transonic stall flutter investigation of an advanced low pressure compressor  
[ASME PAPER 86-GT-90] p 813 A86-48156
- Compressor research facility F100 high pressure compressor inlet total pressure and swirl profile simulation  
[AD-A157108] p 107 N86-12229
- Three-dimensional flow in compressors and channels  
[AD-A161858] p 460 N86-23873
- Multistage metal hydride compressor  
[DE86-001965] p 604 N86-27465
- Oxygen chemisorption cryogenic refrigerator  
[NASA-CASE-NPO-16734-1-CU] p 612 N86-27467
- National Transportation Safety Board safety recommendation  
[NTSB-4360/33] p 699 N86-29791

COMPUTATION

- A fourth-order scheme for the unsteady compressible Navier-Stokes equations  
[NASA-CR-177994] p 147 N86-14221
- CERR: An aviation verification program  
[PB85-204824] p 260 N86-16854
- Partitioning and packing mathematical simulation models for calculation on parallel computers  
[NASA-TM-87170] p 330 N86-19008
- Computation of three dimensional potential flow around a finite wing with a leading-edge discontinuity at high angle of attack  
p 341 N86-21504
- Tests with three-dimensional adjustments in the rectangular working section of the French T2 wind tunnel with an AS 07-type swept-back wing model  
[NASA-TM-88442] p 657 N86-28964
- The influence of large-scale computing on aircraft structural design  
[AGARD-R-726] p 717 N86-30726

COMPUTATIONAL FLUID DYNAMICS

- Aerodynamics - The role of the computer  
p 76 A86-13050
- Numerical analysis of fully three-dimensional periodic flows through a turbine stage  
[ASME PAPER 85-GT-57] p 76 A86-13060
- Calculation of flows in two- and three-dimensional nozzles by an approximate factorization method  
p 77 A86-13294
- A marching explicit-implicit procedure for calculating supersonic flow past bodies  
p 78 A86-13296
- Some solutions to the Karman equation describing flow past the salient points of a profile  
p 78 A86-13363
- Calculation of supersonic inviscid flow past a plane air intake element with an isolated head wave  
p 79 A86-13364
- A joint analysis of the boundary layer and inviscid flow around the axisymmetric rear section of a fuselage  
p 79 A86-13373
- A numerical analysis of the characteristics of a Tollmien-Schlichting wave packet in a boundary layer on a flat plate  
p 79 A86-13374
- Profiling of supersonic ducts with specified nonisentropic parameters at the exit  
p 79 A86-13375
- A numerical study of axisymmetric flow past a disk  
p 79 A86-13377
- An analysis of separated flow of an ideal fluid past a finite-aspect-ratio mechanized wing  
p 80 A86-13395
- Using the shock-expansion method for calculating the aerodynamic characteristics of flight vehicles  
p 81 A86-13398
- Critical values of the Mach number of a radial airfoil cascade — for determining turboprop engine efficiency  
p 105 A86-13408
- The use of reverse flow to calculate transonic flow past bodies  
p 81 A86-13412
- Asymptotic solution of the fluid-flow problem in the core of a vortex sheet  
p 81 A86-13413
- Calculation of flow around rotating circular cascades with allowance for circumferential flow nonuniformity induced by a perturbation at the inlet  
p 82 A86-13426
- A solution of inverse problem for multi-element aerofoils through application of panel method  
p 83 A86-13546
- Unsteady potential flow for oscillating airfoils  
p 83 A86-14359
- Evaluation of a method for analyzing the aperture region of two-dimensional external compression inlets  
[AIAA PAPER 85-3072] p 83 A86-14432
- Computation of rotor blade flows using the Euler equations  
[AIAA PAPER 85-5010] p 84 A86-14455
- Solution of transonic flow past rotor blades using the conservative full potential equation  
[AIAA PAPER 85-5012] p 84 A86-14456
- Doublet strip method for oscillating swept tapered wings in incompressible flow  
p 85 A86-14537
- Evaluation of low Reynolds number turbulence models for attached and separated flows  
p 121 A86-14539
- Calculation of unsteady fan rotor response caused by downstream flow distortions  
p 85 A86-14558
- Calculation of steady flow about propellers using a surface panel method  
p 85 A86-14559
- A numerical method for calculating internal subsonic swirling flows of an ideal gas  
p 85 A86-14679
- Computational and theoretical studies of unsteady viscous aerodynamics  
p 137 A86-16307
- Research on laminar separation bubbles at Delft University of Technology in relation to low Reynolds number airfoil aerodynamics  
p 137 A86-16308
- Computational study of flow over Miley and Wortmann airfoils  
p 138 A86-16317
- Experiments with several elements for viscous incompressible flows  
p 186 A86-16833
- A theoretical basis for extending surface-paneling methods to transonic flow  
p 142 A86-17131
- A transonic wing-body flowfield calculation with improved grid topology  
p 142 A86-17134

- Calculation of three-dimensional shock/turbulent boundary-layer interaction generated by sharp fin  
p 142 A86-17135
- Vortex-fitted potential and vortex-captured Euler solution for leading-edge vortex flow  
p 142 A86-17149
- Three-dimensional solutions to the Euler equations with one million grid points  
p 142 A86-17150
- Solution of the Euler equations - Explicit schemes acceleration by a multigrid method  
[ONERA, TP NO. 1985-129] p 142 A86-17627
- A comparative study of the parabolized Navier-Stokes code using various grid-generation techniques  
p 143 A86-17654
- On a weak solution for a transonic flow problem  
p 143 A86-17738
- Helicopter linear noise  
p 193 A86-17776
- Application of NLR's calculation methods to transonic flow about oscillating wings  
p 143 A86-17778
- Nonplanar, subsonic, three-dimensional oscillatory piecewise continuous kernel function method  
p 162 A86-17779
- Interactive graphics for geometry generation - A program with a contemporary design  
p 192 A86-17781
- Computation of flowfields in high solidity and high turning angle cascades using Euler equations  
[AIAA PAPER 85-1705] p 144 A86-17847
- Numerical computation of unsteady transonic flow about wings with flaps  
[AIAA PAPER 85-1712] p 144 A86-17849
- On the numerical solution of nonlinear problems in fluid dynamics by least squares and finite element methods. II - Applications to transonic flow simulations  
p 144 A86-17886
- Computation of unsteady transonic flows with an implicit numerical method for solving the Euler equations  
p 145 A86-18686
- A compressible laminar boundary layer on a plane triangular plate with an attached shock wave  
p 146 A86-18902
- Simple approximations of functions with additional constraints  
p 192 A86-18918
- Unsteady transonics of a wing with tip store  
[AIAA PAPER 86-0010] p 198 A86-19633
- Numerical modeling of rotor flows with a conservative form of the full-potential equations  
[AIAA PAPER 86-0079] p 198 A86-19676
- The computation of steady 3-D separated flows over aerodynamic bodies at incidence and yaw  
[AIAA PAPER 86-0109] p 199 A86-19683
- Computation of dynamic stall of NACA0012 airfoil by block pentadiagonal matrix scheme  
[AIAA PAPER 86-0116] p 199 A86-19697
- Fluid dynamics of cylinder response to Karman vortex shedding  
[AIAA PAPER 86-0119] p 199 A86-19700
- Steady and unsteady full potential calculation for large and small aspect ratio supercritical wings  
[AIAA PAPER 86-0122] p 199 A86-19702
- Unsteady three-dimensional simulations of a VTOL upwash fountain  
[AIAA PAPER 86-0212] p 200 A86-19753
- Numerical simulation of impinging jets  
[AIAA PAPER 86-0279] p 200 A86-19789
- Design of a natural laminar flow wing for a transonic corporate transport  
[AIAA PAPER 86-0314] p 200 A86-19807
- Investigation of chord ratio, stagger, decalage angle, and flap angle for dual wing configurations  
[AIAA PAPER 86-0317] p 201 A86-19810
- Evaluation of methods for predicting complex aircraft flowfields  
[AIAA PAPER 86-0396] p 201 A86-19855
- Three-dimensional elliptic grid generation about fighter aircraft for zonal finite-difference computations  
[AIAA PAPER 86-0429] p 202 A86-19871
- Conformal mapping as an aid in grid generation for complex three-dimensional configurations  
[AIAA PAPER 86-0497] p 203 A86-19908
- Practical applications of new LU-ADI scheme for the three-dimensional Navier-Stokes computation of transonic viscous flows  
[AIAA PAPER 86-0513] p 203 A86-19922
- Evolution and status of CFD techniques for scramjet applications  
[AIAA PAPER 86-0160] p 248 A86-19970
- The critical role of computational fluid dynamics in rotary-wing aerodynamics  
[AIAA PAPER 86-0336] p 204 A86-19971
- Modeling aerodynamic responses to aircraft maneuvers - A numerical validation  
p 204 A86-20156
- Euler solvers as an analysis tool for aircraft aerodynamics  
p 204 A86-20939
- A transonic rectangular grid embedded panel method  
p 204 A86-20953
- Computational methods in viscous flows  
p 250 A86-21026

- The numerical solution of the compressible viscous flow field about a complete aircraft in flight p 205 A86-21033
- A solution to the problem of flow past wings with allowance for flow separation on the basis of a system of Euler equations p 205 A86-21345
- Transonic blade to blade calculations in an axial, radial or mixed flow cascade equipped with splitter blades [ASME PAPER 85-GT-96] p 205 A86-22057
- NASA Lewis Research Center/university graduate research program on engine structures [ASME PAPER 85-GT-159] p 252 A86-22084
- Calculation of external and internal transonic flow field of a three-dimensional shielded S-shaped inlet p 205 A86-22303
- A vortex lattice method for jet wing performance with nonlinear wake and tip flow p 205 A86-22311
- Calculation of supersonic flows around a three-dimensional wing and a waisted body with characteristic method in stream surface coordinates p 206 A86-22319
- Coupling artificial intelligence and numerical computation for engineering design (Invited paper) [AIAA PAPER 86-0242] p 254 A86-22684
- Numerical issues in computing inviscid supersonic flow over conical delta wings [AIAA PAPER 86-0440] p 206 A86-22701
- Numerical simulation of transonic separated flows over low-aspect ratio wings [AIAA PAPER 86-0508] p 206 A86-22704
- Numerical simulation of leading-edge vortex flows p 270 A86-23133
- New aspects of the small-perturbation method in aerodynamics p 271 A86-23770
- Practical difficulties in the theoretical design of low-speed profiles p 271 A86-23775
- Development of numerical methods of external high-speed aerodynamics p 271 A86-23777
- The effect of compressibility on slender vortices p 317 A86-23944
- A viscous-inviscid interaction model for transonic unsteady flow [ONERA, TP NO. 1985-152] p 272 A86-24630
- Solution of the Navier-Stokes equations in a compressible fluid by an implicit method [ONERA, TP NO. 1985-148] p 272 A86-24634
- Future requirements of wind tunnels for CFD code verification [AIAA PAPER 86-0753] p 309 A86-24742
- Navier-Stokes solutions using finite volume procedures p 274 A86-25005
- Navier-Stokes procedure for simulating two-dimensional and quasi-two-dimensional cascade flow p 274 A86-25006
- Recent computational fluid dynamics works about high angle of attack aerodynamics with separation vortex p 274 A86-25206
- Two-dimensional scheme 'DLM-C' to examine subsonic unsteady lifting surface schemes for finite span p 275 A86-25239
- Test cases for the plane potential flow past multi-element airfoils p 275 A86-25670
- A consistent mathematical model to simulate steady and unsteady rotor-blade aerodynamics p 276 A86-26108
- Nonlinear analysis of pressure oscillations in ramjet engines [AIAA PAPER 86-0001] p 363 A86-26601
- A perturbative lambda formulation — for compressible flow p 337 A86-26535
- Three-dimensional and unsteady boundary-layer computations p 338 A86-29415
- Vortex flows in aerodynamics p 338 A86-29417
- Numerical methods in fluid dynamics p 388 A86-29471
- Transonic flow calculations for aircraft p 338 A86-29474
- Calculation of recirculating flow behind flame-holders p 454 A86-30743
- SECTAM XII - Proceedings of the Twelfth Southeastern Conference on Theoretical and Applied Mechanics, Pine Mountain, GA, May 10, 11, 1984. Volume 1 p 455 A86-31258
- Solution of the unsteady Euler equations for fixed and rotor wing configurations p 410 A86-32779
- Unsteady transonic flow calculations for two-dimensional canard-wing configurations p 410 A86-32780
- Computation of prop-fan engine installation aerodynamics p 410 A86-32781
- Euler and Navier-Stokes solutions for flow over a conical delta wing p 411 A86-32960
- Comparative study between two Navier-Stokes algorithms for transonic airfoils p 411 A86-32966
- Simulation of inviscid vortex-stretched turbulent shear-layer flow p 411 A86-32979
- Transonic Equivalent Strip method for aeroelastic applications p 412 A86-33228
- Exact closed-form solutions for nonlinear unsteady transonic aerodynamics p 412 A86-33231
- Application of unsteady wing collocation methods to cascades in subsonic flow p 413 A86-33236
- Numerical modeling of transonic flows over airfoils and cascades p 414 A86-33409
- A vortex lattice method for calculating nonlinear aerodynamic characteristics of interfering airfoils [DGLR PAPER 85-122] p 475 A86-35172
- Inviscid vortex-stretched turbulent shear-layer flow computed around a cranked delta wing p 475 A86-35253
- Analytical tools for systematic transonic design p 477 A86-36201
- Inverse method with geometric constraints for transonic aerofoil design p 477 A86-36202
- The method of fundamental solutions in aerodynamics. II - Applications to the theory of lifting surfaces in supersonic flow p 477 A86-36285
- The importance of dynamic stall in aerodynamic modeling of the Darrieus rotor p 528 A86-36448
- Implicit, vectorizable schemes for the flux-difference split, three-dimensional Navier-Stokes equations p 523 A86-37087
- Applied Aerodynamics Conference, 4th, San Diego, CA, June 9-11, 1986, Technical Papers p 541 A86-37801
- An analysis of elliptic grid generation techniques using an implicit Euler solver [AIAA PAPER 86-1786] p 542 A86-37804
- Euler solutions for the flow around a hovering helicopter rotor [AIAA PAPER 86-1784] p 543 A86-37815
- A spectral hodograph method for shockless transonic two-dimensional flow [AIAA PAPER 86-1796] p 543 A86-37824
- Counterflow sonic nosejet into a supersonic stream [AIAA PAPER 86-1808] p 544 A86-37830
- Supersonic airfoil optimization [AIAA PAPER 86-1818] p 545 A86-37837
- Wing and conical body of arbitrary cross-section combinations in supersonic flow [AIAA PAPER 86-1826] p 545 A86-37841
- The external drag of a simple axisymmetric body of revolution in subsonic and supersonic flow with variable mass flowthrough ratios [AIAA PAPER 86-1828] p 545 A86-37842
- Application of NCOREL to aircraft configurations — CFD program [AIAA PAPER 86-1830] p 577 A86-37843
- An implicit flux-difference splitting scheme for three-dimensional, incompressible Navier-Stokes solutions to leading edge vortex flows [AIAA PAPER 86-1839] p 546 A86-37847
- A comparison of experimental and numerical results for delta wings with vortex flaps [AIAA PAPER 86-1840] p 546 A86-37848
- Euler calculations for flowfield of a helicopter rotor in hover [AIAA PAPER 86-1782] p 577 A86-37849
- Computational aerodynamic design - X-29, the Gulfstream series and a tactical fighter [SAE PAPER 851789] p 547 A86-38313
- Reduced Navier-Stokes (RNS) relaxation procedure for internal flows with interaction [SAE PAPER 851790] p 547 A86-38314
- Inviscid and viscous simulations of high angle of attack flows [SAE PAPER 851820] p 548 A86-38328
- Influence of numerical dissipation in computing supersonic vortex-dominated flows [AIAA PAPER 86-1073] p 549 A86-38439
- Block-structured solution of Euler equations for transonic flows [AIAA PAPER 86-1080] p 549 A86-38443
- Three-dimensional, conservative, Euler computations using patched grid systems and explicit methods [AIAA PAPER 86-1081] p 549 A86-38444
- Transonic potential flow calculations by two artificial density methods [AIAA PAPER 86-1084] p 549 A86-38446
- Unsteady aerodynamics of rapidly pitched airfoils [AIAA PAPER 86-1105] p 551 A86-38465
- Progress in the development of parabolized Navier-Stokes (PNS) methodology for analyzing propulsive jet mixing problems [AIAA PAPER 86-1115] p 551 A86-38473
- Lifting surface theory for the rest of us [AIAA PAPER 86-1025] p 552 A86-38880
- Unsteady transonic flow calculations for wing-fuselage configurations [AIAA PAPER 86-0862] p 552 A86-38897
- Nonisentropic unsteady three dimensional small disturbance potential theory [AIAA PAPER 86-0863] p 552 A86-38898
- A new approach to finite state modelling of unsteady aerodynamics [AIAA PAPER 86-0865] p 552 A86-38900
- A calculation method for unsteady aerodynamic forces in the Laplace domain and its application to root loci [AIAA PAPER 86-0866] p 553 A86-38901
- Application of the unsteady vortex-lattice method to the nonlinear two-degree-of-freedom aeroelastic equations [AIAA PAPER 86-0867] p 585 A86-38902
- A computational transonic flutter boundary tracking procedure [AIAA PAPER 86-0902] p 553 A86-38913
- The indirect boundary integral formulation for elliptic, hyperbolic and non-linear fluid flows p 553 A86-38971
- Computation of transonic flow about helicopter rotor blades p 554 A86-39053
- Heat transfer and drag of a body in the far supersonic wake p 554 A86-39657
- Lifting bodies designed for flow behind axisymmetric conical shock waves p 554 A86-39680
- Airfoil optimization p 623 A86-40107
- Viscous effects on transonic airfoil stability and response p 623 A86-40110
- Unsteady transonic flow calculations for interfering lifting surface configurations p 623 A86-40118
- Large and small structures in the computation of transition to fully developed turbulent flows p 689 A86-41254
- Modelling of three-dimensional shock wave turbulent boundary layer interactions p 689 A86-41261
- Application of a supersonic Euler code (SWINT) to wing-body-tail geometries p 624 A86-41697
- Numerical study of the trailing edge region in slip flow regime p 624 A86-42548
- Computation of two-dimensional transonic cascade flow using a new Navier-Stokes solver [AIAA PAPER 86-1381] p 624 A86-42605
- A computational fluid dynamics evaluation of test cell recirculation effects on high-bypass turbofan engine surface pressure distributions [AIAA PAPER 86-1384] p 655 A86-42606
- Calculation of annular nozzle trisonic flowfields by the method of characteristics [AIAA PAPER 86-1519] p 625 A86-42686
- An LU implicit scheme for high speed inlet analysis [AIAA PAPER 86-1520] p 625 A86-42687
- Improved Euler analysis of advanced turboprop propeller flows [AIAA PAPER 86-1521] p 625 A86-42688
- Simulation of engine installation flowfields using a three-dimensional Euler/Navier-Stokes algorithm [AIAA PAPER 86-1537] p 671 A86-42699
- Numerical Navier-Stokes solutions of high speed propeller flows [AIAA PAPER 86-1538] p 626 A86-42700
- Computational models for the analysis/design of hypersonic scramjet components. I - Combustor and nozzle models [AIAA PAPER 86-1595] p 647 A86-42737
- A comparison of computational methods for three-dimensional, turbulent turbomachinery flow fields [AIAA PAPER 86-1599] p 626 A86-42740
- Interactions between acoustics and vortex structures in a central dump combustor [AIAA PAPER 86-1609] p 671 A86-42749
- A nozzle design analysis technique [AIAA PAPER 86-1613] p 647 A86-42751
- A numerical analysis applied to high angle of attack three-dimensional inlets [AIAA PAPER 86-1527] p 627 A86-42760
- Collocation for an integral equation arising in duct acoustics p 682 A86-43038
- Some problems in the finite-difference computation of three-dimensional transonic flows p 687 A86-43501
- Flows past a rotating circular cylinder at high Reynolds number p 688 A86-43533
- Application of unsteady aerodynamics to large-eddy breakup devices in a turbulent flow p 688 A86-44238
- Flow of real fluids — Book p 737 A86-44801
- The reverse-flow theorem for transonic flow p 688 A86-44802
- On slender vortices p 689 A86-44810
- Far-field boundary conditions for transonic lifting solutions to the Euler equations p 689 A86-44855
- Integration of singular functions associated with lifting surface theory p 689 A86-44875
- Computation of rotor blade flows using the Euler equations p 689 A86-44891
- Calculation of the potential flow around wing profiles with the aid of a continuously differentiable vortex distribution p 689 A86-44979
- Numerical solution of the supersonic laminar flow over a two-dimensional compression corner using an implicit approach p 690 A86-45054

- The classical streamline curvature method in the supersonic range - A numerically ill-posed boundary value problem p 690 A86-45189
- Scheme for calculating an almost-asymmetric gas flow and supersonic flow past the end of a cylinder at a small angle of attack p 690 A86-45345
- Aerodynamics via acoustics - Application of acoustic formulas for aerodynamic calculations [AIAA PAPER 86-1877] p 691 A86-45494
- Viscous-inviscid interaction solvers and computation of highly separated flows [ONERA, TP NO. 1986-4] p 691 A86-46152
- Modeling three-dimensional flows in terms of viscous-inviscid interaction by means of the MSZ method [ONERA, TP NO. 1986-29] p 692 A86-46171
- Numerical calculations of inviscid transonic flows over wings p 692 A86-46415
- Impact of supercomputers on the next decade of computational fluid dynamics p 740 A86-46788
- Remarks on the development of a multiblock three-dimensional Euler code for out of core and multiprocessor calculations p 748 A86-46791
- High resolution solutions of the Euler equations for vortex flows p 692 A86-46793
- Parametric study of low Reynolds number processing/spinning incompressible flows - applicable to flight stability of liquid-filled projectiles [AIAA PAPER 86-2027] p 827 A86-47661
- Numerical solution of transonic stream function equation on S1 stream surface in cascade [ASME PAPER 86-GT-110] p 765 A86-48172
- A theoretical solution of three-dimensional flows in subsonic, transonic and supersonic turbomachines - An exact solution and its numerical method [ASME PAPER 86-GT-111] p 765 A86-48173
- CFD for engine-airframe integration [ASME PAPER 86-GT-125] p 797 A86-48184
- Particulate flow solutions through centrifugal impeller with two splitters [ASME PAPER 86-GT-130] p 765 A86-48188
- A method for transonic inverse cascade design with a stream function equation [ASME PAPER 86-GT-189] p 766 A86-48239
- Blending method for grid generation - for computational fluid dynamics p 766 A86-48428
- Measurement of the pressure coefficient at a square wing in transonic-supersonic flows and comparison with theoretical results - German thesis p 767 A86-48568
- A parallel processing method for solving the unsteady Navier-Stokes equations at high Reynolds numbers p 847 A86-48647
- Overview of helicopter wake and airloads technology p 767 A86-48654
- Method for calculating subsonic ideal-gas flow past an aircraft p 768 A86-48807
- Acceleration of the convergence of methods for calculating two- and three-dimensional transonic flow past bodies in an unbounded stream p 769 A86-48809
- Efficient solution of three-dimensional Euler equations using embedded grids p 771 A86-49007
- Transonic computations about complex configurations using coupled inner and outer flow equations p 771 A86-49008
- Application of the TranAir full-potential code to complete configurations p 772 A86-49009
- Calculation of flow over multielement airfoils at high lift p 772 A86-49011
- Disordered vortex flow computed around a cranked delta wing at subsonic speed and high incidence p 772 A86-49027
- Boundary layer calculation and viscous-inviscid coupling p 773 A86-49031
- Finite-volume and integral-equation techniques for transonic and supersonic vortex-dominated flows p 774 A86-49045
- Analysis of strake-slender-wing configurations using slender-wing theory p 774 A86-49049
- Analysis of the vortical flow around a 60 degree delta wing with vortex flap p 774 A86-49050
- Advances at AEDC in treating transonic wind tunnel wall interference p 839 A86-49058
- Numerical design parameter study for slotted walls in transonic wind tunnels p 839 A86-49059
- Analysis of wind tunnel corrections for half-model tests of a transport aircraft using a doublet panel method p 839 A86-49060
- The F2 wind tunnel of the Fauga-Mauzac Test Center [ONERA, TP NO. 1986-104] p 839 A86-49075
- The role of flow field computation in improving turbomachinery p 775 A86-49080
- Applications of potential theory computations to transonic aeroelasticity p 775 A86-49105
- Utilization of computation and experiment for airframe propulsion integration development p 803 A86-49110
- An entropy correction method for unsteady full potential flows with strong shocks [AIAA PAPER 86-1768] p 777 A86-49576
- Three-dimensional transonic flow computations on simple skewed grids [AIAA PAPER 86-1794] p 778 A86-49581
- Calculation of 2-D unsteady transonic full potential flow about oscillating airfoils by two complementary approaches [AIAA PAPER 86-1821] p 778 A86-49586
- PN/S calculations for a fighter W/F at high-lift yaw conditions - parabolized Navier-Stokes computer code [AIAA PAPER 86-1829] p 779 A86-49588
- Navier-Stokes simulation of transonic flow over wing-fuselage combinations [AIAA PAPER 86-1831] p 779 A86-49589
- Validation of a full potential method for combined yaw and angle of attack [AIAA PAPER 86-1834] p 779 A86-49591
- Trapping of a free vortex by airfoils with surface suction p 780 A86-49801
- Recent developments in rotary-wing aerodynamic theory p 780 A86-49802
- Airfoil trailing-edge flow measurements p 780 A86-49803
- Parabolized Navier-Stokes analysis of three-dimensional supersonic and subsonic jet mixing problems p 780 A86-49804
- Computation of the potential flow over airfoils with cusped or thin trailing edges p 780 A86-49823
- Implicit hybrid schemes for the flux-difference split, three-dimensional Navier-Stokes equations p 850 A86-50258
- Some recent advances in computational aerodynamics for helicopter applications [NASA-TM-86777] p 87 A86-12207
- PLTTER user's guide [NASA-CR-177385] p 88 A86-13291
- On applications of chimera grid schemes to store separation [NASA-TM-88193] p 88 A86-13292
- Computational aspects of zonal algorithms for solving the compressible Navier-Stokes equations in three dimensions [NASA-TM-86774] p 88 A86-13296
- Summary report on the working group for conference 1: Solutions of the Navier-Stokes equations p 147 A86-14226
- Integrated wing engine system (IFAS), phase 2 [BMFT-FB-W-85-008] p 151 A86-14257
- Test cases for inviscid flow field methods [AGARD-AR-211] p 153 A86-15256
- Numerical methods p 154 A86-15259
- Exact solutions to transonic and supersonic flows p 154 A86-15260
- Numerical solutions of two-dimensional reference test cases p 154 A86-15262
- Computational fluid dynamics at NASA Ames and the numerical aerodynamic simulation program [NASA-TM-86769] p 190 A86-15626
- Validation of viscous and inviscid computational methods for turbomachinery components [NASA-TM-87193] p 207 A86-16194
- Implicit finite-difference methods for the calculation of unsteady transonic potential flow around two-dimensional airfoils: A discussion [NLR-MP-83063-U] p 208 A86-16202
- Application of time-linearized methods of oscillating wings in transonic flow and flutter [NLR-MP-84077-U] p 208 A86-16204
- Calculations of transonic flows around single and multielement airfoils on a small computer [REPT-84-48] p 208 A86-16205
- Numerical simulation of the leading-edge separation vortex over delta wing p 209 A86-17271
- Numerical simulation of unsteady flow around an airfoil by finite difference solution of Navier-Stokes equations p 209 A86-17273
- Transonic internal flow about an airfoil oscillating in pitch: Comparisons between computation and experiment p 209 A86-17278
- Validation and comparison with experiment of a high Reynolds number transonic flow airfoil analysis code NSFOIL p 210 A86-17294
- The role of computational fluid dynamics in aeronautical engineering [REPT-2] p 257 A86-17296
- Application of computational aerodynamics to wing design p 226 A86-17297
- A system for computer aided analysis and design of multielement airfoils: MAD [NLR-TR-83136-U] p 212 A86-17321
- A survey of numerical methods for the calculation of inviscid, possibly rotational Euler flows around aeronautical configurations [NLR-TR-83130-U] p 258 A86-17699
- Boundary layer calculations on the leeward surface of a slender delta wing at incidence [NLR-TR-84001-U] p 258 A86-17700
- Numerical analysis of nonequilibrium flow about airfoil in thin shock layer approximation p 343 A86-22258
- Applications of differential topology to grid generation [AD-A162834] p 467 A86-24354
- Unsteady transonic flow calculations for wing-fuselage configurations [NASA-TM-87707] p 478 A86-24657
- A numerical analysis applied to high angle of attack three-dimensional inlets [NASA-TM-87296] p 478 A86-24658
- Laminar and turbulent boundary-layer calculations on the leeward surface of a slender delta wing at incidence - graph theory [NLR-MP-84040-U] p 555 A86-26293
- Computation of 3-dimensional viscous transonic flows using the LU-ADI factored scheme [NAL-TR-889T] p 555 A86-27184
- Vortex lift research: Early contributions and some current challenges p 556 A86-27191
- Evaluation of 3 numerical methods for propulsion integration studies on transonic transport configurations [NASA-TM-87727] p 559 A86-27209
- La recherche aérospatiale. Bimonthly bulletin, no. 1984-6, November - December 1984 p 559 A86-27217
- A vortex point method for calculating inviscid incompressible flows around rotary wings p 612 A86-27219
- Computational aspects of unsteady flows p 561 A86-27232
- Review of SMP 1984 Symposium on Transonic Unsteady Aerodynamics and its Aeroelastic Applications p 561 A86-27236
- Transonic aerodynamic and aeroelastic characteristics of a variable sweep wing p 561 A86-27237
- Unsteady airload computations for airfoil oscillating in attached and separated compressible flow p 561 A86-27238
- Unsteady interactions of transonic airfoils with gusts and concentrated vortices p 565 A86-27261
- Modelling of the vortex-airfoil interaction p 565 A86-27262
- Experimental study of the effect of turbulence on dynamic stalling p 565 A86-27264
- Application of CFD techniques toward the validation of nonlinear aerodynamic models p 565 A86-27265
- Study of the transition behavior of an airplane in the vicinity of bifurcation points p 566 A86-27266
- Geometry definition and grid generation for a complete fighter aircraft [NASA-TM-88242] p 622 A86-28050
- A perspective of computational fluid dynamics [NASA-TM-88246] p 629 A86-28057
- Rotor/wing aerodynamic interactions in hover [NASA-TM-88255] p 629 A86-28060
- Patched-grid calculations with the Euler and Navier-Stokes equations: Theory and applications [NASA-TM-88228] p 630 A86-28062
- Computation of the transonic flow about a swept wing in the presence of an engine nacelle [NASA-CR-177113] p 630 A86-28911
- A comparison of computer-generated lift and drag polars for a Wortmann airfoil to flight and wind tunnel results [NASA-CR-176963] p 631 A86-28919
- Analytical investigation of rotor wake formation and geometry [NASA-CR-177032] p 693 A86-29768
- Vortex sheet modeling with higher order curved panels [NASA-CR-176971] p 693 A86-29770
- Numerical computation of viscous flow around bodies and wings moving at supersonic speeds [NASA-CR-176903] p 693 A86-29772
- Experimental and theoretical study of propeller spinner/shank interference [NASA-CR-176954] p 694 A86-29773
- Flap-lag-torsional dynamics of helicopter rotor blades in forward flight [NASA-CR-176976] p 714 A86-29810
- Transonic equivalent strip method for aeroelastic applications p 695 A86-30628
- The method of complex characteristics for design of transonic blade sections [NASA-CR-176978] p 696 A86-30691
- Numerical studies of porous airfoils in transonic flow [NASA-CR-176955] p 697 A86-30696
- Aerodynamics of engine-airframe interaction [NASA-CR-176957] p 697 A86-30697
- Thermodynamic evaluation of transonic compressor rotors using the finite volume approach [NASA-CR-176947] p 722 A86-30731
- Numerical Techniques for Viscous Flow Calculations in Turbomachinery Bladings - conference [VKI-LS-1986-02] p 744 A86-30988

- Navier-Stokes computations for circulation controlled airfoils  
[AIAA-85-1587] p 744 N86-30995
- Navier-Stokes computations for exotic airfoils  
[AIAA-85-0109] p 745 N86-30996
- ATRANS3: An unsteady transonic code for clean wings  
[NASA-TM-88783] p 781 N86-31535
- Computations of separated subsonic and transonic flow about airfoils in unsteady motion  
[NLR-MP-84094-U] p 782 N86-31541
- High speed viscous flow calculations about complex configurations  
[NASA-TM-88237] p 850 N86-31827
- Transonic Navier-Stokes wing solutions using a zonal approach. Part 2: High angle-of-attack simulation  
[NASA-TM-88248-PT-2] p 782 N86-32392
- COMPUTATIONAL GRIDS**
- A method for arranging nodes along the lines of a computational grid during the numerical solution of problems in mathematical physics p 127 A86-13409
- A transonic wing-body flowfield calculation with improved grid topology p 142 A86-17134
- Three-dimensional solutions to the Euler equations with one million grid points p 142 A86-17150
- Solution of the Euler equations - Explicit schemes acceleration by a multigrid method  
[ONERA, TP NO. 1985-129] p 142 A86-17627
- A comparative study of the parabolized Navier-Stokes code using various grid-generation techniques  
p 143 A86-17654
- Three-dimensional body-fitting grid system for a complete aircraft  
[AIAA PAPER 86-0428] p 201 A86-19870
- Three-dimensional elliptic grid generation about fighter aircraft for zonal finite-difference computations  
[AIAA PAPER 86-0429] p 202 A86-19871
- Conformal mapping as an aid in grid generation for complex three-dimensional configurations  
[AIAA PAPER 86-0497] p 203 A86-19908
- Geometry generation for transonic design  
p 221 A86-20932
- A transonic rectangular grid embedded panel method  
p 204 A86-20953
- The numerical solution of the compressible viscous flow field about a complete aircraft in flight  
p 205 A86-21033
- Numerical solution of 2-D thrust reversing and thrust vectoring nozzle  
[AIAA PAPER 86-0203] p 254 A86-22681
- Numerical issues in computing inviscid supersonic flow over conical delta wings  
[AIAA PAPER 86-0440] p 206 A86-22701
- A perturbative lambda formulation --- for compressible flow  
p 337 A86-28535
- Outer surface of airplane and computational grid for flow analysis in physical space  
p 409 A86-31022
- Smoothing patched grids --- in aircraft design  
p 464 A86-31312
- Calculation of transonic steady and oscillatory pressures on a low aspect ratio model and comparison with experiment  
p 412 A86-33227
- Advanced topics in boundary element analysis; Proceedings of the Winter Annual Meeting, Miami Beach, FL, November 17-22, 1985  
p 520 A86-34442
- Numerical simulation of precipitation induced downbursts  
p 615 A86-37496
- An analysis of elliptic grid generation techniques using an implicit Euler solver  
[AIAA PAPER 86-1766] p 542 A86-37804
- Three-dimensional, conservative, Euler computations using patched grid systems and explicit methods  
[AIAA PAPER 86-1081] p 549 A86-38444
- Transonic flow solutions on a blunt, finned body of revolution using the Euler equations  
[AIAA PAPER 86-1082] p 549 A86-38445
- Transonic potential flow calculations by two artificial density methods  
[AIAA PAPER 86-1084] p 549 A86-38446
- Modelling of three-dimensional shock wave turbulent boundary layer interactions  
p 669 A86-41261
- Blending method for grid generation --- for computational fluid dynamics  
p 766 A86-48428
- Efficient solution of three-dimensional Euler equations using embedded grids  
p 771 A86-49007
- Transonic computations about complex configurations using coupled inner and outer flow equations  
p 771 A86-49008
- Application of the TranAir full-potential code to complete configurations  
p 772 A86-49009
- Algebraic grid generation about wing-fuselage bodies  
p 772 A86-49028
- Turbulent transonic flow for NACA 0012/RAE 2822 airfoils under Baldwin-Lomax model  
p 776 A86-49245
- Three-dimensional transonic flow computations on simple skewed grids  
[AIAA PAPER 86-1794] p 778 A86-49581
- On applications of chimera grid schemes to store separation  
[NASA-TM-88193] p 88 N86-13292
- Grid generation for single airfoil using conformal mapping  
[NAL-TR-851T] p 146 N86-14217
- Summary report on the working group on conference 2: Solutions of the Euler equations p 148 N86-14227
- A Navier-Stokes procedure for simulation of two-dimensional and quasi two-dimensional grid flows  
p 149 N86-14236
- Application of a dynamic grid adaptation in the ASWR procedure  
p 149 N86-14243
- Development of multigrid algorithms for problems from fluid dynamics  
p 187 N86-14244
- Numerical methods  
p 154 N86-15259
- Numerical solutions of two-dimensional reference test cases  
p 154 N86-15262
- Concluding remarks  
p 155 N86-15265
- A simulation of rotor-stator interaction using the Euler equations and patched grids  
[NASA-TM-88821] p 264 N86-17014
- Flow prediction for propfan engine installation effects on transport aircraft at transonic speeds  
[NASA-CR-3954] p 414 N86-22550
- Numerical analysis of inviscid flows About wing-fuselage combinations. Part 1: Development of grid generation code YOKUDO-G  
[NAL-TR-864] p 414 N86-22551
- A combined integrating and differentiating matrix formulation for boundary value problems on rectangular domains  
[NASA-CR-178074] p 466 N86-23350
- A zonal approach to the design of finite element grids for 3-D transonic flows with complex geometries  
[AD-A162168] p 417 N86-23572
- Coupling linearized far-field boundary conditions with nonlinear near-field solutions in transonic flow  
[AD-A162334] p 417 N86-23573
- Numerical generation of 3D curvilinear coordinate systems and computational grids for aircraft configurations  
[AD-A162249] p 462 N86-23997
- Geometry definition and grid generation for a complete fighter aircraft  
[NASA-TM-88242] p 622 N86-28050
- A perspective of computational fluid dynamics  
[NASA-TM-88246] p 629 N86-28057
- Patched-grid calculations with the Euler and Navier-Stokes equations: Theory and applications  
[NASA-TM-88228] p 630 N86-28062
- Aerodynamics of engine-airframe interaction  
[NASA-CR-179657] p 697 N86-30697
- Development of a numerical procedure to map a general 3-d body onto a near-circle  
p 749 N86-31420
- Elliptic generation of composite three-dimensional grids about realistic aircraft  
[NASA-TM-88240] p 763 N86-31527
- High speed viscous flow calculations about complex configurations  
[NASA-TM-88237] p 850 N86-31827
- COMPUTER AIDED DESIGN**
- Prediction and measurement of damping of vibrations of structures by adhesives  
p 118 A86-13171
- Expert systems and their use in augmenting design optimization  
[AIAA PAPER 85-3095] p 127 A86-14434
- Productivity improvements through the use of CAD/CAM  
p 121 A86-14538
- Interactive graphics for geometry generation - A program with a contemporary design  
p 192 A86-17781
- Behaviour of a rectangular wing in a supersonic flow - Dynamic pressure and normal force analysis in the range 1.3-4.0 Mach  
p 146 A86-19005
- Definition and verification of a complex aircraft for aerodynamic calculations  
[AIAA PAPER 86-0431] p 202 A86-19873
- CAD/CAM designer - Jack of all trades  
p 251 A86-21895
- 3-D design of turbine airfoils  
[ASME PAPER 85-GT-188] p 236 A86-22101
- Coupling artificial intelligence and numerical computation for engineering design (Invited paper)  
[AIAA PAPER 86-0242] p 254 A86-22684
- Cockpit automation technology  
p 326 A86-23724
- Practical difficulties in the theoretical design of low-speed profiles  
p 271 A86-23775
- Convergence of performance calculation of twin spool turbojet and turbofan  
[ASME PAPER 85-IGT-82] p 302 A86-23883
- Computer-aided 'somatography' for the ergonomic design of the ATTAS experimental cockpit --- Advanced Technologies Testing Aircraft System  
p 287 A86-25024
- Figures of out surface of an airplane model  
p 288 A86-25237
- Flight deck design methodology using computerized anthropometric models  
[SAE PAPER 841472] p 326 A86-26003
- The development and application of finite element stress analysis techniques at Westland Helicopters Ltd  
p 330 A86-26118
- Applications of numerical optimization methods to helicopter design problems - A survey  
p 290 A86-26120
- Aeroelastic tailoring study in aircraft design  
p 383 A86-27741
- A modeling structure for computer aided design  
p 397 A86-28403
- CAD/CAM supports flight test modifications  
p 356 A86-29823
- A method for computer aided design of transonic turbine cascade  
p 409 A86-30734
- Flight test planning and parameter extraction for rotorcraft system identification  
[AIAA PAPER 86-9772] p 430 A86-32107
- Airfoil design at sonic velocity  
p 411 A86-32989
- An improvement to the numerical method for calculations of aircraft configuration longitudinal aerodynamic characteristics  
p 411 A86-32994
- Structural optimisation programs and methods --- computer aided aircraft design  
p 434 A86-33257
- Applicability of using the CAR-II model in design and evaluation of multioperator workstations with shared controls  
p 529 A86-33805
- Optimization in design processes - An informatics point of view  
p 531 A86-36208
- On the methodology of an interactive computer-aided optimal design of a dual-valve linkage  
p 523 A86-36887
- Advanced composites - The structural revolution  
p 517 A86-37136
- ASTROS - An advanced software environment for automated design  
[AIAA PAPER 86-0856] p 618 A86-38807
- Optimum design of large structures with multiple constraints  
[AIAA PAPER 86-0952] p 600 A86-38845
- Frequency domain synthesis of a robust flutter suppression control law  
p 594 A86-39042
- A computer-augmented procedure for commercial aircraft configuration development and optimization  
p 637 A86-40114
- Computer aided control system design using a multiobjective optimization approach  
p 679 A86-40760
- An expert system for control system design  
p 680 A86-40774
- Application of a computer model to electric current perturbation probe design  
p 669 A86-41576
- Development of 'CADEGA' CAD system for aero engine design  
p 645 A86-42425
- Computational models for the analysis/design of hypersonic scramjet components. I - Combustor and nozzle models  
[AIAA PAPER 86-1595] p 647 A86-42737
- The OASIS structural optimization system  
p 672 A86-43090
- Layout of electrical equipment on an aircraft with allowance for equipment size constraints in the framework of computer-aided design  
p 639 A86-43389
- Computer aided engineering in structural design and optimization  
p 736 A86-43759
- Requirements and recommendations for the development of theoretical codes and experimental facilities in the near future --- for aircraft design  
[ONERA, TP NO. 1986-10] p 731 A86-46155
- Program system of computer-aided design of helicopter rotor blade airfoil  
p 798 A86-48659
- Applications of computer-aided engineering to subsonic aircraft design in a university environment  
p 801 A86-48986
- Automated structural optimisation at Warton --- for aircraft  
p 854 A86-48987
- Advances in turbine technology  
p 817 A86-49079
- Design bureaus: The brain drainers. I - Toulouse - Aircraft mobilize a task force over 1700-strong  
p 763 A86-49464
- The development of aeroelastic tailoring in the United States  
p 805 A86-50111
- Hub effects in propeller design and analysis  
[AD-A158653] p 108 N86-13331
- Increasing productivity of the McAuto CAD/CAE system by user-specific applications programming  
p 193 N86-15200

- Optimal design application on the advanced aeroelastic rotor blade p 167 N86-15290
- Development and application of a time-history analysis for rotorcraft dynamics based on a component approach p 168 N86-15291
- Restructuring the rotor analysis program C-60 p 168 N86-15292
- PIFCGT: A PIF autopilot design program for general aviation aircraft [NASA-CR-186123] p 178 N86-15320
- Application of a constrained inverse method in the aerodynamic design of a low speed wing-slat configuration [NLR-TR-83123-U] p 211 N86-17320
- A system for computer aided analysis and design of multielement airfoils: MAD [NLR-TR-83138-U] p 212 N86-17321
- Optimization in design processes: An informatics point of view [NLR-MP-84074-U] p 228 N86-17349
- Computer Aided Design (CAD) at the National Aerospace Laboratory (Netherlands) with the accent on aircraft flight control systems [NLR-MP-84032-U] p 264 N86-18030
- Engineering Data Interactive Presentation and Analysis System (EDIPAS): A general approach to engineering data management and analysis applied to wind tunnel testing [NLR-MP-83057-U] p 267 N86-18252
- An introduction to the application of Computer Aided Design (CAD) to the predesign of aircraft and the design of aircraft structures at the Aerospace Section [VTH-M-512] p 330 N86-19045
- Parametric Bi-cubic surface patch for computer aided geometric design of aircraft and/or other three-dimensional geometries [NAL-TM-AE-8506] p 399 N86-21168
- Three-dimensional boundary layer analysis program Blay and its application [NASA-TM-77982] p 342 N86-21516
- Helicopter performance computer programs for HP-41 hand-held computer [AD-A162794] p 358 N86-21539
- Logistics engineering analysis techniques for fault-tolerant avionics systems [AD-A161981] p 439 N86-23596
- Multivariable output control law design for the STOL (Short Takeoff and Landing) F-15 in landing configuration [AD-A164516] p 498 N86-25340
- Generation of spiral bevel gears with zero kinematic errors and computer aided tooth contact analysis [NASA-TM-87273] p 527 N86-25793
- The SIGMA cadcam software [SNIAS-861-111-110] p 640 N86-28083
- Computing codes for development of helicopter crashworthy structures and test substantiation [SNIAS-861-210-108] p 640 N86-28084
- The use of mathematical optimization techniques by the designer [NLR-MP-85005-U] p 682 N86-28673
- Aerodynamic design methods for modern transport aircraft [ESA-TT-923] p 782 N86-31543
- Simulation and optimization techniques in computer aided design [NLR-MP-85022-U] p 854 N86-33053
- An infrastructure for information processing for computer aided design [NLR-MP-85038-U] p 854 N86-33054
- COMPUTER AIDED MANUFACTURING**
- Forging in the aerospace industry p 121 N86-14424
- Productivity improvements through the use of CAD/CAM p 121 N86-14538
- Definition and verification of a complex aircraft for aerodynamic calculations [AIAA PAPER 86-0431] p 202 N86-19873
- Toward automated airframe assembly p 197 N86-21894
- CAD/CAM designer - Jack of all trades p 251 N86-21895
- CAD/CAM supports flight test modifications p 356 N86-29623
- Application of closed-loop machining in the manufacture of gas turbines p 521 N86-35659
- Flexible manufacturing system for the fabrication of precision components with real time simulation [SAE PAPER 851804] p 806 N86-38320
- Manufacturers seek reduced costs through new fabrication techniques p 782 N86-49448
- Development, construction, and manufacturing of wind tunnel models for aerodynamic investigations [BMFT-FB-W-85-012] p 800 N86-27296
- The SIGMA cadcam software [SNIAS-861-111-110] p 640 N86-28083
- COMPUTER AIDED MAPPING**
- Wide area real-time thunderstorm mapping using LPATS - The lightning position and tracking system p 614 N86-37487
- COMPUTER AIDED TOMOGRAPHY**
- Application of medical computed tomography (CT) scanners to advanced aerospace composites p 670 N86-41831
- A tomographic technique for aerodynamics at transonic speeds [NASA-TM-86766] p 89 N86-13297
- Three-dimensional, transonic rotor flow field reconstructed from holographic interferogram data [NASA-TM-86816] p 188 N86-14555
- COMPUTER ASSISTED INSTRUCTION**
- Computer aided instruction in engineering [AD-A156828] p 130 N86-13220
- Development of a computer-managed readiness assessment system [AD-A162931] p 483 N86-24215
- Feasibility study for a static aircraft flight [AD-A163129] p 486 N86-24233
- COMPUTER DESIGN**
- China report: Science and technology [JPRS-CST-86-004] p 458 N86-22735
- COMPUTER GRAPHICS**
- Interactive graphics for geometry generation - A program with a contemporary design p 192 N86-17781
- Multi-knot Boolean sum interpolating surface interactive design of aircraft configuration p 263 N86-22305
- Advanced medium scale real-time system - for evaluation of flight tests p 296 N86-22720
- A study of state of the art computer graphics systems for flight safety monitoring p 329 N86-23264
- An overview of the intrasystem EMC analysis program with graphics p 381 N86-27157
- Implementation of TF/TA in the digital terrain management and display system p 359 N86-26390
- Real-time circle generation for raster displays - computer graphics for aircraft displays p 361 N86-28511
- Graphic simulation for air traffic control development p 421 N86-30358
- Computer graphics support of a new era in flight test ground stations [AIAA PAPER 86-9789] p 448 N86-32105
- Development of a raster/stroke full-color TV projector for simulation p 456 N86-32320
- Techniques for increasing the update rate of real-time dynamic computer graphic displays p 523 N86-37072
- CGI delay compensation - Computer Generated Image p 617 N86-37194
- A real-time simulation of a non-linear RPV incorporating head-up type colour graphics p 593 N86-37335
- A graphic terminal for air traffic control of Canadian military airports p 703 N86-44399
- Flight simulation p 730 N86-45137
- Rectangular parallelepiped coding - A volumetric representation of three-dimensional objects p 747 N86-45473
- Computer graphics applications to crew displays p 128 N86-14104
- Increasing productivity of the McAuto CAD/CAE system by user-specific applications programming p 193 N86-15200
- A rapid method for estimating equivalent parabolic polars from wind-tunnel tests [AD-A159659] p 153 N86-15251
- Engineering Data Interactive Presentation and Analysis System (EDIPAS): A general approach to engineering data management and analysis applied to wind tunnel testing [NLR-MP-83057-U] p 267 N86-18252
- On the longest chord of the first Muller profile [VTH-M-486] p 277 N86-18303
- Horizontal display for vertical flight: A direction of motion experiment [AD-A161113] p 299 N86-19321
- Data reduction, management, and analysis software for CID p 399 N86-21938
- An optimization model for the US Air-Traffic System [NASA-CR-177277] p 574 N86-27271
- Geometry definition and grid generation for a complete fighter aircraft [NASA-TM-88242] p 622 N86-28050
- Development of a data acquisition system to aid in the aerodynamic study of various helicopter configurations [AD-A167717] p 781 N86-31539
- A feasibility study for the use of electronic flight strips in Air Traffic Control (ATC) controller workstations [ESA-TT-928] p 789 N86-31558
- COMPUTER NETWORKS**
- Local area command/control networks: The design of an on-board network - ANTINEA - French thesis p 215 N86-21327
- Dependable avionic data transmission p 362 N86-20405
- COMPUTER PROGRAM INTEGRITY**
- Application of fuzzy logic to the estimation of software reliability for computer systems p 396 N86-27472
- Reliability aspects of software for digital avionics [NLR-TR-82126-U] p 232 N86-17354
- An experiment in software reliability [NASA-CR-172553] p 682 N86-29547
- COMPUTER PROGRAMMING**
- Applications of numerical optimization methods to helicopter design problems - A survey p 290 N86-26120
- The possibility of achieving high productivity with vector-pipeline processors in solving problems of mathematical physics p 531 N86-36574
- Experimental and theoretical study of incompressible flow around a wing profile with a spoiler. Contributions of laser velocimetry and the Dvorak method [ISL-R-116/84] p 279 N86-19297
- Complex systems integrated logistic support: Automatic Test Equipment (ATE) and test oriented languages role - military aircraft support equipment p 407 N86-22539
- An experiment in software reliability [NASA-CR-172553] p 682 N86-29547
- KRASH 85 user's guide: Input/output format, revision [AD-A168848] p 787 N86-32416
- COMPUTER PROGRAMS**
- The in-flight simulation program at the NAE Flight Research Laboratory p 96 N86-14356
- A new fast solver procedure applied to the BGK computer program for transonic flow past an aerofoil p 83 N86-14380
- DEAN - A program for Dynamic Engine Analysis [AIAA PAPER 85-1354] p 106 N86-14430
- A microprocessor sequencer for the advanced Navy ejection seat p 218 N86-19331
- Development of a generalized escape system simulation computer program p 240 N86-19340
- Numerical modeling of rotor flows with a conservative form of the full-potential equations [AIAA PAPER 86-0079] p 196 N86-19676
- Evaluation of methods for predicting complex aircraft flowfields [AIAA PAPER 86-0398] p 201 N86-19655
- The Adaptive Maneuvering Logic program in support of the pilot's associate program - A heuristic approach to missile evasion [AIAA PAPER 86-0423] p 263 N86-19665
- Basic aircraft performance - Book p 224 N86-21306
- Radars in air traffic control - A status report p 216 N86-21607
- Hardware/software FMEA applied to airplane safety p 253 N86-22396
- BASIC aerodynamics - Book p 336 N86-26474
- Methodology for determination of circuit safety margins for MIL-E-8051 EMC system test p 381 N86-27151
- An overview of the intrasystem EMC analysis program with graphics p 381 N86-27157
- The development of microcomputer codes for studying the flight dynamics and performance of helicopters p 366 N86-27680
- Avoiding probe to model collisions in wind tunnel testing p 397 N86-28413
- A FORTRAN algorithm for terrain perspective and plan view display p 398 N86-28421
- Instructor station for the ILLIMAC general aviation instrument training simulator p 371 N86-28482
- Calculation of transonic steady and oscillatory pressures on a low aspect ratio model and comparison with experiment p 412 N86-33227
- Flutter calculation by a new program p 444 N86-33246
- Microcomputers and aviation - Book p 567 N86-37625
- Bolted composite repairs subjected to blast or shear loads p 662 N86-41052
- GRUMFOIL: A computer code for the viscous transonic flow over airfoils [NASA-CR-3808] p 86 N86-12202
- An evaluation of four methods of numerical analysis for two-dimensional airfoil flows. Revision [AD-A157248] p 87 N86-12209
- User's guide to STIPPAN: A panel method program for slotted tunnel interference prediction [NASA-CR-178003] p 113 N86-12237
- A direct-inverse method for transonic and separated flows about airfoils [NASA-CR-178403] p 89 N86-13300
- Development of a flight software testing methodology [NASA-CR-178391] p 128 N86-13922
- FLEXWAL: A computer program for predicting the wall modifications for two-dimensional, solid, adaptive-wall tunnels [NASA-TM-84648] p 150 N86-14250

Computer program for performance prediction of tandem-rotor helicopters  
[AD-A159193] p 167 N86-14268

01 General aviation interior noise problem: Some suggested solutions p 194 N86-15053

Ground resonance analysis using a substructure modeling approach p 176 N86-15282

Parametric study of the aeroelastic stability of a bearingless rotor p 176 N86-15283

Development of an unsteady aerodynamics model to improve correlation of computed blade stresses with test data p 156 N86-15288

Restructuring the rotor analysis program C-80 p 168 N86-15292

Planning, creating and documenting a NASTRAN finite element model of a modern helicopter p 189 N86-15300

PIFCGT: A PIF autopilot design program for general aviation aircraft p 178 N86-15320

[NASA-CR-166123] p 178 N86-15320

Programming a multiple-orifice hydraulic decelerator [AD-A159428] p 181 N86-15328

Validation of viscous and inviscid computational methods for turbomachinery components p 207 N86-16194

[NASA-TM-87193] p 207 N86-16194

Maximum-likelihood estimation of parameters in linear systems from flight test data. A FORTRAN program [ESA-TT-896] p 264 N86-16989

Validation and comparison with experiment of a high Reynolds number transonic flow airfoil analysis code NSFOIL p 210 N86-17294

The comparison of the transonic airfoil calculation by NSFOIL with the wind tunnel test data at high Reynolds number p 210 N86-17295

Application of computational aerodynamics to wing design p 226 N86-17297

The analysis of practical transonic swept wings with and without boundary layer effects p 211 N86-17300

An approach to developing specification measures p 330 N86-19968

Aeroelasticity at the NASA Langley Research Center Recent progress, new challenges [NASA-TM-87660] p 336 N86-20342

Method for the prediction of the installation aerodynamics of a propfan at subsonic speeds: User manual [NASA-CR-178057] p 340 N86-20360

A numerical and experimental investigation of electrochemical aircraft deicing [NASA-CR-175024] p 344 N86-20380

Controlled impact demonstration airframe bending bridges p 391 N86-21943

Selection of a man-modelling CAD (Computer-Aided Design) [AD-A161342] p 400 N86-22159

China report: Science and technology [JPRS-CST-86-007] p 435 N86-22570

Programmable hand calculators in aviation sport p 465 N86-23309

An aerodynamic analysis computer program and design notes for low speed wing flap systems [NASA-CR-3675] p 408 N86-23554

Investigation to advance prediction techniques of the low-speed aerodynamics of V/STOL aircraft [NASA-CR-166479] p 416 N86-23568

Proceedings of the 12th Biennial Guidance Test Symposium held at Holloman AFB, New Mexico on 22-24 October 1985, volume 1 [AD-A161996] p 425 N86-23583

Advanced technology helicopter landing gear preliminary design investigation [AD-A162097] p 437 N86-23594

Logistics engineering analysis techniques for fault-tolerant avionics systems [AD-A161981] p 439 N86-23596

Feasibility study for a static aircraft flight [AD-A163129] p 466 N86-24233

Composite integral response sensing [AD-A163136] p 470 N86-24457

An evaluation of CPRA (Cost Performance Report Analysis) estimate at completion techniques based upon AFVAL (Air Force Wright Aeronautical Laboratories) cost/schedule control system criteria data [AD-A162282] p 470 N86-24584

ALESEP. Part 2: A computer program for the analysis of leading edge separation bubbles on infinite swept wings [NASA-CR-178015] p 479 N86-24664

Data sources for parameters used in predictive modeling of fire growth and smoke spread [PB86-130986] p 518 N86-24788

Comparison of absorption and radiation boundary conditions using a time-domain three-dimensional finite difference electromagnetic computer code [AD-A163828] p 532 N86-25149

Transonic airfoil analysis and design in nonuniform flow [NASA-CR-3991] p 480 N86-25328

KRASH dynamics analysis modeling: Transport airplane controlled impact demonstration test [DOT/FAA/CT-85/9-REV] p 483 N86-25331

Evaluation of 3 numerical methods for propulsion integration studies on transonic transport configurations [NASA-TM-87727] p 559 N86-27209

Structural tailoring of engine blades (STAEBL) user's manual [NASA-CR-175113] p 592 N86-27284

KRASH85 user's guide: Input/output format [DOT/FAA/CT-85/10-REV] p 618 N86-27926

NASTRAN/FLEXSTAB procedure for static aeroelastic analysis [NASA-TM-84897] p 639 N86-28076

Processing and meteorological evaluation of research flights with DFVLR motor gliders using the software package RAMF [DFVLR-FB-85-57] p 678 N86-28588

The use of a panel code on high lift configurations of a swept forward wing [NASA-CR-178968] p 631 N86-28916

Design considerations for flight test of a fault inferring nonlinear detection system algorithm for avionics sensors [NASA-TM-88998] p 637 N86-28933

In-flight thrust determination on a real-time basis [NASA-CR-178997] p 641 N86-28937

Analytical investigation of rotor wake formation and geometry [NASA-CR-177032] p 693 N86-29768

PAN AIR application to the F-106B [NASA-CR-178165] p 698 N86-30698

The influence of large-scale computing on aircraft structural design [AGARD-R-726] p 717 N86-30726

Aspect ratio effects on wings at low Reynolds numbers p 782 N86-32390

Six degree of freedom simulation software [NAL-PD-SE-8614] p 854 N86-33042

## COMPUTER SYSTEMS DESIGN

A new approach to ensuring deterministic processing in an integrated avionics software system p 398 N86-28419

Design considerations for on-board simulation p 360 N86-28465

Grumman's real time computing system for avionics testing [AIAA PAPER 86-9732] p 484 N86-32079

Mobile Experimental Laboratory (MEL) — computer system for real-time acoustic and vibration field tests of aircraft [AIAA PAPER 86-9801] p 485 N86-32130

Telemetry processing system [AIAA PAPER 86-9825] p 485 N86-32148

COMPUTER SYSTEMS PERFORMANCE

Application of fuzzy logic to the estimation of software reliability for computer systems p 396 N86-27472

Techniques for optimizing computer performance in real-time flight simulation p 617 N86-37177

Hardware/software Failure Mode Effect Analysis (FMEA) applied to airplane safety [NLR-MP-84073-U] p 215 N86-17325

Reliability aspects of software for digital avionics [NLR-TR-82126-U] p 232 N86-17354

Experiences with NASTRAN in a multidisciplinary optimization environment p 527 N86-25831

## COMPUTER SYSTEMS PROGRAMS

Infrared flight simulation using computer generated imagery p 103 N86-15378

Management controls on the X-29 flight-control system software development [AIAA PAPER 86-9806] p 443 N86-32136

F-16 radar flight test - A lesson in software development [AIAA PAPER 86-9827] p 406 N86-32149

ASTROS - An advanced software environment for automated design [AIAA PAPER 86-0856] p 618 N86-38807

Fault Tolerant Hardware/Software Architecture for Flight Critical Function [AGARD-LS-143] p 369 N86-20399

Introduction to Lecture Series No. 143: Fault tolerant hardware/software architectures for flight critical functions p 369 N86-20400

Digital fly-by-wire experience p 361 N86-20401

A preliminary design for flight testing the FINDS algorithm [NASA-CR-178043] p 439 N86-22574

MEP: A program for cross section magnitudes of a multicell wing profile [VTH-M-487] p 459 N86-23013

Analysis of data from NASA B-57B gust gradient program [NASA-CR-178736] p 446 N86-23604

An empirical study of flight control software reliability [NASA-CR-178058] p 532 N86-25145

The SIGMA cadcam software [SNIAS-861-111-110] p 640 N86-28083

Computing codes for development of helicopter crashworthy structures and test substantiation [SNIAS-861-210-106] p 640 N86-28084

Processing and meteorological evaluation of research flights with DFVLR motor gliders using the software package RAMF [DFVLR-FB-85-57] p 678 N86-28588

COMPUTER TECHNIQUES

Aerodynamics - The role of the computer p 76 N86-13050

Automatic exposure control employing scene statistics in reconnaissance cameras p 230 N86-19588

Numerical optimization design of advanced transonic wing configurations p 356 N86-28562

Multitrader tracking in the new ATC system at Mazatlan (Mexico) area control center p 424 N86-32640

Computer-controlled navigation for aeromagnetic survey flights during the GANOVEX IV Antarctic expedition during the southern summer of 1984/85 p 484 N86-35293

Computer-aided cockpit workload analysis for all weather, multirole tactical aircraft [SAE PAPER 851876] p 499 N86-35439

The application of systolic array processor technology to real-time control p 532 N86-36894

A minimum route time (MRT) program for microcomputers p 572 N86-39561

Computer sizing of fighter aircraft [AIAA PAPER 85-0212] p 637 N86-40106

Computerisation of air information services in France p 635 N86-40229

Software position and velocity limiting for a synergistic six degree-of-freedom motion system — flight simulators p 655 N86-42170

A fault-tolerant 1750A engine controller [AIAA PAPER 86-1675] p 648 N86-42786

Decision aiding for tactical aircraft p 718 N86-46715

Determination of the required number of channels for controlling aircraft wing loading for several cases of calculation p 768 N86-48787

Application of strain gauge amplifiers and computer technology to the strength testing of aircraft p 849 N86-49144

Development of a knowledge acquisition tool for an expert system flight status monitor [NASA-TM-86802] p 263 N86-16944

Applications of expert systems p 330 N86-19634

Status of aircraft engine research at NPU reviewed p 441 N86-22736

Manufacturing technology for nondestructive evaluation (NDE) system to implement Retirement For Cause (RFC) procedures for gas turbine engine components p 507 N86-25368

An analysis of S-3 SDLM (Standard Depot Level Maintenance) corrosion documentation procedures [AD-A165598] p 540 N86-26282

New dynamic testing techniques and related results at FFA p 562 N86-27244

Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements [AD-A165055] p 599 N86-27294

The Shock and Vibration Digest, volume 17, no. 8 [AD-A165115] p 612 N86-27471

COMPUTER VISION

Applications of artificial intelligence; Proceedings of the Meeting, Arlington, VA, May 3, 4, 1984 [SPIE-485] p 127 N86-15278

COMPUTERIZED SIMULATION

The in-flight simulation program at the NAE Flight Research Laboratory p 96 N86-14356

DEAN - A program for Dynamic Engine Analysis [AIAA PAPER 85-1354] p 106 N86-14430

The efficient simulation of separated three-dimensional viscous flows using the boundary-layer equations [AIAA PAPER 85-4064] p 84 N86-14452

Engine simulator techniques for scaled test cell studies [AIAA PAPER 85-1282] p 112 N86-14480

Wind shear characterization [AIAA PAPER 86-0180] p 213 N86-19737

Unsteady three-dimensional simulations of a VTOL upwash fountain [AIAA PAPER 86-0212] p 200 N86-19753

The Adaptive Maneuvering Logic program in support of the pilot's associate program - A heuristic approach to missile evasion [AIAA PAPER 86-0423] p 263 N86-19865



- An engineering simulation of the Boeing 747 primary flight control systems  
[AIAA PAPER 86-0494] p 239 A86-19905
- Facility for closed loop testing of aircraft control systems p 241 A86-22188
- Support effectiveness evaluation model — for military air facilities in sortie generation p 263 A86-22398
- Environmental control system simulation using EASYS, as applied to the F-14  
[SAE PAPER 851318] p 285 A86-23508
- Simulation of the vibration transmission path and the use of a mathematical model of vibration transmission for the vibrational diagnostics of an aircraft engine p 301 A86-23754
- Future requirements of wind tunnels for CFD code verification  
[AIAA PAPER 86-0753] p 309 A86-24742
- Electronic display of powerplant parameters  
[SAE PAPER 841467] p 298 A86-28010
- Digital chirp demodulation p 385 A86-28332
- Data-driven operating concepts for real-time simulation systems p 397 A86-28348
- A case study in simulation vs. stimulation - The B-1 weapon system trainer p 398 A86-28456
- An expert planner for the dynamic flight environment p 398 A86-28490
- Numerical simulation of a controlled-flow tunnel for V/STOL testing p 371 A86-28561
- 1985 Summer Computer Simulation Conference, Chicago, IL, July 22-24, 1985, Proceedings p 484 A86-30351
- Graphic simulation for air traffic control development p 421 A86-30358
- All about simulators, 1984; Proceedings of the Simulators Conference, Norfolk, VA, April 18-20, 1984 p 484 A86-31252
- Comparison of F-101 ejection seat and ACES II static aerodynamic coefficients — Advanced Concept Ejection Seat p 428 A86-32067
- A review of computer simulations for aircraft-surface dynamics p 432 A86-32778
- Practical considerations in optimal flight management computations p 481 A86-35367
- The use of ellipsoidal solids to display human body dynamic response p 530 A86-36852
- Techniques for optimizing computer performance in real-time flight simulation p 617 A86-37177
- Simulation support software in a real-time environment at the U.S. Air Force Flight Test Center p 617 A86-37180
- Evaluation of the ASR-9 weather reflectivity product — airport surveillance radar p 614 A86-37485
- Calculation of helicopter airfoil characteristics for high tip-speed applications p 541 A86-37769
- Flexible manufacturing system for the fabrication of precision components with real time simulation  
[SAE PAPER 851804] p 606 A86-38320
- Structural analysis of the controlled impact demonstration of a jet transport airplane  
[AIAA PAPER 86-0939] p 583 A86-38836
- Generic aircraft ground operation simulation  
[AIAA PAPER 86-0989] p 584 A86-38865
- A mathematical model for calculation of effects of air humidity fuel composition and gas dissociation on engine performance and its actual application p 591 A86-38994
- Computer sizing of fighter aircraft  
[AIAA PAPER 85-0212] p 637 A86-40106
- Advanced turbine engine simulation technique development and applications to testing  
[AIAA PAPER 86-1731] p 649 A86-42818
- Modeling the combustion zone of gas-turbine-engine combustion chambers p 650 A86-43393
- A computer model to evaluate airborne receiver performance in interference environments p 703 A86-43862
- More accurate simulations of whole aircraft p 691 A86-45702
- Practical considerations in optimal flight management computations p 713 A86-46458
- Induced current surface density after a direct lightning strike on an aircraft p 790 A86-47297
- MATRIXx Plus with HYPER-BUILD - Accelerating control design, analysis, and simulation — for F-14 flight simulation  
[AIAA PAPER 86-2085] p 853 A86-47505
- Computational engine structural analysis  
[ASME PAPER 86-GT-70] p 813 A86-48141
- Simulation of the enhanced traffic alert and collision avoidance system (TCAS 2)  
[NASA-CR-176328] p 93 A86-12216
- Aircraft crashing. Analysis and identification methods. Presentation of a solution method  
[IMFL-4116] p 91 A86-13308
- Integrated wing engine system (IFAS), phase 2  
[BMFT-FB-W-85-008] p 151 A86-14257
- The interactive generation of alphanumeric and symbology with designs on the future  
[AD-A159218] p 192 A86-14982
- Use of hinged strakes for lateral control at high angles of attack  
[AD-A158005] p 178 A86-15321
- Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements  
[AD-A158004] p 181 A86-15324
- Computational fluid dynamics at NASA Ames and the numerical aerodynamic simulation program  
[NASA-TM-86769] p 190 A86-15626
- A FORTRAN program for the determination of unsteady airfoils on general combinations of interfering lifting surfaces oscillating in subsonic flow  
[ARL-STRUCT-R-412] p 206 A86-16191
- A simulation of rotor-stator interaction using the Euler equations and patched grids  
[NASA-TM-86821] p 264 A86-17014
- Error propagation in a digital avionics processor: A simulation-based study  
[NASA-CR-178501] p 232 A86-17351
- Calculation of helicopter airfoil characteristics for high tip-speed applications  
[AD-A180694] p 277 A86-18294
- Parametric determination of lift interference for three-dimensional models in the Emmen (Switzerland) aircraft works wind tunnel  
[F+W-FO-1740] p 277 A86-18304
- Partitioning and packing mathematical simulation models for calculation on parallel computers  
[NASA-TM-87170] p 330 A86-19008
- Mellin-Fourier correlation  
[AD-A159885] p 330 A86-20006
- Airport-Noise Levels and Annoyance Model (ALAMO) user's guide  
[NASA-TM-87895] p 401 A86-22304
- Investigation of the dynamic response of aircraft to microburst (JAWS) wind shear p 445 A86-22578
- Coupling linearized far-field boundary conditions with nonlinear near-field solutions in transonic flow  
[AD-A182334] p 417 A86-23573
- Standardized fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation. Part 2: Final definition of Helix and Felix [LBF-FB-167] p 436 A86-23585
- Investigation of rolling-up and interaction of leading-edge and trailing-edge vortex sheets on a slender delta wing  
[AD-A183692] p 479 A86-24668
- A real-time simulation evaluation of an advanced detection, isolation and accommodation algorithm for sensor failures in turbine engines  
[NASA-TM-87289] p 504 A86-24697
- System life and reliability modeling for helicopter transmissions  
[NASA-CR-3967] p 525 A86-24990
- Guidance studies for curved, descending approaches using the Microwave Landing System (MLS)  
[NASA-CR-178030] p 486 A86-25335
- Evaluation of a frequency response technique for aircraft system identification  
[AD-A164367] p 497 A86-25339
- An Euler aerodynamic method for leading-edge vortex flow simulation p 558 A86-27203
- Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements  
[AD-A165055] p 599 A86-27294
- A perspective of computational fluid dynamics  
[NASA-TM-88246] p 629 A86-28057
- Siting criteria for Microwave Landing Systems (MLS)  
[FAA/PM-86/18] p 636 A86-28073
- Large eddy simulations of flow in a ramjet combustor p 659 A86-28241
- Acoustic-vortex interactions in an idealized ramjet combustor p 659 A86-28242
- NASA supercomputer system to become available nationally  
[NASA-NEWS-RELEASE-86-92] p 681 A86-28628
- Identification of linearized equations of motion for the fixed wing configuration of the rotor systems research aircraft  
[NASA-CR-176977] p 631 A86-28917
- Extension of a transonic three-dimensional unsteady small perturbation computing method  
[ONERA-RTS-23/3064-RY-048-R] p 633 A86-28927
- Interaction of airborne and structureborne noise radiated by plates. Volume 1: Analytical study  
[NASA-TM-87746] p 683 A86-29633
- Transonic Navier-Stokes wing solution using a zonal approach. Part 1: Solution methodology and code validation  
[NASA-TM-88248-PT-1] p 692 A86-29765
- Development of an algorithm to model an aircraft equipped with a generic CDTI display  
[NASA-TM-87732] p 748 A86-30349
- Aerodynamic data banks for Clark-Y, NACA 4-digit and NACA 16-series airfoil families  
[NASA-CR-178883] p 697 A86-30663
- An analytical methodology for predicting repair time distributions of advanced technology aircraft  
[AD-A167149] p 763 A86-31529
- NASA's Aircraft Icing Analysis Program  
[NASA-TM-88791] p 786 A86-31548
- Development of a takeoff performance monitoring system  
[NASA-TM-89001] p 835 A86-31591
- KRASH 85 user's guide: Input/output format, revision  
[AD-A168848] p 787 A86-32416
- Simulation and optimization techniques in computer aided design  
[NLR-MP-85022-U] p 854 A86-33053
- ### COMPUTERS
- China report: Science and technology  
[JPRS-CST-85-035] p 122 A86-12399
- West Europe report: Science and technology  
[JPRS-WST-85-031] p 123 A86-13616
- Real-time flight test PCM data acquisition monitor  
[AD-A164035] p 524 A86-24897
- Pilot interaction with automated airborne decision making systems  
[NASA-CR-177002] p 679 A86-29508
- Operations concept for the TCCC (Tower Control Computer Complex) man-machine interface  
[AD-A168899] p 705 A86-30714
- ### CONCENTRATION (COMPOSITION)
- Effect of silane concentration on the supersonic combustion of a silane/methane mixture  
[AIAA PAPER 86-1396] p 663 A86-42610
- ### CONCENTRATORS
- Elements of the aerodynamic theory of cyclogyro wing systems with concentrator effects  
[VTH-LR-338] p 279 A86-19294
- ### CONCENTRIC CYLINDERS
- Contact heat transfer - The last decade p 387 A86-28551
- ### CONCORDE AIRCRAFT
- Supersonic passenger decade p 288 A86-25848
- Selections from Flug Revue und Flugwelt International. A. On the border of Time-hypersonic flight. B. NASA programs pave the way for the hypersonic aircraft. C. Shuttle flight 61-B; construction in space. D. Faster than a bullet; hypersonic military aircraft  
[NASA-TM-88418] p 474 A86-24652
- ### CONCRETES
- Furfuryl alcohol polymer concretes for use in all-weather repairs of concrete and asphalt surfaces  
[DE85-014825] p 184 A86-14391
- Evaluation of the FAA design procedures for high traffic volume pavements  
[DOT/FAA/PM-84/14] p 352 A86-20383
- Comparative study of nondestructive pavement testing. WES (Waterways Experiment Station) NDT (nondestructive tests) methodologies  
[AD-A163379] p 610 A86-26480
- Use of NDE to evaluate reflection cracking in airfield pavements  
[AD-A164880] p 599 A86-27293
- ### CONDENSATION
- Vapor-screen flow-visualization experiments in the NASA Langley 0.3-m transonic cryogenic tunnel  
[NASA-CR-3984] p 478 A86-24661
- ### CONES
- The effect of the bluntness and the half-angle of a cone on the turbulent transition of a boundary layer at free-stream Mach 6 p 80 A86-13391
- Laminar boundary layer stability experiments on a cone at Mach 8. IV - On unit Reynolds number and environmental effects  
[AIAA PAPER 86-1087] p 550 A86-38449
- ### CONFERENCES
- National SAMPE Symposium and Exhibition, 30th, Anaheim, CA, March 19-21, 1985, Proceedings p 115 A86-13076
- Applications of artificial intelligence; Proceedings of the Meeting, Arlington, VA, May 3, 4, 1984  
[SPIE-485] p 127 A86-15278
- Fiber optics in adverse environments II; Proceedings of the Meeting, San Diego, CA, August 22-24, 1984  
[SPIE-506] p 129 A86-15340
- Carbon fibres: Uses and prospects; Proceedings of the Third International Conference, London, England, October 8-10, 1985 p 182 A86-16201
- Conference on Low Reynolds Number Airfoil Aerodynamics, Notre Dame, IN, June 16-18, 1985, Proceedings p 136 A86-16301
- National Specialists' Meeting on Helicopter Testing Technology, Williamsburg, VA, October 29-November 1, 1984, Proceedings p 163 A86-18401
- Helicopter Fatigue Specialists' Meeting, St. Louis, MO, October 16-18, 1984, Proceedings p 134 A86-18430



- Specialists' Meeting on Advanced Cockpit Design, Grapevine, TX, October 3, 4, 1984, Proceedings  
p 170 A86-18451
- SAFE Association, Annual Symposium, 22nd, Las Vegas, NV, December 9-13, 1984, Proceedings  
p 212 A86-19301
- Airborne reconnaissance VIII; Proceedings of the Meeting, San Diego, CA, August 21, 22, 1984 [SPIE-496]  
p 228 A86-19576
- Society of Experimental Test Pilots, Symposium, 28th, Beverly Hills, CA, September 26-29, 1984, Proceedings  
p 221 A86-21051
- General Aviation and Regional Air Traffic - Components of the Traffic System, Symposium, Friedrichshafen, West Germany, March 28, 29, 1985, Reports  
p 197 A86-21325
- National SAMPE Technical Conference, 17th, Kiamasha Lake, NY, October 22-24, 1985, Proceedings  
p 244 A86-21701
- Symposium Gyro Technology 1984; Proceedings of the Symposium, Universitat Stuttgart, West Germany, September 11, 12, 1984  
p 250 A86-21826
- Evolution of Aircraft/Aerospace Structures and Materials Symposium, Dayton, OH, April 24, 25, 1985, Proceedings  
p 197 A86-22128
- Institute of Environmental Sciences, Annual Technical Meeting, 31st, Las Vegas, NV, April 30-May 2, 1985, Proceedings  
p 314 A86-23001
- Society of Flight Test Engineers, Annual Symposium, 15th, St. Louis, MO, August 12-16, 1984, Proceedings  
p 284 A86-23252
- Dynamic systems: Modelling and control; Proceedings of the Winter Annual Meeting, Miami Beach, FL, November 17-22, 1985  
p 329 A86-23343
- Aerodynamic Testing Conference, 14th, West Palm Beach, FL, March 5-7, 1986, Technical Papers  
p 309 A86-24726
- Conference on Steels and Special Alloys in Aeronautics, 11th, Le Bourget, France, June 6, 1985, Proceedings  
p 372 A86-26326
- Institute of Navigation, Annual Meeting, 41st, U.S. Naval Academy, Annapolis, MD, June 25-27, 1985, Proceedings  
p 346 A86-26501
- Combined experimental/analytical modeling of dynamic structural systems; Proceedings of the Joint Mechanics Conference, Albuquerque, NM, June 24-26, 1985  
p 380 A86-26876
- International Symposium on Electromagnetic Compatibility, Wakefield, MA, August 20-22, 1985, Record  
p 381 A86-27126
- Titanium: Science and technology; Proceedings of the Fifth International Conference on Titanium, Munich, West Germany, September 10-14, 1984, Volumes 1-4  
p 374 A86-27201
- International Conference on Rotorcraft Basic Research, Research Triangle Park, NC, February 19-21, 1985, Proceedings  
p 335 A86-27651
- Light aircraft - The way ahead in design and operation; Proceedings of the Symposium, Loughborough, England, March 31, April 1, 1984  
p 354 A86-28093
- Synthetic lubricants and working fluids; International Colloquium, 4th, Esslingen, West Germany, January 10-12, 1984, Reports  
p 378 A86-28096
- Structural impact and crashworthiness; Proceedings of the International Conference, Imperial College of Science and Technology, London, England, July 18-20, 1984, Volume 1 Keynote Lectures, Volume 2 - Conference Papers  
p 383 A86-28276
- Future applications and prospects for flight simulation; Proceedings of the Spring Convention, London, England, May 9, 10, 1984  
p 370 A86-28278
- Modeling and simulation, Volume 15 - Proceedings of the Fifteenth Annual Pittsburgh Conference, University of Pittsburgh, PA, April 19, 20, 1984, Part 5 - General modeling and simulation  
p 397 A86-28280
- Helicopter Airworthiness Symposium, 19th, London, England, December 19, 1984, Proceedings  
p 354 A86-28281
- NAECON 1985; Proceedings of the National Aerospace and Electronics Conference, Dayton, OH, May 20-24, 1985, Volumes 1 & 2  
p 348 A86-28326
- Advances in aerospace structural analysis; Proceedings of the Winter Annual Meeting, Miami Beach, FL, November 17-22, 1985  
p 387 A86-28651
- Numerical methods in fluid dynamics  
p 388 A86-29471
- 1985 Summer Computer Simulation Conference, Chicago, IL, July 22-24, 1985, Proceedings  
p 464 A86-30351
- All about simulators, 1984; Proceedings of the Simulators Conference, Norfolk, VA, April 18-20, 1984  
p 464 A86-31252
- Aerospace and electronic systems - Advanced concepts and pioneering perspectives; Proceedings of the 58th Symposium, Dayton, OH, November 14, 15, 1984  
p 455 A86-31253
- SECTAM XII - Proceedings of the Twelfth Southeastern Conference on Theoretical and Applied Mechanics, Pine Mountain, GA, May 10, 11, 1984, Volume 1  
p 455 A86-31258
- SECTAM XII - Proceedings of the Twelfth Southeastern Conference on Theoretical and Applied Mechanics, Pine Mountain, GA, May 10, 11, 1984, Volume 2  
p 455 A86-31259
- Conference on Decision and Control, 23rd, Las Vegas, NV, December 12-14, 1984, Proceedings, Volume 3  
p 464 A86-31262
- Materials and processes; Proceedings of the Fifth Technology Conference, Montreux, Switzerland, June 12-14, 1984, Volumes 1&2  
p 450 A86-31475
- Inter-noise 85; Proceedings of the Fourteenth International Conference on Noise Control Engineering, Munich, West Germany, September 18-20, 1985, Volumes 1 & 2  
p 467 A86-31954
- Advances in display technology V; Proceedings of the Meeting, Los Angeles, CA, January 24, 25, 1985 [SPIE-526]  
p 456 A86-32314
- International Symposium on Aeroelasticity and Structural Dynamics, 2nd, Rheinisch-Westfälische Technische Hochschule, Aachen, West Germany, April 1-3, 1985, Collected Papers  
p 406 A86-33226
- [DGLR BERICHT 85-02]  
p 407 A86-33300
- International Helicopter Forum, 15th and International Aerospace Exhibition, Hanover, West Germany, May 20-27, 1984, Reports  
p 407 A86-33300
- International Symposium on Laser Anemometry, 2nd, Miami Beach, FL, November 17-22, 1985, Proceedings  
p 519 A86-34407
- Advanced topics in boundary element analysis; Proceedings of the Winter Annual Meeting, Miami Beach, FL, November 17-22, 1985  
p 520 A86-34442
- 1985 American Control Conference, 4th, Boston, MA, June 19-21, 1985, Proceedings, Volumes 1, 2, & 3  
p 531 A86-35326
- American Helicopter Society, Annual Forum, 41st, Fort Worth, TX, May 15-17, 1985, Proceedings  
p 473 A86-35601
- Flight simulation/simulators; Proceedings of the Aerospace Technology Conference and Exposition, Long Beach, CA, October 14-17, 1985  
p 473 A86-36839
- [SAE SP-634]  
p 473 A86-36839
- Aerospace simulation II; Proceedings of the Second Conference, San Diego, CA, January 23-25, 1986  
p 596 A86-37176
- Remotely piloted vehicles; International Conference, 5th, Bristol, England, September 9-11, 1985, Proceedings and Supplementary Papers  
p 575 A86-37326
- International Conference on the Aviation Weather System, 2nd, Université du Québec, Montreal, Canada, June 19-21, 1985, Preprints  
p 613 A86-37451
- Applied Aerodynamics Conference, 4th, San Diego, CA, June 9-11, 1986, Technical Papers  
p 541 A86-37801
- General aviation aircraft aerodynamics; Proceedings of the General Aviation Aircraft Meeting and Exposition, Wichita, KS, April 16-19, 1985  
p 581 A86-38501
- [SAE SP-621]  
p 581 A86-38501
- Crash dynamics of general aviation aircraft; Proceedings of the General Aviation Aircraft Meeting and Exposition, Wichita, KS, April 16-19, 1985  
p 582 A86-38509
- [SAE SP-622]  
p 582 A86-38509
- Composites: Design and manufacturing for general aviation aircraft; Proceedings of the General Aviation Aircraft Meeting and Exposition, Wichita, KS, April 16-19, 1985  
p 582 A86-38515
- [SAE SP-623]  
p 582 A86-38515
- Aviation gas turbine lubricants - Military and civil aspects; Aviation fuel and lubricants - Performance testing; Proceedings of the Aerospace Technology Conference and Exposition, Long Beach, CA, October 14-17, 1985 [SAE SP-633]  
p 607 A86-38526
- Aluminium-lithium alloys III; Proceedings of the Third International Aluminium-Lithium Conference, Oxford University, England, July 8-11, 1985  
p 659 A86-40251
- Carbon fibres and their composites  
p 661 A86-40487
- Turbomachinery performance deterioration; Proceedings of the Fourth Joint Fluid Mechanics, Plasma Dynamics, and Lasers Conference, Atlanta, GA, May 12-14, 1986  
p 642 A86-40726
- Composite materials: Testing and design; Proceedings of the Seventh Conference, Philadelphia, PA, April 2-4, 1984  
p 662 A86-41051
- Protective coating systems for high-temperature gas turbine components; Proceedings of the Conference, London, England, November 13, 14, 1984  
p 664 A86-43134
- Durability and damage tolerance in aircraft design; Proceedings of the Thirteenth Symposium, Pisa, Italy, May 22-24, 1985  
p 706 A86-43776
- Society of Experimental Test Pilots, Symposium, 29th, Beverly Hills, CA, September 25-28, 1985, Proceedings  
p 709 A86-44936
- Applications of artificial intelligence II; Proceedings of the Meeting, Arlington, VA, April 9-11, 1985 [SPIE-548]  
p 748 A86-46708
- International Aerospace and Ground Conference on Lightning and Static Electricity, 10th, and Congress International Aéronautique, 17th, Paris, France, June 10-13, 1985, Proceedings  
p 844 A86-47292
- Guidance, Navigation and Control Conference, Williamsburg, VA, August 18-20, 1986, Technical Papers  
p 852 A86-47401
- AIRMEC '85 - Aviation equipment servicing: Aircraft and helicopter maintenance; International Exhibition and Conference, 4th, Dusseldorf, West Germany, February 26-March 3, 1985, Conference Reports  
p 759 A86-47601
- Atmospheric Flight Mechanics Conference, Williamsburg, VA, August 18-20, 1986, Technical Papers  
p 826 A86-47651
- Society of Flight Test Engineers, Annual Symposium, 16th, Seattle, WA, July 29-August 2, 1985, Proceedings  
p 794 A86-47776
- The theoretical basis of helicopter technology; Proceedings of the Seminar, Nanjing, People's Republic of China, November 6-8, 1985, Parts 1, 2, 3, 4, & 5  
p 761 A86-48651
- ICAS, Congress, 15th, London, England, September 7-12, 1986, Proceedings, Volumes 1 & 2  
p 761 A86-48678
- The state of development research in numerical aerodynamics in West Germany - conference [DGLR-84-01]  
p 147 A86-14225
- The Shock and Vibration Bulletin 55, Part 2: Dynamic testing, flight vehicle dynamics, seismic loads and fluid-structure interaction  
p 257 A86-16646
- [AD-A160284]  
p 257 A86-16646
- Modal analysis of a typical fighter aircraft using transient testing technique  
p 356 A86-20385
- [NAL-TM-ST-8517]  
p 356 A86-20385
- Proceedings of the 1985 ONR/NAVAIR Wave Rotor Research and Technology Workshop  
p 389 A86-20813
- [AD-A161539]  
p 389 A86-20813
- Proceedings of Cabin Safety Conference and Workshop held on 11-14 December 1984  
p 344 A86-21527
- [AD-A160950]  
p 344 A86-21527
- Full-Scale Transport controlled Impact Demonstration [NASA-CP-2395]  
p 390 A86-21933
- Digital Electronic Engine Control (DEEC) Flight Evaluation in an F-15 Airplane  
p 504 A86-25342
- [NASA-CP-2298]  
p 504 A86-25342
- Guidance-Control-Navigation Automation for Night All-Weather Tactical Operations  
p 573 A86-26316
- [AGARD-CP-387]  
p 573 A86-26316
- Aircraft and Bearing Tribological Systems [AGARD-CP-394]  
p 677 A86-29236
- The Second International Symposium on Aeroelasticity and Structural Dynamics  
p 687 A86-30627
- [DGLR-85-02]  
p 687 A86-30627
- Numerical Techniques for Viscous Flow Calculations in Turbomachinery Bladings - conference [VKI-LS-1986-02]  
p 744 A86-30988
- CONFIDENCE
- A methodology for airplane parameter estimation and confidence interval determination in nonlinear estimation problems [NASA-RP-1153]  
p 445 A86-22579
- CONFIGURATION INTERACTION
- Some design philosophy for reducing the community noise of advanced counter-rotation propellers [NASA-TM-87099]  
p 129 A86-14007
- A simulation of rotor-stator interaction using the Euler equations and patched grids  
p 264 A86-17014
- [NASA-TM-86821]  
p 264 A86-17014
- Unsteady vortex airfoil interaction  
p 582 A86-27240
- Modelling of the vortex-airfoil interaction  
p 585 A86-27262
- CONFORMAL MAPPING
- Conformal mapping as an aid in grid generation for complex three-dimensional configurations [AIAA PAPER 86-0497]  
p 203 A86-19908
- On applications of chimera grid schemes to store separation [NASA-TM-88193]  
p 88 A86-13292
- Grid generation for single airfoil using conformal mapping [NAL-TR-851T]  
p 148 A86-14217
- The conformal representation of the NACA 642A015 profile [VTH-M-502]  
p 277 A86-18296
- On the longest chord of the first Muller profile [VTH-M-486]  
p 277 A86-18303
- Development of a numerical procedure to map a general 3-d body onto a near-circle  
p 749 A86-31420
- CONFUSION
- Performance of resonant radar target identification algorithms using intra-class weighting functions  
p 321 A86-19490

## CONGRESSIONAL REPORTS

- Noise reduction technology  
[GPO-48-026] p 265 N86-17076
- Controlled Impact Demonstration (CID)  
[GPO-48-870] p 214 N86-17324
- High speed aeronautics  
[GPO-51-341] p 278 N86-19284
- Oversight on the Federal Aviation Administration fiscal year 1986 research, engineering and development budget request  
[GPO-46-725] p 402 N86-21447

## CONICAL BODIES

- Numerical issues in computing inviscid supersonic flow over conical delta wings  
[AIAA PAPER 86-0440] p 206 A86-22701
- Applying I. G. Bubnov's method to the solution of the natural vibration problem for a conical sandwich panel  
p 384 A86-28315
- Flow structure at the windward side of conical wings with an attached shock wave at the leading edge  
p 410 A86-32739
- Effects of cone surface waviness and freestream noise on transition in supersonic flow  
[AIAA PAPER 86-1086] p 550 A86-38448
- Measured and predicted heating distributions for biconics at Mach 10  
p 624 A86-41734
- Investigation of the development of laminar boundary-layer instabilities along a sharp cone  
[AD-A159370] p 255 N86-16521
- Correlation of transonic-cone preston-tube data and skin friction  
[NASA-CR-178902] p 693 N86-29771

## CONICAL FLOW

- Hypersonic flow past non-slender wedges, cones and ogives in oscillation  
p 78 A86-13047
- Flow of a diatomic rarefied gas around a cone  
p 78 A86-13360
- Experimental study of gas flow around blunt objects  
p 85 A86-15980
- Comment on 'Conical similarity of shock/boundary-layer interactions generated by swept and unswept wings'  
p 337 A86-28558
- Euler and Navier-Stokes solutions for flow over a conical delta wing  
p 411 A86-32960
- Wing and conical body of arbitrary cross-section combinations in supersonic flow  
[AIAA PAPER 86-1826] p 545 A86-37841
- Navier-Stokes computations of lee-side flows over delta wings  
[AIAA PAPER 86-1049] p 548 A86-38420
- Lifting bodies designed for flow behind axisymmetric conical shock waves  
p 554 A86-39660

## CONICAL NOZZLES

- Longitudinal potential distribution in a jet of an ionized gas  
p 331 A86-23674

## CONICS

- BLR studies on conic model with LDA in FL-1 wind tunnel  
p 87 N86-12434
- Geometrical description for a proposed aerospace flight experiment vehicle  
[NASA-TM-87714] p 749 N86-31237

## CONJUGATE GRADIENT METHOD

- Variation of anisotropic behavior in structural optimization — aircraft composite structures  
p 715 N86-30656

## CONNECTORS

- Length adjustable strut link with low aerodynamic drag  
[AD-D011851] p 107 N86-12232

## CONSERVATION LAWS

- A fundamental study of drag and an assessment of conventional drag-due-to-lift reduction devices  
[NASA-CR-4004] p 745 N86-30999

## CONSISTENCY

- A consistent spatial differencing scheme for the transonic full-potential equation in three dimensions  
[NASA-TM-86716] p 152 N86-15246

## CONSTANTS

- Pitch-location effects on dynamic stall  
[AD-A164322] p 480 N86-25329

## CONSTITUTIVE EQUATIONS

- The combined effects of stress and moisture on the structural integrity of composites  
p 667 A86-40344
- Unified constitutive materials model development and evaluation for high-temperature structural analysis applications — for aircraft gas turbine engines  
p 849 A86-49133

## CONSTRAINTS

- General aviation crashworthiness project, phase 3: Acceleration loads and velocity changes of survivable general aviation accidents  
[NTSB/SR-85/02] p 280 N86-18306
- Limiting performance of nonlinear systems with applications to helicopter vibration control  
[AD-A181457] p 370 N86-21551

Cost estimating relationships for fixed wing aircraft: List price versus empty weight  
[AD-A164196] p 537 N86-25300

- An analysis of the limit cycle observed in the functional mockup test of the NAL QSTOL research aircraft  
[NAL-TR-893] p 587 N86-27277
- Structural tailoring of engine blades (STAEBL)  
theoretical manual  
[NASA-CR-175112] p 592 N86-27283

## CONSTRUCTIONS

- Galley and overhead compartment experiment results: Full-scale transport controlled impact demonstration  
[DOT/FAA/CT-85/33] p 343 N86-20378

## CONSTRUCTION

- The design and construction of a post buckled carbon fibre wing box structure  
p 848 A86-49001
- Design criteria upgrade for US Army Type 2 air traffic control towers  
[AD-A159115] p 94 N86-13314

## CONTAINERS

- Influence of the dropping conditions on container motion near the carrier and on the impact parameters  
p 158 A86-19069

## CONTAMINANTS

- Aircraft accident report: Vieques Air Link, Inc., Britten-Norman BN-21-6 Islander, N589SA, Vieques, Puerto Rico, August 2, 1984  
[PB85-901408] p 159 N86-15276
- Aircraft engine emissions estimator  
[AD-A164552] p 616 N86-26715
- Particulate contaminant relocation during shuttle ascent  
[NASA-TM-87794] p 600 N86-27351

## CONTAMINATION

- Institute of Environmental Sciences, Annual Technical Meeting, 31st, Las Vegas, NV, April 30-May 2, 1985, Proceedings  
p 314 A86-23001

## CONTINUUM MECHANICS

- SECTAM XII - Proceedings of the Twelfth Southeastern Conference on Theoretical and Applied Mechanics, Pine Mountain, GA, May 10, 11, 1984. Volume 1  
p 455 A86-31258
- The possibility of achieving high productivity with vector-pipeline processors in solving problems of mathematical physics  
p 531 A86-36574

## CONTINUUM MODELING

- Calculation of the dynamic response of a flight vehicle using a discrete-continuous model  
p 476 A86-35979

## CONTRACT MANAGEMENT

- Depot maintenance of aviation components: Contractor versus organic repair  
[AD-A162071] p 408 N86-23556

## CONTRAROTATING PROPELLERS

- Noise of counter-rotation propellers with nonsynchronous rotors  
p 193 A86-17768
- A numerical method for the design and analysis of counter-rotating propellers  
[AIAA PAPER 84-1205] p 233 A86-20369
- Unsteady forces on counter-rotating propeller blades  
[AIAA PAPER 86-1804] p 590 A86-37827
- Turbopan and propfan as basis for future economic propulsion concepts  
[AIAA PAPER 86-1474] p 645 A86-42662
- A study of the rotor/rotor interaction tones from a contra-rotating propeller driven aircraft  
[AIAA PAPER 86-1894] p 756 A86-45505
- Some design philosophy for reducing the community noise of advanced counter-rotation propellers  
[NASA-TM-87099] p 129 N86-14007
- Low-speed wind-tunnel tests of single- and counter-rotation propellers  
[NASA-TM-87656] p 415 N86-22552
- Experimental study of the effects of installation on singleand counter-rotation propeller noise  
[NASA-TP-2541] p 536 N86-26182

## CONTROL BOARDS

- Work on putting computer and CRTs in airliner control panels  
p 172 N86-15947

## CONTROL CONFIGURED VEHICLES

- A self-repairing aircraft? — new control methods for fighter stabilization  
p 110 A86-14243
- Dynamics and controls flight testing of the X-29A airplane  
[AIAA PAPER 86-0167] p 237 A86-19728
- Control of a forward-swept-wing configuration dominated by flight dynamic/aeroelastic interactions  
p 239 A86-20237
- Sensor system concept for future fighter and strike aircraft  
p 297 A86-24583
- Trends of active control technology  
p 307 A86-25213
- YF16CCV flight control system reconfiguration design using quantitative feedback theory  
p 368 A86-28395
- Development and flight testing of the T-2 control configured vehicle  
[AIAA PAPER 86-9763] p 429 A86-32101

A discrete adaptive observer for a multi-output aircraft control system  
p 444 A86-33180

Statistical dynamics and control optimization of flight vehicles — Russian textbook  
p 449 A86-33299

Dynamic interactions between active control systems and a flexible aircraft structure  
[AIAA PAPER 86-0960] p 594 A86-38932

Frequency domain synthesis of a robust flutter suppression control law  
p 594 A86-39042

An adaptive flight control system design for CCV with an unknown interactor matrix  
p 723 A86-43536

A discrete-time multivariable model-following method applied to decoupled flight control  
[AIAA PAPER 85-1978] p 725 A86-46454

Simulation results of automatic restructurable flight control system concepts  
[AIAA PAPER 86-2032] p 821 A86-47422

Control reconfigurable combat aircraft flight control system development  
[AIAA PAPER 86-2236] p 824 A86-47488

Lighter-than-air aircraft as control configured vehicle  
p 801 A86-48998

## CONTROL EQUIPMENT

- The past, the present, and the future of aircraft test and diagnostic technology  
p 179 A86-16854
- Low cost thermal control for flight test laser radar  
[SAE PAPER 851321] p 285 A86-23511
- The measuring and control units of airborne recording systems  
p 297 A86-23763
- A fault-tolerant 1750A engine controller  
[AIAA PAPER 86-1675] p 648 A86-42786
- Identification of frequency characteristics during bench tests  
p 681 A86-43387
- Experimental study of flight effect on fan noise. I - A study of inflow control device for simulating in-flight fan noise in static test  
p 721 A86-46024
- Aircraft control surface failure detection and isolation using the OSGLR test — orthogonal series generalized likelihood ratio  
[AIAA PAPER 86-2028] p 821 A86-47419
- Derivation of jack movement influence coefficients as a basis for selecting wall contours giving reduced levels of interference in flexible walled test sections  
[NASA-CR-177992] p 86 N86-12204
- Simulation of a six degrees of freedom flight simulator motion system  
[UA-00-39] p 241 N86-16230
- AN-124 airplane's cargo-handling and automation equipment  
p 527 N86-25600
- An analysis of the limit cycle observed in the functional mockup test of the NAL QSTOL research aircraft  
[NAL-TR-893] p 587 N86-27277
- Robust detection, isolation and accommodation for sensor failures  
[NASA-CR-174825] p 722 N86-30732

## CONTROL ROCKETS

- Vectored thrust digital flight control for crew escape, volume 2  
[AD-A166596] p 700 N86-29799

## CONTROL SIMULATION

- Uncertainty and control - Some activities at DFVLR  
p 127 A86-14827
- Dynamic systems: Modelling and control: Proceedings of the Winter Annual Meeting, Miami Beach, FL, November 17-22, 1985  
p 329 A86-23343
- Environmental control system simulation using EASY5, as applied to the F-14  
[SAE PAPER 851318] p 285 A86-23508
- Method of spare parts - Digital simulation of aircraft turbine engine control system  
[ASME PAPER 85-IGT-52] p 301 A86-23858
- Simulation concepts and testing of the tail rotor fly-by-wire system of the A129 helicopter  
p 292 A86-26165
- In-flight simulators  
p 356 A86-29299
- Simulation of time-control procedures for terminal area flow management  
p 484 A86-35369
- A real-time simulation of a non-linear RPV incorporating head-up type colour graphics  
p 593 A86-37335
- Design and research of aircraft parameter-adaptive lateral command augmentation systems  
p 723 A86-43498
- Simulation results of automatic restructurable flight control system concepts  
[AIAA PAPER 86-2032] p 821 A86-47422
- Turbulence response matching in the NT-33A in-flight simulator  
[AIAA PAPER 86-2076] p 827 A86-47865
- Multivariable control law design for enhanced air combat maneuvering. F-15/STOL (Short Take-Off and Landing) derivative fighter  
[AD-A164017] p 512 N86-24706
- On control concept for in-flight simulation including actuator nonlinearities and time delays  
[ESA-TT-948] p 836 N86-31593

- An approach to integrated aeroservoelastic tailoring for stability p 836 N86-32439
- CONTROL STABILITY**
- A stable discrete-time adaptive observer applied to multivariable aircraft p 305 A86-23346
- Decoupling of nonlinear systems, noncommutative generatrix series, and Lie algebras p 618 A86-37395
- Integrated aeroservoelastic tailoring of lifting surfaces [AIAA PAPER 86-1005] p 584 A86-38946
- New applications of mu to real-parameter variation problems — structured singular value theory for flight control systems stability analysis p 680 A86-42871
- An optimal parameter estimation method compatible with stable parameter prediction in time domain p 746 A86-43482
- The singular-G method for unstable non-minimum-phase plants p 747 A86-45736
- A design methodology for robust stabilizing controllers [AIAA PAPER 86-2195] p 823 A86-47475
- A method to stabilize linear systems using eigenvalue gradient information [NASA-TP-2479] p 128 N86-13946
- Prediction of wing aeroelastic effects on aircraft lift and pitching moment characteristics [NASA-TM-87631] p 178 N86-15319
- Low-speed stability and control characteristics of a transport model with aft-fuselage-mounted advanced turboprops [NASA-TP-2535] p 445 N86-22580
- Servo-actuator for sampled-data feedback disturbance rejection — helicopters [DFVLR-FB-86-08] p 837 N86-32446
- CONTROL STICKS**
- New interfaces in the cockpit p 427 A86-31346
- Helicopter flight control with one hand p 529 A86-34923
- Front seat on the future — in Airbus 320 p 509 A86-35563
- A comparative study of an articulated integrated side-arm controller in a variable stability helicopter p 510 A86-35626
- CONTROL SURFACES**
- Design of an active flutter suppression system p 239 A86-20236
- The effectiveness of various control surfaces in quasi-steady and unsteady flows - Applications [ONERA, TP NO. 1985-147] p 308 A86-24633
- Multivariable control law design for the AFTI/F-16 with a failed control surface p 367 A86-28380
- Detection and isolation of control surface effectiveness failures in high performance aircraft p 367 A86-28392
- Improved numerical method for lifting airfoils with oscillating control surfaces in subsonic flow p 409 A86-31021
- Design and certification of a composite control surface [SAE PAPER 850888] p 582 A86-38516
- Use of the flight simulator in performing AFTI/F-16 airplane aeroservoelastic analysis [AIAA PAPER 86-0957] p 585 A86-38931
- Flutter of wings with leading edge control surfaces [AIAA PAPER 86-0897] p 585 A86-38950
- The design of multi-functional flight controllers for structural load alleviation p 651 A86-40767
- An iterative method for statically indeterminate structures of flight vehicle p 738 A86-45059
- Aircraft control surface failure detection and isolation using the OSLR test — orthogonal series generalized likelihood ratio [AIAA PAPER 86-2028] p 821 A86-47419
- Flight testing a transonic wing with maneuver flaps and a direct side force control system for CAS aircraft p 794 A86-47782
- Precise control surface position measurements for hysteresis and twist testing p 795 A86-47789
- Dynamic response of the A310 in flight to control-surface loading [AAAF PAPER NT 85-18] p 797 A86-48467
- Influence of EFCS-control laws on structural design of modern transport aircraft p 800 A86-48984
- Pitch rate versus G command as the longitudinal flight control system design strategy for a statistically unstable fighter type aircraft with two control surfaces [AD-A158803] p 111 N86-13334
- Vortex wake alleviation studies with a variable twist wing [NASA-TP-2442] p 197 N86-16187
- Application of computational aerodynamics to wing design p 226 N86-17297
- Resonance fatigue test of the empennage of a CT4 aircraft [AD-A160749] p 294 N86-18321
- Lift distribution on a high aspect ratio circulation control wing with root lift cutout [AD-A157024] p 341 N86-20368

- Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987 [AD-A162792] p 402 N86-22443
- Experimental assessment of vortex retaining cavity flaps for maneuverability improvement on delta wing fighter aircraft [AD-A164104] p 497 N86-24690
- Multivariable control law design for enhanced air combat maneuvering, F-15/STOL (Short Take-Off and Landing) derivative fighter [AD-A164017] p 512 N86-24706
- Increments in aerofoil maximum lift coefficient due to deployment of various high-lift devices [ESDU-85033] p 480 N86-25325
- CONTROL SYSTEMS DESIGN**
- Dynamics of non-autonomous spatial motion of an aeroplane with deformable control systems p 109 A86-19331
- Uncertainty and control - Some activities at DFVLR p 127 A86-14827
- Multi-model approaches to robust control system design p 127 A86-14830
- A microprocessor sequencer for the advanced Navy ejection seat p 218 A86-19331
- Comparison of performance characteristics of DDC algorithms implemented on a microprocessor — Direct Digital Control p 263 A86-20518
- Dynamic systems: Modelling and control; Proceedings of the Winter Annual Meeting, Miami Beach, FL, November 17-22, 1985 p 329 A86-23343
- Digital controlled closed loop air cycle development — for military aircraft [SAE PAPER 851319] p 285 A86-23509
- The new environmental control system for the B-52 G/H aircraft [SAE PAPER 851320] p 285 A86-23510
- Computer controlled variable pressure reducing/shut-off valve for aircraft ECS [SAE PAPER 851360] p 285 A86-23545
- Discussion about dynamic simulation test of an aero-engine control system [ASME PAPER 85-IGT-30] p 308 A86-23845
- Quantitative feedback design approach to pilot-in-the-loop analysis p 366 A86-28377
- Discrete maneuver flying qualities considerations in control system design p 366 A86-28378
- Development of hardware for X-29A flight control system p 366 A86-28379
- Multivariable control law design for the AFTI/F-16 with a failed control surface p 367 A86-28380
- An integrated flight control system for a STOL transport aircraft p 367 A86-28384
- Variable control policies for future aerospace vehicles p 367 A86-28386
- Design of direct digital flight-mode control systems for high-performance aircraft using step-response matrices p 367 A86-28387
- Evaluation of control mixer concept for reconfiguration of flight control system p 367 A86-28393
- An automatic redesign approach for restructurable control systems p 368 A86-28394
- YF16CCV flight control system reconfiguration design using quantitative feedback theory p 368 A86-28395
- Lockheed-Georgia and electric primary flight control systems p 368 A86-28396
- Digital fault tolerant flight actuation systems p 354 A86-28400
- Microprocessor controlled and managed fly-by-wire hydraulic actuator p 368 A86-28401
- A survivable fly-by-wire spoiler actuation system featuring nonflammable fluid, 8,000 PSI hydraulics and direct drive valves p 355 A86-28402
- A modeling structure for computer aided design p 397 A86-28403
- An expert system for integrated aircraft/engine controls design p 355 A86-28405
- IV&V for the automatic test control system in the USAF Aeropropulsion Systems Test Facility p 398 A86-28430
- Advancing flight control technology p 369 A86-29058
- Conference on Decision and Control, 23rd, Las Vegas, NV, December 12-14, 1984, Proceedings, Volume 3 p 464 A86-31262
- Flight investigation of a multivariable model-following control system for rotorcraft [AIAA PAPER 86-9779] p 443 A86-32114
- On the development of equiobservable forms with application to adaptive control p 465 A86-33134
- Adaptive flight control of unstable helicopters during transition p 444 A86-33178
- Interaction between controlling, planning, and fault managing in complex man-machine systems p 463 A86-33184

- 1985 American Control Conference, 4th, Boston, MA, June 19-21, 1985, Proceedings, Volumes 1, 2, & 3 p 531 A86-35326
- Gain-scheduled multivariable control for the GE-21 turbofan engine using the LOG/LTR methodology p 501 A86-35334
- Application of eigenspace techniques to design of aircraft control systems p 508 A86-35380
- Coordinated bank-to-turn autopilot design p 509 A86-35384
- Flight test trajectory controller synthesis with constrained eigenstructure assignment p 509 A86-35404
- Transient model of a pneumatic ejector - Application to the simulation of aircraft bleed air temperature control systems p 489 A86-35405
- High-speed, automatic controller design considerations for integrating array processor, multi-microprocessor, and host computer system architectures p 531 A86-35409
- Synthesis of system responses - A nonlinear multivariable control design approach — for engine control p 501 A86-35412
- The application of systolic array processor technology to real-time control p 532 A86-36894
- The influence of sampling rate on the dynamics and control of aeronautical systems p 511 A86-37061
- Multi-input multi-output automatic design synthesis for performance and robustness p 618 A86-39034
- Design of a flutter mode controller using positive real feedback p 584 A86-39041
- Computer aided control system design using a multiobjective optimization approach p 679 A86-40760
- The design and implementation of multivariable variable structure control systems p 679 A86-40762
- The design of a sliding mode controller for dutch roll damping in a non-linear aircraft system p 651 A86-40766
- The design of multi-functional flight controllers for structural load alleviation p 651 A86-40767
- On the relationship between robustness tests and their application to helicopter control system designs p 652 A86-40771
- An expert system for control system design p 680 A86-40774
- Two approaches to hyperplane design in multivariable variable structure control systems p 680 A86-41934
- A design approach to a performance seeking control — for fighter aircraft engines [AIAA PAPER 86-1674] p 652 A86-42785
- Eigenstructure assignment, eigensensitivity, and flight control design p 680 A86-42912
- Eigenstructure synthesis of an oblique wing flight control system p 652 A86-42913
- Design issues for fault tolerant-restructurable aircraft control p 652 A86-42937
- Integrated control - A decentralized approach p 681 A86-42996
- Application of adaptive control to aircraft systems p 746 A86-43476
- Design and research of aircraft parameter-adaptive lateral command augmentation systems p 723 A86-43498
- An adaptive flight control system design for CCV with an unknown interactor matrix p 723 A86-43536
- Use of block-pulse functions in the optimal control of deterministic systems p 747 A86-45728
- Digital control loading and motion - The final word? — in flight simulation p 732 A86-46149
- Disturbance attenuation by a frequency-shaped linear-quadratic-regulator method — applied to design of feedback control system for aircraft gust alleviation p 725 A86-46453
- A discrete-time multivariable model-following method applied to decoupled flight control [AIAA PAPER 85-1978] p 725 A86-46454
- Guidance, Navigation and Control Conference, Williamsburg, VA, August 18-20, 1986, Technical Papers p 852 A86-47401
- A stochastic decentralized flight control system [AIAA PAPER 86-1994] p 821 A86-47416
- Single-state observer design considerations for aircraft application [AIAA PAPER 86-1996] p 852 A86-47418
- Simulation results of automatic restructurable flight control system concepts [AIAA PAPER 86-2032] p 821 A86-47422
- Evaluation of total energy-rate feedback for glidescope tracking in wind shear [AIAA PAPER 86-2035] p 822 A86-47424
- RT-BUILD - Automatic generation of Ada code for flight control applications [AIAA PAPER 86-2088] p 852 A86-47439
- A theory for fault-tolerant flight control combining expert system and analytical redundancy concepts [AIAA PAPER 86-2092] p 822 A86-47442

- Synthesis of an adaptive flight controller under unknown deterministic disturbances  
[AIAA PAPER 86-2157] p 823 A86-47464
- A design methodology for robust stabilizing controllers  
[AIAA PAPER 86-2195] p 823 A86-47475
- Automated pole placement algorithm for multivariable optimal control synthesis  
[AIAA PAPER 86-2196] p 852 A86-47476
- A preliminary investigation of H (infinity) optimization  
[AIAA PAPER 86-2197] p 853 A86-47477
- Limitations of statically unstable aircraft due to the effects of sensor noise, turbulence, and structural dynamics  
[AIAA PAPER 86-2203] p 824 A86-47483
- Control reconfigurable combat aircraft flight control system development  
[AIAA PAPER 86-2236] p 824 A86-47488
- Flight control system development and flight test experience with the F-111 mission adaptive wing aircraft  
[AIAA PAPER 86-2237] p 824 A86-47489
- Design of an integrated control system for flutter margin augmentation and gust load alleviation, tested on a dynamic windtunnel model  
[AIAA PAPER 86-2242] p 824 A86-47490
- Application of eigenstructure assignment to design of robust decoupling controllers in MIMO systems — for helicopters  
[AIAA PAPER 86-2246] p 825 A86-47493
- Design of a multivariable flutter control/gust load alleviation system  
[AIAA PAPER 86-2247] p 825 A86-47494
- A fundamental approach to equivalent systems analysis — in evaluating aircraft handling qualities  
[AIAA PAPER 86-2128] p 828 A86-47674
- Development of a controllable catapult for ejection seats  
p 793 A86-47733
- Flight test experience and controlled impact of a large, four-engine remotely piloted airplane  
p 794 A86-47781
- Airbus A 320 - New concept of aircraft control  
p 796 A86-47797
- Development of HIDECA adaptive engine control systems  
[ASME PAPER 86-GT-252] p 816 A86-48278
- Active flutter suppression  
p 832 A86-49004
- Design criteria for flight control systems  
p 833 A86-49023
- Digital engine control units for an fighter engine and an auxiliary power unit - A comparison  
p 817 A86-49069
- Integrated structure/control design - Present methodology and future opportunities  
p 854 A86-49094
- Design of a nonlinear lever-type mechanism for aircraft control systems  
p 835 A86-49139
- Failure detection in a flight control system by the modified sequential probability ratio test  
p 854 A86-49507
- Digital servocontroller system. Volume 4. Results and conclusions  
[AD-A159068] p 111 N86-13335
- Development of a flight test maneuver autopilot for an F-15 aircraft  
[NASA-TM-86799] p 176 N86-14275
- Multivariable control  
[OUEL-1589/85] p 264 N86-17007
- Development of a sensitivity analysis technique for multiloop flight control systems  
[NASA-CR-166619] p 240 N86-17358
- Computer Aided Design (CAD) at the National Aerospace Laboratory (Netherlands) with the accent on aircraft flight control systems  
[NLR-MP-84032-U] p 264 N86-18030
- Dynamics and controls flight testing of the X-28A airplane  
[NASA-TM-86803] p 295 N86-19313
- Flight test of a resident backup software system  
[NASA-TM-86807] p 307 N86-19325
- Computation of transfer function matrices  
[NAL-TM-SE-8509] p 399 N86-21232
- LQG/LTR design of a robust flight controller for the STOL F-15  
[AD-A164111] p 512 N86-24708
- Laser beam duct pressure controller system  
[AD-D012017] p 525 N86-24964
- Control technology for future aircraft propulsion systems  
[PAPER-14] p 506 N86-25356
- Time domain design of robust controllers for LQG (Linear Quadratic Gaussian); application to large space structures  
[AD-A163635] p 533 N86-26074
- On the interface between unsteady aerodynamics, dynamics and control  
p 564 N86-27254
- Control systems for the Airbus design and functional experience — cockpits  
[ETN-86-96936] p 653 N86-28094
- Eigenvalues assignment method: An application to designing an autopilot  
[SNIAS-861-111-106] p 653 N86-28095
- Multi-input, multi-output system control for experimental aircraft  
[NASA-CR-177017] p 654 N86-28955
- Optimal cooperative control synthesis of active displays  
[NASA-CR-177102] p 683 N86-29651
- Multi-variable control of the GE T700 engine using the LQG/LTR design methodology  
[NASA-CR-177080] p 721 N86-29819
- Introduction to robust multivariable control  
[AD-A165891] p 727 N86-29869
- A canonical form for nonlinear systems  
[NASA-CR-176974] p 748 N86-30371
- Flutter calculation by a new program  
p 728 N86-30645
- Development of a flutter suppression control law by use of linear quadratic Gaussian and constrained optimization design techniques  
p 728 N86-30647
- Control law synthesis for gust load alleviation using linear quadratic Gaussian theory  
p 728 N86-30651
- Preliminary control law and hardware designs for a ride quality augmentation system for commuter aircraft. Phase 2  
[NASA-CR-4014] p 836 N86-32440
- CONTROL THEORY**
- Uncertainty and control - Some activities at DFVLR  
p 127 A86-14827
- Multi-model approaches to robust control system design  
p 127 A86-14830
- Control law and logic development for controllable ejection seat catapult  
p 218 A86-19320
- Control methodology for stochastic system characteristic modulation  
[AIAA PAPER 86-0335] p 262 A86-19821
- Gust alleviation using combined control laws  
p 239 A86-22317
- Dynamic systems: Modeling and control; Proceedings of the Winter Annual Meeting, Miami Beach, FL, November 17-22, 1985  
p 329 A86-23343
- Optimal control change of state of aircraft turbine engine  
[ASME PAPER 85-IGT-53] p 301 A86-23859
- YF16CCV flight control system reconfiguration design using quantitative feedback theory  
p 368 A86-28395
- Conference on Decision and Control, 23rd, Las Vegas, NV, December 12-14, 1984, Proceedings. Volume 3  
p 464 A86-31262
- Control law synthesis for gust load alleviation using linear quadratic Gaussian theory  
p 445 A86-33253
- 1985 American Control Conference, 4th, Boston, MA, June 19-21, 1985, Proceedings. Volumes 1, 2, & 3  
p 531 A86-35326
- Locally optimal control in systems with delay — for flight vehicle stabilization  
p 510 A86-35964
- Influence of FBW - Control laws on structural design of modern transport aircraft — fly by wire  
[AIAA PAPER 86-0953] p 584 A86-38848
- New applications of mu to real-parameter variation problems — structured singular value theory for flight control systems stability analysis  
p 680 A86-42871
- A differential dynamic programming method with an abrupt penalty integrand for solving tolerance problems  
p 680 A86-42877
- A covariance control theory  
p 680 A86-42899
- Controllability theory of discrete dynamic systems  
p 748 A86-46401
- Development of control laws for a flight test maneuver autopilot  
p 725 A86-46460
- A preliminary investigation of H (infinity) optimization  
[AIAA PAPER 86-2197] p 853 A86-47477
- A controller for robust asymptotic tracking in systems with time-varying uncertainties  
[AIAA PAPER 86-2199] p 853 A86-47479
- Case studies of the effects on non-linearities on the accuracy of gas turbine control  
p 817 A86-49090
- Development of a flight test maneuver autopilot for an F-15 aircraft  
[NASA-TM-86799] p 176 N86-14275
- Multivariable control  
[OUEL-1589/85] p 264 N86-17007
- Multivariable control law design for enhanced air combat maneuvering. F-15/STOL (Short Take-Off and Landing) derivative fighter  
[AD-A164017] p 512 N86-24706
- Multivariable output control law design for the STOL (Short Takeoff and Landing) F-15 in landing configuration  
[AD-A164516] p 498 N86-25340
- Implementation and flight tests for the Digital Integrated Automatic Landing System (DIALS). Part 1: Flight software equations, flight test description and selected flight test data  
[NASA-TM-87832-PT-1] p 653 N86-28950
- Vectored thrust digital flight control for crew escape, volume 1  
[AD-A166580] p 700 N86-29796
- Vectored thrust digital flight control for crew escape, volume 2  
[AD-A166596] p 700 N86-29799
- Optimal landing of a helicopter in autorotation  
[NASA-CR-177082] p 714 N86-29809
- Model-following control for an oblique-wing aircraft  
[NASA-TM-86269] p 726 N86-29867
- Introduction to robust multivariable control  
[AD-A165891] p 727 N86-29869
- CONTROL UNITS (COMPUTERS)**
- Digital servocontroller system. Volume 2. Maintenance manual  
[AD-A159066] p 179 N86-15322
- CONTROL VALVES**
- Dynamic response characteristics of a circulation control rotor model pneumatic system  
p 157 N86-15296
- Modular air shut-off valve  
[AD-D011935] p 321 N86-18726
- CONTROLLABILITY**
- Flight stability and controllability. II - Aircraft longitudinal stability — Serbo-Croatian book  
p 239 A86-21318
- A covariance control theory  
p 680 A86-42899
- Application of rotor induced velocity field of the vortex theory to the study of stability and controllability of helicopter with hingeless rotor  
p 705 A86-43477
- Controllability of redundant flight control system and pressure equalization of redundant servo actuators  
p 723 A86-43497
- Controllability theory of discrete dynamic systems  
p 748 A86-46401
- Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics in cruising flight  
p 713 A86-46461
- The integrated manual and automatic control of complex flight systems  
[NASA-CR-177086] p 654 N86-28952
- CONTROLLED ATMOSPHERES**
- Automating knowledge acquisition in a flightline robot  
[AD-A163829] p 525 N86-24997
- Fire extinguishing agents for oxygen-enriched atmospheres  
[AD-A166967] p 743 N86-30890
- CONTROLLERS**
- Effects of side-stick controllers on rotorcraft handling qualities for terrain flight  
p 366 A86-27859
- High-speed, automatic controller design considerations for integrating array processor, multi-microprocessor, and host computer system architectures  
p 531 A86-35409
- A controller for robust asymptotic tracking in systems with time-varying uncertainties  
[AIAA PAPER 86-2199] p 853 A86-47479
- Digital servocontroller system. Volume 4. Results and conclusions  
[AD-A159068] p 111 N86-13335
- Development of a sensitivity analysis technique for multiloop flight control systems  
[NASA-CR-166619] p 240 N86-17358
- Modular air shut-off valve  
[AD-D011935] p 321 N86-18726
- Comparison of pilot effective time delay for cockpit controllers used on space shuttle and conventional aircraft  
[NASA-TM-86030] p 307 N86-19324
- Recent improvements to the NAE 5 ft. x 5 ft. blowdown wind tunnel  
[AD-A162034] p 449 N86-23606
- Eigenstructure assignment and its application in design of flight control systems  
[NASA-TM-88411] p 511 N86-24701
- A time-based concept for terminal-area traffic management  
[NASA-TM-88243] p 622 N86-28049
- CONVECTION CLOUDS**
- Field observations of aircraft charging in convective clouds  
p 783 A86-47332
- CONVECTIVE FLOW**
- Calculation of the heating of a liquid component partially filling a container  
p 316 A86-23653
- CONVECTIVE HEAT TRANSFER**
- Calculation of the heating of a liquid component partially filling a container  
p 316 A86-23653
- Heat transfer and drag of a body in the far supersonic wake  
p 554 A86-39657
- Clearance effects on heat transfer at the tips of plain and grooved turbine airfoils  
p 644 A86-40737
- CONVERGENCE**
- Recent extensions to the free-vortex-sheet theory for expanded convergence capability  
p 556 N86-27194
- CONVERGENT-DIVERGENT NOZZLES**
- Initial performance evaluation of 2DCC ejector exhaust systems — two dimensional convergent-divergent  
[AIAA PAPER 86-1615] p 626 A86-42753

- Multi-axis aircraft control power from thrust vectoring at high angles of attack  
[NASA-TM-87741] p 629 N86-28054
- Comparison of experimental surface pressures with theoretical predictions on twin two-dimensional convergent-divergent nozzles  
[NASA-TM-87757] p 697 N86-30694
- CONVOLUTION INTEGRALS**  
Applications of differential topology to grid generation  
[AD-A162834] p 467 N86-24354
- COOLING**  
Small gas turbine combustor experimental study - Compliant metal/ceramic liner and performance evaluation  
[AIAA PAPER 86-1452] p 818 A86-49611
- Preliminary design of a supersonic cruise aircraft high-pressure turbine  
[NASA-CR-174878] p 174 N86-14272
- The technical development of cooled gas turbine blades  
[PNR-90292] p 255 N86-16595
- Self-retained platform cooling plate for turbine vane  
[AD-D012218] p 721 N86-29822
- Small gas turbine combustor experimental study: Compliant metal/ceramic liner and performance evaluation  
[NASA-TM-87304] p 819 N86-31582
- COOLING FINS**  
Heat transfer and pressure drop performance of a finned-tube heat exchanger proposed for use in the NASA Lewis Altitude Wind Tunnel  
[NASA-TM-87151] p 123 N86-13677
- Self-retained platform cooling plate for turbine vane  
[AD-D012218] p 721 N86-29822
- Pressure drop and heat transfer characteristics of circular and oblong low aspect ratio pin fins  
p 741 N86-29827
- COOLING SYSTEMS**  
Heat transfer in cooled parts of aircraft gas-turbine engines - Russian book p 174 A86-18745
- Improved reliability of electronic circuits through the use of heat pipes p 386 A86-28479
- The effect of deposits on the cooling efficiency of gas-turbine engine blades p 720 A86-44697
- Pressure drop and heat transfer characteristics of circular and oblong low aspect ratio pin fins p 741 N86-29827
- A model for correlating flat plate film cooling effectiveness for rows of round holes p 741 N86-29840
- Cooling techniques for turbojet pre-heater channels p 741 N86-29847
- Heat exchangers in regenerative gas turbine cycles p 741 N86-29857
- Ceramic heat exchangers for gas turbines or turbojet engines p 742 N86-29858
- Effect of film cooling on the aerodynamic performance of a turbine cascade p 742 N86-29859
- Aerodynamic effect of coolant ejection in the rear part of transonic rotor blades p 742 N86-29861
- COORDINATES**  
A canonical form for nonlinear systems  
[NASA-CR-176974] p 748 N86-30371
- COPOLYMERIZATION**  
Copolymers of vinyl styrylpyridines or vinyl stilbazoles with bismaleimide  
[NASA-CASE-ARC-11429-1-CU] p 378 N86-20580
- CORE FLOW**  
Experimental evaluation of heavy fan-high-pressure compressor interaction in a three-shaft engine. I - Experimental setup and results  
[ASME PAPER 85-GT-173] p 104 A86-13053
- The General Electric F404 - engine of the RAAF's new fighter  
[AD-A164562] p 592 N86-26338
- CORNER FLOW**  
Numerical solution of the supersonic laminar flow over a two-dimensional compression corner using an implicit approach p 690 A86-45054
- CORRECTION**  
Determination of corrections to flow direction sensor measurements over an angle-of-attack range from 0 degree to 85 degrees  
[NASA-TM-86402] p 167 N86-14267
- An entropy correction method for unsteady full potential flows with strong shocks  
[NASA-TM-87769] p 694 N86-29777
- CORRELATION**  
A review of dynamic inflow and its effect on experimental correlations p 157 N86-15293
- Comparative study of nondestructive pavement testing, WES (Waterways Experiment Station) NDT (nondestructive tests) methodologies  
[AD-A163379] p 610 N86-26480
- Uniform engine testing program phase 7: NASA Lewis Research Center second entry  
[NASA-TM-87272] p 650 N86-28065
- CORROSION**  
Structural evaluation of superplastic aluminum. Part 1. Mechanical, corrosion, metalurgical data  
[AD-A161366] p 379 N86-21662
- CORROSION PREVENTION**  
Protecting gas turbine components - The relative durability of a conventional and a platinum-modified aluminate coating p 114 A86-13005
- Design against corrosion --- applicable to aircraft structures p 161 A86-17382
- Corrosion protection of helicopters through organic coatings p 313 A86-26159
- Multipurpose corrosion inhibitors for aerospace alloys in naval environments p 450 A86-33021
- Environmental and adhesive durability of aluminum-polymer systems protected with organic corrosion inhibitors p 601 A86-37708
- Early corrosion detection and prevention measures --- for aircraft p 760 A86-47612
- Coatings --- for Al alloy corrosion control p 845 A86-47721
- AGARD Corrosion Handbook. Volume 1: Corrosion, causes and case histories  
[AGARD-AG-278-VOL-1] p 248 N86-16374
- An analysis of S-3 SDLM (Standard Depot Level Maintenance) corrosion documentation procedures  
[AD-A165586] p 540 N86-26282
- Properties of aircraft fuels and related materials  
[AD-A164532] p 604 N86-27461
- The future of surface treatments in aeronautical construction  
[SNIAS-861-551-101] p 665 N86-29037
- CORROSION RESISTANCE**  
Coating requirements in gas turbine engines p 173 A86-17490
- Influence of molybdenum, tungsten, and cobalt on the corrosion of high-temperature strength nickel alloys in molten salts p 663 A86-41988
- A durable airfield marking system  
[AD-A157953] p 113 N86-13339
- Conductive heterocyclic ladder polymers  
[AD-D011915] p 378 N86-20569
- Technology demonstration for investigation of the new possibilities of amphibious flying boats, phase 2  
[BMFT-FB-W-85-022] p 808 N86-31577
- CORROSION TESTS**  
Na2SO4 induced corrosion of nickel at high temperature p 517 A86-37073
- Comparison of corrosion behaviour of lithium-containing aluminium alloys and conventional aerospace alloys p 660 A86-40280
- A method for the analytical determination of accelerated test schedules for compressor blades working in a corrosive medium p 673 A86-43411
- AGARD Corrosion Handbook. Volume 1: Corrosion, causes and case histories  
[AGARD-AG-278-VOL-1] p 248 N86-16374
- COSMIC RAY SHOWERS**  
Analysis of gamma ray families and jets up to 10 to the 7th GeV obtained during 1000 hours exposure of emulsion chambers on the Concorde p 333 A86-22663
- COSMIC RAYS**  
Cosmic-ray dose characteristics on the flight paths of high-altitude aircraft p 758 A86-43672
- COST ANALYSIS**  
Selection of an optimal cost index for airline hub operation p 130 A86-14239
- Propulsion for advanced commercial transports  
[AIAA PAPER 85-3061] p 173 A86-17829
- Small propulsion engine LCC considerations p 267 A86-22399
- State of the art in aircraft gas turbine technology  
[ASME PAPER 85-IGT-87] p 302 A86-23888
- EB repair welding of a critical aircraft part made from the nonweldable titanium alloy 3.7184.7 (Ti-44-Mo-4-Sn-2-Si) p 382 A86-27278
- Helicopter maintenance in the real world p 405 A86-30549
- Spare parts pricing - Impact on logistics support p 537 A86-35647
- Analysis of the costs and weight effects of CFK on air transport structure p 842 A86-48097
- Noise assessment around Schiphol airport (the Netherlands) in 1981 p 280 N86-17915
- Productibility and cost studies of aviation kerosene  
[AGARD-AR-227] p 379 N86-20580
- An evaluation of CPRA (Cost Performance Report Analysis) estimate at completion techniques based upon AFWAL (Air Force Wright Aeronautical Laboratories) cost/schedule control system criteria data  
[AD-A162282] p 470 N86-24584
- Structural tailoring of engine blades (STAEBL) user's manual  
[NASA-CR-175113] p 592 N86-27264
- COST EFFECTIVENESS**  
Airline efficiency p 157 A86-17174
- Pultrusion used to fabricate tail rotor spar p 133 A86-17380
- Assessing cost-effective weight saving in aircraft operations p 220 A86-20039
- Radars in air traffic control - A status report p 216 A86-21607
- The F-16 Common Engine Bay  
[ASME PAPER 85-GT-231] p 224 A86-22127
- The Air Force approach to environmental stress screening p 253 A86-22192
- A cost-effective performance development of the PT6A-65 turboprop compressor  
[ASME PAPER 85-IGT-41] p 301 A86-23853
- Cost-effective remote-site testing --- of de Havilland aircraft p 539 A86-39570
- Magnetic suspension and balance system advanced study  
[NASA-CR-3937] p 180 N86-14278
- Status and capabilities of sonic boom simulators  
[NASA-TM-87664] p 332 N86-20088
- Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987  
[AD-A162792] p 402 N86-22443
- Comparison of quantity versus quality using performance, reliability, and life cycle cost data. A case study of the F-15, F-16, and A-10 aircraft  
[AD-A162238] p 470 N86-24580
- Evaluation of propfan propulsion applied to general aviation  
[NASA-CR-175020] p 503 N86-24695
- Analyzing the cost effectiveness of using flight simulators in the Israeli Air Force  
[AD-A164864] p 599 N86-26346
- COST ESTIMATES**  
Jet engine operating and support cost estimating relationship development p 364 N86-21547
- Impact of Reliability/Maintainability (R/M) on logistics costs for USAF aircraft  
[AD-A161683] p 470 N86-24579
- An evaluation of CPRA (Cost Performance Report Analysis) estimate at completion techniques based upon AFWAL (Air Force Wright Aeronautical Laboratories) cost/schedule control system criteria data  
[AD-A162282] p 470 N86-24584
- Cost estimating relationships for fixed wing aircraft: List price versus empty weight  
[AD-A164196] p 537 N86-25300
- COST REDUCTION**  
Airframe design to achieve minimum cost p 267 A86-22141
- Superplastically-formed/diffusion-bonded titanium technology transition case study p 252 A86-22142
- Energy saving in aircraft p 288 A86-25188
- An engineering approach to the inverse transonic wing design problem p 336 A86-26409
- How US companies are attacking production costs --- of aircraft p 605 A86-37323
- Cost-effective remote-site testing --- of de Havilland aircraft p 539 A86-39570
- Structural modification by modal correction p 738 A86-44934
- DOD overhauls maintenance p 758 A86-45703
- LHX targets dollars as well as bogeys p 686 A86-45704
- The British Aerospace Experimental Aircraft Programme and the role of system development cockpits p 801 A86-48996
- Manufacturers seek reduced costs through new fabrication techniques p 762 A86-49448
- FAA (Federal Aviation Administration) could improve overall aviation safety and reduce costs associated with airport instrument landing systems  
[PB85-195444] p 91 N86-12215
- Fuel saving by optimal integration of on-board avionics and air traffic control  
[NLR-MP-84035-U] p 159 N86-14263
- An overview of the Small Engine Component Technology (SECT) studies  
[NASA-TM-88796] p 819 N86-31587
- COSTS**  
Light helicopter family trade-off analysis. Volume 10: Appendices V, W, X, and Z  
[AD-A158079] p 169 N86-15309
- An LQG up-and away flight control design for the STOL F-15 aircraft  
[AD-A164108] p 512 N86-24707
- An LQG up-and away flight control design for the STOL F-15 aircraft  
[AD-A164108] p 512 N86-25384

- An analysis of S-3 SDLM (Standard Depot Level Maintenance) corrosion documentation procedures [AD-A16588] p 540 N86-26282
- Integrated risk/cost planning models for the US Air Traffic system [NASA-CR-177274] p 573 N86-26312
- COUNTER ROTATION**
- Counterrotating intershaft seals for advanced engines p 121 A86-14554
- Noise of counter-rotation propellers with nonsynchronous rotors p 193 A86-17788
- Axial flow contra-rotating turbines [ASME PAPER 85-GT-218] p 236 A86-22116
- Investigation on a small scale model of ducted composite counterrotating rotor p 289 A86-26119
- Counter-rotation prop-fan optimization [AIAA PAPER 86-1470] p 645 A86-42659
- Some design philosophy for reducing the community noise of advanced counter-rotation propellers [NASA-TM-87099] p 129 N86-14007
- COUNTER-ROTATING WHEELS**
- Counter-rotating propeller noise directivity and trends [AIAA PAPER 86-1927] p 751 A86-45418
- COUNTERFLOW**
- Counterflow sonic nosejet into a supersonic stream [AIAA PAPER 86-1808] p 544 A86-37830
- Application of laser-dual-focus velocimetry in a counterflow p 628 A86-43110
- COUPLED MODES**
- Self-oscillatory regimes of aircraft motion during spin-roll coupling p 832 A86-48775
- Rapid vibration mode analysis of aircraft with external stores p 716 N86-30679
- COUPLING**
- Linear dynamic coupling in geared rotor systems [ASME PAPER 85-DET-11] p 608 A86-38617
- Effect of dynamic stall and elastic parameters on the fundamental mechanisms of helicopter vibrations [AD-A180022] p 237 N86-17355
- Effects of blade-to-blade dissimilarities on rotor-body lead-lag dynamics [AD-A180497] p 293 N86-18317
- COUPLINGS**
- Parametric study of the aeroelastic stability of a bearingless rotor p 178 N86-15283
- COVARIANCE**
- A covariance control theory p 680 A86-42899
- Covariance specification for the linear time-invariant output-feedback control systems using a Kalman filter [NAL-TR-882] p 399 N86-21219
- COWLINGS**
- The material development, component manufacture and post-service evaluation of RB 211-524 cowl doors utilizing carbon fibre composite materials p 523 A86-37106
- Structural certification and in-service flight experience of the RB 211-524 fan cowl doors utilizing carbon fibre composite materials p 496 A86-37106
- CRACK ARREST**
- Some tests to assess the effect of crack stoppers on the fatigue life of center-notched specimens — semisubmersible platform [NLR-TR-84051-U] p 611 N86-26662
- CRACK CLOSURE**
- Unified approach for modelling fatigue crack growth and some observations on behaviour under flight simulation loading p 453 A86-29954
- Variation of effective stress range ratio under simple variable amplitude loading p 453 A86-30014
- A simple crack closure model for predicting fatigue crack growth under flight simulation loading p 737 A86-43796
- Aspects of small crack growth p 518 N86-26370
- Some tests to assess the effect of crack stoppers on the fatigue life of center-notched specimens — semisubmersible platform [NLR-TR-84051-U] p 611 N86-26662
- CRACK GEOMETRY**
- Experimental characterization of cracks at straight attachment lugs p 186 A86-16821
- A study of the service life of fail-safe airframe structures on the basis of routine inspections and crack size assessment p 286 A86-23769
- Short crack development in mechanical structures p 453 A86-30027
- Probability of detection of flaws in a gas turbine engine component using electric current perturbation p 669 A86-41574
- CRACK INITIATION**
- Fatigue life prediction under complex load using local strain approach and relative Miner's rule p 249 A86-20173
- Short crack development in mechanical structures p 453 A86-30027
- Some aspects of variability in fatigue crack initiation and propagation in thick aluminium alloy sections p 522 A86-36176
- Growth of cracks under constant amplitude fatigue loading: Example calculations [ESDU-84001] p 322 N86-19642
- CRACK PROPAGATION**
- Methods of constructing R-curves and application of these curves for evaluation of materials (Review) p 117 A86-13011
- Cumulative-damage modeling of fatigue crack growth in turbine engine materials p 105 A86-13599
- Modelling for fatigue crack growth prediction in aircraft p 161 A86-17011
- Impact of loads recording methodology on crack-growth-based individual aircraft tracking p 162 A86-17790
- Damage tolerance analysis of components of rotor wing aircraft p 165 A86-18446
- Damage tolerance analysis of the H-53 helicopter p 166 A86-18449
- In situ methods for crack detection in the master connecting rods of M 462 RF aircraft engines p 316 A86-23755
- Fatigue-crack propagation through titanium welds p 375 A86-27264
- Studies on crack growth rate of high temperature titanium alloys p 376 A86-27384
- High temperature fatigue behavior of IMI 685 p 376 A86-27385
- References and conference proceedings towards the understanding of fracture mechanics p 388 A86-29011
- Unified approach for modelling fatigue crack growth and some observations on behaviour under flight simulation loading p 453 A86-29954
- Spectrum fatigue crack growth behavior of aluminum alloys p 450 A86-30006
- Fatigue crack propagation from an inclined crack under combined mode loading p 450 A86-30013
- Variation of effective stress range ratio under simple variable amplitude loading p 453 A86-30014
- Fatigue of structural materials at high-frequency cycle loading p 453 A86-30019
- Fatigue behaviour of advanced aluminium alloy lugs of 7475-T761 with and without initial cracks p 450 A86-30030
- Fractographic study of fatigue crack kinetics in bodies and structures p 454 A86-30034
- Fatigue crack growth in patched plates under constant amplitude and flight simulation loadings p 454 A86-30092
- A stress intensity factor solution due to holes ahead of growing cracks in thin sheet material p 454 A86-31123
- Acoustic-backscattering studies of transverse cracks in composite thick laminates p 451 A86-33068
- A completely integrated system for the treatment of crack growth test data p 531 A86-34635
- The development of a system for the study of fatigue crack growth up to 2000 Hz p 520 A86-34641
- ARALL (Aramid Reinforced Aluminium Laminates) - A hybrid composite with a great resistance against fatigue crack propagation [DGLR PAPER 85-137] p 515 A86-35180
- Some aspects of variability in fatigue crack initiation and propagation in thick aluminium alloy sections p 522 A86-36176
- Comparison of the strength and damage tolerance of aluminium alloys p 516 A86-36178
- Effect of crack growth rate variations on life predictions [AIAA PAPER 86-0961] p 603 A86-36859
- A simplified residual stress model for predicting fatigue crack growth behavior at coldworked fastener holes p 662 A86-40575
- Mode II fatigue crack growth specimen development p 736 A86-43566
- The influence of slow growth and net section yielding on the residual strength of stiffened structure p 737 A86-43793
- A simple crack closure model for predicting fatigue crack growth under flight simulation loading p 737 A86-43796
- Three-dimensional elastic-plastic finite-element analysis of fatigue crack propagation [NASA-CR-176415] p 189 N86-14687
- Effectiveness of fatigue life enhancing fasteners in the design and rework of aircraft structures [AD-A159678] p 293 N86-18316
- Interactive effects of high- and low-frequency loading on fatigue [AD-A160601] p 293 N86-18318
- Growth of cracks under constant amplitude fatigue loading: Example calculations [ESDU-84001] p 322 N86-19642
- Fatigue crack propagation under spectrum loading [NAL-TM-MT-8502] p 322 N86-19656
- Comparison of aluminum alloys concerning strength and damage tolerance — aircraft construction materials [MBB-UT-111/85] p 452 N86-23714
- Thermal-mechanical fatigue behavior of nickel-base superalloys [NASA-CR-175048] p 518 N86-24818
- Constant-Load-Amplitude fatigue crack growth testing of cast aluminum alloys A201-T7 and A357-T6 [AD-A163494] p 518 N86-24821
- Aspects of small crack growth p 518 N86-25370
- Crack growth in near-alpha titanium alloys p 526 N86-25371
- Mechanistic methodology for airport pavement design with engineering fabrics. Volume 2: Advanced concepts, validation and criteria [DOT/FAA/PM-84/9,II-VOL-2] p 657 N86-28963
- Crack growth in titanium alloys under the conjoint action of high and low cycle fatigue [AD-A164429] p 665 N86-29028
- National Transportation Safety Board safety recommendation [NTSB-4357/1] p 699 N86-29792
- Advances in the study of the mechanical behavior of materials [AD-A164856] p 735 N86-30838
- Computation of the stress intensity factor in stiffened panels (built in or adhesive bonded stiffeners) [SNIAS-436.021/85] p 851 N86-32784
- CRACK TIPS**
- Measurement of elastic-plastic strain field at the curve surface crack tip p 249 A86-20175
- Unified approach for modelling fatigue crack growth and some observations on behaviour under flight simulation loading p 453 A86-29954
- A weak beam transmission electron microscopy study of a fatigue crack tip in a 2024 aluminum alloy p 450 A86-30033
- CRACKING (CHEMICAL ENGINEERING)**
- Turbine fuels from tar sands bitumen and heavy oil. Phase 1: Preliminary process analysis [AD-A161300] p 452 N86-22724
- CRACKING (FRACTURING)**
- Passive damping, sonic fatigue and the KC-135A p 258 N86-16625
- Use of NDE to evaluate reflection cracking in airfield pavements [AD-A164880] p 599 N86-27293
- Mechanistic methodology for airport pavement design with engineering fabrics. Volume 2: Advanced concepts, validation and criteria [DOT/FAA/PM-84/9,II-VOL-2] p 657 N86-28963
- CRACKS**
- Short crack problems in gas turbine disks p 440 A86-30093
- A rationale for the safe operation of an aircraft fleet having known cracks in primary structure p 737 A86-43792
- Modern crack detection methods - The use of low frequency eddy currents to assist structural integrity auditing p 845 A86-47613
- The effect of a fault on the stiffness and the natural frequency of a plate in bending p 850 A86-49918
- Three-dimensional elastic-plastic finite-element analysis of fatigue crack propagation [NASA-CR-176415] p 189 N86-14687
- Aero-engine gears: Manufacturing cracks and their effect on operation p 677 N86-29239
- CRANES**
- The Cyclo-Crane - A hybrid airship concept p 638 A86-41976
- CRASH INJURIES**
- Survival of helicopter accidents p 419 A86-31005
- Evaluation of the crash environment and injury-causing hazards in U.S. Navy helicopters p 419 A86-32070
- Crash-resistant crewseat limit-load optimization through dynamic testing with cadavers [AD-A164828] p 569 N86-26298
- CRASH LANDING**
- Evaluation of the crash environment and injury-causing hazards in U.S. Navy helicopters p 419 A86-32070
- Crash response data system for the controlled impact demonstration (CID) of a full-scale transport aircraft p 500 A86-37045
- The crash of C-GTLL - The cumulative effects of small defects and a hint of a previously unrecognized major meteorological hazard p 567 A86-37469
- NASA experiments onboard the controlled impact demonstration [SAE PAPER 851885] p 568 A86-38352
- Antimisting fuel technology for transport category aircraft [SAE PAPER 851886] p 568 A86-38353
- Crash dynamics of general aviation aircraft: Proceedings of the General Aviation Aircraft Meeting and Exposition, Wichita, KS, April 16-19, 1985 [SAE SP-622] p 582 A86-38509



- A procedure to evaluate aircraft crash floor pulses  
[SAE PAPER 850654] p 582 A86-38513  
Preliminary design research for the Caravan 1 crew seat  
[SAE PAPER 850656] p 582 A86-38514  
Structural analysis of the controlled impact demonstration of a jet transport airplane  
[AIAA PAPER 86-0939] p 583 A86-38836  
Advancements in inertia reels for fixed seating aircraft  
p 784 A86-47744  
Emergency underwater escape from helicopters  
p 784 A86-47745  
Structural dynamics research in a full-scale transport aircraft crash test  
p 785 A86-49053  
Experimental investigation of electrostatic fire and explosion accidents after aircraft landing and preventive design  
p 786 A86-49083  
Aircraft crashing. Analysis and identification methods. Presentation of a solution method  
[IMFL-4116] p 91 N86-13308  
Abrasion behavior of aluminum and composite skin coupons, stiffened skins and stiffened panels representative of transport airplane structures  
[NASA-TP-2520] p 100 N86-13316  
Controlled Impact Demonstration (CID)  
[GPO-46-870] p 214 N86-17324  
Aircraft accident report: Galaxy Airlines, Inc., Lockheed Electra-L-188C, N5532, Reno, Nevada, January 21, 1985  
[PB86-910401] p 344 N86-21526  
Full-Scale Transport Controlled Impact Demonstration Program photographic/video coverage  
[DOT/FAA/CT-85/35] p 700 N86-29795  
Post Controlled Impact Demonstration (CID) analysis  
p 733 N86-30010  
Antimisting kerosene: Evaluation of improved FM-9 additive  
[DOT/FAA/CT-85-4] p 734 N86-30024
- CRASHES**  
ELT antenna gain distributions under simulated crash conditions  
p 92 A86-12698  
Simulation of aircraft seat response to a crash environment  
p 530 A86-36879  
Crash energy absorbing composite sub-floor structure  
[AIAA PAPER 86-0944] p 585 A86-38952  
Aircraft accident report: Vieques Air Link, Inc., Britten-Norman BN-21-B Islander, N589SA, Vieques, Puerto Rico, August 2, 1984  
[PB85-901408] p 159 N86-15276  
Aircraft accident report: Midair collision of Wings West Airlines Beech C-99 (N666U) and Aesthetic Inc., Rockwell Commander (N112SM), near San Luis Obispo, California, August 24, 1984  
[NTSB/AAR-85/07] p 214 N86-16207  
Galley and overhead compartment experiment results: Full-scale transport controlled impact demonstration  
[DOT/FAA/CT-85/33] p 343 N86-20378  
Full-Scale Transport controlled Impact Demonstration  
[NASA-CP-2395] p 390 N86-21933  
CID overview  
p 390 N86-21934  
CID flight/impact  
p 390 N86-21935  
NASA experiments on the B-720 structure and seats  
p 390 N86-21936  
Controlled impact demonstration seat/cabin restraint systems: FAA  
p 390 N86-21937  
Data reduction, management, and analysis software for CID  
p 399 N86-21938  
NASA seat experiment and occupant responses  
p 390 N86-21939  
Structural loads preliminary results  
p 391 N86-21940  
Digital filtering and acceleration pulse interpretation  
p 400 N86-21941  
Preliminary floor, seat, and dummy data  
p 391 N86-21942  
Controlled impact demonstration flight data recorders/cockpit voice recorders  
p 391 N86-21944  
United States Navy - Canadian forces solid state flight data recorder/crash position locator experiment on the B-720 controlled impact demonstration  
p 391 N86-21945  
Controlled impact demonstration on-board (interior) photographic system  
p 392 N86-21946  
CID-720 aircraft high-environment flight instrumentation system  
p 392 N86-21947  
Impact dynamics instrumentation  
p 392 N86-21948  
CID-720 aircraft Langley Research Center preflight hardware tests: Development, flight acceptance and qualification  
p 392 N86-21949  
Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 5 of 1984 accidents  
[PB86-916901] p 570 N86-26305  
Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 6 of 1984 accidents  
[PB86-916902] p 570 N86-26306  
Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 7 of 1984 accidents  
[PB86-916903] p 570 N86-26307  
Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 8 of 1984 accidents  
[PB86-916904] p 570 N86-26308  
Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 9 of 1984 accidents  
[PB86-916905] p 570 N86-26309  
Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 11 of 1984 accidents  
[PB86-916907] p 571 N86-26310  
Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 13 of 1984 accidents  
[PB86-916909] p 571 N86-26311  
National Transportation Safety Board safety recommendation  
[NTSB-4102C/300A] p 571 N86-27267  
KRASH85 user's guide: Input/output format  
[DOT/FAA/CT-85/10-REV] p 618 N86-27926  
Aircraft accident report: Provincetown, Boston Airlines Flight 1039, Embraer Bandeirante, EMB-110P1, N96PB, Jacksonville, Florida, December 6, 1984  
[PB86-910405] p 701 N86-30703  
Impact data from a transport aircraft during a controlled impact demonstration  
[NASA-TP-2589] p 716 N86-30721  
KRASH 85 user's guide: Input/output format, revision  
[AD-A168846] p 787 N86-32416
- CRASHWORTHINESS**  
The development of dynamic performance standards for general aviation aircraft seats  
[SAE PAPER 850653] p 97 A86-14449  
The continuing requirement for helicopter escape  
p 217 A86-19308  
Structural impact and crashworthiness: Proceedings of the International Conference, Imperial College of Science and Technology, London, England, July 18-20, 1984. Volume 1 Keynote Lectures. Volume 2 - Conference Papers  
p 383 A86-28276  
Influences of two landing gear designs on helicopter crashworthiness and weights  
p 492 A86-35632  
A skin-stringer design for a crashworthy composite fuselage for the Hughes 500E helicopter  
p 492 A86-35637  
Effects of variations in crashworthiness criteria on Sikorsky S-75 ACAP landing gear weights  
p 492 A86-35638  
Survey of crashworthiness achievements on Aerospace helicopters  
p 493 A86-35642  
Tilt rotor crashworthiness  
p 493 A86-35661  
The design and development of new crashworthy seats for Navy helicopters  
p 494 A86-35682  
The Hughes integrated approach to helicopter crashworthiness Past, present, and future  
p 494 A86-35683  
Army helicopter crashworthiness - Loading the battlefield dice in our favor  
p 494 A86-35684  
Crashworthy design of rotorcraft - A basic research approach  
p 494 A86-35685  
Simulation of aircraft seat response to a crash environment  
p 530 A86-36879  
Human injury criteria relative to civil aircraft seat and restraint systems  
[SAE PAPER 851847] p 567 A86-38343  
Controlled impact demonstration review -- for aircraft crashworthiness evaluation  
[SAE PAPER 851884] p 567 A86-38351  
NASA experiments onboard the controlled impact demonstration  
[SAE PAPER 851885] p 568 A86-38352  
FAA structural crash dynamics program update - Transport category aircraft  
[SAE PAPER 851887] p 568 A86-38354  
Transport aircraft crashworthiness requirements - An industry view  
[SAE PAPER 851888] p 580 A86-38355  
Response of composite material shallow arch to concentrated load  
p 670 A86-41699  
Flight test experience and controlled impact of a large, four-engine remotely piloted airplane  
p 784 A86-47781  
Computing codes for development of helicopter crashworthy structures and test substantiation  
p 798 A86-48657  
Advanced technology helicopter landing gear preliminary design investigation  
[AD-A158616] p 101 N86-13325  
Light helicopter family trade-off analysis. Volume 10: Appendices V, W, X, and Z  
[AD-A158079] p 169 N86-15309  
Controlled Impact Demonstration (CID)  
[GPO-46-870] p 214 N86-17324
- General aviation crashworthiness project, phase 3: Acceleration loads and velocity changes of survivable general aviation accidents  
[NTSB/SR-85/02] p 280 N86-18306  
Full-Scale Transport controlled Impact Demonstration  
[NASA-CP-2395] p 390 N86-21933  
CID overview  
p 390 N86-21934  
NASA experiments on the B-720 structure and seats  
p 390 N86-21936  
Controlled impact demonstration seat/cabin restraint systems: FAA  
p 390 N86-21937  
Data reduction, management, and analysis software for CID  
p 399 N86-21938  
Structural loads preliminary results  
p 391 N86-21940  
Controlled impact demonstration airframe bending bridges  
p 391 N86-21943  
Controlled impact demonstration flight data recorders/cockpit voice recorders  
p 391 N86-21944  
CID-720 aircraft Langley Research Center preflight hardware tests: Development, flight acceptance and qualification  
p 392 N86-21949  
Advanced technology helicopter landing gear preliminary design investigation  
[AD-A162097] p 437 N86-23594  
KRASH dynamics analysis modeling: Transport airplane controlled impact demonstration test  
[DOT/FAA/CT-85/9-REV] p 483 N86-25331  
Crash-resistant crewseat limit-load optimization through dynamic testing with cadavers  
[AD-A164828] p 569 N86-26296  
Safety report General Aviation Crashworthiness Project. Phase 3: Acceleration loads and velocity changes of survivable general aviation accidents  
[PB85-917016] p 569 N86-26302  
Computing codes for development of helicopter crashworthy structures and test substantiation  
[SNIAS-861-210-106] p 640 N86-28084  
Full-Scale Transport Controlled Impact Demonstration Program photographic/video coverage  
[DOT/FAA/CT-85/35] p 700 N86-29795  
Seat experiment results of full-scale transport aircraft controlled impact demonstration  
[DOT/FAA/CT-85/25] p 701 N86-30702  
Crashworthiness of airframes  
[AGARD-R-737] p 702 N86-30709  
Impact data from a transport aircraft during a controlled impact demonstration  
[NASA-TP-2589] p 716 N86-30721
- CRAY COMPUTERS**  
NASA supercomputer system to become available nationally  
[NASA-NEWS-RELEASE-86-92] p 681 N86-28628
- CREEP PROPERTIES**  
Age creep forming in an autoclave  
p 118 A86-13135  
Constitutive modeling of cyclic plasticity and creep, using an internal time concept  
p 670 A86-41673
- CREEP RUPTURE STRENGTH**  
Effects of section thickness and orientation on creep-rupture properties of two advanced single crystal alloys  
[SAE PAPER 851785] p 601 A86-38309
- CREW EXPERIMENT STATIONS**  
Cockpit automation technology  
p 326 A86-23724
- CREW PROCEDURES (INFLIGHT)**  
Aircraft accident report: Galaxy Airlines, Inc., Lockheed Electra-L-188C, N5532, Reno, Nevada, January 21, 1985  
[PB86-910401] p 344 N86-21526
- CREW STATIONS**  
Specialists' Meeting on Advanced Cockpit Design, Grapevine, TX, October 3, 4, 1984, Proceedings  
p 170 A86-18451  
The Crew Station Information Manager - An avionics expert system  
p 361 A86-28515  
Cockpit automation technology - A further look  
p 499 A86-33814  
Sikorsky Aircraft crew station technology research helicopter  
[SAE PAPER 851780] p 490 A86-35442  
The interactive generation of alphanumeric and symbology with designs on the future  
[AD-A159218] p 192 N86-14982  
Selection of a man-modelling CAD (Computer-Aided Design)  
[AD-A161342] p 400 N86-22159
- CREW WORKSTATIONS**  
A study of programmable switch symbology -- for cockpits  
p 329 A86-23706  
Applicability of using the CAR-II model in design and evaluation of multioperator workstations with shared controls  
p 529 A86-33805  
Some quantitative methodology for cockpit design  
p 586 N86-26320



CREWS

Task Force report on emergency evacuation of transport airplanes, volume 1  
[DOT/FAA/VS-86/1.1] p 899 N86-29793

CRIME

United States Coast Guard acquisition of remote sensing capability for ocean surveillance p 231 A86-21234

CRITERIA

Design criteria upgrade for US Army Type 2 air traffic control towers  
[AD-A159115] p 94 N86-13314  
An evaluation of CPRA (Cost Performance Report Analysis) estimate at completion techniques based upon AFVAL (Air Force Wright Aeronautical Laboratories) cost/schedule control system criteria data  
[AD-A162282] p 470 N86-24584

CRITICAL LOADING

Consideration of the multiplicity of critical spots in a structure in estimating the durability and the service life p 119 A86-13367  
Efficient identification of critical stresses in structures subject to dynamic loads p 380 A86-26682  
Optimal design of antisymmetric laminated composite plates p 667 A86-40109

CRITICAL VELOCITY

A study of flutter on the basis of frequency tests at subcritical regimes p 109 A86-13370  
Critical values of the Mach number of a radial airfoil cascade --- for determining turboprop engine efficiency p 105 A86-13408  
Nonlinear analysis for dynamic behaviours of a coupled rotational vibration system near its critical speed p 291 A86-26143

CROSS CORRELATION

Mellin-Fourier correlation  
[AD-A159685] p 330 N86-20006

CROSS COUPLING

Control of aeroelastic instabilities through stiffness cross-coupling p 284 A86-23192  
Characteristics pertaining to a stiffness cross-coupled Jeffcott model  
[ASME PAPER 85-DET-144] p 523 A86-37071  
An analysis of cross-coupling of a multicomponent jet engine test stand using finite element modeling techniques  
[NASA-CR-176424] p 181 N86-15323  
Decoupling control synthesis for an oblique-wing aircraft  
[NASA-TM-86801] p 595 N86-26339

CROSS FLOW

Multipark flow visualization of lateral jet injection into a swirling cross flow p 85 A86-14561  
Mean-flow measurements in a supersonic three-dimensional turbulent boundary layer p 141 A86-17059  
Delta wings with shock-free cross flow p 145 A86-18528  
Dual rectangular jets from a flat plate in a crossflow  
[AIAA PAPER 86-0477] p 255 A86-22703  
Perspectives on dilution jet mixing --- in creating temperature patterns at combustor exits in gas turbine engines  
[AIAA PAPER 86-1611] p 818 A86-49814  
Effects of velocity profile and inclination on dual-jet-induced pressures on a flat plate in a crosswind  
[NASA-CR-177361] p 87 N86-13287  
Boundary-layer transition: T-S waves and crossflow mechanisms p 155 N86-15268  
F-111 natural laminar flow glove flight test data analysis and boundary layer stability analysis  
[NASA-CR-166051] p 168 N86-15305  
Heat transfer characteristics within an array of impinging jets. Effects of crossflow temperature relative to jet temperature p 190 N86-15625  
Natural laminar flow flight experiments on a swept wing business jet-boundary layer stability analyses  
[NASA-CR-3975] p 478 N86-24659  
Measurements on wing-tip blowing  
[NASA-CR-176930] p 632 N86-28922  
Experimental results of the control of a vortical flow by tangential blowing  
[NASA-CR-176932] p 742 N86-30094

CROSS SECTIONS

Programming a multiple-orifice hydraulic decelerator  
[AD-A158428] p 181 N86-15326

CROSSTALK

Sensitivity, noise and optical crosstalk in heterodyne acousto-optical signal processors p 740 A86-46701

CRUDE OIL

Turbine fuels from tar sands bitumen and heavy oil. Phase 1: Preliminary process analysis  
[AD-A161300] p 452 N86-22724

CRUISE MISSILES

Low cost thermal control for flight test laser radar  
[SAE PAPER 851321] p 285 A86-23511

Advanced technology payoffs for future rotorcraft, commuter aircraft, cruise missile, and APU propulsion systems  
[AIAA PAPER 86-1545] p 638 A86-42704

CRUISING FLIGHT

Noise levels in cockpits of aircraft during normal cruise and considerations of auditory risk p 326 A86-25651  
Modeling of aircraft cruise performance using acceleration and deceleration maneuvers - Results and application  
[AIAA PAPER 86-9735] p 428 A86-32082  
Details on the optimization of cruising drag of the Airbus A320  
[DGLR PAPER 85-069] p 487 A86-35152  
Design of an advanced flight planning system p 481 A86-35365  
An application of the Carson cruise optimum airspeed - A compromise between speed and efficiency  
[SAE PAPER 850867] p 582 A86-38508  
Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics in cruising flight p 713 A86-46461  
A study of aircraft cruise  
[AIAA PAPER 86-2286] p 792 A86-47704  
Reducing fuel consumption by cyclic control p 832 A86-48991  
Noise predictions of a high bypass turbofan engine using the Lockheed Near-Field Noise Prediction Program  
[NASA-CR-178146] p 758 N86-30469

CRUSHING

Crash energy absorbing composite sub-floor structure  
[AIAA PAPER 86-0944] p 585 A86-38952  
Analytical and experimental investigation on advanced composite wing box structures in bending including effects of initial imperfections and crushing pressure p 848 A86-49003

CRYOGENIC COOLING

Oxygen chemisorption cryogenic refrigerator  
[NASA-CASE-NPO-16734-1-CU] p 612 N86-27467

CRYOGENIC WIND TUNNELS

The accuracy problem of airplane development force testing in cryogenic wind tunnels  
[AIAA PAPER 86-0776] p 310 A86-24785  
Cryogenic tunnel measurement of total temperature and pressure p 387 A86-28570  
National transonic facility Mach number system p 597 A86-38076  
Instrumentation and testing techniques in the T2 transonic cryogenic wind tunnel at the ONERA/CERT p 597 A86-38228  
Tests on CAST 7 and CAST 10 profiles in the T2 adaptive-wall cryogenic wind tunnel - Study of the Reynolds-number effect in natural and triggered transitions  
[AAAF PAPER NT 85-08] p 838 A86-48457  
Introduction to cryogenic wind tunnels  
[NASA-CR-177966] p 113 N86-12238  
Pressure distributions from high Reynolds number tests of a Boeing BAC 1 airfoil in the Langley 0.3-meter transonic cryogenic tunnel p 208 N86-16199  
Vapor-screen flow-visualization experiments in the NASA Langley 0.3-m transonic cryogenic tunnel  
[NASA-CR-3984] p 478 N86-24661  
Tables for correcting airfoil data obtained in the Langley 0.3-meter transonic cryogenic tunnel for sidewall boundary-layer effects p 555 N86-26289  
Cryogenic wind tunnels: Problems of continuous operation at low temperatures  
[NASA-TM-88446] p 656 N86-28099  
Improvement in the quality of flow visualization in the Langley 0.3-meter transonic cryogenic tunnel  
[NASA-TM-87730] p 675 N86-28389  
Cryogenic wind tunnels for high Reynolds number testing  
[NASA-TM-87743] p 731 N86-29672

CRYOGENICS

The National Transonic Facility p 447 A86-31847  
Development of a reusable, light-weight cryogenic foam insulation system  
[AIAA PAPER 86-1189] p 658 A86-40612  
China report: Science and technology  
[JPRS-CST-85-035] p 122 N86-12399  
Passive eddy-current damping as a means of vibration control in cryogenic turbomachinery  
[NASA-TP-2582] p 515 N86-24722

CRYSTAL STRUCTURE

New alloys from the quantum engineer p 663 A86-42424

CRYSTALLIZATION

Nucleation of ice crystals in supercooled clouds caused by passage of an airplane p 323 A86-26175

CRYSTALLOGRAPHY

Textures developed in Al-Li-Cu-Mg alloy p 680 A86-40291

CUMULATIVE DAMAGE

Cumulative-damage modeling of fatigue crack growth in turbine engine materials p 105 A86-13599  
Fatigue life prediction under complex load using local strain approach and relative Miner's rule p 249 A86-20173  
The crash of C-GTLA - The cumulative effects of small defects and a hint of a previously unrecognized major meteorological hazard p 567 A86-37489  
A study of cracking in the pressure bulkhead of a military transport aircraft  
[AIAA PAPER 86-0983] p 584 A86-38861  
Cost reductions from introduction of new life philosophies for aircraft engine discs  
[NLR-MP-85076-U] p 820 N86-32438

CURING

A low temperature curing, quick repair, fuel resistant aircraft sealant p 115 A86-13082  
Constant temperature heaters for the repair of composite structures p 115 A86-13174  
Dynamic thermal analysis characterizations of electron-beam cured adhesives p 182 A86-16234  
Application of low temperature curing prepregs and vacuum bag molding techniques to the manufacturing of a composite wing  
[AIAA PAPER 86-1019] p 609 A86-38876  
Study of composite material curing molds  
[DGT-26.817] p 248 N86-17486  
Aminophenoxycyclotriphosphazene cured epoxy resins and the composites, laminates and structures thereof  
[NASA-CASE-ARC-11548-1] p 379 N86-21686  
Materials for emergency repair of runways  
[AD-A164225] p 514 N86-25385

CURRENT DENSITY

Induced current surface density after a direct lightning strike on an aircraft p 790 A86-47297

CURRENT DISTRIBUTION

The effect of the electrode gap geometry on current distribution during electrochemical rounding of edges p 522 A86-35980  
Two-hundred to 300 KVA conditioned power system - development, phase 1  
[AD-A158820] p 125 N86-13832

CURTAINS

Passive arm retention curtain  
[AD-D011878] p 91 N86-13307

CURVATURE

The classical streamline curvature method in the supersonic range - A numerically ill-posed boundary value problem p 690 A86-45189

CURVE FITTING

A rapid method for estimating equivalent parabolic polars from wind-tunnel tests  
[AD-A159559] p 153 N86-15251  
Numerical computation of viscous flow around bodies and wings moving at supersonic speeds  
[NASA-CR-176903] p 693 N86-29772

CURVED BEAMS

Failure analysis of composite angle structures p 667 A86-40353

CURVED PANELS

Experimental/analytic comparisons considering composite panels with a cutout p 118 A86-13338  
Applying I. G. Bubnov's method to the solution of the natural vibration problem for a conical sandwich panel p 384 A86-28315  
The use of curved higher order panels for vortex sheet modeling  
[AIAA PAPER 86-1812] p 544 A86-37833  
Buckling and initial post buckling analysis of composite panels under axial compression p 735 A86-43496  
01General aviation interior noise problem: Some suggested solutions p 194 N86-15053

CUSHIONS

Effect of seat cushions of human response to +Gz impact p 326 A86-25652  
A review of the pilot backache problem in the CH113 Labrador helicopter  
[AD-A164011] p 530 N86-25113

CUSPS

Computation of the potential flow over airfoils with cusped or thin trailing edges p 780 A86-49823

CYCLIC LOADS

Torsional low cycle fatigue of spline-ended drive components p 187 A86-18431  
Another look at generalized S-N curve shapes p 187 A86-18436  
Fatigue of structural materials at high-frequency cycle loading p 453 A86-30018  
The development of a system for the study of fatigue crack growth up to 2000 Hz p 520 A86-34641  
Turbine airfoil LCF life prediction verification  
[AIAA PAPER 86-1496] p 646 A86-42672  
Mode II fatigue crack growth specimen development p 736 A86-43586

Evaluation of cyclic spin pit tests for the damage tolerance of disks p 507 N86-25379  
 TURBISTAN: A standard load sequence for aircraft engine discs p 526 N86-25380

## CYLINDRICAL BODIES

On the effects of boundary-layer transition on a cylindrical afterbody at incidence in low-speed flow p 135 A86-16250  
 Experimental investigation of three dimensional separation on an ellipsoid-cylinder body at incidence [AIAA PAPER 85-1686] p 143 A86-17636  
 Experimental investigation of three dimensional separation on an ellipsoid-cylinder body at incidence [AIAA PAPER 85-1686] p 143 A86-17845  
 Fluid dynamics of cylinder response to Karman vortex shedding [AIAA PAPER 86-0119] p 199 A86-19700  
 Pressure measurements in a liquid-filled cylinder using a three-degree-of-freedom flight simulator [AIAA PAPER 86-2026] p 827 A86-47660  
 The effect of the aspect ratio of the cylindrical section on the fuselage drag at transonic flight velocities p 788 A86-48801  
 Determination of the shape of a jet issuing from a cylinder of finite length around which a supersonic stream flows at small angle of attack p 770 A86-48825  
 Intersection of an oblique shock wave with a cylindrical afterbody p 775 A86-49096  
 Numerical and experimental studies of 3-D and unsteady turbulent body/appendage/propeller flows [AD-A157078] p 123 N86-12552  
 A method for calculating flow fields around moving bodies [NAL-TR-859T] p 88 N86-13288  
 The experimental determination of the subsonic aerodynamic characteristics of an Ogive-Cylinder body including a comparison with theoretical estimates, volume 1 [CAR-8509] p 151 N86-15242  
 Programming a multiple-orifice hydraulic decelerator [AD-A159428] p 181 N86-15328  
 Experimental study of the supersonic turbulent boundary layer on a blunt axisymmetric body [AD-A163736] p 479 N86-24669

**CYLINDRICAL SHELLS**  
 Weight optimization of stiffened cylinders under axial compression p 120 A86-14348  
 Response of composite material shallow arch to concentrated load p 870 A86-41699  
 Active minimization of acoustic potential energy in harmonically excited cylindrical enclosed sound fields [AIAA PAPER 86-1958] p 752 A86-45443  
 On the optimization of flutter characteristics of laminated anisotropic cylindrical shells p 848 A86-49082  
 Load examination of vehicle-body of reinforced cylindrical shell in case of kinematic load p 849 A86-49128  
 Segmented tubular cushion springs and spring assembly [NASA-CASE-ARC-11349-1] p 388 N86-20797

## D

## DAMAGE

Damaged runway options explored p 75 A86-15600  
 The damage tolerance approach in the type approval process p 220 A86-20036  
 The application of fracture mechanics methodology to the damage tolerance analysis of the Boeing 757 airplane p 425 A86-30090  
 Durability and damage-tolerance design and analysis of titanium airframe structures p 454 A86-30091  
 Durability and damage tolerance in aircraft design: Proceedings of the Thirteenth Symposium, Pisa, Italy, May 22-24, 1985 p 706 A86-43776  
 Fatigue and damage tolerance work during the aircraft design process p 706 A86-43777  
 Damage tolerance - USAF experience p 738 A86-43784  
 U.S. Army requirements for damage tolerance of composite helicopter structure p 706 A86-43785  
 Damage tolerance test program of the Fokker 100 p 706 A86-43786  
 Continued airworthiness of damage tolerant aircraft p 707 A86-43788  
 Damage tolerance and durability in the design of a short-haul turboprop aircraft p 707 A86-43790  
 Maintenance system by means of damage tolerance principle p 736 A86-43791  
 Durability and damage tolerance assessment of the TF34-100 engine [ASME PAPER 86-GT-38] p 812 A86-48125  
 Evaluation of damage tolerance requirements using a probabilistic-based life approach [ASME PAPER 86-GT-266] p 847 A86-48288

Development and application of a time-history analysis for rotorcraft dynamics based on a component approach p 188 N86-15291

Effectiveness of fatigue life enhancing fasteners in the design and rework of aircraft structures [AD-A159678] p 293 N86-18316  
 State-of-the-art review on composite material fatigue/damage tolerance [FAA/CT-85/77] p 379 N86-21615  
 United States Navy - Canadian forces solid state flight data recorder/crash position locator experiment on the B-720 controlled impact demonstration p 391 N86-21945  
 After action report, CH-47 recovery using D-PAAC [AD-A161935] p 437 N86-23589  
 Damage Tolerance Concepts for Critical Engine Components [AGARD-CP-393] p 506 N86-25360  
 Materials for emergency repair of runways [AD-A164225] p 514 N86-25385  
 Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 5 of 1984 accidents [PB86-916901] p 570 N86-26305  
 Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 6 of 1984 accidents [PB86-916902] p 570 N86-26306  
 Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 7 of 1984 accidents [PB86-916903] p 570 N86-26307  
 Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 8 of 1984 accidents [PB86-916904] p 570 N86-26308  
 Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 9 of 1984 accidents [PB86-916905] p 570 N86-26309  
 Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 11 of 1984 accidents [PB86-916907] p 571 N86-26310  
 Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 13 of 1984 accidents [PB86-916909] p 571 N86-26311  
 Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements [AD-A165055] p 599 N86-27294

## DAMAGE ASSESSMENT

Composite repairs - Book p 115 A86-13103  
 A methodology for analyzing laser-induced structural damage p 186 A86-17791  
 Thermographic inspection of carbon epoxy structures p 249 A86-20649  
 Investigation of an aircraft accident by fractographic analysis p 418 A86-30097  
 Assessment of structural damage in composites utilizing acoustic emission technology p 521 A86-35651  
 Comparison of the strength and damage tolerance of aluminum alloys p 516 A86-36178  
 Damage tolerance assessment of aircraft attachment lugs p 672 A86-43084  
 Propeller FOD qualification using modal analysis, artificial birds, and a static impact facility p 731 A86-47127  
 Supplemental inspections of aging aircraft p 845 A86-47525  
 Fibre optic damage detection in composite structures p 848 A86-48988  
 KRASH dynamics analysis modeling: Transport airplane controlled impact demonstration test [DOT/FAA/CT-85/9-REV] p 483 N86-25331  
 Damage tolerance concepts for critical engine components p 506 N86-25361  
 AGARD Cooperative Test Programme on titanium alloy engine disc material p 507 N86-25369  
 Evaluation of cyclic spin pit tests for the damage tolerance of disks p 507 N86-25379  
 Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 3 of 1984 accidents [PB85-916922] p 570 N86-26303  
 Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 4 of 1984 accidents [PB85-916923] p 570 N86-26304

## DAMPING

A review of dynamic inflow and its effect on experimental correlations p 157 N86-15293  
 The influence of dynamic inflow and torsional flexibility on rotor damping in forward flight from symbolically generated equations p 177 N86-15295  
 Passive damping, sonic fatigue and the KC-135A p 256 N86-16625  
 A different approach to designed in passive damping p 256 N86-16627  
 Investigation of multiple input frequency response function estimation techniques for experimental modal analysis p 461 N86-23971  
 Passive eddy-current damping as a means of vibration control in cryogenic turbomachinery [NASA-TP-2562] p 515 N86-24722

Standard dynamics model experiments with the DFVLR/AVA transonic derivative balance p 562 N86-27245

## DAMPING TESTS

Calculation of separated laminar supersonic flows over blunt bodies of revolution at zero angle of attack [DFVLR-FB-85-30] p 151 N86-14256

## DAST PROGRAM

Design of an active flutter suppression system p 239 A86-20236  
 Ground vibration test results for Drones for Aerodynamic and Structural Testing (DAST)/Aeroelastic Research Wing (ARW-1R) aircraft [NASA-TM-85906] p 294 N86-19312

## DATA ACQUISITION

A programmable data acquisition system with integrated test and calibration facilities - in-flight aircraft testing p 102 A86-13215  
 An extended phase-lock technique for aided acquisition - in PM demodulators p 93 A86-13227  
 Limb Restraint Evaluator (LRE) p 261 A86-19329  
 Advanced medium scale real-time system - for evaluation of flight tests p 296 A86-22720  
 Further development in stores separation data acquisition and reduction p 315 A86-23262  
 Flight test data acquisition and processing system p 329 A86-23263  
 Air Force Flight Test Instrumentation System - An introduction for flight test engineers and managers p 296 A86-23275  
 A review of RAE experimental techniques for rotor dynamics and aerodynamics p 292 A86-26161  
 The National Transonic Facility p 447 A86-31847  
 Helicopter data acquisition and processing [AIAA PAPER 86-9734] p 464 A86-32061  
 The NDS 2000 Flight Test Instrumentation System in the F-20 Tigershark [AIAA PAPER 86-9787] p 438 A86-32126  
 F-16 radar data acquisition and analysis [AIAA PAPER 86-9798] p 422 A86-32127  
 Crash response data system for the controlled impact demonstration (CID) of a full-scale transport aircraft p 500 A86-37045  
 Digital data acquisition system for modal testing - of aircraft p 731 A86-47093  
 A minimum approach to flight testing p 810 A86-47780  
 Avionics digital data acquisition system p 810 A86-47790  
 From mainframe to micro - Structures and flutter testing at the Air Force Flight Test Center p 838 A86-47781  
 Optimization of onboard systems of data acquisition and processing - Russian book p 810 A86-48531  
 Flight path reconstruction - A powerful tool for data compatibility check p 833 A86-49041  
 Avionics fault data acquisition - A concept for civil transport aircraft p 810 A86-49051  
 Introduction to operational ASDAR system p 125 N86-12915  
 Navy aircraft support data systems study: ECAMS/NALCOMIS integration feasibility and procedure [DE85-016977] p 192 N86-15003  
 Performance and loads data from a hover test of a full-scale XV-15 rotor [NASA-TM-86833] p 152 N86-15243  
 Catalog of air weather service technical documents [AD-A159881] p 324 N86-18912  
 Hover and forward flight acoustics and performance of a small-scale helicopter rotor system [NASA-TM-88584] p 295 N86-19314  
 Comparison of airborne data acquisition systems at ARL (Aeronautical Research Laboratories) [AD-A161664] p 357 N86-21537  
 Full-Scale Transport controlled Impact Demonstration [NASA-CP-2395] p 390 N86-21933  
 CID-720 aircraft high-environment flight instrumentation system p 392 N86-21947  
 Impact dynamics instrumentation p 392 N86-21948  
 CID-720 aircraft Langley Research Center preflight hardware tests: Development, flight acceptance and qualification p 392 N86-21949  
 Real-time flight test PCM data acquisition monitor [AD-A164035] p 524 N86-24897  
 New dynamic testing techniques and related results at FFA p 562 N86-27244  
 Dynamic nonlinear airloads: Representation and measurement p 563 N86-27251  
 Analogue signal conditioning for flight test instrumentation [AGARD-AG-160-VOL-17] p 719 N86-29816  
 Development of a data acquisition system to aid in the aerodynamic study of various helicopter configurations [AD-A167717] p 781 N86-31539

**DATA BASE MANAGEMENT SYSTEMS**  
 Using a menu-based natural language interface to ask spatial database queries p 259 A86-20665

- Engineering Data Interactive Presentation and Analysis System (EDIPAS): A general approach to engineering data management and analysis applied to wind tunnel testing [NLR-MP-83057-U] p 267 N86-18252
- An infrastructure for information processing for computer aided design [NLR-MP-85038-U] p 854 N86-33054
- DATA BASES**
- Use of a stored topographic data base in the modern military helicopter p 171 A86-18459
- Real time optimal flight path generation by storage of massive data bases p 397 A86-28388
- Helicopter data acquisition and processing [AIAA PAPER 86-8734] p 464 A86-32081
- Stored terrain data base aided pilotage for helicopters p 499 A86-35806
- Precision IMC approaches to heliports using collocated MLS — Instrument Meteorological Conditions p 485 A86-35610
- Computerisation of air information services in France p 635 A86-40229
- Method of analysing data on a swept wing aircraft in flight p 775 A86-49103
- PLTTER user's guide [NASA-CR-177385] p 88 N86-13291
- Critical analysis of turbulence restitution from acceleration measurements — aircraft construction [ONERA-RT-3/3567-RY-C40-R] p 227 N86-17340
- An electronic index of articles pertaining to Air Force transportation in the post-World War 2 era, with abstracts of selected articles [AD-A180837] p 261 N86-18308
- Hover and forward flight acoustics and performance of a small-scale helicopter rotor system [NASA-TM-88584] p 295 N86-18314
- Aerodynamic characteristics of a supersonic fighter aircraft model at Mach 0.40 to 2.47 [NASA-TP-2580] p 416 N86-23561
- Evaluation of a frequency response technique for aircraft system identification [AD-A184367] p 497 N86-25339
- Aerodynamic data banks for Clark-Y, NACA 4-digit and NACA 16-series airfoil families [NASA-CR-176883] p 697 N86-30883
- DATA CORRELATION**
- A survey of multiple targets tracking technique p 735 A86-43489
- Controlled impact demonstration flight data recorders/cockpit voice recorders p 391 N86-21944
- DATA LINKS**
- An over the horizon command/data link system p 92 A86-13224
- A satellite system for aeronautical data communications [AIAA PAPER 86-0802] p 351 A86-29578
- Expert systems in the fighter of the 1990s p 405 A86-31848
- DATA MANAGEMENT**
- Data reduction, management, and analysis software for CID p 399 N86-21938
- Real-time flight test PCM data acquisition monitor [AD-A164035] p 524 N86-24897
- DATA PROCESSING**
- An integrated solution for flight test data handling p 93 A86-13226
- Canadian forces PCM telemetry processing and display system p 111 A86-13248
- Flight test data acquisition and processing system p 329 A86-23263
- TSPI data processing in the telemetry environment — Time Space Position Information for flight tests p 347 A86-27804
- Helicopter data acquisition and processing [AIAA PAPER 86-9734] p 464 A86-32081
- Telemetry processing system [AIAA PAPER 86-9825] p 465 A86-32148
- A completely integrated system for the treatment of crack growth test data p 531 A86-34635
- Radar data processing. Volume 2 - Advanced topics and applications — Book p 605 A86-36224
- Signal processing in the airborne receiver of the interscan microwave landing system p 282 N86-19303
- Research on the aerodynamic characteristics of vehicles by free flight testing at supersonic speeds [NAL-TR-876] p 339 N86-20353
- Digital filtering and acceleration pulse interpretation p 400 N86-21941
- Airport-Noise Levels and Annoyance Model (ALAMO) system's reference manual [NASA-TM-87094] p 401 N86-22305
- DATA PROCESSING EQUIPMENT**
- Navy aircraft support data systems study: ECAMS/NALCOMIS integration feasibility and procedure [DE85-016977] p 192 N86-15003
- DATA PROCESSING TERMINALS**
- Instructor station for the ILLIMAC general aviation instrument training simulator p 371 A86-28462
- A graphic terminal for air traffic control of Canadian military airports p 703 A86-44399
- DATA RECORDERS**
- Limb Restraint Evaluator (LRE) p 261 A86-19329
- Use of video cassette recorders for combined video and PCM data recording p 315 A86-23256
- DATA RECORDING**
- Impact of loads recording methodology on crack-growth-based individual aircraft tracking p 162 A86-17790
- Sinusoidal disturbance rejection with application to helicopter flight data estimation p 747 A86-44505
- DATA REDUCTION**
- Further development in stores separation data acquisition and reduction p 315 A86-23262
- Algorithms for the reduction of wind-tunnel data derived from strain gauge force balances [ARL/AERO-R-164] p 113 N86-13337
- A rapid method for estimating equivalent parabolic poles from wind-tunnel tests [AD-A159559] p 153 N86-15251
- Data reduction, management, and analysis software for CID p 399 N86-21938
- DATA SAMPLING**
- The influence of sampling rate on the dynamics and control of aeronautical systems p 511 A86-37061
- Controlled impact demonstration flight data recorders/cockpit voice recorders p 391 N86-21944
- Servo-actuator for sampled-data feedback disturbance rejection — helicopters [DFVLR-FB-86-06] p 837 N86-32446
- DATA SIMULATION**
- Frequency-domain application of Gauss-Newton method to extract aircraft longitudinal parameters p 442 A86-31125
- DATA SMOOTHING**
- Smoothing patched grids — in aircraft design p 464 A86-31312
- DATA STORAGE**
- Flight Data Analysis and Storage System (FASS) p 170 A86-18407
- PLTTER user's guide [NASA-CR-177385] p 88 N86-13291
- Development and evaluation of math library routines for a 1750A airborne microcomputer [AD-A184050] p 533 N86-26030
- DATA SYSTEMS**
- A robust 100 MBPS network for avionics applications p 385 A86-28341
- A dual channel high speed fiber optics multiplex data bus system p 386 A86-28344
- Data systems for logistics evaluation during operational test p 398 A86-28483
- Principles of flight test [AIAA PAPER 86-9742] p 406 A86-32067
- Crash response data system for the controlled impact demonstration (CID) of a full-scale transport aircraft p 500 A86-37045
- Engine condition monitoring at KLM Royal Dutch Airlines [ASME PAPER 86-GT-300] p 816 A86-48312
- DATA TRANSMISSION**
- An over the horizon command/data link system p 92 A86-13224
- The data transmission and processing equipment of a high-precision trajectory measurement system p 298 A86-22728
- German-Dutch wind tunnel (DNW). Present and future applications for industrial developments p 242 N86-16235
- Microwave Landing System (MLS) station interface control report [DOT/FAA/PM-86/17] p 540 N86-27178
- Possible impacts of VHSIC on MIL-STD-1553B data transmission management p 674 N86-28371
- DAYTIME**
- The relative effect of noise at different times of day: An analysis of existing survey data [NASA-CR-3965] p 469 N86-24392
- DC 10 AIRCRAFT**
- Accident of the DC-10 EC-DEG aircraft at Malaga on September 13, 1982 p 419 A86-31011
- Practical considerations in optimal flight management computations p 481 A86-35367
- Practical considerations in optimal flight management computations p 713 A86-48458
- DC 8 AIRCRAFT**
- Design features for performance retention in the CFM56 engine p 643 A86-40729
- DC 9 AIRCRAFT**
- Aircraft accident report: Air Canada Flight 797, McDonnell Douglas DC-9-32, C-FTLU Greater Cincinnati International Airport, Covington, Kentucky, June 2, 1983 [PB86-810402] p 344 N86-21525
- DE HAVILLAND AIRCRAFT**
- Cost-effective remote-site testing — of de Havilland aircraft p 539 A86-39570
- DEATH**
- Aircraft accident report: Air Canada Flight 797, McDonnell Douglas DC-9-32, C-FTLU Greater Cincinnati International Airport, Covington, Kentucky, June 2, 1983 [PB86-810402] p 344 N86-21525
- DECELERATION**
- Programming a multiple-office hydraulic decelerator [AD-A159428] p 181 N86-15328
- Altitude ignition/lean decel study [AD-A163052] p 518 N86-24781
- DECISION MAKING**
- Flight deck automation decisions [SAE PAPER 841471] p 326 A86-28002
- AI applications to military pilot decision aiding - A perspective on transition [SAE PAPER 841533] p 327 A86-28004
- Automation in the cockpit - Who's in charge? [SAE PAPER 841534] p 327 A86-28005
- Head-up display (HUD) utility. II - Runway to HUD transitions monitoring eye focus and decision times p 496 A86-33802
- Pilot's Associate - What should it do? — pilot and airborne computer task allocations [SAE PAPER 851890] p 539 A86-38356
- Decision aiding for tactical aircraft p 718 A86-46715
- Alerted monitors: Human operators aided by automated detectors [PB85-222750] p 126 N86-13906
- Light helicopter family trade-off analysis. Volume 4: Appendix N [AD-A158075] p 168 N86-15306
- A methodology for applying bar code technology to Aircraft Maintenance Unit support sections [AD-A161783] p 402 N86-22441
- Depot maintenance of aviation components: Contractor versus organic repair [AD-A182071] p 408 N86-23556
- Application of artificial intelligence to improve aircraft survivability [AD-A164172] p 483 N86-24674
- An efficient decision-making-free filter for processes with abrupt changes — aircraft tracking [NLR-MP-84080-U] p 618 N86-27018
- Time-based air traffic management using expert systems [NASA-TM-88234] p 634 N86-28088
- The impact of artificial intelligence on airborne maritime reconnaissance p 875 N86-28374
- DECISION THEORY**
- Conference on Decision and Control, 23rd, Las Vegas, NV, December 12-14, 1984, Proceedings. Volume 3 p 464 A86-31262
- Failure detection and accommodation in structural dynamics systems using analytic redundancy — in large space structures p 658 A86-42938
- Markov jump-diffusion models and decision-making free filtering — air traffic control [NLR-MP-83067-U] p 264 N86-17046
- DECISIONS**
- The decision to fly — by aircraft pilots [SAE PAPER 841613] p 328 A86-28024
- DECOUPLING**
- Flight test of a decoupler pylon for wing/store flutter suppression [AIAA PAPER 86-9730] p 428 A86-32077
- Application of eigenstructure assignment to design of robust decoupling controllers in MIMO systems — for helicopters [AIAA PAPER 86-2246] p 825 A86-47493
- Decoupling control synthesis for an oblique-wing aircraft [NASA-TM-86801] p 595 N86-28339
- Flight test of a decoupler pylon for wing/store flutter suppression [NASA-TM-87767] p 714 N86-29814
- Flight test of passive wing/store flutter suppression [NASA-TM-87766] p 806 N86-31568
- DEFECTS**
- Effect of manufacturing defects and service-induced damage on the strength of aircraft composite structures p 245 A86-21729
- Analytical and experimental investigation on advanced composite wing box structures in bending including effects of initial imperfections and crushing pressure p 848 A86-49003

- Ferromagnetic resonance probe liftoff suppression apparatus  
[AD-D011913] p 190 N86-15647
- Small defect characterization in powder metallurgy materials  
p 526 N86-25373
- DEFENSE INDUSTRY**
- The SKYEYE RPV - An NDI solution to today's unmanned aerial vehicle requirements  
p 712 A86-46134
- Emerging aerospace technologies  
[NASA-TM-86637] p 131 N86-14213
- DEFENSE PROGRAM**
- Mastering the transatmosphere  
p 658 A86-41274
- Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987  
[AD-A162782] p 402 N86-22443
- Fiscal year 1987 technical objective document  
[AD-A166659] p 758 N86-31454
- DEFLATION**
- Experimental assessment of vortex retaining cavity flaps for maneuverability improvement on delta wing fighter aircraft  
[AD-A164104] p 497 N86-24690
- Comparative study of nondestructive pavement testing, WES (Waterways Experiment Station) NDT (nondestructive tests) methodologies  
[AD-A163379] p 610 N86-26480
- Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements  
[AD-A165055] p 599 N86-27294
- NASTRAN/FLEXSTAB procedure for static aeroelastic analysis  
[NASA-TM-84897] p 639 N86-28076
- DEFLECTORS**
- The effect of the deflector type on internal heat transfer in blades with transverse coolant flow  
p 120 A86-13673
- DEFORMATION**
- The National Transonic Facility  
p 447 A86-31847
- Flutter generator control and force computer  
[AEL-0242-TM] p 178 N86-15318
- Mirage A3-002 strain responses to ground calibration loadings between 1978 and 1985  
[AD-A166446] p 640 N86-28080
- DEGRADATION**
- Analytical determination of propeller performance degradation due to ice accretion  
[NASA-CR-175092] p 420 N86-23577
- Antimisting fuel technology for transport category aircraft  
p 733 N86-30008
- AMK full-scale transport aircraft validation phase summary  
p 733 N86-30009
- Heat transfer, friction, and rheological characteristics of antimisting kerosene  
p 734 N86-30013
- DEGREES OF FREEDOM**
- Experimental aeroelastic behavior of forward swept graphite/epoxy wings with rigid body freedoms  
[AIAA PAPER 86-0971] p 584 A86-38851
- Coupled rotor-body vibrations with inplane degrees of freedom  
p 177 N86-15301
- Six degree of freedom simulation of fluid payload projectiles using numerically computed fluid moments  
[DEBS-017183] p 208 N86-16200
- Research on the aerodynamic characteristics of vehicles by free flight testing at supersonic speeds  
[NAL-TR-878] p 339 N86-20353
- Improvements to the FATOLA computer program including added actively controlled landing gear subroutines  
[NASA-CR-186069] p 436 N86-23568
- DEICERS**
- Flight tests of the helicopter pneumatic deicing system  
p 163 A86-18408
- New techniques for optimization and certification of helicopters in icing conditions  
p 164 A86-18416
- The electrodynamic operation of electro-impulse deicing systems  
[AIAA PAPER 86-0547] p 220 A86-19941
- VSTOL aircraft ice protection design considerations  
p 493 A86-35654
- NASA's aircraft icing analysis program  
p 786 A86-49107
- The deiced super Puma - helicopters  
[SNIAS-852-210-104] p 215 N86-17328
- Piezoelectric deicing device  
[NASA-CASE-LEW-13773-2] p 388 N86-20671
- Analysis and tests for design of an electro-impulse de-icing system  
[NASA-CR-174919] p 571 N86-27268
- De-icing of the altitude wind tunnel turning vanes by electro-magnetic impulse  
[NASA-CR-177260] p 599 N86-27291
- NASA's Aircraft Icing Analysis Program  
[NASA-TM-88791] p 786 N86-31548

**DEICING**

- Designing an electro-impulse de-icing system  
[AIAA PAPER 86-0545] p 220 A86-19940
- HC-Mk1 (Chinook) heated rotor blade icing test. I - Test vehicle, test site, approach and summary of testing  
p 293 A86-26167
- HC-Mk1 (Chinook) heated rotor blade icing test. II - Analysis of atmospheric conditions, aircraft and systems characteristics  
p 293 A86-26168
- Electro-impulse de-icing of aircraft engine inlets  
[AIAA PAPER 86-0546] p 352 A86-26647
- A numerical and experimental investigation of electrochemical aircraft deicing  
[NASA-CR-175024] p 344 N86-20380
- Evaluation of capillary reinforced composites  
[NASA-CR-175061] p 517 N86-24780
- Calibration of droplet sizing and liquid water content instruments: Survey and analysis  
[NASA-CR-175099] p 611 N86-26598
- Analysis and tests for design of an electro-impulse de-icing system  
[NASA-CR-174919] p 571 N86-27268
- DELAMINATING**
- Generic aspects of delamination in fatigue of composite materials  
p 183 A86-18432
- Delamination threshold and loading effect in fiber glass epoxy composites  
p 244 A86-26636
- Interlaminar fracture of composites  
p 313 A86-24966
- The effect of center delamination on the instability of composite cylindrical panels  
p 520 A86-34642
- Boundary layer model to compute the edge effects in stratified composite plates  
[ONERA-RT-7/3542-RY-041-R] p 678 N86-29279
- Assessing the effects of delaminations on the postbuckling strength of CRFP panels - aircraft structures  
p 743 N86-30781
- DELTA WINGS**
- Selecting the principal parameters of a wedge-profiled wing  
p 78 A86-13358
- A study of the normal of a delta-wing aircraft at large angles of attack during unsteady motion  
p 79 A86-13379
- Vortex-fitted potential and vortex-captured Euler solution for leading-edge vortex flow  
p 142 A86-17149
- Delta wings with shock-free cross flow  
p 145 A86-18528
- A compressible laminar boundary layer on a plane triangular plate with an attached shock wave  
p 146 A86-18902
- Flow past caret wings with flaps  
p 146 A86-18903
- Summary of a high subsonic force/pressure experiment for 58 deg cambered/twisted thick delta wings  
[AIAA PAPER 86-0169] p 200 A86-19730
- An evaluation of leading-edge flap performance on delta and double-delta wings at supersonic speeds  
[AIAA PAPER 86-0315] p 201 A86-19808
- Visualization and flow surveys of the leading edge vortex structure on delta wing planforms  
[AIAA PAPER 86-0330] p 201 A86-19817
- Comparison of computations and experimental data for leading edge vortices - Effects of yaw and vortex flaps  
[AIAA PAPER 86-0439] p 202 A86-19880
- Modeling aerodynamic responses to aircraft maneuvers - A numerical validation  
p 204 A86-20158
- A solution to the problem of flow past wings with allowance for flow separation on the basis of a system of Euler equations  
p 205 A86-21345
- Calculation of supersonic flows around a three-dimensional wing and a waisted body with characteristic method in stream surface coordinates  
p 206 A86-22319
- Numerical issues in computing inviscid supersonic flow over conical delta wings  
[AIAA PAPER 86-0440] p 206 A86-22701
- Numerical simulation of leading-edge vortex flows  
p 270 A86-23133
- Review of theory of vortex separated from a leading edge of a delta wing  
p 275 A86-25207
- An attached flow design of a noninterfering leading-edge extension to a thick delta wing  
p 337 A86-28589
- Euler and Navier-Stokes solutions for flow over a conical delta wing  
p 411 A86-32980
- Rising of the Ferrie point on the windward side of delta wings  
p 474 A86-34485
- Inviscid vortex-stretched turbulent shear-layer flow computed around a cranked delta wing  
p 475 A86-35253
- An investigation of improving high angle of attack performance and flap effectiveness of a configuration with delta wing by spanwise blowing  
[AIAA PAPER 86-1777] p 542 A86-37811
- Analytical observations on the aerodynamics of a delta wing with leading edge flaps  
[AIAA PAPER 86-1790] p 543 A86-37820

- Calculation of asymmetric vortex separation on slender delta wings with a vortex-sheet model  
[AIAA PAPER 86-1836] p 546 A86-37846
- A comparison of experimental and numerical results for delta wings with vortex flaps  
[AIAA PAPER 86-1840] p 546 A86-37848
- A three-dimensional boundary-layer method for flow over delta wings with leading-edge separation  
[SAE PAPER 851818] p 547 A86-38327
- Navier-Stokes computations of lee-side flows over delta wings  
[AIAA PAPER 86-1049] p 548 A86-38420
- Influence of numerical dissipation in computing supersonic vortex-dominated flows  
[AIAA PAPER 86-1073] p 549 A86-38439
- Unsteady vortical flow around three-dimensional lifting surfaces  
p 553 A86-39052
- Ground effect on slender wings at moderate and high angles of attack  
p 623 A86-40108
- Initial coefficients for a cropped delta wing in incompressible flow  
p 623 A86-40111
- Control of the discrete vortices from a delta wing  
[AIAA PAPER 86-1915] p 690 A86-45411
- High resolution solutions of the Euler equations for vortex flows  
p 692 A86-46783
- Aerodynamics of delta wings with leading edge blowing  
[AIAA PAPER 86-2230] p 764 A86-47691
- Determination of the aerodynamic characteristics of separated flow past a wing with allowance for slight unsteadiness induced by changes in angle of attack  
p 769 A86-48816
- Experimental investigation of a boundary layer on a schematic aircraft model  
p 769 A86-48824
- Symmetric and nonsymmetric separated flow past a low aspect ratio wing with a fuselage  
p 770 A86-48838
- A study of the characteristics of separated flow past wings and lifting systems  
p 770 A86-48842
- Optimum-Optimum Integrated wing-fuselage configuration for supersonic transport aircraft of second generation  
p 801 A86-49010
- Disordered vortex flow computed around a cranked delta wing at subsonic speed and high incidence  
p 772 A86-49027
- Leading edge vortex flow over a 75 degree-swept delta wing: Experimental and computational results  
[ONERA, TP NO. 1986-122] p 773 A86-49042
- Finite-volume and integral-equation techniques for transonic and supersonic vortex-dominated flows  
p 774 A86-49045
- Effects of spanwise blowing on pressure distribution and leading-edge vortex stability  
p 774 A86-49046
- Analysis of the vortical flow around a 60 degree delta wing with vortex flap  
p 774 A86-49050
- The problem of flow past a plane delta wing with power-law injection at its surface  
p 776 A86-49174
- Flowfield survey over a 75 deg swept delta wing at an angle of attack of 20.5 deg  
[AIAA PAPER 86-1775] p 777 A86-49579
- Low-speed aerodynamics of apex fences on a tailless delta configuration  
[AIAA PAPER 86-1836] p 779 A86-49583
- Implicit hybrid schemes for the flux-difference split, three-dimensional Navier-Stokes equations  
p 850 A86-50258
- Numerical solutions of Navier-Stokes equations for a Butler wing  
[NASA-CR-174202] p 88 N86-13283
- Comparison of the Euler and potential solutions for supersonic flows over delta wings  
p 149 N86-14239
- Numerical solutions for three-dimensional cases: Delta wings  
p 155 N86-15284
- Supersonic aerodynamic characteristics of some recent concepts for angles of attack to 90 deg  
[NASA-TM-87645] p 243 N86-16243
- Numerical simulation of the leading-edge separation vortex over delta wing  
p 209 N86-17271
- Boundary layer calculations on the leeward surface of a slender delta wing at incidence  
[NLR-TR-84001-U] p 258 N86-17700
- On the separated flow over a delta wing at high subsonic and transonic speeds  
[VTH-M-527] p 279 N86-19293
- A visualization study of the vortex flow around double-delta wings  
[ARL-AERO-R-185] p 340 N86-20362
- Vapor-screen flow-visualization experiments in the NASA Langley 0.3-m transonic cryogenic tunnel  
[NASA-CR-3984] p 478 N86-24661
- Investigation of rolling-up and interaction of leading-edge and trailing-edge vortex sheets on a slender delta wing  
[AD-A163682] p 479 N86-24668
- Experimental assessment of vortex retaining cavity flaps for maneuverability improvement on delta wing fighter aircraft  
[AD-A164104] p 497 N86-24690

- Experimental study of apex fences for lift enhancement on a highly swept delta wing configuration [AD-A163877] p 512 N86-24706
- Hypersonic flow around a wing at large angles of attack with detached compression jump p 480 N86-25534
- Flow around delta wings with broken-line leading edges p 481 N86-25560
- Laminar and turbulent boundary-layer calculations on the leeward surface of a slender delta wing at incidence — graph theory [NLR-MP-84040-U] p 555 N86-26293
- Extensions of the concept of suction analogy to prediction of vortex lift effect p 556 N86-27193
- A direct and inverse boundary layer method for subsonic flow over delta wings p 557 N86-27195
- An experimental investigation of vortex breakdown on a delta wing p 557 N86-27196
- Basic studies on delta wing flow modifications by means of apex fences p 557 N86-27199
- Viscous vortical flow calculations over delta wings p 558 N86-27202
- Computation of leading-edge vortex flows p 558 N86-27205
- Steady supersonic Navier-Stokes solutions of a 75 deg delta wing p 558 N86-27206
- Water tunnel results of leading-edge vortex flap tests on a delta wing vehicle p 558 N86-27208
- Analytical observations on the aerodynamics of a delta wing with leading edge flaps [NASA-CR-177022] p 630 N86-28913
- The lift of sharp-leading-edged delta wings with blowing [NASA-CR-176987] p 631 N86-28915
- A theory for lateral wing-tip blowing [NASA-CR-176931] p 632 N86-28923
- Flow past a flat plate with a vortex/sink combination [NASA-CR-176908] p 676 N86-29159
- Numerical computation of viscous flow around bodies and wings moving at supersonic speeds [NASA-CR-176903] p 693 N86-29772
- An investigation of empennage buffeting [NASA-CR-176973] p 726 N86-29964
- Active flutter suppression on a delta wing model structure [DFVLR-FB-86-01] p 727 N86-29870
- Experimental results of the control of a vortical flow by tangential blowing [NASA-CR-176932] p 742 N86-30094
- DEMAGNETIZATION**
- Locating and demagnetizing magnetized aircraft components following a lightning stroke p 286 A86-23787
- DEMAND (ECONOMICS)**
- Productibility and cost studies of aviation kerosene [AGARD-AR-227] p 379 N86-20580
- DEMODULATION**
- Digital chirp demodulation p 385 A86-26332
- DENSITY (MASS/VOLUME)**
- Properties of aircraft fuels and related materials [AD-A164532] p 604 N86-27461
- DENSITY DISTRIBUTION**
- Application of medical computed tomography (CT) scanners to advanced aerospace composites p 670 A86-41831
- A tomographic technique for aerodynamics at transonic speeds [NASA-TM-86766] p 89 N86-13297
- Profiles of temperature and density based on extremes at 5, 10, 20, 30 and 40 km p 616 N86-27727
- DEPLOYMENT**
- Introduction to deployable recovery systems [DE86-000048] p 211 N86-17310
- DEPOSITION**
- Deposition in gas turbine oil systems. I - Analysis and classification [SAE PAPER 851889] p 602 A86-38536
- DEPOSITS**
- Long term deposit formation in aviation turbine fuel at elevated temperature [AIAA PAPER 86-0525] p 243 A86-19929
- Fuel deposit characteristics at low velocity [ASME PAPER 85-IGT-130] p 313 A86-23922
- Evaluation of JFTOT tube deposits by carbon burnoff — Jet Fuel Thermal Oxidation Tester [SAE PAPER 851994] p 602 A86-38539
- The effect of deposits on the cooling efficiency of gas-turbine engine blades p 720 A86-44697
- Emission FTIR analyses of thin microscopic patches of jet fuel residues deposited on heated metal surfaces [NASA-CR-176786] p 519 N86-25502
- DESCENT**
- A time-based concept for terminal-area traffic management [NASA-TM-88243] p 622 N86-28049
- Design requirements and development of an airborne descent path definition algorithm for time navigation [NASA-CR-178037] p 641 N86-28939
- DESCENT TRAJECTORIES**
- Design factors and considerations for a time-based flight management system [AIAA PAPER 86-2144] p 622 A86-47455
- DESERTS**
- Electrostatic charging of the CH-53E helicopter [AD-A161936] p 437 N86-23660
- DESIGN ANALYSIS**
- Investigations of transonic Ludwig tubes. III - Effects of plenum exhaust system on starting process of tunnel test section p 140 A86-16638
- Composite tail section offers superior performance p 133 A86-17379
- Pultrusion used to fabricate tail rotor spar p 133 A86-17380
- Controllable ejection seat catapult program p 181 A86-19339
- Compensating-slit canopy design - A new low-speed/high-speed parachute p 213 A86-19363
- Very large stationary aerial platforms p 218 A86-19573
- The CA-810 - A modern tri-lens camera p 228 A86-19577
- KS-146A camera development and flight test results p 229 A86-19583
- Application of Kevlar to parachute system design p 214 A86-20166
- A redundant strapdown reference for advanced aircraft flight control systems p 239 A86-21840
- Design of combustor cooling slots for high film effectiveness. I - Film general development [ASME PAPER 85-GT-35] p 234 A86-22024
- Development of a design model for airfoil leading edge film cooling [ASME PAPER 85-GT-120] p 252 A86-22073
- Axial flow contra-rotating turbines [ASME PAPER 85-GT-218] p 236 A86-22116
- An eleven parameter axial turbine airfoil geometry model [ASME PAPER 85-GT-218] p 205 A86-22117
- Aircraft design - From the myth of make-do to Mach 3 p 267 A86-22130
- Velocity and temperature decay characteristics of inverted-profile jets [AIAA PAPER 86-0312] p 206 A86-22693
- Aircraft fuel pump design p 300 A86-23350
- The viscoelastic damping technology design guide for aerospace structures [ASME PAPER 85-DET-104] p 318 A86-24230
- Aerodynamic performance of two fifteen-percent-scale wind-tunnel drive fan designs [AIAA PAPER 86-0734] p 273 A86-24729
- Applications of numerical optimization methods to helicopter design problems - A survey p 290 A86-26120
- YF16CCV flight control system reconfiguration design using quantitative feedback theory p 368 A86-26395
- Designing into the unknown — military aircraft software p 396 A86-28420
- Logistics supportability considerations during conceptual and preliminary design p 426 A86-30650
- Trends in the design of airfield radars p 421 A86-31008
- A general criterion in design — of aircraft p 455 A86-31412
- Can we develop the 1.5 million pound aerospace plane? p 515 A86-34195
- From wind tunnel to large aircraft [DGLR PAPER 85-088] p 487 A86-35151
- Comparative investigation of optimization procedures in aircraft preliminary design [DGLR PAPER 85-118] p 487 A86-35170
- Influence of two landing gear designs on helicopter crashworthiness and weights p 492 A86-35632
- Damage tolerant composite design development p 524 A86-37119
- A method for the design of shock-free slender bodies of revolution p 554 A86-39054
- Processes for the manufacture of aviation instrument components (2nd revised and enlarged edition) — Russian book p 610 A86-39979
- Which transport technologies will fly? p 621 A86-41037
- Composite materials: Testing and design; Proceedings of the Seventh Conference, Philadelphia, PA, April 2-4, 1984 p 682 A86-41051
- Transfer of alignment and calibration of multiple sensors in flexible systems p 681 A86-43003
- Optimizing the NOTAR design p 708 A86-44460
- Multipath lightning protection for composite structure integral fuel tank design p 790 A86-47308
- Sensor selection for the Boeing CREST ejection seat design p 793 A86-47757
- Life cycle cost methodology for preliminary design evaluation [ASME PAPER 86-GT-37] p 812 A86-48124
- Dynamic aspects in the design of advanced rotor systems p 798 A86-48663
- Application of a full potential method to practical problems in supersonic aircraft design and analysis p 773 A86-49030
- Design criteria upgrade for US Army Type 2 air traffic control towers [AD-A159115] p 94 N86-13314
- Hub effects in propeller design and analysis [AD-A158853] p 108 N86-13331
- Preliminary measurement of the noise from the 2/9 scale model of the Large-scale Advanced Propfan (LAP) propeller, SR-7A [NASA-TM-87116] p 129 N86-14006
- Velocity and temperature decay characteristics of inverted-profile jets [NASA-TM-87159] p 147 N86-14223
- Preliminary design of a supersonic cruise aircraft high-pressure turbine [NASA-CR-174878] p 174 N86-14272
- Analysis of potential helicopter vibration reduction concepts p 178 N86-15302
- Flow field survey near the rotational plane of an advanced design propeller on a JetStar airplane [NASA-TM-88037] p 207 N86-16196
- Mach number and flow-field calibration at the advanced design propeller location on the JetStar airplane [NASA-TM-84923] p 207 N86-16197
- The mechanical design of gas turbine blading in cast superalloys [PNR-90247] p 237 N86-16223
- Helicopter internal noise treatment. Recent methodologies and practical applications [SNIA-852-210-102] p 286 N86-16133
- An aerodynamic analysis computer program and design notes for low speed wing flap systems [NASA-CR-8675] p 408 N86-23554
- Extended parametric representation of compressor fans and turbines. Volume 1: CMGEN user's manual [NASA-CR-174845] p 480 N86-23936
- Extended parametric representation of compressor fans and turbines. Volume 3: MODFAN user's manual (parametric modulating flow fan) [NASA-CR-174647] p 461 N86-23938
- Modifications to the 4x7 meter tunnel for acoustic research: Engineering feasibility study [NASA-CR-178079] p 470 N86-24394
- Fourteenth NASTRAN Users' Colloquium [NASA-CP-2419] p 527 N86-25623
- Experiences with NASTRAN in a multidisciplinary optimization environment p 527 N86-25631
- Some quantitative methodology for cockpit design p 598 N86-26320
- TCAS Experimental Unit (TEU) hardware description [FAA/PM-85/2] p 574 N86-27272
- Large-Scale Advanced Prop-Fan (LAP) pitch change actuator and control design report [NASA-CR-174788] p 592 N86-27282
- Structural tailoring of engine blades (STAEBL) theoretical manual [NASA-CR-175112] p 582 N86-27283
- Structural tailoring of engine blades (STAEBL) user's manual [NASA-CR-175113] p 592 N86-27284
- Static aeroelasticity in combat aircraft [AGARD-R-725] p 613 N86-27678
- Future Aeronautical Communication System (FACS): Report [ETN-86-98959] p 673 N86-28309
- The use of mathematical optimization techniques by the designer [NLR-MP-85005-U] p 682 N86-28673
- Design and calculation of high speed engine bearings p 677 N86-29241
- Design and fabrication of large suction panels with perforated surfaces for laminar flow control testing in a transonic wind tunnel [NASA-TM-89011] p 715 N86-29815
- Transmission line design for a power distribution system at 20 kHz for aircraft [NASA-CR-3987] p 721 N86-29818
- The design of multirate digital control systems [NASA-CR-177126] p 726 N86-29863
- Feasibility study for convertible engine torque converter [NASA-CR-175082] p 722 N86-30733
- The generation of equal probability design load conditions, using Power Spectral Density (PSD) techniques — aircraft design [NLR-TR-85014-U] p 809 N86-32430
- DESIGN TO COST**
- Airframe design to achieve minimum cost p 267 A86-22141

## DESORPTION

Effect of moisture on thermal properties of composite materials for aerospace applications p 661 A86-40345

New vistas in the determination of hydrogen in aerospace engine metal alloys [AIAA PAPER 86-1479] p 663 A86-42665  
Multistage metal hydride compressor [DE85-001965] p 604 N86-27465

## DESTRUCTIVE TESTS

Adhesive system for high temperature destructive testing of composite structures p 115 A86-13101  
Helicopter wire strike protection system qualification testing p 163 A86-18411  
Fiber-reinforced plastic composites for energy absorption purposes p 312 A86-23823  
Development and evaluation of a microburst test apparatus for use as a minimum destructive test for parachute material [AD-A158110] p 123 N86-12620

## DETECTION

Application of FDI metrics to detection and isolation of sensor failures in turbine engines p 501 A86-35400  
New passive helicopter detector [DE85-015180] p 123 N86-12595  
Number of targets threatened simultaneously (NOTTS) in conjunction with over the horizon backscatter (OTH) radar coverage [AD-A158304] p 189 N86-15528  
FINDS: A fault inferring nonlinear detection system programmers manual, version 3.0 [NASA-CR-177988] p 231 N86-16212  
Robust detection-isolation-accommodation for sensor failures [NASA-CR-174797] p 255 N86-16486  
In-flight turbulence detection [AD-A160380] p 325 N86-16923  
High dynamic GPS receiver validation demonstration [NASA-CR-178530] p 283 N86-19306  
A real-time simulation evaluation of an advanced detection, isolation and accommodation algorithm for sensor failures in turbine engines [NASA-TM-87289] p 504 N86-24697  
Minimum operational performance standards for airborne thunderstorm detection equipment [RTCA/DO-191] p 617 N86-27851  
Auditory helicopter detection and localization; a literature review focusing on search for helicopters [FOA-C-80033-H2] p 757 N86-30474  
Development of airborne electric field and lightning detection instrumentation for aviation safety [AD-A167342] p 701 N86-30705  
Design, development and integrate/install an airborne remote instrumentation system (AIREYE) [AD-A166755] p 719 N86-30728

## DETECTORS

Failure detection in a flight control system by the modified sequential probability ratio test p 854 A86-49507

## DETERIORATION

Turbomachinery performance deterioration; Proceedings of the Fourth Joint Fluid Mechanics, Plasma Dynamics, and Lasers Conference, Atlanta, GA, May 12-14, 1986 p 642 A86-40726  
Factors relating to deterioration based on Rolls-Royce RB 211 in service performance p 643 A86-40730  
Study of single stage axial flow compressor performance deterioration p 643 A86-40735  
Performance deterioration during rotating stall in axial compressors p 644 A86-40738

## DETONABLE GAS MIXTURES

Effect of silane concentration on the supersonic combustion of a silane/methane mixture [AIAA PAPER 86-1396] p 663 A86-42610

## DEVIATION

Estimation of the deviation limits of the aircraft path parameters during automatic landing p 106 A86-13365

## DIAGNOSIS

Knowledge-based systems for rotorodynamic diagnostics [AIAA PAPER 86-1678] p 648 A86-42789  
An overview of USAF engine diagnostic systems [AIAA PAPER 86-1679] p 649 A86-42790

## DIAPHRAGMS (MECHANICS)

Development of optical diaphragm deflection sensors [NASA-CR-175008] p 194 N86-15113

## DIATOMIC GASES

Flow of a diatomic rarefied gas around a cone p 78 A86-13360

## DICARBOXYLIC ACIDS

The effect of the monoethers of dicarboxylic acids on the antiwear properties of jet fuels p 843 A86-49963

## DIES

The thermo-mechanical processing during closed die forging - A method of improving aeronautical materials p 380 A86-26336

## DIESEL ENGINES

Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 1 [NASA-CR-174923-VOL-1] p 108 N86-13328  
Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 2 [NASA-CR-174923-VOL-2] p 108 N86-13329  
Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 3 [NASA-CR-174923-VOL-3] p 108 N86-13330  
Proceedings of the 1985 ONR/NAVAIR Wave Rotor Research and Technology Workshop [AD-A161539] p 389 N86-20813  
Preliminary evaluation of a compound cycle engine for shipboard gensets [NASA-CR-179451] p 611 N86-26629

## DIFFERENCE EQUATIONS

A consistent spatial differencing scheme for the transonic full-potential equation in three dimensions [NASA-TM-86716] p 152 N86-15246  
An efficient decision-making-free filter for processes with abrupt changes - aircraft tracking [NLR-MP-84080-U] p 618 N86-27018

## DIFFERENCES

Numerical analysis for steady transonic flows past an airfoil using AF scheme p 209 N86-17289

## DIFFERENTIAL EQUATIONS

A differential dynamic programming method with an abrupt penalty integrand for solving tolerance problems p 680 A86-42677  
The influence of dynamic inflow and torsional flexibility on rotor damping in forward flight from symbolically generated equations p 177 N86-15295  
Study of the transition behavior of an airplane in the vicinity of bifurcation points p 566 N86-27266

## DIFFERENTIAL INTERFEROMETRY

Vortices and pressure waves at trailing edges [ISL-CO-224/84] p 153 N86-15252

## DIFFRACTION PATTERNS

Characteristics of the interaction of interference and diffraction flows at supersonic velocities p 478 A86-36459

## DIFFUSERS

An improved simple method for designing optimum annular diffusers [ASME PAPER 85-GT-126] p 235 A86-22075  
Simulation of diffuser duct flowfields using a three-dimensional Euler/Navier-Stokes algorithm [AIAA PAPER 86-0310] p 206 A86-22692  
Aerodynamic research on straight wall annular diffuser for turbofan augmentor [ASME PAPER 85-IGT-16] p 271 A86-23634  
Surge margin enhancement by a porous throat diffuser p 592 A86-39568  
Effects of S-bends on diffuser internal performance and turbulence characteristics [AIAA PAPER 86-1459] p 625 A86-42654  
S-duct inlet/diffusers for turboprop offset gearbox applications [AIAA PAPER 86-1462] p 625 A86-42655

## DIFFUSION

Diffusion of water in carbon epoxy composites p 377 A86-27754  
Experimental study of the combustion of gas-air mixtures in a channel and the diffusion combustion in a slipstream at high velocities [AD-A157495] p 116 N86-12271  
A simplified model of the turbulent microburst [NASA-CR-177108] p 679 N86-29486

## DIFFUSION COEFFICIENT

False diffusion in three-dimensional flow calculations p 143 A86-17653

## DIFFUSION WELDING

Superplastically-formed/diffusion-bonded titanium technology transition case study p 252 A86-22142  
Properties of diffusion bonded butt joints in Ti-6Al-4V and Ti-4Al-4Mo-2Sn-0.5Si (IMI 550) alloys p 375 A86-27260  
Advanced structural components by SPF/DB processing - superplastic forming and diffusion bonding p 363 A86-27271

Producibility of aircraft structural parts by superplastic forming and diffusion bonding p 382 A86-27272  
Fundamental investigation on the impact strength of hollow fan blades [NAL-TR-879] p 322 N86-19657  
Low mass diffusion bonding tools [AD-D012295] p 851 N86-32746

## DIGITAL COMMAND SYSTEMS

Development of HIDEC adaptive engine control systems [ASME PAPER 86-GT-252] p 816 A86-48278  
Development of a flight software testing methodology [NASA-CR-176391] p 128 N86-13922

Robustness of discrete-time dynamical systems: Application to the multivariable digital control of combat aircraft [ESA-TT-906] p 446 N86-22583  
Flight control system development and flight test experience with the F-111 mission adaptive wing aircraft [NASA-TM-88265] p 714 N86-29613  
Experience with synchronous and asynchronous digital control systems [NASA-TM-88271] p 726 N86-29666

## DIGITAL COMPUTERS

Implications associated with the operation of digital data processing in the presence of the relatively harsh EMP environments produced by lightning p 809 A86-47319  
Work on putting computer and CRTs in airliner control panels p 172 N86-15947  
Digital electronic engine control F-15 overview [PAPER-1] p 504 N86-25343  
Optical technology for flight control systems [NASA-TM-88400] p 855 N86-28960  
Multiple thermocouple testing device [AD-D012276] p 850 N86-31660

## DIGITAL DATA

Sensor control and film annotation for long range, standoff reconnaissance p 230 A86-19597  
Signal processing in the airborne receiver of the Intercom microwave landing system p 282 N86-19303  
Data reduction, management, and analysis software for CID p 399 N86-21938

## DIGITAL FILTERS

A combined optimal algorithm for filtering and calculating navigation coordinates p 348 A86-28311  
Numerical synthesis of tri-variate velocity realizations of turbulence p 387 A86-28654  
Digital filtering and acceleration pulse interpretation p 400 N86-21941

## DIGITAL NAVIGATION

Effects of digital altimetry on pilot workload [SAE PAPER 841489] p 327 A86-26019  
A combined optimal algorithm for filtering and calculating navigation coordinates p 348 A86-28311  
Design techniques for improved map-aided navigation p 349 A86-28357

Effects of digital altimetry on pilot workload

[NASA-TM-88424] p 126 N86-13892  
Extensions to PIFCGT: Multirate output feedback and optimal disturbance suppression [NASA-CR-3968] p 446 N86-22581  
Flight control system development and flight test experience with the F-111 mission adaptive wing aircraft [NASA-TM-88265] p 714 N86-29613

## DIGITAL RADAR SYSTEMS

Airborne radar - The greater watershed p 438 A86-31343  
Tracking radars at flight test ranges [AIAA PAPER 86-9747] p 447 A86-32091  
Advances in secondary surveillance radar systems p 423 A86-32581  
A radar analysis program for evaluating and monitoring primary and secondary radar systems p 423 A86-32601

## DIGITAL SIMULATION

Method of spare parts - Digital simulation of aircraft turbine engine control system [ASME PAPER 85-IGT-52] p 301 A86-23858  
A comparison of digital terrain models and terrain masking algorithms p 350 A86-28391  
Procedures for the digital simulation of helicopter propulsion systems [DGLR PAPER 85-115] p 501 A86-35168  
Digital simulation of regulated electrical power supplies for military applications p 669 A86-40775  
Flight simulation techniques with emphasis on the generation of high fidelity 6 DOF motion cues p 839 A86-49024

Multivariable control law design for enhanced air combat maneuvering, F-15/STOL (Short Take-Off and Landing) derivative fighter [AD-A164017] p 512 N86-24706

## DIGITAL SYSTEMS

Fiber optics for propulsion control systems [ASME PAPER 84-GT-97] p 105 A86-13054  
Military avionics p 102 A86-13269  
Application of the state-space method to analyze the stability of digital systems p 127 A86-13418  
Evaluation of tape recordings from an airborne digital recorder p 170 A86-16858  
Flight evaluation of a digital electronic engine control in an F-15 airplane p 173 A86-17784  
A flight evaluation of a digital electronic engine control p 299 A86-23273  
Remote aircraft maintenance monitoring using telemetry p 347 A86-27813

- Digital avionics for modern aircraft - A case study into the problems and promise of aircraft electronics p 358 A86-28346
- Design of direct digital flight-mode control systems for high-performance aircraft using step-response matrices p 367 A86-28387
- Implementation of TF/TA in the digital terrain management and display system p 359 A86-28390
- Digital fault tolerant flight actuation systems p 354 A86-28400
- Flying hands off to a hover — automatic flight control in helicopters p 507 A86-34193
- Application of digital/electric systems to advanced technology aircraft [SAWE PAPER 1639] p 486 A86-35203
- SR-71 digital automatic flight and inlet control system [SAE PAPER 851977] p 509 A86-35457
- Digital correction of the readings of an aircraft fuel-measurement system p 500 A86-36725
- Application of analytical redundancy — for flight safety [SAE PAPER 851825] p 593 A86-36331
- The integrated digital avionics system for the F-20 Tigershark [SAE PAPER 851850] p 589 A86-36345
- Test and evaluation of the HIDE engine uptrim algorithm — Highly Integrated Digital Electronic Control for aircraft p 507 A86-34193
- [AIAA PAPER 86-1676] p 648 A86-42787
- Digital data acquisition system for model testing — of aircraft p 731 A86-47093
- Sensitivity analysis of high-order digital flight control systems using singular-value concepts [AIAA PAPER 86-2084] p 822 A86-47437
- Digitalization of avionics in today's and tomorrow's aircraft and implications on aircraft maintenance p 760 A86-47609
- Recursive real-time identification of step-response matrices of high-performance aircraft for adaptive digital flight control [AIAA PAPER 86-2017] p 826 A86-47652
- Flight testing on customer aircraft with a portable airborne digital data system p 810 A86-47788
- Avionics digital data acquisition system p 810 A86-47790
- The M53 turbofan control system - A strong basis for the development of the future digital control systems p 817 A86-49088
- Digital engine control units for an fighter engine and an auxiliary power unit - A comparison p 817 A86-49089
- Digital servocontroller system. Volume 4. Results and conclusions [AD-A159088] p 111 A86-13335
- Methodologies for the direct digital control of highly flexible vehicles [AD-A158448] p 188 A86-14615
- Digital servocontroller system. Volume 1: Operations manual [AD-A158392] p 192 A86-14960
- PIFCGT: A PIF autopilot design program for general aviation aircraft [NASA-CR-166123] p 178 A86-15320
- Digital servocontroller system. Volume 2. Maintenance manual [AD-A159086] p 179 A86-15322
- Certification of aeroengines fitted with full authority digital control [PNR-90287] p 237 A86-16225
- Error propagation in a digital avionic processor: A simulation-based study [NASA-CR-176501] p 232 A86-17351
- Digital fault-tolerant flight actuation systems [AFWAL-83-3041] p 362 A86-20408
- Extensions to PIFCGT: Multirate output feedback and optimal disturbance suppression [NASA-CR-3988] p 448 A86-22581
- Minimum time and fuel flight profiles for an F-15 airplane with a Highly Integrated Digital Electronic Control (HIDE) system [NASA-TM-86042] p 436 A86-23587
- Pitch-location effects on dynamic stall [AD-A184322] p 480 A86-25329
- Evaluation of a frequency response technique for aircraft system identification [AD-A164367] p 497 A86-25339
- Real-time in-flight thrust calculation on a digital electronic engine control-equipped F100 engine in an F-15 airplane [PAPER-13] p 506 A86-25355
- A solid-state map display for rapid response operation p 589 A86-26323
- Applications of digital terrain data in flight operations p 573 A86-26324
- Study on using a digital ride quality augmentation system to trim an engine-out in a Cessna 402B [NASA-CR-177272] p 595 A86-26342
- Test and evaluation of the HIDE engine uptrim algorithm [NASA-TM-88262] p 650 A86-28088
- Implementation and flight tests for the Digital Integrated Automatic Landing System (DIALS). Part 2: Complete set of flight data [NASA-TM-87632-PT-2] p 653 A86-28093
- The future of bipolar technology for avionics p 674 A86-28341
- Investigation of an advanced fault tolerant integrated avionics system [NASA-CR-176980] p 642 A86-28945
- Implementation and flight tests for the Digital Integrated Automatic Landing System (DIALS). Part 1: Flight software equations, flight test description and selected flight test data [NASA-TM-87632-PT-1] p 653 A86-28950
- DIGITAL TECHNIQUES**
- Unscreened part reliability rivals that of screened parts in new digital avionics p 315 A86-23015
- Digital chirp demodulation p 385 A86-28332
- Flying qualities design criteria for highly augmented systems p 369 A86-28509
- New interfaces in the cockpit p 427 A86-31346
- FAA certification criteria for lightning protection of helicopter digital engine control p 482 A86-35809
- Digital control loading and motion - The final word? — in flight simulation p 732 A86-48149
- Three-dimensional, transonic rotor flow field reconstructed from holographic interferogram data [NASA-TM-86816] p 188 A86-14555
- Image processing of aerodynamic data [NASA-TM-87629] p 255 A86-16553
- Digital filtering and acceleration pulse interpretation p 400 A86-21941
- Dynamic assertion testing of flight control software [NASA-CR-176716] p 486 A86-23325
- Digital Electronic Engine Control (DEEC) Flight Evaluation in an F-15 Airplane [NASA-CP-2298] p 504 A86-25342
- Digital electronic engine control F-15 overview [PAPER-1] p 504 A86-25343
- Digital electronic engine control history [PAPER-2] p 504 A86-25344
- F-15 digital electronic engine control system description [PAPER-3] p 504 A86-25345
- NASA Lewis F100 engine testing [PAPER-4] p 504 A86-25346
- Effects of inlet distortion on a static pressure probe mounted on the engine hub in an F-15 airplane [PAPER-5] p 505 A86-25347
- Flight testing the digital electronic engine control in the F-15 airplane [PAPER-6] p 505 A86-25348
- Digital electronic engine control fault detection and accommodation flight evaluation [PAPER-7] p 505 A86-25349
- Airstart performance of a digital electronic engine control system on an F100 engine [PAPER-8] p 505 A86-25350
- Flight evaluation of a hydromechanical backup control for the digital electronic engine control system in an F100 engine [PAPER-9] p 505 A86-25351
- Backup control airstart performance on a digital electronic engine control-equipped F100-engine [PAPER-10] p 505 A86-25352
- Augmentor transient capability of an F100 engine equipped with a digital electronic engine control [PAPER-11] p 505 A86-25353
- Investigation of a nozzle instability on an F100 engine equipped with a digital electronic engine control [PAPER-12] p 506 A86-25354
- Control technology for future aircraft propulsion systems [PAPER-14] p 506 A86-25356
- Design, development and operation of a high simultaneous capacity digital telemetry system p 613 A86-27632
- MIL-DAP: Its architecture and role as a real time airborne digital signal processor p 681 A86-28359
- Interface of the transport systems research vehicle monochrome display system to the digital autonomous terminal access communication data bus [NASA-TM-87728] p 656 A86-28961
- The design of multirate digital control systems [NASA-CR-177126] p 726 A86-29863
- DIGITAL TO VOICE TRANSLATORS**
- A microprocessor-based digital voice network p 118 A86-13221
- DIGITALIS**
- Effects of digital altimetry on pilot workload [SAE PAPER 841489] p 327 A86-28019
- Effects of digital altimetry on pilot workload [NASA-TM-86424] p 126 A86-13892
- DIMENSIONAL ANALYSIS**
- Analysis and verification of the icing scaling equations. Volume 1 [AD-A162226] p 437 A86-23595
- DIMENSIONS**
- Method of calculating angular dimensions of flight vehicle cockpit canopy casings p 191 A86-15886
- DIRECT LIFT CONTROLS**
- Design of a vertical thrust stand for a remotely piloted model helicopter [AD-A167811] p 840 A86-31598
- DIRECTIONAL CONTROL**
- Problems in rudder design for small transport aircraft p 306 A86-23781
- Directional handling qualities requirements for nap-of-the-earth tasks p 442 A86-30499
- In flight access to minimum vectoring altitudes - A pilot's perspective [SAE PAPER 851837] p 485 A86-35444
- Directional handling qualities requirements for nap of the earth (NOE) tasks p 510 A86-35622
- Integrated braking and ground directional control for tactical aircraft [SAE PAPER 851941] p 581 A86-38374
- Experimental assessment of vortex retaining cavity flaps for maneuverability improvement on delta wing fighter aircraft [AD-A164104] p 497 A86-24690
- Multiaxis aircraft control power from thrust vectoring at high angles of attack [NASA-TM-87741] p 629 A86-28054
- DIRECTIONAL STABILITY**
- Yaw stabilization of an open ejection seat, fact or fantasy? p 217 A86-19305
- Control of aeroelastic instabilities through stiffness cross-coupling p 284 A86-23192
- DIRECTIVITY**
- Pusher propeller noise directivity and trends [AIAA PAPER 86-1929] p 751 A86-45420
- Directivity and trends of noise generated by a propeller in a wake [NASA-TP-2609] p 757 A86-31341
- DISASTERS**
- Airport preparedness for mass disaster - A proposed schematic plan p 214 A86-20411
- DISCONTINUITY**
- Studies on the interference of wings and propeller slipstreams p 151 A86-15241
- DISCRETE FUNCTIONS**
- Application of a dynamic grid adaptation in the ASWR procedure p 149 A86-14243
- DISKS (SHAPES)**
- A numerical study of axisymmetric flow past a disk p 79 A86-13377
- Structural evaluation of superplastic aluminum. Part 1. Mechanical, corrosion, metallurgical data [AD-A161366] p 379 A86-21662
- DISPERSING**
- Dispersion process of jet engine exhaust plume. II - Buoyant jet p 234 A86-20448
- Turbulent dispersion of the icing cloud from spray nozzles used in icing tunnels [NASA-TM-87316] p 620 A86-31586
- DISPERSIONS**
- Dispersion strengthened P/M aluminum alloys p 451 A86-33223
- DISPLACEMENT**
- A theory of large and finite displacements of bars p 316 A86-23662
- Response of composite material shallow arch to concentrated load p 670 A86-41699
- Displacement thresholds in central and peripheral vision during tracking p 679 A86-41782
- A large displacement formulation for anisotropic beam analysis p 671 A86-42075
- DISPLACEMENT MEASUREMENT**
- Photogrammetry as a means of mapping postbuckled composite surfaces p 520 A86-34639
- DISPLAY DEVICES**
- Canadian forces PCM telemetry processing and display system p 111 A86-13248
- Military avionics p 102 A86-13269
- Big Picture - Answer to the big problem? p 170 A86-17172
- Wide-angle, low-altitude flight simulator vision system for cockpit research and aircrew training p 180 A86-18453
- Overview of advanced display technologies p 171 A86-18455
- A thin film electroluminescent display for cockpit applications p 171 A86-18456
- Tomorrow's cockpit technology in today's modern helicopter p 166 A86-18457
- Advanced light emitting diode (LED) displays-paced by technology or systems application? p 171 A86-18458



- Display formats and information transfer requirements as they relate to mission, aircrew and aircraft type p 171 A86-18464
- The evolution of the cockpit displays in commercial airlines p 172 A86-18894
- Simulator evaluation of a remotely piloted vehicle visual landing task p 221 A86-20238
- Evolution of the air traffic control beacon system p 215 A86-21606
- Plessey displays in air traffic control p 216 A86-21606
- Advanced medium scale real-time system — for evaluation of flight tests p 296 A86-22720
- A study of state of the art computer graphics systems for flight safety monitoring p 329 A86-23264
- A preliminary flight evaluation of the peripheral vision display using the NT-33A aircraft p 297 A86-23729
- Flight deck displays for managing wind shear encounters [SAE PAPER 841465] p 298 A86-26008
- Effect of vibration on the readability of color CRT displays [SAE PAPER 841466] p 327 A86-26009
- Electronic display of powerplant parameters [SAE PAPER 841467] p 298 A86-26010
- Presentation of information on multimode displays - Abnormal and emergency aircraft operations [SAE PAPER 841494] p 298 A86-26012
- CRT displays in modern helicopter data presentation p 299 A86-26129
- Colour design in aviation cartography p 358 A86-26066
- Implementation of TF/TA in the digital terrain management and display system p 359 A86-26390
- A FORTRAN algorithm for terrain perspective and plan view display p 398 A86-28421
- Electronic display luminance and grey scale control — for military aircraft p 360 A86-28505
- Application of magneto-optic modulators to advanced avionic displays p 360 A86-28506
- Real-time circle generation for raster displays — computer graphics for aircraft displays p 361 A86-28511
- Pilot/Vehicle Interface Design System (PIVIDS) p 361 A86-28512
- Evaluation of formats for aircraft control/display units p 438 A86-29864
- A peripheral integrated system status display - Figural goodness or proximity effects? p 453 A86-29870
- Advanced concepts flight simulation facility p 448 A86-29916
- New interfaces in the cockpit p 427 A86-31346
- Advances in display technology V: Proceedings of the Meeting, Los Angeles, CA, January 24, 25, 1985 [SPIE-526] p 456 A86-32314
- 160 megapixels per second 2000 line display p 456 A86-32318
- Development of a raster/stroke full-color TV projector for simulation p 456 A86-32320
- Thin film electroluminescent (TFEL) display optimized for cockpit applications p 456 A86-32321
- A preliminary study of the basic display/guidance requirements for flying near optimal trajectories p 499 A86-35366
- Stored terrain data base aided pilotage for helicopters p 499 A86-35606
- Aircraft lighting systems p 491 A86-35607
- An integrated display for vertical and translational flight Eight factors affecting pilot performance p 529 A86-36175
- Putting humans into virtual space — with visually coupled cockpit simulator p 588 A86-37193
- Time runs out for the clockwork cockpit p 583 A86-38701
- New levels of realism achieved in visuals for flight simulation p 739 A86-46148
- Problems of the visual display in flight simulation p 731 A86-46719
- Cooperative synthesis of control and display augmentation [AIAA PAPER 86-2204] p 853 A86-47484
- The interactive generation of alphanumeric and symbology with designs on the future [AD-A159218] p 192 A86-14982
- Work on putting computer and CRTs in airliner control panels p 172 A86-15947
- The effects of vocal versus manual response modalities on multi-task performance [AD-A158830] p 321 A86-18568
- Horizontal display for vertical flight: A direction of motion experiment [AD-A161113] p 299 A86-19321
- Feasibility study for a static aircraft flight [AD-A163129] p 466 A86-24233
- Guidance-Control-Navigation Automation for Night All-Weather Tactical Operations [AGARD-CP-387] p 573 A86-26316
- Synthetic real-time relief display all-weather airborne missions p 589 A86-26321
- A solid-state map display for rapid response operation p 589 A86-26323
- Applications of digital terrain data in flight operations p 573 A86-26324
- Aircraft liftermeter [NASA-CASE-LAR-12518-1] p 590 A86-27280
- The impact of VHPIC on avionic system architecture, packaging and maintainability p 674 A86-26372
- Aircraft avionics suitable for advanced approach applications. Volume 1: Aircraft fleet equipage [DOT/FAA/PM-86/25,1] p 642 A86-26944
- Interface of the transport systems research vehicle monochrome display system to the digital autonomous terminal access communication data bus [NASA-TM-87728] p 656 A86-28961
- Optimal cooperative control synthesis of active displays [NASA-CR-177102] p 683 A86-29851
- Feasibility study for ergonomic analysis and design of future helicopter cockpit systems [NASA-CR-176942] p 714 A86-29811
- Development of an algorithm to model an aircraft equipped with a generic CDTI display [NASA-TM-87732] p 748 A86-30349
- Airborne navigation remote map reader evaluation [AD-A166976] p 719 A86-30729
- Simulation evaluation of display/FLIR concepts for low-altitude, terrain-following helicopter operations [NASA-TM-86779] p 789 A86-31551
- Multiple thermocouple testing device [AD-D012276] p 850 A86-31860
- Simulator scene display evaluation device [NASA-CASE-ARC-11504-1] p 840 A86-32447
- An improved optical viewing system for a flight simulator [MS-8025] p 840 A86-32448
- DISSOLVED GASES**
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 3: On-Board Inert Gas Generator System (OBIGGS) studies. Part 2: Fuel scrubbing and oxygen evolution tests [AD-A167445] p 807 A86-31573
- DISTANCE**
- Effects of measurement errors on estimation of the probability of vertical overlap p 280 A86-25214
- DISTANCE MEASURING EQUIPMENT**
- Integrated navigation, communication, and surveillance systems based on standard distance measuring equipment p 635 A86-40116
- DME/P - A necessary MLS component for the future p 703 A86-46140
- Test and flight evaluation of precision distance measuring equipment p 788 A86-49017
- Minimum operational performance standards for airborne Distance Measuring Equipment (DME) operation within the radio frequency range of 960-1215 megahertz [RTCA/DO-189] p 362 A86-21542
- DISTORTION**
- Experimental study of the effects on the turbofan engine by the distortion p 304 A86-25192
- DISTRIBUTED PROCESSING**
- Local area command/control networks: The design of an on-board network - ANTINEA — French thesis p 215 A86-21327
- Imaging connector interconnect system for a parallel fiber optic data bus p 385 A86-28340
- The development status of JTIDS dual mode TDMA and distributed TDMA (DTDMA) full scale development terminals - An update p 351 A86-28473
- Smart probes for air data p 811 A86-49498
- Distributed sensor networks [AD-A160596] p 332 A86-19136
- DISTRIBUTION**
- Physical distribution system for aircraft external fuel tanks-survey [AD-A158275] p 101 A86-13324
- DISTRIBUTION (PROPERTY)**
- Experimental study of the acoustic fields far and near a microturbo TRS 18 turboreactor [ISL-R-113/84] p 333 A86-20095
- DISTRIBUTION MOMENTS**
- Analysis of aerodynamic coefficients using gradient data: Spanwise turbulence effects on airplane response [NASA-CR-3961] p 393 A86-21069
- DITCHING (LANDING)**
- Emergency underwater escape from helicopters p 784 A86-47745
- A study of the structural integrity of the Canadair Challenger at ditching p 785 A86-49054
- DIVERGENCE**
- Divergence of an anisotropic sweptforward wing p 768 A86-48788
- Estimation of divergence and flutter boundaries on supersonic plate wing models from subcritical random responses due to air turbulence [NAL-TR-856] p 211 A86-17308
- Divergence study of a high-aspect ratio, forward-swept wing [NASA-TM-87682] p 588 A86-27279
- DO-28 AIRCRAFT**
- The icing research aircraft DO28, D-IFMP of DFVLR, and its measuring equipment [DFVLR-MITT-85-12] p 394 A86-22064
- Identification of gust input and gust response characteristics from Do 28 TNT flight test data [ESA-TT-919] p 837 A86-32445
- DOCUMENTATION**
- Air and space flight. Dream and facts [MBB-FILM-382] p 198 A86-16188
- Documentation of ice shapes accreted on the main rotor of a UH-1H helicopter in level flight [NASA-CR-175088] p 420 A86-22559
- NASTRAN supplemental documentation for modal forced vibration analysis of aerodynamically excited turbosystems [NASA-CR-174967] p 675 A86-28463
- DOMAINS**
- Study of the effects of discretizing quantitative feedback theory analog control system designs [AD-A164209] p 533 A86-25174
- Tine domain design of robust controllers for LQG (Linear Quadratic Gaussian); application to large space structures [AD-A163635] p 533 A86-28074
- DOMES (STRUCTURAL FORMS)**
- Airborne tracking Sun photometer apparatus and system [NASA-CASE-ARC-11622-1] p 394 A86-21982
- DOORS**
- The material development, component manufacture and post-service evaluation of RB 211-524 cowl doors utilizing carbon fibre composite materials p 523 A86-37106
- Structural certification and in-service flight experience of the RB 211-524 fan cowl doors utilizing carbon fibre composite materials p 496 A86-37106
- Task force report on emergency evacuation of transport airplanes. Volume 2: Supporting documentation [FAA/VS-86/1,2] p 700 A86-29797
- DOPPLER EFFECT**
- In-flight turbulence detection [AD-A160380] p 325 A86-18923
- Joint agency turbulence experiment [AD-A160420] p 325 A86-18924
- DOPPLER NAVIGATION**
- U.S. Army helicopter voice technology applications [SAE PAPER 841609] p 328 A86-26028
- Simulation of the algorithms of a navigation computer p 748 A86-46369
- Preliminary hazard analysis for self-contained navigation system [AD-A161883] p 425 A86-23582
- A comparison of voice and keyboard data entry for a helicopter navigation task [AD-A163245] p 610 A86-26501
- DOPPLER RADAR**
- Evaluation of meteorological airborne Doppler radar. I - Dual-Doppler analyses of air motions. II - Triple-Doppler analyses of air motions p 103 A86-14223
- Airborne radar. I - Air-to-surface p 296 A86-23293
- F-16 radar data acquisition and analysis [AIAA PAPER 86-9798] p 422 A86-32127
- F-16 radar flight test - A lesson in software development [AIAA PAPER 86-9827] p 406 A86-32149
- Parameters of a dedicated weather radar for terminal air navigation, traffic control and safety p 423 A86-32616
- The FAA/M.I.T. Lincoln Laboratory Doppler Weather Radar program p 614 A86-37461
- Taming the killer wind shear p 678 A86-41035
- Mobile intercept of storms p 191 A86-15771
- In-flight turbulence detection [AD-A160380] p 325 A86-18923
- Joint agency turbulence experiment [AD-A160420] p 325 A86-18924
- The Stapleton microburst advisory service project: An operational viewpoint [AD-A161543] p 394 A86-21078
- Weather radar studies [AD-A161622] p 394 A86-22061
- Analysis of airborne Doppler lidar, Doppler radar and tall tower measurements of atmospheric flows in quiescent and stormy weather [NASA-CR-3960] p 462 A86-23159

## DORNIER AIRCRAFT

Claude Dornier - Pioneer of aviation; Academic Seminar, Technische Universität München, Munich, West Germany, October 24, 1984, Papers

- D-CALM - New research aircraft for remote sensing p 195 A86-16325  
 New research aircraft for DFVLR p 287 A86-25020  
 The IA 63 trainer p 428 A86-32074  
 Aerodynamic technologies for general aviation aircraft p 428 A86-32075  
 Results of technology programs for general aviation aircraft at Dornier p 713 A86-46198  
 Results of technology programs for general aviation aircraft at Dornier p 795 A86-47787

## DOSAGE

Aircraft dose and engine dust ingestion from nuclear cloud penetration [AD-A159248] p 101 A86-13327

## DOWNWASH

- A numerical solution of the downwash associated with a blown-flap system [AIAA PAPER 86-0473] p 202 A86-19892  
 The induced downwash and lift on a wing of high aspect ratio in unsteady motion p 474 A86-34160  
 Some design philosophy for reducing the community noise of advanced counter-rotation propellers [NASA-TM-87099] p 129 A86-14007  
 Light helicopter family trade-off analysis. Volume 10: Appendices V, W, X, and Z [AD-A159079] p 169 A86-15309  
 Effects of aerodynamic lags on aircraft responses p 564 A86-27257

## DRAG

- Numerical approximation of the total drag of a body in a tube [AD-A159548] p 188 A86-14538  
 Advanced technology helicopter landing gear preliminary design investigation [AD-A162097] p 437 A86-23594

## DRAG COEFFICIENTS

- Wave drag of a supersonic air intake at high subsonic velocities p 770 A86-48834  
 Transonic wave drag estimation and optimization using the nonlinear area rule [AIAA PAPER 86-1798] p 778 A86-49582

## DRAG MEASUREMENT

- Improved drag element for wind tunnel sting balances p 112 A86-14532  
 Air Force Academy Aeronautics Digest [AD-A157215] p 76 A86-12200  
 Prediction of the drag of wings at subsonic speeds by viscous/inviscid interaction techniques p 156 A86-15274

## DRAG REDUCTION

- The laminar airliner - Prospects and problems - review of boundary layer control research p 98 A86-14822  
 An experimental study of geometrical effects on the drag and flow field of two bluff bodies separated by a gap p 141 A86-17055  
 Drag reduction of perforated axisymmetric bodies in supersonic flow p 144 A86-18047  
 Shaping of airplane fuselages for minimum drag [AIAA PAPER 86-0316] p 201 A86-19809  
 Aircraft viscous drag reduction technology p 204 A86-20124  
 The laminar wing - A way for improving the economy of commercial aircraft p 274 A86-25022  
 Optimum supersonic wings with subsonic leading edges p 410 A86-32785  
 The passive control of the shock waves on transonic airfoils p 411 A86-32990  
 Details on the optimization of cruising drag of the Airbus A320 [DGLR PAPER 85-089] p 487 A86-35152  
 Advanced boundary layer transition measurement methods for flight applications [AIAA PAPER 86-9786] p 500 A86-37083  
 Experimental investigation of rotorcraft hub and shaft fairing drag reduction [AIAA PAPER 86-1783] p 577 A86-37814  
 Drag-reduction characteristics of aft-swept wing tips [AIAA PAPER 86-1824] p 545 A86-37840  
 Aerodynamic investigations toward an adaptive airfoil for a transonic transport aircraft p 623 A86-40115  
 Application of unsteady aerodynamics to large-eddy breakup devices in a turbulent flow p 688 A86-44238  
 Evaluation and reduction of drag [AAAF PAPER NT 85-01] p 786 A86-48452  
 Reduction of turbulent drag - Turbulence manipulators [AAAF PAPER NT 85-04] p 786 A86-48455  
 Theoretical and experimental analysis of separations on helicopter fuselages [AAAF PAPER NT 85-08] p 786 A86-48458  
 Investigations on high Reynolds number laminar flow airfoils p 771 A86-48983  
 Length adjustable strut link with low aerodynamic drag [AD-D011851] p 107 A86-12232

## China report: Science and technology

- [JPRS-CST-85-029] p 122 A86-12446  
 Wingtip sails tested on Y-5 aircraft p 99 A86-12450  
 Aircraft Drag Prediction and Reduction [AGARD-R-723] p 155 A86-15266  
 Aircraft drag reduction technology: A summary p 155 A86-15267  
 Laminar flow control with suction: Theory and experiment p 155 A86-15269  
 Design considerations for application of laminar flow control systems to transport aircraft p 155 A86-15270  
 Turbulent drag reduction for external flows p 156 A86-15271  
 Parasitic and interference drag prediction and reduction p 156 A86-15272  
 Recent developments in three-dimensional wake analysis p 156 A86-15273  
 Transonic drag rise and drag reduction by active/passive boundary layer control p 156 A86-15275  
 Towards an advanced vortex flap system: The cavity flap p 557 A86-27200  
 An investigation of the feasibility of active boundary layer thickening for aircraft drag reduction [NASA-CR-177133] p 630 A86-28064  
 Feasibility of generating an artificial burst in a turbulent boundary layer [NASA-CR-4003] p 675 A86-28377  
 Design and fabrication of large suction panels with perforated surfaces for laminar flow control testing in a transonic wind tunnel [NASA-TM-89011] p 715 A86-29815  
 Numerical studies of porous airfoils in transonic flow [NASA-CR-179655] p 697 A86-30696  
 A fundamental study of drag and an assessment of conventional drag-due-to-lift reduction devices [NASA-CR-4004] p 745 A86-30999  
 International Aviation (selected articles) [AD-A166298] p 763 A86-31528  
 DRAINAGE  
 Fuel pump vent drain system [AD-D011993] p 459 A86-22947  
 DRILLING  
 F/A 18 composite wing automated drilling system p 117 A86-13111  
 Vertically operating flight vehicle for drilling and agricultural use [NASA-TM-77713] p 357 A86-21535  
 DRONE AIRCRAFT  
 Design of a multivariable flutter control/gust load alleviation system [AIAA PAPER 86-2247] p 825 A86-47494  
 DRONE VEHICLES  
 Ground vibration test results for Drones for Aerodynamic and Structural Testing (DAST)/Aeroelastic Research Wing (ARW-1R) aircraft [NASA-TM-85906] p 284 A86-19312  
 DROOPED AIRFOILS  
 Leading-edge design for improved spin resistance of wings incorporating conventional and advanced airfoils [SAE PAPER 851816] p 578 A86-38325  
 DROP SIZE  
 Aircraft flow effects on cloud drop images and concentrations measured by the NAE Twin Otter p 322 A86-23289  
 Optical technique to study the impact of heavy rain on aircraft performance [NASA-CR-177989] p 123 A86-12580  
 Study of ice accretion on icing wind tunnel components [NASA-TM-87095] p 242 A86-16232  
 Some microphysical processes affecting aircraft icing [AD-A160375] p 325 A86-18921  
 Olefin polymers as jet fuel antimist additives p 734 A86-30016

## DROP TESTS

- Drop testing and analysis of six-foot diameter graphite-epoxy frames p 517 A86-37068  
 Development drop test results of the 15-ft-dia ribbon parachute and 73-ft-dia cross parachute for the US Army Natick Laboratory UHLCADS system [DE85-017614] p 341 A86-20371  
 CID-720 aircraft Langley Research Center preflight hardware tests: Development, flight acceptance and qualification p 392 A86-21949

## DROP TOWERS

- The new 'dual stage' test procedure for low cost measurement of parachute performance p 240 A86-19324

## DROP TRANSFER

- Quantitative determination of engine water ingestion [AIAA PAPER 86-0307] p 254 A86-22890

## DROPS (LIQUIDS)

- Formation and characterization of simulated small droplet icing clouds [AIAA PAPER 86-0409] p 254 A86-22700

- Impact efficiencies of evaporating kerosene droplets on vee-gutter flame stabilizer [ASME PAPER 86-GT-174] p 815 A86-48225  
 On the motion of spray drops in the wake of an agricultural aircraft p 777 A86-49441  
 Formation and characterization of simulated small droplet icing clouds [NASA-TM-87180] p 188 A86-14554  
 Calibration of droplet sizing and liquid water content instruments: Survey and analysis [NASA-CR-175099] p 611 A86-26596

## DRY FRICTION

- Dynamic response of a laminated plate with friction damping [ASME PAPER 85-DET-16] p 122 A86-16032  
 Influence of friction dampers on torsional blade flutter [ASME PAPER 85-GT-170] p 441 A86-32957

## DUAL WING CONFIGURATIONS

- Investigation of chord ratio, stagger, decalage angle, and flap angle for dual wing configurations [AIAA PAPER 86-0317] p 201 A86-19810  
 Dual-wing systems with decalage angle optimization p 624 A86-40121

## DUCT GEOMETRY

- Installation effects of long-duct pylon-mounted nacelles on a twin-jet transport model with swept supercritical wing [NASA-TF-2457] p 339 A86-20346

## DUCTED FLOW

- Profiling of supersonic ducts with specified nonisentropic parameters at the exit p 79 A86-13375  
 Propagation of small perturbations during the interaction of nonviscous jets p 80 A86-13390  
 A numerical method for calculating internal subsonic swirling flows of an ideal gas p 85 A86-14679  
 Multiple ducted streams with a periodic or a steady supersonic driver flow p 142 A86-17129  
 Simulation of diffuser duct flowfields using a three-dimensional Euler/Navier-Stokes algorithm [AIAA PAPER 86-0310] p 206 A86-22692  
 Compressibility corrections for multifoil sections p 270 A86-23193  
 A quick method for estimating heat transfer to a coolant p 316 A86-23666  
 Mach reflection and aerodynamic choking in two-dimensional ducted flow p 411 A86-32987  
 Experiments on supersonic turbulent flow development in a square duct [AIAA PAPER 86-1038] p 548 A86-38412  
 Thermodynamic evaluation of transonic compressor rotors using the finite volume approach [NASA-CR-176947] p 722 A86-30731

## DUCTS

- High-temperature composite ducts [SME PAPER MF85-501] p 319 A86-24683  
 S-duct inlet/diffusers for turboprop offset gearbox applications [AIAA PAPER 86-1462] p 625 A86-42655  
 Laser beam duct pressure controller system [AD-D012017] p 525 A86-24984

## DUMMIES

- Limb Restraint Evaluator (LRE) p 261 A86-19329  
 The state of the art of anthropomorphic manikins and requirements for the evaluation of advanced aircraft ejection systems p 262 A86-19345  
 High speed ejection tests of a modified Hybrid III Manikin p 784 A86-47738  
 Preliminary floor, seat, and dummy data p 391 A86-21942  
 Impact dynamics instrumentation p 392 A86-21948

## DURABILITY

- Consideration of the multiplicity of critical spots in a structure in estimating the durability and the service life p 119 A86-13367  
 Impact of composite materials on advanced fighters p 245 A86-21722  
 Durability and damage-tolerance design and analysis of titanium airframe structures p 454 A86-30091  
 Durability prediction of parallel fuel tank skins with fluid-structure interaction dynamics [AIAA PAPER 86-0935] p 591 A86-38927  
 Durability and damage tolerance in aircraft design; Proceedings of the Thirteenth Symposium, Pisa, Italy, May 22-24, 1985 p 706 A86-43776  
 Damage tolerance and durability in the design of a short-haul turboprop aircraft p 707 A86-43790  
 Environmental-durability testing - of Al alloy bonded aircraft structures p 845 A86-47719  
 Durability and damage tolerance assessment of the TF34-100 engine [ASME PAPER 86-GT-38] p 812 A86-48125  
 Long endurance aircraft performance p 805 A86-49478  
 A durable airfield marking system [AD-A157953] p 113 A86-13339

## DUST

- Aircrew dose and engine dust ingestion from nuclear cloud penetration  
[AD-A159246] p 101 N86-13327

## DYNAMIC CHARACTERISTICS

- Requirements for tailoring of material properties of viscoelastically damped bonded laminates in aircraft structures p 250 A86-21714  
Free vibration characteristics of periodically stiffened panels with damped stringers p 456 A86-31773  
Location of lightning strokes on aircraft in storm field with measured electrical, microphysical and dynamical properties p 783 A86-47299  
Dynamic aspects in the design of advanced rotor systems p 798 A86-48663  
Topics in landing gear dynamics research at NASA Langley p 803 A86-49120  
Dynamic characteristics of air data sensor systems: Altimeter, speedometer and alpha times beta vane [NAL-TR-852] p 172 N86-15312  
Effects of vibration-induced cavitation of physicochemical characteristics of aircraft fuel p 184 A86-15346  
Dynamic gas temperature measurement system. Volume 2: Operation and program manual [NASA-CR-168267] p 190 N86-15651  
Effects of blade-to-blade dissimilarities on rotor-body lead-lag dynamics [AD-A160497] p 293 N86-18317  
Motion planning in the presence of moving obstacles [AD-A161374] p 400 N86-22208  
Review and evaluation of recent developments in melic inlet dynamic flow distortion prediction and computer program documentation and user's manual estimating maximum instantaneous inlet flow distortion from steady-state total pressure measurements with full, limited, or no dynamic data [NASA-CR-176765] p 525 N86-24955  
Improving the interpretability of an aircraft attitude indicator [AD-A166329] p 719 N86-29817
- DYNAMIC CONTROL**  
Numerical simulation of a controlled-flow tunnel for V/STOL testing p 371 A86-28561  
Proposed control of compressor stall by pressure perturbation and blade design p 616 A86-49064  
On the handling qualities of flight vehicles through variable flight conditions p 836 N86-31592
- DYNAMIC LOADS**  
Injury pattern analysis of helicopter wire strike accidents (+Gz load) p 158 A86-18843  
Problems in the dynamics of aircraft structures exposed to intensive acoustic loading p 384 A86-28316  
Variation of effective stress range ratio under simple variable amplitude loading p 453 A86-30014  
The dynamic instability of plate structures p 605 A86-37348  
A design guide for damping of aerospace structures p 390 N86-21923  
The Shock and Vibration Digest, volume 18, no. 1 [AD-A165726] p 612 N86-27468  
The Shock and Vibration Digest, volume 17, no. 8 [AD-A165115] p 612 N86-27471  
Linear and nonlinear dynamic analysis of redundant load path bearingless rotor systems [NASA-CR-177098] p 682 N86-29579
- DYNAMIC MODELS**  
A linear multivariable dynamical model of a supersonic inlet-engine combination p 85 A86-14560  
Dynamic systems: Modelling and control; Proceedings of the Winter Annual Meeting, Miami Beach, FL, November 17-22, 1985 p 329 A86-23343  
A nonlinear model of aeroelastic behaviour of rotor blades in forward flight p 290 A86-26139  
Modal test requirements for coupled structure analysis using experimentally-derived component models p 380 A86-26878  
Expert systems for real time applications p 398 A86-28486  
Procedures for the digital simulation of helicopter propulsion systems [DGLR PAPER 85-115] p 501 A86-35166  
Review of dynamic inflow modeling for rotorcraft flight dynamics [AIAA PAPER 86-0845] p 584 A86-38893  
Dynamics of a helicopter with a sling load [AIAA PAPER 86-2288] p 831 A86-47709  
Solid-beam model of a deformable aircraft for natural-vibration studies p 804 A86-49444  
Assessment of aerodynamic and dynamic models in a comprehensive analysis [NASA-TM-86835] p 78 N86-13286  
Test results from a dynamic model dynaflex rotor p 167 N86-15285

- Development of an unsteady aerodynamics model to improve correlation of computed blade stresses with test data p 156 N86-15288  
Dynamic characteristics of air data sensor systems: Altimeter, speedometer and alpha times beta vane [NAL-TR-852] p 172 N86-15312  
Effect of dynamic stall and elastic parameters on the fundamental mechanisms of helicopter vibrations [AD-A160022] p 237 N86-17355  
USAF/SCEE (United States Air Force/Southeastern Center for Electrical Engineering Education) Research Initiation Program research reports, volume 2 [AD-A161908] p 460 N86-23752  
Verification and aerodynamic calibration of the tunnel 16T Captive Trajectory Support (CTS) system [AD-A165235] p 599 N86-27295
- DYNAMIC MODULUS OF ELASTICITY**  
Comparative study of nondestructive pavement testing, WES (Waterways Experiment Station) NDT (nondestructive tests) methodologies [AD-A163379] p 610 N86-26480
- DYNAMIC PRESSURE**  
Behaviour of a rectangular wing in a supersonic flow - Dynamic pressure and normal force analysis in the range 1.3-4.0 Mach p 146 A86-19005  
Development of a temperature-compensated hot-film anemometer system for boundary-layer transition detection on high-performance aircraft p 605 A86-38236
- DYNAMIC PROGRAMMING**  
Real time optimal flight path generation by storage of massive data bases p 397 A86-28388  
Demonstration of an innovative technique for Terrain Following/Terrain Avoidance - The Dynapath Algorithm p 350 A86-28389  
A differential dynamic programming method with an abrupt penalty integrand for solving tolerance problems p 680 A86-42877  
A new technique for terrain following/terrain avoidance guidance command generation p 574 N86-26325
- DYNAMIC RESPONSE**  
Dynamic response of a laminated plate with friction damping [ASME PAPER 85-DET-16] p 122 A86-16032  
Dynamic response of wind turbine to yawed wind p 323 A86-26140  
Calculation of the dynamic response of a flight vehicle using a discrete-continuous model p 476 A86-35979  
The use of ellipsoidal solids to display human body dynamic response p 530 A86-36852  
Categorization of atmospheric turbulence in terms of aircraft response for use in turbulence reports and forecasts p 615 A86-37497  
The dynamic response of a variable sweep aircraft in the course of changing geometry [AIAA PAPER 86-2234] p 829 A86-47694  
Dynamic response of the A.310 in flight to control-surface loading [AAAF PAPER NT 85-18] p 797 A86-48467  
Implementation and verification of a comprehensive helicopter coupled rotor - Fuselage analysis p 799 A86-48667  
The dynamic response of helicopters to fixed wing aircraft wake encounters p 832 A86-48671  
Finite element analysis of soft-body impact [AD-A158438] p 158 N86-14250  
A review of dynamic inflow and its effect on experimental correlations p 157 N86-15293  
Dynamic response characteristics of a circulation control rotor model pneumatic system p 157 N86-15298  
Dynamic response of film thickness in spiral-groove face seals [NASA-TP-2544] p 174 N86-15313  
Microburst wind shear models from the Joint Airport Weather Studies (JAWS) [AD-A159758] p 324 N86-18910  
Modal analysis of a typical fighter aircraft using transient testing technique [NAL-TM-ST-8517] p 356 N86-20385  
Optimal airframe synthesis for gust loads [NASA-CR-178047] p 357 N86-20386  
A programme of research into the aerodynamics, stability and control characteristics of a combat aircraft having a forward swept wing p 357 N86-21533  
Operation REDWING, Project 5.2, in-flight participation of a B-52 [AD-A995286] p 357 N86-21536  
Use of skin damping treatments to control airframe dynamic response for interior noise control p 389 N86-21919  
Investigation of the dynamic response of aircraft to microburst (JAWS) wind shear p 445 N86-22578  
Investigation of multiple input frequency response function estimation techniques for experimental modal analysis p 461 N86-23971

- On the interface between unsteady aerodynamics, dynamics and control p 564 N86-27254  
Effects of aerodynamic lags on aircraft responses p 564 N86-27257  
Gust alleviation on a transport airplane p 585 N86-27259  
Identification of linearized equations of motion for the fixed wing configuration of the rotor systems research aircraft [NASA-CR-176977] p 631 N86-28917  
An introductory course on aircraft loading [NLR-MP-84090-U] p 641 N86-28943  
Dynamic identification procedure and lift certification of light aircraft and gliders [ONERA-RT-12/1677-RY-090-R] p 809 N86-32429
- DYNAMIC STABILITY**  
A loss of dynamic stability of the torsional vibrations of blades due to cascade flutter p 364 A86-27543  
Dynamic stability of hingeless and bearingless rotors in forward flight p 366 A86-27662  
Dynamic stability of elastic structures under random influences p 384 A86-28318  
Tailoring methodology for aeroelastic stability and lateral control enhancement p 434 A86-33259  
A certain type of self-oscillation of aircraft landing-gear wheels p 800 A86-48829  
Experimental study of effects of forebody geometry on high angle of attack static and dynamic stability and control p 833 A86-49039  
A review of dynamic inflow and its effect on experimental correlations p 157 N86-15293  
A design guide for damping of aerospace structures p 390 N86-21923  
Analysis of dynamic stability derivatives for high angle of attack aircraft p 414 N86-22546  
Bifurcation theory applied to aircraft motions p 563 N86-27250
- DYNAMIC STRUCTURAL ANALYSIS**  
Allowance for initial conditions in static and dynamic calculations of structures by the finite element method p 119 A86-13419  
Dynamic strength problems in aerospace equipment p 120 A86-13690  
Rotor dynamics equations in complex form p 122 A86-16040  
A general purpose, multi-stage, component modal synthesis method p 188 A86-18124  
Aeroelasticity and dynamics of the helicopter structure - Russian book p 166 A86-18733  
A new method of analyzing wave propagation in periodic structures - Applications to periodic Timoshenko beams and stiffened plates p 249 A86-20792  
Dynamic analysis of complex composite rotor systems with substructure transfer matrix method [ASME PAPER 85-GT-74] p 235 A86-22049  
Developing concepts in the rotordynamic analysis of aero gas turbines [ASME PAPER 85-GT-230] p 236 A86-22126  
Rotorcraft structural dynamic design modifications p 289 A86-26117  
Nonlinear analysis for dynamic behaviours of a coupled rotational vibration system near its critical speed p 291 A86-26143  
Efficient identification of critical stresses in structures subject to dynamic loads p 380 A86-26682  
Combined experimental/analytical modeling of dynamic structural systems; Proceedings of the Joint Mechanics Conference, Albuquerque, NM, June 24-26, 1985 p 380 A86-26676  
Modal test requirements for coupled structure analysis using experimentally-derived component models p 380 A86-26878  
Experimental system identification for experimental/analytical correlation and modelling p 381 A86-26883  
The effect of limiting aerodynamic and structural coupling in models of mistuned bladed disk vibration p 363 A86-26905  
Structural dynamic aspects of rotor antiresonant isolation p 353 A86-27663  
Problems in the stability and dynamics of aircraft structures with physicochemical singularities p 384 A86-28321  
Linear and nonlinear modal analysis of aeroelastic structural systems p 387 A86-28742  
SECTAM XII - Proceedings of the Twelfth Southeastern Conference on Theoretical and Applied Mechanics, Pine Mountain, GA, May 10, 11, 1984. Volume 1 p 455 A86-31258  
New and existing techniques for dynamic loads analyses of flexible airplanes p 432 A86-32787  
Dynamic characteristics of an assembly of prop-fan blades [ASME PAPER 85-GT-134] p 441 A86-32956  
Step relaxation method for modal test implemented with frequency-domain preprocessing p 457 A86-32975

International Symposium on Aeroelasticity and Structural Dynamics, 2nd, Rheinisch-Westfälische Technische Hochschule, Aachen, West Germany, April 1-3, 1985, Collected Papers [DGLR BERICHT 85-02] p 406 A86-33226

Dynamic analysis of structures with flexible rotors p 441 A86-33266

Structural dynamic aspects of rotor nodal isolation p 434 A86-33267

Gust response of hingeless rotors p 576 A86-37772

Stochastic flutter of nonlinear aeroelastic structures with parameter random fluctuations [AIAA PAPER 86-0962] p 609 A86-38934

Failure detection and accommodation in structural dynamics systems using analytic redundancy — In large space structures p 658 A86-42938

Sensitivity analysis of parameters in solving inverse problem of structural dynamics p 736 A86-43502

New modal identification methods applied to aeronautical structures [ONERA, TP NO. 1986-35] p 713 A86-46177

Determining component loads and stresses with improved system modeling techniques p 740 A86-47122

Dynamic and flutter analysis using F.E.M. of the GP-180 — turboprop aircraft p 713 A86-47128

Limitations of statically unstable aircraft due to the effects of sensor noise, turbulence, and structural dynamics [AIAA PAPER 86-2203] p 824 A86-47483

Structural dynamics research in a full-scale transport aircraft crash test p 785 A86-49053

NASA LeRC/Akron University Graduate Cooperative Fellowship Program and Graduate Student Researchers Program [NASA-CR-174826] p 130 N86-13219

Ground vibration test of the laminar flow control JStar airplane [NASA-TM-86398] p 100 N86-13321

Finite element analysis of soft-body impact [AD-A158438] p 158 N86-14259

An analysis of cross-coupling of a multicomponent jet engine test stand using finite element modeling techniques [NASA-CR-176424] p 181 N86-15323

The Shock and Vibration Bulletin 55, Part 1: Welcome, keynote address, invited papers, isolation and damping and damping practices p 256 N86-16616

Dynamics R and D in the AFWAL Structures and Dynamics Division p 256 N86-16618

Equivalent plate analysis of aircraft wing box structures with general planform geometry [NASA-TM-87697] p 392 N86-21954

Fourteenth NASTRAN Users' Colloquium [NASA-CP-2419] p 527 N86-25823

Dynamic and aeroelastic analyses of turbosystems in NASTRAN p 527 N86-25826

Linear and nonlinear dynamic analysis of redundant load path bearingless rotor systems [NASA-CR-177098] p 682 N86-28579

The Second International Symposium on Aeroelasticity and Structural Dynamics [DGLR-85-02] p 687 N86-30627

Calculation of the load distribution, aerodynamic derivatives and dynamic characteristics of quasi-static elastic aircraft p 696 N86-30640

Flutter calculation by a new program p 728 N86-30645

Experience with aeroelastic analysis of a single engine turbo trainer using finite element methods p 743 N86-30646

Dynamic analysis of structures with flexible rotors — aircraft engines p 722 N86-30664

Structural dynamic aspects of rotor nodal isolation — helicopters p 715 N86-30665

Reconstruction of forcing functions based on measured structural responses p 732 N86-30684

Air-on demonstration of the AEDC FWT tunnel 16T captive trajectory support system [AD-A166888] p 698 N86-30700

Aircraft response to turbulence [AGARD-R-738] p 729 N86-30739

Dynamic analysis: Correlation of theory with experiment — MSC/NASTRAN analysis of Westland 30 G-BGHF [RP661] p 851 N86-31917

**DYNAMIC TESTS**

The development of dynamic performance standards for general aviation aircraft seats [SAE PAPER 850853] p 97 A86-14449

Dynamic thermal analysis characterizations of electron-beam cured adhesives p 182 A86-16234

An engineering simulation of the Boeing 747 primary flight control systems [AIAA PAPER 86-0494] p 239 A86-18905

Dynamic support interference in high alpha testing — of aircraft models [AIAA PAPER 86-0760] p 309 A86-24746

Biodynamics of personnel parachute landings - A fresh look at parachute descent rates p 419 A86-32068

Instrumentation and other issues in non-linear dynamic testing in wind tunnels p 597 A86-38248

Aircraft Landing Dynamics Facility - A unique facility with new capabilities [SAE PAPER 851938] p 598 A86-38371

Crash dynamics of general aviation aircraft; Proceedings of the General Aviation Aircraft Meeting and Exposition, Wichita, KS, April 16-19, 1985 [SAE SP-622] p 582 A86-38509

High speed ejection tests of a modified Hybrid III Manikin p 784 A86-47738

The Shock and Vibration Bulletin 55, Part 2: Dynamic testing, flight vehicle dynamics, seismic loads and fluid-structure interaction [AD-A160264] p 257 N86-16646

Correlation of results of an OH-58A helicopter composite tail boom test with a finite element model [AD-A161082] p 295 N86-18316

A programme of research into the aerodynamics, stability and control characteristics of a combat aircraft having a forward swept wing p 357 N86-21533

Operation REDWING, Project 5.2, in-flight participation of a B-52 [AD-A995286] p 357 N86-21536

Dynamic assertion testing of flight control software [NASA-CR-176715] p 466 N86-23321

Crash-resistant crewseat limit-load optimization through dynamic testing with cadavers [AD-A164828] p 569 N86-26298

Identification of aircraft characteristics including gust induced dynamic effects p 565 N86-27263

Divergence study of a high-aspect ratio, forward-swept wing [NASA-TM-87682] p 588 N86-27279

**DYNAMICAL SYSTEMS**

Dynamic systems: Modelling and control; Proceedings of the Winter Annual Meeting, Miami Beach, FL, November 17-22, 1985 p 329 A86-23343

Optimization of stepped input signals in the frequency domain for parametric identification p 329 A86-24586

Energy dissipation connected with vibrations of mechanical systems p 381 A86-27076

Estimation of the state parameters of nonlinear dynamic systems p 465 A86-33047

The influence of sampling rate on the dynamics and control of aeronautical systems p 511 A86-37061

Characteristics pertaining to a stiffness cross-coupled Jeffcott model [ASME PAPER 85-DET-144] p 523 A86-37071

Decoupling of nonlinear systems, noncommutative generatrix series, and Lie algebras p 618 A86-37395

Linear dynamic coupling in geared rotor systems [ASME PAPER 85-DET-11] p 608 A86-38617

Two approaches to hyperplane design in multivariable variable structure control systems p 680 A86-41934

Numerical modelling of the dynamics of aerobatic manoeuvres p 724 A86-45144

Controllability theory of discrete dynamic systems p 748 A86-46401

Dynamics R and D in the AFWAL Structures and Dynamics Division p 256 N86-16618

Robustness of discrete-time dynamical systems: Application to the multivariable digital control of combat aircraft [ESA-TT-906] p 446 N86-22583

**DYNAMOMETERS**

Laboratory simulation of landing gear pitch-plane dynamics [SAE PAPER 851937] p 598 A86-38370

## E

**E-2 AIRCRAFT**

T56 derivative engine in the improved E-2C [ASME PAPER 85-GT-176] p 236 A86-22092

Quantifying a propeller/engine power response rate mismatch p 796 A86-47801

**EAR PROTECTORS**

Noise levels in cockpits of aircraft during normal cruise and considerations of auditory risk p 326 A86-25851

Application of active noise reduction for hearing protection and speech intelligibility improvement [IZF-1985-7] p 266 N86-18131

A modification of the H-133 ground communications headset for use in intense noise environments [AD-A166981] p 744 N86-30907

**EARLY WARNING SYSTEMS**

T56 derivative engine in the improved E-2C [ASME PAPER 85-GT-176] p 236 A86-22092

**EARPHONES**

Improving intelligibility in audio distribution systems p 395 A86-28513

A modification of the H-133 ground communications headset for use in intense noise environments [AD-A166981] p 744 N86-30907

**EARTH ORBITS**

Analytical evaluations of accuracy in determining and predicting parameters of artificial Earth satellite motion using altimeter measurement data p 312 N86-20196

**ECONOMIC ANALYSIS**

The world aircraft industry — Book p 289 A86-26114

Production-theoretical study of air traffic output production — German thesis p 402 A86-27834

Radio-absorbing materials [AD-A157496] p 122 N86-12495

**ECONOMIC FACTORS**

Acoustical design economic tradeoff for transport aircraft p 468 A86-32783

Stripping and painting a plane - Technological and economic aspects p 760 A86-47614

**ECONOMIC IMPACT**

The safety and economic impact of improved aviation weather services p 613 A86-37454

**ECONOMICS**

The economics of the North Atlantic air traffic system p 419 A86-31324

**EDDY CURRENTS**

Automatic eddy current inspection of antirotation windows in F100 engine compressor air seals p 669 A86-41581

Automatic eddy current hole centering for aircraft engine components p 670 A86-41582

Modern crack detection methods - The use of low frequency eddy currents to assist structural integrity auditing p 845 A86-47613

Passive eddy-current damping as a means of vibration control in cryogenic turbomachinery [NASA-TP-2562] p 515 N86-24722

**EDGE LOADING**

Boundary layer model to compute the edge effects in stratified composite plates [ONERA-RT-7/3542-RY-041-R] p 678 N86-29279

**EDUCATION**

NASA Lewis Research Center/university graduate research program on engine structures [ASME PAPER 85-GT-159] p 252 A86-22084

Aircraft design at Kingston Polytechnic p 333 A86-25090

Propulsion education at the Air Force Institute of Technology [AIAA PAPER 86-1754] p 684 A86-42827

The helicopter to fixed wing conversion program: A critical review [AD-A156820] p 125 N86-12968

The 1983 NASA/ASCE Summer Faculty Fellowship Research Program research reports [NASA-CR-171904] p 130 N86-14078

**EFFECTIVE PERCEIVED NOISE LEVELS**

Method for determining the ISO-noise levels by simulated aircraft flight operations p 856 A86-49099

Advisory Circular: Estimated airplane noise levels in A-weighted decibels [AC-36-3D] p 620 N86-27969

**EFFICIENCY**

Airline efficiency p 157 A86-17174

Propulsion for advanced commercial transports [AIAA PAPER 85-3061] p 173 A86-17829

Advanced ATC - An aircraft perspective p 788 A86-48637

Aeronautical technology 2000: A projection of advanced vehicle concepts [NASA-CR-176322] p 130 N86-13235

An experimental investigation of propeller wakes using a laser Doppler velocimeter p 277 N86-19283

Minimum operational performance standards for airborne Distance Measuring Equipment (DME) operation within the radio frequency range of 980-1215 megahertz [RTCA/DO-189] p 362 N86-21542

**EIGENVALUES**

Eigenstructure assignment: A tutorial. I - Theory — for linear time invariant systems p 531 A86-35358

Eigenvalue reanalysis of locally modified structures using a generalized Rayleigh's method [AIAA PAPER 84-0972] p 670 A86-41714

Eigenstructure assignment, eigensensitivity, and flight control design p 680 A86-42912

Eigenstructure synthesis of an oblique wing flight control system p 652 A86-42913

Eigensystem synthesis for active flutter suppression on an oblique-wing aircraft [AIAA PAPER 86-2243] p 824 A86-47491

A method to stabilize linear systems using eigenvalue gradient information [NASA-TP-2479] p 128 N86-13946

- A new Euler algorithm based on characteristic flux extrapolation p 149 A86-14241
- Eigenstructure assignment and its application in design of flight control systems [NASA-TM-88411] p 511 A86-24701
- Decoupling control synthesis for an oblique-wing aircraft [NASA-TM-86801] p 595 A86-26339
- Eigenvalues assignment method: An application to designing an autopilot [SNIAS-861-111-108] p 653 A86-28095
- Eigensystem synthesis for active flutter suppression on an oblique-wing aircraft [NASA-TM-88275] p 727 A86-29868
- Flight control synthesis for flexible aircraft using Eigenspace assignment [NASA-CR-178164] p 835 A86-31590
- ### EIGENVECTORS
- Eigenstructure assignment: A tutorial. I - Theory — for linear time invariant systems p 531 A86-35358
- Eigenstructure synthesis of an oblique wing flight control system p 652 A86-42913
- Eigensystem synthesis for active flutter suppression on an oblique-wing aircraft [NASA-TM-88275] p 727 A86-29868
- Flight control synthesis for flexible aircraft using Eigenspace assignment [NASA-CR-178164] p 835 A86-31590
- ### EJECTION SEATS
- Telemetry from experimental rescue- and recovery systems p 95 A86-13219
- A Single Point Release System for the Advanced Concept Ejection Seat (ACES) II - Survival kit and parachute risers p 217 A86-19303
- Yaw stabilization of an open ejection seat, fact or fantasy? p 217 A86-19305
- Aircrew escape system models used in wind tunnel tests p 217 A86-19316
- Vector thrust digital control of ejection seats p 218 A86-19318
- Control law and logic development for controllable ejection seat catapult p 218 A86-19320
- Limb Restraint Evaluator (LRE) p 261 A86-19329
- A microprocessor sequencer for the advanced Navy ejection seat p 218 A86-19331
- A philosophical basis for the use of high-performance, gliding parachutes in ejection seat aircraft p 213 A86-19352
- Comparison of F-101 ejection seat and ACES II static aerodynamic coefficients — Advanced Concept Ejection Seat p 428 A86-32067
- Human injury criteria relative to civil aircraft seat and restraint systems [SAE PAPER 851847] p 567 A86-38343
- Naces - Today's ultimate seat p 637 A86-40472
- The Boeing crew escape technologies (CREST) program p 708 A86-44776
- 1985 USAF ejection summary p 698 A86-44777
- Automatic Inflation Modulation (A.I.M.) parachute up-date p 698 A86-44781
- Flow stagnation as an advanced windblast protection technique — for ejection seat safety p 783 A86-47727
- Evaluation of a pre-ejection upper torso retraction device p 793 A86-47728
- The risk of collision in a two seat aircraft ejection p 783 A86-47730
- Development of a controllable catapult for ejection seats p 793 A86-47733
- High speed ejection tests of a modified Hybrid III Manikin p 784 A86-47738
- Mach number immune microprocessor controlled sequencer for open ejection seats using on-board environmental sensors p 793 A86-47743
- Evolution of the seawater activated release system (SEAWARS) — to prevent drownings after ejections from aircraft p 784 A86-47756
- Sensor selection for the Boeing CREST ejection seat design p 793 A86-47757
- Boeing control law for CREST demonstration ejection seat p 794 A86-47758
- Passive arm retention curtain [AD-D011876] p 91 A86-13307
- Three-axis electrofluidic angular rate sensor for ejection seat steering thrust vector control [AD-A158413] p 159 A86-15277
- Vector thrust digital flight control for crew escape, volume 1 [AD-A166580] p 700 A86-29796
- Vector thrust digital flight control for crew escape, volume 2 [AD-A166596] p 700 A86-29799
- ### EJECTORS
- An experimental study of a vacuum water-air ejector with a multichannel liquid-supply nozzle ensuring jet-pair collision p 119 A86-13382
- Acoustic characteristics of models of ejector suppressors of jet noise p 129 A86-13416
- Compact gas ejector of a high degree of compression with spiral arrangement of the nozzles p 82 A86-13433
- Multiple ducted streams with a periodic or a steady supersonic driver flow p 142 A86-17129
- The influence of forward flight on thrust augmenting ejectors [AIAA PAPER 85-1589] p 173 A86-17843
- Analysis of interacting dual lifting ejector systems [AIAA PAPER 86-0478] p 233 A86-19895
- Transient model of a pneumatic ejector - Application to the simulation of aircraft bleed air temperature control systems p 489 A86-35405
- Initial performance evaluation of 2DOD ejector exhaust systems — two dimensional convergent-divergent [AIAA PAPER 86-1615] p 626 A86-42753
- Experiments on high speed ejectors [NASA-CR-177419] p 721 A86-29820
- ### ELASTIC ANISOTROPY
- A large displacement formulation for anisotropic beam analysis p 671 A86-42075
- ### ELASTIC BARS
- The dynamics of elastic bars under conditions of arbitrary kinematic excitation p 185 A86-16761
- A theory of large and finite displacements of bars p 316 A86-23662
- ### ELASTIC BENDING
- An analysis of bending wave propagation on impact in a rotating fan blade p 736 A86-43534
- ### ELASTIC BODIES
- Dynamic stability of elastic structures under random influences p 384 A86-28318
- Calculation of the load distribution, aerodynamic derivatives and dynamic characteristics of quasi-static elastic aircraft p 413 A86-33240
- Modelling of rigid-body and elastic aircraft dynamics for flight control development [AIAA PAPER 86-2232] p 829 A86-47693
- Calculation of the load distribution, aerodynamic derivatives and dynamic characteristics of quasi-static elastic aircraft p 696 A86-30640
- ### ELASTIC BUCKLING
- A study of the static post buckling behavior of composite sandwich plates p 383 A86-27653
- Buckling and final failure of graphite/PEEK stiffener sections [AIAA PAPER 86-0921] p 608 A86-38831
- The vibration and stability of symmetrically-laminated composite rectangular plates subjected to in-plane stresses p 739 A86-45694
- ### ELASTIC CYLINDERS
- Active control of propeller induced noise fields inside a flexible cylinder [AIAA PAPER 86-1957] p 711 A86-45442
- ### ELASTIC DAMPING
- Dynamics of non-autonomous spatial motion of an aeroplane with deformable control systems p 109 A86-13931
- Active flutter suppression p 832 A86-49004
- Research on active suppression technology for wing/aileron flutter p 835 A86-49096
- ### ELASTIC DEFORMATION
- Equations of rolling for a wheel with an elastic tire p 96 A86-13369
- Calculation of the load distribution, aerodynamic derivatives and dynamic characteristics of quasi-static elastic aircraft p 413 A86-33240
- Determination of wing deformation in wind tunnel models using stress measurement section technology [DGLR PAPER 85-091] p 474 A86-35154
- Shimmy problems of landing gears caused by elastic deformation of tires p 803 A86-49118
- ### ELASTIC MEDIA
- Sound transmission through double panel constructions lined with elastic porous materials [AIAA PAPER 86-1907] p 750 A86-45408
- ### ELASTIC PLATES
- Dynamic response of a laminated plate with friction damping [ASME PAPER 85-DET-16] p 122 A86-16032
- ### ELASTIC PROPERTIES
- An algorithm for calculating the coupling between matrices of elastic influence coefficients for two systems of computational points p 119 A86-13362
- Analytical method for considering the elasticity of the blades in the aerodynamic calculation of a helicopter propeller p 96 A86-13421
- Method to determine the complete three-dimensional elastic compliance matrix of composite materials p 517 A86-37134
- Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987 [AD-A162792] p 402 A86-22443
- Comparative study of nondestructive pavement testing, WES (Waterways Experiment Station) NDT (nondestructive tests) methodologies [AD-A163379] p 610 A86-26480
- Gust alleviation on a transport airplane p 565 A86-27259
- ### ELASTIC SHELLS
- A mathematical model for structures consisting of elastic shell sections connected by open girders p 456 A86-31420
- The influence of source location on the structural-acoustic interaction of cylinders — in aerodynamics p 638 A86-41710
- ### ELASTIC WAVES
- An analysis of bending wave propagation on impact in a rotating fan blade p 736 A86-43534
- Vortices and pressure waves at trailing edges [ISL-CO-224/84] p 153 A86-15252
- ### ELASTODYNAMICS
- A study of flutter on the basis of frequency tests at subcritical regimes p 109 A86-13370
- The dynamics of elastic bars under conditions of arbitrary kinematic excitation p 185 A86-16761
- Experimental system identification for experimental/analytical correlation and modelling p 381 A86-26883
- Fatigue life in a coupled problem concerning the motion of a flexible wing p 474 A86-35082
- An analysis of bending wave propagation on impact in a rotating fan blade p 736 A86-43534
- ### ELASTOMERS
- Optically transparent silicone elastomers p 244 A86-21710
- Elastomeric rod end bearings - A solution for improving reliability and maintainability p 320 A86-26125
- Some aspects of fluorocarbon elastomer compatibility with gas turbine lubricants [SAE PAPER 851799] p 601 A86-38529
- The influence of esters on elastomer seals [SAE PAPER 851868] p 602 A86-38535
- The Shock and Vibration Digest, volume 18, no. 1 [AD-A165726] p 612 A86-27468
- ### ELASTOPLASTICITY
- Measurement of elastic-plastic strain field at the curve surface crack tip p 249 A86-20175
- The solution of the thermal elastic-plastic problem of turbine disk by the incremental finite element method [ASME PAPER 85-IGT-112] p 317 A86-23909
- ### ELASTOSTATICS
- Calculation of static elastic effects on a modern high performance fighter aircraft [AIAA PAPER 86-1771] p 777 A86-49577
- ### ELECTRA AIRCRAFT
- Aircraft accident report: Galaxy Airlines, Inc., Lockheed Electra-L-188C, N5532, Reno, Nevada, January 21, 1985 [PB86-910401] p 344 A86-21526
- ### ELECTRIC BATTERIES
- Development of autonomous power system testbed p 311 A86-24841
- Controlled impact demonstration on-board (interior) photographic system p 392 A86-21946
- ### ELECTRIC CHARGE
- Field observations of aircraft charging in convective clouds p 783 A86-47332
- Storm precipitation and wind structure during aircraft strike lightning events [AD-A162338] p 463 A86-24100
- ### ELECTRIC CONTROL
- Lockheed-Georgia and electric primary flight control systems p 368 A86-28396
- An airframer's view of an electric fighter [SAWE PAPER 1662] p 488 A86-35208
- The M53 turbofan control system - A strong basis for the development of the future digital control systems p 817 A86-49088
- A contribution to the digital compensation of periodic disturbances with frequencies in bounded intervals — in helicopters [DFVLR-FB-85-55] p 370 A86-21553
- ### ELECTRIC CORONA
- The energy requirements of an aircraft triggered discharge p 844 A86-47315
- Corona threshold determination by three-stage physical modelling of aircraft p 792 A86-47333
- ### ELECTRIC CURRENT
- Probability of detection of flaws in a gas turbine engine component using electric current perturbation p 669 A86-41574
- Application of a computer model to electric current perturbation probe design p 669 A86-41576
- Induced surface currents and fields on a conducting body by a lightning strike (frequency domain) p 844 A86-47296
- Induced current surface density after a direct lightning strikes on an aircraft p 790 A86-47297

**ELECTRIC DISCHARGES**

- The energy requirements of an aircraft triggered discharge p 844 A86-47315
- Minimum operational performance standards for airborne thunderstorm detection equipment [RTCA/DO-191] p 617 N86-27851

**ELECTRIC EQUIPMENT**

- Layout of electrical equipment on an aircraft with allowance for equipment size constraints in the framework of computer-aided design p 639 A86-43389

**ELECTRIC FIELD STRENGTH**

- The lightning threat to aerospace vehicles p 214 A86-20162

**ELECTRIC FIELDS**

- Induced surface currents and fields on a conducting body by a lightning strike (frequency domain) p 844 A86-47296
- Interpretation of F-106B in-flight lightning signatures [NASA-CR-176387] p 100 N86-13320
- Mobile intercept of storms p 191 N86-15771

**ELECTRIC GENERATORS**

- Reserve generator for over-ocean twins p 106 A86-14244
- Multivoltage high power electrical power system p 386 A86-28376
- Two-hundred to 300 KVA conditioned power system - development, phase 1 [AD-A158820] p 125 N86-13832

**ELECTRIC IGNITION**

- Igniter electrode life control [AD-D012007] p 441 N86-22577

**ELECTRIC MOTORS**

- Control of a high-speed, brushless dc motor driven through a cycloconverter line -- for aircraft fuel pumps p 386 A86-28372

**ELECTRIC POTENTIAL**

- Electrostatic charging of the CH-53E helicopter [AD-A161936] p 437 N86-23590

**ELECTRIC POWER**

- Ceramic thermal barrier coatings for electric utility gas turbine engines [NASA-TM-87288] p 452 N86-22687

**ELECTRIC POWER SUPPLIES**

- A new direction in energy conversion - The all-electric aircraft p 319 A86-24830
- Aircraft electrical power systems p 364 A86-28508

**ELECTRIC PULSES**

- Designing an electro-impulse de-icing system [AIAA PAPER 86-0545] p 220 A86-19940
- The electrodynamic operation of electro-impulse deicing systems [AIAA PAPER 86-0547] p 220 A86-19941
- Electro-impulse de-icing of aircraft engine inlets [AIAA PAPER 86-0546] p 352 A86-26647
- De-icing of the altitude wind tunnel turning vanes by electro-magnetic impulse [NASA-CR-177260] p 599 N86-27291

**ELECTRIC SPARKS**

- High voltage laboratory tests and lightning phenomena p 844 A86-47312

**ELECTRICAL ENGINEERING**

- China report: Science and technology [JPRS-CST-85-035] p 122 N86-12399
- High dynamic GPS receiver validation demonstration [NASA-CR-176530] p 283 N86-19306
- USAF/SCEEE (United States Air Force/Southeastern Center for Electrical Engineering Education) Research Initiation Program research reports, volume 2 [AD-A161908] p 460 N86-23752

**ELECTRICAL FAULTS**

- Design of the F-16 aircraft electrical system built-in-test monitor p 298 A86-24827

**ELECTRICAL INSULATION**

- Igniter electrode life control [AD-D012007] p 441 N86-22577

**ELECTRICAL MEASUREMENT**

- The lightning threat to aerospace vehicles p 214 A86-20162
- Prediction and measurement of near fields for antennas on structures p 318 A86-23403
- Lightning measurements of an aircraft flying at low altitude p 567 A86-37490
- Probability of detection of flaws in a gas turbine engine component using electric current perturbation p 669 A86-41574
- Application of a computer model to electric current perturbation probe design p 669 A86-41576
- Aircraft lightning attachment at low altitudes p 791 A86-47317

**ELECTRICAL PROPERTIES**

- Location of lightning strokes on aircraft in storm field with measured electrical, microphysical and dynamical properties p 783 A86-47299
- Conductive heterocyclic ladder polymers [AD-D011915] p 378 N86-20569

**ELECTRICAL RESISTIVITY**

- Electrically conductive structural adhesive p 115 A86-13170
- The temperature dependence of the electrical conductivity of jet fuels with antistatic additives p 183 A86-16750
- Feasibility study of a device to control aircraft electromagnetic protection -- transparency [ONERA-RS-10/3466-PY] p 257 N86-17837
- Study on the digital position transducer with optical time-delay pulse [NAL-TR-878] p 388 N86-20759
- Electrostatic hazards of urethane packed fuel tanks [AD-A166803] p 717 N86-30725

**ELECTRO-OPTICS**

- KA-102 film/EO standoff system p 229 A86-19581
- KS-146A camera development and flight test results p 229 A86-19583
- Evolution of real time airborne reconnaissance p 229 A86-19586
- Computer controlled operation of reconnaissance cameras p 229 A86-19587
- Sensor control and film annotation for long range, standoff reconnaissance p 230 A86-19597
- Contactless measurement of the torque of an aircraft engine p 849 A86-49145
- Applications of thermal imager devices incl. modelling aspects [MBB-UD-462-85-OE] p 850 A86-50254
- FLIR, NVG and HMS/D systems for helicopter operation: Review p 619 N86-26804

**ELECTROCHEMICAL CORROSION**

- Electrochemical evaluation of corrosivity in turbine engine oils [SAE PAPER 851867] p 602 A86-38534

**ELECTROCHEMICAL MACHINING**

- The effect of the electrode gap geometry on current distribution during electrochemical rounding of edges p 522 A86-35980

**ELECTRODEPOSITION**

- Electrodeposited primer scale-up and qualification p 245 A86-21735

**ELECTRODES**

- Igniter electrode life control [AD-D012007] p 441 N86-22577

**ELECTRODYNAMICS**

- Analyses and tests for design of an electro-impulse de-icing system [NASA-CR-174919] p 571 N86-27268

**ELECTROFORMING**

- Generation of an electroformed nickel mold for use in manufacturing composite parts [SAE PAPER 850905] p 607 A86-38523

**ELECTROLUMINESCENCE**

- A thin film electroluminescent display for cockpit applications p 171 A86-18456
- Hughes helicopters AH-64A electroluminescent lighting p 171 A86-18463
- Thin film electroluminescent (TFEL) display optimized for cockpit applications p 456 A86-32321

**ELECTROMAGNETIC ABSORPTION**

- Feasibility study of a device to control aircraft electromagnetic protection -- transparency [ONERA-RS-10/3466-PY] p 257 N86-17837

**ELECTROMAGNETIC COMPATIBILITY**

- The right combination unlocks aerospace EMC p 112 A86-13848
- Automated Electromagnetic Compatibility (EMC) testing of Naval aircraft and integrated avionics p 284 A86-23254
- International Symposium on Electromagnetic Compatibility, Wakefield, MA, August 20-22, 1985, Record p 381 A86-27126
- Aircraft coupling model evaluations at SHF/EHF p 346 A86-27128
- Methodology for determination of circuit safety margins for MIL-E-6051 EMC system test p 381 A86-27151
- An overview of the intrasystem EMC analysis program with graphics p 381 A86-27157

**ELECTROMAGNETIC FIELDS**

- Aircraft lightning attachment at low altitudes p 791 A86-47317
- Study of new flight test techniques [NASA-CR-176952] p 714 N86-29812

**ELECTROMAGNETIC INTERACTIONS**

- Electromagnetic interaction of external impulse fields with aircraft p 790 A86-47295
- Comparison of absorption and radiation boundary conditions using a time-domain three-dimensional finite difference electromagnetic computer code [AD-A163828] p 532 N86-25149

**ELECTROMAGNETIC INTERFERENCE**

- The right combination unlocks aerospace EMC p 112 A86-13848
- Antenna siting on helicopters p 282 A86-26133

- A technique to evaluate the accessibility of airborne receivers to interfering signals p 572 A86-37555
- Feasibility study of a device to control aircraft electromagnetic protection -- transparency [ONERA-RS-10/3466-PY] p 257 N86-17837

**ELECTROMAGNETIC MEASUREMENT**

- Characterization of shallow ocean sediments using the airborne electromagnetic method p 393 A86-28065
- Interpretation of F-106B in-flight lightning signatures [NASA-CR-176387] p 100 N86-13320
- Feasibility study of a device to control aircraft electromagnetic protection -- transparency [ONERA-RS-10/3466-PY] p 257 N86-17837
- Statistical analysis of direct-strike lightning data (1960 to 1982) [NASA-TP-2252] p 463 N86-24090
- The 1982 direct strike lightning data [NASA-TM-84626] p 463 N86-24091

**ELECTROMAGNETIC NOISE**

- Fiber optics for propulsion control systems [ASME PAPER 84-GT-97] p 105 A86-13054
- In-flight turbulence detection [AD-A160380] p 325 N86-18923

**ELECTROMAGNETIC PROPERTIES**

- Recent in-flight data and electromagnetic response of an aircraft structure struck by lightning p 804 A86-49132
- F-106 data summary and model results relative to threat criteria and protection design analysis p 786 A86-50259

**ELECTROMAGNETIC PULSES**

- Fiber optics for propulsion control systems [ASME PAPER 84-GT-97] p 105 A86-13054
- Fiber optic aircraft systems electromagnetic pulse (EMP) survivability p 103 A86-15342
- Electromagnetic pulse test aircraft (EMPTAC) program p 335 A86-27145
- The parallel-plate and rhombic EMP simulators - A summarizing review p 381 A86-27146
- Comparison of published HEMP and natural lightning on the surface of an aircraft -- High-Altitude Electromagnetic Pulse p 783 A86-47293
- Electromagnetic interaction of external impulse fields with aircraft p 790 A86-47295
- Induced surface currents and fields on a conducting body by a lightning strike (frequency domain) p 844 A86-47296
- Design of a fast risetime lightning generator p 837 A86-47304
- Implications associated with the operation of digital data processing in the presence of the relatively harsh EMP environments produced by lightning p 809 A86-47319
- Interaction between EMP (Electromagnetic Pulse), lightning and static electricity with aircraft and missile avionics systems [AGARD-LS-144] p 702 N86-30706

**ELECTROMAGNETIC RADIATION**

- Comparison of calculated and measured height profiles of transverse electric VLF signals across the daytime earth-ionosphere waveguide p 250 A86-21513

**ELECTROMAGNETIC SCATTERING**

- New symmetrical condensed node for three-dimensional solution of electromagnetic-wave problems by TLM -- transmission-line modeling p 455 A86-31187

**ELECTROMAGNETIC SHIELDING**

- Fiber optic aircraft systems electromagnetic pulse (EMP) survivability p 103 A86-15342
- Electromagnetic pulse test aircraft (EMPTAC) program p 335 A86-27145
- Unified EM transient protection requirements for aircraft avionics line replaceable units p 355 A86-28485

**ELECTROMAGNETIC WAVE TRANSMISSION**

- New symmetrical condensed node for three-dimensional solution of electromagnetic-wave problems by TLM -- transmission-line modeling p 455 A86-31187

**ELECTROMAGNETISM**

- Data analysis of airborne electromagnetic bathymetry [AD-A157132] p 125 N86-12744
- Analyses and tests for design of an electro-impulse de-icing system [NASA-CR-174919] p 571 N86-27268

**ELECTROMAGNETS**

- Aircraft electrical power systems p 364 A86-28508

**ELECTROMECHANICAL DEVICES**

- Electromechanical actuation reliability and survivability -- for flight control surface motion in military aircraft p 354 A86-28397
- Electronics for advanced electromechanical actuators design considerations -- for flight control p 354 A86-28398
- Designing compact electromechanical actuators for flight control p 593 A86-37332
- Materials technology for electrical appliances: Magnetic and electrical properties of metals and alloys [PB86-184314] p 665 N86-28186



## ELECTRON BEAM WELDING

- Reliable nondestructive testing - The key to using weldments in critical fighter aircraft structure p 380 A86-26544
- EB repair welding of a critical aircraft part made from the nonweldable titanium alloy 3.7184.7 (Ti-44-Mo4-Sn2-Si) p 382 A86-27278

## ELECTRON BEAMS

- Dynamic thermal analysis characterizations of electron-beam cured adhesives p 182 A86-16234

## ELECTRON MICROSCOPY

- A weak beam transmission electron microscopy study of a fatigue crack tip in a 2024 aluminum alloy p 450 A86-30033

## ELECTRON PARAMAGNETIC RESONANCE

- USAF/SCEEE (United States Air Force/Southeastern Center for Electrical Engineering Education) Research Initiation Program research reports, volume 2 [AD-A161908] p 480 N86-23752

## ELECTRONIC AIRCRAFT

- Sensor control and film annotation for long range, standoff reconnaissance p 230 A86-19597
- Flying qualities design criteria for highly augmented systems p 369 A86-28509
- An airframe's view of an electric fighter [SAWE PAPER 1662] p 488 A86-35206

## ELECTRONIC CONTROL

- Flight evaluation of a digital electronic engine control in an F-15 airplane p 173 A86-17784
- A flight evaluation of a digital electronic engine control p 299 A86-23273

- Digital control for engine bleed air [SAE PAPER 851318] p 300 A86-23506

- Computer controlled variable pressure reducing/shut-off valve for aircraft ECS [SAE PAPER 851360] p 285 A86-23545

- Test and evaluation of the HIDECC engine uptrim algorithm - Highly Integrated Digital Electronic Control for aircraft [AIAA PAPER 86-1676] p 648 A86-42787

- Effect of time delay on flying qualities - An update [AIAA PAPER 86-2202] p 823 A86-47482

- Development of HIDECC adaptive engine control systems [ASME PAPER 86-GT-252] p 816 A86-48278

- Digital electronic engine control F-15 overview [PAPER-1] p 504 A86-25343

- Digital electronic engine control history [PAPER-2] p 504 A86-25344

- F-15 digital electronic engine control system description [PAPER-3] p 504 A86-25345

- NASA Lewis F100 engine testing [PAPER-4] p 504 A86-25346

- Flight testing the digital electronic engine control in the F-15 airplane [PAPER-5] p 505 A86-25348

- Test and evaluation of the HIDECC engine uptrim algorithm [NASA-TM-88262] p 650 A86-28088

## ELECTRONIC COUNTERMEASURES

- Radio-absorbing materials [AD-A157496] p 122 A86-12495

- High dynamic GPS receiver validation demonstration [NASA-CR-176530] p 283 A86-19306

- What USAF aircraft should be the Wild Weasel of the 1990's? An assessment of the F-4G, the F-15WW, and F-16WW [AD-A164727] p 539 A86-26279

## ELECTRONIC EQUIPMENT

- Fiber optic aircraft systems electromagnetic pulse (EMP) survivability p 103 A86-15342

- The CA-810 - A modern tri-lens camera p 228 A86-19577

- Evolution of emerging environmental testing and evaluation techniques p 315 A86-23011

- Electronic display of powerplant parameters [SAE PAPER 841467] p 298 A86-26010

- CRT displays in modern helicopter data presentation p 299 A86-26129

- Avner Electronic Magnetic Compass and low cost navigation system p 358 A86-26504

- Improved reliability of electronic circuits through the use of heat pipes p 386 A86-28479

- Unified EM transient protection requirements for aircraft avionics line replaceable units p 355 A86-28485

- Weight assessment of electronic boxes - for aircraft design [SAWE PAPER 1661] p 499 A86-35207

- Developing a maintenance concept for future electronic systems [AIAA PAPER 86-1145] p 684 A86-43333

- Improved temperature detection system for use on film cooled turbine airfoils [AD-D011762] p 107 A86-12228

- Stress level testing of electronics, avionics communications and C3I equipments [AD-A158395] p 231 A86-16214

- A comparative evaluation of the reliability improvement in line replaceable units warranted under the F-16 reliability improvement warranty [AD-A160830] p 321 A86-18630

- High dynamic GPS receiver validation demonstration [NASA-CR-176530] p 283 A86-19306

- Dual mode heat exchanger [AD-D012156] p 524 A86-24944

- Effect of time delay on flying qualities: An update [NASA-TM-88264] p 653 A86-28092

- Materials technology for electrical appliances: Magnetic and electrical properties of metals and alloys [PB86-184314] p 665 A86-28186

## ELECTRONIC EQUIPMENT TESTS

- The right combination unlocks aerospace EMC p 112 A86-13848

- Radio frequency chamber improves LAMPS Mk III testing p 112 A86-15526

- Portable computerized tester improves flight-line maintenance p 121 A86-15528

- Automated Electromagnetic Compatibility (EMC) testing of Naval aircraft and integrated avionics p 284 A86-23254

- Design of the F-16 aircraft electrical system built-in-test monitor p 298 A86-24827

- Methodology for determination of circuit safety margins for MIL-E-6051 EMC system test p 381 A86-27151

- Experience with flight testing integrated avionics systems [AIAA PAPER 86-9804] p 431 A86-32133

- An avionics software test and evaluation technique p 499 A86-35650

- Smart Built-In-Test (BIT) p 747 A86-43889

- Potential of BITE's and what it means to aircraft maintenance p 759 A86-47607

- Cold regions logistic supportability testing of electronic, avionic and communications equipment [AD-A158887] p 188 A86-14514

- AVIP Air Force thrust for reliability p 256 A86-16617

- A decade of reliability testing progress p 256 A86-16619

- The application of sensors in light tests [NLR-MP-84056-U] p 232 A86-17352

## ELECTRONIC MODULES

- Line replaceable modules - The next generation of avionics p 685 A86-43890

## ELECTRONIC PACKAGING

- Weight assessment of electronic boxes - for aircraft design [SAWE PAPER 1661] p 499 A86-35207

- The impact of VHPIC on avionics system architecture, packaging and maintainability p 674 A86-28372

## ELECTRONIC TRANSDUCERS

- Determination of corrections to flow direction sensor measurements over an angle-of-attack range from 0 degree to 85 degrees [NASA-TM-86402] p 167 A86-14267

## ELECTRONIC WARFARE

- Toward an avionics supersystem p 172 A86-18552

- Report on interest expressed in some Australian Defence Establishment products displayed at the 1985 Paris Air Show [AD-A160807] p 498 A86-25341

## ELECTRONICS

- Aerospace and electronic systems - Advanced concepts and pioneering perspectives; Proceedings of the Sixth Symposium, Dayton, OH, November 14, 15, 1984 p 455 A86-31253

## ELECTROPLATING

- The future of surface treatments in aeronautical construction [SNIAS-861-551-101] p 665 A86-29037

## ELECTROSTATIC CHARGE

- Experimental investigation of electrostatic fire and explosion accidents after aircraft landing and preventive design p 786 A86-49083

- Electrostatic charging of the CH-53E helicopter [AD-A161936] p 437 A86-23590

- Electrostatic hazards of urethane packed fuel tanks [AD-A166803] p 717 A86-30725

## ELECTROSTATIC GYROSCOPES

- Transient test of suspension electronics for gyroscope [AD-D011853] p 123 A86-12585

## ELECTROSTATICS

- The temperature dependence of the electrical conductivity of jet fuels with antistatic additives p 183 A86-16750

- A wide bandwidth electrostatic field sensor for lightning research p 850 A86-50260

## ELEVATORS (CONTROL SURFACES)

- A combined method for the analysis of the aerodynamic forces acting on an oscillating flight vehicle in supersonic flow p 79 A86-13380

- Frequency-domain application of Gauss-Newton method to extract aircraft longitudinal parameters p 442 A86-31125

- An explicit adaptive flight control system based on the modified gain extended Kalman filter [AIAA PAPER 86-2158] p 823 A86-47465

## ELLIPSOIDS

- Experimental investigation of three dimensional separation on an ellipsoid-cylinder body at incidence [AIAA PAPER 85-1686] p 143 A86-17836

- Experimental investigation of three dimensional separation on an ellipsoid-cylinder body at incidence [AIAA PAPER 85-1686] p 143 A86-17845

- The use of ellipsoidal solids to display human body dynamic response p 530 A86-36852

## ELLIPTIC DIFFERENTIAL EQUATIONS

- Elliptic generation of composite three-dimensional grids about realistic aircraft [NASA-TM-88240] p 763 A86-31527

## ELLIPTICITY

- Vortex roll-up for an elliptically-loaded wing at moderately low Reynolds numbers [AIAA PAPER 86-0562] p 203 A86-19951

## EMBEDDED COMPUTER SYSTEMS

- Embedded training avionics integration p 360 A86-28463

- Design considerations for on-board simulation p 360 A86-28465

## EMERGENCIES

- Presentation of information on multimode displays - Abnormal and emergency aircraft operations [SAE PAPER 841494] p 298 A86-26012

- Design, safety, and maintainability aspects for hydrazine use in emergency secondary power systems [SAE PAPER 851972] p 568 A86-38382

- Advanced emergency openings for commercial aircraft [NASA-TM-87580] p 91 A86-13305

- Development experience with a simple expert system demonstrator for pilot emergency procedures [NASA-TM-85919] p 446 A86-23603

- Materials for emergency repair of runways [AD-A164225] p 514 A86-25385

- Task Force report on emergency evacuation of transport airplanes, volume 1 [DOT/FAA/VS-86/1.1] p 699 A86-29793

- Task force report on emergency evacuation of transport airplanes. Volume 2: Supporting documentation [FAA/VS-86/1.2] p 700 A86-29797

## EMERGENCY LOCATOR TRANSMITTERS

- ELT antenna gain distributions under simulated crash conditions p 92 A86-12698

## EMISSION

- A microcomputer pollution model for civilian airports and Air Force bases [AD-A163232] p 616 A86-26714

- Aircraft engine emissions estimator [AD-A164552] p 616 A86-26715

## EMISSION SPECTRA

- Jet-engine combustor spectral radiation measurements using fiberoptic instrumentation system. Radiant energy power source for jet aircraft [DE86-007289] p 723 A86-30735

## ENCLOSURES

- Frameless transparencies for aircraft cockpit enclosures [AD-D012155] p 497 A86-24689

## ENERGY ABSORPTION

- Fiber-reinforced plastic composites for energy absorption purposes p 312 A86-23823

- Effect of fiber and matrix maximum strain on the energy absorption of composite materials p 516 A86-35640

- Crash energy absorbing composite sub-floor structure [AIAA PAPER 86-0944] p 585 A86-38952

- General aviation crashworthiness project, phase 3: Acceleration loads and velocity changes of survivable general aviation accidents [NTSB/SR-85/02] p 280 A86-18306

- NASA experiments on the B-720 structure and seats p 390 A86-21936

- NASA seat experiment and occupant responses p 390 A86-21939

- Crash-resistant crewseat limit-load optimization through dynamic testing with cadavers [AD-A164828] p 569 A86-26298

- Aircraft barricade [AD-D012194] p 856 A86-28102

## ENERGY CONSERVATION

- Polymer, metal and ceramic matrix composites for advanced aircraft engine applications [NASA-TM-87132] p 117 A86-13407



- Fuel saving by optimal integration of on-board avionics and air traffic control  
[NLR-MP-84035-U] p 159 N86-14263
- Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987  
[AD-A162782] p 402 N86-22443
- Evaluation of laminar flow control systems concepts for subsonic commercial transport aircraft  
[NASA-CR-159251] p 639 N86-28077
- Design requirements and development of an airborne descent path definition algorithm for time navigation  
[NASA-CR-178037] p 641 N86-28939
- An investigation of TNAV equipped aircraft in a simulated en route metering environment  
[NASA-CR-178031] p 641 N86-28940
- ENERGY DISSIPATION**
- Secondary flows and losses downstream of a turbine cascade  
[ASME PAPER 85-GT-64] p 77 A86-13062
- Energy dissipation connected with vibrations of mechanical systems  
p 381 A86-27076
- Spanwise redistribution of energy and loss in an axial flow compressor by wake centrifugation  
[AD-A158312] p 237 N86-16222
- Energy dissipation of liquids in rotating spherical tanks measured by a forced motion-spin table  
[AD-A161884] p 480 N86-23874
- ENERGY LEVELS**
- Operation REDWING, Project 5.2, in-flight participation of a B-52  
[AD-A995286] p 357 N86-21536
- An integrated development facility for the calibration of low-energy charged particle flight instrumentation  
[NASA-TM-86526] p 458 N86-22914
- ENERGY POLICY**
- Design method for the calculation of performances and flap movement of flexible wind turbine blades  
[VTH-M-453] p 323 N86-18795
- Japan report: Science and technology  
[JPRS-JST-86-001] p 389 N86-21723
- Aeroelastic research on wind turbines  
[VTH-M-474] p 459 N86-23012
- Aeroelastic research on wind turbines  
[VTH-M-501] p 459 N86-23014
- Aeroelastic research on wind turbines  
[VTH-M-517] p 459 N86-23016
- ENERGY SPECTRA**
- Analysis of gamma ray families and jets up to 10 to the 7th GeV obtained during 1000 hours exposure of emulsion chambers on the Concorde  
p 333 A86-22863
- Joint agency turbulence experiment  
[AD-A160420] p 325 N86-18924
- ENERGY STORAGE**
- Electric power management and distribution for air and space applications  
p 319 A86-24828
- ENERGY TECHNOLOGY**
- Japan report: Science and technology  
[JPRS-JST-86-001] p 389 N86-21723
- ENERGY TRANSFER**
- Spanwise redistribution of energy and loss in an axial flow compressor by wake centrifugation  
[AD-A158312] p 237 N86-16222
- Proceedings of the 1985 ONR/NAVAIR Wave Rotor Research and Technology Workshop  
[AD-A161539] p 389 N86-20813
- ENGINE AIRFRAME INTEGRATION**
- Engine/airframe health and usage monitoring: an alternate approach via advanced vibration monitoring systems  
p 296 A86-23255
- Simulation and measurement of engine influences in a two-jet aircraft model using model engines  
[DGLR PAPER 85-092] p 513 A86-35155
- Simulation of engine installation flowfields using a three-dimensional Euler/Navier-Stokes algorithm  
[AIAA PAPER 86-1537] p 671 A86-42699
- Evaluation of propeller/nacelle interactions in the PTA program  
[AIAA PAPER 86-1552] p 626 A86-42709
- Structureborne noise investigations of a twin engine aircraft  
[AIAA PAPER 86-1905] p 710 A86-45406
- Arnold Engineering Development Center - New facility to assess engine-airframe compatibility prior to first flight  
p 730 A86-45674
- CFD for engine-airframe integration  
[ASME PAPER 86-GT-125] p 797 A86-48184
- An approach to an integrated control system for a modern fighter aircraft engine  
[ASME PAPER 86-GT-277] p 816 A86-48296
- Aircraft/engine integration for an advanced fighter considering mission specifics  
[ASME PAPER 86-GT-295] p 797 A86-48308
- Utilization of computation and experiment for airframe propulsion integration development  
p 803 A86-49110
- Time-averaged subsonic propeller flowfield calculations  
[AIAA PAPER 86-1807] p 778 A86-49584
- Aerodynamic characteristics of a high-wing transport configuration with a over-the-wing nacelle-pylon arrangement  
[NASA-TP-2497] p 207 N86-18193
- Test and evaluation of the HIDECE engine uptrim algorithm  
[NASA-TM-88262] p 650 N86-28068
- Aerodynamics of engine-airframe interaction  
[NASA-CR-178657] p 697 N86-30697
- New technology propulsion (ANT) for general aviation aircraft, phase 1  
[BMFT-FB-W-85-031] p 820 N86-31589
- ENGINE ANALYZERS**
- DEAN - A program for Dynamic Engine Analysis  
[AIAA PAPER 85-1354] p 106 A86-14430
- Knowledge-based systems for rotordynamic diagnostics  
[AIAA PAPER 86-1678] p 648 A86-42789
- Engine condition monitoring at KLM Royal Dutch Airlines  
[ASME PAPER 86-GT-300] p 816 A86-48312
- ENGINE CONTROL**
- Sensor failure detection for jet engines using analytical redundancy  
p 108 A86-14226
- Flight evaluation of a digital electronic engine control in an F-15 airplane  
p 173 A86-17784
- 'Smart' engine components - A micro in every blade?  
p 234 A86-21896
- A new high temperature silicon on sapphire transducer for jet engine control applications  
p 315 A86-23266
- Digital control for engine bleed air  
[SAE PAPER 851316] p 300 A86-23506
- Discussion about dynamic simulation test of an aero-engine control system  
[ASME PAPER 85-IGT-30] p 306 A86-23845
- Method of spare parts - Digital simulation of aircraft turbine engine control system  
[ASME PAPER 85-IGT-52] p 301 A86-23858
- Control of a high-speed, brushless dc motor driven through a cycloconverter line --- for aircraft fuel pumps  
p 386 A86-26372
- An expert system for integrated aircraft/engine controls design  
p 355 A86-28405
- Synthesis of system responses - A nonlinear multivariable control design approach --- for engine control  
p 501 A86-35412
- SR-71 digital automatic flight and inlet control system  
[SAE PAPER 851977] p 509 A86-35457
- FAA certification criteria for lightning protection of helicopter digital engine control  
p 482 A86-35609
- A fault-tolerant 1750A engine controller  
[AIAA PAPER 86-1675] p 648 A86-42786
- Test and evaluation of the HIDECE engine uptrim algorithm --- Highly Integrated Digital Electronic Control for aircraft  
[AIAA PAPER 86-1678] p 648 A86-42787
- Integrated control - A decentralized approach  
p 681 A86-42996
- The development of a model for the unstable operation of a turbocompressor and the design of a device to protect a gas turbine engine against stalling and surging  
p 650 A86-43390
- Engine control reliability and durability improvement through accelerated mission environmental testing  
[ASME PAPER 86-GT-52] p 813 A86-48132
- Development of HIDECE adaptive engine control systems  
[ASME PAPER 86-GT-252] p 816 A86-48278
- Aircraft/engine integration for an advanced fighter considering mission specifics  
[ASME PAPER 86-GT-295] p 797 A86-48308
- The M53 turbofan control system - A strong basis for the development of the future digital control systems  
p 817 A86-49088
- Digital engine control units for a fighter engine and an auxiliary power unit - A comparison  
p 817 A86-49089
- Case studies of the effects on non-linearities on the accuracy of gas turbine control  
p 817 A86-49090
- Digital Electronic Engine Control (DEEC) Flight Evaluation in an F-15 Airplane  
[NASA-CP-2298] p 504 A86-25342
- Digital electronic engine control F-15 overview  
[PAPER-1] p 504 A86-25343
- Digital electronic engine control history  
[PAPER-2] p 504 A86-25344
- F-15 digital electronic engine control system description  
[PAPER-3] p 504 A86-25345
- NASA Lewis F100 engine testing  
[PAPER-4] p 504 A86-25346
- Effects of inlet distortion on a static pressure probe mounted on the engine hub in an F-15 airplane  
[PAPER-5] p 505 A86-25347
- Flight testing the digital electronic engine control in the F-15 airplane  
[PAPER-6] p 505 A86-25348
- Digital electronic engine control fault detection and accommodation flight evaluation  
[PAPER-7] p 505 A86-25349
- Airstart performance of a digital electronic engine control system on an F100 engine  
[PAPER-8] p 505 A86-25350
- Flight evaluation of a hydromechanical backup control for the digital electronic engine control system in an F100 engine  
[PAPER-9] p 505 A86-25351
- Investigation of a nozzle instability on an F100 engine equipped with a digital electronic engine control  
[PAPER-12] p 506 A86-25354
- Control technology for future aircraft propulsion systems  
[PAPER-14] p 506 A86-25356
- ENGINE COOLANTS**
- The effect of the deflector type on internal heat transfer in blades with transverse coolant flow  
p 120 A86-13673
- Inverse design of coolant flow passage shapes with partially fixed internal geometries  
[ASME PAPER 85-GT-118] p 252 A86-22071
- A quick method for estimating heat transfer to a coolant  
p 318 A86-23866
- Performance estimation of the mixed flow, afterburning, cooled, two-spool turbofan engine with bleed and power extraction  
[AIAA PAPER 86-1757] p 649 A86-42830
- Generalization of experimental data on the internal hydraulic resistance of laminated porous materials  
p 650 A86-43383
- Axisymmetric three-dimensional flow in the cooled gas turbine --- German thesis  
p 720 A86-44825
- ENGINE DESIGN**
- Derivative engines versus new engines - What determines the choice?  
[ASME PAPER 85-GT-190] p 104 A86-13051
- The design, performance and analysis of a high work capacity transonic turbine  
[ASME PAPER 85-GT-15] p 105 A86-13058
- Structural bonding with polysulfide adhesive on B-1B aircraft  
p 94 A86-13106
- Calculation of unsteady flow in a two-stage gas turbine engine  
p 105 A86-13444
- Design of the flow path of aircraft gas-turbine engines --- Russian book  
p 105 A86-13447
- A linear multivariable dynamical model of a supersonic inlet-engine combination  
p 85 A86-14560
- The V2500 engine  
p 173 A86-17750
- Propulsion system integration configurations for future prop-fan powered aircraft  
p 173 A86-17777
- Propulsion for advanced commercial transports  
[AIAA PAPER 85-3061] p 173 A86-17829
- Turbofan engines for commercial aircraft  
p 173 A86-18725
- Lubrication and performance of high-speed rolling-element bearings  
p 248 A86-19375
- An analytical investigation of the effects of swirler design on the performance of annular propulsive nozzles  
[AIAA PAPER 86-0587] p 233 A86-19985
- Linear-quadratic Gaussian with loop-transfer recovery methodology for the F-100 engine  
p 233 A86-20233
- Variable cyclic turbohaft technology for rotorcraft of the '90s  
p 233 A86-20371
- 'Smart' engine components - A micro in every blade?  
p 234 A86-21896
- Design of combustor cooling slots for high film effectiveness. II - Film initial region  
[ASME PAPER 85-GT-36] p 234 A86-22025
- Power dense gas turbine APUs  
[ASME PAPER 85-GT-124] p 235 A86-22074
- An improved simple method for designing optimum annular diffusers  
[ASME PAPER 85-GT-126] p 235 A86-22075
- Evaluation of fuel preparation systems for lean prebubbling-prevaporizing combustors  
[ASME PAPER 85-GT-137] p 235 A86-22081
- Re-engineing the Harrier  
[ASME PAPER 85-GT-175] p 235 A86-22091
- T56 derivative engine in the improved E-2C  
[ASME PAPER 85-GT-178] p 236 A86-22092
- F-14 re-engineing with the F110 engine  
[ASME PAPER 85-GT-184] p 224 A86-22098
- The KC-135/CFM56 Re-Engine Program  
[ASME PAPER 85-GT-211] p 224 A86-22112
- Developing concepts in the rotordynamic analysis of aero gas turbines  
[ASME PAPER 85-GT-230] p 236 A86-22126

- The evolution of reciprocating engines at Lycoming p 267 A86-22136
- Evolution of the turbofan aircraft engine p 236 A86-22136
- The little turbine business p 236 A86-22200
- Liquid fueled supersonic combustion ramjets - A research perspective of the past, present and future [AIAA PAPER 86-0158] p 236 A86-22579
- Convergence of performance calculation of twin spool turbojet and turbofan [ASME PAPER 85-IGT-82] p 302 A86-23883
- Rapid calculation of engine performance [ASME PAPER 85-IGT-83] p 302 A86-23884
- Development of a new technology small fan jet engine [ASME PAPER 85-IGT-139] p 303 A86-23931
- Propeller design point calculation method for comparing turbofan/propfan engine performance [ASME PAPER 85-IGT-150] p 303 A86-23941
- The prop-fan introduces a new engine generation p 304 A86-25021
- Research and development of FJR 710 turbo fan engine - Second phase p 304 A86-25177
- Flet rating concept introduced in the GTX engine p 304 A86-28071
- T700 - A program designed for early maturity and growth potential p 305 A86-26156
- Will 1990s aircraft be powered by propfan or advanced turbofan? p 363 A86-26370
- Propfan engine designs examined p 363 A86-26371
- A method for computer aided design of transonic turbine cascade p 409 A86-30734
- Calculation of recirculating flow behind flame-holders p 454 A86-30743
- Application of CFD design technology in development of the JVX engine inlet p 502 A86-35612
- Aircraft engine technology windows (Lecture) p 502 A86-36336
- Front-line power p 503 A86-37096
- Reliability and maintainability - A look at the Rolls-Royce RB.211 [SAE PAPER 851829] p 590 A86-38334
- Harrier III-AV8B with a modern engine [SAE PAPER 851881] p 579 A86-38349
- The significance of advanced technology engines on V/STOL systems [SAE PAPER 851882] p 579 A86-38350
- Design, safety, and maintainability aspects for hydrazine use in emergency secondary power systems [SAE PAPER 851972] p 568 A86-38382
- Off-design operation of turbomachines - French book p 591 A86-38956
- Three-dimensional inviscid flow in mixers. I - Mixer analysis using a Cartesian grid p 554 A86-39090
- A new generation T56 turboprop engine p 642 A86-40133
- Design features for performance retention in the CFM56 engine p 643 A86-40729
- Effect of engine technology on advanced fighter design and cost p 644 A86-41691
- After the big turbofans p 645 A86-42099
- Development of 'CADEGA' CAD system for aero engine design p 645 A86-42425
- Turboprop and open rotor propulsion for the future [AIAA PAPER 86-1472] p 645 A86-42660
- UHB technology flight validation program - Ultra High Bypass engines for large passenger aircraft [AIAA PAPER 86-1473] p 656 A86-42661
- Rotorcraft propulsion for year 2000 plus [AIAA PAPER 86-1543] p 646 A86-42702
- Small engine technology payoffs for future commuter aircraft [AIAA PAPER 86-1544] p 646 A86-42703
- Small turbohaft/turboprop engine technology study [AIAA PAPER 86-1623] p 647 A86-42757
- Small engine propulsion readiness for the 21st century [AIAA PAPER 86-1624] p 647 A86-42758
- Design for engine supportability [AIAA PAPER 86-1671] p 648 A86-42784
- Advances in aero engine dynamics [AIAA PAPER 86-1677] p 648 A86-42788
- Solid fuel gas generator air - Air TurboRamjet [AIAA PAPER 86-1682] p 649 A86-42792
- Advanced turbine engine simulation technique development and applications to testing [AIAA PAPER 86-1731] p 649 A86-42818
- Theoretical and experimental investigation of test cell aerodynamics for turbofan applications [AIAA PAPER 86-1732] p 656 A86-42819
- Using Derivative engine technology to achieve maturity goals [AIAA PAPER 86-1752] p 649 A86-42826
- Performance estimation of the mixed flow, afterburning, cooled, two-spool turbofan engine with bleed and power extraction [AIAA PAPER 86-1757] p 649 A86-42830
- Influence of turbine-engine design on flight safety p 720 A86-43039
- The next hot fighter engine p 720 A86-44005
- Rotary grows up p 720 A86-44007
- Mechanical design of gas turbine blading in cast superalloys p 721 A86-45619
- Flight testing of general electric high bypass engines evolution and revolution p 812 A86-47786
- Engine component life prediction methodology for conceptual design investigations [ASME PAPER 86-GT-24] p 812 A86-48116
- Operation of the CT7 turboprop engine as an auxiliary power unit (APU) [ASME PAPER 86-GT-28] p 812 A86-48119
- Influence of rotor blade aerodynamic loading on the performance of a highly loaded turbine stage [ASME PAPER 86-GT-56] p 765 A86-48134
- Developments in new gas turbine engine demonstrator programs [ASME PAPER 86-GT-80] p 813 A86-48148
- Analytical and experimental investigation of the coupled bladed disk/shaft whirl of a cantilevered turbofan [ASME PAPER 86-GT-98] p 813 A86-48163
- Stratified charge rotary engine for general aviation [ASME PAPER 86-GT-181] p 815 A86-48231
- Power level influence on architecture of small helicopter turbohaft engines [ASME PAPER 86-GT-191] p 815 A86-48241
- The GTCP36-300 - A gas turbine auxiliary power unit for advanced technology transport aircraft [ASME PAPER 86-GT-285] p 816 A86-48302
- Future trends in propulsion p 816 A86-48979
- Proposed control of compressor stall by pressure perturbation and blade design p 816 A86-49064
- Advances in turbine technology p 817 A86-49079
- The role of flow field computation in improving turbomachinery p 775 A86-49080
- A propfan status report p 817 A86-49091
- Propfan and turbofan - Antagonism or synthesis p 817 A86-49092
- Potential application of advanced propulsion systems to civil aircraft p 802 A86-49093
- The competitive and cooperative outlook for aircraft propulsion systems [AIAA PAPER 86-1134] p 857 A86-49571
- Small gas turbine combustor experimental study - Compliant metal/ceramic liner and performance evaluation [AIAA PAPER 86-1452] p 818 A86-49611
- Perspectives on dilution jet mixing - In creating temperature patterns at combustor exits in gas turbine engines [AIAA PAPER 86-1611] p 818 A86-49614
- Advanced concepts in small helicopter engine air-cooled turbine design p 819 A86-50075
- NASA LeRC/Alcon University Graduate Cooperative Fellowship Program and Graduate Student Researchers Program [NASA-CR-174826] p 130 N86-13219
- Jet engine operating and support cost estimating relationship development [AD-A161683] p 384 N86-21547
- Status of aircraft engine research at NPU reviewed p 441 N86-22736
- Damage tolerance concepts for critical engine components p 506 N86-25361
- Crack growth in near-alpha titanium alloys p 526 N86-25371
- Advanced quantitative methods for nondestructive evaluation p 519 N86-25376
- A supersonic fan equipped variable cycle engine for a Mach 2.7 supersonic transport [NASA-CR-177141] p 650 N86-28946
- Design and calculation of high speed engine bearings p 677 N86-29241
- Aeropropulsion opportunities for the 21st century [NASA-TM-88817] p 819 N86-31585
- A parametric study of a gas-generator air turbo ramjet (ATR) [NASA-TM-88808] p 819 N86-31586
- An overview of the Small Engine Component Technology (SECT) studies [NASA-TM-88798] p 819 N86-31587
- ENGINE FAILURE
- Sensor failure detection for jet engines using analytical redundancy p 106 A86-14226
- F-14A low altitude, low airspeed, high angle of attack asymmetric thrust flight test program p 222 A86-21063
- Investigation into the cause of failure of a turboprop impeller in service [ASME PAPER 85-IGT-147] p 303 A86-23938
- Fatigue failure of jet engine drive shafts p 500 A86-33970
- Extended range operation of twin-engine commercial airplanes [SAE PAPER 851959] p 490 A86-35455
- Dynamic pressure loads associated with twin supersonic plume resonance [AIAA PAPER 86-1539] p 646 A86-42701
- Active suppression of compressor instabilities [AIAA PAPER 86-1914] p 690 A86-45410
- Aircraft accident report: Vieques Air Link, Inc., Britten-Norman BN-21-6 Islander, N588SA, Vieques, Puerto Rico, August 2, 1984 [PB85-901408] p 159 N86-15276
- Resonant cavities for stall recovery in gas turbine engines [AD-D011891] p 175 N86-15317
- Estimation of drag due to inoperative turbo-jet and turbo-fan engines using data item nos. 81009 and 84004 [ESDU-84006] p 211 N86-17305
- Airplane automatic control force trimming device for asymmetric engine failures [NASA-CASE-LAR-13280-1] p 369 N86-20397
- Damage tolerance concepts for critical engine components p 506 N86-25361
- National Transportation Safety Board safety recommendation [NTSB-4360/33] p 699 N86-29791
- ENGINE INLETS
- Evaluation of a method for analyzing the aperture region of two-dimensional external compression inlets [AIAA PAPER 85-3072] p 83 A86-14432
- FAA certification of rotorcraft engine induction system for ice protection p 167 A86-18406
- The electrodynamic operation of electro-impulse deicing systems [AIAA PAPER 86-0547] p 220 A86-19941
- The effect of the velocity profile at the diffuser inlet on the flow pattern p 300 A86-23664
- An experimental investigation of response of a turbojet engine to inlet distortion [ASME PAPER 85-IGT-12] p 301 A86-23832
- Research on sonic inlet p 331 A86-25217
- A study of ramjet engine. III - Air inlet performance as the engine component p 304 A86-25234
- Electro-impulse de-icing of aircraft engine inlets [AIAA PAPER 86-0548] p 352 A86-26647
- How to not eat your own dust - particle filters for helicopter air intakes p 440 A86-31328
- Experimental analysis of a pilot-type air intake p 410 A86-32777
- Application of CFD design technology in development of the JVX engine inlet p 502 A86-35612
- S-duct inlet/diffusers for turboprop offset gearbox applications [AIAA PAPER 86-1462] p 625 A86-42665
- An LU implicit scheme for high speed inlet analysis [AIAA PAPER 86-1520] p 625 A86-42667
- A numerical analysis applied to high angle of attack three-dimensional inlets [AIAA PAPER 86-1527] p 627 A86-42760
- A turbine engine inlet viewing system [AIAA PAPER 86-1647] p 656 A86-42769
- F-14A inlet icing p 709 A86-44937
- An iterative finite element-integral technique for predicting sound radiation from turbofan inlets in steady flight p 856 A86-49806
- Compressor research facility F100 high pressure compressor inlet total pressure and swirl profile simulation [AD-A157106] p 107 N86-12229
- Effect of underwing aft-mounted nacelles on the longitudinal aerodynamic characteristics of a high-wing transport airplane [NASA-TP-2447] p 339 N86-20345
- Particle trajectory computation on a 3-dimensional engine inlet [NASA-CR-175023] p 344 N86-20379
- Throttle dependent forces: A primer [AD-A162939] p 442 N86-23599
- A numerical analysis applied to high angle of attack three-dimensional inlets [NASA-TM-87296] p 478 N86-24658
- The effects on rotor nonuniform inflow harmonic content of uneven circumferential distribution of jet engine inlet guide vanes [AD-A164629] p 555 N86-26291
- Test and evaluation of the HIDE engine uptrim algorithm [NASA-TM-88262] p 650 N86-26088
- ENGINE MONITORING INSTRUMENTS
- Sensor failure detection for jet engines using analytical redundancy p 106 A86-14226
- Engine/airframe health and usage monitoring an alternate approach via advanced vibration monitoring systems p 296 A86-23255
- Flight test data acquisition and processing system p 329 A86-23263

- A new high temperature silicon on sapphire transducer for jet engine control applications p 315 A86-23286
- Diagnostic methods for gas-turbine aircraft powerplants p 300 A86-23751
- Electronic display of powerplant parameters [SAE PAPER 841467] p 296 A86-28010
- The health and usage monitoring system of the Westland 30 series 300 helicopter p 299 A86-28153
- Robust detection, isolation, and accommodation for sensor failures — in jet engine control systems p 501 A86-35402
- Surface layer activation technique for monitoring and in situ wear measurement of turbine components p 591 A86-39086
- Health and usage monitoring techniques for greater safety in helicopter operations p 621 A86-40232
- An overview of USAF engine diagnostic systems [AIAA PAPER 86-1679] p 649 A86-42790
- ### ENGINE NOISE
- The effect of acoustic reflections on combustor noise measurements p 285 A86-20364
- Sound generation by an energetically inhomogeneous gas flow in a gas-turbine aircraft engine p 300 A86-23753
- Research on sonic inlet p 331 A86-25217
- Battle of the hushkits - All quieter on western front p 440 A86-31349
- Wave envelope and finite element approximations for turbofan noise radiation in flight p 619 A86-39057
- Flight effects on noise from coaxial dual flow, I - Unheated jets p 619 A86-39058
- Collocation for an integral equation arising in duct acoustics p 682 A86-43038
- Cabin noise characteristics of a small propeller powered aircraft [AIAA PAPER 86-1908] p 710 A86-45407
- A comparison of the structureborne and airborne paths for propfan interior noise [AIAA PAPER 86-1863] p 711 A86-45483
- Development of an impulsive noise source to study the acoustic reflection characteristics of hard-walled wind tunnels [AIAA PAPER 86-1887] p 755 A86-45500
- Propeller noise caused by blade tip radial forces [AIAA PAPER 86-1892] p 721 A86-45504
- Measurements and computer modelling of engine exhaust noise in the cabin of single-engine aircraft p 798 A86-48584
- Method for determining the ISO-noise levels by simulated aircraft flight operations p 856 A86-49089
- Prediction of single-rotation prop-fan noise by a frequency domain scheme [ONERA, TP NO. 1986-100] p 818 A86-49125
- An iterative finite element-integral technique for predicting sound radiation from turbofan inlets in steady flight p 856 A86-49086
- Passive damping, sonic fatigue and the KC-135A p 256 N86-18625
- Current wind tunnel capability and planned improvements at Lewis Research Center [NASA-TM-87190] p 311 N86-18329
- High velocity gas jet noise control p 331 N86-19123
- Noise predictions of a high bypass turbofan engine using the Lockheed Near-Field Noise Prediction Program [NASA-CR-178146] p 756 N86-30469
- ### ENGINE PARTS
- Flame rig testing of thermal barrier coatings and correlation with engine results p 173 A86-17491
- Heat transfer in cooled parts of aircraft gas-turbine engines — Russian book p 174 A86-18745
- 'Smart' engine components - A micro in every blade? p 234 A86-21896
- Strain isolated ceramic coatings for gas turbine engines [ASME PAPER 85-GT-96] p 247 A86-22062
- The finite element stress analysis for solid-shell combined parts in aeroengines [ASME PAPER 85-GT-72] p 317 A86-23873
- Materials in thrust reversers p 373 A86-26332
- Effect of processing and heat treatment on the mechanical properties of Ti-6Al-2Sn-4Zr-6Mo alloy p 375 A86-27231
- Isothermal forging system for the production of large rotating components from titanium alloys or superalloys p 382 A86-27247
- Advanced structural components by SPF/DB processing — superplastic forming and diffusion bonding p 363 A86-27271
- Fatigue behaviour of titanium materials in aircraft engines p 375 A86-27275
- The strain controlled fatigue behaviour of a near-alpha titanium alloy p 376 A86-27383
- Stress analysis of gas turbine engine structures using the boundary element method p 520 A86-34444
- The effect of the electrode gap geometry on current distribution during electrochemical rounding of edges p 522 A86-35980
- The material development, component manufacture and post-service evaluation of RB 211-524 cowd doors utilising carbon fibre composite materials p 523 A86-37106
- Fabrication of ceramic components for advanced gas turbine engines [SAE PAPER 851786] p 606 A86-38310
- Surface layer activation technique for monitoring and in situ wear measurement of turbine components p 591 A86-39086
- Substantiation of regimes for accelerated equivalent tests of gas-turbine aeroengines p 644 A86-41549
- Application of a computer model to electric current perturbation probe design p 689 A86-41576
- Automatic eddy current inspection of antitortation windows in F100 engine compressor air seals p 689 A86-41581
- Automatic eddy current hole centering for aircraft engine components p 670 A86-41582
- Precision casting of aero gas turbine components p 739 A86-45816
- Superalloy component durability enhancements p 739 A86-45862
- Engine component life prediction methodology for conceptual design investigations [ASME PAPER 86-GT-24] p 812 A86-48116
- Fabrication of high-alumina ceramic fixtures for jet engine repair applications [ASME PAPER 86-GT-48] p 846 A86-48130
- Single crystal superalloys for turbine blades in advanced aircraft engines [ONERA, TP NO. 1986-102] p 843 A86-49077
- AN-22 test bed for advanced propeller technology p 174 N86-14274
- Interactive effects of high- and low-frequency loading on fatigue [AD-A160601] p 293 N86-18318
- Aeronautical facilities catalogue. Volume 2: Airbreathing propulsion and flight simulators [NASA-RP-1133] p 311 N86-18326
- Fuel property effects on combustion [AD-A162451] p 378 N86-20522
- Fracture mechanics of multiple crack initiations. An application for fracture mechanics analysis of gas turbine engine disks [AD-A162968] p 442 N86-23601
- Damage Tolerance Concepts for Critical Engine Components [AGARD-CP-393] p 506 N86-25380
- Manufacturing technology for nondestructive evaluation (NDE) system to implement Retirement For Cause (RFC) procedures for gas turbine engine components p 507 N86-25388
- AGARD Cooperative Test Programme on titanium alloy engine disc material p 507 N86-25389
- Small defect characterization in powder metallurgy materials p 526 N86-25373
- Aero-engine gears: Manufacturing cracks and their effect on operation p 677 N86-28239
- Advances in the study of the mechanical behavior of materials [AD-A164856] p 735 N86-30638
- An overview of the Small Engine Component Technology (SECT) studies [NASA-TM-88796] p 619 N86-31587
- Short cracks in aerospace structures [NLR-MP-85054-U] p 851 N86-32781
- ### ENGINE STARTERS
- Synchronizing characteristics of a large variable frequency starting system p 249 A86-20516
- Power dense gas turbine APUs [ASME PAPER 85-GT-124] p 235 A86-22074
- Power thyristor starter for aircraft engine p 386 A86-28373
- Modelling an axial flow compressor in starting of a turbojet engine p 440 A86-30737
- A jet fuel starter and expendable turbojet [ASME PAPER 86-GT-1] p 812 A86-48101
- Backup control airstart performance on a digital electronic engine control-equipped F100-engine [PAPER-10] p 505 N86-25352
- ### ENGINE TESTING LABORATORIES
- Synchronizing characteristics of a large variable frequency starting system p 249 A86-20516
- IV&I for the automatic test control system in the USAF Aeropropulsion Systems Test Facility p 398 A86-28430
- Survey of supersonic combustion ramjet research at Langley [AIAA PAPER 86-0159] p 503 A86-37079
- A turbine engine inlet viewing system [AIAA PAPER 86-1647] p 656 A86-42769
- ### ENGINE TESTS
- New methods of measuring strain and temperature in a turbine engine p 118 A86-13336
- Engine simulator techniques for scaled test cell studies [AIAA PAPER 85-1262] p 112 A86-14480
- Subscale-model and full-scale engine mixed-flow exhaust system performance comparison p 106 A86-14528
- Diagnostic methods for gas-turbine aircraft powerplants p 300 A86-23751
- Determination of diagnostic parameters for the in situ diagnostics of the air-gas path of the AI-25TL engine p 300 A86-23752
- In situ methods for crack detection in the master connecting rods of M 462 RF aircraft engines p 316 A86-23755
- A holographic study of the vibrational modes of aircraft engine rotors p 301 A86-23756
- Using wear products for assessing and predicting the condition of aircraft jet engines p 316 A86-23759
- Development of a new technology small fan jet engine [ASME PAPER 85-IGT-139] p 303 A86-23931
- Research and development of FJR 710 turbo fan engine - Second phase p 304 A86-25177
- A world review on air breathing engine altitude test facilities p 310 A86-25167
- Tests on whole A129 engine bay simulating the inertia and aerodynamic loads p 292 A86-26164
- A unified method for evaluating the strength and reliability of the blades of the axial-flow compressors and gas turbines of aircraft engines p 364 A86-28317
- Experimental investigation on frequency response of a turbojet engine to turbulence-type dynamic distortion p 440 A86-30740
- Practical diagnostics of aircraft gas turbines — Russian book p 502 A86-35472
- Adaptive fuel control testing p 502 A86-35615
- A new approach to automated gas turbine engine testing p 597 A86-38070
- Substantiation of regimes for accelerated equivalent tests of gas-turbine aeroengines p 644 A86-41549
- Air turbine test results for three turbine stages with varying radial distribution of camber [AIAA PAPER 86-1467] p 645 A86-42657
- A report on the initial testing of the large scale advanced prop-fan [AIAA PAPER 86-1551] p 647 A86-42708
- Transient engine performance with water ingestion [AIAA PAPER 86-1621] p 647 A86-42755
- Propan test assessment (PTA) quick engine change (QEC) nacelle [AIAA PAPER 86-1626] p 648 A86-42759
- Theoretical and experimental investigation of test cell aerodynamics for turbofan applications [AIAA PAPER 86-1732] p 656 A86-42819
- Development of in-flight thrust measurement procedures for an afterburning turbofan engine [AIAA PAPER 85-1406] p 720 A86-45375
- The use of surface static pressure data as a diagnostic tool in multistage compressor development [ASME PAPER 86-GT-3] p 812 A86-48103
- Computational engine structural analysis [ASME PAPER 86-GT-70] p 813 A86-48141
- Subsonic/transonic stall flutter investigation of an advanced low pressure compressor [ASME PAPER 86-GT-90] p 813 A86-48156
- Regression rate study for a solid fuel ramjet p 818 A86-49113
- Contactless measurement of the torque of an aircraft engine p 849 A86-49145
- Is the traditional 150 hour endurance test outdated? [PNR-90268] p 237 N86-18226
- Aeronautical facilities catalogue. Volume 2: Airbreathing propulsion and flight simulators [NASA-RP-1133] p 311 N86-18328
- Shanghai's outdoor aeroengine test facility detailed p 448 N86-22737
- NASA Lewis F100 engine testing [PAPER-4] p 504 N86-25346
- Engine cyclic durability by analysis and testing: Highlights of the spring 1984 PEP Meeting p 508 N86-25362
- Preliminary evaluation of a compound cycle engine for shipboard gensets [NASA-CR-179451] p 611 N86-26629
- Uniform engine testing program phase 7: NASA Lewis Research Center second entry [NASA-TM-87272] p 650 N86-26085
- In-flight thrust determination on a real-time basis [NASA-CR-176997] p 641 N86-26937
- A parametric study of a gas-generator air turbo ramjet (ATR) [NASA-TM-88808] p 619 N86-31586

## ENGINEERING MANAGEMENT

Application of mathematical optimization procedures to a structural model of a large finite-element wing  
[NASA-TM-87597] p 322 N86-18861

Overview of the Federal Aviation Administration fiscal year 1986 research, engineering and development budget request  
[GPO-46-725] p 402 N86-21447

## ENGINES

Small turbine technology review  
[AD-A158514] p 175 N86-15318  
Safety study: Ultraviolet vehicle accidents  
[PB85-917001] p 343 N86-20377

## ENTRAINMENT

An experimental investigation of the entrainment into a leading-edge vortex  
[VTH-LR-332] p 208 N86-18203

## ENTROPY

Heat transfer at the lateral surface of a blunt cone during the absorption of the entropy layer by a laminar or a turbulent boundary layer p 187 N86-18907  
The calculation of the entropy distribution along cloud traverses using aircraft measurements p 678 N86-40555

Nonisentropic unsteady three dimensional small disturbance potential theory  
[NASA-TM-87726] p 479 N86-24663

An entropy correction method for unsteady full potential flows with strong shocks  
[NASA-TM-87789] p 894 N86-29777

## ENVIRONMENT EFFECTS

Noise of the general aviation airplanes influence on environment of the airclub, airfields and on crews  
p 461 N86-31955

What should be known on the environmental impact assessment for a planning airport p 482 N86-31982  
BK 117 flight tests for certification of an expanded flight envelope  
[MBB-UD-452-85-OE] p 805 N86-50253

The relative effect of noise at different times of day: An analysis of existing survey data  
[NASA-CR-3985] p 469 N86-24392

## ENVIRONMENT MODELS

A microcomputer pollution model for civilian airports and Air Force bases  
[AD-A183232] p 616 N86-26714  
Verification and aerodynamic calibration of the tunnel 16T Captive Trajectory Support (CTS) system  
[AD-A185235] p 599 N86-27295

## ENVIRONMENT POLLUTION

Environment protection in connection with air transportation — Russian book p 124 N86-13487

## ENVIRONMENT PROTECTION

Environment protection in connection with air transportation — Russian book p 124 N86-13487  
Environment-friendly propeller aircraft with a maximum weight of 5700 kg, and motor gliders: Publication of the noise values p 227 N86-17341  
Design, development and integrate/install an airborne remote instrumentation system (AIREYE)  
[AD-A186755] p 719 N86-30728

## ENVIRONMENT SIMULATION

Ribbon-burner simulation of T-700 turbine shroud for ceramic-lined seals research p 106 N86-15225  
Numerical simulation of the transonic flowfield for wing/nacelle configurations p 204 N86-20159  
Simulation and analysis of natural rain in a wind tunnel via digital image processing techniques  
[AIAA PAPER 86-0291] p 241 N86-22687

Lightning simulation tests on a graphite/epoxy airplane mockup p 355 N86-28514  
Simulation of aircraft seat response to a crash environment p 530 N86-36879

The interactive generation of alphanumeric and symbology with designs on the future  
[AD-A159218] p 192 N86-14982

Certification of aeroengines fitted with full authority digital control  
[PNR-90287] p 237 N86-16225

## ENVIRONMENTAL CHEMISTRY

Environmental exposure effects on composite materials for commercial aircraft  
[NASA-CR-177929] p 314 N86-18449

## ENVIRONMENTAL CONTROL

Environmental control system simulation using EASY5, as applied to the F-14  
[SAE PAPER 851318] p 285 N86-23508

Digital controlled closed loop air cycle development — for military aircraft  
[SAE PAPER 851319] p 285 N86-23509

The new environmental control system for the B-52 G/H aircraft  
[SAE PAPER 851320] p 285 N86-23510

Aircraft electrical power systems p 364 N86-28508

Advances in the study of the mechanical behavior of materials  
[AD-A164856] p 735 N86-30838

Airport noise control strategies  
[AD-A167877] p 840 N86-31602

## ENVIRONMENTAL MONITORING

Aircraft measurements and coordination in FASINEX  
[AD-A160789] p 321 N86-18699

Hardware performance analysis of the basic narrow Microwave Landing System (MLS) at Washington National Airport (DCA) in the Service Test and Evaluation Program (STEP)  
[AD-A166916] p 705 N86-30715

## ENVIRONMENTAL SURVEYS

Variability of major organic components in aircraft fuels  
[AD-A159057] p 185 N86-15415  
International Civil Aviation Organization Helicopter Noise Measurement Repeatability Program: US test report, Bell 206L-1, noise measurement flight test  
[AD-A159898] p 333 N86-20090

Analysis of helicopter noise data using international helicopter noise certification procedures  
[PB86-186533] p 620 N86-27972

## ENVIRONMENTAL TESTS

An environmental aerodynamic test system for low-Reynolds-number applications p 138 N86-18315  
Implications of new aircraft avionics reliability performance p 253 N86-22178

Institute of Environmental Sciences, Annual Technical Meeting, 31st, Las Vegas, NV, April 30-May 2, 1985, Proceedings p 314 N86-23001

Evolution of emerging environmental testing and evaluation techniques p 315 N86-23011  
Environmental-durability testing — of Al alloy bonded aircraft structures p 845 N86-47719

Engine control reliability and durability improvement through accelerated mission environmental testing  
[ASME PAPER 86-GT-52] p 813 N86-48132

CERT: Where we have been, where we are going p 256 N86-18620

## ENVIRONMENTS

Evaluation of the crash environment and injury-causing hazards in U.S. Navy helicopters p 419 N86-32070  
Design criteria upgrade for US Army Type 2 air traffic control towers  
[AD-A159115] p 94 N86-13314

Light helicopter family trade-off analysis. Volume 10: Appendices V, W, X, and Z  
[AD-A158079] p 169 N86-15309

## EPOXY COMPOUNDS

Ultrasonic f-scan inspection of composite materials  
[AD-A159974] p 314 N86-18451

## EPOXY MATRIX COMPOSITES

Interface technology for carbon composite aircraft primary structure p 182 N86-18208  
The AV-8B fatigue test program p 165 N86-18443

Factors affecting the design of military aircraft structures in carbon fibre reinforced composites p 449 N86-29972

Thermoplastic composites - Design material of the 1990s? p 663 N86-41685  
Interactions between flow, heat and mass transfer during formation of carbon-fiber reinforced epoxy composites p 451 N86-22642

## EPOXY RESINS

Dynamic thermal analysis characterizations of electron-beam cured adhesives p 182 N86-18234  
Delamination threshold and loading effect in fiber glass epoxy composite p 244 N86-20636

Diffusion of water in carbon epoxy composites p 377 N86-27754  
Ultrasonic f-scan inspection of composite materials  
[AD-A159974] p 314 N86-18451

Aminophenoxycyclophosphazene cured epoxy resins and the composites, laminates and structures thereof  
[NASA-CASE-ARC-11548-1] p 379 N86-21686

## EQUATIONS OF MOTION

Vibration analysis of rotating turbomachinery blades by an improved finite difference method p 106 N86-14338  
Rotor dynamics equations in complex form p 122 N86-16040

The dynamics of elastic bars under conditions of arbitrary kinematic excitation p 185 N86-16761  
Response of a rotorcraft model with damping non-linearities p 162 N86-17698

Influence of the dropping conditions on container motion near the carrier and on the impact parameters p 158 N86-19069  
Proposal for the choice of state variables for equations of motion of aircraft in moving air p 306 N86-24588

Flutter calculation by a new program p 444 N86-33246  
Theory of the motion of propeller blades for large displacements p 639 N86-43385

On the flight dynamics of aeroelastic vehicles  
[AIAA PAPER 86-2077] p 828 N86-47666

Aerodynamic delay following control actuation in a glider  
[AIAA PAPER 86-2226] p 829 N86-47689

A fault tolerant system for an integrated avionics sensor configuration  
[NASA-CR-3834] p 180 N86-15278

The influence of dynamic inflow and torsional flexibility on rotor damping in forward flight from symbolically generated equations p 177 N86-15295  
Flap-lag-torsion stability in forward flight p 177 N86-15296

Six degree of freedom simulation of fluid payload projectiles using numerically computed fluid moments  
[DE85-017183] p 208 N86-18200

Use of state estimation to calculate angle-of-attack position error from flight test data  
[AD-A163982] p 480 N86-24670

Movement of flexible wing at supersonic velocity under influence of random gust p 481 N86-25582  
Extraction of aerodynamic parameters for aircraft at extreme flight conditions p 563 N86-27248

Effects of aerodynamic lags on aircraft responses p 564 N86-27257  
Effects of blade-to-blade dissimilarities on rotor-body lead-lag dynamics  
[NASA-TM-86826] p 639 N86-28079

Computation of the transonic flow about a swept wing in the presence of an engine nacelle  
[NASA-CR-177113] p 630 N86-28911

Critical evaluation of the unsteady aerodynamics approach to dynamic stability at high angles of attack  
[NASA-CR-177104] p 632 N86-28924

Flap-lag-torsional dynamics of helicopter rotor blades in forward flight  
[NASA-CR-176976] p 714 N86-29810

Model-following control for an oblique-wing aircraft  
[NASA-TM-88269] p 728 N86-29867

Flutter calculation by a new program p 728 N86-30845

## EQUATIONS OF STATE

Application of the state-space method to analyze the stability of digital systems p 127 N86-13418  
Optimal control change of state of aircraft turbine engine  
[ASME PAPER 85-IGT-53] p 301 N86-23859

## EQUIPMENT

Airborne tracking Sun photometer apparatus and system  
[NASA-CASE-ARC-11622-1] p 394 N86-21962

## EQUIPMENT SPECIFICATIONS

Radiometric characterization methods for Infrared Countermeasures Systems p 103 N86-15314  
Aircraft ground support equipment standardization - The pros and cons of 'functional' vs 'technical' standardization  
[SAE PAPER 851794] p 620 N86-38317

The application of sensors in light tests  
[NLR-MP-84056-U] p 232 N86-17352  
New rotary rig at RAE and experiments on HIRM p 562 N86-27243

Minimum operational performance standards for airborne thunderstorm detection equipment  
[RTCA/DO-191] p 617 N86-27851

Study of new flight test techniques  
[NASA-CR-176952] p 714 N86-29812

Computations and turbulent flow modeling in support of helicopter rotor technology  
[NASA-CR-177095] p 742 N86-30090

High accuracy fuel flowmeter  
[NASA-CR-174869] p 745 N86-31030

## EROSION

Compressor erosion and performance deterioration p 643 N86-40727  
Study of single stage axial flow compressor performance deterioration p 643 N86-40735

Igniter electrode life control  
[AD-DO12007] p 441 N86-22577

## ERROR ANALYSIS

Calculation of misalignment error of multi-joint holes of wing to fuselage p 253 N86-22318  
A class of airfoils having finite trailing-edge pressure gradients p 270 N86-23184

Aerodynamic performance of two fifteen-percent-scale wind-tunnel drive fan designs  
[AIAA PAPER 86-0734] p 273 N86-24729

State estimation errors in digital Kalman filters caused by measurement delays and numerical integration p 397 N86-28368

Flightpath reconstruction and systematic radar error estimation from multi-radar range-azimuth measurements p 636 N86-42966

Gravity-induced errors in airborne inertial navigation p 703 N86-46457

Critical analysis of turbulence restitution from acceleration measurements — aircraft construction [ONERA-RT-3/3567-RY-C40-R] p 227 N86-17340

Error propagation in a digital avionics processor: A simulation-based study [NASA-CR-176501] p 232 N86-17351

Signal processing in the airborne receiver of the Intercom microwave landing system p 282 N86-19303

Dynamic assertion testing of flight control software [NASA-CR-176715] p 466 N86-23321

A methodology for testing fault-tolerant software [NASA-CR-176713] p 466 N86-23323

Digital electronic engine control fault detection and accommodation flight evaluation [PAPER-7] p 505 N86-25349

Application of parameter estimation to highly unstable aircraft [NASA-TM-88266] p 639 N86-28078

**ERROR CORRECTING DEVICES**

Elimination of directional wave spectrum contamination from noise in elevation measurements p 641 N86-40854

A system for introducing mutual corrections into the airborne temperature and air-speed meters p 738 N86-45208

Improvement of strapdown system performance by means of numerical methods [BMFT-FB-W-85-011] p 575 N86-27275

**ERROR DETECTION CODES**

Application of analytical redundancy — for flight safety [SAE PAPER 851825] p 593 N86-38331

Development of a flight software testing methodology [NASA-CR-176391] p 128 N86-13922

Design considerations for flight test of a fault inferring nonlinear detection system algorithm for avionics sensors [NASA-TM-88998] p 637 N86-28933

**ERRORS**

A constant altitude flight survey method for mapping atmospheric ambient pressures and systematic radar errors p 360 N86-28507

Basic characteristics of radar antenna with synthesized aperture tracking arbitrary motion of aircraft p 189 N86-15575

The application to airfoils of a technique for reducing orifice-induced pressure error at high Reynolds numbers [NASA-TP-2537] p 339 N86-20351

Dynamic assertion testing of flight control software [NASA-CR-176712] p 466 N86-23322

**ESCAPE ROCKETS**

Vector thrust digital flight control for crew escape, volume 2 [AD-A186596] p 700 N86-29799

**ESCAPE SYSTEMS**

SAFE Association, Annual Symposium, 22nd, Las Vegas, NV, December 9-13, 1984, Proceedings p 212 N86-19301

Computer tools and techniques for analysis of discrete data from aircrew automated escape systems (AAES) p 260 N86-19302

The future of advanced crew escape capsule technology p 217 N86-19306

The continuing requirement for helicopter escape p 217 N86-19308

U.S. Navy ALSS corporate report 1984 p 261 N86-19309

F-111 escape systems - Today's module technology p 217 N86-19311

A scientific method for determining the useful life of explosive devices in aircraft p 243 N86-19312

The use of TLX energy transfer lines on the F-16 aircraft — Thin Layer explosive p 243 N86-19313

Aircrew escape system models used in wind tunnel tests p 217 N86-19316

Vector thrust digital control of ejection seats p 218 N86-19318

Ballistically deployed parachute systems for single and two place aircraft p 212 N86-19319

Using Fleet reported 3-M data in support of Navy emergency escape parachute assemblies p 212 N86-19326

Ballistic gas fired devices p 240 N86-19328

Development of a generalized escape system simulation computer program p 240 N86-19340

The state of the art of anthropomorphic manikins and requirements for the evaluation of advanced aircraft ejection systems p 262 N86-19345

Approach for service life extension of explosive devices for aircraft escape systems p 243 N86-19349

A philosophical basis for the use of high-performance, gliding parachutes in ejection seat aircraft p 213 N86-19352

Escape systems testing p 223 N86-21063

The Boeing crew escape technologies (CREST) program p 708 N86-44776

1985 USAF ejection summary p 698 N86-44777

Flow stagnation as an advanced windblast protection technique — for ejection seat safety p 793 N86-47727

The risk of collision in a two seat aircraft ejection p 783 N86-47730

Scott emergency escape breathing device - Evaluation for use in Canadian forces aircraft p 784 N86-47731

Development of a controllable catapult for ejection seats p 793 N86-47733

Emergency underwater escape from helicopters p 784 N86-47745

Evolution of the seawater activated release system (SEAWARS) — to prevent drownings after ejections from aircraft p 784 N86-47756

Boeing control law for CREST demonstration ejection seat p 794 N86-47758

Concept development of a canopy escape module p 784 N86-47759

Development of a new lightweight emergency escape breathing device p 784 N86-47760

Parachute recovery systems design manual, chapters 1 through 4 offprint [AD-A157839] p 87 N86-12210

**ESTERS**

The influence of esters on elastomer seals [SAE PAPER 851868] p 602 N86-38535

**ESTIMATES**

Estimation of divergence and flutter boundaries on supersonic plate wing models from subcritical random responses due to air turbulence [NAL-TR-856] p 211 N86-17308

**ESTIMATING**

Discovery of the Kalman filter as a practical tool for aerospace and industry [NASA-TM-86847] p 94 N86-13311

A computer programme for DATCOM methods of estimation of lateral stability and control derivatives [NAL-TM-AE-8601] p 596 N86-27289

**ESTIMATORS**

Robust detection, isolation and accommodation for sensor failures [NASA-CR-174825] p 722 N86-30732

Control design for robust stability in linear regulators: Application to aerospace flight control [NASA-CR-176858] p 749 N86-31265

**ETHERS**

The effect of the monoethers of dicarboxylic acids on the antiwear properties of jet fuels p 843 N86-49963

**ETHYLENE**

Fireproof hydraulic brake system [AD-A183542] p 497 N86-24688

**ETHYLENE COMPOUNDS**

Method to detect ethylene glycol in gaseous mixtures [AD-A158109] p 116 N86-12272

**EULER EQUATIONS OF MOTION**

Computation of rotor blade flows using the Euler equations [AIAA PAPER 85-5010] p 84 N86-14455

Three-dimensional solutions to the Euler equations with one million grid points p 142 N86-17150

Solution of the Euler equations - Explicit schemes acceleration by a multigrid method [ONERA, TP NO. 1985-129] p 142 N86-17627

Computation of flowfields in high solidity and high turning angle cascades using Euler equations [AIAA PAPER 85-1705] p 144 N86-17847

Some recent developments in numerical methods for transonic flows p 144 N86-17889

Computation of unsteady transonic flows with an implicit numerical method for solving the Euler equations p 145 N86-18686

Euler solvers as an analysis tool for aircraft aerodynamics p 204 N86-20939

A solution to the problem of flow past wings with allowance for flow separation on the basis of a system of Euler equations p 205 N86-21345

Simulation of diffuser duct flowfields using a three-dimensional Euler/Navier-Stokes algorithm [AIAA PAPER 86-0310] p 206 N86-22692

A perturbative lambda formulation — for compressible flow p 337 N86-28535

Solution of the unsteady Euler equations for fixed and rotor wing configurations p 410 N86-32779

Euler and Navier-Stokes solutions for flow over a conical delta wing p 411 N86-32960

Numerical modeling of transonic flows over airfoils and cascades p 414 N86-33409

A comparison of solutions of the complete potential equation and the Euler equations for the transonic flow around the DFVLR-F4-wing [DGLR PAPER 85-121] p 475 N86-35171

Applied Aerodynamics Conference, 4th, San Diego, CA, June 9-11, 1986, Technical Papers p 541 N86-37801

Unsteady transonic flows past airfoils using the Euler equations [AIAA PAPER 86-1764] p 541 N86-37802

Euler calculation for flow over a wing in ground effect [AIAA PAPER 86-1765] p 542 N86-37803

An analysis of elliptic grid generation techniques using an implicit Euler solver [AIAA PAPER 86-1766] p 542 N86-37804

Euler solutions for aircraft configurations employing upper surface blowing (USB) [AIAA PAPER 86-1767] p 542 N86-37805

Euler solutions for the flow around a hovering helicopter rotor [AIAA PAPER 86-1784] p 543 N86-37815

Euler calculations for flowfield of a helicopter rotor in hover [AIAA PAPER 86-1782] p 577 N86-37849

Block-structured solution of Euler equations for transonic flows [AIAA PAPER 86-1080] p 549 N86-38443

Three-dimensional, conservative, Euler computations using patched grid systems and explicit methods [AIAA PAPER 86-1081] p 549 N86-38444

Transonic flow solutions on a blunt, finned body of revolution using the Euler equations [AIAA PAPER 86-1082] p 549 N86-38445

Euler solutions for airfoil/jet/ground-interaction flowfields p 623 N86-40112

Improved Euler analysis of advanced turboprop propeller flows [AIAA PAPER 86-1521] p 625 N86-42688

Far-field boundary conditions for transonic lifting solutions to the Euler equations p 689 N86-44855

Computation of rotor blade flows using the Euler equations p 689 N86-44891

Remarks on the development of a multiblock three-dimensional Euler code for out of core and multiprocessor calculations p 748 N86-46791

High resolution solutions of the Euler equations for vortex flows p 692 N86-46793

Efficient solution of three-dimensional Euler equations using embedded grids p 771 N86-49007

Free-vortex flow simulation using a three-dimensional Euler aerodynamic method p 773 N86-49043

Objectives and scope of the Working Group 07 p 153 N86-15257

Formulation of the Euler boundary value problem p 154 N86-15258

Numerical methods p 154 N86-15259

Exact solutions to transonic and supersonic flows p 154 N86-15260

Numerical solutions for three-dimensional cases: Swept wings p 154 N86-15263

Concluding remarks p 155 N86-15265

A simulation of rotor-stator interaction using the Euler equations and patched grids [NASA-TM-86821] p 264 N86-17014

A survey of numerical methods for the calculation of inviscid, possibly rotational Euler flows around aeronautical configurations [NLR-TR-83130-U] p 258 N86-17689

On the separated flow over a delta wing at high subsonic and transonic speeds [VTH-M-527] p 279 N86-19293

Flow prediction for propfan engine installation effects on transport aircraft at transonic speeds [NASA-CR-3954] p 414 N86-22550

An Euler aerodynamic method for leading-edge vortex flow simulation p 558 N86-27203

Computation of leading-edge vortex flows p 558 N86-27205

Patched-grid calculations with the Euler and Navier-Stokes equations: Theory and applications [NASA-TM-88226] p 630 N86-28062

Aerodynamics of engine-airframe interaction [NASA-CR-179657] p 697 N86-30697

**EULER-CAUCHY EQUATIONS**

The state of development research in numerical aerodynamics in West Germany — conference [DGLR-84-01] p 147 N86-14225

Summary report on the working group on conference 2: Solutions of the Euler equations p 148 N86-14227

Calculation of axisymmetric laminar supersonic flows over blunt bodies p 148 N86-14234

Comparison of the Euler and potential solutions for supersonic flows over delta wings p 149 N86-14239

Trailing edge flow with transonic profiles p 149 N86-14240

A new Euler algorithm based on characteristic flux extrapolation p 149 N86-14241

Procedure for solution of the Euler equations at Domier GmbH p 149 N86-14242

Application of a dynamic grid adaptation in the ASWR procedure p 149 N86-14243

- Contribution to the potential calculation of anisotropic compression shocks in a plane case p 150 N86-14245
- Review of research in numerical aerodynamics at the DFVLR in Brunswick p 150 N86-14248
- EUROPEAN AIRBUS**
- The 7J7 - Boeing's answer to the Airbus A320 p 426 N86-31039
- Coming up - The 330 and 340 p 426 N86-31221
- Airbus Industrie A310 and A300-600 experience with practical applications of damage tolerance design in fuselage primary structure p 707 N86-43787
- Airbus-assembly concepts to improve productivity and flexibility in aircraft construction p 761 N86-48999
- Designing a load alleviation system for a modern civil aircraft p 832 N86-49006
- Automated systems for the manufacture of Airbus Vertical Stabilizer Spar box in composite materials p 762 N86-49067
- Take-off prediction for the Airbus A300-600 and the A310 compared with flight test results p 804 N86-49121
- West Europe report: Science and technology [JPRS-WST-85-024] p 189 N86-15447
- MBB studies variable-camber wing for Airbus p 169 N86-15449
- Development, construction, and manufacturing of wind tunnel models for aerodynamic investigations [BMFT-FB-W-85-012] p 600 N86-27296
- The design of composite structures — aircraft design [SNIAS-861-111-103] p 640 N86-28082
- Chemical control for Airbus composites. HPLC standardization [I-104/84] p 664 N86-28133
- EUTECTIC ALLOYS**
- The evolution of turbine blade materials p 373 N86-26330
- EVAUATING (TRANSPORTATION)**
- Advanced emergency openings for commercial aircraft [NASA-TM-87580] p 91 N86-13305
- EVALUATION**
- Combined test force operations at the Air Force Flight Test Center [AIAA PAPER 86-9739] p 406 N86-32085
- Operational suitability evaluation of a tactical fighter system [AIAA PAPER 86-9753] p 406 N86-32094
- Preliminary measurement of the noise from the 2/9 scale model of the Large-scale Advanced Propfan (LAP) propeller, SR-7A [NASA-TM-87116] p 129 N86-14006
- Computer graphics applications to crew displays p 128 N86-14104
- Stress level testing of electronics, avionics communications and C3I equipments [AD-A159395] p 231 N86-16214
- Preliminary airworthiness evaluation of the AH-1S (modernized cobra) with the Hellfire, TOW, and Stinger missiles installed [AD-A160862] p 294 N86-18322
- A comparative evaluation of the reliability improvement in line replaceable units warranted under the F-16 reliability improvement warranty [AD-A160830] p 321 N86-18630
- Structural evaluation of superplastic aluminum. Part 1. Mechanical, corrosion, metallurgical data [AD-A161366] p 379 N86-21662
- An evaluation of CPRA (Cost Performance Report Analysis) estimate at completion techniques based upon AFVAL (Air Force Wright Aeronautical Laboratories) cost/schedule control system criteria data [AD-A162282] p 470 N86-24584
- A real-time simulation evaluation of an advanced detection, isolation and accommodation algorithm for sensor failures in turbine engines [NASA-TM-87289] p 504 N86-24697
- An analysis of rig test disc failures p 527 N86-25381
- Evaluation of 3 numerical methods for propulsion integration studies on transonic transport configurations [NASA-TM-87727] p 559 N86-27209
- Test and evaluation of the HIDE engine uptrim algorithm [NASA-TM-88262] p 650 N86-28088
- EVAPORATION**
- Altitude ignition/lean decel study [AD-A163052] p 518 N86-24781
- EVAPORATORS**
- Small film-evaporation type combustion chamber for a low-power gas turbine engine p 650 N86-43395
- EVASIVE ACTIONS**
- Missile guidance based on Kalman filter estimation of target maneuver p 102 N86-12683
- The Adaptive Maneuvering Logic program in support of the pilot's associate program - A heuristic approach to missile evasion [AIAA PAPER 86-0423] p 263 N86-19865
- An analysis of a four state model for pursuit-evasion games — during air combat p 680 N86-42957
- EXHAUST DIFFUSERS**
- Recent improvements to the NAE 5 ft. x 5 ft. blowdown wind tunnel [AD-A162034] p 449 N86-23606
- EXHAUST EMISSION**
- Emission characteristics of a section of the combustion chamber of a gas-turbine engine with various modifications of the burners p 300 N86-23670
- Conical grid plate flame stabilizers - Stability and emissions for liquid fuels [ASME PAPER 86-GT-156] p 842 N86-48210
- Premixing gas and air to reduce NOx emissions with existing proven gas turbine combustion chambers [ASME PAPER 86-GT-157] p 814 N86-48211
- A study on NOx emissions from gas turbine combustor [ASME PAPER 86-GT-168] p 814 N86-48220
- Fuel effects on aircraft combustor emissions [ASME PAPER 86-GT-212] p 815 N86-48252
- Composition and photochemical reactivity of turbine engine exhaust [AD-A157843] p 107 N86-12230
- EXHAUST FLOW SIMULATION**
- Subscale-model and full-scale engine mixed-flow exhaust system performance comparison p 106 N86-14528
- Initial performance evaluation of 2DCD ejector exhaust systems — two dimensional convergent-divergent [AIAA PAPER 86-1615] p 626 N86-42753
- The use of the magnetic aerohydrodynamic analogy method to simulate three-dimensional flow past aircraft, taking powerplant operation into account p 770 N86-48833
- EXHAUST GASES**
- Fuel property effects upon exhaust smoke and the weak extinction characteristics of the Pratt and Whitney PT6A-65 engine [ASME PAPER 85-GT-27] p 234 N86-22018
- Composition and photochemical reactivity of turbine engine exhaust [AD-A157843] p 107 N86-12230
- Proceedings of the 1985 ONR/NAVAIR Wave Rotor Research and Technology Workshop [AD-A161539] p 389 N86-20613
- Aircraft engine emissions estimator [AD-A164552] p 616 N86-26715
- International Aviation (selected articles) [AD-A166748] p 687 N86-30690
- EXHAUST NOZZLES**
- Performance of a forward swept wing fighter utilizing thrust vectoring and reversing p 221 N86-20183
- Dynamic pressure loads associated with twin supersonic plume resonance [AIAA PAPER 86-1539] p 646 N86-42701
- Dual material exhaust nozzle flap [AD-D011998] p 364 N86-21548
- Propulsion and Energetics Panel Working Group 14 on suitable averaging techniques in non-uniform internal flows [AD-A133968] p 503 N86-24692
- International Aviation (selected articles) [AD-A166748] p 687 N86-30690
- The performance evaluation of a jet flap on an advanced supersonic harrier [NASA-CR-179653] p 716 N86-30722
- EXHAUST SYSTEMS**
- Measurements and computer modelling of engine exhaust noise in the cabin of single-engine aircraft p 798 N86-48594
- Resonant cavities for stall recovery in gas turbine engines [AD-D011891] p 175 N86-15317
- EXISTENCE THEOREMS**
- On a weak solution for a transonic flow problem p 143 N86-17738
- EXOTHERMIC REACTIONS**
- Dynamic features of combustion p 114 N86-12925
- EXPANSION**
- The C-17: An attempt at increased airlift versatility [AD-A164822] p 540 N86-26280
- EXPENDABLE STAGES (SPACECRAFT)**
- Weights assessment for orbit-on-demand vehicles [SAWE PAPER 1674] p 515 N86-35217
- EXPERIMENT DESIGN**
- Simulation and analysis of natural rain in a wind tunnel via digital image processing techniques [AIAA PAPER 86-0291] p 241 N86-22687
- Flight test planning and parameter extraction for rotorcraft system identification [AIAA PAPER 86-9772] p 430 N86-32107
- Application of the Optimal Control Model to the design of flight simulation experiments [SAE PAPER 851903] p 532 N86-36942
- Technique for measuring side forces on a banked aircraft with a free-swiveling nose gear [NASA-TM-87719] p 743 N86-30233
- Comparison of experimental surface pressures with theoretical predictions on twin two-dimensional convergent-divergent nozzles [NASA-TM-87757] p 697 N86-30894
- Seat experiment results of full-scale transport aircraft controlled impact demonstration [DOT/FAA/CT-85/25] p 701 N86-30702
- EXPERIMENTATION**
- An experimental investigation of reducing advanced turboprop cabin noise by wing shielding [AIAA PAPER 86-1986] p 711 N86-45449
- Natural laminar flow flight experiments on a swept wing business jet-boundary layer stability analyses [NASA-CR-3975] p 478 N86-24659
- An experimental investigation of reducing advanced turboprop cabin noise by wing shielding [NASA-TM-87112] p 536 N86-25218
- EXPERT SYSTEMS**
- Expert systems and their use in augmenting design optimization [AIAA PAPER 85-3085] p 127 N86-14434
- Applications of artificial intelligence; Proceedings of the Meeting, Arlington, VA, May 3, 4, 1984 [SPIE-485] p 127 N86-15278
- AIRID - An application of the KAS/Prospector expert system builder to airplane identification p 128 N86-15283
- General dynamics simulation and artificial intelligence integration [AIAA PAPER 85-4048] p 192 N86-17830
- Development of a knowledge acquisition tool for an expert system flight status monitor [AIAA PAPER 86-0240] p 230 N86-19764
- An expert system for integrated aircraft/engine controls design p 355 N86-28405
- Expert systems for real time applications p 398 N86-28486
- Expert system applications to the cockpit of the '90s p 399 N86-28487
- An expert planner for the dynamic flight environment p 368 N86-28490
- Diagnosis - Using automatic test equipment and artificial intelligence expert systems — for F-15 aircraft p 366 N86-28492
- Knowledge engineering for a flight management expert system p 368 N86-28498
- The Crew Station Information Manager - An avionics expert system p 361 N86-28515
- Expert System Pilot Aid p 361 N86-28518
- Knowledge-based approach toward developing an autonomous helicopter system p 421 N86-30488
- Expert systems in the fighter of the 1990s p 405 N86-31848
- Pilot Executive project - PILEX — flight status monitor expert system [SAE PAPER 851808] p 489 N86-35436
- An expert system for control system design p 680 N86-40774
- Knowledge-based systems for rotordynamic diagnostics [AIAA PAPER 86-1678] p 648 N86-42789
- Expert systems for aviation maintenance [AIAA PAPER 86-1143] p 622 N86-43332
- Expert systems for mechanical fault diagnosis p 737 N86-43896
- Applications of artificial intelligence II; Proceedings of the Meeting, Arlington, VA, April 9-11, 1985 [SPIE-548] p 748 N86-46706
- RT-BUILD - Automatic generation of Ada code for flight control applications [AIAA PAPER 86-2088] p 852 N86-47439
- A theory for fault-tolerant flight control combining expert system and analytical redundancy concepts [AIAA PAPER 86-2092] p 822 N86-47442
- Experts system control of autonomous airborne vehicle p 835 N86-49476
- A knowledge-based expert system for scheduling of airborne astronomical observations p 854 N86-49827
- Development of a knowledge acquisition tool for an expert system flight status monitor [NASA-TM-88802] p 263 N86-16944
- Applications of expert systems p 330 N86-19634
- Development experience with a simple expert system demonstrator for pilot emergency procedures [NASA-TM-85919] p 446 N86-23603
- An engineering approach to the use of expert systems technology in avionics applications [NASA-TM-88263] p 497 N86-24687
- An application of adaptive learning to malfunction recovery [NASA-CR-166620] p 533 N86-25169



A demonstration expert system for implementing emergency procedures in a high-performance fighter aircraft  
[MAE-1749] p 569 N86-26295

Time-based air traffic management using expert systems  
[NASA-TM-88234] p 634 N86-28068

A.I.-based real-time support for high performance aircraft operations  
[NASA-CR-176906] p 716 N86-30718

**EXPLOSIONS**

Experimental investigation of electrostatic fire and explosion accidents after aircraft landing and preventive design  
p 786 A86-49083

Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 1: Executive summary  
[AD-A167443] p 807 N86-31571

**EXPLOSIVE DEVICES**

Approach for service life extension of explosive devices for aircraft escape systems  
p 243 A86-19349

Advanced emergency openings for commercial aircraft  
[NASA-TM-87580] p 91 N86-13305

**EXPLOSIVES**

A scientific method for determining the useful life of explosive devices in aircraft  
p 243 A86-19312

The use of TLX energy transfer lines on the F-16 aircraft — Thin Layer explosive  
p 243 A86-19313

**EXPOSURE**

Automatic exposure control employing scene statistics in reconnaissance cameras  
p 230 A86-19568

**EXTERNAL STORE SEPARATION**

Further development in stores separation data acquisition and reduction  
p 315 A86-23262

On applications of chimera grid schemes to store separation  
[NASA-TM-88193] p 88 N86-13292

International Aviation (selected articles)  
[AD-A166748] p 687 N86-30690

Store separation flight testing  
[AGARD-AG-300-VOL-5] p 717 N86-30727

**EXTERNAL STORES**

Modeling realistic environmental stresses on external stores  
p 95 A86-13275

Unsteady transients of a wing with tip store  
[AIAA PAPER 86-0010] p 198 A86-19633

A predictive technique for determining store motion after release from a carrier vehicle at supersonic speeds  
[AIAA PAPER 86-0586] p 203 A86-19984

Flight test of a decoupler pylon for wing/store flutter suppression  
[AIAA PAPER 86-9730] p 428 A86-32077

Flight test techniques used for carriage load measurements at large underfuselage store configurations on Tornado combat A/C  
[AIAA PAPER 86-9755] p 429 A86-32086

Rapid vibration mode analysis of aircraft with external stores  
p 435 A86-33281

Aeroelastic tailoring of composite wings with external stores  
[AIAA PAPER 86-1021] p 609 A86-38878

Flutter generator control and force computer  
[AEL-0242-TM] p 178 N86-15318

A FORTRAN program for the determination of unsteady airforces on general combinations of interfering lifting surfaces oscillating in subsonic flow  
[ARL-STRUCT-R-412] p 206 N86-16191

Triaxial vibration system  
p 257 N86-16647

Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987  
[AD-A162792] p 402 N86-22443

Optimization of tip store modeling  
[AD-A162119] p 417 N86-23571

Verification and aerodynamic calibration of the tunnel 16T Captive Trajectory Support (CTS) system  
[AD-A165235] p 599 N86-27295

Flight test of a decoupler pylon for wing/store flutter suppression  
[NASA-TM-87787] p 714 N86-29614

A review of aeroelastic research at the Flight Dynamics Laboratory  
p 727 N86-30642

Rapid vibration mode analysis of aircraft with external stores  
p 716 N86-30679

Flight test of passive wing/store flutter suppression  
[NASA-TM-87766] p 806 N86-31568

**EXTERNAL TANKS**

Results of high angle-of-attack testing of the F-15 with conformal fuel tanks  
p 284 A86-23267

Ground vibration test of an F-16 airplane with modified decoupler pylons  
[NASA-TM-87634] p 496 N86-24685

**EXTERNALLY BLOWN FLAPS**

A numerical solution of the downwash associated with a blown-flap system  
[AIAA PAPER 86-0473] p 202 A86-19892

Blended blown flaps and vectored thrust for low-speed flight  
[AIAA PAPER 84-2199] p 221 A86-20157

**EXTINGUISHING**

Altitude ignition/lean decel study  
[AD-A163052] p 518 N86-24781

Fire extinguishing agents for oxygen-enriched atmospheres  
[AD-A165967] p 743 N86-30690

**EXTREMELY HIGH FREQUENCIES**

Aircraft coupling model evaluations at SHF/EHF  
p 346 A86-27128

**EXTREMUM VALUES**

Statistical analysis of direct-strike lightning data (1980 to 1982)  
[NASA-TP-2252] p 463 N86-24090

**EYE MOVEMENTS**

USAF/SCCE (United States Air Force/Southeastern Center for Electrical Engineering Education) Research Initiation Program research reports, volume 2  
[AD-A161908] p 460 N86-23752

## F

**F-101 AIRCRAFT**

Comparison of F-101 ejection seat and ACES II static aerodynamic coefficients — Advanced Concept Ejection Seat  
p 428 A86-32067

**F-104 AIRCRAFT**

PC-183B standoff imaging system  
p 229 A86-19578

A survey of handling qualities criteria and their applications to high performance aircraft  
[NASA-CR-179654] p 729 N86-30738

**F-106 AIRCRAFT**

Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes  
[AIAA PAPER 86-0021] p 213 A86-19637

In-flight flow visualization of F-106B leading-edge vortex using the vapor-screen technique  
[AIAA PAPER 86-9785] p 431 A86-32118

NASA storm hazards research in lightning strikes to aircraft  
p 566 A86-37479

Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes  
p 634 A86-41695

Research in lightning swept-stroke attachment patterns and flight conditions with the NASA F-106B airplane  
p 791 A86-47318

F-106 data summary and model results relative to threat criteria and protection design analysis  
p 786 A86-50259

Interpretation of F-106B in-flight lightning signatures  
[NASA-CR-176387] p 100 N86-13320

Lateral and longitudinal aerodynamic stability and control parameters of the basic vortex flap research aircraft as determined from flight test data  
[NASA-TM-87711] p 512 N86-24703

Technique for measuring side forces on a banked aircraft with a free-swiveling nose gear  
[NASA-TM-87719] p 743 N86-30233

PAN AIR application to the F-106B  
[NASA-CR-178165] p 698 N86-30686

**F-111 AIRCRAFT**

An integrated solution for flight test data handling  
p 93 A86-13226

F-111 escape systems - Today's module technology  
p 217 A86-19311

Weight control of aircraft modification projects  
[SAWE PAPER 1683] p 489 A86-35224

Flight control system development and flight test experience with the F-111 mission adaptive wing aircraft  
[AIAA PAPER 86-2237] p 824 A86-47489

F-111 natural laminar flow glove flight test data analysis and boundary layer stability analysis  
[NASA-CR-166051] p 168 N86-15305

Mission adaptive wing soars at NASA Facility  
[P86-10182] p 806 N86-31563

**F-14 AIRCRAFT**

Evaluation of pilot performance and aircrew protective devices in a simulated F-14 flat spin environment  
p 262 A86-19351

F-14A low altitude, low airspeed, high angle of attack asymmetric thrust flight test program  
p 222 A86-21053

F-14 re-engining with the F110 engine  
[ASME PAPER 85-GT-184] p 224 A86-22098

Environmental control system simulation using EASY5, as applied to the F-14  
[SAE PAPER 851318] p 285 A86-23508

F-14A low altitude high angle of attack simulation and flight test program  
[AIAA PAPER 86-9774] p 430 A86-32109

F-14A inlet icing  
p 709 A86-44937

Navy departure/spin and air combat maneuvering evaluation of a National Aeronautics and Space Administration developed flight control system for the F-14  
p 724 A86-44944

Flight testing in the aircraft carrier environment  
p 794 A86-47779

F-14A low-altitude asymmetric thrust simulation and flight test program  
p 795 A86-47785

**F-15 AIRCRAFT**

Aero/propulsion technology for STOL and maneuver  
[AIAA PAPER 85-4013] p 97 A86-14436

Flight evaluation of a digital electronic engine control in an F-15 airplane  
p 173 A86-17784

Manned simulation studies of aircrew workload in the F-15 dual role fighter  
p 158 A86-18454

A Single Point Release System for the Advanced Concept Ejection Seat (ACES) II - Survival kit and parachute risers  
p 217 A86-18303

F-15 Dual-Role Fighter flight testing  
p 224 A86-21065

CAD/CAM designer - Jack of all trades  
p 251 A86-21895

Superplastically-formed/diffusion-bonded titanium technology transition case study  
p 252 A86-22142

Results of high angle-of-attack testing of the F-15 with conformal fuel tanks  
p 284 A86-23267

Diagnosis - Using automatic test equipment and artificial intelligence expert systems — for F-15 aircraft  
p 386 A86-28492

First use of Ada in flight-critical avionics  
[AIAA PAPER 86-9822] p 443 A86-32146

Summary of results of NASA F-15 flight research program  
[AIAA PAPER 86-9761] p 496 A86-37064

Development of control laws for a flight test maneuver autopilot  
p 725 A86-48460

Development of HIDECA adaptive engine control systems  
[ASME PAPER 86-GT-252] p 816 A86-48278

Development of a flight test maneuver autopilot for an F-15 aircraft  
[NASA-TM-86799] p 176 N86-14275

Multivariable control law design for enhanced air combat maneuvering, F-15/STOL (Short Take-Off and Landing) derivative fighter  
[AD-A164017] p 512 N86-24708

Multivariable output control law design for the STOL (Short Takeoff and Landing) F-15 in landing configuration  
[AD-A164516] p 496 N86-25340

Digital Electronic Engine Control (DEEC) Flight Evaluation in an F-15 Airplane  
[NASA-CR-2296] p 504 N86-25342

F-15 digital electronic engine control system description  
[PAPER-3] p 504 N86-25345

Summary of results of NASA F-15 flight research program  
[NASA-TM-86611] p 539 N86-26277

Recent developments in rotary-balance testing of fighter aircraft configurations at NASA Ames Research Center  
p 562 N86-27242

Optimal cooperative control synthesis of active displays  
[NASA-CR-177102] p 683 N86-29651

**F-16 AIRCRAFT**

Automation and integration on AFTI/F-16  
[AIAA PAPER 85-3089] p 103 A86-14433

A Single Point Release System for the Advanced Concept Ejection Seat (ACES) II - Survival kit and parachute risers  
p 217 A86-18303

A scientific method for determining the useful life of explosive devices in aircraft  
p 243 A86-19312

The use of TLX energy transfer lines on the F-16 aircraft — Thin Layer explosive  
p 243 A86-19313

Progress report - F-16 C&D testing  
p 222 A86-21056

The F-16 Common Engine Bay  
[ASME PAPER 85-GT-231] p 224 A86-22127

The F-16XL flight test program  
p 284 A86-23260

A flight evaluation of a digital electronic engine control  
p 299 A86-23273

Design of the F-16 aircraft electrical system built-in-test monitor  
p 298 A86-24827

Advanced fighter technology integration (AFTI) F-16 - The pilot interface  
[SAE PAPER 841633] p 327 A86-26018

Multivariable control law design for the AFTI/F-16 with a failed control surface  
p 367 A86-26380

Knowledge engineering for a flight management expert system  
p 368 A86-26498

Lightning simulation tests on a graphite/epoxy airplane mockup  
p 355 A86-28514

Inflight excitation of the F-16XL  
[AIAA PAPER 86-9782] p 430 A86-32116



- F-18 radar data acquisition and analysis  
[AIAA PAPER 86-9798] p 422 A86-32127
- F-18 flutter testing at Eglin Air Force Base  
[AIAA PAPER 86-9819] p 439 A86-32144
- F-18 radar flight test - A lesson in software development  
[AIAA PAPER 86-9827] p 408 A86-32149
- The F-18 aircraft and hydrazine - An industrial hygiene perspective  
[SAE PAPER 851971] p 568 A86-38381
- Use of the flight simulator in performing AFTI/F-18 airplane aeroservoelastic analysis  
[AIAA PAPER 86-0957] p 585 A86-38931
- Digital data acquisition system for model testing - of aircraft  
p 731 A86-47093
- A jet fuel starter and expendable turbojet  
[ASME PAPER 86-GT-1] p 812 A86-48101
- A comparative evaluation of the reliability improvement in line replaceable units warranted under the F-18 reliability improvement warranty  
[AD-A160830] p 321 N86-18630
- Ground vibration test of an F-18 airplane with modified decoupler pylons  
[NASA-TM-87634] p 496 N86-24685
- F-18 AIRCRAFT**
- Observations on helicopter integrated system testing based on F/A-18 experiences p 134 A86-18417
- Supersonic conventional weapon testing of the F/A-18A Hornet p 222 A86-21052
- Testing Canadian unique features of the CF-18 - The first year p 223 A86-21060
- Analysis of the F/A-18 Hornet flight control computer field mean time between failure p 231 A86-22386
- F/A-18 Hornet - Reliability development testing p 225 A86-22400
- Principal site testing concept within the Navy  
[AIAA PAPER 86-9740] p 406 A86-32086
- Flutter of wings with leading edge control surfaces  
[AIAA PAPER 86-0897] p 585 A86-38950
- Flight testing in the aircraft carrier environment p 794 A86-47779
- Avionics digital data acquisition system p 810 A86-47790
- An investigation of empennage buffeting  
[NASA-CR-176973] p 726 N86-29864
- F-2 AIRCRAFT**
- Design and evaluation of an instrumentation system for measurements in nonsteady symmetrical flight conditions with the Hawker Hunter MK 7  
[VTH-LR-308] p 232 N86-16215
- F-20 AIRCRAFT**
- F-20A Tigershark progress report p 222 A86-21057
- The NDS 2000 Flight Test Instrumentation System in the F-20 Tigershark  
[AIAA PAPER 86-9797] p 438 A86-32126
- The integrated digital avionics system for the F-20 Tigershark  
[SAE PAPER 851850] p 589 A86-38345
- Built In Test (BIT) utilization for improved supportability of the F-20 aircraft p 685 A86-43906
- F-27 AIRCRAFT**
- Flight test instrumentation used in the Fokker F27 and F28 development and certification flight program  
[NLR-MP-84023-U] p 811 N86-32431
- F-28 TRANSPORT AIRCRAFT**
- Determination of performance and stability characteristics from dynamic maneuvers with a transport aircraft using parameter identification techniques  
[NLR-MP-84024-U] p 308 N86-19326
- Flight test instrumentation used in the Fokker F27 and F28 development and certification flight program  
[NLR-MP-84023-U] p 811 N86-32431
- F-4 AIRCRAFT**
- F-4 functional modernization  
[ASME PAPER 85-GT-69] p 94 A86-13052
- 2001 Phantom odyssey p 162 A86-17525
- Periodic control for minimum-fuel aircraft trajectories p 427 A86-31657
- Integrated braking and ground directional control for tactical aircraft  
[SAE PAPER 851941] p 581 A86-38374
- A study of aircraft cruise  
[AIAA PAPER 86-2286] p 792 A86-47704
- F-5 AIRCRAFT**
- F-5E departure warning system algorithm development and validation  
[AIAA PAPER 86-2284] p 830 A86-47702
- FABRICATION**
- Composites technology transfer and transition p 253 A86-22144
- Advanced structural casting applications for a gas turbine engine p 521 A86-35658
- Using the perturbation method for determining the die forging parameters for aircraft parts p 522 A86-35697
- Fabrication of ceramic components for advanced gas turbine engines  
[SAE PAPER 851788] p 606 A86-38310
- Processes for the manufacture of aviation instrument components (2nd revised and enlarged edition) - Russian book p 610 A86-39979
- ATR 42 production work in French, Italian plants detailed p 76 N86-13618
- Design and fabrication of large suction panels with perforated surfaces for laminar flow control testing in a transonic wind tunnel  
[NASA-TM-89011] p 715 N86-29815
- Low mass diffusion bonding tools  
[AD-D012295] p 851 N86-32746
- FABRICS**
- Composite fabrics in a thermal protection application p 245 A86-21734
- Aerodynamic performances of fabric surface airfoils p 275 A86-25224
- FACILITIES**
- Too little time - Too little money - low cost flight simulation facility  
[SAE PAPER 851904] p 532 A86-36943
- FACTORIZATION**
- Calculation of flows in two- and three-dimensional nozzles by an approximate factorization method p 77 A86-13294
- An implicit finite-difference procedure for the numerical solution of unsteady supersonic flow over a blunt body p 148 N86-14229
- Numerical analysis for steady transonic flows past an airfoil using AF scheme p 209 N86-17289
- Analysis of high Reynolds number transonic flow around an airfoil p 210 N86-17293
- Computation of 3-dimensional viscous transonic flows using the LU-ADI factored scheme  
[NAL-TR-8897] p 555 N86-27184
- An entropy correction method for unsteady full potential flows with strong shocks  
[NASA-TM-87769] p 694 N86-29777
- FAIL-SAFE SYSTEMS**
- A study of the service life of fail-safe airframe structures on the basis of routine inspections and crack size assessment p 286 A86-23769
- Winging it in the 1980's - Why guidelines are needed for cockpit automation  
[SAE PAPER 841834] p 328 A86-26022
- Airworthiness aspects of fatigue in helicopters p 280 A86-26128
- FAILURE**
- The relationship between material failures and flight hours: Statistical considerations  
[AD-A159571] p 169 N86-15311
- F100 fuel sampling analysis  
[AD-A161667] p 379 N86-21707
- FAILURE ANALYSIS**
- Using diagnostic systems to collect data on the reliability of aircraft p 133 A86-16861
- Using Fleet reported 3-M data in support of Navy emergency escape parachute assemblies p 212 A86-19326
- Repeatability of mixed-mode adhesive debonding p 249 A86-20638
- Hardware/software FMEA applied to airplane safety p 253 A86-22396
- Evolution of emerging environmental testing and evaluation techniques p 315 A86-23011
- Unscreened part reliability rivals that of screened parts in new digital avionics p 315 A86-23015
- Investigation into the cause of failure of a turboprop impeller in service  
[ASME PAPER 85-IGT-147] p 303 A86-23938
- Reliability and failure prevention through ESA in the 80's And beyond p 381 A86-26937
- Fatigue failure of jet engine drive shafts p 500 A86-33970
- Assessment of structural damage in composites utilizing acoustic emission technology p 521 A86-35651
- Postbuckling failure of composite panels p 523 A86-37112
- Buckling and final failure of graphite/PEEK stiffener sections  
[AIAA PAPER 86-0921] p 608 A86-38831
- Failure analysis of composite angle structures p 667 A86-40353
- Knowledge-based systems for rotordynamic diagnostics  
[AIAA PAPER 86-1678] p 648 A86-42789
- Failure detection and accommodation in structural dynamics systems using analytic redundancy - in large space structures p 658 A86-42938
- Mode II fatigue crack growth specimen development p 736 A86-43566
- Expert systems for mechanical fault diagnosis p 737 A86-43896
- Aircraft control surface failure detection and isolation using the OSLR test - orthogonal series generalized likelihood ratio  
[AIAA PAPER 86-2026] p 821 A86-47419
- A parameter insensitive technique for aircraft sensor fault analysis using eigenstructure assignment and analytical redundancy  
[AIAA PAPER 86-2029] p 809 A86-47420
- Robust fault detection and isolation for a high performance aircraft on STOL approach  
[AIAA PAPER 86-2031] p 821 A86-47421
- A theory for fault-tolerant flight control combining expert system and analytical redundancy concepts  
[AIAA PAPER 86-2092] p 822 A86-47442
- An artificial intelligence approach to onboard fault monitoring and diagnosis for aircraft applications  
[AIAA PAPER 86-2093] p 853 A86-48577
- Fibre optic damage detection in composite structures p 848 A86-48988
- Failure analysis of aircraft windshields subjected to bird impact p 802 A86-49055
- A preliminary evaluation of the generalized likelihood ratio for detecting and identifying control element failures in a transport aircraft  
[NASA-TM-87620] p 111 N86-13332
- The relationship between material failures and flight hours: Statistical considerations  
[AD-A159571] p 169 N86-15311
- FINDS: A fault inferring nonlinear detection system programmers manual, version 3.0  
[NASA-CR-177986] p 231 N86-18212
- The mechanical design of gas turbine blading in cast superalloys  
[PNR-90247] p 237 N86-16223
- An analysis of rig test disc failures  
[PNR-90276] p 237 N86-16224
- Robust detection-isolation-accommodation for sensor failures  
[NASA-CR-174797] p 255 N86-16486
- AVIP Air Force thrust for reliability p 256 N86-16617
- CERT: Where we have been, where we are going p 256 N86-16620
- Hardware/software Failure Mode Effect Analysis (FMEA) applied to airplane safety  
[NLR-MP-84073-U] p 215 N86-17325
- Controlled impact demonstration airframe bending bridges p 391 N86-21943
- The evaluation of the OSLR algorithm for restructurable controls  
[NASA-CR-178083] p 485 N86-24678
- Engine cyclic durability by analysis and testing: Highlights of the spring 1984 PEP Meeting p 506 N86-25382
- Initial design and evaluation of automatic restructurable flight control system concepts  
[NASA-CR-178064] p 652 N86-28090
- FAILURE MODES**
- Full scale fatigue testing of advanced fiber composite components p 183 A86-18437
- The automated, advanced matrix FMEA technique - Failure Modes and Effects Analysis p 253 A86-22382
- Hardware/software FMEA applied to airplane safety p 253 A86-22396
- Decentralization filtering and redundancy management/failure detection for multisensor integrated navigation systems p 346 A86-26443
- Probabilistic fatigue and fracture design p 453 A86-29961
- Mode II fatigue crack growth specimen development p 736 A86-43566
- Multipath lightning protection for composite structure integral fuel tank design p 790 A86-47308
- Failure mechanisms of laminates transversely loaded by bolt push-through  
[NASA-TM-87603] p 184 N86-14314
- Thermal barrier coating life prediction model development  
[NASA-CR-175087] p 452 N86-22713
- The evaluation of the OSLR algorithm for restructurable controls  
[NASA-CR-178083] p 485 N86-24678
- A real-time simulation evaluation of an advanced detection, isolation and accommodation algorithm for sensor failures in turbine engines  
[NASA-TM-87289] p 504 N86-24697
- A.I.-based real-time support for high performance aircraft operations  
[NASA-CR-176906] p 716 N86-30718
- FAIRINGS**
- Natural laminar flow flight experiments on a turbine engine nacelle fairing  
[AIAA PAPER 86-9756] p 429 A86-32097
- Experimental investigation of rotorcraft hub and shaft fairing drag reduction  
[AIAA PAPER 86-1783] p 577 A86-37814

- Airworthiness flight test program of an aircraft equipment  
fairing p 226 N86-16653
- FALLOUT**  
Aircrew dose and engine dust ingestion from nuclear  
cloud penetration p 101 N86-13327
- FALSE ALARMS**  
Smart Built-In-Test (BIT) p 747 A86-43889  
Built In Test (BIT) utilization for improved supportability  
of the F-20 aircraft p 685 A86-43908  
Design considerations for flight test of a fault inferring  
nonlinear detection system algorithm for avionics  
sensors [AIAA PAPER 86-2030] p 810 A86-47511
- FAN BLADES**  
Experimental evaluation of heavy fan-high-pressure  
compressor interaction in a three-shaft engine. I -  
Experimental setup and results [ASME PAPER 85-GT-173] p 104 A86-13053  
Aerodynamic performance of two fifteen-percent-scale  
wind-tunnel drive fan designs [AIAA PAPER 86-0734] p 273 A86-24729  
Ten years of front-fan blade forging p 382 A86-27227  
Dynamic characteristics of an assembly of prop-fan  
blades [ASME PAPER 85-GT-134] p 441 A86-32956  
Intrablade velocity mapping in transonic fan passages  
of gas turbine p 474 A86-34411  
An analysis of bending wave propagation on impact in  
a rotating fan blade p 738 A86-43534  
High speed rotor noise due to blade loading  
[AIAA PAPER 86-1902] p 750 A86-45403  
Experimental investigation of unsteady fan flow  
interaction with downstream struts [AIAA PAPER 86-1870] p 739 A86-45490  
Study of ice accretion on icing wind tunnel  
components [NASA-TM-87095] p 242 N86-16232  
Mass balancing of hollow fan blades [NASA-TM-87197] p 255 N86-16611  
Fundamental investigation on the impact strength of  
hollow fan blades [NAL-TR-879] p 322 N86-19657  
Digital electronic engine control history  
[PAPER-2] p 504 N86-25344  
National Transportation Safety Board safety  
recommendation [NTSB-4380/33] p 699 N86-29791
- FANS**  
Further applications of the Lucas fan spray fuel injection  
combustion system [ASME PAPER 85-IGT-116] p 302 A86-23912  
The superposition distortion index — in axial flow fans  
of turbofan engines p 500 A86-34279  
Feasibility study for convertible engine torque  
converter [NASA-CR-175082] p 722 N86-30733
- FAR FIELDS**  
Far-field boundary conditions for transonic lifting  
solutions to the Euler equations p 689 A86-44855  
The near and far acoustic fields of broadband shock  
associated noise [AIAA PAPER 86-1943] p 751 A86-45430  
Coupling linearized far-field boundary conditions with  
nonlinear near-field solutions in transonic flow  
[AD-A182334] p 417 N86-23573  
Aircraft Noise Prediction Program theoretical manual:  
Propeller aerodynamics and noise [NASA-TM-83199-PT-3] p 536 N86-25220
- FASTENERS**  
The design of repairable advanced composite  
structures [SAE PAPER 851830] p 606 A86-38335  
A simplified residual stress model for predicting fatigue  
crack growth behavior at coldworked fastener holes  
p 662 A86-40575  
Fatigue rated fastener systems in aluminum alloy  
structural joints — aircraft structures [NLR-MP-83045-U] p 259 N86-17809  
Effectiveness of fatigue life enhancing fasteners in the  
design and rework of aircraft structures [AD-A159676] p 293 N86-18316
- FATIGUE (MATERIALS)**  
Modelling for fatigue crack growth prediction in aircraft  
p 161 A86-17011  
Helicopter Fatigue Specialists' Meeting, St. Louis, MO,  
October 16-18, 1984, Proceedings p 134 A86-18430  
Generic aspects of delamination in fatigue of composite  
materials p 183 A86-18432  
Helicopter fatigue monitoring using a single channel  
recorder p 220 A86-20038  
Delamination threshold and loading effect in fiber glass  
epoxy composite p 244 A86-20636  
Repeatability of mixed-mode adhesive debonding  
p 249 A86-20638
- Airworthiness aspects of fatigue in helicopters  
p 280 A86-26128  
Fractographic study of fatigue crack kinetics in bodies  
and structures p 454 A86-30034  
Nonlinear multimode response of clamped rectangular  
plates to acoustic loading p 457 A86-32973  
Three-dimensional elastic-plastic finite-element analysis  
of fatigue crack propagation [NASA-CR-176415] p 189 N86-14687  
Digital servocontroller system. Volume 1: Operations  
manual [AD-A158392] p 192 N86-14960  
Problems found when introducing new materials —  
aircraft industry p 198 N86-16190  
[SNIAS-852-551-101] AGARD Corrosion Handbook. Volume 1: Corrosion,  
causes and case histories [AGARD-AG-278-VOL-1] p 248 N86-16374  
Stress analysis of 27% scale model of AH-64 main rotor  
hub [NASA-TM-87625] p 256 N86-16613  
Lecture notes on fatigue, static tensile strength and  
stress corrosion of aircraft materials and structures. Part  
2: Figures [VTH-LR-360-PT-2] p 227 N86-17345  
Interactive effects of high- and low-frequency loading  
on fatigue [AD-A160601] p 293 N86-18318  
Resonance fatigue test of the empenage of a CT4  
aircraft [AD-A160749] p 294 N86-18321  
Growth of cracks under constant amplitude fatigue  
loading: Example calculations [ESDU-84001] p 322 N86-19642  
Fatigue crack propagation under spectrum loading  
[NAL-TM-MT-8502] p 322 N86-19656  
State-of-the-art review on composite material  
fatigue/damage tolerance [FAA/CT-85/7] p 379 N86-21615  
Structural evaluation of superplastic aluminum. Part 1.  
Mechanical, corrosion, metallurgical data [AD-A161366] p 379 N86-21662  
Standardized fatigue loading sequences for helicopter  
rotors (Helix and Felix). Part 1: Background and fatigue  
evaluation. Part 2: Final definition of Helix and Felix  
[LBF-FB-167] p 436 N86-23585  
Thermal-mechanical fatigue behavior of nickel-base  
superalloys [NASA-CR-175048] p 518 N86-24818  
Constant-Load-Amplitude fatigue crack growth testing  
of cast aluminum alloys A201-T7 and A357-T6  
[AD-A163494] p 518 N86-24821  
Tribology in aircraft systems: Basic principles and  
applications p 677 N86-29240  
Short cracks in aerospace structures [NLR-MP-85054-U] p 651 N86-32781
- FATIGUE LIFE**  
A model for the life variance of a structural element  
under irregular loading p 119 A86-13388  
Cumulative-damage modeling of fatigue crack growth  
in turbine engine materials p 105 A86-13599  
US Army Flight Condition Monitoring p 170 A86-18435  
Another look at generalized S-N curve shapes  
p 187 A86-18436  
Use of a Service Life Assessment Program (SLAP)  
for Identifying Service Life Extension Program (SLEP)  
procedures for fatigue sensitive airframe components  
p 134 A86-18442  
Helicopter fatigue - The changing scene  
p 165 A86-18445  
Damage tolerance analysis of components of rotor wing  
aircraft p 165 A86-18446  
The application of fatigue damage tolerance concepts  
to helicopters - The approach proposed by the UK military  
airworthiness authorities p 165 A86-18447  
Damage tolerance and civil helicopter design  
p 166 A86-18448  
Fatigue life prediction under complex load using local  
strain approach and relative Miner's rule p 249 A86-20173  
A case study in fatigue life extension - The main spar  
of RAAF Mirage IIIO wings p 225 A86-22165  
Life prediction for the main shaft of aircraft turbine  
engine [ASME PAPER 85-IGT-136] p 303 A86-23928  
Airworthiness aspects of fatigue in helicopters  
p 280 A86-26128  
The relationship of ultrafine filtration and oil debris  
monitoring for helicopter propulsion systems p 305 A86-26154  
Fatigue-crack propagation through titanium welds  
p 375 A86-27264  
Fatigue behaviour of titanium materials in aircraft  
engines p 375 A86-27275
- References and conference proceedings towards the  
understanding of fracture mechanics p 388 A86-29011  
Short crack development in mechanical structures  
p 453 A86-30027  
Fatigue behaviour of advanced aluminium alloy lugs of  
7475-T761 with and without initial cracks p 450 A86-30030  
A study of the effect of certain factors on the fatigue  
strength of structural irregularities in the airframe of  
aircraft p 427 A86-31413  
Fatigue failure of jet engine drive shafts  
p 500 A86-33970  
Fatigue life in a coupled problem concerning the motion  
of a flexible wing p 474 A86-35082  
ARALL (Aramid Reinforced Aluminium Laminates) - A  
hybrid composite with a great resistance against fatigue  
crack propagation [DGLR PAPER 85-137] p 515 A86-35180  
Preliminary estimate of fatigue life for dynamic  
components of a new helicopter p 493 A86-35639  
Effect of crack growth rate variations on life  
predictions [AIAA PAPER 86-0981] p 603 A86-38859  
Durability prediction of parallel fuel tank skins with  
fluid-structure interaction dynamics [AIAA PAPER 86-0935] p 591 A86-38927  
A new approach to durability prediction for fuel tank  
skins — aircraft industry p 642 A86-40119  
A simplified residual stress model for predicting fatigue  
crack growth behavior at coldworked fastener holes  
p 662 A86-40575  
Fatigue and damage tolerance work during the aircraft  
design process p 706 A86-43777  
Fatigue life analysis of a turboprop reduction gearbox  
[ASME PAPER 85-DET-10] p 738 A86-45256  
Evaluation of damage tolerance requirements using a  
probabilistic-based life approach [ASME PAPER 86-GT-266] p 847 A86-48288  
Fatigue fracture in landing gear steels p 803 A86-49115  
Selection of fatigue S-N curves within the framework  
of new aircraft development p 804 A86-49137  
Fatigue life monitoring of aircraft [NLR-MP-83069-U] p 226 N86-16211  
Effectiveness of fatigue life enhancing fasteners in the  
design and rework of aircraft structures [AD-A159676] p 293 N86-18316  
The test loads sequences applied to the CT4 full scale  
fatigue test [AD-A160736] p 294 N86-18320  
Engine cyclic durability by analysis and testing: Highlights  
of the spring 1984 PEP Meeting p 506 N86-25362  
Small defect characterization in powder metallurgy  
materials p 526 N86-25373  
Development of an operating profile for aircraft tires  
[FAA/CT-85-32] p 677 N86-29218  
Effects of unfavorable environmental conditions on the  
service life of jet engine and helicopter bearings  
p 677 N86-29238  
A trade-off study of tilt rotor aircraft versus helicopters  
using VASCOMP 2 and HESCOMP [AD-A167719] p 808 N86-31575  
Fatigue resistance of high quality steels under multiaxial  
load [ETN-86-97878] p 851 N86-32785
- FATIGUE TESTING MACHINES**  
Experimental/analytic comparisons considering  
composite panels with a cutout p 118 A86-13338  
A computerized automatic control system for structural  
testing p 192 A86-18438  
Methods of full scale fatigue testing the Apache  
helicopter rotor systems p 180 A86-18439  
A rig for the fatigue testing of rotor hubs  
p 180 A86-18440  
Application of strain gauge amplifiers and computer  
technology to the strength testing of aircraft  
p 849 A86-49144  
Fatigue resistance of high quality steels under multiaxial  
load [ETN-86-97878] p 851 N86-32785
- FATIGUE TESTS**  
Gear tooth surface fatigue testing with full size test  
specimens p 187 A86-18409  
Helicopter drive system bench testing p 187 A86-18410  
Torsional low cycle fatigue of spline-ended drive  
components p 187 A86-18431  
Interpretation and evaluation of fatigue properties of  
cast, HIP and heat treated titanium UH-60A M. R. Hub  
p 183 A86-18434  
Full scale fatigue testing of advanced fiber composite  
components p 183 A86-18437  
Methods of full scale fatigue testing the Apache  
helicopter rotor systems p 180 A86-18439

Fatigue test of the Apache AH-64 airframe p 180 A86-18441

The AV-8B fatigue test program p 165 A86-18443

SH-2F airframe fatigue test plan p 165 A86-18444

Cast aluminum fatigue property/microstructure relationships p 244 A86-21707

Effect of manufacturing defects and service-induced damage on the strength of aircraft composite structures p 245 A86-21729

Performance of AV-8B Harrier II structural test program p 241 A86-22189

Is there life after 10,000 flight hours? p 254 A86-22402

A survey of accelerated vibratory fatigue test method of aero-engine compressor blade [ASME PAPER 85-IGT-105] p 317 A86-23904

Fatigue properties of Ti-10V-2Fe-0.3Al p 375 A86-27274

Fretting fatigue testing with a fretting bridge equipment Stress analysis, amplitudes of slip, reliability p 383 A86-27371

The strain controlled fatigue behaviour of a near-alpha titanium alloy p 378 A86-27383

Unified approach for modelling fatigue crack growth and some observations on behaviour under flight simulation loading p 453 A86-29954

Spectrum fatigue crack growth behavior of aluminum alloys p 450 A86-30006

Fatigue crack propagation from an inclined crack under combined mode loading p 450 A86-30013

Fatigue of structural materials at high-frequency cycle loading p 453 A86-30019

A weak beam transmission electron microscopy study of a fatigue crack tip in a 2024 aluminum alloy p 450 A86-30033

Multipurpose corrosion inhibitors for aerospace alloys in naval environments p 450 A86-33021

Acoustic-backscattering studies of transverse cracks in composite thick laminates p 451 A86-33088

The development of a system for the study of fatigue crack growth up to 2000 Hz p 520 A86-34841

Process development and test evaluation of cast, HIP and heat treated titanium UH-60A M.R. Damper Bracket p 518 A86-35641

Development of a composite tail rotor blade for the MH-53E p 493 A86-35649

An analysis of acoustic emission detected during fatigue testing of an aircraft p 670 A86-41596

The significance of flight-simulation fatigue tests p 708 A86-43779

A simple crack closure model for predicting fatigue crack growth under flight simulation loading p 737 A86-43796

Ultrasonic direct backscattering technique for material surface inspection p 740 A86-47133

Experience with stress analysis during airframe fatigue tests p 840 A86-49143

Digital servocontroller system. Volume 4. Results and conclusions [AD-A159068] p 111 N86-13335

Turbine blade thermal fatigue testing Pratt and Whitney aircraft hollow core blades [NASA-TM-86528] p 174 N86-14271

Digital servocontroller system. Volume 2. Maintenance manual [AD-A159066] p 179 N86-15322

Fatigue testing of tube to node butt welds envisaged for RAE Bedford flight simulator [REPT-23480/2/85] p 257 N86-16674

Standardised fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation [RAE-TR-84084] p 226 N86-17336

Standardised fatigue loading sequences for helicopter rotors (Helix and Felix). Part 2: Final definition of Helix and Felix [RAE-TR-84085] p 226 N86-17337

Fatigue rated fastener systems in aluminum alloy structural joints — aircraft structures [NLR-MP-83045-U] p 259 N86-17809

Effectiveness of fatigue life enhancing fasteners in the design and rework of aircraft structures [AD-A159676] p 283 N86-18316

The test loads sequences applied to the CT4 full scale fatigue test [AD-A160736] p 294 N86-18320

Resonance fatigue test of the empenage of a CT4 aircraft [AD-A160749] p 294 N86-18321

Engineering property comparisons for 2324-T39 and 2024-T351 aluminum alloy plate — semisubmersible platform [NLR-TR-84021-U] p 603 N86-26429

Effects of cladding and anodizing on flight simulation fatigue of 2024-T3 and 7475-T761 aluminum alloys — semisubmersible platform [NLR-TR-85006-U] p 604 N86-26430

Constant amplitude and flight simulation of fatigue tests on adhesive bonded lap joint specimens of 2024-T3 sheet material — semisubmersible platform [NLR-TR-84090-U] p 612 N86-26663

Review of aeronautical fatigue investigations in the Netherlands during the period March 1983 - February 1985 [NLR-MP-85025-U] p 651 N86-32779

**FAULT TOLERANCE**

Damage tolerance analysis of components of rotor wing aircraft p 165 A86-18446

The application of fatigue damage tolerance concepts to helicopters - The approach proposed by the UK military airworthiness authorities p 165 A86-18447

Damage tolerance and civil helicopter design p 166 A86-18448

Damage tolerance analysis of the H-53 helicopter p 166 A86-18449

Reliability and structural inspection program for transport aeroplanes p 269 A86-25176

Detection and isolation of control surface effectiveness failures in high performance aircraft p 367 A86-28392

An automatic redesign approach for restructurable control systems p 368 A86-28394

Digital fault tolerant flight actuation systems p 354 A86-28400

Interaction between controlling, planning, and fault managing in complex man-machine systems p 463 A86-33184

The impact of accommodating defects on the efficiency of aircraft design [SAWE PAPER 1635] p 488 A86-35201

Application of analytical redundancy — for flight safety [SAE PAPER 851825] p 593 A86-38331

A fault-tolerant 1750A engine controller [AIAA PAPER 86-1675] p 648 A86-42786

Design issues for fault tolerant-restructurable aircraft control p 652 A86-42937

A theory for fault-tolerant flight control combining expert system and analytical redundancy concepts [AIAA PAPER 86-2092] p 822 A86-47442

Design considerations for flight test of a fault inferring nonlinear detection system algorithm for avionics sensors [AIAA PAPER 86-2030] p 810 A86-47511

A fault tolerant system for an integrated avionics sensor configuration [NASA-CR-3834] p 160 N86-15278

FINDS: A fault inferring nonlinear detection system programmers manual, version 3.0 [NASA-CR-177986] p 231 N86-16212

AVIP Air Force thrust for reliability p 256 N86-16617

Flight test of a resident backup software system [NASA-TM-86807] p 307 N86-18325

Fault Tolerant Hardware/Software Architecture for Flight Critical Function [AGARD-LS-143] p 369 N86-20399

Introduction to Lecture Series No. 143: Fault tolerant hardware/software architectures for flight critical functions p 369 N86-20400

Digital fly-by-wire experience p 361 N86-20401

Dependable avionics data transmission p 362 N86-20405

Design issues in data synchronous systems p 362 N86-20407

Digital fault-tolerant flight actuation systems [AFWAL-83-3041] p 362 N86-20408

Design validation of fly-by-wire flight control systems p 362 N86-20409

Integrated communication, navigation, and identification avionics: Impact analysis. Executive summary [AD-A161799] p 388 N86-20658

A preliminary design for flight testing the FINDS algorithm [NASA-CR-178043] p 439 N86-22574

Fuzzy inference system to diagnose aircraft hydraulic faults p 407 N86-22775

Dynamic assertion testing of flight control software [NASA-CR-176715] p 466 N86-23321

Dynamic assertion testing of flight control software [NASA-CR-176712] p 466 N86-23322

A methodology for testing fault-tolerant software [NASA-CR-176713] p 466 N86-23323

Dynamic assertion testing of flight control software [NASA-CR-176716] p 466 N86-23325

Logistics engineering analysis techniques for fault-tolerant avionics systems [AD-A161981] p 439 N86-23596

Fault-free validation of a fault-tolerant multiprocessor: Baseline experiments and workload implementation [NASA-CR-178075] p 466 N86-24277

Initial design and evaluation of automatic restructurable flight control system concepts [NASA-CR-178064] p 652 N86-28080

Design considerations for flight test of a fault inferring nonlinear detection system algorithm for avionics sensors [NASA-TM-88998] p 637 N86-28933

Investigation of an advanced fault tolerant integrated avionics system [NASA-CR-176980] p 642 N86-28945

An experiment in software reliability [NASA-CR-172553] p 682 N86-29547

**FEASIBILITY ANALYSIS**

F-4 functional modernization [ASME PAPER 85-GT-69] p 94 A86-13052

'But not with the greatest of ease' - A feasibility study of a human-powered ACV p 121 A86-14355

Conventional takeoff and landing (CTOL) airplane ski jump evaluation p 222 A86-21058

Formulating advanced 4 centistoke gas turbine oils - A feasibility study [SAE PAPER 851833] p 601 A86-38531

A feasibility study on the numerical modeling of interior noise fields [AIAA PAPER 86-1862] p 754 A86-45482

Avionics system for future civil helicopters [BMFT-FB-W-85-005] p 180 N86-14266

Free jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual flow. Comprehensive data report. Volume 1: Test nozzles and acoustic data [NASA-CR-174817] p 469 N86-23371

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and supersonic. Base pressure data [NASA-CR-174818] p 469 N86-23372

Feasibility study for a static aircraft flight [AD-A163129] p 466 N86-24233

Future Aeronautical Communication System (FACS): Report [ETN-86-96959] p 673 N86-28309

Feasibility of a nuclear gauge for fuel quantity measurement aboard aircraft [NASA-TM-87708] p 675 N86-28385

The black box. Silence is silver, speech is golden [ETN-86-97394] p 702 N86-30706

Acoustic treatment of the NASA Langley 4- by 7-meter tunnel: A feasibility study [NASA-TP-2563] p 757 N86-31337

Flight data recorders (FDR) and/or cockpit Voice Recorders (CVR) in the Lockheed Orion P-3C Update 2 [ETN-86-97395] p 811 N86-31581

Studies for the application of a flexible weight and balance (W/B) measuring facility for commercial aircraft [BMFT-FB-W-85-029] p 840 N86-31604

**FEDERAL BUDGETS**

Overview on the Federal Aviation Administration fiscal year 1986 research, engineering and development budget request [GPO-46-725] p 402 N86-21447

**FEEDBACK**

PIFCGT: A PIF autopilot design program for general aviation aircraft [NASA-CR-166123] p 178 N86-15320

**FEEDBACK CONTROL**

Vectored thrust digital control of ejection seats p 218 A86-18318

Linear-quadratic Gaussian with loop-transfer recovery methodology for the F-100 engine p 233 A86-20233

Facility for closed loop testing of aircraft control systems p 241 A86-22188

Digital controlled closed loop air cycle development — for military aircraft [SAE PAPER 851319] p 285 A86-23509

Quantitative feedback design approach to pilot-in-the-loop analysis p 366 A86-28377

YF16CCV flight control system reconfiguration design using quantitative feedback theory p 368 A86-28395

Wind shear estimation by frequency-shaped optimal estimator p 464 A86-31656

Minimax frequency domain optimization of multivariable linear feedback systems p 465 A86-33127

A discrete adaptive observer for a multi-output aircraft control system p 444 A86-33180

Gain-scheduled multivariable control for the GE-21 turbofan engine using the LQG/LTR methodology p 501 A86-35334

Eigenstructure assignment: A tutorial. I - Theory — for linear time invariant systems p 531 A86-35358

Coordinated bank-to-turn autopilot design p 509 A86-35384

Synthesis of system responses - A nonlinear multivariable control design approach — for engine control p 501 A86-35412

- Decoupling of nonlinear systems, noncommutative generatrix series, and Lie algebras p 618 A86-37395
- The design and implementation of multivariable variable structure control systems p 679 A86-40762
- An expert system for control system design p 680 A86-40774
- New applications of mu to real-parameter variation problems --- structured singular value theory for flight control systems stability analysis p 680 A86-42671
- A covariance control theory p 680 A86-42899
- Eigenstructure assignment, eigensensitivity, and flight control design p 680 A86-42912
- On a method for pilot dynamics identification reflecting feedback structures p 747 A86-43511
- The singular-G method for unstable non-minimum-phase plants p 747 A86-45736
- Disturbance attenuation by a frequency-shaped linear-quadratic-regulator method --- applied to design of feedback control system for aircraft gust alleviation p 725 A86-46453
- Time scale analysis of a closed-loop discrete optimal control system [AIAA PAPER 86-1995] p 852 A86-47417
- Single-state observer design considerations for aircraft application [AIAA PAPER 86-1996] p 852 A86-47418
- Evaluation of total energy-rate feedback for glidescope tracking in wind shear [AIAA PAPER 86-2035] p 822 A86-47424
- Performance characteristics of an adaptive controller based on least-mean-square filters [AIAA PAPER 86-2160] p 852 A86-47466
- A design methodology for robust stabilizing controllers [AIAA PAPER 86-2195] p 823 A86-47475
- A preliminary investigation of H (infinity) optimization [AIAA PAPER 86-2197] p 853 A86-47477
- Application of eigenstructure assignment to design of robust decoupling controllers in MIMO systems --- for helicopters [AIAA PAPER 86-2248] p 825 A86-47493
- Design of a multivariable flutter control/gust load alleviation system [AIAA PAPER 86-2247] p 825 A86-47494
- Adaptive filtering of biodynamic stick feedthrough in manipulation tasks on board moving platforms [AIAA PAPER 86-2248] p 825 A86-47495
- Identification of pilot dynamics in a system with a choice of feedback structures [AIAA PAPER 86-2250] p 825 A86-47496
- Flight test experience and controlled impact of a large, four-engine remotely piloted airplane p 794 A86-47781
- Near-optimal feedback control for three-dimensional interceptions p 854 A86-48992
- Optimal control laws for microburst encounter p 834 A86-49070
- Pitch rate versus G command as the longitudinal flight control system design strategy for a statistically unstable fighter type aircraft with two control surfaces [AD-A158603] p 111 N86-13334
- Covariance specification for the linear time-invariant output-feedback control systems using a Kalman filter [NAL-TR-882] p 399 N86-21219
- A programme of research into the aerodynamics, stability and control characteristics of a combat aircraft having a forward swept wing p 357 N86-21533
- A research program in active control/aeroelasticity [NASA-CR-176773] p 511 N86-24702
- Multivariable control law design for enhanced air combat maneuvering, F-15/STOL (Short Take-Off and Landing) derivative fighter [AD-A164017] p 512 N86-24708
- An LQG up-and-away flight control design for the STOL F-15 aircraft [AD-A164108] p 512 N86-24707
- Study of the effects of discretizing quantitative feedback theory analog control system designs [AD-A164209] p 533 N86-25174
- Airstart performance of a digital electronic engine control system on an F100 engine [PAPER-8] p 505 N86-25350
- Flight evaluation of a hydromechanical backup control for the digital electronic engine control system in an F100 engine [PAPER-9] p 505 N86-25351
- Backup control airstart performance on a digital electronic engine control-equipped F100-engine [PAPER-10] p 505 N86-25352
- An LQG up-and-away flight control design for the STOL F-15 aircraft [AD-A164108] p 512 N86-25384
- Initial design and evaluation of automatic restructurable flight control system concepts [NASA-CR-178064] p 652 N86-28090
- A novel feedback concept for combustion instability in ramjets p 665 N86-28236
- Multivariable control systems with saturating actuators antireset windup strategies [NASA-CR-177100] p 682 N86-29580
- Multi-variable control of the GE T700 engine using the LQG/LTR design methodology [NASA-CR-177080] p 721 N86-29619
- A canonical form for nonlinear systems [NASA-CR-176974] p 748 N86-30371
- Control design for robust stability in linear regulators: Application to aerospace flight control [NASA-CR-176858] p 749 N86-31265
- Preliminary control law and hardware designs for a ride quality augmentation system for commuter aircraft, Phase 2 [NASA-CR-4014] p 836 N86-32440
- Servo-actuator for sampled-data feedback disturbance rejection --- helicopters [DFVLR-FB-86-08] p 837 N86-32446
- FEEDFORWARD CONTROL**
- Gust alleviation using combined control laws p 239 A86-22317
- Decoupling control synthesis for an oblique-wing aircraft [NASA-TM-86801] p 595 N86-26339
- FEEDING (SUPPLYING)**
- A study of optimizing cutting tool performance in high tensile strength materials p 668 A86-40527
- FERROGRAPHY**
- Analytical applications in the Army oil analysis program p 845 A86-47595
- FERROMAGNETIC RESONANCE**
- Ferromagnetic resonance probe liftoff suppression apparatus [AD-D011913] p 190 N86-15647
- FIBER COMPOSITES**
- Characterization of the thermal conductivity for fibrous refractory composite insulations p 116 A86-15220
- Effect of fiber and matrix maximum strain on the energy absorption of composite materials p 516 A86-35640
- Optimization of composite structures by controlled insertion or deletion of diverse fiber types p 844 A86-50122
- Effect of measured material properties on the finite element analysis of an OH-58 composite tail boom [NASA-TM-86430] p 118 N86-12259
- Development and evaluation of a microburst test apparatus for use as a minimum destructive test for parachute material [AD-A158110] p 123 N86-12620
- Light weight fire resistant graphite composites [NASA-CASE-ARC-11615-1SB] p 664 N86-28131
- FIBER OPTICS**
- Fiber optics for propulsion control systems [ASME PAPER 84-GT-97] p 105 A86-13054
- Requirements for gyroscopes for inertial navigation p 93 A86-13576
- Fiber optics in adverse environments II: Proceedings of the Meeting, San Diego, CA, August 22-24, 1984 [SPIE-506] p 129 A86-15340
- EC-135 fiber optic technology review p 75 A86-15341
- Fiber optic aircraft systems electromagnetic pulse (EMP) survivability p 103 A86-15342
- Optical fibers application to visualization of flow separation inside an aircraft intake in wind tunnel [ONERA, TP NO. 1985-158] p 309 A86-24638
- Fiber optic high speed data bus p 385 A86-26338
- Imaging connector interconnect system for a parallel fiber optic data bus p 385 A86-26340
- High speed fiber optic data bus for avionics integration p 385 A86-26342
- A dual channel high speed fiber optics multiplex data bus system p 386 A86-26344
- A fiber optic damage monitor p 670 A86-41605
- Fiber optic sensors for flexure measurement of aircraft structures p 739 A86-46135
- Fibre optic damage detection in composite structures p 848 A86-48968
- Low cost inertial reference system based on fiber gyroes with GPS-aiding p 788 A86-49016
- The development of a fibre optic data bus for helicopters p 811 A86-49131
- Development of optical diaphragm deflection sensors [NASA-CR-175008] p 194 N86-15113
- Digital servocontroller system, Volume 2, Maintenance manual [AD-A159066] p 179 N86-15322
- Construction of a measuring method using fiber optics and an LTN-90 laser gyro strapdown system for BO-195 helicopters [DFVLR-MITT-85-10] p 218 N86-17333
- Study on the digital position transducer with optical time-delay pulse [NAL-TR-878] p 322 N86-19583
- Study on the digital position transducer with optical time-delay pulse [NAL-TR-878] p 388 N86-20759
- Composite integral response sensing [AD-A163136] p 470 N86-24457
- Optical technology for flight control systems [NASA-TM-88400] p 655 N86-28960
- Aerialia: Avionics, optoelectronics research, ATR 42 p 642 N86-29080
- Jet-engine combustor spectral radiation measurements using fiberoptic instrumentation system, Radiant energy power source for jet aircraft [DE86-007289] p 723 N86-30735
- FIBER ORIENTATION**
- Optimal design of antisymmetric laminated composite plates p 667 A86-40109
- Stress concentration around a small circular hole in the HiMAT composite plate [NASA-TM-86038] p 184 N86-15350
- FIBER REINFORCED COMPOSITES**
- Composite repairs --- Book p 115 A86-13103
- Full scale fatigue testing of advanced fiber composite components p 183 A86-18437
- Fiber-reinforced plastic composites for energy absorption purposes p 312 A86-23823
- Aerospace applications of PMR polyimide composites p 377 A86-27730
- New aramid developments for aerospace/aircraft applications p 377 A86-27759
- Some recent research and development of composites in Japan p 377 A86-27765
- Variation of anisotropic behaviour in structural optimization --- for fiber reinforced airframes p 434 A86-33256
- ARALL (Aramid Reinforced Aluminium Laminates) - A hybrid composite with a great resistance against fatigue crack propagation [DGLR PAPER 85-137] p 515 A86-35180
- Effect of fiber and matrix maximum strain on the energy absorption of composite materials p 516 A86-35640
- Aramid fiber composites for general engineering p 517 A86-37137
- The design of repairable advanced composite structures [SAE PAPER 851830] p 606 A86-38335
- Optimal design of antisymmetric laminated composite plates p 667 A86-40109
- Advanced rotary engine components utilizing fiber reinforced Mg castings [AIAA PAPER 86-1559] p 663 A86-42712
- The development of aeroelastic tailoring in the United States p 805 A86-50111
- Evaluation of the Ciba-Geigy R6376 IM6 prepreg --- fiber reinforced plastics [DGT-26.649] p 248 N86-17485
- Correlation of results of an OH-58A helicopter composite tail boom test with a finite element model [AD-A161082] p 295 N86-19316
- FIBER STRENGTH**
- Manufacturing advance towards high strain fibers p 182 A86-16203
- Recent developments in carbon fibre composite p 244 A86-21296
- Aramid fiber composites for general engineering p 517 A86-37137
- Technical status and future prospects of carbon fibres and their application in composites with polymer matrix (CFRPs) p 661 A86-40488
- FIELD EFFECT TRANSISTORS**
- Programmable, automated transistor test system [NASA-TP-2554] p 389 N86-21755
- FIELD OF VIEW**
- Adaptive field of view expansion via multiple model filtering for tracking dynamic target images p 359 A86-28371
- FIELD THEORY (ALGEBRA)**
- A method for calculating flow fields around moving bodies [NAL-TR-859T] p 88 N86-13288
- FIGHTER AIRCRAFT**
- F/A 18 composite wing automated drilling system p 117 A86-13111
- Military avionics p 102 A86-13269
- Manufacturers prepare for Europe's new fighters p 75 A86-13549
- A self-repairing aircraft? --- new control methods for fighter stabilization p 110 A86-14243
- The 'Super Etendard' is always of interest --- transonic attack aircraft p 97 A86-14423
- 4 x S = S(ATF) --- Advanced Tactical Fighter development p 98 A86-15598
- LANTIRN - Turning night into day p 103 A86-15599
- Damaged runway options explored p 75 A86-15600
- Big Picture - Answer to the big problem? p 170 A86-17172

- Testing time for AMX - The close support specialist moves towards production p 182 A86-17435
- The fighter. II p 182 A86-17522
- The fighter. III p 182 A86-17523
- Characteristics of the design of VTOL jet aircraft - Russian book p 182 A86-17600
- Computer tools and techniques for analysis of discrete data from aircrew automated escape systems (AAES) p 260 A86-19302
- The future of advanced crew escape capsule technology p 217 A86-19306
- Altitude and acceleration protection system for high performance aircraft p 217 A86-19314
- Development of an electro-pneumatic anti-G valve for high performance fighter aircraft p 218 A86-19317
- Evolution of real time airborne reconnaissance p 229 A86-19586
- Use of differential leading edge flaps for lateral control at high angle of attack [AIAA PAPER 86-0168] p 238 A86-19729
- Three-dimensional elliptic grid generation about fighter aircraft for zonal finite-difference computations [AIAA PAPER 86-0429] p 202 A86-19871
- The basics of on-board simulation and embedded training [AIAA PAPER 86-0493] p 219 A86-19904
- Performance of a forward swept wing fighter utilizing thrust vectoring and reversing p 221 A86-20163
- Impact of composite materials on advanced fighters p 245 A86-21722
- Structural and material considerations for advanced fighters p 252 A86-22134
- Old fighters - New targets p 225 A86-22262
- Support effectiveness evaluation model - for military air facilities in sortie generation p 283 A86-22398
- Sensor system concept for future fighter and strike aircraft p 297 A86-24583
- Optical fibers application to visualization of flow separation inside an aircraft intake in wind tunnel [ONERA, TP NO. 1985-158] p 309 A86-24638
- The role of wind tunnel testing in future aircraft development [AIAA PAPER 86-0750] p 309 A86-24739
- Design and development of an inertial power supply unit for carrier-based aircraft p 304 A86-24861
- Lavi - Advanced fighter and industrial springboard p 287 A86-24990
- The HUD as a primary flight instrument [SAE PAPER 841463] p 298 A86-26006
- Advanced fighter technology integration (AFTI) F-16 - The pilot interface [SAE PAPER 841833] p 327 A86-26018
- A flexible programmable signal processor for next generation fighter aircraft p 385 A86-28330
- Expert systems for real time applications p 398 A86-28486
- Expert System Pilot Aid p 361 A86-28516
- How Sweden decided to build the Gripen p 405 A86-31340
- Sweden's Gripen - A tough bird to tangle with p 427 A86-31341
- Su-27 - Sukhoi plays its flanker p 427 A86-31344
- Expert systems in the fighter of the 1990s p 405 A86-31848
- Operational suitability evaluation of a tactical fighter system [AIAA PAPER 86-9753] p 406 A86-32094
- Flight test techniques used for carriage load measurements at large underfuselage store configurations on Tornado combat A/C [AIAA PAPER 86-9755] p 429 A86-32096
- Integrating the pilot into the cockpit [AIAA PAPER 86-9765] p 429 A86-32102
- Experimental analysis of a pilot-type air intake p 410 A86-32777
- Aerodynamic parameters estimated from flight and wind tunnel data p 410 A86-32782
- Simulation of aircraft taxi testing on the AGILE shaker test facility p 448 A86-33265
- The Soviet fighter - Four decades of development p 486 A86-33989
- Development trends in the case of high-performance aircraft [DGLR PAPER 85-106] p 473 A86-35163
- Configuration aspects of modern high-performance aircraft [DGLR PAPER 85-130] p 488 A86-35176
- An airframer's view of an electric fighter [SAWE PAPER 1662] p 488 A86-35206
- Sukhoi frogfoot p 495 A86-36333
- Front-line power p 503 A86-37096
- EAP - Fighter blueprint p 577 A86-37939
- Computational aerodynamic design - X-29, the Gulfstream series and a tactical fighter [SAE PAPER 851789] p 547 A86-38313
- Optimization of a supersonic wing by combining linear and Euler methods [SAE PAPER 851791] p 547 A86-38315
- Requirements for future RALS/STOVL operating concepts - Remote Augmented Lift System [SAE PAPER 851840] p 578 A86-38337
- The impact of technology on fighter aircraft requirements [SAE PAPER 851841] p 579 A86-38338
- Lightweight hydraulic system technology - 8000 psi update - for military aircraft [SAE PAPER 851910] p 580 A86-38365
- Techniques for sortie generation analysis [SAE PAPER 851950] p 618 A86-38376
- Dynamic interactions between active control systems and a flexible aircraft structure [AIAA PAPER 86-0960] p 594 A86-38932
- Computer sizing of fighter aircraft [AIAA PAPER 85-0212] p 637 A86-40106
- Canard/tail comparison for an advanced variable-sweep-wing fighter p 637 A86-41688
- Effect of engine technology on advanced fighter design and cost p 644 A86-41691
- A supportability strategy for 1995 [AIAA PAPER 86-1670] p 684 A86-42783
- Design for engine supportability [AIAA PAPER 86-1671] p 648 A86-42784
- A design approach to a performance seeking control - for fighter aircraft engines [AIAA PAPER 86-1674] p 652 A86-42785
- Test and evaluation of the HIDE engine uptrim algorithm - Highly Integrated Digital Electronic Control for aircraft [AIAA PAPER 86-1678] p 648 A86-42787
- Rafale will keep tricolor flying - experimental combat aircraft p 707 A86-44003
- New technologies for a European fighter p 708 A86-44004
- The next hot fighter engine p 720 A86-44005
- Doubling the Air Force through greater reliability p 685 A86-44006
- 1985 USAF ejection summary p 698 A86-44777
- New technologies offer quantum leap in future fighter capabilities p 686 A86-45063
- British experimental aircraft program providing insight into new technology p 710 A86-45064
- NASA's Langley Center making gains in advanced technology projects p 686 A86-45065
- Crew situational awareness drives avionics developments p 718 A86-45067
- More than a Mirage p 712 A86-45758
- A come-back in canards p 712 A86-46125
- Lightning stroke tests at the CFRP horizontal stabilizer of alpha jet p 792 A86-47331
- Effect of head-up display dynamics on fighter flying qualities [AIAA PAPER 86-2206] p 792 A86-47485
- Control reconfigurable combat aircraft flight control system development [AIAA PAPER 86-2236] p 824 A86-47488
- Terminal control factors for the carrier landing task [AIAA PAPER 86-2251] p 825 A86-47497
- An all-weather multimode landing system for tactical fighter aircraft [AIAA PAPER 86-2146] p 787 A86-47517
- Enhanced controllability through vortex manipulation on fighter aircraft at high angles of attack [AIAA PAPER 86-2277] p 830 A86-47695
- Vortex-induced effects on aircraft dynamics [AIAA PAPER 86-2279] p 830 A86-47697
- Concept of automated aircraft guidance system for air-to-air missions [AIAA PAPER 86-2285] p 787 A86-47703
- Boeing control law for CREST demonstration ejection seat p 794 A86-47758
- Concept development of a canopy escape module p 784 A86-47759
- Catapult holdback design examined p 838 A86-48041
- Pumps for 8000 psi hydraulic systems examined p 848 A86-48042
- Life cycle cost methodology for preliminary design evaluation [ASME PAPER 86-GT-37] p 812 A86-48124
- An approach to an integrated control system for a modern fighter aircraft engine [ASME PAPER 86-GT-277] p 816 A86-48296
- Aircraft/engine integration for an advanced fighter considering mission specifics [ASME PAPER 86-GT-295] p 797 A86-48308
- Fighter power for the 1990s p 816 A86-48369
- Near-optimal feedback control for three-dimensional interceptions p 854 A86-48992
- Handling qualities for unstable combat aircraft p 833 A86-49025
- The estimation of the stability and control characteristics of a canard configured combat aircraft having a forward swept wing p 834 A86-49056
- Digital engine control units for an fighter engine and an auxiliary power unit - A comparison p 817 A86-49089
- Calculation of static elastic effects on a modern high performance fighter aircraft [AIAA PAPER 86-1771] p 777 A86-49577
- Transonic wave drag estimation and optimization using the nonlinear area rule [AIAA PAPER 86-1798] p 778 A86-49582
- PN/S calculations for a fighter W/F at high-lift yaw conditions - parabolized Navier-Stokes computer code [AIAA PAPER 86-1829] p 779 A86-49588
- Harrier the viffer - vectoring in forward flight as fighter aircraft combat maneuver p 763 A86-49681
- Aerodynamic characteristics of a propulsive wing-canard concept at STOL speeds [NASA-CR-177982] p 86 A86-12205
- Compressor research facility F100 high pressure compressor inlet total pressure and swirl profile simulation [AD-A157108] p 107 A86-12229
- Japanese report on China's F-8 fighter p 111 A86-12405
- Pitch rate versus G command as the longitudinal flight control system design strategy for a statistically unstable fighter type aircraft with two control surfaces [AD-A158803] p 111 A86-13334
- The F/A-18 Fighter/Attack aircraft program [AD-A159292] p 195 A86-15205
- Investigation of a supersonic cruise fighter model flow field [NASA-TM-86361] p 152 A86-15248
- Numerical simulation of viscous supersonic flow over a generic fighter configuration [NASA-TM-86823] p 190 A86-15627
- A comparative evaluation of the reliability improvement in line replaceable units warranted under the F-16 reliability improvement warranty [AD-A160830] p 321 A86-18630
- Low-speed wind-tunnel investigation of the effect of strakes and nose machines on lateral-directional stability of a fighter configuration [NASA-TM-87641] p 278 A86-19287
- The role of a real-time flight support facility in flight research programs [NASA-TM-88065] p 311 A86-19330
- Modal analysis of a typical fighter aircraft using transient testing technique [NAL-TM-ST-8517] p 356 A86-20385
- Computation of transfer function matrices [NAL-TM-SE-8509] p 399 A86-21232
- F100 fuel sampling analysis [AD-A161667] p 379 A86-21707
- Aerodynamic characteristics of a supersonic fighter aircraft model at Mach 0.40 to 2.47 [NASA-TP-2580] p 416 A86-23561
- Comparison of quantity versus quality using performance, reliability, and life cycle cost data. A case study of the F-15, F-16, and A-10 aircraft [AD-A162238] p 470 A86-24580
- Experimental assessment of vortex retaining cavity flaps for maneuverability improvement on delta wing fighter aircraft [AD-A164104] p 497 A86-24690
- An LQG up-and away flight control design for the STOL F-15 aircraft [AD-A164108] p 512 A86-24707
- An LQG up-and away flight control design for the STOL F-15 aircraft [AD-A164108] p 512 A86-25384
- Aerospace knowledge magazine (selected articles) [AD-A164720] p 539 A86-26278
- What USAF aircraft should be the Wild Weasel of the 1990's? An assessment of the F-4G, the F-15WW, and F-16WW [AD-A164727] p 539 A86-26279
- A demonstration expert system for implementing emergency procedures in a high-performance fighter aircraft [MAE-1749] p 569 A86-26295
- The General Electric F404 - engine of the RAAF's new fighter [AD-A164562] p 592 A86-26338
- Analyzing the cost effectiveness of using flight simulators in the Israeli Air Force [AD-A164864] p 599 A86-26346
- New rotary rig at RAE and experiments on HIRM p 562 A86-27243
- Standard dynamics model experiments with the DFVLR/AVA transonic derivative balance p 562 A86-27245

- Recent experiences of unsteady aerodynamic effects on aircraft flight dynamics at high angle of attack  
p 584 N86-27252
- Correlation of predicted and free-flight responses near departure conditions of a high incidence research model  
p 584 N86-27255
- Theoretical prediction of wing rocking  
p 584 N86-27256
- A self-organizing control system for non-linear aircraft dynamics  
p 584 N86-27258
- Study of the transition behavior of an airplane in the vicinity of bifurcation points  
p 586 N86-27266
- Effect of emerging technology on a convertible, business/interceptor, supersonic-cruise jet  
[NASA-CR-178087] p 587 N86-27278
- Static aeroelasticity in combat aircraft  
[AGARD-R-725] p 613 N86-27678
- Geometry definition and grid generation for a complete fighter aircraft  
[NASA-TM-88242] p 622 N86-28050
- Multiaxis aircraft control power from thrust vectoring at high angles of attack  
[NASA-TM-87741] p 629 N86-28054
- Mirage A3-002 strain responses to ground calibration loadings between 1978 and 1985  
[AD-A165846] p 640 N86-28080
- Aerodynamics of the Viggen 37 aircraft. Part 1: General characteristics at low speed  
[NASA-TM-88403] p 632 N86-28925
- Aircraft and Bearing Tribological Systems  
[AGARD-CP-394] p 677 N86-29236
- Multifunctional requirements for a gearbox secondary power system in a modern fighter aircraft and its components and interface requirements  
p 678 N86-29243
- The search for an advanced fighter: A history from the XF-106 to the advanced tactical fighter  
[AD-A166724] p 687 N86-29764
- Vectorized thrust digital flight control for crew escape, volume 1  
[AD-A166580] p 700 N86-29796
- Vectorized thrust digital flight control for crew escape, volume 2  
[AD-A166596] p 700 N86-29799
- Experimental and numerical results for a generic axisymmetric single-engine afterbody with tails at transonic speeds  
[NASA-TM-87755] p 697 N86-30695
- Gust load prediction and alleviation on a fighter aircraft  
[AGARD-R-728] p 729 N86-30741
- An analytical methodology for predicting repair time distributions of advanced technology aircraft  
[AD-A167149] p 763 N86-31529
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 2: Aircraft engine nacelle fire test programs. Part 1: Fire detection, fire extinguishment and surface ignition studies  
[AD-A167356] p 807 N86-31570
- Multiple thermocouple testing device  
[AD-D012276] p 850 N86-31890
- Transonic Navier-Stokes wing solutions using a zonal approach. Part 2: High angle-of-attack simulation  
[NASA-TM-88248-PT-2] p 782 N86-32392
- Aerodynamics of aircraft afterbody: Report of the working group on aerodynamics of aircraft afterbody  
[AGARD-AR-226] p 782 N86-32408
- Survivability considerations during aircraft conceptual design  
[AD-A168555] p 809 N86-32428
- TURBISTAN: A standard load sequence for aircraft engine disks  
[NLR-MP-85033-U] p 820 N86-32436
- FILAMENT WINDING
- Composite tail section offers superior performance  
p 133 A86-17379
- Optimization of composite structures by controlled insertion or deletion of diverse fiber types  
p 844 A86-50122
- Compartmented, filament wound, one-piece aircraft fuel tanks  
[AD-D011793] p 107 N86-12225
- Effect of measured material properties on the finite element analysis of an OH-58 composite tail boom  
[NASA-TM-86430] p 116 N86-12259
- Design of nonaxisymmetric structures (turbojet engine nacelle element)  
[SNIAS-852-430-119] p 248 N86-17498
- FILLET
- Juncture flow control using leading-edge fillets  
[AIAA PAPER 85-4097] p 84 A86-14454
- FILM COOLING
- Design of combustor cooling slots for high film effectiveness. I - Film general development  
[ASME PAPER 85-GT-35] p 234 A86-22024
- Design of combustor cooling slots for high film effectiveness. II - Film initial region  
[ASME PAPER 85-GT-36] p 234 A86-22025
- Full coverage discrete hole film cooling - The influence of hole size  
[ASME PAPER 85-GT-47] p 251 A86-22035
- Heat transfer measurements with film cooling on a turbine blade profile in cascade  
[ASME PAPER 85-GT-117] p 251 A86-22070
- Development of a design model for airfoil leading edge film cooling  
[ASME PAPER 85-GT-120] p 252 A86-22073
- Improved temperature detection system for use on film cooled turbine airfoils  
[AD-D011782] p 107 N86-12228
- A model for correlating flat plate film cooling effectiveness for rows of round holes  
p 741 N86-29640
- Effect of film cooling on the aerodynamic performance of a turbine cascade  
p 742 N86-29659
- Aerodynamic effect of coolant ejection in the rear part of transonic rotor blades  
p 742 N86-29661
- FILM THICKNESS
- Dynamic response of film thickness in spiral-groove face seals  
[NASA-TP-2544] p 174 N86-15313
- FILTERS
- How to not eat your own dust -- particle filters for helicopter air intakes  
p 440 A86-31328
- Transfer of alignment and calibration of multiple sensors in flexible systems  
p 681 A86-43003
- FILTRATION
- The relationship of ultrafine filtration and oil debris monitoring for helicopter propulsion systems  
p 305 A86-26154
- A combined optimal algorithm for filtering and calculating navigation coordinates  
p 348 A86-28311
- FINES
- Olefin polymers as jet fuel antimist additives  
p 734 N86-30016
- FINITE DIFFERENCE THEORY
- A marching explicit-implicit procedure for calculating supersonic flow past bodies  
p 78 A86-13296
- Vibration analysis of rotating turbomachinery blades by an improved finite difference method  
p 108 A86-14338
- False diffusion in three-dimensional flow calculations  
p 143 A86-17653
- Three-dimensional elliptic grid generation about fighter aircraft for zonal finite-difference computations  
[AIAA PAPER 86-0429] p 202 A86-19871
- Airfoil design at sonic velocity  
p 411 A86-32989
- Calculation of transonic steady and oscillatory pressures on a low aspect ratio model and comparison with experiment  
p 412 A86-33227
- Implicit, vectorizable schemes for the flux-difference split, three-dimensional Navier-Stokes equations  
p 623 A86-37067
- Viscous effects on transonic airfoil stability and response  
p 623 A86-40110
- Some problems in the finite-difference computation of three-dimensional transonic flows  
p 687 A86-43501
- Calculations of high speed propeller performances using finite difference methods  
p 818 A86-49126
- Three-dimensional transonic flow computations on simple skewed grids  
[AIAA PAPER 86-1794] p 778 A86-49581
- Implicit hybrid schemes for the flux-difference split, three-dimensional Navier-Stokes equations  
p 850 A86-50258
- On applications of chimera grid schemes to store separation  
[NASA-TM-88193] p 88 N86-13292
- A fourth-order scheme for the unsteady compressible Navier-Stokes equations  
[NASA-CR-177994] p 147 N86-14221
- An implicit finite-difference procedure for the numerical solution of unsteady supersonic flow over a blunt body  
p 148 N86-14229
- Calculation of separated laminar supersonic flows over blunt bodies of revolution at zero angle of attack  
[DFVLR-FB-85-30] p 151 N86-14256
- Implicit finite-difference methods for the calculation of unsteady transonic potential flow around two-dimensional airfoils: A discussion  
[NLR-MP-83063-U] p 208 N86-16202
- Numerical simulation of unsteady flow around an airfoil by finite difference solution of Navier-Stokes equations  
p 209 N86-17273
- Transonic internal flow about an airfoil oscillating in pitch: Comparisons between computation and experiment  
p 209 N86-17278
- Numerical analysis of transonic flow around two-dimensional airfoil by solving Navier-Stokes equations  
p 210 N86-17292
- Numerical analysis of inviscid flows about wing-fuselage combinations. 2: Development of full potential flow code YOKUDO-P  
[NAL-TR-881] p 341 N86-20364
- A numerical and experimental investigation of electrochemical aircraft deicing  
[NASA-CR-175024] p 344 N86-20380
- A viscous-inviscid interaction method to predict the aerodynamic performance of airfoils at transonic speed  
[NAL-TR-873] p 341 N86-21508
- Coupling linearized far-field boundary conditions with nonlinear near-field solutions in transonic flow  
[AD-A162334] p 417 N86-23573
- Comparison of absorption and radiation boundary conditions using a time-domain three-dimensional finite difference electromagnetic computer code  
[AD-A163828] p 532 N86-25149
- FINITE ELEMENT METHOD
- Experimental/analytic comparisons considering composite panels with a cutout  
p 118 A86-13338
- Allowance for initial conditions in static and dynamic calculations of structures by the finite element method  
p 119 A86-13419
- Experiments with several elements for viscous incompressible flows  
p 166 A86-16833
- On the numerical solution of nonlinear problems in fluid dynamics by least squares and finite element methods. II - Applications to transonic flow simulations  
p 144 A86-17886
- A general purpose, multi-stage, component model synthesis method  
p 166 A86-18124
- Finite element analysis of an ultralight aircraft  
p 221 A86-20165
- Developing concepts in the rotordynamic analysis of aero gas turbines  
[ASME PAPER 85-GT-230] p 236 A86-22126
- The finite element stress analysis for solid-shell combined parts in aeroengines  
[ASME PAPER 85-GT-72] p 317 A86-23873
- The solution of the thermal elastic-plastic problem of turbine disk by the incremental finite element method  
[ASME PAPER 85-GT-112] p 317 A86-23909
- The development and application of finite element stress analysis techniques at Westland Helicopters Ltd  
p 330 A86-26118
- Experimental system identification for experimental/analytical correlation and modelling  
p 381 A86-26863
- Application of the finite element method in the calculation of transmission loss of flat and curved panels -- for noise reduction in aircraft  
p 400 A86-26868
- Finite element modeling of acoustic singularities with application to propeller noise  
p 468 A86-32778
- Experience with aeroelastic analysis of a single engine turbo trainer using finite elements methods  
p 433 A86-33247
- Shape optimization of axisymmetric structures -- French thesis  
p 458 A86-33453
- A method for numerical analysis of the dynamics of a controlled rotor blade of a helicopter  
p 486 A86-33908
- Wave envelope and finite element approximations for turbulent noise radiation in flight  
p 619 A86-39057
- Failure analysis of composite angle structures  
p 667 A86-40353
- A model for the equivalent bending characteristics of a composite beam  
p 667 A86-40361
- The OASIS structural optimization system  
p 672 A86-43090
- Stability analysis of composite stiffened layer plates under compression  
p 735 A86-43495
- Modelling of acoustic radiation problems associated with turbomachinery and rotating blades  
p 749 A86-44805
- Prediction of structure-borne noise, based on the finite element method  
[AIAA PAPER 86-1861] p 754 A86-45481
- Incremental and iterative methods for solving fluid/structure interaction problems  
p 740 A86-47011
- Dynamic and flutter analysis using F.E.M. of the GP-180 -- turboprop aircraft  
p 713 A86-47128
- Finite element analysis and optimum design of semi-monocoque airframe structures. I - Finite element analysis  
p 847 A86-48656
- Transmission design using finite element method analysis techniques  
p 847 A86-48656
- An iterative finite element-integral technique for predicting sound radiation from turbofan inlets in steady flight  
p 856 A86-49806
- Effect of measured material properties on the finite element analysis of an OH-58 composite tail boom  
[NASA-TM-86430] p 116 N86-12259
- A method for calculating flow fields around moving bodies  
[NAL-TR-859T] p 88 N86-13288
- Finite element analysis of soft-body impact  
[AD-A158438] p 158 N86-14259



- Three-dimensional elastic-plastic finite-element analysis of fatigue crack propagation [NASA-CR-176415] p 189 N86-14687
- Dynamic stability of a bearingless circulation control rotor blade in hover p 177 N86-15297
- Planning, creating and documenting a NASTRAN finite element model of a modern helicopter p 189 N86-15300
- An analysis of cross-coupling of a multicomponent jet engine test stand using finite element modeling techniques [NASA-CR-176424] p 181 N86-15323
- Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements [AD-A158004] p 181 N86-15324
- Correlation of results of an OH-58A helicopter composite tail boom test with a finite element model [AD-A161062] p 295 N86-19316
- Application of mathematical optimization procedures to a structural model of a large finite-element wing [NASA-TM-87597] p 322 N86-19861
- A zonal approach to the design of finite element grids for 3-D transonic flows with complex geometries [AD-A162168] p 417 N86-23572
- Fourteenth NASTRAN Users' Colloquium [NASA-CP-2419] p 527 N86-25823
- Experiences with NASTRAN in a multidisciplinary optimization environment p 527 N86-25831
- Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements [AD-A165055] p 599 N86-27294
- Modeling the effects of wind tunnel wall absorption on the acoustic radiation characteristics of propellers [NASA-TM-87333] p 683 N86-29630
- Experience with aeroelastic analysis of a single engine turbo trainer using finite element methods p 743 N86-30648
- A study of methods to predict and measure the transmission of sound through the walls of light aircraft [NASA-CR-177147] p 757 N86-31335
- Dynamic analysis: Correlation of theory with experiment — MSC/NASTRAN analysis of Westland 30 G-BGHF [RP861] p 851 N86-31917
- A comparison between acoustic mode measurements and acoustic finite element analysis performed for SAAB SF 340 — propeller-driven aircraft [FFA-TN-1986-22] p 856 N86-33125
- ### FINITE VOLUME METHOD
- Numerical analysis of fully three-dimensional periodic flows through a turbine stage [ASME PAPER 85-GT-57] p 78 A86-13060
- Some recent developments in numerical methods for transonic flows p 144 A86-17889
- Solution of the Navier-Stokes equations in a compressible fluid by an implicit method [ONERA, TP NO. 1985-148] p 272 A86-24834
- Navier-Stokes solutions using finite volume procedures p 274 A86-25005
- Influence of numerical dissipation in computing supersonic vortex-dominated flows [AIAA PAPER 86-1073] p 549 A86-38439
- Efficient solution of three-dimensional Euler equations using embedded grids p 771 A86-49007
- Finite-volume and integral-equation techniques for transonic and supersonic vortex-dominated flows p 774 A86-49045
- Summary report on the working group for conference 1: Solutions of the Navier-Stokes equations p 147 N86-14226
- Numerical calculation of leading-edge vortices on a flat delta wing p 148 N86-14232
- Simulation of three-dimensional viscous transonic flows p 148 N86-14233
- Solutions of the Navier-Stokes equations with the finite volume method p 148 N86-14235
- A Navier-Stokes procedure for simulation of two-dimensional and quasi two-dimensional grid flows p 149 N86-14236
- Calculations of transonic flows around single and multielement airfoils on a small computer [REPT-84-48] p 208 N86-16205
- Thermodynamic evaluation of transonic compressor rotors using the finite volume approach [NASA-CR-176840] p 610 N86-26546
- Design of transonic airfoils with given pressure, subject to geometric constraints [NLR-TR-84064-U] p 633 N86-28928
- Thermodynamic evaluation of transonic compressor rotors using the finite volume approach [NASA-CR-176847] p 722 N86-30731
- ### FINNED BODIES
- Transonic flow solutions on a blunt, finned body of revolution using the Euler equations [AIAA PAPER 86-1062] p 549 A86-38445
- Damping of the rolling motion of full caliber fin-stabilized projectiles in supersonic flight [ISL-CO-233/84] p 153 N86-15253
- ### FIRE
- Calculation of three-dimensional shock/turbulent boundary-layer interaction generated by sharp fin p 142 A86-17135
- Flight investigation of Bell model 206 ring fin p 491 A86-35624
- Modeling of three-dimensional shock wave turbulent boundary layer interactions p 669 A86-41261
- Manufacturing technology of composite torque box of vertical fin p 848 A86-49068
- ### FIRE CONTROL
- Onboard simulation - A demonstrated technology breakthrough for cost effective testing and training p 360 A86-28464
- A simulation of an integrated flight control/air-ground cannon firing system [ONERA, TP NO. 1986-31] p 725 A86-46173
- Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987 [AD-A162792] p 402 N86-22443
- Unsteady aerodynamics and dynamic aircraft maneuverability p 564 N86-27253
- The application of high-performance integrated circuits for airport fire control radars p 674 N86-28369
- ### FIRE EXTINGUISHERS
- Halon extinguisher agent behavior in a ventilated small aircraft [DOT/FAA/CT-86/5] p 699 N86-29794
- Fire extinguishing agents for oxygen-enriched atmospheres [AD-A166967] p 743 N86-30690
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 2: Aircraft engine nacelle fire test programs. Part 1: Fire detection, fire extinguishment and surface ignition studies [AD-A167356] p 807 N86-31570
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 1: Executive summary [AD-A167443] p 807 N86-31571
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 2: Aircraft engine nacelle fire test programs. Part 2: Small scale testing of dry chemical fire extinguishants [AD-A167444] p 807 N86-31572
- ### FIRE FIGHTING
- Aircraft accident report: Air Canada Flight 797, McDonnell Douglas DC-9-32, C-FTLU Greater Cincinnati International Airport, Covington, Kentucky, June 2, 1983 [PB86-910402] p 344 N86-21525
- Halon extinguisher agent behavior in a ventilated small aircraft [DOT/FAA/CT-86/5] p 699 N86-29794
- ### FIRE PREVENTION
- The fire-hard airliner p 698 A86-44400
- Experimental investigation of electrostatic fire and explosion accidents after aircraft landing and preventive design p 786 A86-49083
- Aircraft interior panel test criteria derived from full-scale fire tests [FAA/CT-85/23] p 91 N86-12214
- Aircraft mishap fire pattern investigations [AD-A161094] p 344 N86-21528
- Fireproof hydraulic brake system [AD-A163542] p 497 N86-24688
- Full-Scale Transport Controlled Impact Demonstration Program photographic/video coverage [DOT/FAA/CT-85/35] p 700 N86-29795
- Proceedings of Fuel Safety Workshop [DOT/FAA/PM-86/13] p 733 N86-30007
- Antimisting fuel technology for transport category aircraft p 733 N86-30008
- AMK full-scale transport aircraft validation phase summary p 733 N86-30009
- Post Controlled Impact Demonstration (CID) analysis p 733 N86-30010
- FAA fuel containment R and D p 733 N86-30011
- AMK: Still viable? p 734 N86-30017
- Current design procedures for minimizing post crash fire hazards p 700 N86-30019
- Amine-CO<sub>2</sub> adducts as aviation fuel gelling agents p 701 N86-30020
- GTA/BASF antimisting fuel research p 734 N86-30021
- Antimisting kerosene: Evaluation of improved FM-9 additive [DOT/FAA/CT-85-4] p 734 N86-30024
- ### FIREPROOFING
- Tests on whole A129 engine bay simulating the inertia and aerodynamic loads p 292 A86-26164
- Controlled impact demonstration review — for aircraft crashworthiness evaluation [SAE PAPER 851884] p 567 A86-38351
- CID-720 aircraft Langley Research Center preflight hardware tests: Development, flight acceptance and qualification p 392 N86-21949
- ### FIRE
- Measurements of the response of transport aircraft ceiling panels to fuel fires p 343 A86-26564
- The fire-hard airliner p 698 A86-44400
- Aircraft interior panel test criteria derived from full-scale fire tests [FAA/CT-85/23] p 91 N86-12214
- Controlled Impact Demonstration (CID) [GPO-46-870] p 214 N86-17324
- Aircraft interior panel test criteria derived from full-scale fire tests [AD-A161837] p 345 N86-21529
- Data sources for parameters used in predictive modeling of fire growth and smoke spread [PB86-130986] p 518 N86-24788
- Flammability of aircraft hydraulic fluids: A bibliography [AD-A165463] p 569 N86-26299
- Fire extinguishing agents for oxygen-enriched atmospheres [AD-A166967] p 743 N86-30690
- Fireproof hydraulic brake system [AD-A167774] p 786 N86-31549
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 2: Aircraft engine nacelle fire test programs. Part 1: Fire detection, fire extinguishment and surface ignition studies [AD-A167356] p 807 N86-31570
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 1: Executive summary [AD-A167443] p 807 N86-31571
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 2: Aircraft engine nacelle fire test programs. Part 2: Small scale testing of dry chemical fire extinguishants [AD-A167444] p 807 N86-31572
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 3: On-Board Inert Gas Generator System (OBIGGS) studies. Part 2: Fuel scrubbing and oxygen evolution tests [AD-A167445] p 807 N86-31573
- ### FIRING (IGNITING)
- Ballistic gas fired devices p 240 A86-19326
- ### FIXED POINTS (MATHEMATICS)
- Numerical fixed-point solution for near-optimum regulators of linear quadratic Gaussian control problems for singularly perturbed systems p 396 A86-26577
- ### FIXED WINGS
- Flight testing the fixed wing configuration of the Rotor Systems Research Aircraft (RSRA) p 223 A86-21084
- Solution of the unsteady Euler equations for fixed and rotor wing configurations p 410 A86-32779
- The dynamic response of helicopters to fixed wing aircraft wake encounters p 832 A86-48671
- The helicopter to fixed wing conversion program: A critical review [AD-A156820] p 125 N86-12968
- Cost estimating relationships for fixed wing aircraft: List price versus empty weight [AD-A164196] p 537 N86-25300
- Night vision by NVG with FLIR p 619 N86-26811
- ### FLAME HOLDERS
- Calculation of recirculating flow behind flame-holders p 454 A86-30743
- ### FLAME PROPAGATION
- The two-fluid model of turbulent combustion applied to an idealized one-dimensional, unsteady, confined, pre-mixed flame [PDR/CFDU/IC/21] p 247 N86-16315
- ### FLAME RETARDANTS
- Fire-retardant decorative inks for aircraft interiors [NASA-TM-88198] p 313 N86-18441
- The 1-(diorganooxophosphonyl)methyl-2, 4- and -2, 6-dinitro and diamino benzenes and their derivatives [NASA-CASE-ARC-11425-2] p 378 N86-20499
- Segmented tubular cushion springs and spring assembly [NASA-CASE-ARC-11349-1] p 388 N86-20797
- Fireproof hydraulic brake system [AD-A163542] p 497 N86-24688
- Fireproof hydraulic brake system [AD-A167774] p 786 N86-31549
- ### FLAME STABILITY
- Solid fuel ramjet simulator results - Experiment and analysis in cold flow — solid fuel ramjet p 106 A86-14562
- Altitude ignition/lean deceleration study [AIAA PAPER 86-1530] p 646 A86-42694
- Conical grid plate flame stabilizers - Stability and emissions for liquid fuels [ASME PAPER 86-GT-156] p 842 A86-48210



- Impaction efficiencies of evaporating kerosene droplets on vee-gutter flame stabilizer  
[ASME PAPER 86-GT-174] p 815 A86-48225
- The two-fluid model of turbulent combustion applied to an idealized one-dimensional, unsteady, confined, pre-mixed flame  
[PDR/CFDU/IC/21] p 247 N86-18315
- FLAME TEMPERATURE**  
Flame temperature estimation of conventional and future jet fuels  
[ASME PAPER 86-GT-31] p 246 A86-22020
- FLAMES**  
Flame driving of longitudinal instabilities in dump type ramjet combustors p 658 N86-28239
- FLAMMABILITY**  
Measurements of the response of transport aircraft ceiling panels to fuel fires p 343 A86-28564  
A transport model for flammability of premixed gases p 516 A86-36874  
Fire safety investigations for material selection and design of a carbon fibre reinforced fuselage structure p 785 A86-48989  
Aircraft interior panel test criteria derived from full-scale fire tests  
[FAA/CT-85/23] p 91 N86-12214  
Aircraft mishap fire pattern investigations  
[AD-A161094] p 344 N86-21528  
Flammability of aircraft hydraulic fluids: A bibliography  
[AD-A165463] p 589 N86-26299  
Light weight fire resistant graphite composites  
[NASA-CASE-ARC-11615-158] p 684 N86-26131  
Antimisting fuel technology for transport category aircraft p 733 N86-30008
- FLAPPING**  
Design method for the calculation of performance and flap movement of flexible wind turbine blades  
[VTH-M-453] p 323 N86-16795
- FLAPPING HINGES**  
Flap-lag-torsion stability in forward flight p 177 N86-15295
- FLAPS (CONTROL SURFACES)**  
Method for the calculation and design of fuselage flaps made of composite materials p 847 A86-48830  
Steady and unsteady investigations of spoiler and flap aerodynamics in two dimensional subsonic flows  
[ONERA, TP NO. 1986-101] p 778 A86-49108  
Integrated wing engine system (IFAS), phase 2  
[BMFT-FB-W-85-008] p 151 N86-14257  
Dual material exhaust nozzle flap  
[AD-D011998] p 364 N86-21548  
Flap-lag-torsional dynamics of helicopter rotor blades in forward flight  
[NASA-CR-176976] p 714 N86-29810
- FLAT PLATES**  
A numerical analysis of the characteristics of a Tollmien-Schlichting wave packet in a boundary layer on a flat plate p 79 A86-13374  
The drag of a thermally insulated plate in a stream of a compressible gas under mixed flow conditions p 120 A86-13671  
Freestream turbulence effects on wake properties of a flat plate at an incidence p 142 A86-17132  
Dual rectangular jets from a flat plate in a crossflow  
[AIAA PAPER 86-0477] p 255 A86-22703  
Accurate dynamic theory for supermaneuverable aircraft wings  
[AIAA PAPER 86-1006] p 585 A86-38947  
Ultrasonic direct backscattering technique for material surface inspection p 740 A86-47133  
Effect of the nonequilibrium character of the flow around a blunt plate with a bend on its aerodynamic characteristics p 768 A86-48783  
Supersonic axial-force characteristics of a rectangular-box cavity with various length-to-depth ratios in a flat plate p 415 N86-22554  
Verification and aerodynamic calibration of the tunnel 16T Captive Trajectory Support (CTS) system  
[AD-A165235] p 599 N86-27295  
Flow past a flat plate with a vortex/sink combination  
[NASA-CR-176908] p 676 N86-29159  
Boundary layer stability measurements over a flat plate at mach 3  
[AD-A166188] p 694 N86-29778  
A model for correlating flat plate film cooling effectiveness for rows of round holes p 741 N86-29840  
Air-on demonstration of the AEDC PWT tunnel 16T captive trajectory support system  
[AD-A166888] p 698 N86-30700
- FLAT SURFACES**  
Contact heat transfer - The last decade p 367 A86-28551
- FLEXIBILITY**  
Direct model reference adaptive control of a flexible robotic manipulator  
[NASA-CR-176859] p 396 N86-22113  
Materials for emergency repair of runways  
[AD-A164225] p 514 N86-25385  
NASTRAN/FLEXSTAB procedure for static aeroelastic analysis  
[NASA-TM-84897] p 639 N86-28076
- FLEXIBLE BODIES**  
Experimental system identification for experimental/analytical correlation and modelling p 361 A86-28883  
New and existing techniques for dynamic loads analyses of flexible airplanes p 432 A86-32787  
Dynamic analysis of structures with flexible rotors p 441 A86-33266  
Adaptive flutter suppression in the presence of turbulence p 508 A86-35370  
Adaptive control robustness in flexible aircraft application p 511 A86-37070  
Dynamic interactions between active control systems and a flexible aircraft structure  
[AIAA PAPER 86-0960] p 594 A86-36932  
Calculation of the balancing efficiency of flexible rotors of compressor units on low-cycle balancing machines p 673 A86-43379  
Oscillating wings and bodies with flexure in supersonic flow Applications of harmonic potential panel method p 776 A86-49108  
Control law synthesis for gust load alleviation using linear quadratic Gaussian theory p 728 N86-30651  
Flight control synthesis for flexible aircraft using Eigenpace assignment  
[NASA-CR-178164] p 835 N86-31590
- FLEXIBLE SPACECRAFT**  
Stability of large damped flexible spacecraft with stored angular momentum p 182 A86-18355  
Transfer of alignment and calibration of multiple sensors in flexible systems p 681 A86-43003
- FLEXIBLE WINGS**  
Aerodynamic characteristics of a flexible membrane wing  
[AIAA PAPER 84-2168] p 410 A86-32959  
Experimental transonic pressure distributions of a flexible wing-airfoil model and comparisons with results of several theoretical methods p 432 A86-33239  
Fatigue life in a coupled problem concerning the motion of a flexible wing p 474 A86-35062  
Accurate dynamic theory for supermaneuverable aircraft wings  
[AIAA PAPER 86-1006] p 585 A86-38947  
Prediction of wing aeroelastic effects on aircraft lift and pitching moment characteristics  
[NASA-TM-87631] p 178 N86-15319  
Flight measurements of surface pressures on a flexible supersonic research wing  
[NASA-TP-2501] p 339 N86-20350  
Movement of flexible wing at supersonic velocity under influence of random gust p 481 N86-25562  
Experimental transonic pressure distributions of a flexible wing-airfoil model and comparisons with results of several theoretical methods p 698 N86-30639
- FLIGHT ALTITUDE**  
In flight access to minimum vectoring altitudes - A pilot's perspective  
[SAE PAPER 851837] p 485 A86-35444  
Lightning measurements of an aircraft flying at low altitude p 567 A86-37490  
Pitch rate versus G command as the longitudinal flight control system design strategy for a statistically unstable fighter type aircraft with two control surfaces  
[AD-A158803] p 111 N86-13334  
Flight operations noise tests of eight helicopters  
[AD-A158635] p 331 N86-19127  
Characteristics of altitude error at reduced quantization  
[FAA/PM-86/35] p 811 N86-31580
- FLIGHT CHARACTERISTICS**  
Estimation of the probability of a flight parameter exceeding a specified value under conditions of atmospheric turbulence p 108 A86-13355  
Method for calculating the equilibrium spin of an aircraft p 109 A86-13435  
Stability of the steady-state gliding of a flight vehicle p 175 A86-16787  
A flightpath overshoot flying qualities metric for the landing task  
[AIAA PAPER 86-0334] p 238 A86-19820  
Non-rigid airship testing p 223 A86-21059  
F-15 Dual-Role Fighter flight testing p 224 A86-21065  
Longitudinal flying qualities criteria for single-pilot instrument flight operations p 305 A86-23186  
The use of analytical methods to assess aircraft maneuverability p 305 A86-23771
- Frequency methods of aircraft identification - Russian book p 306 A86-24148  
Deep stall characteristics of the MU-300 p 306 A86-25203  
The decision to fly - by aircraft pilots  
[SAE PAPER 841613] p 328 A86-28024  
Aircrew-aircraft integration - A summary of U.S. Army research programs and plans p 310 A86-26149  
The aerodynamics of rotor blades with ice shapes accreted in hover and in level flight p 476 A86-35655  
Results of piloted simulation of Grumman Design 686  
[SAE PAPER 851846] p 579 A86-36342  
Classical flight dynamics of a variable forward-sweep-wing aircraft p 584 A86-39043  
Pitch rate sensitivity criterion for category C flight phases - Class IV aircraft  
[AIAA PAPER 86-2201] p 823 A86-47481  
Effect of time delay on flying qualities - An update  
[AIAA PAPER 86-2202] p 823 A86-47482  
Effect of head-up display dynamics on fighter flying qualities  
[AIAA PAPER 86-2208] p 792 A86-47485  
Validation of a new flying quality criterion for the landing task  
[AIAA PAPER 86-2126] p 826 A86-47672  
The MIL-prime standard for aircraft flying qualities  
[AIAA PAPER 86-2131] p 826 A86-47677  
Handling qualities and flight performance - Implication of the operational envelope p 799 A86-48672  
Self-oscillatory regimes of aircraft motion during spin-roll coupling p 832 A86-48775  
Determination of the statistical characteristics of aircraft motion during an automatic approach p 832 A86-48844  
Limited Airworthiness and Flight Characteristics (A and FC) test of the quick fix configuration  
[AD-A157716] p 101 N86-13323  
Polymer, metal and ceramic matrix composites for advanced aircraft engine applications  
[NASA-TM-87132] p 117 N86-13407  
Aircraft flight performance methods. Revision 2  
[AD-A158227] p 169 N86-19310  
Prediction of wing aeroelastic effects on aircraft lift and pitching moment characteristics  
[NASA-TM-87631] p 178 N86-15319  
Flight dynamics and aircraft piloting  
[ESA-TT-874] p 240 N86-16229  
An approach to developing specification measures p 330 N86-19088  
Rollout of XT-4 intermediate class training aircraft p 438 N86-23774  
Loads and motions of an F-108B flying through thunderstorms  
[NASA-TM-87671] p 483 N86-24672  
Validation of a new flying quality criterion for the landing task  
[NASA-TM-88281] p 595 N86-26341  
Wind tunnel and flight test analysis and evaluation of the buffet phenomena for the alpha jet transonic wing p 561 N86-27239  
Dynamic nonlinear airloads: Representation and measurement p 563 N86-27251  
Correlation of predicted and free-flight responses near departure conditions of a high incidence research model p 564 N86-27255  
Theoretical prediction of wing rocking p 564 N86-27256  
Highly Maneuverable Aircraft Technology (HIMAT) flight-flutter test program  
[NASA-TM-84907] p 596 N86-27290  
Effect of time delay on flying qualities: An update  
[NASA-TM-88264] p 653 N86-28092
- FLIGHT CLOTHING**  
Laboratory and flight testing of ballistic protective headgear for rotary wing aircrew p 261 A86-19344
- FLIGHT CONDITIONS**  
Estimation of the probability of a flight parameter exceeding a specified value under conditions of atmospheric turbulence p 108 A86-13355  
US Army Flight Condition Monitoring p 170 A86-18435  
The disturbance of aircraft navigation and communication systems by atmospheric static electricity p 160 A86-18695  
The FAA Automated Weather Observing System (AWOS) p 813 A86-37459  
Automation of surface observations program - for improvement of meteorological services p 614 A86-37480  
The center and central flow weather service unit program p 814 A86-37482  
The classify, locate, and avoid wind shear (CLAWS) project at Denver's Stapleton International Airport - Operational testing of terminal weather hazard warnings with an emphasis on microburst wind shear p 615 A86-37485

- The aviation weather forecasting task force - Assessing the current system p 616 A86-37504
- The impact of private meteorology on private aviation p 616 A86-37511
- Taming the killer wind shear p 678 A86-41035
- The effect of rain and contamination of the front surface on the in-flight behavior of aircraft during roll II p 688 A86-43938
- Aircraft control surface failure detection and isolation using the OSGLR test - orthogonal series generalized likelihood ratio p 821 A86-47419
- [AIAA PAPER 86-2028] p 821 A86-47419
- Aircraft protection against lightning strikes p 806 A86-50347
- Aircraft accident/incident summary reports: Denver, Colorado, August 19, 1983; Blountville, Tennessee, July 16, 1983; Tucson, Arizona, February 8, 1983; Cockeysville, Maryland, April 28, 1984; Akron, Ohio, September 30, 1984; Seattle, Washington, October 18, 1984; Miami, Florida, November 11, 1983 p 483 A86-24675
- [P86-910409] p 483 A86-24675
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 5 of 1984 accidents p 570 A86-26305
- [P86-916901] p 570 A86-26305
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 6 of 1984 accidents p 570 A86-26306
- [P86-916902] p 570 A86-26306
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 7 of 1984 accidents p 570 A86-26307
- [P86-916903] p 570 A86-26307
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 8 of 1984 accidents p 570 A86-26308
- [P86-916904] p 570 A86-26308
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 9 of 1984 Accidents p 570 A86-26309
- [P86-916905] p 570 A86-26309
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 11 of 1984 accidents p 571 A86-26310
- [P86-916907] p 571 A86-26310
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 13 of 1984 accidents p 571 A86-26311
- [P86-916909] p 571 A86-26311
- On the handling qualities of flight vehicles through variable flight conditions p 836 A86-31592
- [AD-A167727] p 836 A86-31592
- ### FLIGHT CONTROL
- Automation and integration on AFTI/F-16 [AIAA PAPER 85-3089] p 103 A86-14433
- Development of a knowledge acquisition tool for an expert system flight status monitor [AIAA PAPER 86-0240] p 230 A86-19764
- Flight test maneuver modeling and control [AIAA PAPER 86-0426] p 219 A86-19868
- An engineering simulation of the Boeing 747 primary flight control systems [AIAA PAPER 86-0494] p 239 A86-19905
- Endurance increase by cyclic control - of aircraft p 221 A86-20235
- A redundant strapdown reference for advanced aircraft flight control systems p 239 A86-21840
- Facility for closed loop testing of aircraft control systems p 241 A86-22188
- Analysis of the F/A-18 Hornet flight control computer field mean time between failure p 231 A86-22386
- The telemetry system of the DFVLR experimental aircraft ATTAS p 281 A86-22729
- The study of adaptive control augmentation system implemented with microcomputer - aircraft flight p 306 A86-24577
- Sensor system concept for future fighter and strike aircraft p 297 A86-24583
- Efficiently meeting electric power needs for future aircraft p 319 A86-24829
- Trends of active control technology p 307 A86-25213
- Advanced fighter technology integration (AFTI) F-16 - The pilot interface [SAE PAPER 841633] p 327 A86-26018
- Aircrew-aircraft integration - A summary of U.S. Army research programs and plans p 310 A86-26149
- Effects of side-stick controllers on rotorcraft handling qualities for terrain flight p 366 A86-27659
- Quantitative feedback design approach to pilot-in-the-loop analysis p 366 A86-28377
- Discrete maneuver flying qualities considerations in control system design p 366 A86-28378
- Development of hardware for X-29A flight control system p 366 A86-28379
- An integrated flight control system for a STOL transport aircraft p 367 A86-28384
- Evaluation of control mixer concept for reconfiguration of flight control system p 367 A86-28383
- YF16CCV flight control system reconfiguration design using quantitative feedback theory p 368 A86-28395
- Lockheed-Georgia and electric primary flight control systems p 368 A86-28396
- A modeling structure for computer aided design p 397 A86-28403
- Onboard simulation - A demonstrated technology breakthrough for cost effective testing and training p 360 A86-28484
- Path-finder - An heuristic approach to aircraft routing p 368 A86-28499
- Flying qualities design criteria for highly augmented systems p 369 A86-28509
- Multivariable control law design for the X-29 aircraft p 369 A86-28510
- Advancing flight control technology p 369 A86-29058
- In-flight simulators p 356 A86-29299
- Advanced concepts flight simulation facility p 446 A86-29916
- Influence of high-order dynamics on helicopter flight-control system bandwidth p 442 A86-31660
- Real-time open-loop frequency response analysis of flight test data [AIAA PAPER 86-9738] p 443 A86-32084
- Flight test simulation of the T-46 [AIAA PAPER 86-9773] p 430 A86-32108
- Flight investigation of a multivariable model-following control system for rotorcraft [AIAA PAPER 86-9779] p 443 A86-32114
- Management controls on the X-29 flight-control system software development [AIAA PAPER 86-9806] p 443 A86-32136
- First use of Ada in flight-critical avionics [AIAA PAPER 86-9822] p 443 A86-32148
- On the development of equibearable forms with application to adaptive control p 465 A86-33134
- Adaptive flight control of unstable helicopters during transition p 444 A86-33178
- Applicability of using the CAR-II model in design and evaluation of multioperator workstations with shared controls p 529 A86-33805
- Helicopter flight control with one hand p 529 A86-34923
- An application of self-tuning regulator to GLA system of an aircraft - Gust Load Alleviation p 508 A86-34926
- LMR-83 - Inertial measurement unit for flight regulation and navigation [DGLR PAPER 85-132] p 508 A86-35177
- Eigenstructure assignment: A tutorial. I - Theory - for linear time invariant systems p 531 A86-35358
- Flight test trajectory controller synthesis with constrained eigenstructure assignment p 509 A86-35404
- Front seat on the future - in airbus 320 p 509 A86-35563
- Probabilistic modeling of fields of atmospheric turbulence and sea roughness with reference to the study of complex systems - for flight control p 528 A86-36480
- Simulation of aircraft components for training purposes [SAE PAPER 851965] p 496 A86-36946
- Nonlinear lift control at high speed and high angle of attack using vortex flow technology p 478 A86-37050
- Adaptive control robustness in flexible aircraft application p 511 A86-37070
- Designing compact electromechanical actuators for flight control p 593 A86-37332
- A real-time simulation of a non-linear RPV incorporating head-up type colour graphics p 593 A86-37335
- Application of analytical redundancy - for flight safety [SAE PAPER 851825] p 593 A86-38331
- DIGITAC multimode control laws - for military aircraft missions [SAE PAPER 851826] p 594 A86-38332
- Use of the flight simulator in performing AFTI/F-16 airplane aeroservoelastic analysis [AIAA PAPER 86-0957] p 585 A86-38931
- The design of multi-functional flight controllers for structural load alleviation p 651 A86-40767
- New applications of mu to real-parameter variation problems - structured singular value theory for flight control systems stability analysis p 680 A86-42871
- Eigenstructure assignment, eigensensitivity, and flight control design p 680 A86-42912
- Eigenstructure synthesis of an oblique wing flight control system p 652 A86-42913
- Integrated control - A decentralized approach p 681 A86-42996
- Controllability of redundant flight control system and pressure equalization of redundant servo actuators p 723 A86-43497
- An adaptive flight control system design for CCV with an unknown interactor matrix p 723 A86-43536
- Flight testing of the navigation and flight control complexes of aircraft and helicopters - Russian book p 708 A86-44283
- Navy departure/spin and air combat maneuvering evaluation of a National Aeronautics and Space Administration developed flight control system for the F-14 p 724 A86-44944
- A320 flight controls p 724 A86-44946
- A simulation of an integrated flight control/air-ground cannon firing system [ONERA, TP NO. 1986-31] p 725 A86-46173
- A discrete-time multivariable model-following method applied to decoupled flight control [AIAA PAPER 85-1978] p 725 A86-46454
- A stochastic decentralized flight control system [AIAA PAPER 86-1994] p 821 A86-47416
- Time scale analysis of a closed-loop discrete optimal control system [AIAA PAPER 86-1995] p 852 A86-47417
- Single-state observer design considerations for aircraft application [AIAA PAPER 86-1996] p 852 A86-47418
- Evaluation of total energy-rate feedback for glidescope tracking in wind shear [AIAA PAPER 86-2035] p 822 A86-47424
- Sensitivity analysis of high-order digital flight control systems using singular-value concepts [AIAA PAPER 86-2084] p 822 A86-47437
- RT-BUILD - Automatic generation of Ada code for flight control applications [AIAA PAPER 86-2088] p 852 A86-47439
- A theory for fault-tolerant flight control combining expert system and analytical redundancy concepts [AIAA PAPER 86-2092] p 822 A86-47442
- Helicopter IFR director algorithm development and flight evaluation on the NAE airborne simulator [AIAA PAPER 86-2205] p 787 A86-47519
- The interpretation of flying qualities requirements for flight control design [AIAA PAPER 86-2249] p 826 A86-47523
- Recursive real-time identification of step-response matrices of high-performance aircraft for adaptive digital flight control [AIAA PAPER 86-2017] p 826 A86-47652
- Flight evaluation of a precision landing task for a powered-lift STOL aircraft [AIAA PAPER 86-2130] p 828 A86-47676
- Modelling of rigid-body and elastic aircraft dynamics for flight control development [AIAA PAPER 86-2232] p 829 A86-47693
- Flight test experience and controlled impact of a large, four-engine remotely piloted airplane p 794 A86-47781
- Airbus A 320 - New concept of aircraft control p 796 A86-47797
- Active flutter suppression p 832 A86-49004
- Design criteria for flight control systems p 833 A86-49023
- Handling qualities for unstable combat aircraft p 833 A86-49025
- Optimal control laws for microburst encounter p 834 A86-49070
- Failure detection in a flight control system by the modified sequential probability ratio test p 854 A86-49507
- Air Force Academy Aeronautics Digest [AD-A157215] p 76 A86-12200
- Pneumatic actuator device [AD-D011794] p 99 A86-12217
- Interactive aircraft flight control and aerostatic stabilization [NASA-CR-176323] p 110 A86-12233
- The evaluation of failure detection and isolation algorithms for restructurable control [NASA-CR-177983] p 93 A86-13310
- Pitch rate versus G command as the longitudinal flight control system design strategy for a statistically unstable fighter type aircraft with two control surfaces [AD-A158803] p 111 A86-13334
- Development of a flight software testing methodology [NASA-CR-176391] p 128 A86-13922
- Acta aeronautica et astronautica sinica (selected articles) [AD-A158454] p 135 A86-14218
- Methodologies for the direct digital control of highly flexible vehicles [AD-A158448] p 188 A86-14615
- PIFCGT: A PIF autopilot design program for general aviation aircraft [NASA-CR-166123] p 178 A86-15320
- Work on putting computer and CRTs in airliner control panels p 172 A86-15947
- Development of a knowledge acquisition tool for an expert system flight status monitor [NASA-TM-86802] p 263 A86-16944
- Development of a sensitivity analysis technique for multiloop flight control systems [NASA-CR-166619] p 240 A86-17358

- Computer Aided Design (CAD) at the National Aerospace Laboratory (Netherlands) with the accent on aircraft flight control systems  
[NLR-MP-84032-U] p 264 N86-18030
- An investigation of the use of bandwidth criteria for rotorcraft handling-qualities specifications  
[AD-A160654] p 294 N86-18319
- Dynamics and controls flight testing of the X-29A airplane  
[NASA-TM-88803] p 295 N86-18313
- Horizontal display for vertical flight: A direction of motion experiment  
[AD-A181113] p 299 N86-18321
- Flight test of a resident backup software system  
[NASA-TM-88807] p 307 N86-18325
- Fault Tolerant Hardware/Software Architecture for Flight Critical Function  
[AGARD-LS-143] p 369 N86-20399
- Digital fault-tolerant flight actuation systems  
[AFWAL-83-3041] p 382 N86-20408
- Design validation of fly-by-wire flight control systems  
p 382 N86-20409
- Extensions to PIFCGT: Multirate output feedback and optimal disturbance suppression  
[NASA-CR-3086] p 446 N86-22581
- Robustness of discrete-time dynamical systems: Application to the multivariable digital control of combat aircraft  
[ESA-TT-906] p 446 N86-22583
- Dynamic assertion testing of flight control software  
[NASA-CR-176715] p 466 N86-23321
- Dynamic assertion testing of flight control software  
[NASA-CR-176712] p 466 N86-23322
- A methodology for testing fault-tolerant software  
[NASA-CR-176713] p 466 N86-23323
- Dynamic assertion testing of flight control software  
[NASA-CR-176716] p 466 N86-23325
- Preliminary hazard analysis for self-contained navigation system  
[AD-A181883] p 425 N86-23582
- Development experience with a simple expert system demonstrator for pilot emergency procedures  
[NASA-TM-85919] p 446 N86-23603
- Aircraft accident/incident summary reports: Denver, Colorado, August 19, 1983; Blountville, Tennessee, July 16, 1983; Tucson, Arizona, February 6, 1983; Cockeysville, Maryland, April 28, 1984; Akron, Ohio, September 30, 1984; Seattle, Washington, October 18, 1984; Miami, Florida, November 11, 1983  
[PB85-910409] p 483 N86-24675
- Eigenstructure assignment and its application in design of flight control systems  
[NASA-TM-88411] p 511 N86-24701
- An LQG up-and away flight control design for the STOL F-15 aircraft  
[AD-A184108] p 512 N86-24707
- An empirical study of flight control software reliability  
[NASA-CR-178058] p 532 N86-25145
- An application of adaptive learning to malfunction recovery  
[NASA-CR-186620] p 533 N86-25169
- Study of the effects of discretizing quantitative feedback theory analog control system designs  
[AD-A184209] p 533 N86-25174
- An LQG up-and away flight control design for the STOL F-15 aircraft  
[AD-A184108] p 512 N86-25384
- Role of optimization methods in improvement of flight control for airplanes  
p 513 N86-25603
- A demonstration expert system for implementing emergency procedures in a high-performance fighter aircraft  
[MAE-1749] p 569 N86-26295
- Decoupling control synthesis for an oblique-wing aircraft  
[NASA-TM-88801] p 595 N86-26339
- On the interface between unsteady aerodynamics, dynamics and control  
p 564 N86-27254
- Highly Maneuverable Aircraft Technology (HIMAT) flight-flutter test program  
[NASA-TM-84907] p 596 N86-27290
- Initial design and evaluation of automatic restructurable flight control system concepts  
[NASA-CR-178064] p 652 N86-28090
- Effect of time delay on flying qualities: An update  
[NASA-TM-88264] p 653 N86-28092
- Main flight controls — Airbus  
[SNIAS-861-111-111] p 653 N86-28096
- Multi-input, multi-output system control for experimental aircraft  
[NASA-CR-177017] p 654 N86-28955
- Multivariable control of a twin lift helicopter system using the LQG/LTR design methodology  
[NASA-CR-177025] p 654 N86-28956
- Properties, applications, future of European gyro sensors  
p 676 N86-29082
- An experiment in software reliability  
[NASA-CR-172553] p 682 N86-29547
- Flight control system development and flight test experience with the F-111 mission adaptive wing aircraft  
[NASA-TM-88265] p 714 N86-29613
- Experience with synchronous and asynchronous digital control systems  
[NASA-TM-88271] p 726 N86-29666
- Model-following control for an oblique-wing aircraft  
[NASA-TM-88269] p 726 N86-29667
- Introduction to robust multivariable control  
[AD-A165891] p 727 N86-29669
- A.I.-based real-time support for high performance aircraft operations  
[NASA-CR-176906] p 716 N86-30718
- The integrated manual and automatic control of complex flight systems  
[NASA-CR-176940] p 729 N86-30737
- Mission adaptive wing soars at NASA Facility  
[P86-10182] p 806 N86-31563
- Flight control synthesis for flexible aircraft using Eigenspace assignment  
[NASA-CR-178164] p 835 N86-31590
- On the handling qualities of flight vehicles through variable flight conditions  
[AD-A167727] p 836 N86-31592
- Six degree of freedom simulation software  
[NAL-PO-SE-8614] p 854 N86-33042
- FLIGHT CREWS
- Development of mechanical components for advanced aircrew seating systems  
p 217 A86-18307
- Altitude and acceleration protection system for high performance aircraft  
p 217 A86-18314
- Aircrew escape system models used in wind tunnel tests  
p 217 A86-18316
- The Canadian forces twin Otter aircraft operations in the Arctic - A thermal assessment  
p 212 A86-18334
- Wide-angle, low-altitude flight simulator vision system for cockpit research and aircrew training  
p 311 A86-26162
- Airlines and the new technology aircraft - A discussion paper  
p 419 A86-31325
- Noise of the general aviation airplanes influence on environment of the airclub, airfields and on crews  
p 461 A86-31955
- Cockpit and cabin crew coordination and communication  
[SAE PAPER 851918] p 473 A86-35448
- Cockpit communication and aircraft safety - An empirical study  
[SAE PAPER 851858] p 482 A86-35451
- Faulty cockpit communication as a factor in the failure of flight 90  
[SAE PAPER 851859] p 482 A86-35452
- The Boeing crew escape technologies (CREST) program  
p 708 A86-44776
- Retrofit energy-absorbing crewseat for the SH-3 (S-61 series) Sea King helicopter  
p 783 A86-47736
- Development of a new lightweight emergency escape breathing device  
p 784 A86-47760
- Aircrew protection design, training and mission management for high altitude aerodynamic operations  
p 781 A86-47778
- An analysis of the application of AI to the development of intelligent aids for flight crew tasks  
[NASA-CR-3944] p 90 N86-12212
- Aircrew dose and engine dust ingestion from nuclear cloud penetration  
[AD-A159246] p 101 N86-13327
- B-52G crew noise exposure study  
[AD-A161112] p 333 N86-20094
- The US Army's LHX (light helicopter family) program  
[AD-A161949] p 437 N86-23591
- Development of a computer-managed readiness assessment system  
[AD-A182931] p 463 N86-24215
- Analyzing the cost effectiveness of using flight simulators in the Israeli Air Force  
[AD-A164864] p 599 N86-26346
- Pilot interaction with automated airborne decision making systems  
[NASA-CR-177002] p 679 N86-29508
- FLIGHT FATIGUE
- Crack growth in titanium alloys under the conjoint action of high and low cycle fatigue  
[AD-A186429] p 665 N86-29028
- FLIGHT FITNESS
- Pilot medical certification - Procedures and recent developments  
p 195 A86-18849
- FLIGHT HAZARDS
- The numerical computation of aircraft response to arbitrary vertical gust distributions  
p 110 A86-14534
- Microbursts - A hazard for aircraft — small, intense thunderstorm outflow  
p 124 A86-14816
- Helicopter wire strike protection system qualification testing  
p 163 A86-18411
- Description of and results from camera systems for recording daytime lightning strikes to an airplane in flight  
[AIAA PAPER 86-0020] p 230 A86-19636
- Controlled-Flight-Into-Terrain accidents during unpublished-route radar vectoring  
p 418 A86-29672
- Detection and recognition of hazardous weather conditions by primary surveillance radar  
p 457 A86-32614
- Aircraft icing observations and analysis  
p 576 A86-37485
- The hazards of ash clouds to civil air transport  
p 568 A86-37477
- Windshear detection using a Doppler acoustic sounder (SODAR)  
p 614 A86-37484
- Wide area real-time thunderstorm mapping using LPATS - The lightning position and tracking system  
p 614 A86-37487
- The classify, locate, and avoid wind shear (CLAWS) project at Denver's Stapleton International Airport - Operational testing of terminal weather hazard warnings with an emphasis on microburst wind shear  
p 615 A86-37495
- Numerical simulation of precipitation induced downbursts  
p 615 A86-37496
- Development of CAT detection and forecasting techniques for the PROFS Central Weather Processor  
p 615 A86-37498
- Use of computer technology in the operations of the national aviation weather advisory unit  
p 615 A86-37500
- Prospects for destructive self-induced interactions in a vortex pair due to sinusoidal disturbances — of large transport aircraft wakes  
[AIAA PAPER 86-1791] p 543 A86-37821
- Taming the killer wind shear  
p 678 A86-41035
- Cosmic-ray dose characteristics on the flight paths of high-altitude aircraft  
p 758 A86-43672
- An approximate model of vortex decay in the atmosphere  
p 689 A86-44889
- Wind-shear detection - A report on the first such airborne warning device to be commercially certified  
p 718 A86-46139
- Ranging and azimuthal problems of an airborne crossed loop used as a single-station lightning locator  
p 809 A86-47325
- Take-off and landing in a downburst  
p 786 A86-49089
- Recent in-flight data and electromagnetic responses of an aircraft structure struck by lightning  
p 804 A86-49132
- F-106 data summary and model results relative to threat criteria and protection design analysis  
p 786 A86-50259
- A wide bandwidth electrostatic field sensor for lightning research  
p 850 A86-50260
- Calculation of ice accretion on cylindrical rods according to Bain's model, and comparison with experimental results — stratus clouds  
[DFVLR-FB-85-46] p 325 N86-18933
- Application of artificial intelligence to improve aircraft survivability  
[AD-A164172] p 483 N86-24674
- Investigation of hazards of helicopter operations and root causes of helicopter accidents  
[FAA/PM-86/28] p 700 N86-29796
- FLIGHT INSTRUMENTS
- The dynamics of elastic bars under conditions of arbitrary kinematic excitation  
p 185 A86-16781
- The HUD as a primary flight instrument  
[SAE PAPER 841463] p 296 A86-26006
- CRT displays in modern helicopter data presentation  
p 299 A86-26129
- AFFTIS - What now? — Air Force Flight Instrumentation System  
[AIAA PAPER 86-8799] p 439 A86-32128
- Search and Rescue (SAR) System developed as part of the contract signed with the Irish Air Corps for the supply of 365 F Dauphin aircraft  
[SNIAS-852-210-105] p 215 N86-17329
- A demonstration expert system for implementing emergency procedures in a high-performance fighter aircraft  
[MAE-1749] p 569 N86-26295
- Synthetic real-time relief display all-weather airborne missions  
p 589 N86-26321
- Local flow management/profile descent algorithm. Fuel-efficient, time-controlled profiles for the NASA TSRV airplane  
[NASA-CR-172593] p 636 N86-28074
- Interface of the transport systems research vehicle monochrome display system to the digital autonomous terminal access communication data bus  
[NASA-TM-87728] p 656 N86-28961
- Development of airborne electric field and lightning detection instrumentation for aviation safety  
[AD-A167342] p 701 N86-30705

- Simulation evaluation of display/FLIR concepts for low-altitude, terrain-following helicopter operations [NASA-TM-86779] p 789 N86-31551
- FLIGHT LOAD RECORDERS**
- Fatigue life monitoring of aircraft [NLR-MP-83069-U] p 226 N86-16211
- FLIGHT MANAGEMENT SYSTEMS**
- Selection of an optimal cost index for airline hub operation p 130 A86-14239
- Situation versus command — flight information for pilots [SAE PAPER 841638] p 326 A86-26023
- An integrated flight control system for a STOL transport aircraft p 367 A86-28384
- Design of direct digital flight-mode control systems for high-performance aircraft using step-response matrices p 367 A86-28387
- Evaluation of control mixer concept for reconfiguration of flight control system p 367 A86-28393
- Knowledge engineering for a flight management expert system p 368 A86-28498
- The Crew Station Information Manager - An avionics expert system p 361 A86-28515
- Expert System Pilot Aid p 361 A86-28516
- Airlines and the new technology aircraft - A discussion paper p 419 A86-31325
- Expert systems in the fighter of the 1990s p 405 A86-31848
- Experience with flight testing integrated avionics systems [AIAA PAPER 86-9804] p 431 A86-32133
- Management controls on the X-29 flight-control system software development [AIAA PAPER 86-9808] p 443 A86-32136
- Design of an advanced flight planning system p 481 A86-35365
- Practical considerations in optimal flight management computations p 481 A86-35367
- Time navigation benefits in en route metered ATC p 482 A86-35368
- A computer controlled autopilot and an announcement system for flight aircraft p 511 A86-36871
- Practical considerations in optimal flight management computations p 713 A86-46458
- Thirty years with the jets: Commercial transport flight management systems - Past, present, and future [AIAA PAPER 86-2289] p 821 A86-47402
- A stochastic decentralized flight control system [AIAA PAPER 86-1994] p 821 A86-47416
- Design factors and considerations for a time-based flight management system [AIAA PAPER 86-2144] p 822 A86-47455
- Flight management concepts compatible with air traffic control p 788 A86-49018
- Development and validation of the crew-station system-integration research facility [NASA-TM-86841] p 622 N86-28051
- An investigation of TNAV equipped aircraft in a simulated en route metering environment [NASA-CR-178031] p 641 N86-28940
- FLIGHT MECHANICS**
- The in-flight simulation program at the NAE Flight Research Laboratory p 96 A86-14356
- Free-falling autorotating plate - A coupled fluid and flight mechanics problem p 110 A86-14533
- The telemetry system of the DFVLR experimental aircraft ATLAS p 281 A86-22729
- Flight-mechanics problems solvable by a research flight simulator p 308 A86-23773
- Matrix equations of the spatial flight of an asymmetrical rigid body p 365 A86-27448
- The development of microcomputer codes for studying the flight dynamics and performance of helicopters p 366 A86-27680
- Flight mechanics contributions to the time-based trajectory control in the aircraft longitudinal plane — German thesis p 348 A86-27852
- The aeromechanics of aircraft: Flight dynamics (2nd revised and enlarged edition) — Russian textbook p 442 A86-30925
- Optimal take-off trajectories in the presence of windshear p 708 A86-44386
- Atmospheric Flight Mechanics Conference, Williamsburg, VA, August 18-20, 1986, Technical Papers p 826 A86-47651
- On the flight dynamics of aeroelastic vehicles [AIAA PAPER 86-2077] p 826 A86-47666
- Unsteady aerodynamics - Fundamental aspects and applications to aircraft dynamics [AAAF PAPER NT 85-16] p 767 A86-48465
- Ground based helicopter simulation p 838 A86-48673
- Validation on nonstationary aerodynamics models for longitudinal aeroplane motion on the basis of flight measurements p 833 A86-49026

- Flight dynamics and aircraft piloting [ESA-TT-874] p 240 N86-16229
- Role of optimization methods in improvement of flight control for airplanes p 513 N86-25603
- Guest alleviation on a transport airplane p 565 N86-27259
- Identification of aircraft characteristics including gust induced dynamic effects p 565 N86-27263
- FLIGHT OPERATIONS**
- Using diagnostic systems to collect data on the reliability of aircraft p 133 A86-16861
- FAA/HAI helicopter flight operations noise tests and initial results p 535 A86-35619
- Statistical sampling of aircraft operations at non-towered airports [AD-A157095] p 128 N86-13051
- Flight operations noise tests of eight helicopters [AD-A159635] p 331 N86-19127
- FLIGHT OPTIMIZATION**
- Minimization of aircraft flight time for a given distance with return to the original point p 108 A86-13417
- Endurance increase by cyclic control — of aircraft p 221 A86-20235
- Optimum helicopter in the flight spectrum p 290 A86-26123
- Real time optimal flight path generation by storage of massive data bases p 397 A86-28388
- Periodic control for minimum-fuel aircraft trajectories p 427 A86-31657
- Pilot Executive project - PILEX — flight status monitor expert system [SAE PAPER 851806] p 489 A86-35436
- Maximum-range passive flight p 535 A86-36467
- A minimum route time (MRT) program for microcomputers p 572 A86-39561
- Flight testing the Voyager - A non-stop, unrefueled, around-the-world aircraft p 710 A86-44948
- Optimization and acceleration guidance of flight trajectories in a windshear [AIAA PAPER 86-2036] p 822 A86-47425
- Optimal descending, hypersonic turn to heading [AIAA PAPER 86-2134] p 841 A86-47679
- A study of aircraft cruise [AIAA PAPER 86-2286] p 792 A86-47704
- Optimal landing of a helicopter in autorotation [AIAA PAPER 86-2287] p 793 A86-47705
- Interior transition layers in flight path optimization [AIAA PAPER 86-2037] p 797 A86-48576
- Wind influence on the range of jet or propeller aircraft p 801 A86-48990
- Reducing fuel consumption by cyclic control p 832 A86-48991
- Optimization and gamma/theta guidance of flight trajectories in a windshear p 834 A86-49071
- Methodologies for the direct digital control of highly flexible vehicles [AD-A158448] p 188 N86-14615
- A trade-off study of tilt rotor aircraft versus helicopters using VASCOMP 2 and HESCOMP [AD-A187719] p 808 N86-31575
- FLIGHT PATHS**
- Estimation of the deviation limits of the aircraft path parameters during automatic landing p 108 A86-13365
- Infrared flight simulation using computer generated imagery p 103 A86-15378
- Acoustic recognition of aircraft types in flight p 193 A86-18121
- A flightpath overshoot flying qualities metric for the landing task [AIAA PAPER 86-0334] p 238 A86-19620
- Endurance increase by cyclic control — of aircraft p 221 A86-20235
- Aircraft terminal area guidance based on the discrete tracking problem of optimal control theory p 215 A86-20520
- Real time optimal flight path generation by storage of massive data bases p 397 A86-28388
- An expert planner for the dynamic flight environment p 368 A86-28490
- Path-finder - An heuristic approach to aircraft routing p 368 A86-28499
- Controlled-Flight-Into-Terrain accidents during unpublished-route radar vectoring p 418 A86-29672
- An interpretation of airplane general motion and control as inverse problem p 443 A86-31661
- Flight path measurement of helicopters using a strap-down navigation system [AIAA PAPER 86-9733] p 422 A86-32080
- Maximum-range passive flight p 535 A86-36467
- A minimum route time (MRT) program for microcomputers p 572 A86-39561
- Flightpath reconstruction and systematic radar error estimation from multi-radar range-azimuth measurements p 636 A86-42966

- Calculation of the explosion of a rapidly flying body p 736 A86-45344
- An all-weather multimode landing system for tactical fighter aircraft [AIAA PAPER 86-2146] p 787 A86-47517
- A robust adaptive flightpath reconstruction technique [AIAA PAPER 86-2018] p 826 A86-47653
- Flight simulation of MLS interception procedures applicable to laterally segmented approach paths [AIAA PAPER 86-2073] p 837 A86-47663
- Pilot evaluation of experimental flight trajectories in the near-terminal area [AIAA PAPER 86-2074] p 838 A86-47664
- Validation of a new flying quality criterion for the landing task [AIAA PAPER 86-2126] p 828 A86-47672
- Angle-of-attack estimation for analysis of CAT encounters p 831 A86-47798
- Interior transition layers in flight path optimization [AIAA PAPER 86-2037] p 797 A86-48576
- Flight path reconstruction - A powerful tool for data compatibility check p 833 A86-49041
- Optimization and gamma/theta guidance of flight trajectories in a windshear p 834 A86-49071
- Data analysis of airborne electromagnetic bathymetry [AD-A157132] p 125 N86-12744
- An analytical comparison of three visual approach slope indicators: VASIS, T-VASIS and PAPI [ARL/SYS-R-33] p 93 N86-13306
- A flightpath overshoot flying qualities metric for the landing task [NASA-TM-86795] p 176 N86-14276
- An optimisation method for reconstruction of flight path trajectories from non-synchronous time-sampled observations by two cine cameras [ARL-SYS-R-34] p 187 N86-15279
- Aircraft flight performance methods. Revision 2 [AD-A158227] p 169 N86-15310
- Comparison of advanced turboprop and conventional jet and propeller aircraft flyover noise annoyance: Preliminary results [NASA-TM-87637] p 265 N86-17077
- Three-dimensional flight-path reconstruction by means of spline approximation [NLR-TR-83091-U] p 228 N86-17347
- Calibration of an on-ground aircraft tracking radar by aerial photogrammetry [NAL-TR-861] p 282 N86-18311
- Flight operations noise tests of eight helicopters [AD-A159635] p 331 N86-19127
- Minimum time and fuel flight profiles for an F-15 airplane with a Highly Integrated Digital Electronic Control (HIDEC) system [NASA-TM-86042] p 436 N86-23587
- Pressure based separation in the upper airspace [CAR-8614] p 486 N86-24679
- Validation of a new flying quality criterion for the landing task [NASA-TM-86261] p 595 N86-26341
- Aircraft information packet (Grand Canyon National Park, Arizona) [PB86-159704] p 540 N86-27179
- Design requirements and development of an airborne descent path definition algorithm for time navigation [NASA-CR-178037] p 641 N86-28939
- FLIGHT PLANS**
- An expert planner for the dynamic flight environment p 368 A86-28490
- Design of an advanced flight planning system p 481 A86-35365
- Flight operations noise tests of eight helicopters [AD-A159635] p 331 N86-19127
- General aviation pilot and aircraft activity survey [AD-A161665] p 345 N86-21530
- FLIGHT RECORDERS**
- A study of the operating condition of aircraft from the recordings of the onboard recording equipment p 133 A86-16859
- The possibility of using a flight recorder for the analysis of pilot performance p 170 A86-16862
- Magnetic tape recording under severe environmental conditions p 314 A86-22716
- Airborne diagnostic equipment p 297 A86-23762
- The analysis of airline flight records for winds and performance with application to the Delta 181 accident [AIAA PAPER 86-2227] p 829 A86-47690
- Controlled impact demonstration flight data recorders/cockpit voice recorders p 391 N86-21944
- United States Navy - Canadian forces solid state flight data recorder/crash position locator experiment on the B-720 controlled impact demonstration p 391 N86-21945
- CID-720 aircraft high-environment flight instrumentation system p 392 N86-21947

- CID-720 aircraft Langley Research Center preflight hardware tests: Development, flight acceptance and qualification p 392 N86-21949
- Comparative evaluation of redundant flight data recorded by a Digital Airborne Integrated Data System Recorder (DAR) on board an Airbus A-310 aircraft p 439 N86-22575
- Method for determining the time delay of the pitot-static tubing system of aircraft — semiautonomous platform [NLR-TR-83075-U] p 589 N86-26335
- The black box. Silence is silver, speech is golden [ETN-86-97394] p 702 N86-30706
- Flight data recorders (FDR) and/or cockpit Voice Recorders (CVR) in the Lockheed Orion P-3C Update 2 [ETN-86-97395] p 811 N86-31581
- FLIGHT RULES**
- The concept of almost-parallel IFR (Instrument Flight Rules) approaches to parallel runways [AD-A186485] p 704 N86-29804
- FLIGHT SAFETY**
- Hardware integrity — description of new 32-bit microprocessor architecture for increased air safety p 126 A86-13049
- Engine-out take-off climb - An old airworthiness problem reviewed p 161 A86-17081
- New techniques for optimization and certification of helicopters in icing conditions p 164 A86-18416
- Real-time measurement of ice growth during simulated and natural icing conditions using ultrasonic pulse-echo techniques [AIAA PAPER 86-0410] p 214 A86-19880
- A study of state of the art computer graphics systems for flight safety monitoring p 329 A86-23264
- The utility of Head-Up Displays - Eye-focus vs decision times p 297 A86-23728
- Determination of limitations for helicopter ship-borne operations p 280 A86-26151
- Ultralight aircraft - A need for better regulation than 14 C.F.R. Section 103 — in air law p 343 A86-28000
- Biodynamics of personnel parachute landings - A fresh look at parachute descent rates p 419 A86-32088
- Setting acceptable levels of safety for the National Airspace System p 481 A86-33780
- Development of an authoritative aid to wind shear training [SAE PAPER 851919] p 482 A86-35449
- United Airlines windshear training update [SAE PAPER 851920] p 482 A86-35450
- Faulty cockpit communication as a factor in the failure of flight 90 [SAE PAPER 851859] p 482 A86-35452
- The design of the EH101 for safety and performance p 491 A86-35629
- Performance degradation of helicopters due to icing - A review p 494 A86-35688
- International Conference on the Aviation Weather System, 2nd, Université du Québec, Montreal, Canada, June 19-21, 1985, Preprints p 613 A86-37451
- The safety and economic impact of improved aviation weather services p 613 A86-37454
- NMC plans for improved aviation guidance — using numerical weather prediction p 613 A86-37456
- The center and central flow weather service unit program p 614 A86-37462
- Application of analytical redundancy — for flight safety [SAE PAPER 851825] p 599 A86-36331
- Upper torso restraint systems — for fixed wing and rotorcraft aircraft [SAE PAPER 851848] p 567 A86-38344
- Low altitude wind-shear protection can be attained p 599 A86-39553
- The market price for air safety p 633 A86-40226
- Computerisation of air information services in France p 635 A86-40229
- The French air traffic control system today - A paradox p 635 A86-40230
- Health and usage monitoring techniques for greater safety in helicopter operations p 621 A86-40232
- Regulation by the Civil Aviation Authority of air safety in the United Kingdom p 633 A86-40565
- Policing aviation safety in the Netherlands p 633 A86-40567
- Radio telephony - A case for growing concern p 635 A86-40569
- Measurement of ice growth during simulated and natural icing conditions using ultrasonic pulse-echo techniques p 634 A86-41694
- Sophistication and safety in a semi-automated air traffic control system p 635 A86-41874
- Influence of turbine-engine design on flight safety p 720 A86-43939
- LLWAS - An integral part of the U.S. wind-shear safety programme p 746 A86-46138
- ILS goal - Automatic landings, safety p 703 A86-46142
- Simulation results of automatic restructurable flight control system concepts [AIAA PAPER 86-2032] p 821 A86-47422
- Obstacle warning radar for helicopters - An anthropotechnical problem p 787 A86-47769
- Airplane landing behaviors controlled by man-pilots p 835 A86-49244
- Activities in air traffic control p 216 N86-17331
- Chief on unfavorable year for Soviet air traffic control p 424 N86-22566
- Pressure based separation in the upper airspace [CAR-8614] p 486 N86-24679
- Integrated risk/cost planning models for the US Air Traffic system [NASA-CR-177274] p 573 N86-26312
- National Transportation Safety Board safety recommendation [NTSB-4102C/300A] p 571 N86-27267
- Aircraft accident reports: Brief format, US civil and foreign aviation, issue number 17 of 1983 accidents [PB85-916918] p 571 N86-27269
- Experience with synchronous and asynchronous digital control systems [NASA-TM-86271] p 726 N86-29666
- Characteristics of altitude error at reduced quantization [FAA/PM-86/35] p 811 N86-31580
- FLIGHT SIMULATION**
- Modeling realistic environmental stresses on external stores p 95 A86-13275
- Simulation world moves up to V/STOL p 112 A86-14246
- Infrared flight simulation using computer generated imagery p 103 A86-15378
- General dynamics simulation and artificial intelligence integration [AIAA PAPER 85-4048] p 192 A86-17830
- Testing helicopters for the air-to-air combat role p 184 A86-18424
- Manned simulation studies of aircrew workload in the F-15 dual role fighter p 158 A86-18454
- Evaluation of pilot performance and aircrew protective devices in a simulated F-14 flat spin environment p 262 A86-19351
- Wind shear characterization [AIAA PAPER 86-0180] p 213 A86-19737
- Use of simulation during preliminary design of the V-22 Osprey [AIAA PAPER 86-0491] p 238 A86-19902
- Investigation of aircraft departure susceptibility using a total-G simulator [AIAA PAPER 86-0492] p 238 A86-19903
- Facility for closed loop testing of aircraft control systems p 241 A86-22188
- The telemetry system of the DFVLR experimental aircraft ATTAS p 281 A86-22729
- Composite statistical method for modeling wind gusts p 308 A86-23189
- A preliminary flight evaluation of the peripheral vision display using the NT-33A aircraft p 297 A86-23729
- Comparison of voice types for helicopter voice warning systems [SAE PAPER 841611] p 328 A86-28030
- Advances in simulation, control and guidance and other systems for manned and unmanned aircraft p 289 A86-28072
- Helicopter active control with blade stall alleviation modal capability p 307 A86-28136
- Future applications and prospects for flight simulation; Proceedings of the Spring Convention, London, England, May 9, 10, 1984 p 370 A86-28278
- Data-driven operating concepts for real-time simulation systems p 397 A86-28348
- Avoiding probe to model collisions in wind tunnel testing p 397 A86-28413
- Onboard simulation - A demonstrated technology breakthrough for cost effective testing and training p 390 A86-28464
- Design considerations for on-board simulation p 390 A86-28465
- A ring-vortex downburst model for flight simulations p 393 A86-28568
- Evaluation of 16 measures of mental workload using a simulated flight task emphasizing mediational activity p 395 A86-28884
- Advanced concepts flight simulation facility p 446 A86-29916
- Unified approach for modelling fatigue crack growth and some observations on behaviour under flight simulation loading p 453 A86-29954
- Fast motion simulation p 454 A86-30359
- Modeling of aircraft cruise performance using acceleration and deceleration maneuvers - Results and application [AIAA PAPER 86-9735] p 428 A86-32062
- Flight test simulation of the T-46 [AIAA PAPER 86-9773] p 430 A86-32108
- F-14A low altitude high angle of attack simulation and flight test program [AIAA PAPER 86-9774] p 430 A86-32109
- How to make simulators fly like airplanes [AIAA PAPER 86-9777] p 430 A86-32112
- Performance characteristics of transponder-aided versus GPS-aided inertial navigation systems [AIAA PAPER 86-9817] p 422 A86-32142
- A new rain/ice test capability to simulate flight [AIAA PAPER 86-9824] p 432 A86-32147
- Development of a raster/stroke full-color TV projector for simulation p 456 A86-32320
- Turbulence for flight simulation p 462 A86-32788
- Practical considerations in optimal flight management computations p 481 A86-35367
- Assessment of rotorcraft agility and maneuverability with a pilot-in-the-loop simulation p 510 A86-35623
- Thermal scene generators p 522 A86-36805
- Flight simulation/simulators; Proceedings of the Aerospace Technology Conference and Exposition, Long Beach, CA, October 14-17, 1985 [SAE SP-834] p 473 A86-36939
- The role of flight simulation in helicopter crew station design [SAE PAPER 851900] p 530 A86-36940
- Engineering flight simulation - A revolution of change [SAE PAPER 851901] p 513 A86-36941
- Application of the Optimal Control Model to the design of flight simulation experiments [SAE PAPER 851903] p 532 A86-36942
- Too little time - Too little money — low cost flight simulation facility [SAE PAPER 851904] p 532 A86-36943
- Capabilities of airborne and ground based flight simulation [SAE PAPER 851944] p 513 A86-36944
- The influence of sampling rate on the dynamics and control of aeronautical systems p 511 A86-37061
- Aerospace simulation II; Proceedings of the Second Conference, San Diego, CA, January 23-25, 1986 p 596 A86-37176
- Effects of simulator variations on the fidelity of a UH-60 Black Hawk simulation p 596 A86-37178
- Simulation support software in a real-time environment at the U.S. Air Force Flight Test Center p 617 A86-37180
- CGI delay compensation — Computer Generated Image p 617 A86-37194
- CTOL ski jump - Analysis, simulation, and flight test p 637 A86-40113
- Simulator upgrade - Regulations and benefits p 621 A86-40478
- Software position and velocity limiting for a synergistic six degree-of-freedom motion system — flight simulators p 655 A86-42170
- The significance of flight-simulation fatigue tests p 706 A86-43779
- Flight simulation p 730 A86-45137
- New levels of realism achieved in visuals for flight simulation p 739 A86-46148
- Digital control loading and motion - The final word? — in flight simulation p 732 A86-46149
- Practical considerations in optimal flight management computations p 713 A86-46458
- MATRIXx Plus with HYPER-BUILD - Accelerating control design, analysis, and simulation — for F-14 flight simulation [AIAA PAPER 86-2085] p 853 A86-47505
- Recent advances in Monte Carlo turbulence simulation — for aircraft flight simulation p 792 A86-47636
- Use of flight simulation to develop terminal instrument procedures for transport category aircraft [AIAA PAPER 86-2072] p 837 A86-47662
- Flight simulation of MLS interception procedures applicable to laterally segmented approach paths [AIAA PAPER 86-2073] p 837 A86-47663
- Validation of a new flying quality criterion for the landing task [AIAA PAPER 86-2126] p 828 A86-47672
- Flight simulation techniques with emphasis on the generation of high fidelity 6 DOF motion cues p 839 A86-49024
- A simulation facility for assessing the next generation of 4-D air traffic control procedures p 788 A86-49034
- Advanced simulator for pilot training: Effects of collimation on accommodation and vergence [AD-A159545] p 181 N86-14279
- An analytical modularized treatment of autopilots for guided projectile simulations [AD-A159311] p 182 N86-14282
- Fatigue rated fastener systems in aluminum alloy structural joints — aircraft structures [NLR-MP-83045-U] p 259 N86-17809

- Aeronautical facilities catalogue. Volume 2: Airbreathing propulsion and flight simulators [NASA-RP-1133] p 311 N86-18328
- Wind shear investigation program at the NLR [NLR-MP-84027-U] p 325 N86-19808
- Minimum time and fuel flight profiles for an F-15 airplane with a Highly Integrated Digital Electronic Control (HIDEC) system [NASA-TM-88042] p 436 N86-23587
- Lateral and longitudinal aerodynamic stability and control parameters of the basic vortex flap research aircraft as determined from flight test data [NASA-TM-87711] p 512 N86-24703
- Theoretical three-and four-axis gimbal robot wrists [NASA-TP-2564] p 533 N86-25168
- Evaluation of a frequency response technique for aircraft system identification [AD-A164367] p 497 N86-25339
- Validation of a new flying quality criterion for the landing task [NASA-TM-88261] p 595 N86-26341
- Engineering property comparisons for 2324-T39 and 2024-T351 aluminum alloy plate — semisubmersible platform [NLR-TR-84021-U] p 603 N86-26429
- Effects of cladding and anodizing on flight simulation fatigue of 2024-T3 and 7475-T761 aluminum alloys — semisubmersible platform [NLR-TR-85006-U] p 604 N86-26430
- Constant amplitude and flight simulation of fatigue tests on adhesive bonded lap joint specimens of 2024-T3 sheet material — semisubmersible platform [NLR-TR-84090-U] p 612 N86-26663
- Dynamic nonlinear airloads: Representation and measurement p 583 N86-27251
- On the interface between unsteady aerodynamics, dynamics and control p 584 N86-27254
- Effects of aerodynamic lags on aircraft responses p 584 N86-27257
- An analysis of the limit cycle observed in the functional mockup test of the NAL QSTOL research aircraft [NAL-TR-893] p 587 N86-27277
- A high-order language for a system of closely coupled processing elements [NASA-CR-177280] p 619 N86-27930
- Development and validation of the crew-station system-integration research facility [NASA-TM-86841] p 622 N86-28051
- Loads calibrations of strain gage bridges on the OAST project Aeroelastic Research Wing (ARW-2) [NASA-TM-87677] p 639 N86-28075
- Evaluation of the usefulness of various simulation technology options for TERPS enhancement [NASA-CR-177408] p 636 N86-28931
- Development of an algorithm to model an aircraft equipped with a generic CDTI display [NASA-TM-87732] p 748 N86-30349
- Transonic Navier-Stokes wing solutions using a zonal approach. Part 2: High angle-of-attack simulation [NASA-TM-88248-PT-2] p 782 N86-32392
- A mathematical model of the Sea King Mk.50 helicopter aerodynamics and kinematics [ARL-AERO-TM-379] p 808 N86-32425
- Review of aeronautical fatigue investigations in the Netherlands during the period March 1983 - February 1985 [NLR-MP-85025-U] p 851 N86-32779
- Six degree of freedom simulation software [NAL-PD-SE-8614] p 854 N86-33042
- FLIGHT SIMULATORS**
- Application of mechanics to flight-simulator problems p 179 A86-16853
- Wide-angle, low-altitude flight simulator vision system for cockpit research and aircrew training p 180 A86-18453
- The role of the Flight Test Department in the development of new technology aircraft p 285 A86-23271
- Simulator design features for helicopter landing on small ships p 308 A86-23750
- Flight-mechanics problems solvable by a research flight simulator p 308 A86-23773
- The development of an advanced helicopter research simulator [SAE PAPER 841610] p 310 A86-26029
- DFVLR helicopter in-flight simulator for flying quality research p 310 A86-26148
- Wide-angle, low-altitude flight simulator vision system for cockpit research and aircrew training p 311 A86-26152
- Future applications and prospects for flight simulation; Proceedings of the Spring Convention, London, England, May 9, 10, 1984 p 370 A86-28278
- Low cost part task trainer for the GBU-15 guided bomb p 370 A86-28457
- Modular simulators - A comprehensive unified architecture — for flight training p 371 A86-28458
- Modular simulators - Is a local area network sufficient? — for use in flight simulators p 371 A86-28460
- Instructor station for the ILLIMAC general aviation instrument training simulator p 371 A86-28462
- In-flight simulators p 358 A86-29299
- The development of an advanced helicopter research simulator p 447 A86-29917
- Fast motion simulation p 454 A86-30359
- How to make simulators fly like airplanes [AIAA PAPER 86-9777] p 430 A86-32112
- A preliminary study of the basic display/guidance requirements for flying near optimal trajectories p 499 A86-35366
- The flying simulator and technology carrier ATTAS from DFVLR p 490 A86-35520
- Directional handling qualities requirements for nap of the earth (NOE) tasks p 510 A86-35622
- A comparative study of an articulated integrated side-arm controller in a variable stability helicopter p 510 A86-35626
- Flight simulation/simulators; Proceedings of the Aerospace Technology Conference and Exposition, Long Beach, CA, October 14-17, 1985 [SAE SP-834] p 473 A86-36939
- Capabilities of airborne and ground based flight simulation [SAE PAPER 851944] p 513 A86-36944
- Ada for Simulators [SAE PAPER 851964] p 532 A86-36945
- Techniques for increasing the update rate of real-time dynamic computer graphic displays p 523 A86-37072
- Flight testing for better flight training simulators [AIAA PAPER 86-9728] p 496 A86-37081
- Techniques for optimizing computer performance in real-time flight simulation p 617 A86-37177
- Effects of simulator variations on the fidelity of a UH-60 Black Hawk simulation p 596 A86-37178
- Putting humans into virtual space — with visually coupled cockpit simulator p 588 A86-37193
- Microcomputers and aviation — Book p 587 A86-37625
- Results of piloted simulation of Grumman Design 698 [SAE PAPER 851846] p 579 A86-38342
- Use of the flight simulator in performing AFTI/F-16 airplane aeroservoelastic analysis [AIAA PAPER 86-0957] p 585 A86-38931
- Flight simulator upgrades and modifications p 655 A86-40477
- An Orbital Maneuvering Vehicle simulator p 658 A86-40515
- Software position and velocity limiting for a synergistic six degree-of-freedom motion system — flight simulators p 655 A86-42170
- Improvement of servo systems for flight simulator p 706 A86-43487
- Flight simulation p 730 A86-45137
- Problems of the visual display in flight simulation p 731 A86-46719
- Helicopter IFR director algorithm development and flight evaluation on the NAE airborne simulator [AIAA PAPER 86-2205] p 787 A86-47519
- The interpretation of flying qualities requirements for flight control design [AIAA PAPER 86-2249] p 826 A86-47523
- Pressure measurements in a liquid-filled cylinder using a three-degree-of-freedom flight simulator [AIAA PAPER 86-2026] p 827 A86-47660
- Pilot evaluation of experimental flight trajectories in the near-terminal area [AIAA PAPER 86-2074] p 838 A86-47664
- Turbulence response matching in the NT-33A in-flight simulator [AIAA PAPER 86-2078] p 827 A86-47665
- Effects of time delay and pitch control sensitivity in the flared landing [AIAA PAPER 86-2075] p 831 A86-47706
- G protection by an extreme crouch position [AD-A157081] p 91 N86-12213
- A flightpath overshoot flying qualities metric for the landing task [NASA-TM-86795] p 176 N86-14276
- Simulation of a six degrees of freedom flight simulator motion system [UA-00-39] p 241 N86-16230
- Fatigue testing of tube to node butt welds envisaged for RAE Bedford flight simulator [REPT-23480/2/85] p 257 N86-16674
- Flight training simulators. Effects of terrain accuracy on simulated radar image quality [AD-A160905] p 311 N86-18333
- Horizontal display for vertical flight: A direction of motion experiment [AD-A161113] p 299 N86-18321
- Improving commercial aircraft training simulators p 295 N86-19836
- Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987 [AD-A162762] p 402 N86-22443
- Feasibility study for a static aircraft flight [AD-A163129] p 466 N86-24233
- Langley aerospace test highlights, 1985 [NASA-TM-87703] p 537 N86-26276
- Flight simulator: Comparison of resolution thresholds for two light valve video projectors [AD-A164577] p 598 N86-26344
- Analyzing the cost effectiveness of using flight simulators in the Israeli Air Force [AD-A164864] p 599 N86-26346
- A comparison of voice and keyboard data entry for a helicopter navigation task [AD-A163245] p 610 N86-26501
- Flight simulation motion-base drive algorithms. Part 2: Selecting the system parameters [UTIAS-307] p 618 N86-27929
- Pilot interaction with automated airborne decision making systems [NASA-CR-177002] p 679 N86-29508
- The integrated manual and automatic control of complex flight systems [NASA-CR-176940] p 729 N86-30737
- Simulation evaluation of display/FLIR concepts for low-altitude, terrain-following helicopter operations [NASA-TM-86779] p 789 N86-31551
- Simulator scene display evaluation device [NASA-CASE-ARC-11504-1] p 840 N86-32447
- An improved optical viewing system for a flight simulator [MS-8025] p 840 N86-32448
- FLIGHT STABILITY TESTS**
- Flight testing of an ASW helicopter p 352 A86-26585
- The development of microcomputer codes for studying the flight dynamics and performance of helicopters p 368 A86-27660
- Parametric study of low Reynolds number precessing/spinning incompressible flows — applicable to flight stability of liquid-filled projectiles [AIAA PAPER 86-2027] p 827 A86-47661
- Lateral and longitudinal aerodynamic stability and control parameters of the basic vortex flap research aircraft as determined from flight test data [NASA-TM-87711] p 512 N86-24703
- Loran C 1984 spring-summer stability [AD-A167867] p 789 N86-31555
- Identification of gust input and gust response characteristics from Do 28 TNT flight test data [ESA-TT-919] p 837 N86-32445
- FLIGHT TEST INSTRUMENTS**
- Telemetry system prototype development — for Naval aircraft flight tests p 281 A86-23268
- Flight Test Instrumentation System FTIS for type-certification of the Indonesian aircraft CN 235 p 358 A86-27818
- The MBB flight test centre and its facilities [AIAA PAPER 86-9746] p 447 A86-32090
- Real-time telemetered inertial guidance (TIMIG) evaluation [AIAA PAPER 86-9795] p 449 A86-32124
- The NDS 2000 Flight Test Instrumentation System in the F-20 Tigershark [AIAA PAPER 86-9797] p 438 A86-32126
- Design and evaluation of an instrumentation system for measurements in nonsteady symmetrical flight conditions with the Hawker Hunter MK 7 [VTH-LR-308] p 232 N86-16215
- Construction of a measuring method using fiber optics and an LTN-90 laser gyro strapdown system for BO-195 helicopters [DFVLR-MITT-85-10] p 216 N86-17333
- Operational application of the STALINS method for measuring take-off and landing trajectories [NLR-TR-83010-U] p 227 N86-17346
- The application of sensors in light tests [NLR-MP-84056-U] p 232 N86-17352
- CID-720 aircraft high-environment flight instrumentation system p 392 N86-21947
- CID-720 aircraft Langley Research Center preflight hardware tests: Development, flight acceptance and qualification p 392 N86-21949
- Method for determining the time delay of the pitot-static tubing system of aircraft — semisubmersible platform [NLR-TR-83075-U] p 589 N86-26335
- The application of energy techniques to propeller-driven airplanes [AD-A167113] p 807 N86-31569
- Flight test instrumentation used in the Fokker F27 and F28 development and certification flight program [NLR-MP-84023-U] p 611 N86-32431



FLIGHT TEST VEHICLES

- X-wing rotor systems test vehicle scheduled for flight in October p 707 A86-44001
- Use of state estimation to calculate angle-of-attack position error from flight test data [AD-A163982] p 480 N86-24670

FLIGHT TESTS

- Air Force flight test instrumentation system p 102 A86-13202
- X-29 flight testing p 95 A86-13213
- Grumman's automated test systems p 111 A86-13214
- A programmable data acquisition system with integrated test and calibration facilities — in-flight aircraft testing p 102 A86-13215
- Correlation of GPS receiver channel track continuity with aircraft structural masking p 92 A86-13217
- An integrated solution for flight test data handling p 93 A86-13226
- Canadian forces PCM telemetry processing and display system p 111 A86-13248
- A brief history of the first U.S. JATO flight tests of August 1941 [IAF PAPER 85-453] p 131 A86-15913
- 28 years of flight testing helicopters p 161 A86-17361
- Testing time for AMX - The close support specialist moves towards production p 162 A86-17435
- National Specialists' Meeting on Helicopter Testing Technology, Williamsburg, VA, October 29-November 1, 1984, Proceedings p 163 A86-18401
- Dynamic interface - Conventional flight testing plus a new analytical approach p 163 A86-18405
- Flight Data Analysis and Storage System (FASS) p 170 A86-18407
- Flight tests of the helicopter pneumatic deicing system p 163 A86-18408
- New techniques for optimization and certification of helicopters in icing conditions p 164 A86-18416
- The US Army aviation flight activity - An overview p 134 A86-18425
- KS-146A camera development and flight test results p 229 A86-19583
- Camera flight tests and image evaluation p 230 A86-19591
- Dynamics and controls flight testing of the X-29A airplane [AIAA PAPER 86-0167] p 237 A86-19728
- Development of a knowledge acquisition tool for an expert system flight status monitor [AIAA PAPER 86-0240] p 230 A86-19764
- Sparwise turbulence effects on aircraft response [AIAA PAPER 86-0255] p 200 A86-19774
- Flight test maneuver modeling and control [AIAA PAPER 86-0426] p 219 A86-19868
- Society of Experimental Test Pilots, Symposium, 28th, Beverly Hills, CA, September 26-29, 1984, Proceedings p 221 A86-21051
- Supersonic conventional weapon testing of the F/A-18A Hornet p 222 A86-21052
- F-14A low altitude, low airspeed, high angle of attack asymmetric thrust flight test program p 222 A86-21053
- AV-8B initial sea trials p 222 A86-21054
- Progress report - F-16 C&D testing p 222 A86-21056
- F-20A Tigershark progress report p 222 A86-21057
- Conventional takeoff and landing (CTOL) airplane ski jump evaluation p 222 A86-21058
- Non-rigid airship testing p 223 A86-21059
- Structural demonstration of the AV-8B Harrier II p 223 A86-21061
- Escape systems testing p 223 A86-21063
- Flight testing the fixed wing configuration of the Rotor Systems Research Aircraft (RSRA) p 223 A86-21064
- F-15 Dual-Role Fighter flight testing p 224 A86-21065
- Canard Mirage on test p 225 A86-22261
- Exploring the unknown with unmanned aircraft p 225 A86-22263
- Advanced medium scale real-time system — for evaluation of flight tests p 296 A86-22720
- The telemetry system of the DFVLR experimental aircraft ATTAS p 281 A86-22729
- Society of Flight Test Engineers, Annual Symposium, 15th, St. Louis, MO, August 12-16, 1984, Proceedings p 284 A86-23252
- The F-16XL flight test program p 284 A86-23260
- Further development in stores separation data acquisition and reduction p 315 A86-23262
- Flight test data acquisition and processing system p 329 A86-23263
- A study of state of the art computer graphics systems for flight safety monitoring p 329 A86-23264
- Results of high angle-of-attack testing of the F-15 with conformal fuel tanks p 284 A86-23267

- The role of the Flight Test Department in the development of new technology aircraft p 285 A86-23271
- Air Force Flight Test Instrumentation System - An introduction for flight test engineers and managers p 296 A86-23275
- Development of a new technology small fan jet engine [ASME PAPER 85-IGT-139] p 303 A86-23931
- Frequency methods of aircraft identification — Russian book p 306 A86-24148
- Future requirements of wind tunnels for CFD code verification [AIAA PAPER 86-0753] p 309 A86-24742
- A review of pilot workload measurement techniques used on the A-10 single seat night attack test program [SAE PAPER 841492] p 327 A86-26016
- DFVLR flying qualities research using operational helicopters p 307 A86-26147
- Determination of limitations for helicopter ship-borne operations p 280 A86-26151
- Helicopter manoeuvre stability - A new twist p 307 A86-26160
- A review of RAE experimental techniques for rotor dynamics and aerodynamics p 292 A86-26161
- HC-Mk1 (Chinook) heated rotor blade icing test. I - Test vehicle, test site, approach and summary of testing p 293 A86-26167
- HC-Mk1 (Chinook) heated rotor blade icing test. II - Analysis of atmospheric conditions, aircraft and systems characteristics p 293 A86-26168
- Helicopter vibration flight testing - The rotortuner approach p 293 A86-26169
- Helicopter flight test demonstration of differential GPS p 345 A86-26438
- Commercial aviation GPS Navigation Set flight test results p 346 A86-26507
- Civil helicopter flight operations using differential GPS p 346 A86-26509
- Flight testing of an ASW helicopter p 352 A86-26585
- Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics p 353 A86-27661
- TSPI data processing in the telemetry environment — Time Space Position Information for flight tests p 347 A86-27804
- Rotating aerodynamic exciters for in-flight flutter testing p 353 A86-27820
- Flight tests of MLS elevation guidance p 348 A86-27899
- Control of the flight testing of aircraft as a means of increasing their reliability p 397 A86-28307
- JTIDS RELNAV performance evaluation — Joint Tactical Information Distribution System in relative air navigation p 350 A86-28369
- LANTIRN flight test - Opening the night window — Low Altitude Navigation and Targeting Infrared System for Night p 361 A86-28842
- CAD/CAM supports flight test modifications p 356 A86-29823
- Flight test of a velocity augmented strapdown navigation system LHN-81 p 421 A86-30314
- X-29 flight - Acid test for design predictions p 426 A86-31333
- X-29A advanced technology demonstrator program overview [AIAA PAPER 86-9727] p 428 A86-32076
- Flight test of a decoupler pylon for wing/store flutter suppression [AIAA PAPER 86-9730] p 428 A86-32077
- Instrumentation system for real time navigation system performance assessment [AIAA PAPER 86-9731] p 422 A86-32078
- Grumman's real time computing system for avionics testing [AIAA PAPER 86-9732] p 464 A86-32079
- Flight path measurement of helicopters using a strap-down navigation system [AIAA PAPER 86-9733] p 422 A86-32080
- X-29A flight flutter data analysis by advanced methods [AIAA PAPER 86-9737] p 429 A86-32083
- Real-time open-loop frequency response analysis of flight test data [AIAA PAPER 86-9738] p 443 A86-32084
- Combined test force operations at the Air Force Flight Test Center [AIAA PAPER 86-9739] p 406 A86-32085
- Principal site testing concept within the Navy [AIAA PAPER 86-9740] p 406 A86-32086
- Principles of flight test [AIAA PAPER 86-9742] p 406 A86-32087
- Long range planning for flight test support [AIAA PAPER 86-9744] p 406 A86-32088
- The MBB flight test centre and its facilities [AIAA PAPER 86-9746] p 447 A86-32090

- Tracking radars at flight test ranges [AIAA PAPER 86-9747] p 447 A86-32091
- Air Force Flight Test Center range overview [AIAA PAPER 86-9748] p 448 A86-32092
- Operational suitability evaluation of a tactical fighter system [AIAA PAPER 86-9753] p 406 A86-32094
- Flight test techniques used for carriage load measurements at large underfuselage store configurations on Tornado combat A/C [AIAA PAPER 86-9755] p 429 A86-32096
- Natural laminar flow flight experiments on a turbine engine nacelle fairing [AIAA PAPER 86-9756] p 429 A86-32097
- Single heading climbs - An alternate technique for determining performance — in jet transport flight tests [AIAA PAPER 86-9757] p 429 A86-32098
- Instrumentation of a light twin aircraft for flow energizer flight tests [AIAA PAPER 86-9759] p 438 A86-32099
- Development and flight testing of the T-2 control configured vehicle [AIAA PAPER 86-9763] p 429 A86-32101
- T-46A flight test results [AIAA PAPER 86-9766] p 429 A86-32103
- Computer graphics support of a new era in flight test ground stations [AIAA PAPER 86-9769] p 448 A86-32105
- Flight test planning and parameter extraction for rotorcraft system identification [AIAA PAPER 86-9772] p 430 A86-32107
- Flight test simulation of the T-46 [AIAA PAPER 86-9773] p 430 A86-32108
- F-14A low altitude high angle of attack simulation and flight test program [AIAA PAPER 86-9774] p 430 A86-32109
- X-29 ground and flight subsystem testing [AIAA PAPER 86-9781] p 430 A86-32115
- Inflight excitation of the F-16XL [AIAA PAPER 86-9782] p 430 A86-32116
- Constant altitude helicopter flight testing [AIAA PAPER 86-9787] p 431 A86-32119
- The NASA modern technology rotors program [AIAA PAPER 86-9788] p 440 A86-32120
- Verification of the thrust and airflow model obtained from the performance modelling process [AIAA PAPER 86-9790] p 441 A86-32121
- Real-time telemetered inertial guidance (TMIG) evaluation [AIAA PAPER 86-9795] p 449 A86-32124
- AFITIS - What now? — Air Force Flight Instrumentation System [AIAA PAPER 86-9799] p 439 A86-32128
- RASP - A system generating very accurate position markers during flight testing — Radiographic Spotting of Position of aircraft [AIAA PAPER 86-9802] p 422 A86-32131
- Experience with flight testing integrated avionics systems [AIAA PAPER 86-9804] p 431 A86-32133
- Tornado avionic flight testing [AIAA PAPER 86-9805] p 431 A86-32134
- Specific excess power applications for rotary wing aircraft [AIAA PAPER 86-9810] p 431 A86-32137
- Performance characteristics of transponder-aided versus GPS-aided inertial navigation systems [AIAA PAPER 86-9817] p 422 A86-32142
- F-16 flutter testing at Eglin Air Force Base [AIAA PAPER 86-9819] p 439 A86-32144
- F-16 radar flight test - A lesson in software development [AIAA PAPER 86-9827] p 406 A86-32149
- A radar analysis program for evaluating and monitoring primary and secondary radar systems p 423 A86-32601
- The choice of techniques used for flight flutter clearance with particular reference to the BAe 146 and BAe 125 p 433 A86-33245
- SHARP (Stationary High Altitude Relay Platform) - Rectenna and low altitude tests p 519 A86-33944
- First tests of an onboard MLS receiver p 484 A86-33988
- Estimation of transport airplane aerodynamics using multiple stepwise regression p 489 A86-35385
- Flight test trajectory controller synthesis with constrained eigenstructure assignment p 509 A86-35404
- Development and flight test of a helicopter, X-band, portable precision landing system concept p 485 A86-35608
- Description and initial flight experiments - Boeing ARTI test bed — Advanced Rotorcraft Technology Integration p 493 A86-35652
- RSRA flight development test in the airplane configuration — Rotor Systems Research Aircraft p 493 A86-35653



Summary of results of NASA F-15 flight research program  
[AIAA PAPER 86-9761] p 496 A86-37084

Flight testing for better flight training simulators  
[AIAA PAPER 86-9728] p 496 A86-37081

AV-8B High Angle of Attack/departure resistance system flight test program  
[AIAA PAPER 86-9729] p 496 A86-37082

Simulation support software in a real-time environment at the U.S. Air Force Flight Test Center  
p 617 A86-37180

Flight test with a terrain aided navigation system  
p 571 A86-37334

Development of a temperature-compensated hot-film anemometer system for boundary-layer transition detection on high-performance aircraft  
p 605 A86-38236

USAF Test Pilot School use of DIGITAC in systems testing  
[SAE PAPER 851827] p 594 A86-38333

A verification of propulsion and airplane performance models generated from flight  
[SAE PAPER 851899] p 580 A86-38362

Further results of natural laminar flow flight test experiments  
[SAE PAPER 850862] p 581 A86-38504

Low airspeed envelope determination of the CH-139 Jet Ranger helicopter  
p 586 A86-39565

Cost-effective remote-site testing — of de Havilland aircraft  
p 539 A86-39570

CTOL ski jump - Analysis, simulation, and flight test  
p 637 A86-40113

A report on the initial testing of the large scale advanced prop-fan  
[AIAA PAPER 86-1551] p 647 A86-42708

Flight research on natural laminar flow nacelles - A progress report  
[AIAA PAPER 86-1629] p 627 A86-42762

Application of system identification to aircraft flight test data processing  
p 638 A86-43002

Propelling the aerospace plane  
p 720 A86-43910

Flight testing of the navigation and flight control complexes of aircraft and helicopters — Russian book  
p 708 A86-44283

Society of Experimental Test Pilots, Symposium, 29th, Beverly Hills, CA, September 25-28, 1985, Proceedings  
p 709 A86-44936

The XV-15 Tilt-Rotor flight-test program  
p 709 A86-44938

Boeing 737-300 flight test and the first nine months service experience  
p 709 A86-44940

X-29 initial flight test results  
p 709 A86-44942

AV-8B high angle of attack/spin program  
p 710 A86-44943

Tornado high speed terrain following testing in mountainous terrain and bad weather  
p 710 A86-44945

Certification flight testing of civilian helicopters in the United Kingdom  
p 710 A86-44947

Flight testing the Voyager - A non-stop, unrefueled, around-the-world aircraft  
p 710 A86-44948

Aerobatic testing of the BK-117 helicopter  
p 710 A86-44950

Identification of pilot-vehicle dynamics from in-flight tracking data  
p 725 A86-46459

Development of control laws for a flight test maneuver autopilot  
p 725 A86-46460

Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics in cruising flight  
p 713 A86-46461

New methods for in-flight vibration testing  
p 820 A86-47369

Flight test evaluation of techniques to predict longitudinal pilot induced oscillations  
[AIAA PAPER 86-2253] p 826 A86-47509

Design considerations for flight test of a fault inferring nonlinear detection system algorithm for avionics sensors  
[AIAA PAPER 86-2030] p 810 A86-47511

NASA B737 flight test results of the Total Energy Control System  
[AIAA PAPER 86-2143] p 826 A86-47516

Society of Flight Test Engineers, Annual Symposium, 16th, Seattle, WA, July 29-August 2, 1985, Proceedings  
p 794 A86-47776

A proposed plane for the initial flight testing of a Rutan Aircraft Factory long-EZ and other light amateur experimental aircraft  
p 794 A86-47777

Flight testing in the aircraft carrier environment  
p 794 A86-47779

A minimum approach to flight testing  
p 810 A86-47780

Flight test experience and controlled impact of a large, four-engine remotely piloted airplane  
p 794 A86-47781

Flight testing a transonic wing with maneuver flaps and a direct side force control system for CAS aircraft  
p 794 A86-47782

Flight testing of the Tornado Terrain Following Radar System in bad weather  
p 795 A86-47783

F-14A low-altitude asymmetric thrust simulation and flight test program  
p 795 A86-47785

Flight testing of general electric high bypass engines evolution and revolution  
p 812 A86-47786

Results of technology programs for general aviation aircraft at Dornier  
p 795 A86-47787

Flight testing on customer aircraft with a portable airborne digital data system  
p 810 A86-47788

Precise control surface position measurements for hysteresis and twist testing  
p 795 A86-47789

From mainframe to micro - Structures and flutter testing at the Air Force Flight Test Center  
p 838 A86-47791

Re-engine KC-135R/CFM56 flight test program - An overview  
p 795 A86-47793

A new look at inflight loads on existing transport aircraft  
p 796 A86-47794

X-29 Technology Demonstrator program status review  
p 796 A86-47795

Flight tests and preliminary aerodynamic parameter extraction of an externally piloted vehicle aircraft model  
p 796 A86-47800

Flight flutter testing at Ames-Dryden  
p 797 A86-47802

Test and flight evaluation of precision distance measuring equipment  
p 788 A86-49017

Flight path reconstruction - A powerful tool for data compatibility check  
p 833 A86-49041

Estimation of aerodynamic parameters from flight data of a high incidence research model  
p 834 A86-49057

Method of analysing data on a swept wing aircraft in flight  
p 775 A86-49103

Take-off prediction for the Airbus A300-600 and the A310 compared with flight test results  
p 804 A86-49121

Details of analysis of airplane structure acoustic loading in flight testing  
p 804 A86-49129

BK 117 flight tests for certification of an expanded flight envelope  
[MBB-UD-452-85-OE] p 805 A86-50253

Flutter clearance tests on a Transavia PL-12/T-400 Skyfarmer  
[AD-A157212] p 110 A86-12234

An analytical comparison of three visual approach slope indicators: VASIS, T-VASIS and PAPI  
[ARL/SYS-R-33] p 93 A86-13309

Limited Airworthiness and Flight Characteristics (A and FC) test of the quick fix configuration  
[AD-A157716] p 101 A86-13323

Development of a flight software testing methodology  
[NASA-CR-176391] p 128 A86-13922

Alternate altitude testing of solid cloth parachute systems  
[AD-A157068] p 150 A86-14251

Development of a flight test maneuver autopilot for an F-15 aircraft  
[NASA-TM-86799] p 176 A86-14275

Performance and loads data from a hover test of a full-scale XV-15 rotor  
[NASA-TM-86833] p 152 A86-15243

Adaptation of a modern medium helicopter (Sikorsky S-76) to higher harmonic control  
p 178 A86-15303

F-111 natural laminar flow glove flight test data analysis and boundary layer stability analysis  
[NASA-CR-168051] p 168 A86-15305

Prediction of wing aeroelastic effects on aircraft lift and pitching moment characteristics  
[NASA-TM-87631] p 178 A86-15319

Design and evaluation of an instrumentation system for measurements in nonsteady symmetrical flight conditions with the Hawker Hunter MK 7  
[VTH-LR-308] p 232 A86-16215

Airworthiness flight test program of an aircraft equipment fairing  
p 226 A86-16653

Maximum-likelihood estimation of parameters in linear systems from flight test data. A FORTRAN program  
[ESA-TT-898] p 264 A86-16989

The deiced super Puma — helicopters  
[SNIAS-852-210-104] p 215 A86-17328

Helicopter-ship qualification testing  
[NLR-MP-84062-U] p 227 A86-17343

Operational application of the STALINS method for measuring take-off and landing trajectories  
[NLR-TR-83010-U] p 227 A86-17346

The application of sensors in light tests  
[NLR-MP-84056-U] p 232 A86-17352

The 737 graphite composite flight spoiler flight service evaluation  
[NASA-CR-172600] p 314 A86-18448

Environmental exposure effects on composite materials for commercial aircraft  
[NASA-CR-177929] p 314 A86-18449

Aircraft measurements and coordination in FASINEX  
[AD-A160789] p 321 A86-18699

Dynamics and controls flight testing of the X-29A airplane  
[NASA-TM-86803] p 295 A86-19313

Flight test evaluation of the Netherlands flight inspection aircraft  
[NLR-MP-84052-U] p 295 A86-19318

Determination of limitations for helicopter ship-borne operations  
[NLR-MP-84072-U] p 295 A86-19319

Flight test of a resident backup software system  
[NASA-TM-86807] p 307 A86-19325

Determination of performance and stability characteristics from dynamic maneuvers with a transport aircraft using parameter identification techniques  
[NLR-MP-84024-U] p 308 A86-19326

The role of a real-time flight support facility in flight research programs  
[NASA-TM-86805] p 311 A86-19330

In-flight acoustic measurements on a light twin-engined turboprop airplane  
[NASA-CR-178004] p 332 A86-20089

Wind shear measurement on board a Morane 893  
p 394 A86-21084

Comparison of airborne data acquisition systems at ARL (Aeronautical Research Laboratories)  
[AD-A161684] p 357 A86-21537

Relative accuracy of ALPEX aircraft data: An evaluation of the ALPEX intercomparison flight with the NCAR (National Center for Atmospheric Research) Electra, the NOAA (National Oceanic and Atmospheric Administration) P3 and the DFVLR (Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt) Falcon  
[PB86-100823] p 394 A86-22067

Improved Y-7, Y-12 aircraft described  
p 436 A86-22572

Details of Y-121 STOL aircraft presented  
p 436 A86-22573

A preliminary design for flight testing the FINDS algorithm  
[NASA-CR-178043] p 439 A86-22574

Comparative evaluation of redundant flight data recorded by a Digital Airborne Integrated Data System Recorder (DAR) on board an Airbus A-310 aircraft  
p 439 A86-22575

Natural laminar flow flight experiments on a swept wing business jet-boundary layer stability analyses  
[NASA-CR-3975] p 478 A86-24659

Computed centerline MLS (Microwave Landing System) approach demonstration at Washington National Airport  
[AD-A163722] p 486 A86-24681

Fireproof hydraulic brake system  
[AD-A163542] p 497 A86-24688

Real-time flight test PCM data acquisition monitor  
[AD-A164035] p 524 A86-24897

Evaluation of a frequency response technique for aircraft system identification  
[AD-A164367] p 497 A86-25339

Digital Electronic Engine Control (DEEC) Flight Evaluation in an F-15 Airplane  
[NASA-CP-2298] p 504 A86-25342

Digital electronic engine control F-15 overview  
[PAPER-1] p 504 A86-25343

Digital electronic engine control history  
[PAPER-2] p 504 A86-25344

NASA Lewis F100 engine testing  
[PAPER-4] p 504 A86-25346

Flight testing the digital electronic engine control in the F-15 airplane  
[PAPER-6] p 505 A86-25348

Summary of results of NASA F-15 flight research program  
[NASA-TM-86811] p 539 A86-26277

X-29A technology demonstrator flight test program overview  
[NASA-TM-86809] p 586 A86-26328

Flight test guide for certification of transport category airplanes  
[FAA-AC-25-7] p 587 A86-26329

Aeroelastic control of oblique-wing aircraft  
[NASA-TM-86808] p 595 A86-26340

In-flight and wind tunnel leading-edge vortex study on the F-106B airplane  
p 557 A86-27198

Unsteady Aerodynamics-Fundamentals and Applications to Aircraft Dynamics  
[AGARD-CP-386] p 560 A86-27224

Wind tunnel and flight test analysis and evaluation of the buffet phenomena for the alpha jet transonic wing  
p 561 A86-27239

Extraction of aerodynamic parameters for aircraft at extreme flight conditions  
p 563 A86-27248

Identification of aircraft characteristics including gust induced dynamic effects  
p 565 A86-27263

Highly Maneuverable Aircraft Technology (HMAT) flight-flutter test program [NASA-TM-84907] p 596 N86-27290

Verification and aerodynamic calibration of the tunnel 18T Captive Trajectory Support (CTS) system [AD-A165235] p 599 N86-27295

Operational flight experience and disassembly/inspection results of Space Shuttle orbiter actuators p 600 N86-27354

Analysis of helicopter noise data using international helicopter noise certification procedures [PB86-186533] p 620 N86-27972

Siting criteria for Microwave Landing Systems (MLS) [FAA/PM-86/18] p 636 N86-28073

Application of parameter estimation to highly unstable aircraft [NASA-TM-88266] p 639 N86-28078

Mirage A3-002 strain responses to ground calibration loadings between 1978 and 1985 [AD-A165846] p 640 N86-28080

Uniform engine testing program phase 7: NASA Lewis Research Center second entry [NASA-TM-87272] p 650 N86-28085

Implementation and flight tests for the Digital Integrated Automatic Landing System (DIALS). Part 2: Complete set of flight data [NASA-TM-87632-PT-2] p 653 N86-28083

A comparison of computer-generated lift and drag polars for a Wortmann airfoil to flight and wind tunnel results [NASA-CR-176963] p 631 N86-28019

Development of flight testing techniques [NASA-CR-176996] p 640 N86-28936

In-flight thrust determination on a real-time basis [NASA-CR-176997] p 641 N86-28937

Implementation and flight tests for the Digital Integrated Automatic Landing System (DIALS). Part 1: Flight software equations, flight test description and selected flight test data [NASA-TM-87632-PT-1] p 653 N86-28950

Technology research for strapdown inertial experiment and digital flight control and guidance [NASA-CR-176907] p 703 N86-28800

Engineering performance evaluation of small community airport microwave landing system (TI-model) at Philadelphia International Airport Runway 17 [FAA/PM-86/24] p 704 N86-28802

Flight control system development and flight test experience with the F-111 mission adaptive wing aircraft [NASA-TM-88265] p 714 N86-28613

Flight test of a decoupler pylon for wing/store flutter suppression [NASA-TM-87767] p 714 N86-28614

Analogue signal conditioning for flight test instrumentation [AGARD-AG-160-VOL-17] p 719 N86-28616

Flight determination of the aerodynamic stability and control characteristics of the NASA SGS 1-36 sailplane in the conventional and deep stall angles-of-attack of between -5 and 75 degrees [NASA-CR-176982] p 726 N86-28665

Noise predictions of a high bypass turbofan engine using the Lockheed Near-Field Noise Prediction Program [NASA-CR-178148] p 756 N86-30469

The choice of techniques used for flight flutter clearance with particular reference to the BAe 146 and BAe 125 p 728 N86-30644

Experience with aeroelastic analysis of a single engine turbo trainer using finite element methods p 743 N86-30646

Air-on demonstration of the AEDC PWT tunnel 18T captive trajectory support system [AD-A166888] p 698 N86-30700

Store separation flight testing [AGARD-AG-300-VOL-5] p 717 N86-30727

Longitudinal stability and control derivatives obtained from flight data of a PA-30 aircraft [NASA-CR-176999] p 729 N86-30736

The integrated manual and automatic control of complex flight systems [NASA-CR-176940] p 729 N86-30737

Flight service evaluation of composite components on the Bell helicopter model 208L [NASA-CR-178148] p 734 N86-30812

Determination of antennae patterns and radar reflection characteristics of aircraft [AGARD-AG-300-VOL-4] p 744 N86-30831

Mission adaptive wing soars at NASA Facility [P86-10182] p 806 N86-31563

Flight test of passive wing/store flutter suppression [NASA-TM-87766] p 806 N86-31568

Aerial refueling evaluation of the CH-47D helicopter [AD-A167575] p 808 N86-31574

Technology demonstration for investigation of the new possibilities of amphibious flying boats, phase 2 [BMFT-FB-W-85-022] p 808 N86-31577

Flight test instrumentation used in the Fokker F27 and F28 development and certification flight program [NLR-MP-84023-U] p 811 N86-32431

**FLIGHT TIME**

Minimization of aircraft flight time for a given distance with return to the original point p 109 A86-13417

Selection of an optimal cost index for airline hub operation p 130 A86-14239

Advanced ATC - An aircraft perspective p 788 A86-49637

The relationship between material failures and flight hours: Statistical considerations [AD-A159571] p 169 N86-15311

**FLIGHT TRAINING**

The possibility of using a flight recorder for the analysis of pilot performance p 170 A86-16862

Modular simulators - How to make it work - procurement and logistics for flight-weapon system trainer p 371 A86-28459

Flight testing for better flight training simulators [AIAA PAPER 86-8728] p 496 A86-37081

Pilot report - B-1B p 634 A86-41275

Bringing on the B-1B p 621 A86-41276

Northrop's surrogate trainer - simulating AH-64A helicopter p 709 A86-44941

Flight training simulators. Effects of terrain accuracy on simulated radar image quality [AD-A160905] p 311 N86-18333

Improving commercial aircraft training simulators p 295 N86-19636

Development of a computer-managed readiness assessment system [AD-A162931] p 483 N86-24215

Analyzing the cost effectiveness of using flight simulators in the Israeli Air Force [AD-A164864] p 599 N86-26346

**FLIGHT VEHICLES**

A study of flutter on the basis of frequency tests at subcritical regimes p 109 A86-13370

Using the shock-expansion method for calculating the aerodynamic characteristics of flight vehicles p 81 A86-13398

Information-measurement complexes of flight vehicles - Russian textbook p 172 A86-18743

A parallel quasi-linearization algorithm for air vehicle trajectory optimization [AIAA PAPER 85-0498] p 243 A86-20244

Statistical dynamics and control optimization of flight vehicles - Russian textbook p 449 A86-33299

Recurrent identification of unsteady aerodynamic forces of elastic vehicles p 554 A86-39782

**FLIP-FLOPS**

Advanced laser based inertial instrument development [AD-A166307] p 742 N86-30128

**FLIR DETECTORS**

Applications of thermal imager devices incl. modelling aspects [MBB-UD-462-85-OE] p 850 A86-50254

FLIR, NVG and HMS/D systems for helicopter operation: Review p 619 N86-26804

Night vision by NVG with FLIR p 619 N86-26811

Simulation evaluation of display/FLIR concepts for low-altitude, terrain-following helicopter operations [NASA-TM-86779] p 789 N86-31551

**FLOATING**

Waves due to a steadily moving source on a floating ice plate - used as aircraft runway p 124 A86-13535

**FLOODS**

Preliminary floor, seat, and dummy data p 391 N86-21942

**FLOORS**

A procedure to evaluate aircraft crash floor pulses [SAE PAPER 850854] p 582 A86-38513

Effects of an internal floor on low frequency sound transmission into aircraft cabins - An experimental investigation [AIAA PAPER 86-1939] p 711 A86-45426

Structural influence of cabin floor on sound transmission into propeller aircraft - Analytical investigations [AIAA PAPER 86-1940] p 711 A86-45427

**FLOQUET THEOREM**

Ground resonance analysis using a substructure modeling approach p 176 N86-15282

Flap-lag-torsional dynamics of helicopter rotor blades in forward flight [NASA-CR-176976] p 714 N86-29810

**FLOTATION**

Aircraft flotation analysis - Current methods and perspective - of ground performance evaluation [SAE PAPER 851936] p 580 A86-38369

**FLOW CHARACTERISTICS**

Juncture flow control using leading-edge fillets [AIAA PAPER 85-4097] p 84 A86-14454

Freestream turbulence effects on wake properties of a flat plate at an incidence p 142 A86-17132

Modification to the NASA Langley 4- by 7-meter tunnel for improved rotorcraft aerodynamics and acoustics p 179 A86-18414

Features of the flow structure around polygonal lifting bodies at supersonic velocities p 628 A86-43421

An improved viscid/inviscid interaction procedure for transonic flow over airfoils [NASA-CR-3805] p 87 N86-12208

A numerical simulation of the inviscid flow through a counter-rotating propeller [NASA-TM-87200] p 207 N86-16195

Wing profile in stalled position subject to a flow of alternating potential and strong vortex p 560 N86-27229

An investigation of the feasibility of active boundary layer thickening for aircraft drag reduction [NASA-CR-177133] p 630 N86-28064

Comparison of theoretical and flight-measured local flow aerodynamics for a low-aspect-ratio fin [NASA-CR-176995] p 632 N86-28920

Flow past a flat plate with a vortex/sink combination [NASA-CR-176908] p 678 N86-29159

Effect of film cooling on the aerodynamic performance of a turbine cascade p 742 N86-29859

Aerodynamic effect of coolant ejection in the rear part of transonic rotor blades p 742 N86-29861

**FLOW CHARTS**

A microcomputer pollution model for civilian airports and Air Force bases [AD-A163232] p 616 N86-26714

**FLOW COEFFICIENTS**

Interactions between flow, heat and mass transfer during formation of carbon-fiber reinforced epoxy composites p 451 N86-22642

**FLOW DEFLECTION**

Some solutions to the Karman equation describing flow past the salient points of a profile p 79 A86-13363

Calculation of supersonic inviscid flow past a plane air intake element with an isolated head wave p 79 A86-13364

A numerical study of axisymmetric flow past a disk p 79 A86-13377

An analysis of separated flow of an ideal fluid past a finite-aspect-ratio mechanized wing p 80 A86-13395

Construction of equivalent profiles and approximate calculation of transonic flow past the root section of a swept wing p 80 A86-13398

The effect of a perforated wall on incompressible flow past a U-shaped vortex p 81 A86-13408

A method for numerical analysis of the aerodynamic characteristics of an aeroplane wing in the subcritical range of the flying velocity p 83 A86-13933

A study of the flow around a wing equipped with a spoiler p 83 A86-14186

A new fast solver procedure applied to the BGK computer program for transonic flow past an airfoil p 83 A86-14360

Modification to the NASA Langley 4- by 7-meter tunnel for improved rotorcraft aerodynamics and acoustics p 179 A86-18414

Flow past caret wings with flaps p 148 A86-18903

A solution to the problem of flow past wings with allowance for flow separation on the basis of a system of Euler equations p 205 A86-21345

Numerical simulation of transonic separated flows over low-aspect ratio wings [AIAA PAPER 86-0506] p 208 A86-22704

Flow structure at the windward side of conical wings with an attached shock wave at the leading edge p 410 A86-32739

Characteristics of the interaction of interference and diffraction flows at supersonic velocities p 478 A86-36459

Computation of transonic flow about helicopter rotor blades p 554 A86-39053

A method for the design of shock-free slender bodies of revolution p 554 A86-39054

Heat transfer and drag of a body in the far supersonic wake p 554 A86-39657

Lifting bodies designed for flow behind axisymmetric conical shock waves p 554 A86-39660

Scheme for calculating an almost-axisymmetric gas flow and supersonic flow past the end of a cylinder at a small angle of attack p 690 A86-45345

A study of the relationship between nonlinear changes in the lifting force and the vortex structure of flow around a low aspect ratio wing at large angles of attack p 767 A86-48762

Hypersonic flow around a wing at large angles of attack with detached compression jump p 480 N86-25534

Supersonic flow around blunt perforated shields p 480 N86-25558

**FLOW DIRECTION INDICATORS**

A method for measuring the direction and the Mach number of a three-dimensional supersonic nozzle p 80 A86-13392

- Wind tunnel calibration of a flow direction sensor and a pitot-static tube to high angles of attack and side slip  
[NASA-CR-176899] p 359 A86-28364
- The 'minituft' surface flow visualization method - Experience of use in the RAE 5m pressurized low-speed wind tunnel  
p 447 A86-31124
- Flow direction measurement criteria and techniques planned for the 40- by 80-/80- x 120-foot wind tunnel integrated systems tests  
[NASA-CR-176899] p 676 N86-29152
- ### FLOW DISTORTION
- A study of flow near a shock wave intersection line  
p 78 A86-13353
- The effect of the incalculable flow regime of air scoops on flow past a wing  
p 78 A86-13354
- The use of reverse flow to calculate transonic flow past bodies  
p 81 A86-13412
- Calculation of flow around rotating circular cascades with allowance for circumferential flow nonuniformity induced by a perturbation at the inlet  
p 82 A86-13426
- Certain properties of two-dimensional flows in the case of flow past bodies with jets  
p 82 A86-13431
- Calculation of unsteady fan rotor response caused by downstream flow distortions  
p 85 A86-14558
- Vortices incident upon a leading edge - Instantaneous pressure fields  
p 141 A86-17080
- An experimental investigation of response of a turbojet engine to inlet distortion  
[ASME PAPER 85-IGT-12] p 301 A86-23832
- The superposition distortion index - in axial flow fans of turbofan engines  
p 500 A86-34279
- Experimental and numerical study of the response of an axial compressor to distorted inlet flow  
[ONERA, TP NO. 1986-38] p 644 A86-40736
- Redistribution of an inlet temperature distortion in an axial flow turbine stage  
[AIAA PAPER 86-1488] p 671 A86-42658
- Solution of problems of conjugate heat transfer during flow past bodies of different shape  
p 673 A86-43370
- Experimental study of flight effect on fan noise. I - A study of inflow control device for simulating in-flight fan noise in static test  
p 721 A86-48024
- Method for calculating subsonic ideal-gas flow past an aircraft  
p 768 A86-48807
- Review and evaluation of recent developments in metric inlet dynamic flow distortion prediction and computer program documentation and user's manual estimating maximum instantaneous inlet flow distortion from steady-state total pressure measurements with full, limited, or no dynamic data  
[NASA-CR-176765] p 525 N86-24955
- Effects of inlet distortion on a static pressure probe mounted on the engine hub in an F-15 airplane  
[PAPER-5] p 505 N86-25347
- ### FLOW DISTRIBUTION
- Symmetric transonic flow past wings of large aspect ratios  
p 78 A86-13352
- Flow of a diatomic rarefied gas around a cone  
p 78 A86-13360
- Design of the flow path of aircraft gas-turbine engines - Russian book  
p 105 A86-13447
- Multistage compressor stator/rotor interaction  
p 85 A86-14556
- An experimental study of geometrical effects on the drag and flow field of two bluff bodies separated by a gap  
p 141 A86-17055
- A review of adaptive wall wind tunnels  
p 179 A86-17067
- Computation of flowfields in high solidity and high turning angle cascades using Euler equations  
[AIAA PAPER 85-1705] p 144 A86-17847
- Evaluation of methods for predicting complex aircraft flowfields  
[AIAA PAPER 86-0396] p 201 A86-19855
- Three-dimensional body-fitting grid system for a complete aircraft  
[AIAA PAPER 86-0428] p 201 A86-19870
- A three-dimensional viscous flow analysis for the helicopter tip vortex generation process about square and round tipped blades  
[AIAA PAPER 86-0560] p 203 A86-19949
- Numerical simulation of the transonic flowfield for wing/nacelle configurations  
p 204 A86-20159
- The numerical solution of the compressible viscous flow field about a complete aircraft in flight  
p 205 A86-21033
- Interdependence of centrifugal compressor blade geometry and relative flow field  
[ASME PAPER 85-GT-85] p 251 A86-22056
- Production and development of secondary flows and losses within a three dimensional turbine stator cascade  
[ASME PAPER 85-GT-217] p 205 A86-22115
- Numerical solution of 2-D thrust reversing and thrust vectoring nozzle  
[AIAA PAPER 86-0203] p 254 A86-22681
- Simulation of diffuser duct flowfields using a three-dimensional Euler/Navier-Stokes algorithm  
[AIAA PAPER 86-0310] p 206 A86-22692
- Numerical simulation of transonic separated flows over low-aspect ratio wings  
[AIAA PAPER 86-0508] p 206 A86-22704
- The response of airfoils to periodic disturbances - The unsteady Kutta condition  
[AIAA PAPER 84-0050] p 270 A86-23126
- Numerical simulation of leading-edge vortex flows  
p 270 A86-23133
- Longitudinal potential distribution in a jet of an ionized gas  
p 331 A86-23674
- Nonlinear analysis of pressure oscillations in ramjet engines  
[AIAA PAPER 86-0001] p 363 A86-26601
- Reconstruction of a three-dimensional, transonic rotor flow field from holographic interferogram data  
[AIAA PAPER 85-0370] p 337 A86-27669
- Numerical optimization design of advanced transonic wing configurations  
p 356 A86-28562
- Outer surface of airplane and computational grid for flow analysis in physical space  
p 409 A86-31022
- Flow field and near and far sound field of a subsonic jet  
p 476 A86-35855
- The development of laser speckle velocimetry for the measurement of vortical flow fields  
[AIAA PAPER 86-0768] p 523 A86-37091
- Calculation of helicopter airfoil characteristics for high tip-speed applications  
p 541 A86-37769
- Euler calculation for flow over a wing in ground effect  
[AIAA PAPER 86-1765] p 542 A86-37803
- Euler calculations for flowfield of a helicopter rotor in hover  
[AIAA PAPER 86-1782] p 577 A86-37849
- Improved Euler analysis of advanced turboprop propeller flows  
[AIAA PAPER 86-1521] p 625 A86-42688
- Simulation of engine installation flowfields using a three-dimensional Euler/Navier-Stokes algorithm  
[AIAA PAPER 86-1537] p 671 A86-42699
- A comparison of computational methods for three-dimensional, turbulent turbomachinery flow fields  
[AIAA PAPER 86-1599] p 626 A86-42740
- A nozzle design analysis technique  
[AIAA PAPER 86-1613] p 647 A86-42751
- Characterization of fuel sprays using a high-resolution patternator  
[AIAA PAPER 86-1726] p 656 A86-42814
- 10 years of rotor flows studies at ONERA - State of the art and future studies  
[ONERA, TP NO. 1986-49] p 692 A86-46185
- Theoretical and experimental analysis of separations on helicopter fuselages  
[AAAF PAPER NT 85-08] p 766 A86-48458
- Calculation of flow over multielement airfoils at high lift  
p 772 A86-49011
- Flow field study on a supercritical airfoil using a pressure probe and a two-component Laser-Doppler-Anemometer  
p 775 A86-49074
- The role of flow field computation in improving turbomachinery  
p 775 A86-49080
- Flowfield survey over a 75 deg swept delta wing at an angle of attack of 20.5 deg  
[AIAA PAPER 86-1775] p 777 A86-49579
- Time-averaged subsonic propeller flowfield calculations  
[AIAA PAPER 86-1807] p 778 A86-49584
- Some recent advances in computational aerodynamics for helicopter applications  
[NASA-TM-86777] p 87 N86-12207
- Numerical and experimental studies of 3-D and unsteady turbulent body/appendage/propeller flows  
[AD-A157078] p 123 N86-12552
- A method for calculating flow fields around moving bodies  
[NAL-TR-859T] p 88 N86-13288
- Numerical solutions of Navier-Stokes equations for a Butler wing  
[NASA-CR-174202] p 88 N86-13293
- Computational aspects of zonal algorithms for solving the compressible Navier-Stokes equations in three dimensions  
[NASA-TM-86774] p 88 N86-13296
- Ground effects on V/STOL and STOL aircraft: A survey  
[NASA-TM-86625] p 89 N86-13299
- Pressure-distribution measurements on a transonic low-aspect ratio wing  
[NASA-TM-86683] p 90 N86-13304
- Crushing strength of aluminum oxide agglomerates  
[AD-A158051] p 124 N86-13756
- Theoretical and experimental flow fields for a supersonic cruise fighter forebody  
[NASA-TM-86450] p 148 N86-14218
- A model for closing the inviscid form of the average-passage equation system  
[NASA-TM-87199] p 147 N86-14224
- Solutions of the Navier-Stokes equations with the finite volume method  
p 148 N86-14235
- Comparison of the Euler and potential solutions for supersonic flows over delta wings  
p 149 N86-14239
- Investigation of chemically-reacting supersonic internal flows  
[NASA-CR-176363] p 188 N86-14532
- The experimental determination of the subsonic aerodynamic characteristics of an Ogive-Cylinder body including a comparison with theoretical estimates, volume 1  
[CAR-8509] p 151 N86-15242
- Investigation of a supersonic cruise fighter model flow field  
[NASA-TM-86361] p 152 N86-15248
- Fundamental study of flow field generated by rotorcraft blades using wide-field shadowgraph  
[NASA-CR-176443] p 152 N86-15249
- Test cases for inviscid flow field methods  
[AGARD-AR-211] p 153 N86-15256
- Objectives and scope of the Working Group 07  
p 153 N86-15257
- Formulation of the Euler boundary value problem  
p 154 N86-15258
- Numerical methods  
p 154 N86-15259
- Exact solutions to transonic and supersonic flows  
p 154 N86-15260
- Reference test cases and contributors  
p 154 N86-15261
- Numerical solutions of two-dimensional reference test cases  
p 154 N86-15262
- Numerical solutions for three-dimensional cases: Swept wings  
p 154 N86-15263
- Numerical solutions for three-dimensional cases: Delta wings  
p 155 N86-15264
- Concluding remarks  
p 155 N86-15265
- Boundary-layer transition: T-S waves and crossflow mechanisms  
p 155 N86-15268
- Flow field survey near the rotational plane of an advanced design propeller on a JetStar airplane  
[NASA-TM-86037] p 207 N86-16196
- Mach number and flow-field calibration at the advanced design propeller location on the JetStar airplane  
[NASA-TM-84923] p 207 N86-16197
- Investigation of the development of laminar boundary-layer instabilities along a sharp cone  
[AD-A159370] p 255 N86-16521
- Numerical simulation of the leading-edge separation vortex over delta wing  
p 209 N86-17271
- Numerical simulation of unsteady flow around an airfoil by finite difference solution of Navier-Stokes equations  
p 209 N86-17273
- Validation and comparison with experiment of a high Reynolds number transonic flow airfoil analysis code NSFOIL  
p 210 N86-17294
- Studies of the flow field near a NACA 4412 aerofoil at nearly maximum lift  
[RAE-TM-AERO-2026] p 211 N86-17307
- Calculation of helicopter airfoil characteristics for high tip-speed applications  
[AD-A160694] p 277 N86-18294
- Aerodynamics of two-dimensional blade-vortex interaction  
[AD-A160682] p 295 N86-18315
- Side force characteristics of a 20 deg cone at high angles of attack  
[NAL-TM-AE-8503] p 340 N86-20356
- Particle trajectory computation on a 3-dimensional engine inlet  
[NASA-CR-175023] p 344 N86-20379
- Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987  
[AD-A162792] p 402 N86-22443
- Supersonic axial-force characteristics of a rectangular-box cavity with various length-to-depth ratios in a flat plate  
[NASA-TM-87659] p 415 N86-22554
- User's guide for NASCRIN: A vectorized code for calculating two-dimensional supersonic internal flow fields  
[NASA-TM-85708] p 416 N86-23565
- A zonal approach to the design of finite element grids for 3-D transonic flows with complex geometries  
[AD-A162168] p 417 N86-23572
- Investigations in the flow field of airfoils with various geometries in the domain of high angles of attack. Experimental investigations  
[REPT-A-13/85] p 418 N86-23576
- Numerical simulation of vortices shed behind a rotating wing  
p 418 N86-23862
- Three-dimensional flow in compressors and channels  
[AD-A161858] p 480 N86-23873

Nonisentropic unsteady three dimensional small disturbance potential theory  
[NASA-TM-87726] p 479 N86-24663

Propulsion and Energetics Panel Working Group 14 on suitable averaging techniques in non-uniform internal flows  
[AD-A133988] p 503 N86-24662

The effects on rotor nonuniform inflow harmonic content of uneven circumferential distribution of jet engine inlet guide vanes  
[AD-A164629] p 555 N86-26291

Computation of 3-dimensional viscous transonic flows using the LU-ADI factored scheme  
[NAL-TR-8897] p 555 N86-27184

Extensions of the concept of suction analogy to prediction of vortex lift effect  
p 556 N86-27193

Laser velocimetry in highly three-dimensional and vortical flows  
p 557 N86-27197

Basic studies on delta wing flow modifications by means of apex fences  
p 557 N86-27199

An overview of the fundamental aerodynamics branch's research activities in wing leading-edge vortex flows at supersonic speeds  
p 558 N86-27207

Application of CFD techniques toward the validation of nonlinear aerodynamic models  
p 565 N86-27265

Laser fringe anemometry for aero engine components  
[NASA-TM-88798] p 629 N86-28053

The flowfield of a side-dump combustor  
p 673 N86-28237

Nonlinear analysis of pressure oscillations in ramjet engines  
p 659 N86-28240

Large eddy simulations of flow in a ramjet combustor  
p 659 N86-28241

Investigation of empennage buffeting  
[NASA-CR-177164] p 654 N86-28951

Shock-wave boundary layer interactions  
[AGARD-AG-280] p 676 N86-29173

Numerical computation of viscous flow around bodies and wings moving at supersonic speeds  
[NASA-CR-176903] p 693 N86-29772

An investigation of turbulence mechanisms in V/STOL upwash flow fields  
[AD-A166286] p 694 N86-29782

Wake-passing in a turbine rotor cascade  
p 741 N86-29830

A numerical analysis for vertical gust field induced by gust generator  
p 727 N86-30637

Aerodynamics of engine-airframe interaction  
[NASA-CR-179657] p 697 N86-30697

Unsteady design-point flow phenomena in transonic compressors  
[NASA-CR-176879] p 722 N86-30730

Time resolved and time averaged flow evaluation for an isolated transonic compressor rotor  
[AD-A166759] p 723 N86-30734

Three-dimensional shock wave and turbulent boundary layer interactions  
[AD-A167086] p 745 N86-31010

Elliptic generation of composite three-dimensional grids about realistic aircraft  
[NASA-TM-88240] p 763 N86-31527

**FLOW EQUATIONS**

Numerical analysis of fully three-dimensional periodic flows through a turbine stage  
[ASME PAPER 85-GT-57] p 76 N86-13060

Some solutions to the Karman equation describing flow past the salient points of a profile  
p 79 N86-13363

False diffusion in three-dimensional flow calculations  
p 143 N86-17653

Shock modelling in transonic and supersonic flow  
p 204 N86-20948

Steady transonic flow  
p 413 N86-33408

A model for closing the inviscid form of the average-passage equation system  
[NASA-TM-87199] p 147 N86-14224

Numerical studies of porous airfoils in transonic flow  
[NASA-CR-179655] p 697 N86-30696

Aerodynamics of engine-airframe interaction  
[NASA-CR-179657] p 697 N86-30697

Thermodynamic evaluation of transonic compressor rotors using the finite volume approach  
[NASA-CR-176947] p 722 N86-30731

Numerical Techniques for Viscous Flow Calculations in Turbomachinery Bladings — conference  
[VKI-LS-1986-02] p 744 N86-30988

ATRAN3S: An unsteady transonic code for clean wings  
[NASA-TM-86783] p 781 N86-31535

**FLOW GEOMETRY**

Profiling of supersonic ducts with specified nonisentropic parameters at the exit  
p 79 N86-13375

The effect of a perforated wall on incompressible flow past a U-shaped vortex  
p 81 N86-13406

Theory of self-similar regimes of supersonic flow in an axisymmetric channel with a sudden expansion  
p 82 N86-13427

Experiments on unsteady flows about wing sections  
p 138 N86-16318

Attached cavitation and the boundary layer - Experimental investigation and numerical treatment  
p 186 N86-17032

Visualization and flow surveys of the leading edge vortex structure on delta wing planforms  
[AIAA PAPER 86-0330] p 201 N86-19817

Inverse design of coolant flow passage shapes with partially fixed internal geometries  
[ASME PAPER 85-GT-118] p 252 N86-22071

Calculation of external and internal transonic flow field of a three-dimensional shielded S-shaped inlet  
p 205 N86-22303

The effect of the velocity profile at the diffuser inlet on the flow pattern  
p 300 N86-23664

Flow structure at the windward side of conical wings with an attached shock wave at the leading edge  
p 410 N86-32739

Impinging jets  
p 458 N86-33419

Inverse method with geometric constraints for transonic aerofoil design  
p 477 N86-36202

The use of curved higher order panels for vortex sheet modeling  
[AIAA PAPER 86-1812] p 544 N86-37833

Experiments on supersonic turbulent flow development in a square duct  
[AIAA PAPER 86-1038] p 548 N86-38412

Experimental study of a turbulent horseshoe vortex using a three-component laser velocimeter  
[AIAA PAPER 86-1069] p 548 N86-38436

Study of hypersonic inlet flow fields with a three-dimensional Navier-Stokes code  
[AIAA PAPER 86-1426] p 624 N86-42635

On slender vortices  
p 689 N86-44810

Scheme for calculating an almost-asymmetric gas flow and supersonic flow past the end of a cylinder at a small angle of attack  
p 690 N86-45345

Coherent large-scale structures in high Reynolds number supersonic jet of Mach number 1.4  
[AIAA PAPER 86-1941] p 691 N86-45428

Determination of the shape of a jet issuing from a cylinder of finite length around which a supersonic stream flows at small angle of attack  
p 770 N86-45825

Transonic computations about complex configurations using coupled inner and outer flow equations  
p 771 N86-49008

Passive control of jets with indeterminate origins  
p 780 N86-49807

**FLOW MEASUREMENT**

A method for measuring the direction and the Mach number of a three-dimensional supersonic nozzle  
p 80 N86-13392

A study of the flow around a wing equipped with a spoiler  
p 83 N86-14186

Experimental study of gas flow around blunt objects  
p 85 N86-15980

Measurements in the turbulent boundary layer on an 'infinite' swept wing  
p 86 N86-16102

L.D.A. measurements in the turbulent near-wake of blunt bodies  
p 139 N86-16371

Mean flow properties measured around an aerofoil close to its maximum lift  
p 140 N86-16395

Longitudinal vortices imbedded in turbulent boundary layers. I - Single vortex  
p 186 N86-17043

An experimental study of geometrical effects on the drag and flow field of two bluff bodies separated by a gap  
p 141 N86-17055

Mean-flow measurements in a supersonic three-dimensional turbulent boundary layer  
p 141 N86-17059

Transonic rotor flow-measurement technique using holographic interferometry  
p 141 N86-17089

Experimental investigation of three dimensional separation on an ellipsoid-cylinder body at incidence  
[AIAA PAPER 85-1686] p 143 N86-17845

Oscillating hot-wire measurements above an FX63-137 airfoil  
[AIAA PAPER 86-0012] p 198 N86-19635

An experimental investigation of propeller wakes using a laser Doppler velocimeter  
[AIAA PAPER 86-0080] p 232 N86-19677

Vortex roll-up for an elliptically-loaded wing at moderately low Reynolds numbers  
[AIAA PAPER 86-0562] p 203 N86-19951

The effect of the velocity profile at the diffuser inlet on the flow pattern  
p 300 N86-23664

Radial distribution circulation of a rotor in hover measured by laser velocimeter  
p 276 N86-26110

Three component hot-wire measurements in the wake of a rotor model  
p 320 N86-26111

Free-surface flows — Russian book  
p 458 N86-33293

International Symposium on Laser Anemometry, 2nd, Miami Beach, FL, November 17-22, 1985, Proceedings  
p 519 N86-34407

Laser anemometer measurements of the flow from a simulated fuel nozzle  
p 520 N86-34410

Spreading of two-stream supersonic turbulent mixing layers  
p 546 N86-37901

Comparison of hot-wire measurement techniques in a Mach 3 pilot quiet tunnel  
p 605 N86-38235

Experiments on supersonic turbulent flow development in a square duct  
[AIAA PAPER 86-1038] p 548 N86-38412

Experimental study of a turbulent horseshoe vortex using a three-component laser velocimeter  
[AIAA PAPER 86-1069] p 548 N86-38436

Characterization of fuel sprays using a high-resolution patternator  
[AIAA PAPER 86-1726] p 656 N86-42814

Reverse flow in multistage axial compressors  
[AIAA PAPER 86-1747] p 627 N86-42825

Experience with laboratory LDA by measuring flow fields in rotating turbomachinery  
p 672 N86-43109

Flow of real fluids — Book  
p 737 N86-44801

Development of an experimental correlation for transonic turbine flow  
[ASME PAPER 86-GT-108] p 785 N86-48170

Evaluation of the blade-to-blade flow from a high speed compressor rotor  
[ASME PAPER 86-GT-117] p 785 N86-48176

Airfoil trailing-edge flow measurements  
p 780 N86-49803

Theoretical and experimental investigations of flow vector measurements with angle-of-attack and sideslip sensors on DFVLR meteorological research aircraft  
[DFVLR-FB-85-50] p 358 N86-21541

Design, development and operation of a high simultaneous capacity digital telemetry system  
p 613 N86-27632

Feasibility study of optical boundary layer transition detection method  
[NASA-CR-178109] p 675 N86-28375

Steady and unsteady pressure distribution on various profiles in separated subsonic and transonic flow  
p 695 N86-30632

High accuracy fuel flowmeter  
[NASA-CR-174869] p 745 N86-31030

**FLOW RESISTANCE**

Generalization of experimental data on the internal hydraulic resistance of laminated porous materials  
p 650 N86-43383

**FLOW STABILITY**

The aerodynamic potential of anti-sound  
p 855 N86-48977

Passive control of jets with indeterminate origins  
p 780 N86-49807

Extended parametric representation of compressor fans and turbines. Volume 1: CMGEN user's manual  
[NASA-CR-174645] p 480 N86-23936

Extended parametric representation of compressor fans and turbines. Volume 3: MODFAN user's manual (parametric modulating flow fan)  
[NASA-CR-174647] p 481 N86-23938

**FLOW THEORY**

Theory of self-similar regimes of supersonic flow in an axisymmetric channel with a sudden expansion  
p 82 N86-13427

Comment on 'Aerodynamic estimation techniques for aerostats and airships'  
p 85 N86-14541

Aerodynamics. Part 1 - Fundamentals of theory. Aerodynamics of an airfoil and a wing — Book  
p 338 N86-29640

An exact formulation of the unsteady aerodynamic theory of lifting surfaces undergoing arbitrary small motions in a supersonic flow field  
p 413 N86-33235

Aerodynamics and molecular gas dynamics — Russian book  
p 414 N86-33480

The method of fundamental solutions in aerodynamics. II - Applications to the theory of lifting surfaces in supersonic flow  
p 477 N86-36285

The reverse-flow theorem for transonic flow  
p 688 N86-44802

Integration of singular functions associated with lifting surface theory  
p 689 N86-44875

An entropy correction method for unsteady full potential flows with strong shocks  
[AIAA PAPER 86-1768] p 777 N86-49576

Cancellation zone in supersonic lifting wing theory  
p 780 N86-49824

**FLOW VELOCITY**

Experimental analysis of tip vortex by laser Doppler anemometry  
p 140 N86-16387

Development of numerical methods of external high-speed aerodynamics  
p 271 N86-23777

Intrablade velocity mapping in transonic fan passages of gas turbine  
p 474 N86-34411

Plume characteristics of single-stream and dual-flow conventional and inverted-profile nozzles at equal thrust  
[AIAA PAPER 86-1809] p 778 N86-49585

- BLR studies on conic model with LDA in FL-1 wind tunnel p 87 N86-12434
- Study of high speed combustion flows by laser velocimetry [NASA-CR-176439] p 190 N86-15666
- Plume characteristics of single-stream and dual-flow conventional and inverted-profile nozzles at equal thrust [NASA-TM-87323] p 554 N86-26285
- Laser velocimetry in highly three-dimensional and vortical flows p 557 N86-27197
- Exact closed-form solutions for nonlinear unsteady transonic aerodynamics p 695 N86-30631
- ### FLOW VISUALIZATION
- Certain characteristics of parachute-wing aerodynamics p 80 A86-13389
- A study of the flow around a wing equipped with a spoiler p 83 A86-14186
- Multipass flow visualization of lateral jet injection into a swirling cross flow p 85 A86-14561
- Separation bubble behavior for a NACA 23009 airfoil p 137 A86-16312
- Experiments on unsteady flows about wing sections p 138 A86-16318
- Streamwise and spanwise vortical patterns visualized over airfoils in unsteady flow p 138 A86-16319
- Attached cavitation and the boundary layer - Experimental investigation and numerical treatment p 186 A86-17032
- The vortex patterns of dynamic separation - A parametric and comparative study p 145 A86-18534
- An experimental investigation of an airfoil pitching at moderate to high rates to large angles of attack [AIAA PAPER 86-0008] p 198 A86-19631
- Visualization and flow surveys of the leading edge vortex structure on delta wing planforms [AIAA PAPER 86-0330] p 201 A86-19817
- Optical fibers application to visualization of flow separation inside an aircraft intake in wind tunnel [ONERA, TP NO. 1985-158] p 309 A86-24638
- An experimental investigation of the parallel blade-vortex interaction p 276 A86-26106
- The 'miniflut' surface flow visualization method - Experience of use in the RAE 5m pressurised low-speed wind tunnel p 447 A86-31124
- In-flight flow visualization of F-106B leading-edge vortex using the vapor-screen technique [AIAA PAPER 86-9785] p 431 A86-32118
- Investigation of vortex patterns on slender bodies at high angles of attack p 410 A86-32784
- Characteristics of the interaction of interference and diffraction flows at supersonic velocities p 478 A86-36459
- Pulsed laser light sheet flow visualization p 605 A86-38237
- Application of optical interferometry in compressible flows p 546 A86-38258
- Wake imaging system applications at the Boeing Aerodynamics Laboratory [SAE PAPER 851895] p 608 A86-38358
- The interaction between a strong longitudinal vortex and a turbulent boundary layer [AIAA PAPER 86-1071] p 549 A86-38437
- Visualization of wing tip vortices in unsteady and steady wind [AIAA PAPER 86-1098] p 551 A86-38457
- Three-dimensional unsteady flow fields elicited by a pitching forward swept wing [AIAA PAPER 86-1104] p 551 A86-38464
- Investigation of the structure of a supersonic jet issuing from a free-vortex nozzle by means of pulsed holographic interferometry p 628 A86-43403
- Coherent large-scale structures in high Reynolds number supersonic jet of Mach number 1.4 [AIAA PAPER 86-1941] p 691 A86-45428
- Visualization of dynamic stall controlled by large amplitude interrupted pitching motions [AIAA PAPER 86-2281] p 764 A86-47699
- Method for the visualization of subsonic gas flows p 769 A86-48808
- Pressure-distribution measurements on a transonic low-aspect ratio wing [NASA-TM-86683] p 90 N86-13304
- A visualization study of the vortex flow around double-delta wings [ARL-AERO-R-165] p 340 N86-20362
- New techniques for experimental generation of two-dimensional blade-vortex interaction at low Reynolds numbers [NASA-TP-2551] p 401 N86-21280
- A new method for laminar boundary layer transition visualization in flight: Color changes in liquid crystal coatings [NASA-TM-87666] p 342 N86-21518
- La Recherche Aérospatiale, bimonthly bulletin, number 1985-1, 224/January-February [ESA-TT-915] p 458 N86-22729
- Vapor-screen flow-visualization experiments in the NASA Langley 0.3-m transonic cryogenic tunnel [NASA-CR-3984] p 478 N86-24861
- Experimental study of apex fences for lift enhancement on a highly swept delta wing configuration [AD-A163877] p 512 N86-24705
- An experimental investigation of vortex breakdown on a delta wing p 557 N86-27196
- In-flight and wind tunnel leading-edge vortex study on the F-106B airplane p 557 N86-27198
- Vortex flow hysteresis p 558 N86-27201
- Water tunnel results of leading-edge vortex flap tests on a delta wing vehicle p 558 N86-27208
- Velocity and turbulence measurements in dynamically stalled boundary layers on an oscillating airfoil p 580 N86-27228
- The flowfield of a side-dump combustor p 673 N86-28237
- Improvement in the quality of flow visualization in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TM-87730] p 675 N86-28389
- Wake-passing in a turbine rotor cascade p 741 N86-29830
- ### FLOWMETERS
- High accuracy fuel flowmeter [NASA-CR-174869] p 745 N86-31030
- ### FLUID DYNAMICS
- Tail profile effects on unsteady large scale flow structure in the wing and plate junction p 387 A86-28666
- Free-surface flows - Russian book p 458 A86-33293
- Relative advantages of thin-layer Navier-Stokes and interactive boundary-layer procedures [NASA-TM-86778] p 152 N86-15244
- Formulation of the Euler boundary value problem p 154 N86-15258
- Elements of the aerodynamic theory of cyclogyro wing systems with concentrator effects [VTH-LR-338] p 279 N86-19294
- Activities report of the Department of Aerospace Engineering p 470 N86-23491
- A simplified model of the turbulent microburst [NASA-CR-177108] p 679 N86-29466
- ### FLUID FILMS
- Investigation of jet-filming airblast atomizer [ASME PAPER 85-GT-185] p 252 A86-22099
- ### FLUID FLOW
- A transonic rectangular grid embedded panel method p 204 A86-20953
- Flow of real fluids - Book p 737 A86-44801
- Fluid forces on two circular cylinders in crossflow [DE85-014294] p 124 N86-13704
- Programming a multiple-orifice hydraulic decelerator [AD-A159428] p 181 N86-15328
- Two methods for viscous and inviscid free-wake analysis of helicopter rotors [AD-A161513] p 342 N86-21521
- A perspective of computational fluid dynamics [NASA-TM-86246] p 629 N86-28057
- Acoustic-vortex interactions in an idealized ramjet combustor p 659 N86-28242
- ### FLUID JETS
- Investigation of jet-filming airblast atomizer [ASME PAPER 85-GT-185] p 252 A86-22099
- ### FLUID MECHANICS
- SECTAM XII - Proceedings of the Twelfth Southeastern Conference on Theoretical and Applied Mechanics, Pine Mountain, GA, May 10, 11, 1984. Volume 1 p 455 A86-31258
- SECTAM XII - Proceedings of the Twelfth Southeastern Conference on Theoretical and Applied Mechanics, Pine Mountain, GA, May 10, 11, 1984. Volume 2 p 455 A86-31259
- Flow of real fluids - Book p 737 A86-44801
- Fluid machines: Expanding the limits, past and future [NASA-TM-87181] p 107 N86-12227
- A study of the factors affecting boundary layer two-dimensionality in wind tunnels [NASA-CR-177023] p 631 N86-28914
- A fundamental study of drag and an assessment of conventional drag-due-to-lift reduction devices [NASA-CR-4004] p 745 N86-30999
- ### FLUID PRESSURE
- Hydraulic pumps for high pressure non-flammable fluids - for aircraft [SAE PAPER 851911] p 580 A86-38366
- Tip leakage reduction through tip injection in turbomachines [AIAA PAPER 86-1746] p 627 A86-42824
- ### FLUID ROTOR GYROSCOPES
- Fluidic gyro systems p 438 A86-30312
- ### FLUID-SOLID INTERACTIONS
- Durability prediction of parallel fuel tank skins with fluid-structure interaction dynamics [AIAA PAPER 86-0835] p 591 A86-38927
- Incremental and iterative methods for solving fluid/structure interaction problems p 740 A86-47011
- ### FLUIDICS
- Three-axis electrofluidic angular rate sensor for ejection seat steering thrust vector control [AD-A159413] p 159 N86-15277
- ### FLUOROCARBONS
- Some aspects of fluorocarbon elastomer compatibility with gas turbine lubricants [SAE PAPER 851799] p 601 A86-38529
- ### FLUTTER
- Flutter and divergence aeroelastic characteristics for composite forward swept cantilevered wing p 97 A86-14536
- Design of an active flutter suppression system p 239 A86-20236
- Control of a forward-swept-wing configuration dominated by flight dynamic/aeroelastic interactions p 239 A86-20237
- Aerodynamic detuning analysis of an uninstalled supersonic turbofan cascade [ASME PAPER 85-GT-192] p 270 A86-22732
- Control of aeroelastic instabilities through stiffness cross-coupling p 284 A86-23192
- Prediction of blade flutter in a tuned rotor [ASME PAPER 85-IGT-100] p 302 A86-23899
- A loss of dynamic stability of the torsional vibrations of blades due to cascade flutter p 364 A86-27543
- Rotating aerodynamic exciters for in-flight flutter testing p 353 A86-27820
- Flight test of a decoupler pylon for wing/store flutter suppression [AIAA PAPER 86-9730] p 428 A86-32077
- Adaptive flutter suppression in the presence of turbulence p 508 A86-35370
- Vibration test and identification of modal parameter of aircraft wing model p 605 A86-37406
- A comparison of methods for aircraft ground vibration testing p 713 A86-47096
- Multi shaker modal testing using a modified transient random excitation p 740 A86-47107
- Design of an integrated control system for flutter margin augmentation and gust load alleviation, tested on a dynamic windtunnel model [AIAA PAPER 86-2242] p 824 A86-47490
- Design of a multivariable flutter control/gust load alleviation system [AIAA PAPER 86-2247] p 825 A86-47494
- Active flutter suppression p 832 A86-49004
- Aeroelastic tailoring for flutter constraints p 802 A86-49081
- Vortex influence on oscillating airfoil at high angle-of-attack [AIAA PAPER 86-1837] p 779 A86-49592
- Experimentally determined flutter from two- and three-bladed model bearingless rotors in hover p 177 N86-15286
- Flutter generator control and force computer [AEL-0242-TM] p 178 N86-15318
- Application of time-linearized methods of oscillating wings in transonic flow and flutter [NLR-MP-84077-U] p 208 N86-18204
- Ground vibration test of an F-16 airplane with modified decoupler pylons [NASA-TM-87634] p 496 N86-24685
- NASA Lewis F100 engine testing [PAPER-4] p 504 N86-25346
- On the interface between unsteady aerodynamics, dynamics and control p 564 N86-27254
- Highly Maneuverable Aircraft Technology (HIMAT) flight-flutter test program [NASA-TM-84907] p 596 N86-27290
- Flight test of a decoupler pylon for wing/store flutter suppression [NASA-TM-87767] p 714 N86-29814
- Development of a flutter suppression control law by use of linear quadratic Gaussian and constrained optimization design techniques p 728 N86-30647
- The design and wind tunnel demonstration of an active control system for gust load alleviation and flutter suppression p 728 N86-30650
- ### FLUTTER ANALYSIS
- A study of flutter on the basis of frequency tests at subcritical regimes p 109 A86-13370
- A combined method for the analysis of the aerodynamic forces acting on an oscillating flight vehicle in supersonic flow p 79 A86-13380
- Certain criteria and formulas for the analysis of flexural-torsional flutter p 109 A86-13394
- Pressure fluctuations on the external surface of an aircraft p 271 A86-23780
- Stall flutter of helicopter blade p 308 A86-25205
- Linear and nonlinear modal analysis of aeroelastic structural systems p 387 A86-28742
- X-29A flight flutter data analysis by advanced methods [AIAA PAPER 86-9737] p 429 A86-32083

- F-16 flutter testing at Eglin Air Force Base  
[AIAA PAPER 86-9819] p 439 A86-32144
- Application of transonic unsteady methods for calculation of flutter airloads p 412 A86-33230
- The choice of techniques used for flight flutter clearance with particular reference to the BAe 146 and BAe 125 p 433 A86-33245
- Flutter calculation by a new program p 444 A86-33246
- Development of a flutter suppression control law by use of Linear Quadratic Gaussian and constrained optimization design techniques p 444 A86-33248
- NLR experience in the application of active flutter suppression and gust load alleviation, applied to a wind-tunnel model p 444 A86-33250
- The design and wind tunnel demonstration of an active control system for gust load alleviation and flutter suppression p 445 A86-33251
- Rapid vibration mode analysis of aircraft with external stores p 435 A86-33261
- Application of the unsteady vortex-lattice method to the nonlinear two-degree-of-freedom aeroelastic equations [AIAA PAPER 86-0867] p 585 A86-38902
- Effects of structural nonlinearities on limit cycle response of aerodynamic surfaces p 585 A86-38910
- An experimental study of the aerodynamics of incipient torsional stall flutter p 553 A86-38912
- A computational transonic flutter boundary tracking procedure [AIAA PAPER 86-0902] p 553 A86-38913
- Stochastic flutter of nonlinear aeroelastic structures with parameter random fluctuations p 609 A86-38934
- Flutter of wings with leading edge control surfaces [AIAA PAPER 86-0897] p 585 A86-38950
- Design of a flutter mode controller using positive real feedback p 594 A86-39041
- Frequency domain synthesis of a robust flutter suppression control law p 594 A86-39042
- Role of shocks in transonic/supersonic compressor rotor flutter p 720 A86-44872
- The role of structural and aerodynamic damping on the aeroelastic behavior of wings p 708 A86-44894
- Aircraft flutter analysis (The Fourth John Weston Memorial Lecture) p 724 A86-44932
- Identification of aeroelastic phenomenon employing bispectral analysis techniques p 740 A86-47124
- Dynamic and flutter analysis using F.E.M. of the CP-140 — turboprop aircraft p 713 A86-47126
- Eigenstructure synthesis for active flutter suppression on an oblique-wing aircraft p 824 A86-47491
- Real-time flutter identification with close mode resolution [AIAA PAPER 86-2019] p 827 A86-47854
- From mainframe to micro - Structures and flutter testing at the Air Force Flight Test Center p 838 A86-47791
- Flight flutter testing at Ames-Dryden p 797 A86-47802
- On the optimization of flutter characteristics of laminated anisotropic cylindrical shells p 848 A86-49082
- Applications of potential theory computations to transonic aeroelasticity p 775 A86-49105
- An airfoil flutter model suspension system to accommodate large static transonic airloads [NASA-CR-177998] p 146 A86-14220
- Mass balancing of hollow fan blades [NASA-TM-87197] p 255 A86-16811
- Transonic internal flow about an airfoil oscillating in pitch: Comparisons between computation and experiment p 209 A86-17278
- Ground vibration test results for Drones for Aerodynamic and Structural Testing (DAST)/Aeroelastic Research Wing (ARW-1R) aircraft [NASA-TM-85906] p 294 A86-19312
- Flutter analysis of low aspect ratio wings p 527 A86-25838
- Aeroelastic control of oblique-wing aircraft [NASA-TM-86908] p 595 A86-26340
- Design, development and operation of a high simultaneous capacity digital telemetry system p 613 A86-27632
- Development of flight testing techniques [NASA-CR-176996] p 640 A86-28936
- Flutter prediction for a wing with active aileron control [NASA-CR-176994] p 655 A86-28959
- Experimental classical flutter results of a composite advanced turboprop model [NASA-TM-88792] p 678 A86-29271
- Influence of the angle of attack and flutter on the lift of a supercritical wing. Comparison between theory and experiment [ONERA-RT-24/3064-RY-044-R] p 695 A86-29786
- Eigenstructure synthesis for active flutter suppression on an oblique-wing aircraft [NASA-TM-88275] p 727 A86-29868
- Application of transonic unsteady methods for calculation of flutter airloads p 727 A86-30830
- Theoretical flutter investigations on a plane cascade in incompressible flow — axial flow compressors and turbines p 727 A86-30835
- A review of aeroelastic research at the Flight Dynamics Laboratory p 727 A86-30842
- The choice of techniques used for flight flutter clearance with particular reference to the BAe 146 and BAe 125 p 728 A86-30844
- Flutter calculation by a new program p 728 A86-30845
- FLY BY WIRE CONTROL**
- For agile read active — control of military helicopters p 175 A86-17175
- Dynamics and controls flight testing of the X-29A airplane [AIAA PAPER 86-0167] p 237 A86-19728
- A new direction in energy conversion - The all-electric aircraft p 319 A86-24830
- Simulation concepts and testing of the tail rotor fly-by-wire system of the A129 helicopter p 292 A86-26165
- Development of hardware for X-29A flight control system p 366 A86-28379
- Microprocessor controlled and managed fly-by-wire hydraulic actuator p 368 A86-28401
- A survivable fly-by-wire spoiler actuation system featuring nonflammable fluid, 8,000 PSI hydraulics and direct drive valves p 355 A86-28402
- Flying qualities design criteria for highly augmented systems p 369 A86-28509
- Advancing flight control technology p 369 A86-29058
- Inflight excitation of the F-16XL [AIAA PAPER 86-9782] p 430 A86-32116
- Pilot interface with fly-by-wire control systems [SAE PAPER 851836] p 509 A86-35443
- Influence of FBW - Control laws on structural design of modern transport aircraft — fly by wire [AIAA PAPER 86-0953] p 584 A86-38846
- A parameter insensitive technique for aircraft sensor fault analysis using eigenstructure assignment and analytical redundancy [AIAA PAPER 86-2029] p 809 A86-47420
- Integrated Application of Active Controls (IAAC) technology to an advanced subsonic transport project: Test act system description [NASA-CR-172221] p 176 A86-14277
- Flight test of a resident backup software system [NASA-TM-86807] p 307 A86-19325
- Digital fly-by-wire experience p 361 A86-20401
- Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987 [AD-A162792] p 402 A86-22443
- Failures in advanced flight control systems of future transport aircraft — semisubmersible platform [NLR-TR-84108-U] p 595 A86-26343
- Optical technology for flight control systems [NASA-TM-88400] p 655 A86-28960
- Flight control system development and flight test experience with the F-111 mission adaptive wing aircraft [NASA-TM-88265] p 714 A86-29813
- FLYING EJECTION SEATS**
- Yaw stabilization of an open ejection seat, fact or fantasy? p 217 A86-19305
- Controllable ejection seat catapult program p 218 A86-19339
- FLYING PERSONNEL**
- 1985 USAF ejection summary p 698 A86-44777
- FLYING PLATFORMS**
- Laser systems for use with airborne platforms p 228 A86-19571
- Research on the technology of an airplane concept for a Stationary High-Altitude Relay Platform (SHARP) p 586 A86-39564
- Going where no man has gone before p 762 A86-49443
- Monopole element at the center of a circular groundplane of arbitrary radius. Volume 1: Theory and results [AD-A168991] p 744 A86-30908
- FLYWHEELS**
- A flywheel powered RPV launcher - Putting theory into practice p 590 A86-37344
- FM/PM (MODULATION)**
- An extended phase-lock technique for aided acquisition — in PM demodulators p 93 A86-13227
- FOAMS**
- Development of a reusable, flight-weight cryogenic foam insulation system [AIAA PAPER 86-1189] p 658 A86-40612
- A study of methods to predict and measure the transmission of sound through the walls of light aircraft [NASA-CR-177147] p 757 A86-31335
- FOKKER AIRCRAFT**
- Fokker 50 - Replacing a legend p 487 A86-34475
- Damage tolerance test program of the Fokker 100 p 706 A86-43786
- Activities report in aircraft development and astronautics p 267 A86-17233
- Activities report in aerospace research, with data concerning the scientific committee NLR-NIVR, international cooperation concerning AGARD, DNW, GARTEUR and cooperation with Indonesia p 257 A86-17588
- On the way to extended noise reductions in propeller aircraft [B8573697] p 857 A86-33126
- FOKKER-PLANCK EQUATION**
- The effect of random forces on nonlinear oscillating systems p 535 A86-36710
- FOLDING STRUCTURES**
- Folding tiltrotor technology demonstrator - The next step for tiltrotor technology [SAE PAPER 851844] p 579 A86-38341
- FORCE DISTRIBUTION**
- Summary of a high subsonic force/pressure experiment for 58 deg cambered/twisted thick delta wings [AIAA PAPER 86-0169] p 200 A86-19730
- The generation of tire cornering forces in aircraft with a free-swiveling nose gear [SAE PAPER 851939] p 581 A86-38372
- A study of the relationship between nonlinear changes in the lifting force and the vortex structure of flow around a low aspect ratio wing at large angles of attack p 787 A86-48782
- Side force characteristics of a 20 deg cone at high angles of attack [NAL-TM-AE-8503] p 340 A86-20356
- Lift distribution on a high aspect ratio circulation control wing with root lift cutout [AD-A157024] p 341 A86-20368
- Normal force characteristics of sharp nosed bodies of revolution at high angles of attack in subsonic and transonic flow p 527 A86-25555
- FORCED VIBRATION**
- Forced response analysis of an aerodynamically detuned supersonic turbomachine rotor p 363 A86-26902
- Vibration analysis of a helicopter fuselage by means of mathematical models p 725 A86-46368
- Strategies for dynamic modeling of a helicopter structure [SNIAS-852-210-101] p 228 A86-17350
- NASTRAN supplemental documentation for modal forced vibration analysis of aerodynamically excited turbo systems [NASA-CR-174987] p 675 A86-28463
- Reconstruction of forcing functions based on measured structural responses p 732 A86-30684
- FOREBODIES**
- Experimental study of effects of forebody geometry on high angle of attack static and dynamic stability [AIAA PAPER 86-0331] p 238 A86-19818
- Experimental study of effects of forebody geometry on high angle of attack static and dynamic stability and control p 833 A86-49039
- Forebody vortex management for yaw control at high angles of attack p 833 A86-49047
- FORGING**
- Forging in the aerospace industry p 121 A86-14424
- The thermo-mechanical processing during closed die forging - A method of improving aeronautical materials p 380 A86-26336
- Ten years of front-fan blade forging p 382 A86-27227
- Effect of processing and heat treatment on the mechanical properties of Ti-6Al-2Sn-4Zr-6Mo alloy p 375 A86-27231
- Isothermal forging system for the production of large rotating components from titanium alloys or superalloys p 382 A86-27247
- Fatigue properties of Ti-10V-2Fe-0.3Al p 375 A86-27274
- Using the perturbation method for determining the die forging parameters for aircraft parts p 522 A86-35997
- FORMAT**
- Display formats and information transfer requirements as they relate to mission, aircrew and aircraft type p 171 A86-18484
- KRASH 85 user's guide: Input/output format, revision [AD-A168846] p 787 A86-32416
- FORMING TECHNIQUES**
- Plastic torsion of hollow elements of aircraft — Russian book p 455 A86-31374



FORMULAS (MATHEMATICS)

- Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987  
[AD-A162792] p 402 N86-22443
- FORMULATIONS**  
Nonskid coating formulations  
[AD-D012186] p 604 N86-27457
- FORTTRAN**  
A FORTRAN algorithm for terrain perspective and plan view display p 398 A86-28421  
Simulation of the enhanced traffic alert and collision avoidance system (TCAS 2)  
[NASA-CR-178328] p 93 N86-12216  
PIFCGT: A PIF autopilot design program for general aviation aircraft  
[NASA-CR-166123] p 178 N86-15320
- FOURIER ANALYSIS**  
Mellin-Fourier correlation  
[AD-A159685] p 330 N86-20006
- FOURIER SERIES**  
Vortex conception of rotor and mutual effect of screw/propellers  
[NASA-TM-77979] p 342 N86-21510
- FOURIER TRANSFORMATION**  
Wellbore-distributed ground clutter in the frequency domain p 671 A86-41883  
Composite integral response sensing  
[AD-A163136] p 470 N86-24457  
Evaluation of a frequency response technique for aircraft system identification  
[AD-A164367] p 497 N86-25339
- FRACTOGRAPHY**  
A weak beam transmission electron microscopy study of a fatigue crack tip in a 2024 aluminum alloy p 450 A86-30033  
Fractographic study of fatigue crack kinetics in bodies and structures p 454 A86-30034  
Investigation of an aircraft accident by fractographic analysis p 418 A86-30087
- FRACTURE MECHANICS**  
Dynamic strength problems in aerospace equipment p 120 A86-13690  
Generic aspects of delamination in fatigue of composite materials p 183 A86-18432  
The damage tolerance approach in the type approval process p 220 A86-20036  
Structural evolution B-58 to F-16 p 225 A86-22132  
Evolution of emerging environmental testing and evaluation techniques p 315 A86-23011  
Interlaminar fracture of composites p 313 A86-24986  
References and conference proceedings towards the understanding of fracture mechanics p 388 A86-29011  
The application of fracture mechanics methodology to the damage tolerance analysis of the Boeing 757 airplane p 425 A86-30080  
A completely integrated system for the treatment of crack growth test data p 531 A86-34635  
A study of cracking in the pressure bulkhead of a military transport aircraft  
[AIAA PAPER 86-0983] p 584 A86-38861  
Composite materials: Testing and design; Proceedings of the Seventh Conference, Philadelphia, PA, April 2-4, 1984 p 662 A86-41051  
An analysis of acoustic emission detected during fatigue testing of an aircraft p 670 A86-41596  
Fracture diagrams for stiffened aircraft structures - Effects of material non-linearity p 737 A86-43794  
Fatigue fracture in landing gear steels p 803 A86-49115  
Growth of cracks under constant amplitude fatigue loading: Example calculations  
[ESDU-84001] p 322 N86-19642  
Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987  
[AD-A162792] p 402 N86-22443  
Fracture mechanics of multiple crack initiations. An application for fracture mechanics analysis of gas turbine engine disks  
[AD-A162998] p 442 N86-23601  
Constant-Load-Amplitude fatigue crack growth testing of cast aluminum alloys A201-T7 and A357-T6  
[AD-A163494] p 518 N86-24821  
Multiaxial and thermomechanical fatigue considerations in damage tolerant design p 526 N86-25375  
Advanced quantitative methods for nondestructive evaluation p 519 N86-25376  
Fracture mechanics and LCF-properties of engine discs of Ti 6Al-4V, Inconel 718 and Udimet 700 P/M-HIP p 507 N86-25378
- FRACTURE STRENGTH**  
Fracture toughness characterization of light alloys for aeronautical use p 114 A86-12761

- Methods of constructing R-curves and application of these curves for evaluation of materials (Review) p 117 A86-13011
- Interpretation and evaluation of fatigue properties of cast, HIP and heat treated titanium UH-60A M. R. Hub p 183 A86-18434
- Interlaminar fracture of composites p 313 A86-24986
- Probabilistic fatigue and fracture design p 453 A86-29961
- The development of a system for the study of fatigue crack growth up to 2000 Hz p 520 A86-34641
- Effect of precipitation on mechanical properties of Al-Li-Cu-Mg-Zr alloy p 661 A86-40306
- Methods for minimizing Boolean functions in the automation of experimental studies of the survivability of aircraft structures p 853 A86-48760
- Engineering property comparisons for 2324-T39 and 2024-T351 aluminum alloy plate --- semisubmersible platform [NLR-TR-84021-U] p 603 N86-26429
- FRAMES**  
Drop testing and analysis of six-foot diameter graphite-epoxy frames p 517 A86-37068
- FRANCE**  
More than a Mirage p 712 A86-45758  
Certification granted to Franco-Italian ATR 42 ATR 42 production work in French, Italian plants detailed p 78 N86-13618
- FREE BOUNDARIES**  
Measurements of rotating bubble shapes in low-gravity environment p 251 A86-21998
- FREE CONVECTION**  
Calculation of the heating of a liquid component partially filling a container p 316 A86-23653
- FREE FALL**  
Free-falling autorotating plate - A coupled fluid and flight mechanics problem p 110 A86-14533
- FREE FLIGHT**  
Wind tunnel free-flight test by a vertical drop technique at a hypersonic Mach number of 7 p 598 A86-38253  
Research on the aerodynamic characteristics of vehicles by free flight testing at supersonic speeds [NAL-TR-876] p 339 N86-20353
- FREE FLOW**  
Freestream turbulence effects on wake properties of a flat plate at an incidence p 142 A86-17132  
Determination of the intensity of a free vortex sheet in the context of airfoil theory p 146 A86-18904  
Free-surface flows --- Russian book p 458 A86-33293  
A method for estimating jet reaction control effectiveness [AIAA PAPER 86-1805] p 593 A86-37828  
Spreading of two-stream supersonic turbulent mixing layers p 548 A86-37901  
A consistent spatial differencing scheme for the transonic full-potential equation in three dimensions [NASA-TM-86718] p 152 N86-15246  
Numerical methods p 154 N86-15259  
Numerical simulation of viscous supersonic flow over a generic fighter configuration [NASA-TM-86823] p 190 N86-15627  
Steady supersonic Navier-Stokes solutions of a 75 deg delta wing p 558 N86-27206  
Review of SMP 1984 Symposium on Transonic Unsteady Aerodynamics and its Aeroelastic Applications p 561 N86-27236  
Verification and aerodynamic calibration of the tunnel 16T Captive Trajectory Support (CTS) system [AD-A165235] p 599 N86-27295  
A low speed tunnel semi-free dynamic flying study of the high angle of attack pitch derivatives of HF-24 using MLE procedure [NAL-TRM-SE-8603] p 782 N86-32393
- FREE JETS**  
Evaluation of a correction for sound propagation through free-jet shear layers p 193 A86-17783  
Acoustic evaluation of the German-Dutch Wind Tunnel (DNW) shear layer correction using a model jet [DNW-TR-82-04] p 242 N86-16237  
Aeronautical facilities catalogue. Volume 2: Airbreathing propulsion and flight simulators [NASA-RP-1133] p 311 N86-18328
- FREE VIBRATION**  
Applying I. G. Bubnov's method to the solution of the natural vibration problem for a conical sandwich panel p 384 A86-28315  
Free vibration characteristics of periodically stiffened panels with damped stringers p 456 A86-31773
- FREZZING**  
Impact of higher freeze point fuels on naval aircraft operations [ASME PAPER 86-GT-262] p 643 A86-48285

- The aircraft icing environment in wintertime, low ceiling conditions [AD-A160578] p 280 N86-18307
- FREQUENCY DIVISION MULTIPLEXING**  
A high bandwidth signal distribution system for aircraft Stores Management Systems (SMS) p 231 A86-20505
- FREQUENCY HOPPING**  
Monopole element at the center of a circular groundplane of arbitrary radius. Volume 1: Theory and results [AD-A166991] p 744 N86-30908
- FREQUENCY MODULATION**  
Frequency synthesis type airborne transmitters p 347 A86-27819  
VHF-FM communications antennas for project SINGGARS (UH-1 tail whip antenna evaluation) [AD-A165897] p 676 N86-29119  
Monopole element at the center of a circular groundplane of arbitrary radius. Volume 1: Theory and results [AD-A166991] p 744 N86-30908
- FREQUENCY RANGES**  
Use of skin damping treatments to control airframe dynamic response for interior noise control p 389 N86-21919
- FREQUENCY RESPONSE**  
Frequency methods of aircraft identification --- Russian book p 306 A86-24148  
Experimental investigation on frequency response of a turbojet engine to turbulence-type dynamic distortion p 440 A86-30740  
Wind shear estimation by frequency-shaped optimal estimator p 464 A86-31656  
Real-time open-loop frequency response analysis of flight test data [AIAA PAPER 86-8738] p 443 A86-32084  
Effect of radar frequency on the detection of shaped (low RCS) targets p 456 A86-32603  
Step relaxation method for modal test implemented with frequency-domain preprocessing p 457 A86-32975  
Frequency domain synthesis of a robust flutter suppression control law p 594 A86-39042  
Identification of frequency characteristics during bench tests p 681 A86-43387
- FREQUENCY SHIFT**  
Acoustic-vortex interactions in an idealized ramjet combustor p 659 N86-28242
- FREQUENCY SHIFT KEYING**  
Noise immunity of signals with minimum FSK p 383 A86-27492
- FRESNEL REGION**  
Radio communication between manoeuvring platforms p 456 A86-31921
- FRETTING**  
The fretting fatigue behaviour of the titanium alloy Ti-6Al-4V p 376 A86-27370  
Fretting fatigue testing with a fretting bridge equipment Stress analysis, amplitudes of slip, reliability p 383 A86-27371
- FRETTING CORROSION**  
Fatigue behaviour of titanium materials in aircraft engines p 375 A86-27275
- FRICTION**  
Runway rubber removal specification development [DOT/FAA/PN-85/33] p 372 N86-21556  
Tribology in aircraft systems: Basic principles and applications p 677 N86-29240  
Heat transfer, friction, and rheological characteristics of antimisting kerosene p 734 N86-30013
- FRICTION DRAG**  
The effect of the aspect ratio of the cylindrical section on the fuselage drag at transonic flight velocities p 768 A86-48801  
An investigation of the feasibility of active boundary layer thickening for aircraft drag reduction [NASA-CR-177133] p 630 N86-28064
- FRICTION FACTOR**  
Nonlinear dynamics or rotor/blade/casing rub interactions [ASME PAPER 86-DE-6] p 818 A86-49620
- FRICTION MEASUREMENT**  
Runway rubber removal specification development: Field evaluation results and data analysis [FAA/PM-85/32] p 448 N86-23607
- FUEL CELLS**  
Fuel resistant coatings for applications in integral tanks & bladder fuel cells p 246 A86-21737  
Ultrasonic liquid quantity measurement --- in oils p 360 A86-28478
- FUEL COMBUSTION**  
The effect of fuel composition upon combustion performance in a Rolls Royce Tyne combustor [ASME PAPER 85-GT-39] p 234 A86-22028



- Cold flow and combustion experiments with a new burner air distribution concept  
[ASME PAPER 85-GT-40] p 235 A86-22029
- Gas turbine fuels and their influence on combustion — Book p 312 A86-23274
- Further applications of the Lucas fan spray fuel injection combustion system  
[ASME PAPER 85-IGT-116] p 302 A86-23912
- Combustion gas properties. II - Prediction of partial pressures of CO<sub>2</sub> and H<sub>2</sub>O in combustion gases of aviation and diesel fuels  
[ASME PAPER 86-GT-163] p 843 A86-48216
- Fuel effects on aircraft combustor emissions  
[ASME PAPER 86-GT-212] p 815 A86-48252
- Fuel effects on soot formation in turbojet engines  
[AD-A158073] p 185 N86-15416
- Properties of aircraft fuels and related materials  
[AD-A164532] p 604 N86-27461
- Small gas turbine combustor experimental study: Compliant metal/ceramic liner and performance evaluation  
[NASA-TM-87304] p 819 N86-31582
- FUEL CONSUMPTION**
- The influence of advanced propulsion on short- to medium-range transport design p 95 A86-13264
- Wing aspect ratio optimization related to payload and to fuel consumption of transport propeller airplanes  
[SAWE PAPER 1615] p 98 A86-14975
- Propulsion for advanced commercial transports  
[AIAA PAPER 85-3061] p 173 A86-17829
- Design of a twin-engine short-haul commuter aircraft for the 1990s  
[AIAA PAPER 86-0077] p 219 A86-19674
- Design approach for an optimum prop-fan propulsion system  
[ASME PAPER 85-IGT-57] p 301 A86-23861
- State of the art in aircraft gas turbine technology  
[ASME PAPER 85-IGT-87] p 302 A86-23888
- Development of a new technology small fan jet engine  
[ASME PAPER 85-IGT-139] p 303 A86-23931
- Energy saving in aircraft p 288 A86-25188
- Will 1990s aircraft be powered by propan or advanced turbofan? p 363 A86-26370
- Periodic control for minimum-fuel aircraft trajectories p 427 A86-31657
- Wing aspect ratio optimization problems for transport turbojet airplanes  
[SAWE PAPER 1660] p 488 A86-35206
- Time navigation benefits in en route metered ATC p 482 A86-35388
- Fuel conservative guidance for shipboard landing of powered-lift STOL aircraft p 572 A86-39048
- A new generation T56 turboprop engine p 642 A86-40133
- After the big turbofans p 645 A86-42099
- Influence of structural changes on the fuel-consumption efficiency of a transport aircraft p 638 A86-43380
- The adjustment of a turbojet engine compressor by the rotation of the guide vanes with the objective of reducing fuel consumption during throttle operation p 816 A86-48757
- Reducing fuel consumption by cyclic control p 832 A86-48991
- A propan status report p 817 A86-49091
- Fuel saving by optimal integration of on-board avionics and air traffic control  
[NLR-MP-84035-U] p 159 N86-14263
- Method for improving the fuel efficiency of a gas turbine engine  
[NASA-CASE-LEW-13142-2] p 384 N86-20389
- General aviation pilot and aircraft activity survey  
[AD-A161665] p 345 N86-21530
- Scientists on aircraft development trends p 407 N86-22545
- Minimum time and fuel flight profiles for an F-15 airplane with a Highly Integrated Digital Electronic Control (HIDEC) system  
[NASA-TM-86042] p 436 N86-23587
- Design requirements and development of an airborne descent path definition algorithm for time navigation  
[NASA-CR-178037] p 641 N86-28939
- An investigation of TNAV equipped aircraft in a simulated en route metering environment  
[NASA-CR-178031] p 641 N86-28940
- A supersonic fan equipped variable cycle engine for a Mach 2.7 supersonic transport  
[NASA-CR-177141] p 650 N86-28946
- Heat exchangers in regenerative gas turbine cycles p 741 N86-29857
- Aerodynamic data banks for Clark-Y, NACA 4-digit and NACA 16-series airfoil families  
[NASA-CR-176883] p 697 N86-30693
- A trade-off study of tilt rotor aircraft versus helicopters using VASCOMP 2 and HESCOMP  
[AD-A167719] p 808 N86-31575
- FUEL CONTAMINATION**
- Fuel deposit characteristics at low velocity  
[ASME PAPER 85-IGT-130] p 313 A86-23922
- Development of the portable water separator for the WSIM test  
[SAE PAPER 851870] p 606 A86-38537
- Properties of aircraft fuels and related materials  
[AD-A164532] p 604 N86-27461
- FUEL CONTROL**
- Adaptive fuel control testing p 502 A86-35615
- Case studies of the effects on non-linearities on the accuracy of gas turbine control p 817 A86-49090
- Polymer, metal and ceramic matrix composites for advanced aircraft engine applications  
[NASA-TM-87132] p 117 N86-13407
- Local flow management/profile descent algorithm. Fuel-efficient, time-controlled profiles for the NASA TSRV airplane  
[NASA-CR-172583] p 636 N86-28074
- Evaluation of laminar flow control systems concepts for subsonic commercial transport aircraft  
[NASA-CR-158251] p 639 N86-28077
- FUEL CORROSION**
- Gas and erosion corrosion of the combustion chambers of aircraft engines p 592 A86-39725
- Emission FTIR analyses of thin microscopic patches of jet fuel residues deposited on heated metal surfaces  
[NASA-CR-176786] p 519 N86-25502
- FUEL FLOW**
- Fuel pump vent drain system  
[AD-D011993] p 459 N86-22947
- FUEL GAGES**
- Digital correction of the readings of an aircraft fuel-measurement system p 500 A86-36725
- Feasibility of a nuclear gauge for fuel quantity measurement aboard aircraft  
[NASA-TM-87706] p 675 N86-26385
- FUEL INJECTION**
- Further applications of the Lucas fan spray fuel injection combustion system  
[ASME PAPER 85-IGT-116] p 302 A86-23912
- Laser anemometer measurements of the flow from a simulated fuel nozzle p 520 A86-34410
- Effect of different hydrogen-injection techniques on its burnup in a supersonic air flow p 664 A86-43420
- Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 1  
[NASA-CR-174923-VOL-1] p 108 N86-13328
- Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 2  
[NASA-CR-174923-VOL-2] p 108 N86-13329
- Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 3  
[NASA-CR-174923-VOL-3] p 108 N86-13330
- FUEL OILS**
- Ultrasonic liquid quantity measurement — in oils p 360 A86-28478
- FUEL PRODUCTION**
- The production of jet fuel from alternate sources  
[ASME PAPER 85-IGT-67] p 312 A86-23968
- Scientists on aircraft development trends p 407 N86-22545
- Antimisting fuel technology for transport category aircraft p 733 N86-30006
- FUEL PUMPS**
- Aircraft fuel pump design p 300 A86-23350
- Control of a high-speed, brushless dc motor driven through a cycloconverter line — for aircraft fuel pumps p 386 A86-28372
- F100 fuel sampling analysis  
[AD-A161667] p 379 N86-21707
- Fuel pump vent drain system  
[AD-D011993] p 459 N86-22947
- FUEL SPRAYS**
- Further applications of the Lucas fan spray fuel injection combustion system  
[ASME PAPER 85-IGT-116] p 302 A86-23912
- Characterization of fuel sprays using a high-resolution patternator  
[AIAA PAPER 86-1726] p 656 A86-42614
- The performance of a reverse flow combustor using JP 10 fuel  
[ASME PAPER 86-GT-146] p 814 A86-48202
- Impaction efficiencies of evaporating kerosene droplets on vee-gutter flame stabilizer  
[ASME PAPER 86-GT-174] p 815 A86-48225
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 2: Aircraft engine nacelle fire test programs. Part 2: Small scale testing of dry chemical fire extinguishants  
[AD-A167444] p 807 N86-31572
- FUEL SYSTEMS**
- Evaluation of fuel preparation systems for lean preming-prevaportizing combustors  
[ASME PAPER 85-GT-137] p 235 A86-22061
- Method for improving the fuel efficiency of a gas turbine engine  
[NASA-CASE-LEW-13142-2] p 384 N86-20389
- F100 fuel sampling analysis  
[AD-A161667] p 379 N86-21707
- Fuel pump vent drain system  
[AD-D011993] p 459 N86-22947
- AMK full-scale transport aircraft validation phase summary p 733 N86-30009
- UK work on safety fuels p 733 N86-30012
- Current design procedures for minimizing post crash fire hazards p 700 N86-30019
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 3: On-Board Inert Gas Generator System (OBIGGS) studies. Part 2: Fuel scrubbing and oxygen evolution tests  
[AD-A167445] p 807 N86-31573
- FUEL TANKS**
- A low temperature curing, quick repair, fuel resistant aircraft sealant p 115 A86-13082
- Electrodeposited primer scale-up and qualification p 245 A86-21735
- Improved temperature resistant sealants for composite & adhesive bonded fuel-tank structures p 246 A86-21736
- Fuel resistant coatings for applications in integral tanks & bladder fuel cells p 246 A86-21737
- Results of high angle-of-attack testing of the F-15 with conformal fuel tanks p 284 A86-23267
- Calculation of the heating of a liquid component partially filling a container p 316 A86-23653
- Durability prediction of parallel fuel tank skins with fluid-structure interaction dynamics  
[AIAA PAPER 86-0935] p 591 A86-38927
- A new approach to durability prediction for fuel tank skins — aircraft industry p 642 A86-40119
- Multiplex lightning protection for composite structure integral fuel tank design p 790 A86-47306
- Optical detection methods for testing of fuel tank lightning ignition hazards p 791 A86-47309
- Ring discharge on the backsurface of a composite skin with ohmic anisotropy in response to frontal high current injection p 845 A86-47329
- Compartmented, filament wound, one-piece aircraft fuel tanks  
[AD-D011793] p 107 N86-12225
- Physical distribution system for aircraft external fuel tanks-survey  
[AD-A158275] p 101 N86-13324
- Impact damage to composite structures  
[AGARD-R-729] p 604 N86-27425
- Feasibility of a nuclear gauge for fuel quantity measurement aboard aircraft  
[NASA-TM-87706] p 675 N86-26385
- Advisory Circular: Auxiliary fuel system installations  
[FAA/AC-25-8] p 716 N86-30719
- Liquid hydrogen fueled passenger aircraft  
[AD-A166229] p 717 N86-30724
- Electrostatic hazards of urethane packed fuel tanks  
[AD-A166803] p 717 N86-30725
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 1: Executive summary  
[AD-A167443] p 807 N86-31571
- FUEL TESTS**
- The quantification and improvement of the thermal stability of aviation turbine fuel  
[ASME PAPER 85-GT-33] p 247 A86-22022
- Test and evaluation of shale derived jet fuel by the United States Air Force  
[ASME PAPER 85-IGT-115] p 313 A86-23911
- Fuel deposit characteristics at low velocity  
[ASME PAPER 85-IGT-130] p 313 A86-23922
- The influence of JFTOT operating parameters on the assessment of fuel thermal stability — Jet Fuel Thermal Oxidation Tester  
[SAE PAPER 851871] p 602 A86-38538
- Evaluation of JFTOT tube deposits by carbon burnoff — Jet Fuel Thermal Oxidation Tester  
[SAE PAPER 851994] p 602 A86-38539
- Live tests on static electricity in fuelling of aircraft p 783 A86-47334
- Thermal decomposition of aircraft fuel  
[ASME PAPER 86-GT-36] p 842 A86-48123
- Thermal stability concerns of Navy aviation fuel  
[ASME PAPER 86-GT-94] p 842 A86-48159
- Development of new combustor technologies for application to alternative aeroengine fuels, phase 1  
[BMFT-FB-W-85-004] p 184 N86-14402
- Antimisting fuel technology for transport category aircraft p 733 N86-30008
- AMK full-scale transport aircraft validation phase summary p 733 N86-30009
- Post Controlled Impact Demonstration (CID) analysis p 733 N86-30010
- UK work on safety fuels p 733 N86-30012

AMK: Still viable? p 734 N86-30017

## FUEL-AIR RATIO

- Fuel property effects upon exhaust smoke and the weak extinction characteristics of the Pratt and Whitney PT6A-65 engine  
[ASME PAPER 85-GT-27] p 234 A86-22018
- Evaluation of fuel preparation systems for lean premixing-prevaporizing combustors  
[ASME PAPER 85-GT-137] p 235 A86-22081
- Emission characteristics of a section of the combustion chamber of a gas-turbine engine with various modifications of the burners  
p 300 A86-23670
- Premixing gas and air to reduce NOx emissions with existing proven gas turbine combustion chambers  
[ASME PAPER 86-GT-157] p 814 A86-48211
- Fuel effects on soot formation in turbojet engines  
[AD-A159073] p 185 N86-15416
- Altitude ignition/lean decel study  
[AD-A163052] p 518 N86-24781

## FUELS

- F100 fuel sampling analysis  
[AD-A161667] p 379 N86-21707

## FULL SCALE TESTS

- An environmental aerodynamic test system for low-Reynolds-number applications p 138 A86-18315
- A structured approach for integration and test of avionics systems p 170 A86-18423
- Development of pneumatic thrust-deflecting powered-lift systems  
[AIAA PAPER 86-0478] p 219 A86-19894
- Full-scale tilt-rotor hover performance  
p 576 A86-37770
- Aircraft noise measurement - Alternatives to the standard 1-2 metres microphone height  
[AIAA PAPER 86-1960] p 752 A86-45445
- Structural dynamics research in a full-scale transport aircraft crash test p 785 A86-49053
- Aeroacoustics at the German-Dutch wind tunnel  
p 839 A86-49061
- Aircraft interior panel test criteria derived from full-scale fire tests  
[AD-A161637] p 345 N86-21529

## FUNCTIONAL DESIGN SPECIFICATIONS

- Integrated control - A decentralized approach  
p 681 A86-42996
- Evaluation of damage tolerance requirements using a probabilistic-based life approach  
[ASME PAPER 86-GT-268] p 847 A86-48288
- Composite materials: A source of innovation - aircraft industry  
[SNIAS-852-430-113] p 248 N86-17493

## FUNCTIONAL INTEGRATION

- Optimal control of integral-functional equations  
p 329 A86-23581

## FUNCTIONS (MATHEMATICS)

- Simple approximations of functions with additional constraints p 192 A86-18918

## FURFURYL ALCOHOL

- Furfuryl alcohol polymer concretes for use in all-weather repairs of concrete and asphalt surfaces  
[DE85-014825] p 184 N86-14391

## FUSELAGES

- A joint analysis of the boundary layer and inviscid flow around the axisymmetric rear section of a fuselage  
p 79 A86-13373
- SH-2F airframe fatigue test plan p 165 A86-18444
- Shaping of airplane fuselages for minimum drag  
[AIAA PAPER 86-0316] p 201 A86-19809
- Laboratory study of the effects of sidewall treatment, source directivity and temperature on the interior noise of a light aircraft fuselage  
[AIAA PAPER 86-0390] p 219 A86-19851
- Bigger is better - Stretching the C-141 Starlifter  
p 220 A86-20125
- Laboratory study of cabin acoustic treatments installed in an aircraft fuselage p 221 A86-20158
- Elimination of buffeting on the rear fuselage of the Hercules tanker p 221 A86-20822
- Calculation of misalignment error of multi-joint holes of wing to fuselage p 253 A86-22318
- Air flow and particle trajectories around aircraft fuselages. III - Extensions to particles of arbitrary shape  
p 316 A86-23281
- Recent advances in helicopter aerodynamics  
[ONERA, TP NO. 1985-186] p 273 A86-24642
- Electrical connections and antenna performance of a large composite fuselage module in the high frequency range p 292 A86-26157
- Design and testing of a large scale helicopter fuselage model in the RAE 5 metre pressurized wind tunnel  
p 292 A86-26163
- A skin-stringer design for a crashworthy composite fuselage for the Hughes 500E helicopter  
p 492 A86-35637

A study of cracking in the pressure bulkhead of a military transport aircraft

- [AIAA PAPER 86-0983] p 584 A86-38861
- Unsteady transonic flow calculations for wing-fuselage configurations  
[AIAA PAPER 86-0862] p 552 A86-38897
- The influence of source location on the structural-acoustic interaction of cylinders - in aerodynamics  
p 638 A86-41710
- Airbus Industrie A310 and A300-600 experience with practical applications of damage tolerance design in fuselage primary structure p 707 A86-43787
- Helicopter tail rotor noise  
p 750 A86-45401
- Vibration analysis of a helicopter fuselage by means of mathematical models p 725 A86-46368
- The observation of high frequency B(dot) and D(dot) transients excited on a fuselage by an impulse generator  
p 790 A86-47306
- Theoretical and experimental analysis of separations on helicopter fuselages  
[AAAF PAPER NT 85-08] p 766 A86-48458
- Rotor-fuselage dynamic coupling characteristics of helicopter air and ground resonance  
p 799 A86-48666
- Implementation and verification of a comprehensive helicopter coupled rotor - Fuselage analysis  
p 799 A86-48667
- Investigation of the level difference between sound pressure and sound intensity in an aircraft cabin under different fuselage conditions p 799 A86-48738
- The effect of the aspect ratio of the cylindrical section on the fuselage drag at transonic flight velocities  
p 768 A86-48801
- Experimental investigation of a boundary layer on a schematic aircraft model p 769 A86-48824
- Method for the calculation and design of fuselage flaps made of composite materials p 847 A86-48830
- Fire safety investigations for material selection and design of a carbon fibre reinforced fuselage structure  
p 785 A86-48989
- Optimum-Optimorum integrated wing-fuselage configuration for supersonic transport aircraft of second generation p 801 A86-49010
- Simulation of the enhanced traffic alert and collision avoidance system (TCAS 2)  
[NASA-CR-176328] p 93 N86-12216
- Failure mechanisms of laminates transversely loaded by bolt push-through  
[NASA-TM-87603] p 184 N86-14314
- The use of active controls to augment rotor/fuselage stability p 176 N86-15281
- Influence of various unsteady aerodynamic models on the aeromechanical stability of a helicopter in ground resonance p 177 N86-15294
- Flow field survey near the rotational plane of an advanced design propeller on a JetStar airplane  
[NASA-TM-86037] p 207 N86-16196
- Passive damping, sonic fatigue and the KC-135A  
p 256 N86-16625
- Resonance fatigue test of the empennage of a CT4 aircraft  
[AD-A160749] p 294 N86-18321
- Aerodynamic characteristics of several current helicopter tail boom cross sections including the effect of spoilers  
[NASA-TP-2506] p 339 N86-20349
- Laminated damped fuselage structures  
p 389 N86-21916
- Integrated damped fuselage structure  
p 389 N86-21918
- CID-720 aircraft Langley Research Center preflight hardware tests: Development, flight acceptance and qualification p 392 N86-21949
- Numerical analysis of inviscid flows About wing-fuselage combinations. Part 1: Development of grid generation code YOKUDO-G  
[NAL-TR-864] p 414 N86-22551
- Design of fuselage shapes for natural laminar flow  
[NASA-CR-3870] p 460 N86-23852
- Unsteady transonic flow calculations for wing-fuselage configurations  
[NASA-TM-87707] p 478 N86-24657
- Experimental assessment of vortex retaining cavity flaps for maneuverability improvement on delta wing fighter aircraft  
[AD-A164104] p 497 N86-24690
- Helicopter tail rotor noise analyses  
[NASA-CR-176629] p 536 N86-26163

## FUZZY SYSTEMS

- Application of fuzzy logic to the estimation of software reliability for computer systems p 396 A86-27472

## GAME THEORY

- An analysis of a four state model for pursuit-evasion games - during air combat p 680 A86-42957

## GAMMA RAY ASTRONOMY

- Analysis of gamma ray families and jets up to 10 to the 7th GeV obtained during 1000 hours exposure of emulsion chambers on the Concorde p 333 A86-22863

## GAS ANALYSIS

- Method to detect ethylene glycol in gaseous mixtures  
[AD-A158109] p 116 N86-12272

## GAS BEARINGS

- Dynamic response of film thickness in spiral-groove face seals  
[NASA-TP-2544] p 174 N86-15313

## GAS CHROMATOGRAPHY

- An analysis of the quality of aviation lubricants by liquid and gas-liquid chromatography p 844 A86-49964
- The use of a pyrochemiluminescent nitrogen analyzer as a capillary GC (Gas Chromatograph) detector  
[AD-A166597] p 735 N86-30821

## GAS DETECTORS

- Sniffing out trouble p 699 A86-45757

## GAS DISSOCIATION

- A mathematical model for calculation of effects of air humidity fuel composition and gas dissociation on engine performance and its actual application p 591 A86-38994

## GAS DYNAMICS

- Radiative gasdynamic processes in imploding discharges in a plasmodynamic magnetoplasma compressor p 129 A86-13031
- Aerodynamic characteristics of a finite-aspect-ratio wing in hypersonic flow of a radiating gas p 78 A86-13359
- Compact gas ejector of a high degree of compression with spiral arrangement of the nozzles  
p 82 A86-13433
- Supersonic gas flow past a V-shaped wing  
p 82 A86-13440
- Self-similar supersonic gas flows through a permeable screen p 140 A86-16784
- Shock modelling in transonic and supersonic flow  
p 204 A86-20946
- Aerodynamics and molecular gas dynamics - Russian book p 414 A86-33480
- Calculation of the explosion of a rapidly flying body  
p 738 A86-45344
- Method for the visualization of subsonic gas flows  
p 769 A86-48806

## GAS FLOW

- Measurement of the heterogeneous recombination probability of oxygen atoms in the course of supersonic dissociated gas flow interaction with solid body surfaces  
p 85 A86-14743
- Experimental study of gas flow around blunt objects  
p 85 A86-15980
- Scheme for calculating an almost-asymmetric gas flow and supersonic flow past the end of a cylinder at a small angle of attack  
p 690 A86-45345
- Improved temperature detection system for use on film cooled turbine airfoils  
[AD-D011782] p 107 N86-12228
- Proceedings of the 1985 ONR/NAVAIR Wave Rotor Research and Technology Workshop  
[AD-A161539] p 389 N86-20813
- Throttle dependent forces: A primer  
[AD-A162939] p 442 N86-23599
- Laser beam duct pressure controller system  
[AD-D012017] p 525 N86-24984

## GAS GENERATORS

- Fuel property effects upon exhaust smoke and the weak extinction characteristics of the Pratt and Whitney PT6A-65 engine  
[ASME PAPER 85-GT-27] p 234 A86-22018
- Solid fuel gas generator air - Air TurboRamjet  
[AIAA PAPER 86-1682] p 649 A86-42792
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 3: On-Board Inert Gas Generator System (OBIGGS) studies. Part 2: Fuel scrubbing and oxygen evolution tests  
[AD-A167445] p 807 N86-31573
- A parametric study of a gas-generator air turbo ramjet (ATR)  
[NASA-TM-88808] p 819 N86-31586

## GAS INJECTION

- Multispark flow visualization of lateral jet injection into a swirling cross flow  
p 85 A86-14561
- Vortices produced by air pulse injection from the surface of an oscillating airfoil  
[AIAA PAPER 86-0118] p 199 A86-19699
- Tip leakage reduction through tip injection in turbomachines  
[AIAA PAPER 86-1746] p 627 A86-42824

- The problem of flow past a plane delta wing with power-law injection at its surface p 776 A86-49174
- A model for correlating flat plate film cooling effectiveness for rows of round holes p 741 N86-29640
- Effect of film cooling on the aerodynamic performance of a turbine cascade p 742 N86-29659
- Aerodynamic effect of coolant ejection in the rear part of transonic rotor blades p 742 N86-29661
- GAS JETS**
- Longitudinal potential distribution in a jet of an ionized gas p 331 A86-23674
- GAS MIXTURES**
- A transport model for flammability of premixed gases p 516 A86-36874
- Experimental study of the combustion of gas-air mixtures in a channel and the diffusion combustion in a slipstream at high velocities [AD-A157495] p 116 N86-12271
- GAS PATH ANALYSIS**
- Determination of diagnostic parameters for the in situ diagnostics of the air-gas path of the AI-25TL engine p 300 A86-23752
- GAS PRESSURE**
- Proceedings of the 1985 ONR/NAVAIR Wave Rotor Research and Technology Workshop [AD-A161539] p 389 N86-20613
- GAS TEMPERATURE**
- Further development of the dynamic gas temperature measurement system [AIAA PAPER 86-1648] p 672 A86-42770
- Dynamic gas temperature measurement system. Volume 2: Operation and program manual [NASA-CR-168267] p 190 N86-15651
- GAS TURBINE ENGINES**
- New methods of measuring strain and temperature in a turbine engine p 118 A86-13336
- Calculation of unsteady flow in a two-stage gas turbine engine p 105 A86-13444
- Design of the flow path of aircraft gas-turbine engines --- Russian book p 105 A86-13447
- Sensor failure detection for jet engines using analytical redundancy p 106 A86-14226
- Counterrotating intershaft seals for advanced engines p 121 A86-14554
- Precision casting at Rolls-Royce p 121 A86-14973
- Coating requirements in gas turbine engines p 173 A86-17490
- Flame rig testing of thermal barrier coatings and correlation with engine results p 173 A86-17491
- Heat transfer in cooled parts of aircraft gas-turbine engines --- Russian book p 174 A86-18745
- Stability of limit cycles in frictionally damped and aerodynamically unstable rotor stages p 174 A86-19196
- 'Smart' engine components - A micro in every blade? p 234 A86-21896
- Fuel property effects upon exhaust smoke and the weak extinction characteristics of the Pratt and Whitney PT6A-85 engine [ASME PAPER 85-GT-27] p 234 A86-22018
- Design of combustor cooling slots for high film effectiveness. I - Film general development [ASME PAPER 85-GT-35] p 234 A86-22024
- Design of combustor cooling slots for high film effectiveness. II - Film initial region [ASME PAPER 85-GT-36] p 234 A86-22025
- The effect of fuel composition upon combustion performance in a Rolls Royce Tyne combustor [ASME PAPER 85-GT-39] p 234 A86-22028
- Full coverage discrete hole film cooling - The influence of hole size [ASME PAPER 85-GT-47] p 251 A86-22035
- A review and analysis of boundary layer transition data for turbine application [ASME PAPER 85-GT-83] p 251 A86-22054
- Strain isolated ceramic coatings for gas turbine engines [ASME PAPER 85-GT-96] p 247 A86-22062
- Heat transfer measurements with film cooling on a turbine blade profile in cascade [ASME PAPER 85-GT-117] p 251 A86-22070
- Power dense gas turbine APUs [ASME PAPER 85-GT-124] p 235 A86-22074
- Developing concepts in the rotordynamic analysis of aero gas turbines [ASME PAPER 85-GT-230] p 236 A86-22126
- The little turbine business p 236 A86-22200
- Emission characteristics of a section of the combustion chamber of a gas-turbine engine with various modifications of the burners p 300 A86-23670
- Diagnostic methods for gas-turbine aircraft powerplants p 300 A86-23751
- Sound generation by an energetically inhomogeneous gas flow in a gas-turbine aircraft engine p 300 A86-23753
- Simulation of the vibration transmission path and the use of a mathematical model of vibration transmission for the vibrational diagnostics of an aircraft engine p 301 A86-23754
- State of the art in aircraft gas turbine technology [ASME PAPER 85-IGT-87] p 302 A86-23888
- The solution of the thermal elastic-plastic problem of turbine disk by the incremental finite element method [ASME PAPER 85-IGT-112] p 317 A86-23909
- Gas turbine combustion efficiency [ASME PAPER 85-IGT-121] p 302 A86-23917
- Life prediction for the main shaft of aircraft turbine engine [ASME PAPER 85-IGT-136] p 303 A86-23928
- The use of lasers in gas turbine manufacturing [ASME PAPER 85-IGT-141] p 317 A86-23933
- Results of recent research on damped fan blades [ASME PAPER 85-DET-133] p 318 A86-24236
- Heat transfer problems in aero-engines p 272 A86-24470
- Fundamental heat transfer research for gas turbine engines NASA workshop overview p 272 A86-24471
- Flat rating concept introduced in the GTX engine p 304 A86-26071
- Embrittled trailing edges of compressor blades (titanium alloy Ti6Al-4V and Ti6Al2Sn4Zr2Mo) of gas turbine aero-engines p 376 A86-27279
- A unified method for evaluating the strength and reliability of the blades of the axial-flow compressors and gas turbines of aircraft engines p 364 A86-28317
- Aerodynamic and structural detuning of supersonic turbomachine rotors p 440 A86-31595
- Laser anemometer measurements of the flow from a simulated fuel nozzle p 520 A86-34410
- Intrablade velocity mapping in transonic fan passages of gas turbine p 474 A86-34411
- Stress analysis of gas turbine engine structures using the boundary element method p 520 A86-34444
- Practical diagnostics of aircraft gas turbines --- Russian book p 502 A86-35472
- The application of LQR synthesis techniques to the turbohaft engine control problem --- Linear Quadratic Regulator p 502 A86-35614
- Advanced structural casting applications for a gas turbine engine p 521 A86-35658
- Application of closed-loop machining in the manufacture of gas turbines p 521 A86-35659
- Vibration characteristics of aircraft engine-bladed-disk assembly p 502 A86-35865
- The effect of the electrode gap geometry on current distribution during electrochemical rounding of edges p 522 A86-35980
- The possibility of using ion implantation for increasing the life of the compressor blades of gas-turbine aircraft engines p 522 A86-35996
- Calculation of the steady-state transverse vibrations of the system rotors-housing of a gas-turbine engine p 503 A86-36741
- A new approach to automated gas turbine engine testing p 597 A86-38070
- Effects of section thickness and orientation on creep-rupture properties of two advanced single crystal alloys [SAE PAPER 861785] p 801 A86-38309
- Fabrication of ceramic components for advanced gas turbine engines [SAE PAPER 851786] p 806 A86-38310
- Processing study of injection molding of silicon nitride for engine applications [SAE PAPER 851787] p 806 A86-38311
- The significance of advanced technology engines on V/STOL systems [SAE PAPER 851882] p 579 A86-38350
- Aviation gas turbine lubricants - Military and civil aspects: Aviation fuel and lubricants - Performance testing; Proceedings of the Aerospace Technology Conference and Exposition, Long Beach, CA, October 14-17, 1985 [SAE SP-633] p 807 A86-38526
- Development of a high temperature jet engine oil - Laboratory and field evaluation [SAE PAPER 851797] p 807 A86-38527
- Some aspects of fluorocarbon elastomer compatibility with gas turbine lubricants [SAE PAPER 851799] p 801 A86-38529
- Formulating advanced 4 centistoke gas turbine oils - A feasibility study [SAE PAPER 851833] p 801 A86-38531
- Advanced lubricants for aircraft turbine engines [SAE PAPER 851834] p 802 A86-38532
- Future trends for U.S. Naval aviation propulsion system lubricants [SAE PAPER 851835] p 806 A86-38533
- Electrochemical evaluation of corrosivity in turbine engine oils [SAE PAPER 851867] p 802 A86-38534
- The influence of esters on elastomer seals [SAE PAPER 851868] p 802 A86-38535
- Deposition in gas turbine oil systems. I - Analysis and classification [SAE PAPER 851869] p 802 A86-38536
- The influence of JFTOT operating parameters on the assessment of fuel thermal stability --- Jet Fuel Thermal Oxidation Tester [SAE PAPER 851871] p 802 A86-38538
- A mathematical model for calculation of effects of air humidity fuel composition and gas dissociation on engine performance and its actual application p 591 A86-38994
- Compressor erosion and performance deterioration p 843 A86-40727
- Design features for performance retention in the CFM56 engine p 843 A86-40729
- Effect of particle characteristics on trajectories and blade impact patterns p 843 A86-40731
- Prediction of fouled compressor performance using stage stacking techniques p 843 A86-40732
- Clearance effects on heat transfer at the tips of plain and grooved turbine airfoils p 844 A86-40737
- Direct and system effects of water ingestion into jet engine compressors p 844 A86-40739
- Substantiation of regimes for accelerated equivalent tests of gas-turbine aeroengines p 844 A86-41549
- Air turbine test results for three turbine stages with varying radial distribution of camber [AIAA PAPER 86-1467] p 645 A86-42657
- Turbine airfoil LCF life prediction verification [AIAA PAPER 86-1496] p 646 A86-42672
- Advanced technology payoffs for future rotorcraft, commuter aircraft, cruise missile, and APU propulsion systems [AIAA PAPER 86-1545] p 638 A86-42704
- Small engine propulsion readiness for the 21st century [AIAA PAPER 86-1624] p 647 A86-42758
- Further development of the dynamic gas temperature measurement system [AIAA PAPER 86-1648] p 672 A86-42770
- Knowledge-based systems for rotordynamic diagnostics [AIAA PAPER 86-1678] p 648 A86-42789
- Calculation of the characteristics of a multistage gas turbine with allowance for the circumferential nonuniformity of inlet temperature p 649 A86-43381
- The development of a model for the unstable operation of a turbocompressor and the design of a device to protect a gas turbine engine against stalling and surging p 650 A86-43390
- Modeling the combustion zone of gas-turbine-engine combustion chambers p 650 A86-43393
- Small film-evaporation type combustion chamber for a low-power gas turbine engine p 650 A86-43395
- Thermal stability of gas turbine blades with protective coatings p 673 A86-43410
- A method for the analytical determination of accelerated test schedules for compressor blades working in a corrosive medium p 673 A86-43411
- Influence of turbine-engine design on flight safety p 720 A86-43939
- The effect of deposits on the cooling efficiency of gas-turbine engine blades p 720 A86-44697
- Precision casting of aero gas turbine components p 739 A86-45816
- Mechanical design of gas turbine blading in cast superalloys p 721 A86-45819
- A jet fuel starter and expendable turbojet [ASME PAPER 86-GT-1] p 812 A86-48101
- Power turbine vane ring (PT6 engine) repair development [ASME PAPER 86-GT-2] p 812 A86-48102
- Influence of rotor blade aerodynamic loading on the performance of a highly loaded turbine stage [ASME PAPER 86-GT-56] p 785 A86-48134
- Developments in new gas turbine engine demonstrator programs [ASME PAPER 86-GT-80] p 813 A86-48148
- Acceleration performance of helicopter engines [ASME PAPER 86-GT-121] p 814 A86-48180
- Premixing gas and air to reduce NOx emissions with existing proven gas turbine combustion chambers [ASME PAPER 86-GT-157] p 814 A86-48211
- A study on NOx emissions from gas turbine combustor [ASME PAPER 86-GT-168] p 814 A86-48220
- A general computational method for simulation and prediction of transient behavior of gas turbines [ASME PAPER 86-GT-180] p 815 A86-48230
- The GTCPC-300 - A gas turbine auxiliary power unit for advanced technology transport aircraft [ASME PAPER 86-GT-285] p 816 A86-48302
- Quality assurance in the reconditioning of gas turbine and compressor blading components [ASME PAPER 86-GT-299] p 847 A86-48311

- Advances in turbine technology p 817 A86-49079  
 Case studies of the effects on non-linearities on the accuracy of gas turbine control p 817 A86-49090  
 Unified constitutive materials model development and evaluation for high-temperature structural analysis applications — for aircraft gas turbine engines p 849 A86-49133  
 A contribution to airworthiness certification of gas turbine disks p 849 A86-49136  
 Small gas turbine combustor experimental study - Compliant metal/ceramic liner and performance evaluation [AIAA PAPER 86-1452] p 818 A86-49811  
 Perspectives on dilution jet mixing — in creating temperature patterns at combustor exits in gas turbine engines [AIAA PAPER 86-1611] p 818 A86-49614  
 Resonant cavities for stall recovery in gas turbine engines [AD-D011891] p 175 N86-15317  
 The mechanical design of gas turbine blading in cast superalloys [PNR-90247] p 237 N86-16223  
 Hot corrosion in aircraft engines [ESA-TT-887] p 237 N86-16227  
 A smoke generator for the absolute calibration of gas turbine engine smoke sampling and measuring systems [RAE-TM-P-1044] p 258 N86-17702  
 Asymmetric thrust warning system for dual engine aircraft [AD-D011980] p 361 N86-20387  
 Method for improving the fuel efficiency of a gas turbine engine [NASA-CASE-LEW-13142-2] p 364 N86-20389  
 Fuel property effects on combustion [AD-A162451] p 378 N86-20522  
 Proceedings of the 1985 ONR/NAVAIR Wave Rotor Research and Technology Workshop [AD-A161539] p 389 N86-20813  
 Details of new Ka-126 helicopter p 435 N86-22569  
 Ceramic thermal barrier coatings for electric utility gas turbine engines [NASA-TM-87288] p 452 N86-22687  
 Altitude ignition/lean decel study [AD-A163052] p 518 N86-24781  
 Life prediction and constitutive models for engine hot section anisotropic materials program [NASA-CR-174952] p 526 N86-25003  
 Damage tolerance concepts for critical engine components p 506 N86-25361  
 Engine cyclic durability by analysis and testing: Highlights of the spring 1984 PEP Meeting p 506 N86-25362  
 Manufacturing technology for nondestructive evaluation (NDE) system to implement Retirement For Cause (RFC) procedures for gas turbine engine components p 507 N86-25368  
 AGARD Cooperative Test Programme on titanium alloy engine disc material p 507 N86-25369  
 Crack growth in near-alpha titanium alloys p 526 N86-25371  
 Multiaxial and thermomechanical fatigue considerations in damage tolerant design p 526 N86-25375  
 Fracture mechanics and LCF-properties of engine discs of Ti 6Al-4V, Inconel 718 and Udimet 700 P-M-HIP p 507 N86-25378  
 Emission FTIR analyses of thin microscopic patches of jet fuel residues deposited on heated metal surfaces [NASA-CR-176786] p 519 N86-25502  
 High-temperature lubrication systems for ring/liner applications in advanced heat engines [AD-A164955] p 604 N86-26446  
 Design, development and operation of a high simultaneous capacity digital telemetry system p 613 N86-27632  
 Wake-passing in a turbine rotor cascade p 741 N86-29830  
 A model for correlating flat plate film cooling effectiveness for rows of round holes p 741 N86-29840  
 Transient thermal behaviour of a compressor rotor with ventilation: Test results under simulated engine conditions p 741 N86-29856  
 Heat exchangers in regenerative gas turbine cycles p 741 N86-29857  
 Small gas turbine combustor experimental study: Compliant metal/ceramic liner and performance evaluation [NASA-TM-87304] p 819 N86-31582  
 An overview of the Small Engine Component Technology (SECT) studies [NASA-TM-88798] p 819 N86-31587
- GAS TURBINES**  
 NASA Lewis Research Center/university graduate research program on engine structures [ASME PAPER 85-GT-159] p 252 A86-22084
- Short crack problems in gas turbine disks p 440 A86-30093  
 Protective coating systems for high-temperature gas turbine components; Proceedings of the Conference, London, England, November 13, 14, 1984 p 664 A86-43134  
 Use of protective coatings in aero gas turbine engines p 664 A86-43147  
 Heat management in advanced aircraft gas turbine engines [ASME PAPER 86-GT-76] p 813 A86-48144  
 Advanced concepts in small helicopter engine air-cooled turbine design p 819 A86-50075  
 Small turbine technology review [AD-A158514] p 175 N86-15316  
 Heat transfer characteristics within an array of impinging jets. Effects of crossflow temperature relative to jet temperature [NASA-CR-3938] p 190 N86-15625  
 Thermal barrier coating life prediction model development [NASA-CR-175087] p 452 N86-22713  
 Throttle dependent forces: A primer [AD-A162939] p 442 N86-23599  
 Fracture mechanics of multiple crack initiations. An application for fracture mechanics analysis of gas turbine engine disks [AD-A162998] p 442 N86-23601  
 One-piece HPTR blade squealer tip [AD-D012003] p 504 N86-24698  
 An analysis of rig test disc failures p 527 N86-25381  
 The effects on rotor nonuniform inflow harmonic content of uneven circumferential distribution of jet engine inlet guide vanes [AD-A164829] p 555 N86-26291  
 Aircraft performance optimization with thrust vector control [AD-A165388] p 587 N86-26334  
 Pressure drop and heat transfer characteristics of circular and oblong low aspect ratio pin fins p 741 N86-29827  
 Ceramic heat exchangers for gas turbines or turbojet engines p 742 N86-29858  
 Effect of film cooling on the aerodynamic performance of a turbine cascade p 742 N86-29859  
 Aerodynamic effect of coolant ejection in the rear part of transonic rotor blades p 742 N86-29861  
 Advances in the study of the mechanical behavior of materials [AD-A164856] p 735 N86-30838  
 Fiscal year 1987 technical objective document [AD-A166659] p 758 N86-31454
- GAS-SOLID INTERFACES**  
 Rotational-translational subsonic motion of a finite-span wing in an ideal gas p 628 A86-43384
- GASEOUS FUELS**  
 Gas turbine fuels and their influence on combustion — Book p 312 A86-23274  
 Effect of different hydrogen-injection techniques on its burnup in a supersonic air flow p 684 A86-43420  
 Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 3: On-Board Inert Gas Generator System (OBIGGS) studies. Part 2: Fuel scrubbing and oxygen evolution tests [AD-A167445] p 807 N86-31573
- GASES**  
 Halon extinguisher agent behavior in a ventilated small aircraft [DOT/FAA/CT-86/5] p 699 N86-29794
- GASOLINE**  
 Aircraft accident report: Vieques Air Link, Inc., Britten-Norman BN-21-6 Islander, N589SA, Vieques, Puerto Rico, August 2, 1984 [PB85-901408] p 159 N86-15276
- GAUSS EQUATION**  
 Aeroelastic control of oblique-wing aircraft [NASA-TM-86808] p 595 N86-26340
- GEAR TEETH**  
 Gear tooth surface fatigue testing with full size test specimens p 187 A86-18409  
 Linear dynamic coupling in geared rotor systems [ASME PAPER 85-DET-11] p 608 A86-38617  
 Generation of spiral bevel gears with zero kinematical errors and computer aided tooth contact analysis [NASA-TM-87273] p 527 N86-25793
- GEARS**  
 The design of an advanced engineering gearbox p 320 A86-26155  
 Gearbox configuration analysis p 521 A86-35611  
 The generation of tire cornering forces in aircraft with a free-swiveling nose gear [SAE PAPER 851939] p 581 A86-38372  
 Fatigue life analysis of a turboprop reduction gearbox [ASME PAPER 85-DET-10] p 738 A86-45256
- Transmission acoustic vibration testing [AD-A159022] p 101 N86-13326  
 Testing of YUH-61A helicopter transmission in NASA Lewis 2240-kW (3000-hp) facility p 525 N86-24992  
 [NASA-TP-2538] p 527 N86-25793  
 Generation of spiral bevel gears with zero kinematical errors and computer aided tooth contact analysis [NASA-TM-87273] p 527 N86-25793  
 Aircraft and Bearing Tribological Systems [AGARD-CP-394] p 677 N86-29236  
 A study of the potential benefits associated with the development of a dedicated helicopter transmission lubricant p 686 N86-29242  
 Multifunctional requirements for a gearbox secondary power system in a modern fighter aircraft and its components and interface requirements p 678 N86-29243  
 Direction of R and D and current status of understanding of advanced gear steels p 686 N86-29245  
 Future trends in helicopter transmission lubricants p 686 N86-29250  
 Scoring tests of aircraft transmission lubricants at high speeds and high temperatures p 667 N86-29253
- GELATINS**  
 The development of dichromated gelatin for holographic optical element applications p 468 A86-32312
- GELS**  
 Amine-CO<sub>2</sub> adducts as aviation fuel gelling agents p 701 N86-30020
- GENERAL AVIATION AIRCRAFT**  
 The development of dynamic performance standards for general aviation aircraft seats [SAE PAPER 850853] p 97 A86-14449  
 Damage tolerance and civil helicopter design p 166 A86-18448  
 Design of a natural laminar flow wing for a transonic corporate transport [AIAA PAPER 86-0314] p 200 A86-19807  
 Longitudinal flying qualities criteria for single-pilot instrument flight operations p 305 A86-23186  
 Deep stall characteristics of the MU-300 p 306 A86-25203  
 Aerodynamic characteristics of general aviation at high angle of attack with the propeller slip stream p 306 A86-25204  
 Light aircraft - The way ahead in design and operation; Proceedings of the Symposium, Loughborough, England, March 31, April 1, 1984 p 354 A86-28093  
 Air transport pilot involvement in general aviation accidents p 418 A86-29936  
 Development of spin resistance criteria for light general aviation airplanes [AIAA PAPER 86-9812] p 443 A86-32139  
 The choice of techniques used for flight flutter clearance with particular reference to the BAe 146 and BAe 125 p 433 A86-33245  
 The impact of private meteorology on private aviation p 616 A86-37511  
 General aviation aircraft aerodynamics; Proceedings of the General Aviation Aircraft Meeting and Exposition, Wichita, KS, April 16-19, 1985 [SAE SP-621] p 581 A86-38501  
 An experimental study of a general aviation single-engine aircraft utilizing a natural laminar flow wing [SAE PAPER 850861] p 551 A86-38503  
 An application of the Carson cruise optimum airspeed - A compromise between speed and efficiency [SAE PAPER 850867] p 582 A86-38508  
 Crash dynamics of general aviation aircraft; Proceedings of the General Aviation Aircraft Meeting and Exposition, Wichita, KS, April 16-19, 1985 [SAE SP-622] p 582 A86-38509  
 Data for the development of criteria for general aviation seat and restraint system performance [SAE PAPER 850851] p 568 A86-38511  
 Preliminary design research for the Caravan 1 crew seat [SAE PAPER 850856] p 582 A86-38514  
 Composites: Design and manufacturing for general aviation aircraft; Proceedings of the General Aviation Aircraft Meeting and Exposition, Wichita, KS, April 16-19, 1985 [SAE SP-623] p 582 A86-38515  
 Dual-wing systems with decalage angle optimization p 624 A86-40121  
 Advanced technology payoffs for future rotorcraft, commuter aircraft, cruise missile, and APU propulsion systems [AIAA PAPER 86-1545] p 638 A86-42704  
 High performance, stratified charge rotary engines for general aviation [AIAA PAPER 86-1553] p 647 A86-42710  
 Aerodynamic technologies for general aviation aircraft p 713 A86-46198

A proposed plane for the initial flight testing of a Rutan Aircraft Factory long-EZ and other light amateur experimental aircraft p 794 A86-47777

Results of technology programs for general aviation aircraft at Dornier p 795 A86-47787

Canard canard — performance of light aircraft p 763 A86-49862

Determination of corrections to flow direction sensor measurements over an angle-of-attack range from 0 degree to 85 degrees p 167 N86-14267

[NASA-TM-86402] p 167 N86-14267

01General aviation interior noise problem: Some suggested solutions p 194 N86-15063

PIFCGT: A PIF autopilot design program for general aviation aircraft p 178 N86-15320

[NASA-CR-186123] p 178 N86-15320

General aviation crashworthiness project, phase 3: Acceleration loads and velocity changes of survivable general aviation accidents p 260 N86-18306

[NTSB/SR-85/02] p 260 N86-18306

Aircraft accident reports: Brief formats, US civil and foreign aviation, issue number 1 of 1984 accidents [PB85-916920] p 284 N86-18309

Aircraft accident reports: Brief format US Civil and Foreign Aviation, issue 2 of 1984 accidents [PB85-916921] p 281 N86-18310

Sukhoi design bureau builds sport plane made of plastic p 294 N86-18324

Features of planned IL-98-300, IL-114 aircraft p 294 N86-18325

Effects of wing modification on an aircraft's aerodynamic parameters as determined from flight data [NASA-TM-87591] p 370 N86-21550

Lightning protection guidelines and test data for adhesively bonded aircraft structures [NASA-CR-3762] p 436 N86-23586

KRASH85 user's guide: Input/output format [DOT/FAA/CT-85/10-REV] p 618 N86-27926

Aircraft accident reports: Brief format US Civil and Foreign Aviation, issue number 10 of 1984 accidents [PB86-916906] p 634 N86-28070

Evaluation of laminar flow control systems concepts for subsonic commercial transport aircraft [NASA-CR-158251] p 639 N86-28077

Halon extinguisher agent behavior in a ventilated small aircraft [DOT/FAA/CT-86/5] p 699 N86-28794

Weight estimation techniques for composite airplanes in general aviation industry [NASA-CR-178163] p 781 N86-31531

**GEOGRAPHIC INFORMATION SYSTEMS**

Using a menu-based natural language interface to ask spatial database queries p 259 A86-20665

**GEOMAGNETISM**

Aver Electronic Magnetic Compass and low cost navigation system p 358 A86-28504

Computer-controlled navigation for aeromagnetic survey flights during the GANOVEX IV Antarctic expedition during the southern summer of 1984/85 p 484 A86-35293

**GEOMETRY**

Aeroelastic considerations for torsionally soft rotors p 157 N86-15289

Free jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual flow. Comprehensive data report. Volume 1: Test nozzles and acoustic data [NASA-CR-174817] p 469 N86-23371

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and supersonic. Base pressure data [NASA-CR-174818] p 469 N86-23372

Geometric and structural properties of a rectangular supercritical wing oscillated in pitch for measurement of unsteady transonic pressure distributions [NASA-TM-85673] p 416 N86-23567

Patched-grid calculations with the Euler and Navier-Stokes equations: Theory and applications [NASA-TM-88226] p 630 N86-28062

PAN AIR application to the F-108B [NASA-CR-178165] p 698 N86-30698

Geometrical description for a proposed aerobassist flight experiment vehicle [NASA-TM-87714] p 749 N86-31237

**GEOTECHNICAL FABRICS**

Mechanistic methodology for airport pavement design with engineering fabrics. Volume 2: Advanced concepts, validation and criteria [DOT/FAA/PM-84/9,II-VOL-2] p 657 N86-28963

**GIMBALS**

Theoretical three-and four-axis gimbal robot wrists [NASA-TP-2564] p 533 N86-25168

**GIRDERS**

A mathematical model for structures consisting of elastic shell sections connected by open girders p 456 A86-31420

**GLASS FIBER REINFORCED PLASTICS**

Delamination threshold and loading effect in fiber glass epoxy composites p 244 A86-20636

Effect of moisture on thermal properties of composite materials for aerospace applications p 661 A86-40345

Experiences in UK and France in aerospace application — of glass and carbon fiber reinforced composites p 621 A86-40499

**GLASS FIBERS**

S-2 glass fiber - its role in military applications p 377 A86-27702

**GLIDE PATHS**

Design technique to reduce effects of tidal variations on an ILS glide slope system p 635 A86-41335

Glide slope indicator system [AD-D012077] p 424 N86-23560

Guidance studies for curved, descending approaches using the Microwave Landing System (MLS) [NASA-CR-178030] p 486 N86-25335

Math model study of a proposed glide slope for runway 13R, Dallas-Fort Worth Airport, Texas [AD-A164907] p 573 N86-26315

Implementation and flight tests for the Digital Integrated Automatic Landing System (DIALS). Part 2: Complete set of flight data [NASA-TM-87632-PT-2] p 653 N86-28093

Investigations for improving operational reliability and maintainability of ILS components. Volume 2: Figures and illustrations [FAA/PM-86/7.11-VOL-2] p 636 N86-28932

Investigations for improving operational reliability and maintainability of instrument landing system components. Volume 1: Text and appendices [DOT/FAA/PM-86/7.1-VOL-1] p 704 N86-29801

Portable glide slope indicator [AD-D012240] p 789 N86-31552

Analysis of a mirror deck landing aid [AD-A167988] p 789 N86-31556

**GLIDERS**

Design of a minimum-weight gliding wing p 96 A86-13437

Aeroelastic problems and structural design of a tailless CFC-sailplane p 434 A86-33264

High altitude unmanned aircraft for meteorological applications - HIMET p 575 A86-37329

Aerodynamic delay following control actuation in a glider [AIAA PAPER 86-2226] p 829 A86-47689

Aircrew protection design, training and mission management for high altitude aerodynamic operations p 781 A86-47778

Environment-friendly propeller aircraft with a maximum weight of 5700 kg, and motor gliders: Publication of the noise values p 227 N86-17341

Processing and meteorological evaluation of research flights with DFVLR motor gliders using the software package RAMF [DFVLR-FB-85-57] p 678 N86-28588

Flight determination of the aerodynamic stability and control characteristics of the NASA SGS 1-36 sailplane in the conventional and deep stall angles-of-attack of between -5 and 75 degrees [NASA-CR-176962] p 726 N86-28965

Aeroelastic problems and structural design of a tailless Carbon Fiber Composite (CFC) sailplane p 715 N86-30862

Dynamic identification procedure and lift certification of light aircraft and gliders [ONERA-RT-12/1677-RY-090-R] p 809 N86-32429

**GLIDING**

Stability of the steady-state gliding of a flight vehicle p 175 A86-16787

**GLOBAL POSITIONING SYSTEM**

The RAJPO GPS range equipment family — navigation modules for various military applications p 92 A86-13216

Correlation of GPS receiver channel track continuity with aircraft structural masking p 92 A86-13217

The use of translators with GPS — for signal conversion p 93 A86-13230

Helicopter flight test demonstration of differential GPS p 345 A86-26438

Commercial aviation GPS Navigation Set flight test results p 346 A86-26507

Civil helicopter flight operations using differential GPS p 346 A86-26509

GPS aided inertial navigation p 351 A86-29300

Performance characteristics of transponder-aided versus GPS-aided inertial navigation systems [AIAA PAPER 86-9817] p 422 A86-32142

Commercial applications of the Navstar Global Positioning System p 514 A86-34112

Low cost inertial reference system based on fiber gyros with GPS-aiding p 788 A86-49016

An apparatus for and a method of determining compass headings [AD-D012051] p 425 N86-23684

Will the USAF need ground-based air traffic control radar in the year 2000? [AD-A168504] p 704 N86-29805

**GLYCOLS**

Method to detect ethylene glycol in gaseous mixtures [AD-A158109] p 116 N86-12272

**GOGGLES**

Liquid-crystal goggles permit visual simulations of restricted visibility p 718 A86-46150

**GOVERNMENT PROCUREMENT**

The T800 turbine engine solicitation - A new thrust in streamlining the acquisition process [AIAA PAPER 86-1669] p 684 A86-42782

The C-17: We need it yesterday [AD-A157147] p 99 N86-12219

The F/A-18 Fighter/Attack aircraft program [AD-A159292] p 195 N86-15205

Cost estimating relationships for fixed wing aircraft: List price versus empty weight [AD-A164198] p 537 N86-25300

**GOVERNMENT/INDUSTRY RELATIONS**

The world aircraft industry — Book p 269 A86-26114

The field representative 'front line actioner' — helicopter manufacturer field service representative responsibilities p 536 A86-35845

The T800 turbine engine solicitation - A new thrust in streamlining the acquisition process [AIAA PAPER 86-1669] p 684 A86-42782

**GRAND CANYON (AZ)**

Aircraft information packet (Grand Canyon National Park, Arizona) [PB86-159704] p 540 N86-27179

**GRANTS**

Report of accomplishments under the airport improvement program [AD-A156834] p 113 N86-12241

NASA LeRC/Akron University Graduate Cooperative Fellowship Program and Graduate Student Researchers Program [NASA-CR-174826] p 130 N86-13219

**GRAPHITE**

Advanced rotary engine components utilizing fiber reinforced Mg castings [AIAA PAPER 86-1559] p 663 A86-42712

Light weight fire resistant graphite composites [NASA-CASE-ARC-11615-1S8] p 664 N86-28131

**GRAPHITE-EPOXY COMPOSITES**

Experimental/analytic comparisons considering composite panels with a cutout p 118 A86-13338

Measurement of preferential moisture ingress in composite wing/spar joints p 116 A86-16100

Thermographic inspection of carbon epoxy structures p 249 A86-20849

Structural demonstration of the AV-8B Harrier II p 223 A86-21061

SF-340 airfoil structure - A unique approach p 224 A86-21712

Applications of tubular composite structures p 245 A86-21719

Lightning simulation tests on a graphite/epoxy airplane mockup p 355 A86-28514

Acoustic-backscattering studies of transverse cracks in composite thick laminates p 451 A86-33088

Postbuckling and crippling behavior of graphite/epoxy thin-walled airframe members p 521 A86-35643

Drop testing and analysis of six-foot diameter graphite-epoxy frames p 517 A86-37088

Compressive strength of impact damaged graphite epoxy laminates p 517 A86-37118

Design and certification of a composite control surface [SAE PAPER 850888] p 582 A86-38516

Observations on compressive local buckling, postbuckling and crippling of graphite/epoxy airframe structure [AIAA PAPER 86-0923] p 608 A86-38833

Experimental aeroelastic behavior of forward swept graphite/epoxy wings with rigid body freedoms [AIAA PAPER 86-0971] p 584 A86-38851

The combined effects of stress and moisture on the structural integrity of composites p 667 A86-40344

Characterization of T300/V-378A graphite/bismaleimide for structural applications p 662 A86-41053

A fiber optic damage monitor p 670 A86-41805

Response of composite material shallow arch to concentrated load p 670 A86-41899

Effect of measured material properties on the finite element analysis of an OH-58 composite tail boom [NASA-TM-86430] p 116 N86-12259

Abrasion behavior of aluminum and composite skin coupons, stiffened skins and stiffened panels representative of transport airplane structures [NASA-TP-2520] p 100 N86-13316  
Flight service evaluation of advanced composite ailerons on the L-1011 transport aircraft [NASA-CR-177980] p 184 N86-14317  
Stress concentration around a small circular hole in the HIMAT composite plate [NASA-TM-86038] p 184 N86-15350  
The 737 graphite composite flight spoiler flight service evaluation [NASA-CR-172600] p 314 N86-18448  
Environmental exposure effects on composite materials for commercial aircraft [NASA-CR-177929] p 314 N86-18449  
Ultrasonic f-scan inspection of composite materials [AD-A159974] p 314 N86-18451  
Strength of graphite/epoxy bolted wing-skin splice specimens subjected to outdoor exposure under constant load and yearly fatigue loading [NASA-TP-2542] p 378 N86-20508

# GRAPHITE-POLYIMIDE COMPOSITES

Aerospace applications of PMR polyimide composites p 377 A86-27730

## GRAPHS (CHARTS)

USAF/SCREE (United States Air Force/Southeastern Center for Electrical Engineering Education) Research Initiation Program research reports, volume 2 [AD-A161908] p 480 N86-23752  
Composite integral response sensing [AD-A163136] p 470 N86-24457

## GRAVIMETERS

Gravimetric surveying with MI-8 helicopters p 125 N86-12680

## GRAVIMETRY

Gravimetric surveying with MI-8 helicopters p 125 N86-12680

## GRAVITATIONAL EFFECTS

Gravity-induced errors in airborne inertial navigation p 703 A86-46457

## GRAY SCALE

Electronic display luminance and gray scale control — for military aircraft p 360 A86-28505

## GROOVES

Dynamic response of film thickness in spiral-groove face seals [NASA-TP-2544] p 174 N86-15313

## GROUND BASED CONTROL

Ground control station for RVPs p 571 A86-37336  
Integrated braking and ground directional control for tactical aircraft [SAE PAPER 851941] p 581 A86-38374  
The SKYEYE RVP - An NDI solution to today's unmanned aerial vehicle requirements p 712 A86-46134  
Calibration of an on-ground aircraft tracking radar by aerial photogrammetry [NAL-TR-861] p 282 N86-18311  
Microwave Landing System (MLS) station interface control report [DOT/FAA/PM-86/17] p 540 N86-27178  
Investigations for improving operational reliability and maintainability of ILS components. Volume 2: Figures and illustrations [FAA/PM-86/7.11-VOL-2] p 636 N86-28932  
Will the USAF need ground-based air traffic control radar in the year 2000? [AD-A166504] p 704 N86-29805

## GROUND CREWS

A modification of the H-133 ground communications headset for use in intense noise environments [AD-A166981] p 744 N86-30907

## GROUND EFFECT (AERODYNAMICS)

Hover in-ground-effect testing of a full-scale, tilt-nacelle V/STOL model [AIAA PAPER 86-0780] p 286 A86-24759  
Hover test of a full-scale hingeless rotor p 291 A86-26144  
Euler calculation for flow over a wing in ground effect [AIAA PAPER 86-1765] p 542 A86-37803  
Ground effect on slender wings at moderate and high angles of attack p 623 A86-40108  
Euler solutions for airfoil/jet/ground-interaction flowfields p 623 A86-40112  
A theoretical study of deltoid planforms operating in the ground effect region p 638 A86-41977  
Lifting-line solution for a symmetrical thin wing in ground effect p 689 A86-44874  
The ground effects of a powered-lift STOL aircraft during landing approach p 795 A86-47784  
Ground effects on V/STOL and STOL aircraft: A survey [NASA-TM-86825] p 89 N86-13299

Aircraft Noise Prediction Program theoretical manual: Propeller aerodynamics and noise [NASA-TM-83189-PT-3] p 536 N86-25220  
Hover in-ground-effect testing of a full-scale, tilt-nacelle V/STOL model [NASA-TM-86218] p 629 N86-28056  
An investigation of turbulence mechanisms in V/STOL upwash flow fields [AD-A166286] p 694 N86-29782

## GROUND EFFECT (COMMUNICATIONS)

Weibull-distributed ground clutter in the frequency domain p 671 A86-41883

## GROUND EFFECT MACHINES

'But not with the greatest of ease' - A feasibility study of a human-powered ACV p 121 A86-14355  
Operating experience in the Jeff (A) in the Arctic [ASME PAPER 85-GT-127] p 266 A86-22076  
Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987 [AD-A162792] p 402 N86-22443  
After action report, CH-47 recovery using D-PAAC [AD-A161935] p 437 N86-23589

## GROUND HANDLING

Thrust-vector takeoff, landing, and ground handling of an airship p 343 A86-28571  
Robotic systems concepts for the rapid turnaround of tactical aircraft in a biochemical environment p 761 A86-47763  
Airports build for future traffic amid new security concern p 838 A86-48371

## GROUND OPERATIONAL SUPPORT SYSTEM

Generic aircraft ground operation simulation [AIAA PAPER 86-0989] p 584 A86-38865

## GROUND RESONANCE

Influence of nonlinear blade damping on helicopter ground resonance instability p 283 A86-23185  
Analytical and experimental results of the ground resonance phenomenon for A.129 p 291 A86-26142  
Ground resonance of a helicopter during the take-off and landing run p 712 A86-45749  
The physical understanding on helicopter air and ground resonance p 798 A86-48660  
Rotor-fuselage dynamic coupling characteristics of helicopter air and ground resonance p 799 A86-48666  
Developments in helicopter ground vibration testing p 805 A86-48638  
Ground resonance analysis using a substructure modeling approach p 176 N86-15282  
Nonlinear dynamics of a helicopter model in ground resonance p 177 N86-15284  
Development and application of a time-history analysis for rotorcraft dynamics based on a component approach p 168 N86-15291

## GROUND STATIONS

Mode-S beacon system to cover all U.S. upper airspace by 1991 p 281 A86-23376  
Flight Test Instrumentation System FTIS for type-certification of the Indonesian aircraft CN 235 p 358 A86-27818  
Design considerations for Doppler VOR ground station antenna arrangement p 349 A86-28360  
Computer graphics support of a new era in flight test ground stations [AIAA PAPER 86-9769] p 448 A86-32105  
Ground control station for RVPs p 571 A86-37336  
Investigations for improving operational reliability and maintainability of instrument landing system components. Volume 1: Text and appendices [DOT/FAA/PM-86/7.1-VOL-1] p 704 N86-29801

## GROUND SUPPORT EQUIPMENT

The role of a real-time flight support facility in flight research programs [AIAA PAPER 86-0186] p 241 A86-19727  
Computer graphics support of a new era in flight test ground stations [AIAA PAPER 86-9769] p 448 A86-32105  
Precision IMC approaches to heliports using collocated MLS — Instrument Meteorological Conditions p 485 A86-35610  
Aircraft ground support equipment standardization - The pros and cons of 'functional' vs 'technical' standardization [SAE PAPER 851794] p 620 A86-38317  
Robotic systems concepts for the rapid turnaround of tactical aircraft in a biochemical environment p 761 A86-47763

## GROUND SUPPORT SYSTEMS

The MBB flight test centre and its facilities [AIAA PAPER 86-9746] p 447 A86-32090

## GROUND TESTS

Radio frequency chamber improves LAMPS Mk III testing p 112 A86-15526  
Structural demonstration of the AV-8B Harrier II p 223 A86-21061

The data transmission and processing equipment of a high-precision trajectory measurement system p 296 A86-22728

Unusual aerodynamics of X-29 p 426 A86-31332  
X-29 ground and flight subsystem testing [AIAA PAPER 86-9781] p 430 A86-32115  
Integration test facility for P3 aircraft purpose and uses [AIAA PAPER 86-9807] p 448 A86-32135

Helicopter test installation RoTeSt in DNW - Application and results [DGLR PAPER 85-113] p 513 A86-35166

Ground testing approach for the B-1B bomber [SAE PAPER 851796] p 598 A86-38319  
Identification of frequency characteristics during bench tests p 681 A86-43387  
Arnold Engineering Development Center - Simulators encompass spectrum of aerospace environments p 730 A86-45673

Arnold Engineering Development Center - New facility to assess engine-airframe compatibility prior to first flight p 730 A86-45674

The methods implemented at ONERA to improve airplane ground vibration tests [ONERA, TP NO. 1986-8] p 713 A86-46153

Digital data acquisition system for model testing — of aircraft p 731 A86-47093  
A comparison of methods for aircraft ground vibration testing p 713 A86-47096

Lightning simulation tests on FAA CV-580 lightning research aircraft p 790 A86-47307  
Lightning-induced transient test on a transport aircraft p 791 A86-47327  
Developments in helicopter ground vibration testing p 805 A86-48638

Flutter clearance tests on a Transavia PL-12/T-400 Skyfarmer [AD-A157212] p 110 N86-12234

Environmental exposure effects on composite materials for commercial aircraft [NASA-CR-177929] p 314 N86-18449  
Use of state estimation to calculate angle-of-attack position error from flight test data [AD-A163962] p 480 N86-24670

Ground vibration test of an F-16 airplane with modified decoupler pylons [NASA-TM-87634] p 496 N86-24685  
Uniform engine testing program phase 7: NASA Lewis Research Center second entry [NASA-TM-87272] p 650 N86-28065

The choice of techniques used for flight flutter clearance with particular reference to the BAe 146 and BAe 125 p 728 N86-30644  
Experience with aeroelastic analysis of a single engine turbo trainer using finite element methods p 743 N86-30646

Advances in ground vibration testing using a combination of phase resonance and phase separation methods — aircraft testing p 743 N86-30669  
Modified US Army U-8F ground vibration test [NASA-TM-86741] p 717 N86-30723

## GROUND TRUTH

Spectroradiometric calibration of the Thematic Mapper and multispectral scanner system [E86-10022] p 280 N86-17816  
Analysis of airborne Doppler lidar, Doppler radar and tall tower measurements of atmospheric flows in quiescent and stormy weather [NASA-CR-3980] p 482 N86-23159

## GROUND WAVE PROPAGATION

Loran C 1984 spring-summer stability [AD-A167867] p 789 N86-31555

## GROUND WIND

Terrain-induced wind shear - Potential cause of Jetstar accident p 566 A86-37482  
Limited Surface Observations Climatic Summary (LISOCs). Parts A, C-F: Bremen International, West Germany [AD-A159656] p 323 N86-18894  
Revised Uniform Summary of Surface Weather Observations (RUSSWO). Parts A-F: General Billy Mitchell Field, Wisconsin [AD-A159658] p 324 N86-18896  
Revised Uniform Summary of Surface Weather Observations (RUSSWO). Parts A-F: Aviano AB, Italy [AD-A159662] p 324 N86-18900  
Giebelstadt ain Germany (West). Limited surface observations climatic summary (LISOCs): Parts A, C-F [AD-A159664] p 324 N86-18902

## GRUMMAN AIRCRAFT

Results of piloted simulation of Grumman Design 698 [SAE PAPER 851846] p 579 A86-38342  
The application of practical optimization techniques in the preliminary structural design of a forward-swept wing p 715 N86-30654



**GUIDANCE (MOTION)**

Guidance, Navigation and Control Conference, Williamsburg, VA, August 18-20, 1986, Technical Papers p 852 A86-47401

An analytical modularized treatment of autopilots for guided projectile simulations [AD-A159311] p 182 N86-14262

Proceedings of the 12th Biennial Guidance Test Symposium held at Holloman AFB, New Mexico on 22-24 October 1985, volume 1 [AD-A161996] p 425 N86-23563

The Impact of Very High Performance Integrated Circuits on Radar, Guidance and Avionics Systems [AGARD-CP-380] p 674 N86-26337

**GUIDANCE SENSORS**

The use of microcomputers in inertial navigation systems with strapdown sensors and for measurement systems of average accuracy — German thesis p 347 A86-27849

Improvement of strapdown system performance by means of numerical methods [BMFT-FB-W-85-011] p 575 N86-27275

The Impact of Very High Performance Integrated Circuits on Radar, Guidance and Avionics Systems [AGARD-CP-380] p 674 N86-26337

**GUIDE VANES**

Effects of tip endwall contouring on the three-dimensional flow field in an annular turbine nozzle guide vane. I - Experimental investigation [ASME PAPER 85-GT-71] p 77 A86-13065

Simulation of the effects of shock wave passing on a turbine rotor blade [ASME PAPER 85-GT-112] p 77 A86-13067

The adjustment of a turbojet engine compressor by the rotation of the guide vanes with the objective of reducing fuel consumption during throttle operation p 816 A86-48757

Compressor research facility F100 high pressure compressor inlet total pressure and swirl profile simulation [AD-A157106] p 107 N86-12229

Wind tunnel turning vanes of modern design [NASA-TM-87146] p 113 N86-12239

The effects on rotor nonuniform inflow harmonic content of uneven circumferential distribution of jet engine inlet guide vanes [AD-A164629] p 555 N86-26291

**GUN TURRETS**

The Phoenix sensor turret system p 588 A86-37342

**GUST ALLEVIATORS**

Gust alleviation using combined control laws p 239 A86-22317

NLR experience in the application of active flutter suppression and gust load alleviation, applied to a wind-tunnel model p 444 A86-33250

The design and wind tunnel demonstration of an active control system for gust load alleviation and flutter suppression p 445 A86-33251

Windtunnel test and laboratory simulation of a load alleviation system for a modern transport aircraft p 445 A86-33252

Control law synthesis for gust load alleviation using linear quadratic Gaussian theory p 445 A86-33253

An application of self-tuning regulator to GLA system of an aircraft — Gust Load Alleviation p 508 A86-34926

Helicopter gust alleviation, attitude stabilization, and vibration alleviation using individual-blade-control through a conventional swash plate p 510 A86-35604

The design of multi-functional flight controllers for structural load alleviation p 551 A86-40767

Disturbance attenuation by a frequency-shaped linear-quadratic-regulator method — applied to design of feedback control system for aircraft gust alleviation p 725 A86-46453

Design of an integrated control system for flutter margin augmentation and gust load alleviation, tested on a dynamic windtunnel model [AIAA PAPER 86-2242] p 824 A86-47490

Design of a multivariable flutter control/gust load alleviation system [AIAA PAPER 86-2247] p 825 A86-47494

Designing a load alleviation system for a modern civil aircraft p 832 A86-49006

Gust alleviation on a transport airplane p 565 N86-27259

Unsteady interactions of transonic airfoils with gusts and concentrated vortices p 565 N86-27261

Identification of aircraft characteristics including gust induced dynamic effects p 565 N86-27263

NLR experience in the application of active flutter suppression and gust load alleviation, applied to a wind tunnel model p 728 N86-30649

Control law synthesis for gust load alleviation using linear quadratic Gaussian theory p 728 N86-30651

**GUST LOADS**

The numerical computation of aircraft response to arbitrary vertical gust distributions p 110 A86-14534

Comparison of discrete and continuous gust methods for airplane design loads determination p 356 A86-28567

A numerical analysis for vertical gust field induced by gust generator p 432 A86-33237

Gust response of hingeless rotors p 578 A86-37772

A wind tunnel study of active control technology on a high aspect ratio wing [AIAA PAPER 86-0956] p 594 A86-38830

The equivalent deterministic function of the Dryden's spectra of atmospheric turbulence and its application to the aircraft response problem p 595 A86-39768

Prediction of gust loadings and alleviation at transonic speeds [AIAA PAPER 86-0987] p 777 A86-49573

Optimal airframe synthesis for gust loads [NASA-CR-178047] p 357 N86-20386

Wind tunnel test and analysis on gust load alleviation of a high-aspect-ratio wing [NAL-TR-690] p 556 N86-27185

Generation of two-dimensional gust fields in subsonic wind-tunnels p 563 N86-27247

Unsteady interactions of transonic airfoils with gusts and concentrated vortices p 565 N86-27261

A numerical analysis for vertical gust field induced by gust generator p 727 N86-30637

NLR experience in the application of active flutter suppression and gust load alleviation, applied to a wind tunnel model p 728 N86-30649

The design and wind tunnel demonstration of an active control system for gust load alleviation and flutter suppression p 728 N86-30650

Control law synthesis for gust load alleviation using linear quadratic Gaussian theory p 728 N86-30651

The generation of equal probability design load conditions, using Power Spectral Density (PSD) techniques — aircraft design [NLR-TR-85014-U] p 609 N86-32430

Identification of gust input and gust response characteristics from Do 28 TNT flight test data [ESA-TT-919] p 837 N86-32445

**GUSTS**

Composite statistical method for modeling wind gusts p 308 A86-23189

Noise generated by convected gusts interacting with swept airfoil cascades [AIAA PAPER 86-1872] p 755 A86-45492

The Australian implementation of AMDAR/ACARS and the use of derived equivalent gust velocity as a turbulence indicator [AR-004-51] p 420 N86-22560

Analysis of data from NASA B-57B gust gradient program [NASA-CR-178736] p 446 N86-23604

Loads and motions of an F-108B flying through thunderstorms [NASA-TM-87671] p 483 N86-24672

Identification of aircraft characteristics including gust induced dynamic effects p 565 N86-27263

The physical and empirical basis for a specific clear-air turbulence risk index [NASA-CR-39771] p 746 N86-30265

Aircraft response to turbulence [AGARD-R-736] p 729 N86-30739

Gust load prediction and alleviation on a fighter aircraft [AGARD-R-726] p 729 N86-30741

**GYROCOMPASSES**

Analytical estimation of the variance of error in determining geographic-meridian direction by the gyrocompass method with random oscillation of the base p 160 A86-18990

**GYROSCOPES**

Stability of large damped flexible spacecraft with stored angular momentum p 182 A86-18355

A redundant strapdown reference for advanced aircraft flight control systems p 239 A86-21840

Frequency and time domain designs of a strapdown vertical determination system [AIAA PAPER 86-2148] p 610 A86-47457

Proceedings of the 12th Biennial Guidance Test Symposium held at Holloman AFB, New Mexico on 22-24 October 1985, volume 1 [AD-A161996] p 425 N86-23563

Properties, applications, future of European gyro sensors p 678 N86-29062

**GYROSCOPIC STABILITY**

A preliminary flight evaluation of the peripheral vision display using the NT-33A aircraft p 297 A86-23729

Fluidic gyro systems p 438 A86-30312

**GYROSTABILIZERS**

Spatial orientation of an aircraft during the execution of lateral maneuvers p 175 A86-18987

**H**

**H-53 HELICOPTER**

Damage tolerance analysis of the H-53 helicopter p 166 A86-18449

Development of a composite tail rotor blade for the MH-53E p 493 A86-35649

Dynamics of a helicopter with a sling load [AIAA PAPER 86-2268] p 831 A86-47709

**H-60 HELICOPTER**

Development testing of the H-60 composite main rotor blade p 163 A86-18404

**HALL EFFECT**

Flow direction measurement criteria and techniques planned for the 40- by 80-/80- x 120-foot wind tunnel integrated systems tests [NASA-CR-178989] p 676 N86-29152

**HAND (ANATOMY)**

Theoretical three-and four-axis gimbal robot wrists [NASA-TP-2564] p 533 N86-25166

**HANDBOOKS**

Statistical sampling of aircraft operations at non-towered airports [AD-A157095] p 128 N86-13051

Transportation safety recommendations adopted during the month of December 1985 [PB85-916612] p 599 N86-26301

**HANDLING EQUIPMENT**

Robotic systems concepts for the rapid turnaround of tactical aircraft in a biochemical environment p 761 A86-47763

**HARBORS**

USSR report: Transportation [JPRS-UTR-85-015] p 294 N86-18323

**HARDENING (MATERIALS)**

Laser metalworking technology transfer [AD-A155808] p 664 N86-26166

**HARDWARE**

Hardware integrity — description of new 32-bit microprocessor architecture for increased air safety p 126 A86-13049

Hardware/software FMEA applied to airplane safety p 253 A86-22396

Development of hardware for X-29A flight control system p 366 A86-28379

Fault Tolerant Hardware/Software Architecture for Flight Critical Function [AGARD-LS-143] p 369 N86-20399

**HARMONIC ANALYSIS**

Application of harmonic analysis method to research on rotor airloads p 706 A86-43490

Measurement and extraction of recurring waveforms: For applications to active transmissions, flow-noise, and helicopter-radiated noise problems [AD-A167400] p 856 N86-32249

**HARMONIC CONTROL**

The effect of higher harmonic control (HHC) on a four-bladed hingeless model rotor p 99 A86-16124

Higher harmonic control - Vibration reduction for reduced weight — for helicopters [SAWE PAPER 1679] p 489 A86-35220

Higher harmonic control - Wind tunnel demonstration of fully effective vibratory hub force suppression p 509 A86-35602

Dual control and prevention of the turn-off phenomenon in a class of mimo systems p 681 A86-43000

Adaptation of a modern medium helicopter (Sikorsky S-76) to higher harmonic control p 178 N86-15303

**HARMONIC OSCILLATION**

Study of the influence of an oscillating spoiler on the surrounding aerodynamic field [IMFL-3119] p 90 N86-13303

**HARNESSES**

Upper torso restraint systems — for fixed wing and rotorcraft aircraft [SAE PAPER 851846] p 567 A86-38344

General aviation crashworthiness project, phase 3: Acceleration loads and velocity changes of survivable general aviation accidents [NTSB/SS-85/02] p 280 N86-18306

Controlled impact demonstration seat/cabin restraint systems: FAA p 390 N86-21937

**HARRIER AIRCRAFT**

The AV-8B fatigue test program p 165 A86-18443

AV-8B initial sea trials p 222 A86-21054

Structural demonstration of the AV-8B Harrier II p 223 A86-21061

Re-engining the Harrier [ASME PAPER 85-GT-175] p 235 A86-22091

Performance of AV-8B Harrier II structural test program p 241 A86-22189



- AV-8B High Angle of Attack/departure resistance system flight test program  
[AIAA PAPER 86-9729] p 496 A86-37082
- Effects of jet flap on AV-8B 'Harrier' performance  
[SAE PAPER 851843] p 579 A86-38340
- Harrier III-AV8B with a modern engine  
[SAE PAPER 851881] p 579 A86-38349
- Application of system identification to aircraft flight test data processing p 638 A86-43002
- AV-8B high angle of attack/spin program p 710 A86-44943
- Control of V/STOL aircraft p 724 A86-46002
- The INS wind calibration in climb algorithm p 796 A86-47799
- Harrier the viffler — vectoring in forward flight as fighter aircraft combat maneuver p 763 A86-49681

## HAZARDS

- Evaluation of the crash environment and injury-causing hazards in U.S. Navy helicopters p 419 A86-32070
- B-52G crew noise exposure study  
[AD-A161112] p 333 N86-20084
- The Stapleton microburst advisory service project: An operational viewpoint  
[AD-A161543] p 394 N86-21078
- Preliminary hazard analysis for self-contained navigation system  
[AD-A161883] p 425 N86-23582
- Lightning protection guidelines and test data for adhesively bonded aircraft structures  
[NASA-CR-3782] p 436 N86-23586
- Operating and support hazard analysis for the self-contained navigation system LSI model 8216A, B and C group A  
[AD-A168815] p 704 N86-29806
- Advisory Circular: Design considerations to protect fuel systems during a wheels-up landing  
[FAA-AC/25.994-1] p 806 N86-31564

## HAZE DETECTION

- Cloud particle effects on laminar flow in the NASA LEFT program - Preliminary results --- Leading Edge Flight Test  
[AIAA PAPER 86-9811] p 432 A86-32138

## HEAD FLOW

- Calculation of supersonic inviscid flow past a plane air intake element with an isolated head wave p 79 A86-13364

## HEAD-UP DISPLAYS

- HMD: Global HUD solution p 171 A86-18460
- The utility of Head-Up Displays - Eye-focus vs decision times p 297 A86-23728
- The HUD as a primary flight instrument  
[SAE PAPER 841483] p 298 A86-26006
- Presentation of radar altitude information on the HUD  
[SAE PAPER 841484] p 298 A86-26007
- Application of magneto-optic modulators to advanced avionic displays p 360 A86-28506
- Head-up/head-down transition - Measurement of transition times p 396 A86-29092
- Head-up display (HUD) utility. II - Runway to HUD transitions monitoring eye focus and decision times p 498 A86-33802
- A real-time simulation of a non-linear RVP incorporating head-up type colour graphics p 593 A86-37335
- Effect of head-up display dynamics on fighter flying qualities  
[AIAA PAPER 86-2206] p 792 A86-47485

## HEALTH PHYSICS

- The F-16 aircraft and hydrazine - An industrial hygiene perspective  
[SAE PAPER 851971] p 568 A86-38381

## HEAT EXCHANGERS

- Heat transfer and pressure drop performance of a finned-tube heat exchanger proposed for use in the NASA Lewis Altitude Wind Tunnel  
[NASA-TM-87151] p 123 N86-13677
- Study of ice accretion on icing wind tunnel components  
[NASA-TM-87095] p 242 N86-16232
- Dual mode heat exchanger  
[AD-D012156] p 524 N86-24944
- Heat exchangers in regenerative gas turbine cycles p 741 N86-29857
- Ceramic heat exchangers for gas turbines or turbojet engines p 742 N86-29858

## HEAT FLUX

- High-temperature thermocouple and heat flux gauge using a unique thin film-hardware hot junction  
[ASME PAPER 85-GT-18] p 117 A86-13059

## HEAT MEASUREMENT

- Measurements of fluctuations of surface heat transfer rate in the interacting region of oblique shock wave and turbulent boundary layer p 688 A86-43512

## HEAT PIPES

- Improved reliability of electronic circuits through the use of heat pipes p 386 A86-28479

## HEAT RESISTANT ALLOYS

- Atom-probe microanalysis of a nickel-base superalloy p 114 A86-12969
- Cumulative-damage modeling of fatigue crack growth in turbine engine materials p 105 A86-13599
- High strength nickel-palladium-chromium brazing alloys p 244 A86-20579
- The evolution of turbine blade materials p 373 A86-26330
- Isothermal forging system for the production of large rotating components from titanium alloys or superalloys p 382 A86-27247
- Studies on crack growth rate of high temperature titanium alloys p 376 A86-27384
- Developments in high temperature alloys p 376 A86-27388
- Effects of section thickness and orientation on creep-rupture properties of two advanced single crystal alloys  
[SAE PAPER 851785] p 601 A86-38309
- Thermal stability of gas turbine blades with protective coatings p 673 A86-43410
- Mechanical design of gas turbine blading in cast superalloys p 721 A86-45819
- Superalloy component durability enhancements p 739 A86-46562
- Toward improved durability in advanced combustors and turbines - Progress in prediction of thermomechanical loads  
[ASME PAPER 86-GT-172] p 815 A86-48224
- Single crystal superalloys for turbine blades in advanced aircraft engines  
[ONERA, TP NO. 1986-102] p 843 A86-49077
- Hot corrosion in aircraft engines  
[ESA-TT-887] p 237 N86-16227
- Thermal-mechanical fatigue behavior of nickel-base superalloys p 518 N86-24818
- Life prediction and constitutive models for engine hot section anisotropic materials program  
[NASA-CR-174952] p 526 N86-25003
- Small defect characterization in powder metallurgy materials p 526 N86-25373
- Advanced quantitative methods for nondestructive evaluation p 519 N86-25376
- Advances in the study of the mechanical behavior of materials  
[AD-A164656] p 735 N86-30838
- HEAT SHIELDING
- CID-720 aircraft Langley Research Center preflight hardware tests: Development, flight acceptance and qualification p 392 N86-21949
- Free jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual flow. Comprehensive data report. Volume 1: Test nozzles and acoustic data  
[NASA-CR-174817] p 469 N86-23371
- Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174818] p 469 N86-23372
- HEAT TRANSFER
- High-temperature thermocouple and heat flux gauge using a unique thin film-hardware hot junction  
[ASME PAPER 85-GT-18] p 117 A86-13059
- Local heat-transfer measurements on a large scale-model turbine blade airfoil using a composite of a heater element and liquid crystals  
[ASME PAPER 85-GT-59] p 117 A86-13061
- The effect of the deflector type on internal heat transfer in blades with transverse coolant flow p 120 A86-13673
- Ribbon-burner simulation of T-700 turbine shroud for ceramic-lined seals research p 106 A86-15225
- Experimental study of ceramic-coated tip seals for turbojet engines p 121 A86-15227
- A review and analysis of boundary layer transition data for turbine application  
[ASME PAPER 85-GT-83] p 251 A86-22054
- Research on antimisting fuel for suppression of postcrash aircraft fires  
[AIAA PAPER 86-0573] p 247 A86-22706
- Heat transfer problems in aero-engines p 272 A86-24470
- Fundamental heat transfer research for gas turbine engines NASA workshop overview p 272 A86-24471
- Contact heat transfer - The last decade p 387 A86-28551
- Solution of problems of conjugate heat transfer during flow past bodies of different shape p 673 A86-43370
- Toward improved durability in advanced combustors and turbines - Progress in prediction of thermomechanical loads  
[ASME PAPER 86-GT-172] p 815 A86-48224

- Heat transfer and pressure drop performance of a finned-tube heat exchanger proposed for use in the NASA Lewis Altitude Wind Tunnel  
[NASA-TM-87151] p 123 N86-13677
- Analysis of the effects of transient heat transfer on axial flow compressor blade boundary layers  
[AD-A158084] p 175 N86-15315
- Heat transfer characteristics within an array of impinging jets. Effects of crossflow temperature relative to jet temperature  
[NASA-CR-3936] p 160 N86-15825
- Interactions between flow, heat and mass transfer during formation of carbon-fiber reinforced epoxy composites p 451 N86-22642
- Evaluation of capillary reinforced composites  
[NASA-CR-175061] p 517 N86-24780
- Unsteady heat transfer and direct comparison to steady-state measurements in a rotor-wake experiment  
[NASA-TM-87220] p 524 N86-24934
- Dual mode heat exchanger  
[AD-D012156] p 524 N86-24944
- Pressure drop and heat transfer characteristics of circular and oblong low aspect ratio pin fins p 741 N86-29827
- Wake-passing in a turbine rotor cascade p 741 N86-29830
- A model for correlating flat plate film cooling effectiveness for rows of round holes p 741 N86-29840
- Transient thermal behaviour of a compressor rotor with ventilation: Test results under simulated engine conditions p 741 N86-29856
- Heat transfer, friction, and rheological characteristics of antimisting kerosene p 734 N86-30013

## HEAT TRANSFER COEFFICIENTS

- Local heat-transfer measurements on a large scale-model turbine blade airfoil using a composite of a heater element and liquid crystals  
[ASME PAPER 85-GT-59] p 117 A86-13061
- Heat transfer in cooled parts of aircraft gas-turbine engines — Russian book p 174 A86-18745
- Heat transfer at the lateral surface of a blunt cone during the absorption of the entropy layer by a laminar or a turbulent boundary layer p 187 A86-18907
- Heat transfer measurements with film cooling on a turbine blade profile in cascade  
[ASME PAPER 85-GT-117] p 251 A86-22070
- A quick method for estimating heat transfer to a coolant p 318 A86-23666
- Investigation of heat transfer in separation regions in supersonic flow in a Laval nozzle p 477 A86-36458
- Dynamic gas temperature measurement system. Volume 2: Operation and program manual  
[NASA-CR-168267] p 190 N86-15651

## HEAT TRANSMISSION

- Contact heat transfer - The last decade p 387 A86-28551
- Numerical solutions of Navier-Stokes equations for a Butler wing  
[NASA-CR-174202] p 88 N86-13293

## HEAT TREATMENT

- Effect of processing and heat treatment on the mechanical properties of Ti-6Al-2Sn-4Zr-6Mo alloy p 375 A86-27231
- Direction of R and D and current status of understanding of advanced gear steels p 666 N86-29245

## HEATING

- Method for improving the fuel efficiency of a gas turbine engine  
[NASA-CASE-LEW-13142-2] p 384 N86-20389
- Cooling techniques for turbojet pre-heater channels p 741 N86-29847

## HEATING EQUIPMENT

- Constant temperature heaters for the repair of composite structures p 115 A86-13174
- Aircraft compartment preheating device LUVU 100 p 180 A86-18722
- A numerical and experimental investigation of electrochemical aircraft deicing  
[NASA-CR-175024] p 344 N86-20380

## HEAVING

- Energetics and optimum motion of oscillating lifting surfaces of finite span p 274 A86-25084
- The effect of heave damping (ZW) on helicopter handling qualities  
[AIAA PAPER 86-2129] p 828 A86-47675

## HEAVY LIFT AIRSHIPS

- Aeromechanical stability analysis of a hybrid heavy lift multirotor vehicle in hover p 110 A86-14530
- The Cyclo-Crane - A hybrid airship concept p 638 A86-41976

## HEAVY LIFT HELICOPTERS

- Testing large transmissions p 187 A86-18426
- Aeromechanical stability analysis of a multirotor vehicle with application to hybrid heavy lift helicopter dynamics p 290 A86-26141

## HELICAL FLOW

Preliminary measurement of the noise from the 2/9 scale model of the Large-scale Advanced Propfan (LAP) propeller, SR-7A  
[NASA-TM-87116] p 129 N86-14006

## HELICOPTER CONTROL

The Autonomous Helicopter System p 75 A86-15285

For agile read active — control of military helicopters p 175 A86-17175

Automation effects in a multiloop manual control system p 329 A86-25035

Helicopter active control with blade stall alleviation modal capability p 307 A86-26136

A computer based study of helicopter agility, including the influence of an active tailplane p 291 A86-26146

Helicopter manoeuvre stability - A new twist p 307 A86-26180

Simulation concepts and testing of the tail rotor fly-by-wire system of the A129 helicopter p 292 A86-26165

Helicopter attitude stabilization using individual-blade-control p 307 A86-26170

Kinematic observers for rotor control p 366 A86-27664

The development of an advanced helicopter research simulator p 447 A86-29917

Knowledge-based approach toward developing an autonomous helicopter system p 421 A86-30488

Directional handling qualities requirements for nap-of-the-earth tasks p 442 A86-30499

Flight path measurement of helicopters using a strap-down navigation system [AIAA PAPER 86-9733] p 422 A86-32080

Flight investigation of a multivariable model-following control system for rotorcraft [AIAA PAPER 86-9779] p 443 A86-32114

Minimax frequency domain optimization of multivariable linear feedback systems p 465 A86-33127

Adaptive flight control of unstable helicopters during transition p 444 A86-33178

Flying hands off to a hover — automatic flight control in helicopters p 507 A86-34193

Helicopter flight control with one hand p 529 A86-34923

Higher harmonic control - Vibration reduction for reduced weight — for helicopters [SAWE PAPER 1679] p 489 A86-35220

Higher harmonic control - Wind tunnel demonstration of fully effective vibratory hub force suppression p 509 A86-35602

Helicopter gust alleviation, attitude stabilization, and vibration alleviation using individual-blade-control through a conventional swash plate p 510 A86-35604

Directional handling qualities requirements for nap of the earth (NOE) tasks p 510 A86-35622

Helicopter handling requirements based on analysis of flight maneuvers p 510 A86-35625

A comparative study of an articulated integrated side-arm controller in a variable stability helicopter p 510 A86-35626

Multi-input multi-output automatic design synthesis for performance and robustness p 618 A86-39034

Low airspeed envelope determination of the CH-139 Jet Ranger helicopter p 586 A86-39565

On the relationship between robustness tests and their application to helicopter control system designs p 652 A86-40771

Dual control and prevention of the turn-off phenomenon in a class of mimo systems p 681 A86-43000

Application of rotor induced velocity field of the vortex theory to the study of stability and controllability of helicopter with hingeless rotor p 705 A86-43477

Flight testing of the navigation and flight control complexes of aircraft and helicopters — Russian book p 708 A86-44283

Vibration analysis of a helicopter fuselage by means of mathematical models p 725 A86-46368

Automated pole placement algorithm for multivariable optimal control synthesis [AIAA PAPER 86-2196] p 852 A86-47476

Application of eigenstructure assignment to design of robust decoupling controllers in MIMO systems — for helicopters [AIAA PAPER 86-2246] p 825 A86-47493

Helicopter IFR rotorcraft algorithm development and flight evaluation on the NAE airborne simulator [AIAA PAPER 86-2205] p 787 A86-47519

The effect of heavy damping (ZW) on helicopter handling qualities [AIAA PAPER 86-2129] p 828 A86-47675

Optimal landing of a helicopter in autorotation [AIAA PAPER 86-2287] p 793 A86-47705

A study of stability and control of a hingeless rotor helicopter with non-uniform induced velocity field p 831 A86-48855

The physical understanding on helicopter air and ground resonance p 798 A86-48660

Handling qualities and flight performance - Implication of the operational envelope p 799 A86-48672

Civil helicopter handling qualities requirements for visual and instrument flight p 832 A86-48674

The use of active controls to augment rotor/fuselage stability p 176 N86-15281

An investigation of adaptive controllers for helicopter vibration and the development of a new dual controller [NASA-CR-177377] p 239 N86-16228

Limiting performance of nonlinear systems with applications to helicopter vibration control [AD-A161457] p 370 N86-21551

A contribution to the digital compensation of periodic disturbances with frequencies in bounded intervals — in helicopters [DFVLR-FB-85-55] p 370 N86-21553

Six degree-of-freedom LIVE isolation systems, part 1 [NASA-CR-177928] p 587 N86-26331

Evaluation of the usefulness of various simulation technology options for TERPS enhancement [NASA-CR-177408] p 836 N86-28931

Individual-blade-control research in the MIT VTOL Technology Laboratory 1977-1985 [NASA-CR-177121] p 654 N86-28954

Servo-actuator for sampled-data feedback disturbance rejection — helicopters [DFVLR-FB-86-08] p 837 N86-32446

## HELICOPTER DESIGN

The Autonomous Helicopter System p 75 A86-15285

Tomorrow's fleet - The light helicopter family (LHX) p 98 A86-16097

Composite tail section offers superior performance p 133 A86-17379

National Specialists' Meeting on Helicopter Testing Technology, Williamsburg, VA, October 29-November 1, 1984, Proceedings p 163 A86-18401

Developmental testing for composite frames — of helicopters p 163 A86-18403

Observations on helicopter integrated system testing based on F/A-18 experiences p 134 A86-18417

R&M test data management during helicopter system development p 164 A86-18419

The role of simulation for the LHX p 164 A86-18421

Simulating the total system, warts and all — automatic target acquisition for LHX helicopter p 164 A86-18422

Testing large transmissions p 187 A86-18426

The wind tunnel as a design tool p 179 A86-18429

Torsional low cycle fatigue of spline-ended drive components p 187 A86-18431

Generic aspects of delamination in fatigue of composite materials p 183 A86-18432

US Army Flight Condition Monitoring p 170 A86-18435

Damage tolerance analysis of components of rotor wing aircraft p 165 A86-18446

The application of fatigue damage tolerance concepts to helicopters - The approach proposed by the UK military airworthiness authorities p 165 A86-18447

Damage tolerance and civil helicopter design p 166 A86-18448

Specialists' Meeting on Advanced Cockpit Design, Grapevine, TX, October 3, 4, 1984, Proceedings p 170 A86-18451

Tomorrow's cockpit technology in today's modern helicopter p 166 A86-18457

Helicopter cockpit avionics development or the advanced transport and next generation aircraft p 171 A86-18461

Advanced technology cockpit simulator p 180 A86-18462

Hughes helicopters AH-64A electroluminescent lighting p 171 A86-18463

System partitioning to provide for automatic mission and vehicle management p 175 A86-18465

The continuing requirement for helicopter escape p 217 A86-18308

One man and 3,000 million operations a second - Preparing for the LHX cockpit p 286 A86-24988

The helicopter and the other VTOL designs - An interview reader's manual p 287 A86-24989

Future helicopter developments p 269 A86-25023

Rotorcraft trends, II - Requirements and monitoring p 287 A86-25089

Advanced technology - New fixes or new problems? — for helicopter voice warning systems p 328 A86-26031

Design of the 225-knot conventional rotor p 289 A86-26116

Rotorcraft structural dynamic design modifications p 289 A86-26117

The development and application of finite element stress analysis techniques at Westland Helicopters Ltd p 330 A86-26118

Applications of numerical optimization methods to helicopter design problems - A survey p 290 A86-26120

Optimum helicopter in the flight spectrum p 290 A86-26123

The project for anti-tank helicopter p 290 A86-26124

Impact of advanced technology on future helicopter preliminary design p 290 A86-26126

Analytical and experimental results of the ground resonance phenomenon for A.129 p 291 A86-26142

Design and testing of a large scale helicopter fuselage model in the RAE 5 metre pressurized wind tunnel p 292 A86-26163

Application of modern structural optimization to vibration reduction in rotorcraft p 352 A86-26567

International Conference on Rotorcraft Basic Research, Research Triangle Park, NC, February 19-21, 1985, Proceedings p 335 A86-27651

Optimal design of composite power transmission shafting p 353 A86-27654

Army 21 - Aviation — strategic and tactical operational concept p 355 A86-28454

Optimal sizing of composite power transmission shafting p 454 A86-30500

Logistics supportability considerations during conceptual and preliminary design p 426 A86-30550

Aerospaciale AS.350 B1 - The mountain squirrel p 427 A86-31345

The NASA modern technology rotors program [AIAA PAPER 86-9788] p 440 A86-32120

Structural dynamic aspects of rotor nodal isolation p 434 A86-33267

International Helicopter Forum, 15th and International Aerospace Exhibition, Hanover, West Germany, May 20-27, 1984, Reports p 407 A86-33300

Development of the BO 105 LS p 487 A86-34920

The model 530MG - The forerunner to the ultimate light-combat helicopter [SAWE PAPER 1677] p 489 A86-35219

Sikorsky Aircraft crew station technology research helicopter [SAE PAPER 851780] p 490 A86-35442

Stored terrain data base aided pilotage for helicopters p 499 A86-35606

Gearbox configuration analysis p 521 A86-35611

The role of scale models in the design of 'low BVI noise' rotorcraft p 534 A86-35617

Flight investigation of Bell model 206 ring fin p 491 A86-35624

Free-tip-rotor wind-tunnel test results p 491 A86-35628

The design of the EH101 for safety and performance p 491 A86-35629

Influences of two landing gear designs on helicopter crashworthiness and weights p 492 A86-35632

A skin-stringer design for a crashworthy composite fuselage for the Hughes 500E helicopter p 492 A86-35637

Effects of variations in crashworthiness criteria on Sikorsky S-75 ACAP landing gear weights p 492 A86-35638

Preliminary estimate of fatigue life for dynamic components of a new helicopter p 493 A86-35639

Survey of crashworthiness achievements on Aerospaciale helicopters p 493 A86-35642

An avionics software test and evaluation technique p 499 A86-35650

The design and development of new crashworthy seats for Navy helicopters p 494 A86-35662

The Hughes integrated approach to helicopter crashworthiness Past, present, and future p 494 A86-35663

Army helicopter crashworthiness - Loading the battlefield dice in our favor p 494 A86-35664

The role of flight simulation in helicopter crew station design [SAE PAPER 851900] p 530 A86-36940

The development of Z-2 Remotely Piloted Helicopter p 575 A86-37328

Strength evaluation of helicopter composite bolted joints [AIAA PAPER 86-0973] p 608 A86-38853

Six-force-factor identification of helicopters p 586 A86-39763

On the relationship between robustness tests and their application to helicopter control system designs p 652 A86-40771

U.S. Army requirements for damage tolerance of composite helicopter structure p 706 A86-43785

Optimizing the NOTAR design p 708 A86-44460

Anthropometric conditions for the construction of a helicopter cockpit p 794 A86-47768

Can Europe meet the challenge of LHX?  
p 797 A86-48370

Finite element analysis and optimum design of semi-monocoque airframe structures. I - Finite element analysis  
p 847 A86-48856

Computing codes for development of helicopter crashworthy structures and test substantiation  
p 798 A86-48857

Transmission design using finite element method analysis techniques  
p 847 A86-48858

Program system of computer-aided design of helicopter rotor blade airfoil  
p 798 A86-48859

Dynamic aspects in the design of advanced rotor systems  
p 798 A86-48863

Coupled aeroelastic hub loads reduction  
p 799 A86-48865

Ground based helicopter simulation  
p 838 A86-48673

Load examination of vehicle-body of reinforced cylindrical shell in case of kinematic load  
p 849 A86-49128

The development of a fibre optic data bus for helicopters  
p 811 A86-49131

Modern developments in rotorcraft technology  
[MBB-UD-458-85-OE] p 805 A86-49509

Development of the BO 105 LS  
[MBB-UD-458-85-OE] p 805 A86-50255

Structural design and analysis aspects of composite helicopter components  
[MBB-UD-458-85-OE] p 808 A86-50256

Advanced technology helicopter landing gear preliminary design investigation  
[AD-A158816] p 101 N86-13325

Activities report in aerospace research  
p 135 N86-15240

Rotorcraft Dynamics 1984  
[NASA-CP-2400] p 167 N86-15280

Nonlinear dynamics of a helicopter model in ground resonance  
p 177 N86-15284

Optimal design application on the advanced aeroelastic rotor blade  
p 167 N86-15290

Development and application of a time-history analysis for rotorcraft dynamics based on a component approach  
p 168 N86-15291

Advanced technology helicopter landing gear preliminary design investigation  
[AD-A162097] p 437 N86-23594

System life and reliability modeling for helicopter transmissions  
[NASA-CR-3967] p 525 N86-24990

Six degree-of-freedom LIVE isolation systems, part 1  
[NASA-CR-177928] p 587 N86-26331

Computing codes for development of helicopter crashworthy structures and test substantiation  
[SNIAS-861-210-108] p 640 N86-28064

Nonlinear control of aircraft  
[NASA-TM-89225] p 655 N86-28958

Aeroelastic considerations for torsionally soft rotors  
[NASA-TM-87687] p 745 N86-31070

Active control of helicopter vibrations. Flight evaluation of a vibration reduction system on a Gazelle SA 349 helicopter  
[SNIAS-861-210-108] p 836 N86-32444

**HELICOPTER ENGINES**

Drive train simulation requirements for development of helicopter overrunning clutches  
p 186 A86-17071

FAA certification of rotorcraft engine induction system for ice protection  
p 157 A86-18406

Gear tooth surface fatigue testing with full size test specimens  
p 187 A86-18409

Helicopter drive system bench testing  
p 187 A86-18410

Testing large transmissions  
p 187 A86-18426

The relationship of ultrasonic filtration and oil debris monitoring for helicopter propulsion systems  
p 305 A86-26154

The design of an advanced engineering gearbox  
p 320 A86-26155

Tests on whole A129 engine bay simulating the inertia and aerodynamic loads  
p 292 A86-26164

How to not eat your own dust — particle filters for helicopter air intakes  
p 440 A86-31328

Procedures for the digital simulation of helicopter propulsion systems  
[DGLR PAPER 85-115] p 501 A86-35168

FAA certification criteria for lightning protection of helicopter digital engine control  
p 482 A86-35609

The application of LQR synthesis techniques to the turboshaft engine control problem — Linear Quadratic Regulator  
p 502 A86-35614

Adaptive fuel control testing  
p 502 A86-35615

Helicopter rotor and engine sizing for preliminary performance estimation  
[AIAA PAPER 86-1756] p 638 A86-42829

Expert systems for mechanical fault diagnosis  
p 737 A86-43896

Acceleration performance of helicopter engines  
[ASME PAPER 86-GT-121] p 814 A86-48180

Particulate flow solutions through centrifugal impeller with two splitters  
[ASME PAPER 86-GT-130] p 785 A86-48188

Power level influence on architecture of small helicopter turboshaft engines  
[ASME PAPER 86-GT-191] p 815 A86-48241

Advanced concepts in small helicopter engine air-cooled turbine design  
p 819 A86-50075

Preliminary airworthiness evaluation of the AH-1S (modernized cobra) with the Hellfire, TOW, and Stinger missiles installed  
[AD-A160862] p 294 N86-18322

Phosphorus anti-wear additives in helicopter transmissions  
[IC-TSO15/85] p 452 N86-22710

Preliminary evaluation of a compound cycle engine for shipboard gasjets  
[NASA-CR-179451] p 611 N86-26629

Heat exchangers in regenerative gas turbine cycles  
p 741 N86-29857

# HELICOPTER PERFORMANCE

Impact of flying qualities on mission effectiveness for helicopter air combat  
p 110 A86-14531

Helicopter performance — Book  
p 161 A86-16210

28 years of flight testing helicopters  
p 161 A86-17381

Helicopter linear noise  
p 193 A86-17776

Dynamic interface - Conventional flight testing plus a new analytical approach  
p 163 A86-18405

Hovering model helicopter rotor testing  
p 179 A86-18412

Reliability development testing of SH-60B helicopter mechanical systems  
p 164 A86-18420

Some thoughts on the vibration testing of helicopter equipment in the UK  
p 283 A86-23022

An overview of civil helicopter operations - Past, present and future  
p 279 A86-23800

The helicopter and the other VTOL designs - An Interavia reader's manual  
p 287 A86-24989

Stall flutter of helicopter blade  
p 306 A86-25205

Improvement of two blade sections for helicopter rotors  
p 288 A86-26103

Applications of an analysis of asymmetric body effects on rotor performance and loads  
p 289 A86-26105

Applications of numerical optimization methods to helicopter design problems - A survey  
p 290 A86-26120

A nonlinear model of aeroelastic behaviour of rotor blades in forward flight  
p 290 A86-26139

Studies of rotorcraft agility and maneuverability  
p 291 A86-26145

A computer based study of helicopter agility, including the influence of an active tailplane  
p 291 A86-26146

DFVLR flying qualities research using operational helicopters  
p 307 A86-26147

DFVLR helicopter in-flight simulator for flying quality research  
p 310 A86-26148

Determination of limitations for helicopter ship-borne operations  
p 280 A86-26151

HC-Mk1 (Chinook) heated rotor blade icing test. I - Test vehicle, test site, approach and summary of testing  
p 293 A86-26167

HC-Mk1 (Chinook) heated rotor blade icing test. II - Analysis of atmospheric conditions, aircraft and systems characteristics  
p 293 A86-26168

Helicopter vibration flight testing - The rotortuner approach  
p 293 A86-26169

Flight testing of an ASW helicopter  
p 352 A86-26585

Low-speed stability characteristics of a helicopter with a sling load  
p 365 A86-26586

Realtime piloted simulation investigation of helicopter flying qualities during approach and landing on nonaviation ships  
[AIAA PAPER 86-0490] p 365 A86-26642

The development of microcomputer codes for studying the flight dynamics and performance of helicopters  
p 366 A86-27660

Understanding and predicting helicopter behavior - Then and now (Lecture)  
[AD-A164419] p 425 A86-30496

Helicopter maintenance in the real world  
p 405 A86-30549

Helicopter data acquisition and processing  
[AIAA PAPER 86-9734] p 484 A86-32081

Constant altitude helicopter flight testing  
[AIAA PAPER 86-9787] p 431 A86-32119

Specific excess power applications for rotary wing aircraft  
[AIAA PAPER 86-9810] p 431 A86-32137

The health and usage monitoring of helicopter systems - The next generation  
p 491 A86-35613

Assessment of rotorcraft agility and maneuverability with a pilot-in-the-loop simulation  
p 510 A86-35623

Helicopter handling requirements based on analysis of flight maneuvers  
p 510 A86-35625

Application of helicopter air-to-air combat test (AACT) data to current LHX concerns  
p 491 A86-35627

The design of the EH101 for safety and performance  
p 491 A86-35629

The aerodynamics of rotor blades with ice shapes accreted in hover and in level flight  
p 478 A86-35655

Performance degradation of helicopters due to icing - A review  
p 494 A86-35688

Gust response of hingeless rotors  
p 576 A86-37772

Certification flight testing of civilian helicopters in the United Kingdom  
p 710 A86-44947

Aerobatic testing of the BK-117 helicopter  
p 710 A86-44950

The dynamics of limiting helicopter maneuvers at a very low altitude  
p 724 A86-45748

Ground resonance of a helicopter during the take-off and landing run  
p 712 A86-45749

Soviet attack helicopters  
p 712 A86-46005

Obstacle warning radar for helicopters - An anthropotechnical problem  
p 787 A86-47769

Use and maintenance of helicopters on the plateau — areas of China  
p 785 A86-48669

Helicopter parameter identification technology research under the considerably disturbing condition  
p 831 A86-48670

The dynamic response of helicopters to fixed wing aircraft wake encounters  
p 832 A86-48671

Handling qualities and flight performance - Implication of the operational envelope  
p 799 A86-48672

Civil helicopter handling qualities requirements for visual and instrument flight  
p 832 A86-48674

Developments in helicopter ground vibration testing  
p 805 A86-49638

BK 117 flight tests for certification of an expanded flight envelope  
[MBB-UD-452-85-OE] p 805 A86-50253

Three-dimensional, transonic rotor flow field reconstructed from holographic interferogram data  
[NASA-TM-86816] p 188 N86-14555

Rotorcraft Dynamics 1984  
[NASA-CP-2400] p 167 N86-15280

Optimal design application on the advanced aeroelastic rotor blade  
p 167 N86-15290

Light helicopter family trade-off analysis. Volume 4: Appendix N  
[AD-A158075] p 168 N86-15306

Helicopter-ship qualification testing  
[NLR-MP-84082-U] p 227 N86-17343

Hover and forward flight acoustics and performance of a small-scale helicopter rotor system  
[NASA-TM-88584] p 295 N86-19314

Helicopter performance computer programs for HP-41 hand-held computer  
[AD-A162794] p 358 N86-21539

Wind tunnel tests of rotor blade sections with replications of ice formations accreted in hover  
[NASA-CR-175089] p 420 N86-22558

A trade-off study of tilt rotor aircraft versus helicopters using VASCOMP 2 and HESCOMP  
[AD-A167719] p 808 N86-31575

**HELICOPTER PROPELLER DRIVE**

Torsional low cycle fatigue of spline-ended drive components  
p 187 A86-18431

Optimal design of composite power transmission shafting  
p 353 A86-27654

Gearbox configuration analysis  
p 521 A86-35611

**HELICOPTER TAIL ROTORS**

Pultrusion used to fabricate tail rotor spar  
p 133 A86-17390

Methods of full scale fatigue testing the Apache helicopter rotor systems  
p 180 A86-18439

Simulation concepts and testing of the tail rotor fly-by-wire system of the A129 helicopter  
p 292 A86-26165

Reconstruction of a three-dimensional, transonic rotor flow field from holographic interferogram data  
[AIAA PAPER 85-0370] p 337 A86-27669

A comparative study of tail rotor noise mechanisms  
p 534 A86-35618

Flight investigation of Bell model 206 ring fin  
p 491 A86-35624

Development of a composite tail rotor blade for the MH-53E  
p 493 A86-35649

Optimizing the NOTAR design  
p 708 A86-44480

Helicopter tail rotor noise  
[AIAA PAPER 86-1900] p 750 A86-45401

Analysis of the noise emitted by a tail rotor  
p 266 N86-18129

Aerodynamic characteristics of several current helicopter tail boom cross sections including the effect of spoilers  
[NASA-TP-2506] p 339 N86-20349

- Helicopter tail rotor noise analyses  
[NASA-CR-176829] p 536 N86-26163
- HELICOPTER WAKES**
- Studies of rotor-airframe interactions in forward flight  
[AIAA PAPER 86-5015] p 97 A86-14456
- Three component hot-wire measurements in the wake of a rotor model p 320 A86-26111
- A wake model for high resolution airflows p 336 A86-27666
- Free wake model of hovering rotors having straight or curved blades p 337 A86-27667
- Material contravariant components - Vorticity transport and vortex theorems p 367 A86-28553
- A new approach to the free wake problem for hovering rotors p 475 A86-35633
- Hovering rotor airload prediction using a full potential flow analysis with realistic wake geometry p 475 A86-35636
- Helicopter tail rotor noise  
[AIAA PAPER 86-1900] p 750 A86-45401
- A study of the rotor wake in nap-of-the-earth p 767 A86-48653
- Overview of helicopter wake and airloads technology p 767 A86-48654
- Two methods for viscous and inviscid free-wake analysis of helicopter rotors  
[AD-A161513] p 342 N86-21521
- Helicopter tail rotor noise analyses  
[NASA-CR-176829] p 536 N86-26163
- Formal optimization of hovering performance using free wake lifting surface theory  
[NASA-CR-177103] p 640 N86-28935
- HELICOPTERS**
- Analytical method for considering the elasticity of the blades in the aerodynamic calculation of a helicopter propeller p 96 A86-13421
- Model constraints on structural dynamic force determination p 161 A86-17070
- Aeroelastic model helicopter rotor testing in the Langley TDT - Transonic Dynamics Tunnel p 163 A86-18402
- Modification to the NASA Langley 4- by 7-meter tunnel for improved rotorcraft aerodynamics and acoustics p 179 A86-18414
- Helicopter Fatigue Specialists' Meeting, St. Louis, MO, October 16-18, 1984, Proceedings p 134 A86-18430
- Another look at generalized S-N curve shapes p 187 A86-18436
- Full scale fatigue testing of advanced fiber composite components p 183 A86-18437
- A computerized automatic control system for structural testing p 192 A86-18438
- A rig for the fatigue testing of rotor hubs p 180 A86-18440
- Helicopter fatigue - The changing scene p 165 A86-18445
- Wide-angle, low-altitude flight simulator vision system for cockpit research and aircrew training p 180 A86-18453
- Aeroelasticity and dynamics of the helicopter structure - Russian book p 166 A86-18733
- How much inherent buoyancy is acceptable in a helicopter passenger immersion suit p 261 A86-19310
- A three-dimensional viscous flow analysis for the helicopter tip vortex generation process about square and round tipped blades  
[AIAA PAPER 86-0560] p 203 A86-19949
- Helicopter fatigue monitoring using a single channel recorder p 220 A86-20038
- Influence of nonlinear blade damping on helicopter ground resonance instability p 263 A86-23185
- Simulator design features for helicopter landing on small ships p 306 A86-23750
- Recent advances in helicopter aerodynamics  
[ONERA, TP NO. 1985-166] p 273 A86-24842
- Cockpit advances in Boeing Vertol Company's Model 360 helicopter  
[SAE PAPER 841629] p 298 A86-26032
- Manufacturing control over the reproduction of high integrity parts - A way to improve the safety of aeronautical products p 320 A86-26122
- A first step for reducing helicopter IFR approach minima  
Agusta A109 IFR CAT II certification p 280 A86-26127
- Airworthiness aspects of fatigue in helicopters p 280 A86-26128
- CRT displays in modern helicopter data presentation p 299 A86-26129
- Antenna siting on helicopters p 282 A86-26133
- Hover test of a full-scale hingeless rotor p 291 A86-26144
- Aircrew-aircraft integration - A summary of U.S. Army research programs and plans p 310 A86-26149
- Corrosion protection of helicopters through organic coatings p 313 A86-26159
- Civil helicopter flight operations using differential GPS p 346 A86-26509
- Model test requirements for coupled structure analysis using experimentally-derived component models p 380 A86-26678
- Helicopter model rotor-blade vortex interaction impulsive noise - Scalability and parametric variations p 400 A86-27658
- Effects of side-stick controllers on rotorcraft handling qualities for terrain flight p 366 A86-27659
- Structural dynamic aspects of rotor antiresonant isolation p 353 A86-27663
- Helicopter Airworthiness Symposium, 19th, London, England, December 19, 1984, Proceedings p 354 A86-28281
- Detection of non-moving targets by airborne mm-wave radars p 351 A86-29783
- Survival of helicopter accidents p 419 A86-31005
- Influence of high-order dynamics on helicopter flight-control system bandwidth p 442 A86-31660
- Helicopter test installation RoTeSt in DNW - Application and results p 513 A86-35186
- [DGLR PAPER 85-113] p 513 A86-35186
- American Helicopter Society, Annual Forum, 41st, Fort Worth, TX, May 15-17, 1985, Proceedings p 473 A86-35601
- Development and flight test of a helicopter, X-band, portable precision landing system concept p 485 A86-35606
- FAA/HAI helicopter flight operations noise tests and initial results p 535 A86-35619
- Helicopter cabin noise - Actual vs. statistical energy predictions p 491 A86-35620
- Helicopter customer support - Are we aware of how great it can be p 536 A86-35644
- Assessment of structural damage in composites utilizing acoustic emission technology p 521 A86-35651
- Robotics in aircraft manufacturing p 522 A86-35660
- Calculation of helicopter airfoil characteristics for high tip-speed applications p 541 A86-37769
- Recent developments in the dynamics of advanced rotor systems. I p 566 A86-39597
- Health and usage monitoring techniques for greater safety in helicopter operations p 621 A86-40232
- Sinusoidal disturbance rejection with application to helicopter flight data estimation p 747 A86-44505
- Application of the Baseline Rotorcraft system to the prediction of helicopter tone noise  
[AIAA PAPER 86-1904] p 750 A86-45405
- Emergency underwater escape from helicopters p 784 A86-47745
- Advanced icing wind tunnel for flight test development of icing rate systems p 838 A86-47792
- Theoretical and experimental analysis of separations on helicopter fuselages  
[AAAF PAPER NT 85-08] p 766 A86-48458
- The theoretical basis of helicopter technology; Proceedings of the Seminar, Nanjing, People's Republic of China, November 6-8, 1985, Parts 1, 2, 3, 4, & 5 p 761 A86-48651
- The helicopter technology of China p 761 A86-48652
- Calculating method for Z - 9 helicopters mooring load p 799 A86-48666
- A study of helicopter main rotor noise in hover  
[AIAA PAPER 86-1856] p 856 A86-49575
- Some recent advances in computational aerodynamics for helicopter applications  
[NASA-TM-86777] p 87 N86-12207
- New passive helicopter detector  
[DE85-015160] p 123 N86-12595
- Gravimetric surveying with MI-8 helicopters p 125 N86-12680
- The helicopter to fixed wing conversion program: A critical review  
[AD-A156820] p 125 N86-12666
- Assessment of aerodynamic and dynamic models in a comprehensive analysis  
[NASA-TM-86835] p 76 N86-13286
- Tradeoff analysis of technology needs for public service helicopters  
[NASA-CR-3927] p 100 N86-13317
- Advanced technology helicopter landing gear preliminary design investigation  
[AD-A158816] p 101 N86-13325
- Transmission acoustic vibration testing  
[AD-A159022] p 101 N86-13326
- Computer program for performance prediction of tandem-rotor helicopters  
[AD-A159193] p 167 N86-14266
- An optimisation method for reconstruction of flight path trajectories from non-synchronous time-sampled observations by two cine cameras p 167 N86-15279
- Influence of various unsteady aerodynamic models on the aeromechanical stability of a helicopter in ground resonance p 177 N86-15294
- Flap-lag-torsion stability in forward flight p 177 N86-15296
- An examination of the relations between rotor vibratory loads and airframe vibrations p 177 N86-15299
- Coupled rotor-body vibrations with inplane degrees of freedom p 177 N86-15301
- Analysis of potential helicopter vibration reduction concepts p 178 N86-15302
- Adaptation of a modern medium helicopter (Sikorsky S-76) to higher harmonic control p 178 N86-15303
- Light helicopter family trade-off analysis. Volume 7: Appendix R  
[AD-A158076] p 168 N86-15307
- Light helicopter family trade-off analysis. Volume 8: Appendices S and T  
[AD-A158077] p 169 N86-15308
- Light helicopter family trade-off analysis. Volume 10: Appendices V, W, X, and Z  
[AD-A158079] p 169 N86-15309
- VHF-AM communications equipment selection and installation practices for helicopters  
[DOT/FAA/PM-85/8] p 169 N86-15518
- Stress analysis of 27% scale model of AH-64 main rotor hub  
[NASA-TM-87625] p 256 N86-16613
- The deiced super Puma - helicopters  
[SNIAS-852-210-104] p 215 N86-17328
- Search and Rescue (SAR) System developed as part of the contract signed with the Irish Air Corps for the supply of 365 F Dauphin aircraft  
[SNIAS-852-210-105] p 215 N86-17329
- Helicopter-ship qualification testing  
[NLR-MP-84082-U] p 227 N86-17343
- Strategies for dynamic modeling of a helicopter structure  
[SNIAS-852-210-101] p 228 N86-17350
- Spectroradiometric calibration of the Thematic Mapper and multispectral scanner system  
[E86-10022] p 260 N86-17816
- Helicopter internal noise treatment. Recent methodologies and practical applications  
[SNIAS-852-210-102] p 266 N86-18133
- Compressible, unsteady lifting-surface theory for a helicopter rotor in forward flight  
[NASA-TP-2503] p 277 N86-18289
- Calculation of helicopter airfoil characteristics for high tip-speed applications  
[AD-A160694] p 277 N86-18294
- An investigation of the use of bandwidth criteria for rotorcraft handling-qualities specifications  
[AD-A160664] p 294 N86-18319
- Flight operations noise tests of eight helicopters  
[AD-A159635] p 331 N86-19127
- Aerodynamics of two-dimensional blade-vortex interaction  
[AD-A160662] p 295 N86-19315
- Correlation of results of an OH-58A helicopter composite tail boom test with a finite element model  
[AD-A161062] p 295 N86-19316
- Determination of limitations for helicopter ship-borne operations  
[NLR-MP-84072-U] p 295 N86-19319
- Horizontal display for vertical flight: A direction of motion experiment  
[AD-A161113] p 299 N86-19321
- International Civil Aviation Organization Helicopter Noise Measurement Repeatability Program: US test report, Bell 206L-1, noise measurement flight test  
[AD-A159898] p 333 N86-20090
- The role of vibration and rattle in human response to helicopter noise  
[AD-A162486] p 396 N86-22110
- Unsteady aerodynamics in time and frequency domains for finite-time arbitrary motion of helicopter rotor blades in hover and forward flight p 414 N86-22548
- Documentation of ice shapes accreted on the main rotor of a UH-1H helicopter in level flight  
[NASA-CR-175068] p 420 N86-22559
- Details of new Ka-126 helicopter p 435 N86-22559
- A combined integrating and differentiating matrix formulation for boundary value problems on rectangular domains  
[NASA-CR-178074] p 466 N86-23350
- Electrostatic charging of the CH-53E helicopter  
[AD-A161936] p 437 N86-23590
- The US Army's LHX (light helicopter family) program  
[AD-A161949] p 437 N86-23591
- Rotor performance characteristics from an aerodynamic helicopter wind-tunnel test program  
[NASA-TM-87661] p 479 N86-24665
- Swashplate control system  
[NASA-CASE-ARC-11633-1] p 511 N86-24700

Testing of YUH-61A helicopter transmission in NASA Lewis 2240-kW (3000-hp) facility  
[NASA-TP-2536] p 525 N86-24992

A review of the pilot backache problem in the CH113 Labrador helicopter  
[AD-A164011] p 530 N86-25113

Helicopter rotor noise due to ingestion of atmospheric turbulence  
[NASA-CR-3973] p 535 N86-25216

Pilot evaluation of TCAS in the Long Ranger helicopter  
[FAA/PM-86/30] p 486 N86-25334

Report on interest expressed in some Australian Defence Establishment products displayed at the 1985 Paris Air Show  
[AD-A160807] p 498 N86-25341

Data on Mi-26 helicopter  
[AD-A163245] p 498 N86-25602

Crash-resistant crewseat limit-load optimization through dynamic testing with cadavers  
[AD-A164828] p 569 N86-26298

Analyzing the cost effectiveness of using flight simulators in the Israeli Air Force  
[AD-A164864] p 599 N86-26346

A comparison of voice and keyboard data entry for a helicopter navigation task  
[AD-A163245] p 610 N86-26501

Helicopter noise  
[AD-A163245] p 560 N86-27223

Dynamic stall of swept and unswept oscillating wings  
[AD-A163245] p 560 N86-27226

A critical look at dynamic simulation of viscous flow  
[AD-A163245] p 560 N86-27230

Unsteady aerodynamics application to helicopter noise and vibration sources  
[AD-A163245] p 562 N86-27241

Technical support of the Wall Street/Battery Park city heliport MLS (Microwave Landing System) project  
[AD-A165073] p 575 N86-27273

Analysis of helicopter noise data using international helicopter noise certification procedures  
[PB86-186533] p 620 N86-27972

Development and validation of the crew-station system-integration research facility  
[NASA-TM-86841] p 622 N86-28051

An analysis of blade vortex interaction aerodynamics and acoustics  
[NASA-CR-177016] p 630 N86-28912

Identification of linearized equations of motion for the fixed wing configuration of the rotor systems research aircraft  
[NASA-CR-176977] p 631 N86-28917

New transparent solid material for helicopter windshields  
[SNPE-NT-37/85/CRB/NP] p 641 N86-28941

Aeroelastic tests of OA 206 and OA 207 profiles  
[ONERA-RT-22/1841-RY-310-R] p 641 N86-28942

Multivariable control of a twin lift helicopter system using the LQG/LTR design methodology  
[NASA-CR-177025] p 654 N86-28956

Aircraft and Bearing Tribological Systems  
[AGARD-CP-394] p 677 N86-29236

Effects of unfavorable environmental conditions on the service life of jet engine and helicopter bearings  
[AD-A163245] p 677 N86-29238

A study of the potential benefits associated with the development of a dedicated helicopter transmission lubricant  
[AD-A163245] p 666 N86-29242

Requirements on lubrication oil from the view of a helicopter manufacturer  
[AD-A163245] p 666 N86-29244

Direction of R and D and current status of understanding of advanced gear steels  
[AD-A163245] p 666 N86-29245

Future trends in helicopter transmission lubricants  
[AD-A163245] p 666 N86-29250

Analytical investigation of rotor wake formation and geometry  
[NASA-CR-177032] p 693 N86-29768

National Transportation Safety Board safety recommendation  
[NTSB-4357/1] p 699 N86-29792

Investigation of hazards of helicopter operations and root causes of helicopter accidents  
[FAA/PM-86/28] p 700 N86-29796

Technology research for strapdown inertial experiment and digital flight control and guidance  
[NASA-CR-176907] p 703 N86-29800

Optimal landing of a helicopter in autorotation  
[NASA-CR-177082] p 714 N86-29809

Multi-variable control of the GE T700 engine using the LQG/LTR design methodology  
[NASA-CR-177080] p 721 N86-29819

A new version of the helicopter aural detection program, ICHIN  
[NASA-TM-87745] p 756 N86-30471

Auditory helicopter detection and localization; a literature review focusing on search for helicopters  
[FOA-C-50033-H2] p 757 N86-30474

Structural dynamic aspects of rotor nodal isolation — helicopters  
[AD-A163245] p 715 N86-30665

Flight service evaluation of composite components on the Bell helicopter model 206L  
[NASA-CR-178148] p 734 N86-30812

Acoustic treatment of the NASA Langley 4- by 7-meter tunnel: A feasibility study  
[NASA-TP-2563] p 757 N86-31337

Development of a data acquisition system to aid in the aerodynamic study of various helicopter configurations  
[AD-A167717] p 781 N86-31539

Aerial refueling evaluation of the CH-47D helicopter  
[AD-A167575] p 808 N86-31574

Airborne intruder detection considerations  
[DE88-008462] p 808 N86-31576

Design of a vertical thrust stand for a remotely piloted model helicopter  
[AD-A167811] p 840 N86-31598

Dynamic analysis: Correlation of theory with experiment — MSC/NASTRAN analysis of Westland 30 G-BGHF [RP681] p 851 N86-31917

Measurement and extraction of recurring waveforms: For applications to active transmissions, flow-noise, and helicopter-radiated noise problems  
[AD-A167400] p 856 N86-32249

**HELIPORTS**

Precision IMC approaches to heliports using collocated MLS — Instrument Meteorological Conditions  
[AD-A159835] p 485 A86-35610

Flight operations noise tests of eight helicopters  
[AD-A159835] p 331 N86-19127

Technical support of the Wall Street/Battery Park city heliport MLS (Microwave Landing System) project  
[AD-A165073] p 575 N86-27273

**HELIUM**

Hypersonic characteristics of an advanced aerospace plane at Mach 20.3  
[NASA-TM-86435] p 152 N86-15245

**HELMET MOUNTED DISPLAYS**

HMD: Global HUD solution  
[AD-A163245] p 171 A86-18460

The basics of on-board simulation and embedded training  
[AIAA PAPER 86-0493] p 219 A86-19904

Application of magneto-optic modulators to advanced avionic displays  
[AD-A163245] p 360 A86-28506

The wide field helmet mounted display  
[AD-A163245] p 589 N86-26322

**HELMETS**

Laboratory and flight testing of ballistic protective headgear for rotary wing aircrew  
[AD-A163245] p 261 A86-19344

**HEMISPHERE CYLINDER BODIES**

Counterflow sonic nosejet into a supersonic stream  
[AIAA PAPER 86-1808] p 544 A86-37830

**HERMETIC SEALS**

Development of optical diaphragm deflection sensors  
[NASA-CR-175008] p 194 N86-15113

**HETEROCYCLIC COMPOUNDS**

Conductive heterocyclic ladder polymers  
[AD-D011915] p 378 N86-20569

**HEURISTIC METHODS**

The Adaptive Maneuvering Logic program in support of the pilot's associate program - A heuristic approach to missile evasion  
[AIAA PAPER 86-0423] p 263 A86-19865

Path-finder - An heuristic approach to aircraft routing  
[AD-A163245] p 368 A86-28499

Development of a computerized method of determining aircraft maintenance intervals  
[AD-A161339] p 336 N86-21500

**HEXAGONAL CELLS**

The strain controlled fatigue behaviour of a near-alpha titanium alloy  
[AD-A163245] p 376 A86-27383

**HIGH ALTITUDE**

Altitude and acceleration protection system for high performance aircraft  
[AD-A163245] p 217 A86-19314

X-15 high temperature advanced structure  
[AD-A163245] p 268 A86-22137

Aerospatiale AS.350 B1 - The mountain squirrel  
[AD-A163245] p 427 A86-31345

SHARP (Stationary High Altitude Relay Platform) Telecommunications missions and systems  
[AD-A163245] p 519 A86-33943

High altitude unmanned aircraft for meteorological applications - HIMET  
[AD-A163245] p 575 A86-37329

Cosmic-ray dose characteristics on the flight paths of high-altitude aircraft  
[AD-A163245] p 758 A86-43672

Comparison of published HEMP and natural lightning on the surface of an aircraft — High-Altitude Electromagnetic Pulse  
[AD-A163245] p 783 A86-47293

Aircraft protection design, training and mission management for high altitude aerodynamic operations  
[AD-A163245] p 761 A86-47778

Aeronautical technology 2000: A projection of advanced vehicle concepts  
[NASA-CR-176322] p 130 N86-13235

Heat transfer and pressure drop performance of a finned-tube heat exchanger proposed for use in the NASA Lewis Altitude Wind Tunnel  
[NASA-TM-87151] p 123 N86-13677

**HIGH ALTITUDE PRESSURE**

Characteristics of altitude error at reduced quantization  
[FAA/PM-86/35] p 611 N86-31580

**HIGH ALTITUDE TESTS**

Alternate altitude testing of solid cloth parachute systems  
[AD-A157068] p 150 N86-14251

**HIGH ASPECT RATIO**

The induced downwash and lift on a wing of high aspect ratio in unsteady motion  
[AD-A157068] p 474 A86-34160

Determination of the required stiffness characteristics for a large aspect ratio wing from the conditions of static strength and aileron efficiency  
[AD-A157068] p 800 A86-48845

Divergence study of a high-aspect ratio, forward-swept wing  
[NASA-TM-87682] p 588 N86-27279

**HIGH ENERGY INTERACTIONS**

Analysis of gamma ray families and jets up to 10 to the 7th GeV obtained during 1000 hours exposure of emulsion chambers on the Concorde  
[AD-A157068] p 333 A86-22863

**HIGH FREQUENCIES**

The observation of high frequency B(dot) and D(dot) transients excited on a fuselage by an impulse generator  
[AD-A157068] p 790 A86-47306

High frequency-heated air turbojet  
[NASA-TM-77710] p 364 N86-21543

**HIGH LEVEL LANGUAGES**

Advanced avionics computer architecture. Volume 1. Executive summary  
[AD-A158119] p 104 N86-12222

Advanced avionics computer architecture. Volume 2. Instruction set architecture specification  
[AD-A158120] p 104 N86-12223

Rivista Technica Selenia, volume 9, number 3, 1985 — combat aircraft  
[AD-A158120] p 407 N86-22537

Complex systems integrated logistic support: Automatic Test Equipment (ATE) and test oriented languages role — military aircraft support equipment  
[AD-A158120] p 407 N86-22539

A high-order language for a system of closely coupled processing elements  
[NASA-CR-177280] p 619 N86-27930

**HIGH POLYMERS**

GTA/BASF antimisting fuel research  
[AD-A157068] p 734 N86-30021

**HIGH PRESSURE**

Lightweight hydraulic system technology - 8000 psi update — for military aircraft  
[SAE PAPER 851910] p 580 A86-38365

Hydraulic pumps for high pressure non-flammable fluids — for aircraft  
[SAE PAPER 851911] p 580 A86-38366

Pumps for 8000 psi hydraulic systems examined  
[AD-A157068] p 846 A86-48042

Compressor research facility F100 high pressure compressor inlet total pressure and swirl profile simulation  
[AD-A157108] p 107 N86-12229

Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 1  
[NASA-CR-174923-VOL-1] p 108 N86-13328

Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 2  
[NASA-CR-174923-VOL-2] p 108 N86-13329

Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 3  
[NASA-CR-174923-VOL-3] p 108 N86-13330

Preliminary design of a supersonic cruise aircraft high-pressure turbine  
[NASA-CR-174878] p 174 N86-14272

One-piece HPTR blade squealer tip  
[AD-D012003] p 504 N86-24698

Multistage metal hydride compressor  
[DE86-001965] p 604 N86-27465

**HIGH RESOLUTION**

The calculation of the entropy distribution along cloud traverses using aircraft measurements  
[AD-A157068] p 678 A86-40555

**HIGH REYNOLDS NUMBER**

Comparative study between two Navier-Stokes algorithms for transonic airfoils  
[AD-A157068] p 411 A86-32966

Experimental investigation of the turbulent boundary layer at high Reynolds numbers and a Mach number of 0.8  
[AD-A157068] p 624 A86-42168

Flows past a rotating circular cylinder at high Reynolds number  
[AD-A157068] p 688 A86-43533

Coherent large-scale structures in high Reynolds number supersonic jet of Mach number 1.4  
[AIAA PAPER 86-1941] p 691 A86-45428

- Tests on CAST 7 and CAST 10 profiles in the T2 adaptive-wall cryogenic wind tunnel - Study of the Reynolds-number effect in natural and triggered transitions  
[AAAF PAPER NT 85-06] p 838 A86-48457
- A parallel processing method for solving the unsteady Navier-Stokes equations at high Reynolds numbers  
p 847 A86-48847
- Investigations on high Reynolds number laminar flow airfoils  
p 771 A86-48983
- Pressure distributions from high Reynolds number tests of a Boeing BAC 1 airfoil in the Langley 0.3-meter transonic cryogenic tunnel  
[NASA-TM-87600] p 208 N86-16199
- Investigation of the aerodynamic forces on bluff bodies at high Reynolds numbers  
[ESA-TT-914] p 209 N86-16206
- Validation and comparison with experiment of a high Reynolds number transonic flow airfoil analysis code NSFOIL  
p 210 N86-17294
- HIGH SPEED**
- Lubrication and performance of high-speed rolling-element bearings  
p 248 A86-19375
- Design of the 225-knot conventional rotor  
p 289 A86-26116
- Theoretical and experimental analysis of high-speed propeller aerodynamics  
[AIAA PAPER 86-1549] p 626 A86-42706
- Calculation of the explosion of a rapidly flying body  
p 738 A86-45344
- High speed rotor noise due to blade loading  
[AIAA PAPER 86-1902] p 750 A86-45403
- The race for speed from the beginning of aviation to the present day  
p 781 A86-48980
- Calculations of high speed propeller performances using finite difference methods  
p 818 A86-49126
- Experimental study of the combustion of gas-air mixtures in a channel and the diffusion combustion in a slipstream at high velocities  
[AD-A157495] p 116 N86-12271
- Investigation of chemically-reacting supersonic internal flows  
[NASA-CR-178363] p 188 N86-14532
- Flight test guide for certification of transport category airplanes  
[FAA-AC-25-7] p 587 N86-26329
- Advanced turboprop noise prediction: Development of a code at NASA Langley based on recent theoretical results  
[NASA-TM-88993] p 757 N86-31338
- HIGH SPEED CAMERAS**
- Controlled impact demonstration on-board (interior) photographic system  
p 392 N86-21946
- HIGH SPEED PHOTOGRAPHY**
- Response determination of propeller to bird strike using high speed photography  
p 90 A86-15308
- Controlled impact demonstration on-board (interior) photographic system  
p 392 N86-21946
- HIGH STRENGTH ALLOYS**
- Research on high-strength aerospace aluminum alloys  
p 244 A86-20037
- High strength nickel-palladium-chromium brazing alloys  
p 244 A86-20579
- Coarsening of delta prime, T1, S prime phases and mechanical properties of two Al-Li-Cu-Mg alloys  
p 680 A86-40303
- Development of properties within high-strength aluminum-lithium alloys  
p 680 A86-40304
- Age hardening behavior of DTD XXXA — high-strength aluminum-lithium alloy (Lital A)  
p 680 A86-40305
- Effect of precipitation on mechanical properties of Al-Li-Cu-Mg-Zr alloy  
p 681 A86-40306
- Deformation and fracture in Al-Li base alloys  
p 681 A86-40312
- A study of optimizing cutting tool performance in high tensile strength materials  
p 688 A86-40527
- Developments in premium high-strength powder metallurgy alloys by Kaiser Aluminum  
p 733 A86-48842
- Structural evaluation of superplastic aluminum. Part 1. Mechanical, corrosion, metallurgical data  
[AD-A161368] p 379 N86-21662
- HIGH STRENGTH STEELS**
- Structural evolution B-58 to F-16  
p 225 A86-22132
- The development of high strength stainless steels for the aeronautical industry  
p 373 A86-28337
- Probabilistic fatigue and fracture design  
p 453 A86-29961
- Multipurpose corrosion inhibitors for aerospace alloys in naval environments  
p 450 A86-33021
- A simplified residual stress model for predicting fatigue crack growth behavior at coldworked fastener holes  
p 682 A86-40575
- New vistas in the determination of hydrogen in aerospace engine metal alloys  
[AIAA PAPER 86-1479] p 663 A86-42665
- HIGH TEMPERATURE**
- High-temperature composite ducts  
[SME PAPER MF85-501] p 319 A86-24863
- Development of optical diaphragm deflection sensors  
[NASA-CR-175008] p 194 N86-15113
- Altitude ignition/lean diesel study  
[AD-A163052] p 518 N86-24781
- Multiaxial and thermomechanical fatigue considerations in damage tolerant design  
p 526 N86-25375
- Aircraft engine oils and their behaviour at high temperatures  
p 667 N86-29251
- HIGH TEMPERATURE ENVIRONMENTS**
- Elevated-temperature-resistant adhesives  
p 842 A86-47717
- Unified constitutive materials model development and evaluation for high-temperature structural analysis applications — for aircraft gas turbine engines  
p 849 A86-49133
- Comparison of measured and calculated temperatures for a Mach 8 hypersonic wing test structure  
[NASA-TM-85918] p 435 N86-22563
- Advances in the study of the mechanical behavior of materials  
[AD-A164856] p 735 N86-30838
- HIGH TEMPERATURE GASES**
- Ballistic gas fired devices  
p 240 A86-19328
- The effect of deposits on the cooling efficiency of gas-turbine engine blades  
p 720 A86-44697
- HIGH TEMPERATURE LUBRICANTS**
- Development of a high temperature jet engine oil - Laboratory and field evaluation  
[SAE PAPER 851797] p 607 A86-38527
- Advanced lubricants for aircraft turbine engines  
[SAE PAPER 851834] p 602 A86-38532
- Future trends for U.S. Naval aviation propulsion system lubricants  
[SAE PAPER 851835] p 608 A86-38533
- Carbon residue studies with a microcarbon residue tester  
[ASLE PREPRINT 86-AM-7A-1] p 732 A86-45395
- High-temperature lubrication systems for ring/liner applications in advanced heat engines  
[AD-A164955] p 604 N86-26446
- HIGH TEMPERATURE RESEARCH**
- Protective coating systems for high-temperature gas turbine components; Proceedings of the Conference, London, England, November 13, 14, 1984  
p 664 A86-43134
- HIGH TEMPERATURE TESTS**
- Adhesive system for high temperature destructive testing of composite structures  
p 115 A86-18101
- High temperature fatigue behavior of IMI 885  
p 376 A86-27385
- Developments in high temperature alloys  
p 376 A86-27388
- Characterization of T300/V-378A graphite/bismaleimide for structural applications  
p 662 A86-41053
- Thermal decomposition of aircraft fuel  
[ASME PAPER 86-GT-38] p 842 A86-48123
- CID-720 aircraft Langley Research Center preflight hardware tests: Development, flight acceptance and qualification  
p 392 N86-21949
- HIGH VOLTAGES**
- High voltage laboratory tests and lightning phenomena  
p 844 A86-47312
- Electrostatic charging of the CH-53E helicopter  
[AD-A161936] p 437 N86-23580
- HIGHLY MANEUVERABLE AIRCRAFT**
- NASA's Langley Center making gains in advanced technology projects  
p 686 A86-45065
- Calculation of static elastic effects on a modern high performance fighter aircraft  
[AIAA PAPER 86-1771] p 777 A86-49577
- Harrier the viffr — vectoring in forward flight as fighter aircraft combat maneuver  
p 783 A86-49881
- Stress concentration around a small circular hole in the HiMAT composite plate  
[NASA-TM-86038] p 184 N86-15350
- Highly Maneuverable Aircraft Technology (HiMAT) flight-flutter test program  
[NASA-TM-84907] p 586 N86-27280
- HIGHWAYS**
- USSR report: Transportation  
[JPRS-UTR-85-014] p 270 N86-18284
- USSR report: Transportation  
[JPRS-UTR-85-015] p 284 N86-18323
- USSR report: Transportation  
[JPRS-UTR-86-007] p 622 N86-28908
- HISTORIES**
- Studies in the history and theory of the development of science and technology in the fields of aviation, rocketry, and space. Number 3 — Russian book  
p 131 A86-13462
- Claude Dornier - Pioneer of aviation; Academic Seminar, Technische Universität München, Munich, West Germany, October 24, 1984, Papers  
p 195 A86-16325
- The fighter. II  
p 162 A86-17522
- The fighter. III  
p 162 A86-17523
- Lizzy - The first British liquid propellant rocket motor  
p 195 A86-18481
- Inertial navigation - The beginnings of an ingenious invention  
p 282 A86-25025
- The history of instrument flight  
p 405 A86-29668
- Investigations in the history and theory of the development of aviation and space science and technology. Number 4 — Russian book  
p 620 A86-39984
- The F/A-18 Fighter/Attack aircraft program  
[AD-A159292] p 195 N86-15205
- Air and space flight. Dream and facts  
[MBB-FILM-382] p 196 N86-16188
- Some lessons learned with wind tunnels  
[NASA-TM-87710] p 408 N86-23555
- The search for an advanced fighter: A history from the XF-108 to the advanced tactical fighter  
[AD-A166724] p 687 N86-29764
- HODOGRAPHS**
- Airfoil design at sonic velocity  
p 411 A86-32989
- A spectral hodograph method for shockless transonic two-dimensional flow  
[AIAA PAPER 86-1796] p 543 A86-37824
- Exact closed-form solutions for nonlinear unsteady transonic aerodynamics  
p 695 N86-30631
- HOLE DISTRIBUTION (MECHANICS)**
- A stress intensity factor solution due to holes ahead of growing cracks in thin sheet material  
p 454 A86-31123
- HOLE GEOMETRY (MECHANICS)**
- A simplified residual stress model for predicting fatigue crack growth behavior at coldworked fastener holes  
p 682 A86-40575
- Stress concentration around a small circular hole in the HiMAT composite plate  
[NASA-TM-86038] p 184 N86-15350
- A model for correlating flat plate film cooling effectiveness for rows of round holes  
p 741 N86-29840
- HOLES**
- Full coverage discrete hole film cooling - The influence of hole size  
[ASME PAPER 85-GT-47] p 251 A86-22035
- Calculation of misalignment error of multi-joint holes of wing to fuselage  
p 253 A86-22318
- HOLOGRAPHIC INTERFEROMETRY**
- Application of pulsed reflection holography to material testing  
p 122 A86-18090
- Transonic rotor flow-measurement technique using holographic interferometry  
p 141 A86-17089
- A holographic study of the vibrational modes of aircraft engine rotors  
p 301 A86-23756
- Reconstruction of a three-dimensional, transonic rotor flow field from holographic interferogram data  
[AIAA PAPER 85-0370] p 337 A86-27669
- Application of optical interferometry in compressible flows  
p 546 A86-38258
- Optical determination of the effects of a microstructure accelerometer on resonance of a small airfoil  
p 688 A86-40712
- Holographic mode shape investigation of aircraft engine impellers  
p 672 A86-43105
- Investigation of the structure of a supersonic jet issuing from a free-vortex nozzle by means of pulsed holographic interferometry  
p 628 A86-43403
- Three-dimensional, transonic rotor flow field reconstructed from holographic interferogram data  
[NASA-TM-86816] p 188 N86-14555
- Description of a nondestructive facility using holographic interferometry  
[SNIAS-852-430-105] p 258 N86-17726
- Holography: The nondestructive testing of composite structures — aerospace structures  
p 458 N86-22611
- Interferometric holographic cinematography  
[ISL-CO-219/85] p 851 N86-31872
- HOLOGRAPHY**
- The development of dichromated gelatin for holographic optical element applications  
p 468 A86-32312
- Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987  
[AD-A162792] p 402 N86-22443
- La Recherche Aérospatiale, bimonthly bulletin, number 1985-1, 224/January-February  
[ESA-TT-915] p 458 N86-22729
- HOMING**
- Comparison of angular and metric guidance laws for tactical missiles  
p 726 A86-46469



## HOMING DEVICES

Airborne infrared measurement systems and techniques

[AIAA PAPER 86-9814] p 439 A86-32140  
Thermal scene generators p 522 A86-36805

## HONEYCOMB CORES

The material development, component manufacture, and post-service evaluation of RB211-524 cowl doors utilizing carbon fibre composite materials [PNR-90275] p 247 N86-16273

## HONEYCOMB STRUCTURES

Structural evolution B-58 to F-16 p 225 A86-22132  
Method for the calculation and design of fuselage flaps made of composite materials p 647 A86-48830

## HORIZONTAL FLIGHT

Feasibility of simplifying coupled lag-flap-torsional models for rotor blade stability in forward flight p 98 A86-16123

The influence of forward flight on thrust augmenting ejectors

[AIAA PAPER 85-1589] p 173 A86-17843  
The use of analytical methods to assess aircraft maneuverability p 305 A86-23771

Feasibility of simplifying coupled lag-flap-torsional models for rotor blade stability in forward flight

p 290 A86-26138  
Dynamic stability of hingeless and bearingless rotors in forward flight p 366 A86-27662

Effectiveness of current dynamic-inflow models in hover and forward flight p 578 A86-37773

Horizontal display for vertical flight: A direction of motion experiment

[AD-A161113] p 299 N86-19321

## HORIZONTAL ORIENTATION

Programming a multiple-orifice hydraulic decelerator [AD-A158428] p 181 N86-15328

Improving the interpretability of an aircraft attitude indicator

[AD-A166329] p 719 N86-29817

## HORIZONTAL TAIL SURFACES

Stability and control of aircraft with manual all-moving tailplanes

[AIAA PAPER 86-2231] p 829 A86-47892

## HORSEPOWER

Computer program for performance prediction of tandem-rotor helicopters

[AD-A159193] p 167 N86-14268

## HOT CORROSION

Protecting gas turbine components - The relative durability of a conventional and a platinum-modified aluminate coating

p 114 A86-13005  
Na2SO4 induced corrosion of nickel at high temperature p 517 A86-37073

Gas and erosion corrosion of the combustion chambers of aircraft engines

p 592 A86-39725  
Influence of molybdenum, tungsten, and cobalt on the corrosion of high-temperature strength nickel alloys in molten salts p 663 A86-41988

Hot corrosion in aircraft engines

[ESA-TT-887] p 237 N86-16227

## HOT PRESSING

Titanium Near Net Shape components for demanding airframe applications

p 245 A86-21726  
Titanium near net shape components for demanding airframe applications p 380 A86-26717

An evaluation of centrifugally cast Ti-4Al-4Mo-2Sn-0.5Si (IMI 550) alloy p 374 A86-27207

Process development and test evaluation of cast, HIP and heat treated titanium UH-60A M.R. Damper Bracket

p 516 A86-35641

## HOT WORKING

SPF aluminum - A first for the S-76B helicopter --- Superplastic Forming

p 250 A86-21709

## HOT-FILM ANEMOMETERS

Development of a temperature-compensated hot-film anemometer system for boundary-layer transition detection on high-performance aircraft

p 605 A86-38236

An experimental investigation on location of boundary layer transition on the NACA 0012 using surface hot film gauges

[NASA-TM-88285] p 524 N86-24936

## HOT-WIRE ANEMOMETERS

Propeller slipstream/wing boundary layer effects at low Reynolds numbers

p 139 A86-18324  
Three component hot-wire measurements in the wake of a rotor model p 320 A86-26111

Comparison of hot-wire measurement techniques in a Mach 3 pilot quiet tunnel p 605 A86-38235

## HOT-WIRE FLOWMETERS

Oscillating hot-wire measurements above an FX63-137 airfoil

[AIAA PAPER 86-0012] p 198 A86-19635

## HOTSHOT WIND TUNNELS

Subsonic thermal wind tunnel with an Eiffel chamber

p 112 A86-13443

## HOUSINGS

Calculation of the steady-state transverse vibrations of the system rotors-housing of a gas-turbine engine

p 503 A86-36741

Length adjustable strut link with low aerodynamic drag [AD-D011851] p 107 N86-12232

## HOVERING

Velocity measurements in the near field of a rotor blade in hover

[AIAA PAPER 85-5013] p 84 A86-14457

Transonic rotor flow-measurement technique using holographic interferometry

p 141 A86-17089

Hovering model helicopter rotor testing

p 179 A86-18412

Scaling of helicopter main rotor noise in hover

[AIAA PAPER 86-0393] p 265 A86-22699

Hover in-ground-effect testing of a full-scale, tilt-nacelle V/STOL model

[AIAA PAPER 86-0780] p 286 A86-24759

Automation effects in a multiloop manual control system

p 329 A86-25035

Radial distribution circulation of a rotor in hover measured by laser velocimeter

p 276 A86-26110

Three component hot-wire measurements in the wake of a rotor model

p 320 A86-26111

Hover test of a full-scale hingeless rotor

p 291 A86-26144

Free wake model of hovering rotors having straight or curved blades

p 337 A86-27667

Reconstruction of a three-dimensional, transonic rotor flow field from holographic interferogram data

[AIAA PAPER 85-0370] p 337 A86-27669

Flying hands off to a hover --- automatic flight control in helicopters

p 507 A86-34193

Directional handling qualities requirements for nap of the earth (NOE) tasks

p 510 A86-35622

A new approach to the free wake problem for hovering rotors

p 475 A86-35633

Hovering rotor airload prediction using a full potential flow analysis with realistic wake geometry

p 475 A86-35636

The aerodynamics of rotor blades with ice shapes accreted in hover and in level flight

p 478 A86-35655

Full-scale tilt-rotor hover performance

p 578 A86-37770

Gust response of hingeless rotors

p 578 A86-37772

Effectiveness of current dynamic-inflow models in hover and forward flight

p 578 A86-37773

Euler solutions for the flow around a hovering helicopter rotor

[AIAA PAPER 86-1784] p 543 A86-37815

Euler calculations for flowfield of a helicopter rotor in hover

[AIAA PAPER 86-1782] p 577 A86-37849

Estimation of lift losses of hovering vehicles using a single jet

[SAE PAPER 851842] p 579 A86-38339

The dynamics of limiting helicopter maneuvers at a very low altitude

p 724 A86-45748

A study of helicopter main rotor noise in hover

[AIAA PAPER 86-1858] p 856 A86-49575

Performance and loads data from a hover test of a full-scale XV-15 rotor

[NASA-TM-86833] p 152 N86-15243

Test results from a dynamic model dynamometer rotor

p 167 N86-15285

Experimentally determined flutter from two- and three-bladed model bearingless rotors in hover

p 177 N86-15286

Dynamic stability of a bearingless circulation control rotor blade in hover

p 177 N86-15297

Hover and forward flight acoustics and performance of a small-scale helicopter rotor system

[NASA-TM-88584] p 295 N86-19314

Horizontal display for vertical flight: A direction of motion experiment

[AD-A161113] p 299 N86-19321

Aerodynamic characteristics of several current helicopter tail boom cross sections including the effect of spoilers

[NASA-TF-2506] p 339 N86-20349

Effects of planform geometry on hover performance of a 2-meter-diameter model of a four-bladed rotor

[NASA-TM-87607] p 340 N86-20358

Helicopter performance computer programs for HP-41 hand-held computer

[AD-A162794] p 358 N86-21539

Electrostatic charging of the CH-53E helicopter

[AD-A161936] p 437 N86-23590

Hover in-ground-effect testing of a full-scale, tilt-nacelle V/STOL model

[NASA-TM-88218] p 629 N86-28056

Rotor/wing aerodynamic interactions in hover

[NASA-TM-88255] p 629 N86-28060

An experimental and analytical investigation of isolated rotor flap-lag stability in forward flight

[NASA-CR-177028] p 654 N86-28957

An experimental and analytical method for approximate determination of the tilt rotor research aircraft rotor/wing download

[NASA-CR-176970] p 693 N86-29769

A trade-off study of tilt rotor aircraft versus helicopters using VASCOMP 2 and HESCOMP

[AD-A167719] p 808 N86-31575

Design of a vertical thrust stand for a remotely piloted model helicopter

[AD-A167811] p 840 N86-31598

## HOVERING STABILITY

Longitudinal stability of a hovering, tethered rotorcraft

p 109 A86-14235

Stability and control of VTOL capable airships in hovering flight

p 109 A86-14236

Aeromechanical stability analysis of a hybrid heavy lift multirotor vehicle in hover

p 110 A86-14530

Unsteady aerodynamics in time and frequency domains for finite-time arbitrary motion of helicopter rotor blades in hover and forward flight

p 414 N86-22548

Formal optimization of hovering performance using free wake lifting surface theory

[NASA-CR-177103] p 640 N86-28935

## HUBS

A rig for the fatigue testing of rotor hubs

p 180 A86-18440

Experimental investigation of rotorcraft hub and shaft fairing drag reduction

[AIAA PAPER 86-1783] p 577 A86-37814

Coupled aeroelastic hub loads reduction

p 799 A86-48665

Preliminary report on in-flight measurement of rotor hub drag and lift using the RSRA

[NASA-TM-86784] p 100 N86-13319

Hub effects in propeller design and analysis

[AD-A158853] p 108 N86-13331

Evaluation of a load cell model for dynamic calibration of the rotor systems research aircraft

p 168 N86-15304

## HUGHES AIRCRAFT

A microprocessor-based digital voice network

p 118 A86-13221

A skin-stringer design for a crashworthy composite fuselage for the Hughes 500E helicopter

p 492 A86-35637

## HUMAN BEHAVIOR

Aircraft accident report: Air Canada Flight 797, McDonnell Douglas DC-9-32, C-FTLU Greater Cincinnati International Airport, Covington, Kentucky, June 2, 1983

[PB86-910402] p 344 N86-21525

Chief on unfavorable year for Soviet air traffic control

p 424 N86-22586

## HUMAN BEINGS

Crash-resistant crewseat limit-load optimization through dynamic testing with cadavers

[AD-A164828] p 569 N86-26296

## HUMAN CENTRIFUGES

Evaluation of pilot performance and aircrew protective devices in a simulated F-14 flat spin environment

p 262 A86-19351

## HUMAN FACTORS ENGINEERING

Big Picture - Answer to the big problem?

p 170 A86-17172

Development of mechanical components for advanced aircrew seating systems

p 217 A86-19307

How much inherent buoyancy is acceptable in a helicopter passenger immersion suit

p 261 A86-19310

Understanding natural language commands

p 263 A86-20667

Cockpit automation technology

p 326 A86-23724

Computer-aided 'somatography' for the ergonomic design of the ATTAS experimental cockpit --- Advanced Technologies Testing Aircraft System

p 287 A86-25024

Flight deck design methodology using computerized anthropometric models

[SAE PAPER 841472] p 326 A86-26003

AI applications to military pilot decision aiding - A perspective on transition

[SAE PAPER 841533] p 327 A86-26004

Winging it in the 1980's - Why guidelines are needed for cockpit automation

[SAE PAPER 841634] p 328 A86-26022

The decision to fly --- by aircraft pilots

[SAE PAPER 841613] p 328 A86-26024

Aircrew-aircraft integration - A summary of U.S. Army research programs and plans

p 310 A86-26149

Colour design in aviation cartography

p 358 A86-28086

Auditory signals in military aircraft - Ergonomic principles versus practice

p 395 A86-28442



- A speech recognition research tool for the C-130 Hercules p 350 A86-28443
- Advanced concepts flight simulation facility p 446 A86-29916
- Survival of helicopter accidents p 419 A86-31005
- Integrating the pilot into the cockpit [AIAA PAPER 86-9765] p 429 A86-32102
- Pilot error accidents - A total system approach to analysis p 481 A86-33799
- Applicability of using the CAR-II model in design and evaluation of multioperator workstations with shared controls p 529 A86-33805
- Cockpit automation technology - A further look p 499 A86-33814
- The consideration of pilot factors in development of future collision avoidance systems [SAE PAPER 851807] p 484 A86-35437
- Cockpit and cabin crew coordination and communication [SAE PAPER 851918] p 473 A86-35448
- United Airlines windshear training update [SAE PAPER 851920] p 482 A86-35450
- The Boeing crew escape technologies (CREST) program p 708 A86-44776
- The interpretation of flying qualities requirements for flight control design [AIAA PAPER 86-2249] p 826 A86-47523
- Anthropometric conditions for the construction of a helicopter cockpit p 794 A86-47768
- An analysis of the application of AI to the development of intelligent aids for flight crew tasks [NASA-CR-3944] p 90 A86-12212
- Alerted monitors: Human operators aided by automated detectors [PB85-222750] p 126 A86-13906
- The interactive generation of alphanumeric and symbology with designs on the future [AD-A159218] p 192 A86-14982
- Light helicopter family trade-off analysis. Volume 7: Appendix R [AD-A158076] p 168 A86-15307
- Evaluation of 23 inch radar viewing unit for Heathrow approach control room [CAA-PAPER-85011] p 216 A86-16209
- Chief on unfavorable year for Soviet air traffic control p 424 A86-22566
- Langley aerospace test highlights, 1985 [NASA-TM-87703] p 537 A86-26276
- Some quantitative methodology for cockpit design p 586 A86-26320
- Flight simulator: Comparison of resolution thresholds for two light valve video projectors [AD-A164577] p 598 A86-26344
- A comparison of voice and keyboard data entry for a helicopter navigation task [AD-A183245] p 610 A86-26501
- Development and validation of the crew-station system-integration research facility [NASA-TM-86841] p 822 A86-28051
- Pilot interaction with automated airborne decision making systems [NASA-CR-177002] p 679 A86-29508
- Feasibility study for ergonomic analysis and design of future helicopter cockpit systems [NASA-CR-178942] p 714 A86-29811
- HUMAN PERFORMANCE**
- Development of an algorithm to model an aircraft equipped with a generic CDTI display [NASA-TM-87732] p 748 A86-30349
- HUMAN REACTIONS**
- The role of vibration and rattle in human response to helicopter noise [AD-A162486] p 396 A86-22110
- The relative effect of noise at different times of day: An analysis of existing survey data [NASA-CR-3965] p 469 A86-24392
- HUMIDITY**
- A mathematical model for calculation of effects of air humidity fuel composition and gas dissociation on engine performance and its actual application p 591 A86-38994
- The aircraft icing environment in wintertime, low ceiling conditions [AD-A160578] p 280 A86-18307
- Limited Surface Observations Climatic Summary (LISOCs). Parts A, C-F: Bremen International, West Germany [AD-A159656] p 323 A86-18894
- Revised Uniform Summary of Surface Weather Observations (RUSSWO). Parts A-F: General Billy Mitchell Field, Wisconsin [AD-A159658] p 324 A86-18896
- Revised Uniform Summary of Surface Weather Observations (RUSSWO). Parts A-F: Aviano AB, Italy [AD-A159662] p 324 A86-18900
- Giebelstadt aIn Germany (West). Limited surface observations climatic summary (LISOCs): Parts A, C-F [AD-A159664] p 324 A86-18902
- HYDRATION**
- Materials for emergency repair of runways [AD-A164225] p 514 A86-25385
- HYDRAULIC CONTROL**
- A possible approach to the diagnostics of the hydraulic servomechanism of the aircraft control system p 285 A86-23757
- Controllability of redundant flight control system and pressure equalization of redundant servo actuators p 723 A86-43497
- Aircraft hydraulic systems: An introduction to the analysis of systems and components - Book p 713 A86-46850
- The M53 turbofan control system - A strong basis for the development of the future digital control systems p 817 A86-49068
- A contribution to the digital compensation of periodic disturbances with frequencies in bounded intervals - in helicopters [DFVLR-FB-85-55] p 370 A86-21553
- Large-Scale Advanced Prop-Fan (LAP) pitch change actuator and control design report [NASA-CR-174788] p 592 A86-27282
- HYDRAULIC EQUIPMENT**
- Ground testing approach for the B-1B bomber [SAE PAPER 851796] p 598 A86-38319
- Software position and velocity limiting for a synergistic six degree-of-freedom motion system - flight simulators p 655 A86-42170
- Pumps for 8000 psi hydraulic systems examined p 846 A86-48042
- Fluid machines: Expanding the limits, past and future [NASA-TM-87161] p 107 A86-12227
- Programming a multiple-orifice hydraulic decelerator [AD-A159428] p 181 A86-15328
- Fuzzy inference system to diagnose aircraft hydraulic faults p 407 A86-22775
- Fireproof hydraulic brake system [AD-A183542] p 497 A86-24688
- Requirements on lubrication oil from the view of a helicopter manufacturer p 666 A86-29244
- HYDRAULIC FLUIDS**
- Nonflammable fluid and 8,000 psi technology for future aircraft hydraulic systems (22 CFR 125.4 /b/ 113/ applicable) [SAE PAPER 851908] p 580 A86-38364
- Hydraulic pumps for high pressure non-flammable fluids - for aircraft [SAE PAPER 851911] p 580 A86-38366
- Fireproof hydraulic brake system [AD-A183542] p 497 A86-24688
- Flammability of aircraft hydraulic fluids: A bibliography [AD-A165463] p 569 A86-26299
- Fireproof hydraulic brake system [AD-A167774] p 786 A86-31549
- HYDRAULICS**
- Generalization of experimental data on the internal hydraulic resistance of laminated porous materials p 650 A86-43383
- HYDRAZINE ENGINES**
- Design, safety, and maintainability aspects for hydrazine use in emergency secondary power systems [SAE PAPER 851972] p 588 A86-38382
- HYDRAZINES**
- The F-16 aircraft and hydrazine - An industrial hygiene perspective [SAE PAPER 851971] p 568 A86-38381
- Evaluation of less toxic fuels for aircraft emergency power systems [SAE PAPER 851974] p 601 A86-38384
- HYDROCARBON COMBUSTION**
- The performance of a reverse flow combustor using JP 10 fuel [ASME PAPER 86-GT-146] p 814 A86-48202
- HYDROCARBON FUELS**
- Fuel property effects upon exhaust smoke and the weak extinction characteristics of the Pratt and Whitney PT6A-65 engine [ASME PAPER 85-GT-27] p 234 A86-22018
- Fuel deposit characteristics at low velocity [ASME PAPER 85-GT-130] p 313 A86-23922
- Properties of aircraft fuels and related materials [AD-A164532] p 604 A86-27461
- HYDROCARBON POISONING**
- USAF toxicology research on petroleum and shale-derived aviation gas turbine fuels [ASME PAPER 85-GT-34] p 262 A86-22023
- HYDRODYNAMICS**
- Quasi-solutions of an inverse boundary value problem of hydroaerodynamics p 120 A86-13983
- Turbulent drag reduction for external flows p 156 A86-15271
- Development of a numerical procedure to map a general 3-d body onto a near-circle p 749 A86-31420
- HYDROGEN**
- Multistage metal hydride compressor [DE86-001965] p 604 A86-27485
- HYDROGEN EMBRITTLEMENT**
- Embrittled trailing edges of compressor blades (titanium alloy Ti6Al-4V and Ti6Al2Sn4Zr2Mo) of gas turbine aero-engines p 376 A86-27279
- New vistas in the determination of hydrogen in aerospace engine metal alloys [AIAA PAPER 86-1479] p 663 A86-42665
- HYDROGEN ENGINES**
- New vistas in the determination of hydrogen in aerospace engine metal alloys [AIAA PAPER 86-1479] p 663 A86-42665
- HYDROGEN FUELS**
- Effect of different hydrogen-injection techniques on its burnup in a supersonic air flow p 864 A86-43420
- Investigation of the ignition characteristics of hydrogen/air mixtures in the case of combustion induced by oblique shocks p 732 A86-45185
- Liquid hydrogen fueled passenger aircraft [AD-A166229] p 717 A86-30724
- HYDROGEN OXYGEN ENGINES**
- Turbine blade thermal fatigue testing Pratt and Whitney aircraft hollow core blades [NASA-TM-86528] p 174 A86-14271
- HYDROMECHANICS**
- Aerohydraulics - Russian book p 82 A86-13456
- F-15 digital electronic engine control system description [PAPER-3] p 504 A86-25345
- Flight evaluation of a hydromechanical backup control for the digital electronic engine control system in an F100 engine [PAPER-9] p 505 A86-25351
- HYDROPLANING**
- High-speed braking of an aircraft tire on grooved surfaces p 162 A86-17787
- Runway rubber removal specification development: Field evaluation results and data analysis [FAA/PM-85/32] p 448 A86-23607
- HYDROSTATIC PRESSURE**
- Effects of vibration-induced cavitation of physicochemical characteristics of aircraft fuel p 184 A86-15346
- HYPERPLANES**
- Two approaches to hyperplane design in multivariable variable structure control systems p 880 A86-41934
- HYPERSONIC AIRCRAFT**
- Three-dimensional body-fitting grid system for a complete aircraft [AIAA PAPER 86-0428] p 201 A86-19870
- Aerospace planes and trans-atmospheric vehicles - Recent US studies revive dormant technologies p 449 A86-31348
- Can we develop the 1.5 million pound aerospace plane? p 515 A86-34195
- Launching the aerospace plane p 686 A86-44442
- High speed aeronautics [GPO-51-341] p 278 A86-19284
- Selections from Flug Revue und Flugwelt International. A. On the border of Time-hypersonic flight. B. NASA programs pave the way for the hypersonic aircraft. C. Shuttle flight 61-B; construction in space. D. Faster than a bullet; hypersonic military aircraft [NASA-TM-88418] p 474 A86-24652
- HYPERSONIC BOUNDARY LAYER**
- The effect of the bluntness and the half-angle of a cone on the turbulent transition of a boundary layer at free-stream Mach 6 p 80 A86-13391
- Laminar boundary layer stability experiments on a cone at Mach 8. IV - On unit Reynolds number and environmental effects [AIAA PAPER 86-1087] p 550 A86-38449
- Wall cooling effects on hypersonic boundary layer transition, M(1) = 7.5 - 15 [AIAA PAPER 86-1088] p 550 A86-38450
- Acta Aerodynamica Sinica (selected articles) [AD-A162993] p 417 A86-23575
- HYPERSONIC FLIGHT**
- Effect of longitudinal-contour shape on the aerodynamic characteristics of lifting bodies at supersonic and hypersonic flight velocities p 628 A86-43402
- Calculation of the explosion of a rapidly flying body p 738 A86-45344
- Optimal descending, hypersonic turn to heading [AIAA PAPER 86-2134] p 841 A86-47679
- Selections from Flug Revue und Flugwelt International. A. On the border of Time-hypersonic flight. B. NASA programs pave the way for the hypersonic aircraft. C. Shuttle flight 61-B; construction in space. D. Faster than a bullet; hypersonic military aircraft [NASA-TM-88418] p 474 A86-24652

## HYPERSONIC FLOW

- Hyperonic flow past non-slender wedges, cones and ogives in oscillation p 78 A86-13047
- Aerodynamic characteristics of a finite-aspect-ratio wing in hyperonic flow of a radiating gas p 78 A86-13359
- Flow of a diatomic rarefied gas around a cone p 78 A86-13360
- Static and dynamic pitch stability of a blunted cone with forward facing aerodynamic spike in hyperonic flow p 135 A86-18249
- A comparative study of the parabolized Navier-Stokes code using various grid-generation techniques p 143 A86-17654
- On hyperonic flow around winged-vehicles at high angles of attack p 275 A86-25227
- Wind tunnel free-flight test by a vertical drop technique at a hyperonic Mach number of 7 p 598 A86-38253
- Measured and predicted heating distributions for bionics at Mach 10 p 624 A86-41734
- Computational models for the analysis/design of hyperonic scramjet components. I - Combustor and nozzle models [AIAA PAPER 86-1595] p 647 A86-42737
- A second-order theory for three-dimensional unsteady flows and its application to thin wings with angle of attack at supersonic and hyperonic speeds p 687 A86-43485
- Unified supersonic/hyperonic similitude for oscillating wedges and plane ogives p 689 A86-44880
- Effect of the nonequilibrium character of the flow around a blunt plate with a bend on its aerodynamic characteristics p 768 A86-48783
- The effect of equilibrium air properties and Mach number on the aerodynamic characteristics of a flight vehicle p 770 A86-48843
- The effect of a kinetic air model on the aerodynamic characteristics of airfoils with flaps p 771 A86-48849
- The problem of flow past a plane delta wing with power-law injection at its surface p 776 A86-49174
- Numerical analysis of nonequilibrium flow about airfoil in thin shock layer approximation p 343 N86-22258
- Hyperonic flow around a wing at large angles of attack with detached compression jump p 480 N86-25534
- HYPERSONIC HEAT TRANSFER**
- Wall cooling effects on hyperonic boundary layer transition,  $M(1) = 7.5 - 15$  [AIAA PAPER 86-1088] p 550 A86-38450
- HYPERSONIC INLETS**
- Study of hyperonic inlet flow fields with a three-dimensional Navier-Stokes code [AIAA PAPER 86-1426] p 624 A86-42635
- HYPERSONIC SHOCK**
- Hyperonic viscous shock layer on a surface with an abrupt variation of catalytic activity p 737 A86-43994
- HYPERSONIC SPEED**
- Buckling behavior of Rene 41 tubular panels for a hyperonic aircraft wing [AIAA PAPER 86-0978] p 609 A86-38857
- Comparison of measured and calculated temperatures for a Mach 8 hyperonic wing test structure [NASA-TM-85918] p 435 N86-22563
- Nonlinear potential analysis techniques for supersonic-hyperonic aerodynamic design [NASA-CR-172299] p 417 N86-23569
- Flow around delta wings with broken-line leading edges p 481 N86-25560
- HYPERSONIC TEST APPARATUS**
- Influence of unsteady flow effects on the length of operation of a hyperonic shock tunnel p 112 A86-13428
- HYPERSONIC VEHICLES**
- Transient motion of a hyperonic wedge, including time history effects p 443 A86-31682
- Configuration and trajectory of hyperonic transport with aerothermodynamic control p 804 A86-49124
- HYPERSONIC WIND TUNNELS**
- Hyperonic characteristics of an advanced aerospace plane at Mach 20.3 [NASA-TM-86435] p 152 N86-15245
- HYPERSONICS**
- High speed viscous flow calculations about complex configurations [NASA-TM-88237] p 850 N86-31827
- HYPERVELOCITY FLOW**
- Quasi nonstretching hypervelocity jets [ISL-CO-236/84] p 153 N86-15254
- HYPERVELOCITY IMPACT**
- Computational engine structural analysis [ASME PAPER 86-GT-70] p 813 A86-48141
- HYPERVELOCITY PROJECTILES**
- Damping of the rolling motion of full caliber fin-stabilized projectiles in supersonic flight [ISL-CO-233/84] p 153 N86-15253

## HYPOTHERMIA

- Ship/rig personnel abandonment and helicopter crew/passenger immersion suits - The requirements in the North Atlantic p 396 A86-29100

## HYSTERESIS

- Mathematical models for studying aircraft vibrations with allowance for structural hysteresis p 365 A86-27061
- Precise control surface position measurements for hysteresis and twist testing p 795 A86-47789
- Vortex flow hysteresis p 558 N86-27201
- Critical evaluation of the unsteady aerodynamics approach to dynamic stability at high angles of attack [NASA-CR-177104] p 632 N86-28924

## ICE

- A new rain/ice test capability to simulate flight [AIAA PAPER 86-9824] p 432 A86-32147
- Numerical simulation of the leading-edge separation vortex over delta wing p 209 N86-17271

## ICE ENVIRONMENTS

- The Canadian forces twin Otter aircraft operations in the Arctic - A thermal assessment p 212 A86-19334

## ICE FORMATION

- Icing wind tunnel tests on the CSIRO liquid water probe p 102 A86-14220
- Ice shapes and the resulting drag increase for a NACA 0012 airfoil [AIAA PAPER 84-0109] p 90 A86-14427
- New techniques for optimization and certification of helicopters in icing conditions p 164 A86-18416
- Real-time measurement of ice growth during simulated and natural icing conditions using ultrasonic pulse-echo techniques [AIAA PAPER 86-0410] p 214 A86-19860
- Aerodynamic measurements of an airfoil with simulated glaze ice [AIAA PAPER 86-0484] p 202 A86-19897
- Airfoil aerodynamics in icing conditions p 204 A86-20164

## Formation and characterization of simulated small

- droplet icing clouds [AIAA PAPER 86-0409] p 254 A86-22700
- Verification and application of the icing scaling equations [AIAA PAPER 86-0481] p 343 A86-26640
- The aerodynamics of rotor blades with ice shapes accreted in hover and in level flight p 476 A86-35655
- The performance characteristics of simulated ice on rotorcraft airfoils p 482 A86-35656
- Performance degradation of helicopters due to icing - A review p 494 A86-35668
- Aircraft icing observations and analysis p 576 A86-37465

- Experimental measurements of heat transfer from an iced surface during artificial and natural cloud icing conditions [AIAA PAPER 86-1352] p 598 A86-39948
- The measurement of aircraft performance and stability and control after flight through natural icing conditions [AIAA PAPER 86-9758] p 651 A86-40681

- Measurement of ice growth during simulated and natural icing conditions using ultrasonic pulse-echo techniques p 634 A86-41694
- A turbine engine inlet viewing system [AIAA PAPER 86-1647] p 656 A86-42769
- F-14A inlet icing p 709 A86-44937
- Advanced icing wind tunnel for flight test development of icing rate systems p 838 A86-47792
- NASA's aircraft icing analysis program p 786 A86-49107

- Heat transfer and pressure drop performance of a finned-tube heat exchanger proposed for use in the NASA Lewis Altitude Wind Tunnel [NASA-TM-87151] p 123 N86-13677
- Formation and characterization of simulated small droplet icing clouds [NASA-TM-87180] p 188 N86-14554

- Results of icing flights in winter 1983/84: Ice accretion thickness in correlation with cloud physical parameters, object and cloud parameters [DFVLR-FB-85-39] p 191 N86-15838

- Study of ice accretion on icing wind tunnel components [NASA-TM-87095] p 242 N86-18232
- The deiced super Puma -- helicopters [SNAS-852-210-104] p 215 N86-17328

- The aircraft icing environment in wintertime, low ceiling conditions [AD-A180578] p 280 N86-18307
- Some microphysical processes affecting aircraft icing [AD-A180375] p 325 N86-18921

- Calculation of ice accretion on cylindrical rods according to Bain's model, and comparison with experimental results -- stratus clouds [DFVLR-FB-85-46] p 325 N86-18933

- Particle trajectory computation on a 3-dimensional engine inlet [NASA-CR-175023] p 344 N86-20379

- The icing research aircraft DO28, D-IFMP of DFVLR, and its measuring equipment [DFVLR-MITT-85-12] p 394 N86-22064

- Wind tunnel tests of rotor blade sections with replications of ice formations accreted in hover [NASA-CR-175069] p 420 N86-22558

- Documentation of ice shapes accreted on the main rotor of a UH-1H helicopter in level flight [NASA-CR-175068] p 420 N86-22559

- The measurement of aircraft performance and stability and control after flight through natural icing conditions [NASA-TM-87265] p 446 N86-22582

- Analytical determination of propeller performance degradation due to ice accretion [NASA-CR-175092] p 420 N86-23577

- Analysis and verification of the icing scaling equations. Volume 1 [AD-A162226] p 437 N86-23595

- In-flight measurements of wing ice shapes and wing section drag increases caused by natural icing conditions [NASA-TM-87301] p 479 N86-24667

- Ice detector [NASA-CASE-LAR-13403-1] p 483 N86-24673

- Evaluation of capillary reinforced composites [NASA-CR-175061] p 517 N86-24760

- An assessment of data quality and quantity from airborne cloud physics projects from 1974 through 1984 [DOT/FAA/CT-85/37] p 528 N86-25079

- Calibration of droplet sizing and liquid water content instruments: Survey and analysis [NASA-CR-175099] p 611 N86-26596

- NASA's Aircraft Icing Analysis Program [NASA-TM-88791] p 786 N86-31548

- In-flight photogrammetric measurement of wing ice accretions [NASA-TM-87191] p 806 N86-31562

- Turbulent dispersion of the icing cloud from spray nozzles used in icing tunnels [NASA-TM-87316] p 820 N86-31588

## ICE NUCLEI

- In-flight measurements of wing ice shapes and wing section drag increases caused by natural icing conditions [NASA-TM-87301] p 479 N86-24667

## ICE PREVENTION

- Structural bonding with polysulfide adhesive on B-1B aircraft p 94 A86-13106
- FAA certification of rotorcraft engine induction system for ice protection p 157 A86-18406

- HC-Mk1 (Chinook) heated rotor blade icing test. I - Test vehicle, test site, approach and summary of testing p 293 A86-26167

- HC-Mk1 (Chinook) heated rotor blade icing test. II - Analysis of atmospheric conditions, aircraft and systems characteristics p 293 A86-26168

- VSTOL aircraft ice protection design considerations p 493 A86-35654

- Analyses and tests for design of an electro-impulse de-icing system [NASA-CR-174919] p 571 N86-27268

- De-icing of the altitude wind tunnel turning vanes by electro-magnetic impulse [NASA-CR-177260] p 599 N86-27291

- NASA's Aircraft Icing Analysis Program [NASA-TM-88791] p 786 N86-31548

## ICE REPORTING

- Results of icing flights in winter 1983/84: Ice accretion thickness in correlation with cloud physical parameters, object and cloud parameters [DFVLR-FB-85-39] p 191 N86-15838

## IDEAL FLUIDS

- An analysis of separated flow of an ideal fluid past a finite-aspect-ratio mechanized wing p 80 A86-13395

- Certain problems of fluid flow near the core of a spiral discontinuity p 120 A86-13424

- Flow of an ideal fluid in the core of a vortex sheet p 770 A86-48839

## IDEAL GAS

- Determination of the shape of a profile from a specified chord diagram of Mach numbers in transonic flow p 80 A86-13397

- A numerical method for calculating internal subsonic swirling flows of an ideal gas p 85 A86-14679

- Rotational-translational subsonic motion of a finite-span wing in an ideal gas p 628 A86-43384

- Method for calculating subsonic ideal-gas flow past an aircraft p 768 A86-48807

- Numerical solutions of Navier-Stokes equations for a Butler wing  
[NASA-CR-174202] p 86 N86-13293
- IDENTIFYING**  
AIRID - An application of the KAS/Prospector expert system builder to airplane identification p 128 A86-15283  
Performance of resonant radar target identification algorithms using intra-class weighting functions p 321 N86-19490
- IGNITION**  
Investigation of the ignition characteristics of hydrogen/air mixtures in the case of combustion induced by oblique shocks p 732 A86-45185
- IGNITION LIMITS**  
Altitude ignition/lean deceleration study [AIAA PAPER 86-1530] p 646 A86-42694  
Altitude ignition/lean decel study [AD-A163052] p 518 N86-24781
- ILYUSHIN AIRCRAFT**  
More on new IL-96, IL-114 aircraft p 435 N86-22567
- IMAGE ANALYSIS**  
Air targeting of the third kind - Airborne vehicles p 230 A86-19617  
New class of features for pattern recognition and image analysis p 465 A86-32371  
A fast shape descriptor p 748 A86-46377  
Problems of the visual display in flight simulation p 731 A86-46719
- IMAGE CONTRAST**  
Flight simulator: Comparison of resolution thresholds for two light valve video projectors [AD-A164577] p 598 N86-26344
- IMAGE INTENSIFIERS**  
Application of biocular viewers to airborne reconnaissance p 229 A86-19580
- IMAGE PROCESSING**  
Evolution of real time airborne reconnaissance p 229 A86-19586  
Towards robust image matching algorithms p 230 A86-19620  
Simulation and analysis of natural rain in a wind tunnel via digital image processing techniques [AIAA PAPER 86-0291] p 241 A86-22687  
New class of features for pattern recognition and image analysis p 465 A86-32371  
Applications of artificial intelligence II: Proceedings of the Meeting, Arlington, VA, April 9-11, 1985 [SPIE-548] p 748 A86-46706  
Image processing of aerodynamic data [NASA-TM-87629] p 255 N86-16553  
Mellin-Fourier correlation [AD-A159685] p 330 N86-20006  
Glide slope indicator system [AD-D012077] p 424 N86-23580
- IMAGE RESOLUTION**  
Inflight resolution evaluation for thermal imaging systems p 296 A86-23272  
Problems of the visual display in flight simulation p 731 A86-46719
- IMAGING TECHNIQUES**  
Interactive modal imaging process for vibrating structures [ASME PAPER 85-DET-110] p 318 A86-24231  
Thermal scene generators p 522 A86-36805  
A thermal imaging payload for RPV applications p 588 A86-37333  
Wake imaging system applications at the Boeing Aerodynamics Laboratory [SAE PAPER 851895] p 606 A86-38358  
Applications of thermal imager devices incl. modelling aspects [MBB-UD-462-85-OE] p 850 A86-50254
- IMPACT**  
Galley and overhead compartment experiment results: Full-scale transport controlled impact demonstration [DOT/FAA/CT-85/33] p 343 N86-20378  
Impact of Reliability/Maintainability (R/M) on logistics costs for USAF aircraft [AD-A162204] p 470 N86-24579
- IMPACT ACCELERATION**  
Effect of seat cushions of human response to +Gz impact p 326 A86-25652
- IMPACT DAMAGE**  
Effect of manufacturing defects and service-induced damage on the strength of aircraft composite structures p 245 A86-21729  
Small stone impact testing - runway debris causing aircraft damage p 279 A86-23020  
Drop testing and analysis of six-foot diameter graphite-epoxy frames p 517 A86-37068  
Compressive strength of impact damaged graphite epoxy laminates p 517 A86-37118  
Effect of particle characteristics on trajectories and blade impact patterns p 643 A86-40731
- Application of medical computed tomography (CT) scanners to advanced aerospace composites p 670 A86-41631  
An analysis of bending wave propagation on impact in a rotating fan blade p 736 A86-43534  
Failure analysis of aircraft windshields subjected to bird impact p 802 A86-49055  
General aviation crashworthiness project, phase 3: Acceleration loads and velocity changes of survivable general aviation accidents [NTSB/SR-85/02] p 280 N86-18306  
Preliminary floor, seat, and dummy data p 391 N86-21942  
Controlled impact demonstration aircraft bending bridges p 391 N86-21943  
KRAASH dynamics analysis modeling: Transport airplane controlled impact demonstration test [DOT/FAA/CT-85/9-REV] p 483 N86-25331  
Impact damage to composite structures [AGARD-R-729] p 604 N86-27425
- IMPACT LOADS**  
Response of composite material shallow arch to concentrated load p 670 A86-41699  
Finite element analysis of soft-body impact [AD-A158438] p 158 N86-14259  
CID overview p 390 N86-21934  
CID flight/impact p 390 N86-21935  
Controlled impact demonstration seat/cabin restraint systems: FAA p 390 N86-21937  
Advanced technology helicopter landing gear preliminary design investigation [AD-A162097] p 437 N86-23594  
Seat experiment results of full-scale transport aircraft controlled impact demonstration [DOT/FAA/CT-85/25] p 701 N86-30702  
Impact data from a transport aircraft during a controlled impact demonstration [NASA-TP-2589] p 716 N86-30721
- IMPACT RESISTANCE**  
Controlled impact demonstration review - for aircraft crashworthiness evaluation [SAE PAPER 851884] p 567 A86-38351  
Computational engine structural analysis [ASME PAPER 86-GT-70] p 813 A86-48141  
Computing codes for development of helicopter crashworthy structures and test substantiation p 798 A86-48657  
Evaluation of the Ciba-Geigy R6376 IM6 prepreg - fiber reinforced plastics [DGT-26.649] p 248 N86-17485  
Safety report General Aviation Crashworthiness Project, Phase 3: Acceleration loads and velocity changes of survivable general aviation accidents [PB85-917016] p 569 N86-26302
- IMPACT STRENGTH**  
Fundamental investigation on the impact strength of hollow fan blades [NAL-TR-879] p 322 N86-19657  
Nonskid coating formulations [AD-D012186] p 604 N86-27457  
Crashworthiness of airframes [AGARD-R-737] p 702 N86-30709
- IMPACT TESTS**  
Response determination of propeller to bird strike using high speed photography p 90 A86-15306  
Small stone impact testing - runway debris causing aircraft damage p 279 A86-23020  
Effect of seat cushions of human response to +Gz impact p 326 A86-25652  
Bird impact testing at AEDC's range S-3 [AIAA PAPER 86-9818] p 432 A86-32143  
Crash response data system for the controlled impact demonstration (CID) of a full-scale transport aircraft p 500 A86-37045  
FAA structural crash dynamics program update - Transport category aircraft [SAE PAPER 851887] p 568 A86-38354  
Preliminary design research for the Caravan 1 crew seat [SAE PAPER 850856] p 582 A86-38514  
Propeller FOD qualification using modal analysis, artificial birds, and a static impact facility p 731 A86-47127  
Flight test experience and controlled impact of a large, four-engine remotely piloted airplane p 794 A86-47781  
Structural dynamics research in a full-scale transport aircraft crash test p 785 A86-49053  
A study of the structural integrity of the Canadair Challenger at ditching p 785 A86-49054  
Contribution to the potential calculation of anisotropic compression shocks in a plane case p 150 N86-14245
- The Shock and Vibration Bulletin 55. Part 2: Dynamic testing, flight vehicle dynamics, seismic loads and fluid-structure interaction [AD-A160264] p 257 N86-16646  
Full-Scale Transport controlled Impact Demonstration [NASA-CP-2395] p 390 N86-21939  
NASA seat experiment and occupant responses p 390 N86-21939
- Structural loads preliminary results p 391 N86-21940  
Preliminary floor, seat, and dummy data p 391 N86-21942  
Controlled impact demonstration flight data recorders/cockpit voice recorders p 391 N86-21944  
United States Navy - Canadian forces solid state flight data recorder/crash position locator experiment on the B-720 controlled impact demonstration p 391 N86-21945  
Controlled impact demonstration on-board (interior) photographic system p 392 N86-21946  
CID-720 aircraft high-environment flight instrumentation system p 392 N86-21947  
Impact dynamics instrumentation p 392 N86-21948  
CID-720 aircraft Langley Research Center preflight hardware tests: Development, flight acceptance and qualification p 392 N86-21949  
Full-Scale Transport Controlled Impact Demonstration Program photographic/video coverage [DOT/FAA/CT-85/35] p 700 N86-29795  
Aircraft transparency testing: Artificial birds [AD-A166832] p 701 N86-30704  
Impact data from a transport aircraft during a controlled impact demonstration [NASA-TP-2589] p 716 N86-30721
- IMPEDANCE**  
Analysis of direct and nearby lightning strike data for aircraft [NASA-CR-172127] p 617 N86-27855
- IMPELLERS**  
Interdependence of centrifugal compressor blade geometry and relative flow field [ASME PAPER 85-GT-85] p 251 A86-22056  
Investigation into the cause of failure of a turboprop impeller in service [ASME PAPER 85-IGT-147] p 303 A86-23938  
Dilute gas-particle flow in a centrifugal compressor impeller p 668 A86-40733  
Holographic mode shape investigation of aircraft engine impellers p 672 A86-43105  
Particulate flow solutions through centrifugal impeller with two splitters [ASME PAPER 86-GT-130] p 765 A86-48188
- IMPLIONS**  
Radiative gasdynamic processes in imploding discharges in a plasmodynamic magnetoplasma compressor p 129 A86-13031
- IMPROVEMENT**  
Wind tunnel turning vanes of modern design [NASA-TM-87146] p 113 N86-12239  
A comparative evaluation of the reliability improvement in line replaceable units warranted under the F-16 reliability improvement warranty [AD-A160630] p 321 N86-18630
- IMPULSE GENERATORS**  
The observation of high frequency B(dot) and D(dot) transients excited on a fuselage by an impulse generator p 790 A86-47308  
Lightning simulation tests on FAA CV-580 lightning research aircraft p 790 A86-47307  
High voltage laboratory tests and lightning phenomena p 844 A86-47312
- IN-FLIGHT MONITORING**  
X-29 flight testing p 95 A86-13213  
Grumman's automated test systems p 111 A86-13214  
A programmable data acquisition system with integrated test and calibration facilities - in-flight aircraft testing p 102 A86-13215  
The in-flight simulation program at the NAE Flight Research Laboratory p 98 A86-14356  
Flight evaluation of a digital electronic engine control in an F-15 airplane p 173 A86-17784  
US Army Flight Condition Monitoring p 170 A86-18435  
Description of and results from camera systems for recording daytime lightning strikes to an airplane in flight [AIAA PAPER 86-0020] p 230 A86-19636  
The lightning threat to aerospace vehicles p 214 A86-20162  
Inflight resolution evaluation for thermal imaging systems p 296 A86-23272  
Diagnostic methods for gas-turbine aircraft powerplants p 300 A86-23751  
Determination of diagnostic parameters for the in situ diagnostics of the air-gas path of the AI-25TL engine p 300 A86-23752

- In situ methods for crack detection in the master connecting rods of M 482 RF aircraft engines p 316 A86-23755
- Airborne diagnostic equipment p 297 A86-23762
- The measuring and control units of airborne recording systems p 297 A86-23763
- The possibility of using the on-board computer for in-flight diagnostics p 297 A86-23765
- The health and usage monitoring system of the Westland 30 series 300 helicopter p 299 A86-26153
- Flight Test Instrumentation System FTIS for type-certification of the Indonesian aircraft CN 235 p 358 A86-27818
- Rotating aerodynamic exciters for in-flight flutter testing p 353 A86-27820
- Flight test of a decoupler pylon for wing/store flutter suppression p 428 A86-32077
- [AIAA PAPER 86-9730] p 428 A86-32077
- Flight test techniques used for carriage load measurements at large underfuselage store configurations on Tornado combat A/C p 429 A86-32096
- [AIAA PAPER 86-9755] p 429 A86-32096
- Single heading climbs - An alternate technique for determining performance - in jet transport flight tests [AIAA PAPER 86-9757] p 429 A86-32096
- In-flight flow visualization of F-108B leading-edge vortex using the vapor-screen technique [AIAA PAPER 86-9785] p 431 A86-32118
- Real-time telemetered inertial guidance (TMIG) evaluation p 449 A86-32124
- [AIAA PAPER 86-9795] p 449 A86-32124
- Head-up display (HUD) utility. II - Runway to HUD transitions monitoring eye focus and decision times p 498 A86-33802
- Pilot Executive project - PILEX - flight status monitor expert system [SAE PAPER 851806] p 489 A86-35436
- In flight access to minimum vectoring altitudes - A pilot's perspective [SAE PAPER 851837] p 485 A86-35444
- Lightning measurements of an aircraft flying at low altitude p 567 A86-37490
- A fiber optic damage monitor p 670 A86-41605
- Prospects for intelligent aerospace structures [AIAA PAPER 86-1139] p 672 A86-43328
- British experimental aircraft program providing insight into new technology p 710 A86-45084
- Development of in-flight thrust measurement procedures for an afterburning turbofan engine [AIAA PAPER 85-1405] p 720 A86-45375
- Identification of pilot-vehicle dynamics from in-flight tracking data p 725 A86-46459
- A new look at inflight loads on existing transport aircraft p 796 A86-47794
- Avionics fault data acquisition - A concept for civil transport aircraft p 810 A86-49051
- Recent in-flight data and electromagnetic response of an aircraft structure struck by lightning p 804 A86-49132
- Application of strain gauge methods to determination of in-flight loads of structure groups of small transport aircraft p 811 A86-49149
- Preliminary report on in-flight measurement of rotor hub drag and lift using the RSRA [NASA-TM-86764] p 100 N86-13319
- Fatigue life monitoring of aircraft [NLR-MP-83069-U] p 226 N86-16211
- Real-time flight test PCM data acquisition monitor [AD-A164035] p 524 N86-24897
- INCIDENCE**
- Freestream turbulence effects on wake properties of a flat plate at an incidence p 142 A86-17132
- Laminar and turbulent boundary-layer calculations on the leeward surface of a slender delta wing at incidence - graph theory [NLR-MP-84040-U] p 555 N86-26293
- Experimental analyses of trailing edge flows [NASA-CR-176904] p 632 N86-28921
- INCOHERENT SCATTER RADAR**
- Incoherent imaging of radar targets p 667 A86-40215
- In-flight turbulence detection [AD-A160380] p 325 N86-18923
- INCOMPRESSIBLE BOUNDARY LAYER**
- Three-dimensional and unsteady boundary-layer computations p 338 A86-29415
- INCOMPRESSIBLE FLOW**
- The effect of a perforated wall on incompressible flow past a U-shaped vortex p 81 A86-13406
- Quasi-solutions of an inverse boundary value problem of hydroaerodynamics p 120 A86-13983
- Viscous flow results for the vortex-airfoil interaction problem [AIAA PAPER 85-4053] p 83 A86-14451
- Doublet strip method for oscillating swept tapered wings in incompressible flow p 85 A86-14537
- Experiments with several elements for viscous incompressible flows p 186 A86-16833
- Vortex-fitted potential and vortex-captured Euler solution for leading-edge vortex flow p 142 A86-17149
- Experimental investigation of three dimensional separation on an ellipsoid-cylinder body at incidence [AIAA PAPER 85-1686] p 143 A86-17636
- Determination of the intensity of a free vortex sheet in the context of airfoil theory p 146 A86-18904
- The effect of compressibility on slender vortices p 317 A86-23944
- Improved doublet lattice method for oscillating swept tapered wings in incompressible flow p 274 A86-25200
- Test cases for the plane potential flow past multi-element aerofoils p 275 A86-25670
- A perturbative lambda formulation - for compressible flow p 337 A86-28535
- Material contravariant components - Vorticity transport and vortex theorems p 387 A86-28553
- Calculation of the aerodynamic characteristics of three-dimensional wings of finite span in a potential incompressible flow p 476 A86-35985
- An implicit flux-difference splitting scheme for three-dimensional, incompressible Navier-Stokes solutions to leading edge vortex flows [AIAA PAPER 86-1839] p 548 A86-37847
- Reduced Navier-Stokes (RNS) relaxation procedure for internal flows with interaction [SAE PAPER 851790] p 547 A86-38314
- Application of the vortex-lattice method to high-angle-of-attack subsonic aerodynamics [SAE PAPER 851817] p 547 A86-38326
- Initial coefficients for a cropped delta wing in incompressible flow p 623 A86-40111
- On slender vortices p 689 A86-44810
- Parametric study of low Reynolds number precessing/spinning incompressible flows - applicable to flight stability of liquid-filled projectiles [AIAA PAPER 86-2027] p 827 A86-47861
- Method for calculating pressure distribution on the surfaces of wings with slat mechanization p 768 A86-48806
- An analysis of flow of a nonviscous incompressible fluid past a wing of finite thickness in the presence of a screen p 770 A86-48841
- Solutions of the Navier-Stokes equations for vortical flow p 148 N86-14231
- Numerical simulation of unsteady flow around an airfoil by finite difference solution of Navier-Stokes equations p 209 N86-17273
- Analytical determination of propeller performance degradation due to ice accretion [NASA-CR-175092] p 420 N86-23577
- A direct and inverse boundary layer method for subsonic flow over delta wings p 557 N86-27195
- A vortex point method for calculating inviscid incompressible flows around rotary wings p 612 N86-27219
- Theoretical flutter investigations on a plane cascade in incompressible flow - axial flow compressors and turbines p 727 N86-30635
- INCOMPRESSIBLE FLUIDS**
- Aerodynamic design of an airfoil with allowance for the condition of nonseparated flow p 270 A86-23660
- Recombination of vortex filaments and its role in aerodynamic noise p 408 A86-30213
- INCONEL (TRADEMARK)**
- Ultrasonic direct backscattering technique for material surface inspection p 740 A86-47133
- INDEXES (DOCUMENTATION)**
- An electronic index of articles pertaining to Air Force transportation in the post-World War 2 era, with abstracts of selected articles [AD-A160837] p 281 N86-18308
- Publications of the National Bureau of Standards, 1984 catalog [PB85-245678] p 402 N86-21435
- INDICATING INSTRUMENTS**
- Multiple thermocouple testing device [AD-D012276] p 850 N86-31860
- INDUCTION MOTORS**
- Aircraft electrical power systems p 364 A86-28508
- INDUSTRIAL SAFETY**
- The F-16 aircraft and hydrazine - An industrial hygiene perspective [SAE PAPER 851971] p 568 A86-38381
- INDUSTRIES**
- West Europe report: Science and technology [JPRS-WST-85-031] p 123 N86-13616
- INEQUALITIES**
- On the relationship between robustness tests and their application to helicopter control system designs p 652 A86-40771
- INERTIAL CONFINEMENT FUSION**
- China report: Science and technology [JPRS-CST-85-028] p 122 N86-12446
- INERTIAL GUIDANCE**
- Gyroscopes may cease spinning - in inertial guidance systems p 320 A86-25865
- STALINS method for takeoff and landing trajectory measurements p 356 A86-28566
- Real-time telemetered inertial guidance (TMIG) evaluation [AIAA PAPER 86-9795] p 449 A86-32124
- Proceedings of the 12th Biennial Guidance Test Symposium held at Holloman AFB, New Mexico on 22-24 October 1985, volume 1 [AD-A161996] p 425 N86-23583
- INERTIAL NAVIGATION**
- Requirements for gyroscopes for inertial navigation p 93 A86-13576
- Economical in-flight calibration of air data sensors using inertial navigation units as reference p 284 A86-23270
- Inertial navigation - The beginnings of an ingenious invention p 282 A86-25025
- The use of microcomputers in inertial navigation systems with strapdown sensors and for measurement systems of average accuracy - German thesis p 347 A86-27849
- A combined optimal algorithm for filtering and calculating navigation coordinates p 348 A86-28311
- Navigation methodology - An investigation of an inertial navigation system (INS) enhancement p 349 A86-28356
- Concept and performance analysis of a strapdown northfinder p 349 A86-28361
- GPS aided inertial navigation p 351 A86-29300
- Flight test of a velocity augmented strapdown navigation system LHN-81 p 421 A86-30314
- A laser-inertial airborne surveying system p 438 A86-30315
- Flight path measurement of helicopters using a strap-down navigation system [AIAA PAPER 86-9733] p 422 A86-32080
- Single heading climbs - An alternate technique for determining performance - in jet transport flight tests [AIAA PAPER 86-9757] p 429 A86-32096
- Performance characteristics of transponder-aided versus GPS-aided inertial navigation systems [AIAA PAPER 86-9817] p 422 A86-32142
- Flight test with a terrain aided navigation system p 571 A86-37334
- Identification and estimation of the random error models for inertial accelerometer and baro-altimeter p 717 A86-43481
- An inertial navigation system with single-axis stabilization p 702 A86-43484
- Gravity-induced errors in airborne inertial navigation p 703 A86-46457
- The INS wind calibration in climb algorithm p 796 A86-47799
- Low cost inertial reference system based on fiber gyros with GPS-aiding p 788 A86-49016
- Proceedings of the 12th Biennial Guidance Test Symposium held at Holloman AFB, New Mexico on 22-24 October 1985, volume 1 [AD-A161996] p 425 N86-23583
- INERTIAL PLATFORMS**
- LMR-83 - Inertial measurement unit for flight regulation and navigation [DGLR PAPER 85-132] p 508 A86-35177
- Operational application of the STALINS method for measuring take-off and landing trajectories [NLR-TR-83010-U] p 227 N86-17346
- INERTIAL REFERENCE SYSTEMS**
- Low cost inertial reference system based on fiber gyros with GPS-aiding p 788 A86-49016
- INFERENCE**
- Applications of expert systems p 330 N86-19634
- INFINITE SPAN WINGS**
- Hypersonic viscous shock layer on a surface with an abrupt variation of catalytic activity p 737 A86-43994
- ALESEP. Part 2: A computer program for the analysis of leading edge separation bubbles on infinite swept wings [NASA-CR-178015] p 479 N86-24664
- Analysis of transitional separation bubbles on infinite swept wings [NASA-CR-3956] p 555 N86-26288
- INFLATABLE STRUCTURES**
- A review of the pilot backache problem in the CH113 Labrador helicopter [AD-A164011] p 530 N86-25113
- INFLATING**
- Automatic Inflation Modulation (A.I.M.) parachute up-date p 698 A86-44781

**INFLUENCE COEFFICIENT**

Derivation of jack movement influence coefficients as a basis for selecting wall contours giving reduced levels of interference in flexible walked test sections  
[NASA-CR-177992] p 86 N86-12204

**INFORMATION DISSEMINATION**

The impact of private meteorology on private aviation p 618 A86-37511

Proceedings of the 12th Biennial Guidance Test Symposium held at Holloman AFB, New Mexico on 22-24 October 1985, volume 1

[AD-A161998] p 425 N86-23583

Information on airport and airway trust fund revenues and outlays by states and large airports

[PB86-129685] p 449 N86-23609

**INFORMATION FLOW**

Proceedings of the 12th Biennial Guidance Test Symposium held at Holloman AFB, New Mexico on 22-24 October 1985, volume 1

[AD-A161998] p 425 N86-23583

**INFORMATION MANAGEMENT**

Presentation of information on multimode displays - Abnormal and emergency aircraft operations

[SAE PAPER 841494] p 296 A86-26012

**INFORMATION SYSTEMS**

Information-measurement complexes of flight vehicles

— Russian textbook p 172 A86-18743

Computerisation of air information services in France

p 635 A86-40229

Aircraft measurements and coordination in FASINEX

[AD-A160789] p 321 N86-18699

Comparison of airborne data acquisition systems at ARL (Aeronautical Research Laboratories)

[AD-A161884] p 357 N86-21537

An analysis of S-3 SDLM (Standard Depot Level Maintenance) corrosion documentation procedures

[AD-A165588] p 540 N86-26282

**INFRARED DETECTORS**

A new generation advanced I.R. Linescan Sensor system

p 229 A86-19585

Design, development and integrate/install an airborne remote instrumentation system (AIREYE)

[AD-A166755] p 719 N86-30728

**INFRARED IMAGERY**

Infrared flight simulation using computer generated imagery

p 103 A86-15378

Towards robust image matching algorithms

p 230 A86-19620

Inflight resolution evaluation for thermal imaging systems

p 296 A86-23272

Adaptive field of view expansion via multiple model filtering for tracking dynamic target images

p 359 A86-28371

Thermal scene generators

p 522 A86-36805

A thermal imaging payload for RPV applications

p 588 A86-37333

Applications of thermal imager devices incl. modelling aspects

[MBB-UD-462-85-OE] p 850 A86-50254

**INFRARED INSTRUMENTS**

LANTIRN flight test - Opening the night window — Low Altitude Navigation and Targeting Infrared System for Night

p 361 A86-28842

Airborne infrared measurement systems and techniques

[AIAA PAPER 86-9814] p 439 A86-32140

**INFRARED RADAR**

Remote sensing of oil on sea: Lidar and passive IR experiments

p 320 N86-18370

The Impact of Very High Performance Integrated Circuits on Radar, Guidance and Avionics Systems

[AGARD-CP-380] p 674 N86-28337

Simulation evaluation of display/FLIR concepts for low-altitude, terrain-following helicopter operations

[NASA-TM-86779] p 789 N86-31551

**INFRARED RADIATION**

Radiometric characterization methods for Infrared Countermeasures Systems

p 103 A86-15314

Infrared emission from jet engine exhaust plumes

[AIAA PAPER 86-0485] p 233 A86-19888

**INFRARED SIGNATURES**

Airborne infrared measurement systems and techniques

[AIAA PAPER 86-9814] p 439 A86-32140

**INFRARED SPECTROSCOPY**

Materials for emergency repair of runways

[AD-A184225] p 514 N86-25385

**INFRARED TELESCOPES**

Thermal zoom optics for R.P.V. sensors

p 588 A86-37341

Aerodynamics of seeing on large transport aircraft

[NASA-CR-177035] p 758 N86-31357

**INFRARED TRACKING**

Adaptive field of view expansion via multiple model filtering for tracking dynamic target images

p 359 A86-28371

Airborne infrared measurement systems and techniques

[AIAA PAPER 86-9814] p 439 A86-32140

**INGESTION (ENGINES)**

Quantitative determination of engine water ingestion

[AIAA PAPER 86-0307] p 254 A86-22690

Transient engine performance with water ingestion

[AIAA PAPER 86-1821] p 647 A86-42755

Rotor noise due to atmospheric turbulence ingestion. II - Aerodynamic results

[AIAA PAPER 86-1903] p 750 A86-45404

**INGOTS**

Ingot metallurgy aluminum - Lithium alloys for aircraft structure

[AIAA PAPER 86-0890] p 603 A86-38822

**INJECTION**

Cryogenic wind tunnels: Problems of continuous operation at low temperatures

[NASA-TM-88448] p 656 N86-29099

**INJECTION MOLDING**

Processing study of injection molding of silicon nitride for engine applications

[SAE PAPER 851787] p 606 A86-38311

Frameless transparencies for aircraft cockpit enclosures

[AD-D012155] p 497 N86-24689

**INJECTORS**

Altitude ignition/lean decel study

[AD-A183052] p 518 N86-24781

**INJURIES**

Injury pattern analysis of helicopter wire strike accidents (+ Gz load)

p 158 A86-18843

Human injury criteria relative to civil aircraft seat and restraint systems

[SAE PAPER 851847] p 567 A86-38343

**INKS**

Fire-retardant decorative inks for aircraft interiors

[NASA-TM-88198] p 313 N86-18441

**INLET FLOW**

Calculation of flow around rotating circular cascades with allowance for circumferential flow nonuniformity induced by a perturbation at the inlet

p 82 A86-13426

Evaluation of a method for analyzing the aperture region of two-dimensional external compression inlets

[AIAA PAPER 85-3072] p 83 A86-14432

Calculation of external and internal transonic flow field of a three-dimensional shielded S-shaped inlet

p 205 A86-22303

Aerodynamic detuning analysis of an uninstalled supersonic turbofan cascade

[ASME PAPER 85-GT-192] p 270 A86-22732

An experimental investigation of response of a turbojet engine to inlet distortion

[ASME PAPER 85-IGT-12] p 301 A86-23832

Aerodynamic research on straight wall annular diffuser for turbofan augmentor

[ASME PAPER 85-IGT-16] p 271 A86-23834

A study of ramjet engine. III - Air inlet performance as the engine component

p 304 A86-25234

Nonlinear analysis of pressure oscillations in ramjet engines

[AIAA PAPER 86-0001] p 363 A86-26601

Review of dynamic inflow modeling for rotorcraft flight dynamics

[AIAA PAPER 86-0845] p 584 A86-38893

Experimental and numerical study of the response of an axial compressor to distorted inlet flow

[ONERA, TP NO. 1986-38] p 644 A86-40736

Study of hypersonic inlet flow fields with a three-dimensional Navier-Stokes code

[AIAA PAPER 86-1426] p 624 A86-42635

An LU implicit scheme for high speed inlet analysis

[AIAA PAPER 86-1520] p 625 A86-42687

Adial-flow fan stalling behavior with circumferential inlet sectoring

[AIAA PAPER 86-1622] p 626 A86-42756

A numerical analysis applied to high angle of attack three-dimensional inlets

[AIAA PAPER 86-1527] p 627 A86-42760

Collocation for an integral equation arising in duct acoustics

p 682 A86-43038

Modelling of acoustic radiation problems associated with turbomachinery and rotating blades

p 855 A86-48597

Wave drag of a supersonic air intake at high subsonic velocities

p 770 A86-48834

Particle trajectory computation on a 3-dimensional engine inlet

[NASA-CR-175023] p 344 N86-20379

User's guide for NASCRIN: A vectorized code for calculating two-dimensional supersonic internal flow fields

[NASA-TM-85708] p 416 N86-23565

A numerical analysis applied to high angle of attack three-dimensional inlets

[NASA-TM-87298] p 478 N86-24658

Review and evaluation of recent developments in malic inlet dynamic flow distortion prediction and computer program documentation and user's manual estimating maximum instantaneous inlet flow distortion from steady-state total pressure measurements with full, limited, or no dynamic data

[NASA-CR-178765] p 525 N86-24955

Digital electronic engine control history

[PAPER-2] p 504 N86-25344

Effects of inlet distortion on a static pressure probe mounted on the engine hub in an F-15 airplane

[PAPER-5] p 505 N86-25347

Aerodynamics of engine-airframe interaction

[NASA-CR-178657] p 697 N86-30697

PAN AIR application to the F-108B

[NASA-CR-178165] p 698 N86-30696

**INLET NOZZLES**

Simulation of diffuser duct flowfields using a three-dimensional Euler/Navier-Stokes algorithm

[AIAA PAPER 86-0310] p 206 A86-22692

**INLET TEMPERATURE**

Redistribution of an inlet temperature distortion in an axial flow turbine stage

[AIAA PAPER 86-1468] p 671 A86-42658

Calculation of the characteristics of a multistage gas turbine with allowance for the circumferential nonuniformity of inlet temperature

p 649 A86-43381

Multiple thermocouple testing device

[AD-D012276] p 850 N86-31860

**INORGANIC COATINGS**

Corrosion protection of helicopters through organic coatings

p 313 A86-26159

**INPUT**

Investigation of multiple input frequency response function estimation techniques for experimental modal analysis

p 461 N86-23971

Effect of time delay on flying qualities: An update

[NASA-TM-88264] p 653 N86-29092

**INPUT/OUTPUT ROUTINES**

Composite integral response sensing

[AD-A163136] p 470 N86-24457

KRASH 85 user's guide: Input/output format, revision

[AD-A168846] p 787 N86-32416

**INSERTION LOSS**

Laboratory study of cabin acoustic treatments installed in an aircraft fuselage

p 221 A86-20158

**INSPECTION**

A study of the service life of fail-safe airframe structures on the basis of routine inspections and crack size assessment

p 286 A86-23769

Continuing structural integrity program for transport aircraft

p 736 A86-43789

Supplemental inspections of aging aircraft

p 845 A86-47525

Effectiveness of the civil aviation security program

[AD-A159511] p 158 N86-14280

Compilation and analysis of the Federal Aviation Administration's inspection of a sample of commercial air carriers

[PB85-241198] p 159 N86-14264

Nondestructive inspection: An efficient investment — composite materials

[SNIAS-852-430-110] p 247 N86-16276

Quadrinomial distribution for the characterization of nondestructive inspection (NDI) reliability

[NLR-MP-84064-U] p 258 N86-17774

Limitations of manual NDT systems and the no eyes concept — nondestructive testing (NDT)

[PNR-90291] p 459 N86-22985

Limitations of manual NDT systems and the No Eyes concept

p 506 N86-25365

**INSTALLATION MANUALS**

Method for the prediction of the installation aerodynamics of a propfan at subsonic speeds: User manual

[NASA-CR-178057] p 340 N86-20360

**INSTALLING**

Operating and support hazard analysis for the self-contained navigation system LSI model 6216A, B and C group A

[AD-A168815] p 704 N86-29806

Subsystem hazard analysis for the LSI models 6216A, B and C self-contained navigation system group A

[AD-A168816] p 705 N86-29807

**INSTRUMENT APPROACH**

The utility of Head-Up Displays - Eye-focus vs decision times

p 297 A86-23728

Restrictions on the dispositions of navigation aids

p 422 A86-31009

An analytical comparison of three visual approach slope indicators: VASIS, T-VASIS and PAPI

[ARL/SYS-R-33] p 93 N86-13309

Potential applications of multiple instrument approach concepts at 101 U.S. Airports

[AD-A181155] p 283 N86-19308

## INSTRUMENT COMPENSATION

- Digital correction of the readings of an aircraft fuel-measurement system p 500 A86-36725  
CGI delay compensation — Computer Generated Image p 617 A86-37194

## INSTRUMENT ERRORS

- Analytical estimation of the variance of error in determining geographic-meridian direction by the gyrocompass method with random oscillation of the base p 160 A86-18990  
Measurements accuracy with 3D laser velocimetry [ONERA, TP NO. 1985-171] p 318 A86-24646  
Effects of measurement errors on estimation of the probability of vertical overlap p 280 A86-25214  
Errors humanum est... sed perseverare diabolicum or navigation errors of the 747 and the 'heading' position p 348 A86-27900  
Optimum maintenance of aircraft systems on the basis of their condition with allowance for measurement errors p 354 A86-28310  
Studies on turning errors of the magnetic compass in flight experiments p 499 A86-34276  
Digital correction of the readings of an aircraft fuel-measurement system p 500 A86-36725  
Flightpath reconstruction and systematic radar error estimation from multi-radar range-azimuth measurements p 636 A86-42966  
Identification and estimation of the random error models for inertial accelerometer and baro-altimeter p 717 A86-43481  
A parameter insensitive technique for aircraft sensor fault analysis using eigenstructure assignment and analytical redundancy [AIAA PAPER 86-2029] p 809 A86-47420  
Development of a piezoelectric quartz pressure sensor for avionics with excellent long term stability (with final demonstration of the results on a prototype) [BMFT-FB-W-85-010] p 232 A86-17353  
Characteristics of altitude error at reduced quantization [FAA/PM-86/35] p 811 A86-31580

## INSTRUMENT FLIGHT RULES

- Ground-simulation investigation of VTOL airworthiness criteria for terminal area operations p 90 A86-14237  
Longitudinal flying qualities criteria for single-pilot instrument flight operations p 305 A86-23186  
A first step for reducing helicopter IFR approach minima Agusta A109 IFR CAT II certification p 280 A86-26127  
Controlled-Flight-Into-Terrain accidents during unpublished-route radar vectoring p 418 A86-29872  
Precision IMC approaches to heliports using collocated MLS — Instrument Meteorological Conditions p 485 A86-35610  
Helicopter IFR director algorithm development and flight evaluation on the NAE airborne simulator [AIAA PAPER 86-2205] p 787 A86-47519  
Civil helicopter handling qualities requirements for visual and instrument flight p 832 A86-48674  
Aircraft accident/incident summary reports: Denver, Colorado, August 19, 1983; Blountville, Tennessee, July 16, 1983; Tucson, Arizona, February 6, 1983; Cockeysville, Maryland, April 28, 1984; Akron, Ohio, September 30, 1984; Seattle, Washington, October 18, 1984; Miami, Florida, November 11, 1983 p 483 A86-24675  
Technical support of the Wall Street/Battery Park city heliport MLS (Microwave Landing System) project [AD-A165073] p 575 A86-27273  
Evaluation of the usefulness of various simulation technology options for TERPS enhancement [NASA-CR-177408] p 636 A86-28931  
The concept of almost-parallel IFR (Instrument Flight Rules) approaches to parallel runways [AD-A166485] p 704 A86-29804

## INSTRUMENT LANDING SYSTEMS

- The Microwave Landing System (MLS) p 160 A86-18723  
Simulator evaluation of a remotely piloted vehicle visual landing task p 221 A86-20238  
Simple technique moistureproofs ILS localizer antenna array p 282 A86-23379  
A first step for reducing helicopter IFR approach minima Agusta A109 IFR CAT II certification p 280 A86-26127  
Considerations on the influence of positioning on the quality of GP ILS information p 421 A86-31007  
Design technique to reduce effects of tidal variations on an ILS glide slope system p 635 A86-41335  
Runway requirements in instrument flight traffic at regional airports and commercial landing areas p 635 A86-41873  
ILS goal - Automatic landings, safety p 703 A86-46142

- FAA (Federal Aviation Administration) could improve overall aviation safety and reduce costs associated with airport instrument landing systems [PB85-195444] p 91 A86-12215

- Performance of a commercial transport under typical MLS noise environment [NASA-CR-178032] p 352 A86-20384  
Math model study of a proposed glide slope for runway 13R, Dallas-Fort Worth Airport, Texas [AD-A164907] p 573 A86-28315  
Evaluation of the usefulness of various simulation technology options for TERPS enhancement [NASA-CR-177408] p 636 A86-28931  
Investigations for improving operational reliability and maintainability of ILS components. Volume 2: Figures and illustrations [FAA/PM-86/7.11-VOL-2] p 636 A86-28932  
Investigations for improving operational reliability and maintainability of instrument landing system components. Volume 1: Text and appendices [DOT/FAA/PM-86/7.1-VOL-1] p 704 A86-29801  
Engineering performance evaluation of small community airport microwave landing system (TI-model) at Philadelphia International Airport Runway 17 [FAA/PM-86/24] p 704 A86-29802  
Evaluation of alternatives for an Army precision landing system [AD-A167780] p 789 A86-31554

## INSTRUMENT ORIENTATION

- Oscillating hot-wire measurements above an FX63-137 airfoil [AIAA PAPER 86-0012] p 198 A86-19635

## INSULATION

- Coating requirements in gas turbine engines p 173 A86-17490

## INTAKE SYSTEMS

- Experimental study of flight effect on fan noise. I - A study of inflow control device for simulating in-flight fan noise in static test p 721 A86-46024  
Evaluation of capillary reinforced composites [NASA-CR-175061] p 517 A86-24760  
The effects on rotor nonuniform inflow harmonic content of uneven circumferential distribution of jet engine inlet guide vanes [AD-A164629] p 555 A86-26291  
The General Electric F404 - engine of the RAAF's new fighter [AD-A164562] p 592 A86-26338

## INTEGRAL EQUATIONS

- Optimal control of integral-functional equations p 329 A86-23581

- Collocation for an integral equation arising in duct acoustics p 682 A86-43038

- Numerical solutions of Navier-Stokes equations for a Butler wing [NASA-CR-174202] p 88 A86-13283

- A numerical solution of the transonic integral equation and its application to three-dimensional transonic wing design p 226 A86-17298

- A wing design based on the three-dimensional transonic inverse method and the comparison with the wind tunnel testing data p 226 A86-17299

## INTEGRATED CIRCUITS

- Conformal coating for surface mount assembly p 115 A86-13118

- The US Army's LHX (light helicopter family) program [AD-A161949] p 437 A86-23591

- The Impact of Very High Performance Integrated Circuits on Radar, Guidance and Avionics Systems [AGARD-CP-380] p 674 A86-28337

- The application of high-performance integrated circuits for airport fire control radars p 674 A86-28369

- The impact of VHPIC on avionics system architecture, packaging and maintainability p 674 A86-28372

## INTEGRATED OPTICS

- Symposium Gyro Technology 1984; Proceedings of the Symposium, Universitat Stuttgart, West Germany, September 11, 12, 1984 p 250 A86-21826

## INTELLIGIBILITY

- Assessing the intelligibility and acceptability of voice communication systems p 424 A86-32824

- Application of active noise reduction for hearing protection and speech intelligibility improvement [IZF-1985-7] p 286 A86-18131

- Effects of noise and workload on a communication task [AD-A160743] p 321 A86-18599

## INTERACTIONAL AERODYNAMICS

- Experimental evaluation of heavy fan-high-pressure compressor interaction in a three-shaft engine. I - Experimental setup and results [ASME PAPER 85-GT-173] p 104 A86-13053

- Numerical analysis of fully three-dimensional periodic flows through a turbine stage [ASME PAPER 85-GT-57] p 76 A86-13060

- Propagation of small perturbations during the interaction of nonviscous jets p 80 A86-13390

- Viscous flow results for the vortex-airfoil interaction problem [AIAA PAPER 85-4053] p 83 A86-14451

- Studies of rotor-airframe interactions in forward flight [AIAA PAPER 85-5015] p 97 A86-14458

- Multistage compressor stator/rotor interaction p 85 A86-14556

- Measurement of the heterogeneous recombination probability of oxygen atoms in the course of supersonic dissociated gas flow interaction with solid body surfaces p 85 A86-14743

- Pressure fluctuations on rotor blades generated by blade-vortex interaction p 86 A86-18122

- Symmetry breaking and lift hysteresis arising from massive laminar separation - A study of multiple steady-state solutions p 138 A86-18316

- Experimental analysis of tip vortex by laser Doppler anemometry p 140 A86-18387

- The effect of a shock layer on the viscous resistance of star-shaped bodies with flat side faces p 140 A86-18691

- Turbulent-boundary-layer development in an adverse pressure gradient after an interaction with a normal shock wave p 141 A86-17031

- Vortices incident upon a leading edge - Instantaneous pressure fields p 141 A86-17060

- Structure of a supersonic turbulent boundary layer during its interaction with a shock wave p 141 A86-17096

- Supercritical mode of the nonlinear interaction of subsonic and supersonic inviscid jets in a two-dimensional channel p 142 A86-17098

- Calculation of three-dimensional shock/turbulent boundary-layer interaction generated by sharp fin p 142 A86-17135

- Supersonic viscous-inviscid interaction of a swept compression ramp with a turbulent boundary layer [AIAA PAPER 85-1686] p 143 A86-17826

- Shock wave/turbulent boundary layer interaction and its control [ONERA, TP NO. 1985-185] p 145 A86-18535

- Fluid dynamics of cylinder response to Karman vortex shedding [AIAA PAPER 86-0119] p 199 A86-19700

- Numerical simulation of impinging jets [AIAA PAPER 86-0279] p 200 A86-19789

- Isolated and interacting round parallel heated jets [AIAA PAPER 86-0281] p 264 A86-19790

- Vortex-airfoil interaction tests [AIAA PAPER 86-0354] p 201 A86-19833

- Analysis of interacting dual lifting ejector systems [AIAA PAPER 86-0478] p 233 A86-19895

- A viscous-inviscid interaction model for transonic unsteady flow [ONERA, TP NO. 1985-152] p 272 A86-24630

- Recent advances in helicopter aerodynamics [ONERA, TP NO. 1985-166] p 273 A86-24642

- Analysis of the wing/rotor and rotor/rotor interactions present in tilt-rotor aircraft p 353 A86-27657

- Comment on 'Conical similarity of shock/boundary-layer interactions generated by swept and unswept wings' p 337 A86-28558

- Recombination of vortex filaments and its role in aerodynamic noise p 408 A86-30213

- Transient motion of a hypersonic wedge, including time history effects p 443 A86-31662

- The superposition distortion index — in axial flow fans of turbofan engines p 500 A86-34279

- A comparative study of tail rotor noise mechanisms p 534 A86-35618

- Model helicopter blade slap at low tip speeds - Theoretical and experimental correlations p 535 A86-35621

- Hovering rotor airload prediction using a full potential flow analysis with realistic wake geometry p 475 A86-35636

- Vortex-induced bending oscillation of a swept wing [AIAA PAPER 86-1773] p 542 A86-37809

- Prospects for destructive self-induced interactions in a vortex pair due to sinusoidal disturbances — of large transport aircraft wakes [AIAA PAPER 86-1791] p 543 A86-37821

- Three-dimensional interaction of wakes and boundary layers [AIAA PAPER 86-1820] p 545 A86-37838

- The interaction between a strong longitudinal vortex and a turbulent boundary layer [AIAA PAPER 86-1071] p 549 A86-38437

- Euler solutions for airfoil/jet/ground-interaction flowfields p 623 A86-40112

- The influence of source location on the structural-acoustic interaction of cylinders — in aerodynamics p 638 A86-41710



- Wake induced unsteady aerodynamic interactions in a multi-stage compressor  
[AIAA PAPER 86-1455] p 625 A86-42653
- Evaluation of propeller/nacelle interactions in the PTA program  
[AIAA PAPER 86-1552] p 626 A86-42709
- Interactions between acoustics and vortex structures in a central dump combustor  
[AIAA PAPER 86-1808] p 671 A86-42749
- Mathematical model of the interaction of a single unsteady supersonic jet with a moving barrier of finite size  
p 628 A86-43401
- Measurements of fluctuations of surface heat transfer rate in the interacting region of oblique shock wave and turbulent boundary layer  
p 688 A86-43512
- On aerodynamic sound generation by airfoil-vortex interaction  
p 688 A86-44803
- An experimental and theoretical investigation of the propagation of sound waves through a turbulent boundary layer  
[AIAA PAPER 86-1988] p 753 A86-45451
- Mid-field and far-field calculations of Blade-Vortex Interactions  
[AIAA PAPER 86-1854] p 753 A86-45476
- Concepts for reduction of blade-vortex interaction noise  
[AIAA PAPER 86-1855] p 753 A86-45477
- Surface pressure measurement during low speed two-dimensional blade-vortex interaction  
[AIAA PAPER 86-1856] p 753 A86-45478
- Features of discrete tones generated by jet flows over Coanda surfaces  
[AIAA PAPER 86-1865] p 691 A86-45485
- Rotor-strut interaction noise of a model fan  
[AIAA PAPER 86-1871] p 756 A86-45491
- Noise generated by convected gusts interacting with swept airfoil cascades  
[AIAA PAPER 86-1872] p 755 A86-45492
- Influence of airfoil camber on convected gust interaction noise  
[AIAA PAPER 86-1873] p 755 A86-45493
- Viscous-inviscid interaction solvers and computation of highly separated flows  
[ONERA, TP NO. 1986-4] p 691 A86-46152
- Modeling three-dimensional flows in terms of viscous-inviscid interaction by means of the MS2 method  
[ONERA, TP NO. 1986-29] p 692 A86-46171
- Incremental and iterative methods for solving fluid/structure interaction problems  
p 740 A86-47011
- Control of wake structure behind an oscillating airfoil  
[AIAA PAPER 86-2282] p 784 A86-47700
- An experimental study of turbulent wake/boundary layer mixing flows  
p 772 A86-49014
- Wake/boundary-layer interactions in two and three dimensions  
p 773 A86-49032
- Intersection of an oblique shock wave with a cylindrical afterbody  
p 775 A86-49086
- Prediction of gust loadings and alleviation at transonic speeds  
[AIAA PAPER 86-0997] p 777 A86-49573
- Vortex influence on oscillating airfoil at high angle-of-attack  
[AIAA PAPER 86-1837] p 779 A86-49592
- Aerodynamics of two-dimensional blade-vortex interaction  
[AD-A160862] p 295 N86-19315
- ALESEP. Part 2: A computer program for the analysis of leading edge separation bubbles on infinite swept wings  
[NASA-CR-178015] p 479 N86-24684
- INTERACTIVE CONTROL**
- Pilot vehicle interfaces with smart avionics systems  
[SAE PAPER 851923] p 529 A86-35432
- Pilot Executive project - PILEX — flight status monitor expert system  
[SAE PAPER 851806] p 489 A86-35436
- Computer-aided cockpit workload analysis for all weather, multirole tactical aircraft  
[SAE PAPER 851876] p 499 A86-35439
- INTERCEPTION**
- Near-optimal feedback control for three-dimensional interceptions  
p 854 A86-48992
- The search for an advanced fighter: A history from the XF-108 to the advanced tactical fighter  
[AD-A166724] p 687 N86-29764
- INTERFACES**
- Mechanical interface devices for automatic test equipment  
[SAE PAPER 851795] p 606 A86-38318
- Navy aircraft support data systems study: ECAMS/NALCOMIS integration feasibility and procedure  
[DE85-016977] p 192 N86-15003
- Real-time flight test PCM data acquisition monitor  
[AD-A164035] p 524 N86-24897
- Microwave Landing System (MLS) station interface control report  
[DOT/FAA/PM-86/17] p 540 N86-27178
- Investigation of an advanced fault tolerant integrated avionics system  
[NASA-CR-176980] p 642 N86-28945
- INTERFERENCE DRAG**
- Characteristics of the interaction of interference and diffraction flows at supersonic velocities  
p 478 A86-38459
- Aircraft Drag Prediction and Reduction  
[AGARD-R-723] p 155 N86-15266
- Parasitic and interference drag prediction and reduction  
p 156 N86-15272
- INTERFERENCE IMMUNITY**
- Evolution of the air traffic control beacon system  
p 215 A86-21606
- Noise immunity of signals with minimum FSK  
p 383 A86-27492
- INTERFERENCE LIFT**
- Integrated wing engine system (IFAS), phase 2  
[BMFT-FB-W-85-008] p 151 N86-14257
- INTERFEROMETERS**
- Feasibility study of optical boundary layer transition detection method  
[NASA-CR-178109] p 675 N86-26375
- Development of airborne electric field and lightning detection instrumentation for aviation safety  
[AD-A167342] p 701 N86-30705
- INTERNAL FLOWS**
- Interleaf technology for carbon composite aircraft primary structure  
p 182 A86-16208
- Failure mechanisms of laminates transversely loaded by bolt push-through  
[NASA-TM-87603] p 184 N86-14314
- INTERNAL COMBUSTION ENGINES**
- Investigation of chemically-reacting supersonic internal flows  
[NASA-CR-176363] p 188 N86-14532
- Aircraft accident report: Vieques Air Link, Inc., Britten-Norman BN-21-8 Islander, N589SA, Vieques, Puerto Rico, August 2, 1984  
[PS85-901408] p 159 N86-15276
- Preliminary evaluation of a compound cycle engine for shipboard gasjets  
[NASA-CR-179451] p 611 N86-26629
- INTERNAL COMPRESSION INLETS**
- Low-speed performance of an axisymmetric, mixed-compression, supersonic inlet with auxiliary inlets  
[NASA-TP-2557] p 503 N86-24684
- INTERNATIONAL COOPERATION**
- The V2500 engine  
p 173 A86-17750
- INTERPLANETARY SPACE**
- USSR report: Space  
[JPRS-USP-85-005] p 131 N86-14111
- INTERPOLATION**
- Multi-knot Boolean sum interpolating surface interactive design of aircraft configuration  
p 263 A86-22305
- A new Euler algorithm based on characteristic flux extrapolation  
p 149 N86-14241
- The conformal representation of the NACA 642A015 profile  
[VTH-M-502] p 277 N86-16298
- Interpolation of heights and slopes from a digital terrain elevation model  
[BAE-BT-13198] p 352 N86-20382
- Comparison of absorption and radiation boundary conditions using a time-domain three-dimensional finite difference electromagnetic computer code  
[AD-A163828] p 532 N86-25149
- INTERPROCESSOR COMMUNICATION**
- Local area command/control networks: The design of an on-board network - ANTINEA — French thesis  
p 215 A86-21327
- Imaging connector interconnect system for a parallel fiber optic data bus  
p 385 A86-26340
- INTERVALS**
- Development of a computerized method of determining aircraft maintenance intervals  
[AD-A161339] p 336 N86-21500
- INVARIANCE**
- Upsilon invariants - A uniform set of moment invariants  
p 262 A86-19608
- Eigenstructure assignment: A tutorial. I - Theory — for linear time invariant systems  
p 531 A86-35358
- INVENTORIES**
- A microcomputer pollution model for civilian airports and Air Force bases  
[AD-A163232] p 616 N86-26714
- INVERSIONS**
- A method for transonic inverse cascade design with a stream function equation  
[ASME PAPER 86-GT-189] p 766 A86-48239
- INVERTED CONVERTERS (DC TO AC)**
- Two-hundred to 300 KVA conditioned power system - development, phase 1  
[AD-A158820] p 125 N86-13832
- INVESTIGATION**
- An experimental investigation of reducing advanced turboprop cabin noise by wing shielding  
[AIAA PAPER 86-1986] p 711 A86-45449
- Investigation of chemically-reacting supersonic internal flows  
[NASA-CR-176363] p 188 N86-14532
- An investigation of adaptive controllers for helicopter vibration and the development of a new dual controller  
[NASA-CR-177377] p 239 N86-16228
- An experimental investigation of reducing advanced turboprop cabin noise by wing shielding  
[NASA-TM-87112] p 536 N86-25218
- INVESTMENT CASTING**
- Precision casting at Rolls-Royce  
p 121 A86-14973
- Titanium investment casting - Production, properties and applications  
p 382 A86-27204
- Process development and test evaluation of cast, HIP and heat treated titanium UH-60A M.R. Damper Bracket  
p 516 A86-35641
- Advanced structural casting applications for a gas turbine engine  
p 521 A86-35658
- INVISCID FLOW**
- Calculation of supersonic inviscid flow past a plane air intake element with an isolated head wave  
p 79 A86-13364
- A joint analysis of the boundary layer and inviscid flow around the axisymmetric rear section of a fuselage  
p 79 A86-13373
- Propagation of small perturbations during the interaction of nonviscous jets  
p 80 A86-13390
- A viscous-inviscid coupling method for the design of low Reynolds number airfoil sections  
p 136 A86-16305
- On a weak solution for a transonic flow problem  
p 143 A86-17738
- Supersonic viscous-inviscid interaction of a swept compression ramp with a turbulent boundary layer  
[AIAA PAPER 85-1669] p 143 A86-17826
- Computation of flowfields in high solidity and high turning angle cascades using Euler equations  
[AIAA PAPER 85-1705] p 144 A86-17847
- Some recent developments in numerical methods for transonic flows  
p 144 A86-17869
- Numerical issues in computing inviscid supersonic flow over conical delta wings  
[AIAA PAPER 86-0440] p 206 A86-22701
- A class of airfoils having finite trailing-edge pressure gradients  
p 270 A86-23184
- A viscous-inviscid interaction model for transonic unsteady flow  
[ONERA, TP NO. 1985-152] p 272 A86-24630
- Test cases for the plane potential flow past multi-element airfoils  
p 275 A86-25670
- Material contravariant components - Vorticity transport and vortex theorems  
p 387 A86-26553
- Supersonic interface instabilities of accelerated surfaces and jets  
p 455 A86-31356
- Simulation of inviscid vortex-stretched turbulent shear-layer flow  
p 411 A86-32979
- Inviscid vortex-stretched turbulent shear-layer flow computed around a cranked delta wing  
p 475 A86-35253
- Inviscid and viscous simulations of high angle of attack flows  
[SAE PAPER 851820] p 548 A86-38328
- Three-dimensional inviscid flow in mixers. I - Mixer analysis using a Cartesian grid  
p 554 A86-39090
- An LU implicit scheme for high speed inlet analysis  
[AIAA PAPER 86-1520] p 625 A86-42687
- Improved Euler analysis of advanced turboprop propeller flows  
[AIAA PAPER 86-1521] p 625 A86-42688
- Viscous-inviscid interaction solvers and computation of highly separated flows  
[ONERA, TP NO. 1986-4] p 691 A86-46152
- Three-dimensional inviscid flow in mixers. II - Analysis of turbulent forced mixers  
p 692 A86-46316
- Numerical calculations of inviscid transonic flows over wings  
p 692 A86-46415
- An analysis of flow of a nonviscous incompressible fluid past a wing of finite thickness in the presence of a screen  
p 770 A86-46841
- GRUMFOIL: A computer code for the viscous transonic flow over airfoils  
[NASA-CR-3806] p 86 N86-12202
- An improved viscid/inviscid interaction procedure for transonic flow over airfoils  
[NASA-CR-3805] p 87 N86-12208
- An evaluation of four methods of numerical analysis for two-dimensional airfoil flows. Revision  
[AD-A157248] p 87 N86-12209



- Numerical approximation of the total drag of a body in a tube  
[AD-A159548] p 188 N86-14538
- Test cases for inviscid flow field methods  
[AGARD-AR-211] p 153 N86-15256
- Objectives and scope of the Working Group 07  
p 153 N86-15257
- Prediction of the drag of wings at subsonic speeds by viscous/inviscid interaction techniques  
p 156 N86-15274
- Validation of viscous and inviscid computational methods for turbomachinery components  
[NASA-TM-87193] p 207 N86-16194
- A numerical simulation of the inviscid flow through a counter-rotating propeller  
[NASA-TM-87200] p 207 N86-16195
- Analysis of high Reynolds number transonic flow around an airfoil  
p 210 N86-17293
- A survey of numerical methods for the calculation of inviscid, possibly rotational Euler flows around aeronautical configurations  
[NLR-TR-83130-U] p 258 N86-17699
- Generation of the starting plane flowfield for supersonic flow over a spherically capped body  
[AD-A181117] p 278 N86-19291
- Numerical analysis of inviscid flows about wing-fuselage combinations. 2: Development of full potential flow code YOKUDO-P  
[NAL-TR-881] p 341 N86-20364
- A viscous-inviscid interaction method to predict the aerodynamic performance of airfoils at transonic speed  
[NAL-TR-873] p 341 N86-21508
- Two methods for viscous and inviscid free-wake analysis of helicopter rotors  
[AD-A161513] p 342 N86-21521
- Numerical analysis of inviscid flows about wing-fuselage combinations. Part 1: Development of grid generation code YOKUDO-G  
[NAL-TR-884] p 414 N86-22551
- Nonlinear potential analysis techniques for supersonic-hypersonic aerodynamic design  
[NASA-CR-172299] p 417 N86-23569
- Analytical determination of propeller performance degradation due to ice accretion  
[NASA-CR-175092] p 420 N86-23577
- ALESEP. Part 2: A computer program for the analysis of leading edge separation bubbles on infinite swept wings  
[NASA-CR-178015] p 479 N86-24664
- Analysis of transitional separation bubbles on infinite swept wings  
[NASA-CR-3956] p 555 N86-26288
- Aircraft drag prediction and reduction. Addendum 1: Computational drag analyses and minimization; mission impossible?  
[AGARD-R-723-ADD-1] p 556 N86-27187
- A vortex point method for calculating inviscid incompressible flows around rotary wings  
p 612 N86-27219
- Unsteady boundary-layer separation on airfoils performing large-amplitude oscillations: Dynamic stall  
p 561 N86-27231

## ION DENSITY (CONCENTRATION)

- An integrated development facility for the calibration of low-energy charged particle flight instrumentation  
[NASA-TM-86526] p 458 N86-22914

## ION IMPLANTATION

- The possibility of using ion implantation for increasing the life of the compressor blades of gas-turbine aircraft engines  
p 522 A86-35998

## IONIZATION

- An integrated development facility for the calibration of low-energy charged particle flight instrumentation  
[NASA-TM-86526] p 458 N86-22914

## IONIZED GASES

- Longitudinal potential distribution in a jet of an ionized gas  
p 331 A86-23674

## IONIZING RADIATION

- Cosmic-ray dose characteristics on the flight paths of high-altitude aircraft  
p 758 A86-43672

## IONOSPHERIC SOUNDING

- Comparison of calculated and measured height profiles of transverse electric VLF signals across the daytime earth-ionosphere waveguide  
p 250 A86-21513

## IONS

- Comparison of computational results of a few representative three-dimensional transonic potential flow analysis programs  
[NASA-TM-77963] p 341 N86-21509

## ISENTROPIC PROCESSES

- Material contravariant components - Vorticity transport and vortex theorems  
p 387 A86-28553

## ISOLATION

- The evaluation of failure detection and isolation algorithms for restructurable control  
[NASA-CR-177983] p 93 N86-13310

- Robust detection-isolation-accommodation for sensor failures  
[NASA-CR-174797] p 255 N86-16486

- Six degree-of-freedom LIVE isolation systems, part 1  
[NASA-CR-177928] p 587 N86-26331

## ISOPERIMETRIC PROBLEM

- Using isoperimetric inequalities for the two-sided estimation of the torsional stiffness of a prismatic bar  
p 119 A86-13410

## ISOSTATIC PRESSURE

- Titanium Near Net Shape components for demanding airframe applications  
p 245 A86-21726
- Titanium near net shape components for demanding airframe applications  
p 380 A86-26717

## ISOTHERMAL PROCESSES

- Isothermal forging system for the production of large rotating components from titanium alloys or superalloys  
p 382 A86-27247

## ITALY

- Certification granted to Franco-Italian ATR 42  
p 92 N86-13617
- ATR 42 production work in French, Italian plants detailed  
p 76 N86-13618

## ITERATIVE SOLUTION

- A new fast solver procedure applied to the BGK computer program for transonic flow past an airfoil  
p 83 A86-14360
- An iterative method for statically indeterminate structures of light vehicle  
p 738 A86-45059
- Incremental and iterative methods for solving fluid/structure interaction problems  
p 740 A86-47011
- An iterative finite element-integral technique for predicting sound radiation from turbofan inlets in steady flight  
p 856 A86-49806
- Design of transonic airfoils with given pressure, subject to geometric constraints  
[NLR-TR-84064-U] p 633 N86-28928

## J

## JACKS (LIFTS)

- Derivation of jack movement influence coefficients as a basis for selecting wall contours giving reduced levels of interference in flexible walled test sections  
[NASA-CR-177992] p 86 N86-12204
- Multivariable control of a twin lift helicopter system using the LQG/LTR design methodology  
[NASA-CR-177025] p 654 N86-28956

## JACOBI MATRIX METHOD

- A study of aircraft motion stability in steady spin  
p 176 A86-19070

## JAMMING

- Radiometric characterization methods for Infrared Countermeasures Systems  
p 103 A86-15314
- Toward an avionics supersystem  
p 172 A86-18552
- Raid count by autocorrelation --- performed on radar receiver by reflection from aircraft  
p 424 A86-32631
- A technique to evaluate the accessibility of airborne receivers to interfering signals  
p 572 A86-37555
- Monopole element at the center of a circular groundplane of arbitrary radius. Volume 1: Theory and results  
[AD-A168991] p 744 N86-30908

## JAPAN

- Japan report: Science and technology  
[JPRS-JST-86-001] p 389 N86-21723
- Japan report: Science and technology  
[JPRS-JST-86-007] p 460 N86-23773

## JATO ENGINES

- A brief history of the first U.S. JATO flight tests of August 1941  
[IAF PAPER 85-453] p 131 A86-15913

## JET AIRCRAFT

- Thrust and drag: Its prediction and verification --- Book  
p 96 A86-14161
- A study of the operating condition of aircraft from the recordings of the onboard recording equipment  
p 133 A86-16859
- Characteristics of the design of VTOL jet aircraft --- Russian book  
p 162 A86-17800
- Structural analysis of the controlled impact demonstration of a jet transport airplane  
[AIAA PAPER 86-0939] p 583 A86-38836
- Residual strength characterization of jet transport structures  
p 707 A86-43795
- Numerical modelling of the dynamics of aerobatic manoeuvres  
p 724 A86-45144
- Live tests on static electricity in fuelling of aircraft  
p 783 A86-47334
- Thirty years with the jets: Commercial transport flight management systems - Past, present, and future  
[AIAA PAPER 86-2289] p 821 A86-47402
- Wind influence on the range of jet or propeller aircraft  
p 801 A86-48990

- An experimental study of a three lifting surface configuration  
p 775 A86-49104

- The C-17: We need it yesterday  
[AD-A157147] p 99 N86-12219
- Japanese report on China's F-6 fighter  
p 111 N86-12405

- The test loads sequences applied to the CT4 full scale fatigue test  
[AD-A160736] p 294 N86-18320

- Microburst wind shear models from the Joint Airport Weather Studies (JAWS)  
[AD-A159758] p 324 N86-18910

- Installation effects of long-duct pylon-mounted nacelles on a twin-jet transport model with swept supercritical wing  
[NASA-TP-2457] p 339 N86-20346

- Aircraft interior panel test criteria derived from full-scale fire tests  
[AD-A161637] p 345 N86-21529

- F100 fuel sampling analysis  
[AD-A161667] p 379 N86-21707

- An LQG up-and-away flight control design for the STOL F-15 aircraft  
[AD-A164108] p 512 N86-24707

- An LQG up-and-away flight control design for the STOL F-15 aircraft  
[AD-A164108] p 512 N86-25384

- What USAF aircraft should be the Wild Weasel of the 1990's? An assessment of the F-4G, the F-15WW, and F-16WW  
[AD-A164727] p 539 N86-26279

- The General Electric F404 - engine of the RAAF's new fighter  
[AD-A164562] p 592 N86-26338

- Analyzing the cost effectiveness of using flight simulators in the Israeli Air Force  
[AD-A164864] p 599 N86-26346

- Effect of emerging technology on a convertible, business/interceptor, supersonic-cruise jet  
[NASA-CR-178097] p 587 N86-27278

- A high-order language for a system of closely coupled processing elements  
[NASA-CR-177280] p 619 N86-27930

- Mirage A3-002 strain responses to ground calibration loadings between 1978 and 1985  
[AD-A165846] p 640 N86-28080

- The search for an advanced fighter: A history from the XF-108 to the advanced tactical fighter  
[AD-A166724] p 687 N86-29764

- Multiple thermocouple testing device  
[AD-D012276] p 850 N86-31860

- Survivability considerations during aircraft conceptual design  
[AD-A168555] p 809 N86-32428

## JET AIRCRAFT NOISE

- Acoustic characteristics of models of ejector suppressors of jet noise  
p 129 A86-13416
- Review of recent research on interior noise of propeller aircraft  
p 97 A86-14527
- Tone excited jets. I - Introduction  
p 193 A86-16466
- Tone excited jets. IV - Acoustic measurements  
p 193 A86-16469

- A linearized theory for swirling supersonic jets and its application to shock-cell noise  
p 186 A86-17137

- Discrete tones generated by an impinging underexpanded rectangular jet  
p 193 A86-17138

- Isolated and interacting round parallel heated jets  
[AIAA PAPER 86-0281] p 284 A86-19790

- Battle of the hushkits - All quieter on western front  
p 440 A86-31349

- Noise emission from jet aircraft during take-off roll with respect to noise exposure calculations  
p 467 A86-31957

- Flow field and near and far sound field of a subsonic jet  
p 476 A86-35855

- Comparison of advanced turboprop and conventional jet and propeller aircraft flyover noise annoyance - Preliminary results  
p 528 A86-37059

- Wave envelope and finite element approximations for turbofan noise radiation in flight  
p 619 A86-39057

- Fine structure of subsonic jet noise  
p 619 A86-39069

- High speed flight effects on shock associated noise  
[AIAA PAPER 86-1944] p 751 A86-45431

- Shock noise from supersonic jets in simulated flight to Mach 0.4  
[AIAA PAPER 86-1945] p 752 A86-45432

- Aerocoustics of contoured plug-nozzle supersonic jet flows  
[AIAA PAPER 86-1946] p 752 A86-45433

- On the screech tones of supersonic rectangular jets  
[AIAA PAPER 86-1866] p 754 A86-45486

- The noise emitted by turbulent jets in close proximity to solid surfaces  
[AIAA PAPER 86-1869] p 755 A86-45489

- Use of acoustic intensity measurements in the characterization of jet noise sources p 855 A86-48740
- Prediction of single-rotation prop-fan noise by a frequency domain scheme [ONERA, TP NO. 1986-100] p 818 A86-49125
- Noise control characteristics of synchrophasing. II - Experimental investigation — on aircraft fuselage model p 805 A86-49808
- High velocity gas jet noise control p 331 N86-19123
- Laboratory experiments on active suppression of advanced turboprop noise [NASA-TM-87129] p 331 N86-19125
- B-52G crew noise exposure study [AD-A181112] p 333 N86-20094
- Experimental study of the acoustic fields far and near a Microturbo TRS 18 turbo-reactor [ISL-R-113/84] p 333 N86-20095
- Free jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual flow. Comprehensive data report. Volume 1: Test nozzles and acoustic data [NASA-CR-174817] p 469 N86-23371
- Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data [NASA-CR-174818] p 469 N86-23372
- Sonic-boom research: Selected bibliography with annotation [NASA-TM-87685] p 756 N86-30470
- JET ENGINE FUELS**
- The temperature dependence of the electrical conductivity of jet fuels with antistatic additives p 183 A86-16750
- Flame temperature estimation of conventional and future jet fuels [ASME PAPER 85-GT-31] p 246 A86-22020
- The quantification and improvement of the thermal stability of aviation turbine fuel [ASME PAPER 85-GT-33] p 247 A86-22022
- Gas turbine fuels and their influence on combustion — Book p 312 A86-23274
- The production of jet fuel from alternate sources [ASME PAPER 85-IGT-67] p 312 A86-23868
- Test and evaluation of shale derived jet fuel by the United States Air Force [ASME PAPER 85-IGT-115] p 313 A86-23911
- Aviation fuels technology — Book p 601 A86-38266
- Development of the portable water separator for the WSIM test [SAE PAPER 851870] p 608 A86-38537
- The influence of JFTOT operating parameters on the assessment of fuel thermal stability — Jet Fuel Thermal Oxidation Tester [SAE PAPER 851871] p 602 A86-38538
- Evaluation of JFTOT tube deposits by carbon burnoff — Jet Fuel Thermal Oxidation Tester [SAE PAPER 851994] p 602 A86-38539
- Solid fuel gas generator air — Air TurboRamjet [AIAA PAPER 86-1682] p 649 A86-42792
- A jet fuel starter and expendable turbojet [ASME PAPER 86-GT-1] p 812 A86-48101
- Impact of higher freeze point fuels on naval aircraft operations [ASME PAPER 86-GT-262] p 843 A86-48285
- The effect of the monoethers of dicarboxylic acids on the antiwear properties of jet fuels p 843 A86-49963
- Composition and photochemical reactivity of turbine engine exhaust [AD-A157643] p 107 N86-12230
- Development of new combustor technologies for application to alternative aeroengine fuels, phase I [BMFT-FB-W-85-004] p 184 N86-14402
- Effects of vibration-induced cavitation of physicochemical characteristics of aircraft fuel p 184 A86-15348
- Antimisting kerosene: Development of a continuous 10 GPM in-line blender [NASA-CR-176432] p 185 N86-15412
- Variability of major organic components in aircraft fuels [AD-A159057] p 185 N86-15415
- Fuel effects on soot formation in turbojet engines [AD-A159073] p 185 N86-15416
- Fuel property effects on combustion [AD-A182451] p 378 N86-20522
- Backup control airstart performance on a digital electronic engine control-equipped F100-engine [PAPER-10] p 505 N86-25352
- Properties of aircraft fuels and related materials [AD-A164532] p 604 N86-27461
- Proceedings of Fuel Safety Workshop [DOT/FAA/PM-86/13] p 733 N86-30007
- Antimisting fuel technology for transport category aircraft p 733 N86-30008
- AMK full-scale transport aircraft validation phase summary p 733 N86-30009
- Poet Controlled Impact Demonstration (CID) analysis p 733 N86-30010
- UK work on safety fuels p 733 N86-30012
- Heat transfer, friction, and rheological characteristics of antimisting kerosene p 734 N86-30013
- Continuous inline blending of antimisting kerosene p 734 N86-30015
- Olefin polymers as jet fuel antimist additives p 734 N86-30016
- AMK: Still viable? p 734 N86-30017
- Safety fuels-specifications and progress p 734 N86-30018
- Amine-CO<sub>2</sub> adducts as aviation fuel gelling agents p 701 N86-30020
- GTA/BASF antimisting fuel research p 734 N86-30021
- Jet fuel viscosity at low temperatures with notes on n-alkaline crystals [NASA-CR-174911] p 701 N86-30022
- Antimisting kerosene: Evaluation of improved FM-9 additive [DOT/FAA/CT-85-4] p 734 N86-30024
- Electrostatic hazards of urethane packed fuel tanks [AD-A168803] p 717 N86-30725
- The use of a pyrochemiluminescent nitrogen analyzer as a capillary GC (Gas Chromatograph) detector [AD-A168597] p 735 N86-30821
- Antimisting fuel research and development for commercial aircraft [FAA/CT-86/7] p 735 N86-30883
- Fiscal year 1987 technical objective document [AD-A168659] p 758 N86-31454
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 1: Executive summary [AD-A167443] p 807 N86-31571
- JET ENGINES**
- Materials and manufacturing processes for advanced jet engines p 105 A86-13173
- Test of jet engine turbine blades by thermography p 106 A86-15410
- Thermal barrier coatings for jet engine improvement p 183 A86-16278
- Synchronizing characteristics of a large variable frequency starting system p 249 A86-20516
- Determination of diagnostic parameters for the in situ diagnostics of the air-gas path of the AI-25TL engine p 300 A86-23752
- Using wear products for assessing and predicting the condition of aircraft jet engines p 316 A86-23759
- Vibration problems of jet engine rotor systems p 304 A86-25219
- Effect of processing and heat treatment on the mechanical properties of Ti-6Al-2Sn-4Zr-6Mo alloy p 375 A86-27231
- Fatigue failure of jet engine drive shafts p 500 A86-33970
- Simulation and measurement of engine influences in a two-jet aircraft model using model engines [DGRL PAPER 85-092] p 513 A86-35155
- Front-line power p 503 A86-37096
- Development of a high temperature jet engine oil - Laboratory and field evaluation [SAE PAPER 851797] p 607 A86-38527
- Simulation of engine installation flowfields using a three-dimensional Euler/Navier-Stokes algorithm [AIAA PAPER 86-1537] p 671 A86-42699
- Transient engine performance with water ingestion [AIAA PAPER 86-1621] p 647 A86-42755
- A fault-tolerant 1750A engine controller [AIAA PAPER 86-1675] p 648 A86-42786
- Fabrication of high-alumina ceramic fixtures for jet engine repair applications [ASME PAPER 86-GT-46] p 846 A86-48130
- Acta aeronautica et astronautica sinica (selected articles) [AD-A158454] p 135 N86-14216
- An analysis of cross-coupling of a multicomponent jet engine test stand using finite element modeling techniques [NASA-CR-176424] p 181 N86-15323
- High velocity gas jet noise control p 331 N86-19123
- Jet engine operating and support cost estimating relationship development [AD-A161683] p 364 N86-21547
- F100 fuel sampling analysis [AD-A161687] p 379 N86-21707
- Fuel pump vent drain system [AD-D011993] p 459 N86-22947
- Throttle dependent forces: A primer [AD-A162939] p 442 N86-23599
- Evaluation of capillary reinforced composites [NASA-CR-175061] p 517 N86-24780
- The effects on rotor nonuniform inflow harmonic content of uneven circumferential distribution of jet engine inlet guide vanes [AD-A184629] p 555 N86-26291
- Effects of unfavorable environmental conditions on the service life of jet engine and helicopter bearings p 677 N86-29236
- Military aircraft propulsion lubricants: Current and future trends p 686 N86-29249
- Multivariable control systems with saturating actuators antireset windup strategies [NASA-CR-177100] p 682 N86-29580
- JET EXHAUST**
- Boundary-layer development on the afterbody of an engine nacelle p 82 A86-13532
- Infrared emission from jet engine exhaust plumes [AIAA PAPER 86-0465] p 233 A86-19686
- Dispersion process of jet engine exhaust plume. II - Buoyant jet p 234 A86-20448
- Application of laser-dual-focus velocimetry in a counterflow p 628 A86-43110
- Plume characteristics of single-stream and dual-flow conventional and inverted-profile nozzles at equal thrust [AIAA PAPER 86-1809] p 778 A86-49585
- Analysis of particulates in the exhaust plume of a J52-P3 turbojet engine at military power [AD-A157840] p 107 N86-12231
- Jet plume temperature effects on afterbody pressure distribution and drag [NAL-TM-FM-8502] p 340 N86-20354
- Plume characteristics of single-stream and dual-flow conventional and inverted-profile nozzles at equal thrust [NASA-TM-87323] p 554 N86-26285
- Measurements on wing-tip blowing [NASA-CR-176930] p 632 N86-28922
- JET FLAPS**
- A numerical solution of the downwash associated with a blown-flap system [AIAA PAPER 86-0473] p 202 A86-19892
- A vortex lattice method for jet wing performance with nonlinear wake and tip flow p 205 A86-22311
- Velocity and temperature decay characteristics of inverted-profile jets [AIAA PAPER 86-0312] p 208 A86-22693
- Effects of jet flap on AV8-B 'Harrier' performance [SAE PAPER 851843] p 579 A86-38340
- Velocity and temperature decay characteristics of inverted-profile jets [NASA-TM-87159] p 147 N86-14223
- The performance evaluation of a jet flap on an advanced supersonic harrier [NASA-CR-179653] p 716 N86-30722
- JET FLOW**
- The linear theory of a profile in a compressible gas with additional jet flow p 78 A86-13351
- Separated flow past a sharp edge according to a reverse-jet scheme p 120 A86-13430
- Certain properties of two-dimensional flows in the case of flow past bodies with jets p 82 A86-13431
- Analysis of interacting dual lifting ejector systems [AIAA PAPER 86-0478] p 233 A86-19895
- Velocity and temperature decay characteristics of inverted-profile jets [AIAA PAPER 86-0312] p 208 A86-22693
- Dual rectangular jets from a flat plate in a crossflow [AIAA PAPER 86-0477] p 255 A86-22703
- Characteristics of the effect of the powerplant jet streams on the design of VTOL aircraft p 354 A86-28320
- Aerodynamic characteristics of a circulation controlled symmetrical airfoil with dual jet p 541 A86-37196
- A method for estimating jet reaction control effectiveness [AIAA PAPER 86-1805] p 593 A86-37828
- Counterflow sonic nosejet into a supersonic stream [AIAA PAPER 86-1808] p 544 A86-37830
- Flight effects on noise from coaxial dual flow. II - Heated jets p 644 A86-41708
- Plume characteristics of single-stream and dual-flow conventional and inverted-profile nozzles at equal thrust [AIAA PAPER 86-1809] p 778 A86-49585
- Passive control of jets with indeterminate origins p 780 A86-49807
- Velocity and temperature decay characteristics of inverted-profile jets [NASA-TM-87159] p 147 N86-14223
- Quasi nonstretching hypervelocity jets p 153 N86-15254
- Acoustic evaluation of the German-Dutch Wind Tunnel (DNW) shear layer correction using a model jet [DNW-TR-82-04] p 242 N86-16237
- Experimental study of the acoustic fields far and near a Microturbo TRS 18 turbo-reactor [ISL-R-113/84] p 333 N86-20095

Plume characteristics of single-stream and dual-flow conventional and inverted-profile nozzles at equal thrust [NASA-TM-87323] p 554 N86-28285

An investigation of turbulence mechanisms in V/STOL upwash flow fields [AD-A168286] p 694 N86-29782

## JET IMPINGEMENT

An experimental study of a vacuum water-air ejector with a multichannel liquid-supply nozzle ensuring jet-pair collision p 119 A86-13382

Discrete tones generated by an impinging underexpanded rectangular jet p 193 A86-17138

Numerical simulation of impinging jets [AIAA PAPER 86-0279] p 200 A86-19789

Impinging jets p 458 A86-33419

The pressure field generated by jet-jet impingement [AIAA PAPER 86-1951] p 739 A86-45437

Heat transfer characteristics within an array of impinging jets. Effects of crossflow temperature relative to jet temperature [NASA-CR-3936] p 190 N86-15625

The flowfield of a side-dump combustor p 673 N86-28237

## JET MIXING FLOW

An experimental study of a vacuum water-air ejector with a multichannel liquid-supply nozzle ensuring jet-pair collision p 119 A86-13382

Propagation of small perturbations during the interaction of nonviscous jets p 80 A86-13390

Progress in the development of parabolized Navier-Stokes (PNS) methodology for analyzing propulsive jet mixing problems [AIAA PAPER 86-1115] p 551 A86-38473

Determination of the shape of a jet issuing from a cylinder of finite length around which a supersonic stream flows at small angle of attack p 770 A86-48825

Perspectives on dilution jet mixing -- in creating temperature patterns at combustor exits in gas turbine engines [AIAA PAPER 86-1611] p 818 A86-49614

Parabolized Navier-Stokes analysis of three-dimensional supersonic and subsonic jet mixing problems p 780 A86-49604

An investigation of turbulence mechanisms in V/STOL upwash flow fields [AD-A168286] p 694 N86-29782

## JET PROPULSION

Estimation of lift losses of hovering vehicles using a single jet [SAE PAPER 851842] p 579 A86-38339

Status of aircraft engine research at NPU reviewed p 441 N86-22736

Fiscal year 1987 technical objective document [AD-A168659] p 758 N86-31454

Aeropropulsion opportunities for the 21st century [NASA-TM-88817] p 819 N86-31585

## JET THRUST

F-14A low altitude, low airspeed, high angle of attack asymmetric thrust flight test program p 222 A86-21053

Verification of the thrust and airflow model obtained from the performance modelling process [AIAA PAPER 86-9790] p 441 A86-32121

F-14A low-altitude asymmetric thrust simulation and flight test program p 795 A86-47785

Real-time in-flight thrust calculation on a digital electronic engine control-equipped F100 engine in an F-15 airplane [PAPER-13] p 506 N86-25355

## JET VANES

Power turbine vane ring (PT6 engine) repair development [ASME PAPER 86-GT-2] p 812 A86-48102

## JETTISON SYSTEMS

The use of TLX energy transfer lines on the F-16 aircraft -- Thin Layer explosive p 243 A86-19313

## JETTISONING

A predictive technique for determining store motion after release from a carrier vehicle at supersonic speeds [AIAA PAPER 86-0586] p 203 A86-19964

Store separation flight testing [AGARD-AG-300-VOL-5] p 717 N86-30727

## JOINTS (JUNCTIONS)

Measurement of preferential moisture ingress in composite wing/spacer joints p 116 A86-16100

Effect of manufacturing defects and service-induced damage on the strength of aircraft composite structures p 245 A86-21729

Experimental study of a turbulent horseshoe vortex using a three-component laser velocimeter [AIAA PAPER 86-1089] p 548 A86-38436

Strength evaluation of helicopter composite bolted joints [AIAA PAPER 86-0973] p 608 A86-38853

Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements [AD-A158004] p 181 N86-15324

Evaluation of the effects of a plastic bead paint removal process on properties of aircraft structural materials [AD-A168286] p 603 N86-28384

Optimized bolted joint [NASA-CASE-LAR-13250-1] p 612 N86-27630

Mechanistic methodology for airport pavement design with engineering fabrics. Volume 2: Advanced concepts, validation and criteria [DOT/FAA/PM-84/9,II-VOL-2] p 657 N86-28983

## JOUKOWSKI TRANSFORMATION

Modelling of the vortex-airfoil interaction p 565 N86-27262

## JP-4 JET FUEL

Turbine fuels from tar sands bitumen and heavy oil. Phase 1: Preliminary process analysis [AD-A161300] p 452 N86-22724

## JUDGMENTS

Recent developments in aviation case law p 194 A86-18848

## K

## KALMAN FILTERS

Missile guidance based on Kalman filter estimation of target maneuver p 102 A86-12683

The study of adaptive control augmentation system implemented with microcomputer -- aircraft flight decentralization filtering and redundancy management/failure detection for multisensor integrated navigation systems p 346 A86-26443

State estimation errors in digital Kalman filters caused by measurement delays and numerical integration p 397 A86-28368

An adaptive UD-factorized Kalman filter for real-time tactical aircraft Track-While-Scan systems p 350 A86-28370

Adaptive field of view expansion via multiple model filtering for tracking dynamic target images p 359 A86-28371

Adaptive flutter suppression in the presence of turbulence p 508 A86-35370

An terrain-aided guidance system with high convergence speed p 573 A86-39786

Sinusoidal disturbance rejection with application to helicopter flight data estimation p 747 A86-44505

Frequency and time domain designs of a strapdown vertical determination system [AIAA PAPER 86-2148] p 810 A86-47457

An explicit adaptive flight control system based on the modified gain extended Kalman filter [AIAA PAPER 86-2158] p 823 A86-47465

Design considerations for flight test of a fault inferring nonlinear detection system algorithm for avionics sensors [AIAA PAPER 86-2030] p 810 A86-47511

Real-time flutter identification with close mode resolution [AIAA PAPER 86-2019] p 827 A86-47654

Discovery of the Kalman filter as a practical tool for aerospace and industry [NASA-TM-86847] p 94 N86-13311

Markov jump-diffusion models and decision-making free filtering -- air traffic control [NLR-MP-83067-U] p 264 N86-17048

Comparison of a jump-diffusion tracker with a Kalman tracker: An evaluation with emphasis on air traffic control [NLR-TR-83063-U] p 216 N86-17335

An efficient filter for abruptly changing systems [NLR-MP-84071-U] p 264 N86-18056

Covariance specification for the linear time-invariant output-feedback control systems using a Kalman filter [NAL-TR-882] p 399 N86-21219

Use of state estimation to calculate angle-of-attack position error from flight test data [AD-A163962] p 480 N86-24670

An LOG up-and-away flight control design for the STOL F-15 aircraft [AD-A184108] p 512 N86-24707

LQG/LTR design of a robust flight controller for the STOL F-15 [AD-A184111] p 512 N86-24708

An LOG up-and-away flight control design for the STOL F-15 aircraft [AD-A184108] p 512 N86-25384

Design considerations for flight test of a fault inferring nonlinear detection system algorithm for avionics sensors [NASA-TM-88998] p 637 N86-28933

The design of multirate digital control systems [NASA-CR-177126] p 726 N86-29863

Control design for robust stability in linear regulators: Application to aerospace flight control [NASA-CR-176858] p 749 N86-31265

## KAMAN AIRCRAFT

Combining analysis and test for rotor blade development p 493 A86-35648

## KARMAN VORTEX STREET

Fluid dynamics of cylinder response to Karmen vortex shedding [AIAA PAPER 86-0119] p 199 A86-19700

Sound excitation during vortex-airfoil interaction [MPIS-MITT-80] p 266 N86-18130

## KARMAN-RODEWADT FLOW

Some solutions to the Karmen equation describing flow past the salient points of a profile p 79 A86-13363

## KENTUCKY

Aircraft accident report: Air Canada Flight 787, McDonnell Douglas DC-8-32, C-FTLU Greater Cincinnati International Airport, Covington, Kentucky, June 2, 1983 [PB86-810402] p 344 N86-21525

## KERNEL FUNCTIONS

Nonplanar, subsonic, three-dimensional oscillatory piecewise continuous kernel function method p 162 A86-17779

Lifting surface theory for the rest of us [AIAA PAPER 86-1025] p 552 A86-38880

## KEROSENE

Antimisting fuel technology for transport category aircraft [SAE PAPER 851886] p 568 A86-38353

Impaction efficiencies of evaporating kerosene droplets on vee-gutter flame stabilizer [ASME PAPER 86-GT-174] p 815 A86-48225

Antimisting kerosene: Development of a continuous 10 GPM in-line blender [NASA-CR-176432] p 185 N86-15412

Full-Scale Transport controlled Impact Demonstration [NASA-CR-2395] p 390 N86-21933

Full-Scale Transport Controlled Impact Demonstration Program photographic/video coverage [DOT/FAA/CT-85/35] p 700 N86-29795

Antimisting fuel technology for transport category aircraft p 733 N86-30008

AMK full-scale transport aircraft validation phase summary p 733 N86-30009

Post Controlled Impact Demonstration (CID) analysis p 733 N86-30010

UK work on safety fuels p 733 N86-30012

Heat transfer, friction, and rheological characteristics of antimisting kerosene p 734 N86-30013

Continuous inline blending of antimisting kerosene p 734 N86-30015

AMK: Still viable? p 734 N86-30017

GTA/BASF antimisting fuel research p 734 N86-30021

Antimisting kerosene: Evaluation of improved FM-9 additive [DOT/FAA/CT-85-4] p 734 N86-30024

Antimisting fuel research and development for commercial aircraft [FAA/CT-86/7] p 735 N86-30883

## KEVLAR (TRADEMARK)

Application of Kevlar to parachute system design p 214 A86-20166

Applications of tubular composite structures p 245 A86-21719

Life prediction for aromatic polyamide reinforcements p 377 A86-27691

New aramid developments for aerospace/aircraft applications p 377 A86-27759

Design and use of Kevlar in aircraft structures [SAE PAPER 850893] p 583 A86-38520

## KINETIC ENERGY

USAF/SCREE (United States Air Force/Southeastern Center for Electrical Engineering Education) Research Initiation Program research reports, volume 2 [AD-A181808] p 460 N86-23752

## KINETIC THEORY

The effect of a kinetic air model on the aerodynamic characteristics of airfoils with flaps p 771 A86-48849

## KIRCHHOFF LAW

Nonuniqueness of laminar separated flow around an airfoil at angle of attack in the Kirchhoff scheme p 769 A86-48822

## KNOWLEDGE

A demonstration expert system for implementing emergency procedures in a high-performance fighter aircraft [MAE-1749] p 569 N86-28295

The impact of artificial intelligence on airborne maritime reconnaissance p 675 N86-28374

## KUTTA-JOUKOWSKI CONDITION

The response of airfoils to periodic disturbances - The unsteady Kutta condition [AIAA PAPER 84-0050] p 270 A86-23126

Contribution to the potential calculation of anisotropic compression shocks in a plane case p 150 N86-14245

Unsteady vortex airfoil interaction p 562 N86-27240

## L

## L-1011 AIRCRAFT

- Wake hazard alleviation associated with roll oscillations of wake-generating aircraft p 624 A86-41693
- The analysis of airline flight records for winds and performance with application to the Delta 191 accident [AIAA PAPER 86-2227] p 829 A86-47690
- Flight service evaluation of advanced composite ailerons on the L-1011 transport aircraft [NASA-CR-177960] p 184 N86-14317

## LABORATORIES

- Research and development project selection methods at the Air Force Wright Aeronautical Laboratories [AD-A161153] p 333 N86-20165
- Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987 [AD-A162792] p 402 N86-22443

## LABORATORY EQUIPMENT

- Wake imaging system applications at the Boeing Aerodynamics Laboratory [SAE PAPER 851895] p 606 A86-38358

## LAMINAR BOUNDARY LAYER

- Propeller slipstream/wing boundary layer effects at low Reynolds numbers p 139 A86-16324
- A compressible laminar boundary layer on a plane triangular plate with an attached shock wave p 146 A86-18902
- Heat transfer at the lateral surface of a blunt cone during the absorption of the entropy layer by a laminar or a turbulent boundary layer p 187 A86-18907
- Aircraft viscous drag reduction technology p 204 A86-20124
- Group studies of equations of the laminar boundary layer on a rotating wing p 478 A86-35994
- Laminar boundary layer stability experiments on a cone at Mach 8. IV - On unit Reynolds number and environmental effects [AIAA PAPER 86-1087] p 550 A86-38449
- An investigation of the effects of the propeller slipstream of a laminar wing boundary layer [SAE PAPER 850859] p 551 A86-38502
- Acoustic effect on stall hysteresis for low Reynolds number laminar flow p 855 A86-47971
- Transition to three-dimensional flow and laminarization of the boundary layer on a swept-back wing [AAEP PAPER NT 85-03] p 786 A86-48454
- Wing laminar boundary layer in the presence of a propeller slipstream p 776 A86-49122
- Laminar flow control with suction: Theory and experiment p 155 N86-15269
- Design considerations for application of laminar flow control systems to transport aircraft p 155 N86-15270
- Investigation of the development of laminar boundary-layer instabilities along a sharp cone [AD-A158370] p 255 N86-16521
- Laminar and turbulent boundary-layer calculations on the leeward surface of a slender delta wing at incidence — graph theory [NLR-MP-84040-U] p 555 N86-26293
- Boundary layer stability measurements over a flat plate at Mach 3 [AD-A166188] p 694 N86-29778

## LAMINAR FLOW

- Low Reynolds number airfoil design p 136 A86-16303
- A viscous-inviscid coupling method for the design of low Reynolds number airfoil sections p 136 A86-16305
- Research on laminar separation bubbles at Delft University of Technology in relation to low Reynolds number airfoil aerodynamics p 137 A86-16308
- Symmetry breaking and lift hysteresis arising from massive laminar separation - A study of multiple steady-state solutions p 138 A86-16316
- Surface wetting effects on a laminar flow airfoil in simulated heavy rain p 162 A86-17780
- Design of a natural laminar flow wing for a transonic corporate transport [AIAA PAPER 86-0314] p 200 A86-19807
- A review and analysis of boundary layer transition data for turbine application [ASME PAPER 85-GT-83] p 251 A86-22054
- Natural laminar flow flight experiments on a turbine engine nacelle fairing [AIAA PAPER 86-9756] p 429 A86-32097
- Cloud particle effects on laminar flow in the NASA LEFT program - Preliminary results — Leading Edge Flight Test [AIAA PAPER 86-9811] p 432 A86-32138
- Advanced boundary layer transition measurement methods for flight applications [AIAA PAPER 86-9786] p 500 A86-37063
- Swept wing-tip shapes for low-speed airplanes [SAE PAPER 851770] p 548 A86-38305

## A faster 'transition' to laminar flow

- [SAE PAPER 851855] p 548 A86-38347
- Experimental determination of the laminar separation bubble characteristics on an airfoil at low Reynolds numbers [AIAA PAPER 86-1065] p 548 A86-38433
- Effects of cone surface waviness and freestream noise on transition in supersonic flow [AIAA PAPER 86-1086] p 550 A86-38448
- Natural laminar flow and regional aircraft [SAE PAPER 850864] p 552 A86-38505
- Flight research on natural laminar flow nacelles - A progress report [AIAA PAPER 86-1629] p 627 A86-42782
- Numerical solution of the supersonic laminar flow over a two-dimensional compression corner using an implicit approach p 690 A86-45054
- Nonuniqueness of laminar separated flow around an airfoil at angle of attack in the Kirchhoff scheme p 769 A86-48822
- Derivation of jack movement influence coefficients as a basis for selecting wall contours giving reduced levels of interference in flexible walled test sections [NASA-CR-177992] p 88 N86-12204
- Effect of surface waviness on a supercritical laminar-flow-control airfoil [NASA-TM-85705] p 88 N86-12206
- Ground vibration test of the laminar flow control JStar airplane [NASA-TM-86396] p 100 N86-13321
- Aircraft Drag Prediction and Reduction [AGARD-R-723] p 155 N86-15266
- Aircraft drag reduction technology: A summary p 155 N86-15267
- F-111 natural laminar flow glove flight test data analysis and boundary layer stability analysis [NASA-CR-168051] p 168 N86-15305
- Numerical solution of viscous compressible flows past an airfoil using unconditionally stable explicit method p 210 N86-17290
- Analysis of experimental data for a 21% thick natural laminar flow airfoil, NAE68-080-21:1 [NAE-AN-34] p 278 N86-19285
- A new method for laminar boundary layer transition visualization in flight: Color changes in liquid crystal coatings [NASA-TM-87686] p 342 N86-21518
- Design of fuselage shapes for natural laminar flow [NASA-CR-3970] p 480 N86-23852
- Natural laminar flow flight experiments on a swept wing business jet-boundary layer stability analyses [NASA-CR-3975] p 478 N86-24859
- Aircraft drag prediction and reduction. Addendum 1: Computational drag analyses and minimization; mission impossible? [AGARD-R-723-ADD-1] p 556 N86-27187
- Steady supersonic Navier-Stokes solutions of a 75 deg delta wing p 558 N86-27206
- Evaluation of laminar flow control systems concepts for subsonic commercial transport aircraft [NASA-CR-159251] p 639 N86-28077
- Numerical computation of viscous flow around bodies and wings moving at supersonic speeds [NASA-CR-176803] p 693 N86-29772
- Thermodynamic evaluation of transonic compressor rotors using the finite volume approach [NASA-CR-176947] p 722 N86-30731
- High speed viscous flow calculations about complex configurations [NASA-TM-86237] p 850 N86-31827

## LAMINAR FLOW AIRFOILS

- Unsteady aerodynamics of airfoils oscillating in and out of dynamic stall [AIAA PAPER 85-4078] p 84 A86-14453
- The laminar airfoil - Prospects and problems — review of boundary layer control research p 98 A86-14822
- An experimental study of a high performance canard airfoil with boundary layer trip and vortex generators [AIAA PAPER 86-0781] p 273 A86-24780
- The laminar wing - A way for improving the economy of commercial aircraft p 274 A86-25022
- An investigation of the effects of the propeller slipstream of a laminar wing boundary layer [SAE PAPER 850859] p 551 A86-38502
- An experimental study of a general aviation single-engine aircraft utilizing a natural laminar flow wing [SAE PAPER 850861] p 551 A86-38503
- Further results of natural laminar flow flight test experiments [SAE PAPER 850862] p 581 A86-38504
- Thick supercritical airfoils with low drag and NLF capability p 771 A86-48981
- Investigations on high Reynolds number laminar flow airfoils p 771 A86-48983
- Computation of the potential flow over airfoils with cusped or thin trailing edges p 780 A86-49823

## Laminar flow research applicable to subsonic aircraft

- p 781 A86-50299
- LAMINAR WAKES**
- Stator row unsteady aerodynamics due to wake excitations p 273 A86-24703
- LAMINATES**
- Dynamic response of a laminated plate with friction damping [ASME PAPER 85-DET-16] p 122 A86-18032
- Thermographic inspection of carbon epoxy structures p 249 A86-20649
- Requirements for tailoring of material properties of viscoelastically damped bonded laminates in aircraft structures p 250 A86-21714
- A numerical analysis of singular stress fields at the free edge of layered composites [ONERA, TP NO. 1985-154] p 313 A86-24636
- The damping capacity of layered materials p 374 A86-27084
- Acoustic-backscattering studies of transverse cracks in composite thick laminates p 451 A86-33068
- ARALL (Aramid Reinforced Aluminum Laminates) - A hybrid composite with a great resistance against fatigue crack propagation [DGLR PAPER 85-137] p 515 A86-35180
- Compressive strength of impact damaged graphite epoxy laminates p 517 A86-37118
- Buckling and final failure of graphite/PEEK stiffener sections [AIAA PAPER 86-0921] p 608 A86-38831
- Optimal design of antisymmetric laminated composite plates p 667 A86-40109
- Bolted composite repairs subjected to biaxial or shear loads p 682 A86-41052
- Characterization of T300/V-378A graphite/bismaleimide for structural applications p 682 A86-41053
- Composite repair at the Naval Air Rework Facility, North Island — composite aircraft structures [AIAA PAPER 86-1140] p 664 A86-43329
- Response of symmetric rectangular composite laminates with nonlinear damping subjected to acoustic loading [AIAA PAPER 86-1833] p 738 A86-45422
- The vibration and stability of symmetrically-laminated composite rectangular plates subjected to in-plane stresses p 739 A86-45694
- Various approaches in solving stability problems for symmetric angle-ply laminates under combined loading p 848 A86-48040
- On the optimization of flutter characteristics of laminated anisotropic cylindrical shells p 848 A86-48082
- Failure mechanisms of laminates transversely loaded by bolt push-through [NASA-TM-87603] p 184 N86-14314
- Stress concentration around a small circular hole in the HMMAT composite plate [NASA-TM-86038] p 184 N86-16350
- Laminated damped fuselage structures p 389 N86-21916
- USAF/SCREE (United States Air Force/Southeastern Center for Electrical Engineering Education) Research Initiation Program research reports, volume 2 [AD-A161908] p 480 N86-23762
- The postbuckling behavior of blade-stiffened carbon epoxy panels loaded in compression — semiautonomous platform [NLR-MP-85019-U] p 611 N86-26661
- LAND MOBILE SATELLITE SERVICE**
- A shared satellite system would satisfy many future aviation needs p 249 A86-20621
- Communication with land vehicles and aircraft via satellite p 319 A86-25016
- LANDING**
- Analysis of data from NASA B-57B gust gradient program [NASA-CR-178736] p 446 N86-23604
- TCAS Experimental Unit (TEU) hardware description [FAA/PM-85/2] p 574 N86-27272
- LANDING AIDS**
- A new system simultaneously covering en route navigation and landing p 348 A86-27896
- New developments in antennas of classical radio navigational and landing systems p 484 A86-33741
- Development and flight test of a helicopter, X-band, portable precision landing system concept p 485 A86-35606
- Runway requirements in instrument flight traffic at regional airports and commercial landing areas p 635 A86-41873
- Optimal landing of a helicopter in autorotation [AIAA PAPER 86-2287] p 793 A86-47705
- Potential applications of multiple instrument approach concepts at 101 U.S. Airports [AD-A161155] p 283 N86-19306

- Advanced technology helicopter landing gear preliminary design investigation [AD-A162097] p 437 N86-23594
- Computed centerline MLS (Microwave Landing System) approach demonstration at Washington National Airport [AD-A163722] p 486 N86-24681
- Technical support of the Wall Street/Battery Park city heliport MLS (Microwave Landing System) project [AD-A165073] p 575 N86-27273
- Evaluation of the usefulness of various simulation technology options for TERPS enhancement [NASA-CR-177408] p 636 N86-28931
- Portable glide slope indicator [AD-D012240] p 789 N86-31552
- LANDING GEAR**
- Use of a Service Life Assessment Program (SLAP) for identifying Service Life Extension Program (SLEP) procedures for fatigue sensitive airframe components p 134 A86-18442
- Influence of rough runways on undercarriage design p 186 A86-19277
- Development of materials used in landing gear p 373 A86-26329
- Investigation of main landing gear tire temperatures during taxi-out at heavy take-off masses [AIAA PAPER 86-9778] p 430 A86-32113
- Influences of two landing gear designs on helicopter crashworthiness and weights p 492 A86-35632
- Effects of variations in crashworthiness criteria on Sikorsky S-75 ACAP landing gear weights p 492 A86-35638
- Laboratory simulation of landing gear pitch-plane dynamics [SAE PAPER 851937] p 598 A86-38370
- European aircraft steering systems [SAE PAPER 851940] p 581 A86-38373
- Aircraft wheel design and proving p 583 A86-38721
- Landing gear test facilities examined p 730 A86-44458
- A certain type of self-oscillation of aircraft landing-gear wheels p 800 A86-48829
- Fatigue fracture in landing gear steels p 803 A86-49115
- New design procedures applied to landing gear development p 803 A86-49117
- Shimmy problems of landing gears caused by elastic deformation of tires p 803 A86-49118
- Topics in landing gear dynamics research at NASA Langley p 803 A86-49120
- Prediction of the life of stressed structures - A comprehensive study of the aircraft landing gear - Russian book p 804 A86-49268
- Advanced technology helicopter landing gear preliminary design investigation [AD-A158816] p 101 N86-13325
- Nonlinear dynamics of a helicopter model in ground resonance p 177 N86-15284
- Estimation of load exceedances of an aircraft under carriage with nonlinear properties excited by random runway unevenness [NLR-TR-84030-U] p 228 N86-17348
- Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987 [AD-A162792] p 402 N86-22443
- Improvements to the FATOLA computer program including added actively controlled landing gear subroutines [NASA-CR-186069] p 436 N86-23588
- Advanced technology helicopter landing gear preliminary design investigation [AD-A162097] p 437 N86-23594
- Fireproof hydraulic brake system [AD-A163542] p 497 N86-24688
- Technique for measuring side forces on a banked aircraft with a free-swiveling nose gear [NASA-TM-87719] p 743 N86-30233
- Simulation of aircraft taxi testing on the AGILE shaker test facility p 731 N86-30663
- Studies for the application of a flexible weight and balance (W/B) measuring facility for commercial aircraft [BMFT-FB-W-85-029] p 840 N86-31604
- Six degree of freedom simulation software [NAL-PD-SE-8614] p 854 N86-33042
- LANDING LOADS**
- A certain type of self-oscillation of aircraft landing-gear wheels p 800 A86-48829
- Measurements of landing gear loads of a commuter airliner p 803 A86-49119
- Estimation of load exceedances of an aircraft under carriage with nonlinear properties excited by random runway unevenness [NLR-TR-84030-U] p 228 N86-17348
- LANDING SIMULATION**
- Ground-simulation investigation of VTOL airworthiness criteria for terminal area operations p 90 A86-14237
- Simulator evaluation of a remotely piloted vehicle visual landing task p 221 A86-20238
- Simulator design features for helicopter landing on small ships p 308 A86-23750
- Laboratory simulation of landing gear pitch-plane dynamics [SAE PAPER 851937] p 598 A86-38370
- Flight evaluation of a precision landing task for a powered-lift STOL aircraft [AIAA PAPER 86-2130] p 828 A86-47676
- Investigations of the aircraft landing process using a computerized simulation model based on the Monte Carlo method [DFVLR-FB-85-27] p 167 N86-14269
- Multivariable output control law design for the STOL (Short Takeoff and Landing) F-15 in landing configuration [AD-A164516] p 498 N86-25340
- Investigations in landing process of aircraft by means of the Monte-Carlo method [ESA-TT-951] p 808 N86-31578
- LANDING SITES**
- CBR (California Bearing Ratio) design of flexible airfield pavements with case study [AD-A158101] p 113 N86-12242
- A durable airfield marking system [AD-A157953] p 113 N86-13339
- Use of NDE to evaluate reflection cracking in airfield pavements [AD-A164880] p 599 N86-27293
- Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements [AD-A165056] p 599 N86-27294
- LANDING SPEED**
- Biodynamics of personnel parachute landings - A fresh look at parachute descent rates p 419 A86-32068
- Ground resonance of a helicopter during the take-off and landing run p 712 A86-45749
- The ground effects of a powered-lift STOL aircraft during landing approach p 795 A86-47784
- LANGUAGE PROGRAMMING**
- Advanced avionics computer architecture. Volume 1. Executive summary [AD-A158119] p 104 N86-12222
- LANGUAGES**
- Language problems in air traffic control p 635 A86-40570
- LAP JOINTS**
- Fatigue rated fastener systems in aluminum alloy structural joints - aircraft structures [NLR-MP-83045-U] p 259 N86-17809
- Effects of cladding and anodizing on flight simulation fatigue of 2024-T3 and 7475-T761 aluminum alloys - semisubmersible platform [NLR-TR-85006-U] p 604 N86-26430
- Constant amplitude and flight simulation of fatigue tests on adhesive bonded lap joint specimens of 2024-T3 sheet material - semisubmersible platform [NLR-TR-84090-U] p 612 N86-26663
- LAPLACE EQUATION**
- Measurements of rotating bubble shapes in low-gravity environment p 251 A86-21996
- LAPLACE TRANSFORMATION**
- Flutter calculation by a new program p 444 A86-33246
- A calculation method for unsteady aerodynamic forces in the Laplace domain and its application to root loci [AIAA PAPER 86-0866] p 553 A86-38901
- LARGE SCALE INTEGRATION**
- Subsystem hazard analysis for the LSI models 6216A, B and C self-contained navigation system group A [AD-A168818] p 705 N86-29807
- LARGE SPACE STRUCTURES**
- Optimum design of large structures with multiple constraints [AIAA PAPER 86-0952] p 600 A86-38845
- Failure detection and accommodation in structural dynamics systems using analytic redundancy - in large space structures p 658 A86-42938
- Tire domain design of robust controllers for LQG (Linear Quadratic Gaussian); application to large space structures [AD-A163635] p 533 N86-26074
- LASER ANEMOMETERS**
- International Symposium on Laser Anemometry, 2nd, Miami Beach, FL, November 17-22, 1985, Proceedings p 519 A86-34407
- Laser anemometer measurements of the flow from a simulated fuel nozzle p 520 A86-34410
- Laser fringe anemometry for aero engine components [NASA-TM-88798] p 629 N86-28053
- LASER APPLICATIONS**
- Optical communication between aircraft in low-visibility atmosphere using diode lasers p 122 A86-15584
- Laser systems for use with airborne platforms p 228 A86-19571
- The use of lasers in gas turbine manufacturing [ASME PAPER 85-IGT-141] p 317 A86-23933
- Radial distribution circulation of a rotor in hover measured by laser velocimeter p 276 A86-26110
- The development of laser speckle velocimetry for the measurement of vortical flow fields [AIAA PAPER 86-0768] p 523 A86-37091
- Pulsed laser light sheet flow visualization p 605 A86-38237
- Aviaremont's efforts to introduce laser technology p 320 N86-18286
- Calibration of droplet sizing and liquid water content instruments: Survey and analysis [NASA-CR-175098] p 611 N86-26596
- Laser metalworking technology transfer [AD-A165808] p 664 N86-28168
- Aerialite: Avionics, optoelectronics research, ATR 42 p 642 N86-29080
- Properties, applications, future of European gyro sensors p 676 N86-29082
- LASER DAMAGE**
- A methodology for analyzing laser-induced structural damage p 186 A86-17791
- LASER DOPPLER VELOCIMETERS**
- The application of laser anemometry to the study of transonic shock boundary-layer interactions p 139 A86-16352
- L.D.A. measurements in the turbulent near-wake of blunt bodies p 139 A86-16371
- Experimental analysis of tip vortex by laser Doppler anemometry p 140 A86-16387
- Mean flow properties measured around an aerofoil close to its maximum lift p 140 A86-16395
- An experimental investigation of propeller wakes using a laser Doppler velocimeter [AIAA PAPER 86-0080] p 232 A86-19877
- The response of airfoils to periodic disturbances - The unsteady Kutta condition [AIAA PAPER 84-0050] p 270 A86-23126
- Measurements accuracy with 3D laser velocimetry [ONERA, TP NO. 1985-171] p 318 A86-24646
- A new rain/ice test capability to simulate flight [AIAA PAPER 86-9824] p 432 A86-32147
- International Symposium on Laser Anemometry, 2nd, Miami Beach, FL, November 17-22, 1985, Proceedings p 519 A86-34407
- Intrablade velocity mapping in transonic fan passages of gas turbine p 474 A86-34411
- Experience with laboratory LDA by measuring flow fields in rotating turbomachinery p 672 A86-43109
- Application of laser-dual-focus velocimetry in a counterflow p 628 A86-43110
- Flow field study on a supercritical airfoil using a pressure probe and a two-component Laser-Doppler-Anemometer p 775 A86-49074
- The F2 wind tunnel of the Fauga-Mauzac Test Center [ONERA, TP NO. 1986-104] p 839 A86-49075
- BLR studies on conic model with LDA in FL-1 wind tunnel p 87 N86-12434
- Optical technique to study the impact of heavy rain on aircraft performance [NASA-CR-177989] p 123 N86-12580
- West Europe report: Science and technology [JPRS-WST-85-024] p 189 N86-15447
- Study of high speed combustion flows by laser velocimetry [NASA-CR-176439] p 190 N86-15668
- An experimental investigation of propeller wakes using a laser Doppler velocimeter p 277 N86-19283
- Experimental and theoretical study of incompressible flow around a wing profile with a spoiler. Contributions of laser velocimetry and the Dvorak method [ISLR-116/84] p 279 N86-19297
- Laser velocimetry in highly three-dimensional and vortical flows p 557 N86-27197
- LASER GUIDANCE**
- Low cost thermal control for flight test laser radar [SAE PAPER 851321] p 285 A86-23511
- LASER GYROSCOPES**
- Sensor system concept for future fighter and strike aircraft p 297 A86-24583
- Gyroscopes may cease spinning - in inertial guidance systems p 320 A86-25865
- Construction of a measuring method using fiber optics and an LTN-90 laser gyro strapdown system for B0-195 helicopters [DFVLR-MITT-85-10] p 216 N86-17333
- Advanced laser based inertial instrument development [AD-A166307] p 742 N86-30128
- LASER INTERFEROMETRY**
- Feasibility study of optical boundary layer transition detection method [NASA-CR-178109] p 675 N86-28375
- LASER OUTPUTS**
- Laser beam duct pressure controller system [AD-D012017] p 525 N86-24984

**LASER RANGER/TRACKER**

A laser-inertial airborne surveying system  
p 438 A86-30315

**LASER SPECTROMETERS**

Wind tunnel calibration of a PMS (Particle Measuring Systems) canister instrumented for airflow measurement  
[AD-A161124] p 278 N86-18292

**LASERS**

China report: Science and technology  
[JPRES-CST-86-004] p 458 N86-22735

**LATERAL CONTROL**

Wing structure design for maximum aileron efficiency  
p 95 A86-13368

Use of differential leading edge flaps for lateral control at high angle of attack  
[AIAA PAPER 86-0188] p 238 A86-19729

Simulator evaluation of a remotely piloted vehicle visual landing task  
p 221 A86-20238

Tailoring methodology for aeroelastic stability and lateral control enhancement  
p 434 A86-33259

The design of a sliding mode controller for dutch roll damping in a non-linear aircraft system  
p 651 A86-40766

Design and research of aircraft parameter-adaptive lateral command augmentation systems  
p 723 A86-43496

Use of hinged strakes for lateral control at high angles of attack  
[AIAA PAPER 86-2278] p 830 A86-47686

Damping of the rolling motion of full caliber fin-stabilized projectiles in supersonic flight  
[ISL-CO-233/84] p 153 N86-15253

Use of hinged strakes for lateral control at high angles of attack  
[AD-A158005] p 178 N86-15321

Swashplate control system  
[NASA-CASE-ARC-11833-1] p 511 N86-24700

Decoupling control synthesis for an oblique-wing aircraft  
[NASA-TM-86801] p 595 N86-26339

Measurements on wing-tip blowing  
[NASA-CR-178930] p 632 N86-28922

Tailoring methodology for aeroelastic stability and lateral control enhancement  
p 729 N86-30657

Preliminary control law and hardware designs for a ride quality augmentation system for commuter aircraft. Phase 2  
[NASA-CR-4014] p 836 N86-32440

**LATERAL OSCILLATION**

Analysis of dynamic stability derivatives for high angle of attack aircraft  
p 414 N86-22546

**LATERAL STABILITY**

Influence of wing tip configuration on lateral blowing efficiency  
[AIAA PAPER 86-0475] p 206 A86-22702

Investigation of vortex patterns on slender bodies at high angles of attack  
p 410 A86-32784

Hypersonic characteristics of an advanced aerospace plane at Mach 20.3  
[NASA-TM-86435] p 152 N86-15245

Low-speed wind-tunnel investigation of the effect of strakes and nose machines on lateral-directional stability of a fighter configuration  
[NASA-TM-87641] p 278 N86-18287

Locally linearized longitudinal and lateral-directional aerodynamic stability and control derivatives for the X-29A aircraft  
[NASA-TM-84919] p 416 N86-23586

Simulation problem of controlling lateral movement of aircraft during landing approach  
p 534 N86-26160

A computer programme for DATCOM methods of estimation of lateral stability and control derivatives  
[NAL-TM-AE-8601] p 596 N86-27289

**LATTICES (MATHEMATICS)**

A vortex lattice method for calculating nonlinear aerodynamic characteristics of interfering airfoils  
[DGLR PAPER 85-122] p 475 A86-35172

**LAUNCHING**

Research on the aerodynamic characteristics of vehicles by free flight testing at supersonic speeds  
[NAL-TR-876] p 339 N86-20353

**LAVAL NUMBER**

Investigation of heat transfer in separation regions in supersonic flow in a Laval nozzle  
p 477 A86-36458

**LAW (JURISPRUDENCE)**

National airspace system, system requirements specification  
[AD-A157944] p 94 N86-13312

**LEADING EDGE FLAPS**

Use of differential leading edge flaps for lateral control at high angle of attack  
[AIAA PAPER 86-0188] p 238 A86-19729

An evaluation of leading-edge flap performance on delta and double-delta wings at supersonic speeds  
[AIAA PAPER 86-0315] p 201 A86-19808

A new and less complex alternative to the Handley Page slat  
p 356 A86-28563

Analytical observations on the aerodynamics of a delta wing with leading edge flaps  
[AIAA PAPER 86-1790] p 543 A86-37820

Flutter of wings with leading edge control surfaces  
[AIAA PAPER 86-0897] p 585 A86-38950

Analysis of the vortical flow around a 60 degree delta wing with vortex flap  
p 774 A86-49050

Use of hinged strakes for lateral control at high angles of attack  
[AD-A158005] p 178 N86-15321

The behaviour and performance of leading edge vortex flaps  
[CAR-8601] p 479 N86-24686

Experimental assessment of vortex retaining cavity flaps for maneuverability improvement on delta wing fighter aircraft  
[AD-A164104] p 497 N86-24690

**LEADING EDGE SLATS**

Means to increase the lift on aircraft wing profiles  
p 271 A86-23776

A new and less complex alternative to the Handley Page slat  
p 356 A86-28563

Analysis of wings with leading edge and/or trailing edge segmented (spanwise) flaps using planar horse shoe vortex lattice method  
[NAL-TM-AE-8507] p 559 N86-27212

**LEADING EDGE SWEEP**

Flow around delta wings with broken-line leading edges  
p 481 N86-25560

**LEADING EDGES**

A study of heat transfer on wedges with a swept leading edge and a sharply bent generatrix  
p 81 A86-13399

Juncture flow control using leading-edge fillets  
[AIAA PAPER 85-4087] p 84 A86-14454

Vortices incident upon a leading edge - instantaneous pressure fields  
p 141 A86-17080

Visualization and flow surveys of the leading edge vortex structure on delta wing planforms  
[AIAA PAPER 86-0330] p 201 A86-19817

Comparison of computations and experimental data for leading edge vortices - Effects of yaw and vortex flaps  
[AIAA PAPER 86-0439] p 202 A86-19880

Development of a design model for airfoil leading edge film cooling  
[ASME PAPER 85-GT-120] p 252 A86-22073

Numerical simulation of leading-edge vortex flows  
p 270 A86-23133

Review of theory of vortex separated from a leading edge of a delta wing  
p 275 A86-25207

An attached flow design of a noninterfering leading-edge extension to a thick delta wing  
p 337 A86-28569

In-flight flow visualization of F-106B leading-edge vortex using the vapor-screen technique  
[AIAA PAPER 86-9785] p 431 A86-32118

Flow structure at the windward side of conical wings with an attached shock wave at the leading edge  
p 410 A86-32739

Optimum supersonic wings with subsonic leading edges  
p 410 A86-32785

An implicit flux-difference splitting scheme for three-dimensional, incompressible Navier-Stokes solutions to leading edge vortex flows  
[AIAA PAPER 86-1839] p 546 A86-37847

Leading-edge design for improved spin resistance of wings incorporating conventional and advanced airfoils  
[SAE PAPER 851816] p 578 A86-38325

A three-dimensional boundary-layer method for flow over delta wings with leading-edge separation  
[SAE PAPER 851818] p 547 A86-38327

Aerodynamics of delta wings with leading edge blowing  
[AIAA PAPER 86-2230] p 784 A86-47691

Leading edge vortex flow over a 75 degree-swept delta wing. Experimental and computational results  
[ONERA, TP NO. 1986-122] p 773 A86-49042

Free-vortex flow simulation using a three-dimensional Euler aerodynamic method  
p 773 A86-49043

Effects of spanwise blowing on pressure distribution and leading-edge vortex stability  
p 774 A86-49046

Solutions of the Navier-Stokes equations for vortical flow  
p 148 N86-14231

Numerical calculation of leading-edge vortices on a flat delta wing  
p 148 N86-14232

Procedure for solution of the Euler equations at Dornier GmbH  
p 149 N86-14242

Design considerations for application of laminar flow control systems to transport aircraft  
p 155 N86-15270

An experimental investigation of the entrainment into a leading-edge vortex  
[VTH-LR-332] p 208 N86-16203

Numerical simulation of the leading-edge separation vortex over delta wing  
p 209 N86-17271

A visualisation study of the vortex flow around double-delta wings  
[ARL-AERO-R-185] p 340 N86-20362

Effects of wing modification on an aircraft's aerodynamic parameters as determined from flight data  
[NASA-TM-87591] p 370 N86-21550

ALESEP. Part 2: A computer program for the analysis of leading edge separation bubbles on infinite swept wings  
[NASA-CR-178015] p 479 N86-24684

Investigation of rolling-up and interaction of leading-edge and trailing-edge vortex sheets on a slender delta wing  
[AD-A163892] p 479 N86-24688

Experimental study of apex fences for lift enhancement on a highly swept delta wing configuration  
[AD-A163877] p 512 N86-24705

Leading-edge vortex research: Some nonplanar concepts and current challenges  
p 556 N86-27192

Recent extensions to the free-vortex-sheet theory for expended convergence capability  
p 556 N86-27194

An Euler aerodynamic method for leading-edge vortex flow simulation  
p 558 N86-27203

Computation of leading-edge vortex flows  
p 558 N86-27205

An overview of the fundamental aerodynamics branch's research activities in wing leading-edge vortex flows at supersonic speeds  
p 558 N86-27207

Water tunnel results of leading-edge vortex flap tests on a delta wing vehicle  
p 558 N86-27208

Experimental study of the effect of turbulence on dynamic stalling  
p 565 N86-27264

A theory for lateral wing-tip blowing  
[NASA-CR-178931] p 632 N86-28923

Flow past a flat plate with a vortex/sink combination  
[NASA-CR-178908] p 676 N86-29159

Numerical computation of viscous flow around bodies and wings moving at supersonic speeds  
[NASA-CR-178903] p 683 N86-29772

Flap-lag-torsional dynamics of helicopter rotor blades in forward flight  
[NASA-CR-178978] p 714 N86-29810

Fight control system development and flight test experience with the F-111 mission adaptive wing aircraft  
[NASA-TM-88265] p 714 N86-29813

Experimental results of the control of a vortical flow by tangential blowing  
[NASA-CR-178932] p 742 N86-30094

International Aviation (selected articles)  
[AD-A166748] p 687 N86-30690

PAN AIR application to the F-106B  
[NASA-CR-178185] p 698 N86-30688

LEAKAGE  
The effect of water ingress on buoyancy and thermal quality of survival suits  
p 261 A86-19333

LEARNING MACHINES  
Instructor station for the ILLIMAC general aviation instrument training simulator  
p 371 A86-28462

LEAST SQUARES METHOD  
On the numerical solution of nonlinear problems in fluid dynamics by least squares and finite element methods.  
II - Applications to transonic flow simulations  
p 144 A86-17886

Efficient identification of critical stresses in structures subject to dynamic loads  
p 380 A86-26882

Performance characteristics of an adaptive controller based on least-mean-square filters  
[AIAA PAPER 86-2160] p 852 A86-47486

Parametric determination of lift interference for three-dimensional models in the Emmen (Switzerland) aircraft works wind tunnel  
[F+W-FO-1740] p 277 N86-18304

LEE WAVES  
An extreme clear air turbulence incidence associated with a strong downslope windstorm  
[AIAA PAPER 86-0329] p 259 A86-19816

LEGAL LIABILITY  
Liability of air traffic control agencies and airport operators in civil law jurisdictions  
p 130 A86-14372

Systems safety: Phantom or reality  
[SNIAS-852-422-103] p 215 N86-17330

LEGENDRE FUNCTIONS  
Optimal control of deterministic systems via shifted Legendre polynomials  
p 530 A86-34140

LENS DESIGN  
An improved optical viewing system for a flight simulator  
[MS-8025] p 840 N86-32448

LEVERS  
Design of a nonlinear lever-type mechanism for aircraft control systems  
p 835 A86-49139

LIAPUNOV FUNCTIONS  
Liapunov function for studying the stability in the whole of nonlinear systems  
p 331 A86-23576



## LIBRARIES

- Development and evaluation of math library routines for a 1750A airborne microcomputer  
[AD-A164050] p 533 N86-26030
- LIE GROUPS**
- Decoupling of nonlinear systems, noncommutative generatrix series, and Lie algebras p 618 A86-37395
- A method for calculating flow fields around moving bodies  
[NAL-TR-859T] p 88 N86-13286
- LIFE (DURABILITY)**
- A scientific method for determining the useful life of explosive devices in aircraft p 243 A86-19312
- Life prediction for aromatic polyamide reinforcements p 377 A86-27691
- Fatigue life analysis of a turboprop reduction gearbox [ASME PAPER 85-DET-10] p 738 A86-45256
- Superalloy component durability enhancements p 739 A86-46582
- Comparison of methods for lifetime calculations of highly loaded aero-engine discs  
[ASME PAPER 86-GT-102] p 814 A86-48165
- Toward improved durability in advanced combustors and turbines - Progress in prediction of thermomechanical loads  
[ASME PAPER 86-GT-172] p 815 A86-48224
- A durable airfield marking system  
[AD-A157953] p 113 N86-13339
- Problems found when introducing new materials - aircraft industry  
[SNIAS-852-551-101] p 198 N86-16190
- An analysis of rig test disc failures  
[PNR-90276] p 237 N86-16224
- Thermal barrier coating life prediction model development  
[NASA-CR-175067] p 452 N86-22713
- A systems engineering methodology for the advanced tactical aircraft  
[AD-A162049] p 437 N86-23593
- System life and reliability modeling for helicopter transmissions  
[NASA-CR-3987] p 525 N86-24990
- LIFE CYCLE COSTS**
- Materials and manufacturing processes for advanced jet engines p 105 A86-13173
- Impact of composite materials on advanced fighters p 245 A86-21722
- Life cycle cost and availability in military aeronautics p 266 A86-21872
- The Air Force approach to environmental stress screening p 253 A86-22192
- Small propulsion engine LCC considerations p 267 A86-22399
- Logistics supportability considerations during conceptual and preliminary design p 426 A86-30550
- Effect of engine technology on advanced fighter design and cost p 644 A86-41891
- Small turbohaft/turboprop engine technology study  
[AIAA PAPER 86-1623] p 647 A86-42757
- A jet fuel starter and expendable turbojet  
[ASME PAPER 86-GT-1] p 812 A86-48101
- Life cycle cost methodology for preliminary design evaluation  
[ASME PAPER 86-GT-37] p 812 A86-48124
- Comparison of quantity versus quality using performance, reliability, and life cycle cost data. A case study of the F-15, F-16, and A-10 aircraft  
[AD-A162238] p 470 N86-24580
- LIFE SCIENCES**
- USSR report: Space  
[JPRS-USP-85-005] p 131 N86-14111
- LIFE SUPPORT SYSTEMS**
- SAFE Association, Annual Symposium, 22nd, Las Vegas, NV, December 9-13, 1984, Proceedings  
[AD-A161935] p 212 A86-18301
- U.S. Navy ALSS corporate report 1984 p 261 A86-19309
- Altitude and acceleration protection system for high performance aircraft p 217 A86-19314
- Accident investigation as a way of assessing aviation life support system performance p 212 A86-19323
- Pilot underwater high pressure emergency breathing system p 261 A86-19343
- Aircrew protection design, training and mission management for high altitude aerodynamic operations p 761 A86-47778
- An examination of the life support equipment development and acquisition process  
[AD-A162241] p 463 N86-24221
- Report on interest expressed in some Australian Defence Establishment products displayed at the 1985 Paris Air Show  
[AD-A160807] p 498 N86-25341

## LIFT

- Characteristics of the lifting properties of aircraft with sweptforward wings at supersonic velocities p 98 A86-13371
- Effect of cantilevers on the lift characteristics of a thin swept wing and vortex-wake stability p 81 A86-13422
- An experimental investigation of an airfoil pitching at moderate to high rates to large angles of attack  
[AIAA PAPER 86-0008] p 198 A86-19631
- Computation of dynamic stall of NACA0012 airfoil by block pentadiagonal matrix scheme  
[AIAA PAPER 86-0116] p 199 A86-19697
- Lift-curve characteristics for an airfoil pitching at constant rate  
[AIAA PAPER 86-0117] p 199 A86-19698
- Wind tunnel wall influence considering two-dimensional high-lift configurations p 308 A86-23187
- Two-dimensional scheme "DLM-C" to examine subsonic unsteady lifting surface schemes for finite span p 275 A86-25239
- The induced downwash and lift on a wing of high aspect ratio in unsteady motion p 474 A86-34160
- Nonlinear lift control at high speed and high angle of attack using vortex flow technology p 478 A86-37050
- Estimation of lift losses of hovering vehicles using a single jet  
[SAE PAPER 851842] p 579 A86-38339
- Lifting surface theory for the rest of us  
[AIAA PAPER 86-1025] p 552 A86-38880
- Application of continuous vorticity panels to general unsteady incompressible two-dimensional lifting flows p 624 A86-41890
- Far-field boundary conditions for transonic lifting solutions to the Euler equations p 689 A86-44855
- Lifting-line solution for a symmetrical thin wing in ground effect p 688 A86-44874
- Integration of singular functions associated with lifting surface theory p 689 A86-44875
- A study of the relationship between nonlinear changes in the lifting force and the vortex structure of flow around a low aspect ratio wing at large angles of attack p 767 A86-48762
- Calculation of flow over multielement airfoils at high lift p 772 A86-49011
- The high lift development of the A320 aircraft p 772 A86-49012
- The prediction of lift inferred from downstream vorticity measurements p 775 A86-49102
- On the computation of wing lift interference caused by high bypass engines p 776 A86-49109
- PN/S calculations for a fighter W/F at high-lift yaw conditions - parabolized Navier-Stokes computer code  
[AIAA PAPER 86-1829] p 779 A86-49568
- Cancellation zone in supersonic lifting wing theory p 780 A86-49824
- Fluid forces on two circular cylinders in crossflow  
[DE85-014294] p 124 N86-13704
- Lifting surface theory for a helicopter rotor in forward flight p 156 N86-15287
- Prediction of wing aeroelastic effects on aircraft lift and pitching moment characteristics  
[NASA-TM-87631] p 178 N86-15319
- Ferromagnetic resonance probe liftoff suppression apparatus  
[AD-D011913] p 190 N86-15647
- Low speed aerodynamic characteristics of a two-dimensional sail wing with adjustable slack of the sail  
[VTH-LR-307] p 211 N86-17314
- Parametric determination of lift interference for three-dimensional models in the Emmen (Switzerland) aircraft works wind tunnel  
[F+W-FO-1740] p 277 N86-18304
- Lift distribution on a high aspect ratio circulation control wing with root lift outout  
[AD-A157024] p 341 N86-20368
- After action report, CH-47 recovery using D-PAAC  
[AD-A161935] p 437 N86-23589
- Increments in aerfoil maximum lift coefficient due to deployment of various high-lift devices  
[ESDU-85033] p 480 N86-25325
- Vortex lift research: Early contributions and some current challenges p 556 N86-27191
- Extensions of the concept of suction analogy to prediction of vortex lift effect p 556 N86-27193
- Effects of aerodynamic lags on aircraft responses p 564 N86-27257
- The use of a panel code on high lift configurations of a swept forward wing  
[NASA-CR-176968] p 631 N86-28916
- Flow past a flat plate with a vortex/sink combination  
[NASA-CR-176908] p 676 N86-29159
- Influence of the angle of attack and flutter on the lift of a supercritical wing. Comparison between theory and experiment  
[ONERA-RT-24/3064-RY-044-R] p 695 N86-29786

- A fundamental study of drag and an assessment of conventional drag-due-to-lift reduction devices  
[NASA-CR-4004] p 745 N86-30999
- LIFT AUGMENTATION**
- Vortices produced by air pulse injection from the surface of an oscillating airfoil  
[AIAA PAPER 86-0118] p 199 A86-19699
- Lift augmentation via spanwise tip blowing - A numerical study  
[AIAA PAPER 86-0474] p 202 A86-19893
- Influence of wing tip configuration on lateral blowing efficiency  
[AIAA PAPER 86-0475] p 206 A86-22702
- Means to increase the lift on aircraft wing profiles p 271 A86-23776
- Improved numerical method for lifting airfoils with oscillating control surfaces in subsonic flow p 409 A86-31021
- Requirements for future RALS/STOVL operating concepts - Remote Augmented Lift System  
[SAE PAPER 851840] p 578 A86-38337
- Trapping of a free vortex by airfoils with surface suction p 780 A86-49801
- Experimental study of apex fences for lift enhancement on a highly swept delta wing configuration  
[AD-A163877] p 512 N86-24705
- The lift of sharp-leading-edged delta wings with blowing  
[NASA-CR-176967] p 631 N86-28915
- Experimental results of the control of a vortical flow by tangential blowing  
[NASA-CR-176932] p 742 N86-30094
- International Aviation (selected articles)  
[AD-A166748] p 687 N86-30690
- LIFT DEVICES**
- Development of pneumatic thrust-deflecting powered-lift systems  
[AIAA PAPER 86-0476] p 219 A86-19894
- Instrumentation of a light twin aircraft for flow energizer flight tests  
[AIAA PAPER 86-9759] p 438 A86-32099
- Aerodynamic characteristics of a circulation controlled symmetrical airfoil with dual jet p 541 A86-37196
- The use of the magnetic aerohydrodynamic analogy method to simulate three-dimensional flow past aircraft, taking powerplant operation into account p 770 A86-48833
- Investigations on efficient numerical method for subsonic lifting surfaces p 209 N86-17285
- Application of a constrained inverse method in the aerodynamic design of a low speed wing-slat configuration  
[NLR-TR-83123-U] p 211 N86-17320
- A system for computer aided analysis and design of multielement airfoils: MAD  
[NLR-TR-83138-U] p 212 N86-17321
- Compressible, unsteady lifting-surface theory for a helicopter rotor in forward flight  
[NASA-TP-2503] p 277 N86-18289
- Procedure for utilizing the lift and thrust forces of ornithopters  
[NASA-TM-77682] p 357 N86-21534
- Analysis of wings with leading edge and/or trailing edge segmented (spanwise) flaps using planar horse shoe vortex lattice method  
[NAL-TM-AE-8507] p 559 N86-27212
- An exact formulation of the unsteady aerodynamic theory of lifting surfaces undergoing arbitrary small motions in a supersonic flow field p 696 N86-30634
- LIFT DRAG RATIO**
- Surface wetting effects on a laminar flow airfoil in simulated heavy rain p 162 A86-17780
- Energy saving in aircraft p 288 A86-25188
- Design of the 225-knot conventional rotor p 289 A86-26116
- An experimental study of the lift, drag and static longitudinal stability for a three lifting surface configuration  
[AIAA PAPER 86-0396] p 365 A86-26629
- An application of the Carson cruise optimum airspeed - A compromise between speed and efficiency  
[SAE PAPER 850687] p 582 A86-38508
- An experimental study of a three lifting surface configuration p 775 A86-49104
- The behaviour and performance of leading edge vortex flaps  
[CAR-8601] p 479 N86-24686
- Experimental assessment of vortex retaining cavity flaps for maneuverability improvement on delta wing fighter aircraft  
[AD-A164104] p 497 N86-24680
- Experimental study of apex fences for lift enhancement on a highly swept delta wing configuration  
[AD-A163877] p 512 N86-24705



Transonic airfoil analysis and design in nonuniform flow  
[NASA-CR-3991] p 480 N86-25328

Analytical observations on the aerodynamics of a delta wing with leading edge flaps  
[NASA-CR-177022] p 630 N86-28913

**LIFTING BODIES**

Doublet strip method for oscillating rectangular wings in subsonic flow p 274 A86-25189

Optimal lifting surfaces of wings of complex configurations at supersonic flight velocities p 288 A86-25423

Aerodynamics of lifting surfaces in steady flow — Russian book p 275 A86-25599

An experimental study of the lift, drag and static longitudinal stability for a three lifting surface configuration [AIAA PAPER 86-0398] p 365 A86-26629

On the exact solution of the linearized lifting-surface problem of an elliptic wing p 409 A86-31132

An exact formulation of the unsteady aerodynamic theory of lifting surfaces undergoing arbitrary small motions in a supersonic flow field p 413 A86-33235

The method of fundamental solutions in aerodynamics. II - Applications to the theory of lifting surfaces in supersonic flow p 477 A86-36285

Lifting surface theory for the rest of us [AIAA PAPER 86-1025] p 552 A86-38880

Integrated aeroservoelastic tailoring of lifting surfaces [AIAA PAPER 86-1005] p 594 A86-38948

Lifting bodies designed for flow behind axisymmetric conical shock waves p 554 A86-39660

Unsteady transonic flow calculations for interfering lifting surface configurations p 623 A86-40118

Effect of longitudinal-contour shape on the aerodynamic characteristics of lifting bodies at supersonic and hypersonic flight velocities p 628 A86-43402

Features of the flow structure around polygonal lifting bodies at supersonic velocities p 628 A86-43421

An experimental study of a three lifting surface configuration p 775 A86-49104

Lifting surface theory for a helicopter rotor in forward flight p 156 N86-15287

Investigations on efficient numerical method for subsonic lifting surfaces p 209 N86-17285

Theoretical prediction of wing rocking p 564 N86-27256

Formal optimization of hovering performance using free wake lifting surface theory [NASA-CR-177103] p 640 N86-28935

An exact formulation of the unsteady aerodynamic theory of lifting surfaces undergoing arbitrary small motions in a supersonic flow field p 696 N86-30634

**LIFTING ROTORS**

Stability and control of VTOL capable airships in hovering flight p 109 A86-14236

Compressible, unsteady lifting-surface theory for a helicopter rotor in forward flight [NASA-TP-2503] p 277 N86-18289

Formal optimization of hovering performance using free wake lifting surface theory [NASA-CR-177103] p 640 N86-28935

**LIGHT AIRBORNE MULTIPURPOSE SYSTEM**

A structured approach for integration and test of avionics systems p 170 A86-18423

**LIGHT AIRCRAFT**

Tomorrow's fleet - The light helicopter family (LHX) p 98 A86-16097

The role of simulation for the LHX p 164 A86-18421

Analytical methods for LHX mission and task analysis p 157 A86-18452

Laboratory study of the effects of sidewall treatment, source directivity and temperature on the interior noise of a light aircraft fuselage [AIAA PAPER 86-0390] p 219 A86-19851

The evolution of reciprocating engines at Lycoming p 267 A86-22135

One man and 3,000 million operations a second - Preparing for the LHX cockpit p 286 A86-24988

Light aircraft - The way ahead in design and operation; Proceedings of the Symposium, Loughborough, England, March 31, April 1, 1984 p 354 A86-28093

Aircraft of special configurations — Russian book p 335 A86-28521

Logistics supportability considerations during conceptual and preliminary design p 426 A86-30550

Instrumentation of a light twin aircraft for flow energizer flight tests [AIAA PAPER 86-9759] p 438 A86-32099

Development of spin resistance criteria for light general aviation airplanes [AIAA PAPER 86-9812] p 443 A86-32139

Calculation of the load distribution, aerodynamic derivatives and dynamic characteristics of quasi-static elastic aircraft p 413 A86-33240

Experience with aeroelastic analysis of a single engine turbo trainer using finite elements methods p 433 A86-33247

Application of helicopter air-to-air combat test (AACT) data to current LHX concerns p 491 A86-35627

A computer controlled autopilot and an annunciation system for light aircraft p 511 A86-36871

Research on the technology of an airplane concept for a Stationary High-Altitude Relay Platform (SHARP) p 586 A86-39564

Small engine propulsion readiness for the 21st century [AIAA PAPER 86-1824] p 647 A86-42758

Comparison of modal analysis methods on a light aircraft p 730 A86-44933

Flight testing the Voyager - A non-stop, unrefueled, around-the-world aircraft p 710 A86-44948

Statistical analysis of the influence of service parameters on the aeroacoustic effects p 712 A86-45750

A proposed plane for the initial flight testing of a Rutan Aircraft Factory long-EZ and other light amateur experimental aircraft p 794 A86-47777

Canard canard — performance of light aircraft p 783 A86-49682

Light helicopter family trade-off analysis. Volume 4: Appendix N [AD-A158075] p 168 N86-15306

Light helicopter family trade-off analysis. Volume 8: Appendices S and T [AD-A158077] p 169 N86-15306

Dynamic identification procedure and lift certification of light aircraft and gliders [ONERA-RT-12/1677-RY-090-R] p 809 N86-32429

**LIGHT ALLOYS**

New alloys from the quantum engineer p 663 A86-42424

**LIGHT BEAMS**

Gyroscopes may cease spinning — in inertial guidance systems p 320 A86-25865

**LIGHT EMITTING DIODES**

Advanced light emitting diode (LED) displays-paced by technology or systems application? p 171 A86-18458

**LIGHT MODULATION**

Application of magneto-optic modulators to advanced avionic displays p 360 A86-28506

**LIGHT SOURCES**

Portable glide slope indicator [AD-D012240] p 789 N86-31552

**LIGHTING EQUIPMENT**

Hughes helicopters AH-64A electroluminescent lighting p 171 A86-18463

Aircraft lighting systems p 491 A86-35607

Obstruction marking and lighting [AC-70/7460-1G] p 371 N86-20410

Controlled impact demonstration on-board (interior) photographic system p 392 N86-21946

**LIGHTNING**

Description of and results from camera systems for recording daytime lightning strikes to an airplane in flight [AIAA PAPER 86-0020] p 230 A86-19636

Locating and demagnetizing magnetized aircraft components following a lightning stroke p 286 A86-23767

Lightning simulation tests on a graphite/epoxy airplane mockup p 355 A86-28514

NASA storm hazards research in lightning strikes to aircraft p 566 A86-37479

Wide area real-time thunderstorm mapping using LPATS - The lightning position and tracking system p 614 A86-37487

Lightning measurements of an aircraft flying at low altitude p 567 A86-37490

International Aerospace and Ground Conference on Lightning and Static Electricity, 10th, and Congress International Aeronautique, 17th, Paris, France, June 10-13, 1985, Proceedings p 844 A86-47292

Comparison of published HEMP and natural lightning on the surface of an aircraft — High-Altitude Electromagnetic Pulse p 783 A86-47293

Electromagnetic interaction of external impulse fields with aircraft p 790 A86-47295

Induced surface currents and fields on a conducting body by a lightning strike (frequency domain) p 844 A86-47296

Induced current surface density after a direct lightning strike on an aircraft p 790 A86-47297

Location of lightning strokes on aircraft in storm field with measured electrical, microphysical and dynamical properties p 783 A86-47299

Design of a fast risetime lightning generator p 837 A86-47304

Implementation of a crowbar switch in a Marx generator/peaking capacitor lightning simulator system p 790 A86-47305

The observation of high frequency B(dot) and D(dot) transients excited on a fuselage by an impulse generator p 790 A86-47306

Lightning simulation tests on FAA CV-580 lightning research aircraft p 790 A86-47307

Optical detection methods for testing of fuel tank lightning ignition hazards p 791 A86-47309

High voltage laboratory tests and lightning phenomena p 844 A86-47312

Aircraft lightning attachment at low altitudes p 791 A86-47317

Research in lightning swept-stroke attachment patterns and flight conditions with the NASA F-106B airplane p 791 A86-47318

Implications associated with the operation of digital data processing in the presence of the relatively harsh EMP environments produced by lightning p 809 A86-47319

Recent in-flight data and electromagnetic response of an aircraft structure struck by lightning p 804 A86-49132

F-106 data summary and model results relative to threat criteria and protection design analysis p 786 A86-50259

A wide bandwidth electrostatic field sensor for lightning research p 850 A86-50260

Interpretation of F-106B in-flight lightning signatures [NASA-CR-176387] p 100 N86-13320

Mobile intercept of storms p 181 N86-15771

Atmospheric electricity hazards threat environment definition [AD-A159739] p 324 N86-18909

Lightning protection guidelines and test data for adhesively bonded aircraft structures [NASA-CR-3762] p 436 N86-23586

Statistical analysis of direct-strike lightning data (1980 to 1982) [NASA-TP-2252] p 463 N86-24090

The 1982 direct strike lightning data [NASA-TM-84626] p 463 N86-24091

Storm precipitation and wind structure during aircraft strike lightning events p 463 N86-24100

Comparison of absorption and radiation boundary conditions using a time-domain three-dimensional finite difference electromagnetic computer code [AD-A183828] p 532 N86-25149

Lightning discharge protection rod [NASA-CASE-LAR-13470-1] p 569 N86-26296

Analysis of direct and nearby lightning strike data for aircraft [NASA-CR-172127] p 617 N86-27855

Development of airborne electric field and lightning detection instrumentation for aviation safety [AD-A167342] p 701 N86-30705

**LIGHTNING SUPPRESSION**

Electrically conductive structural adhesive p 115 A86-13170

Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes [AIAA PAPER 86-0021] p 213 A86-19637

The lightning threat to aerospace vehicles p 214 A86-20182

FAA certification criteria for lightning protection of helicopter digital engine control p 482 A86-35609

Protecting electronics against lightning gets harder p 833 A86-41034

Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes p 834 A86-41695

Multipath lightning protection for composite structure integral fuel tank design p 790 A86-47308

The energy requirements of an aircraft triggered discharge p 844 A86-47315

Ranging and azimuthal problems of an airborne crossed loop used as a single-station lightning locator p 809 A86-47325

Lightning-induced transient test on a transport aircraft p 791 A86-47327

Ring discharge on the backsurface of a composite skin with ohmic anisotropy in response to frontal high current injection p 845 A86-47329

Lightning stroke tests at the CFRP horizontal stabilizer of alpha jet p 792 A86-47331

Aspects of lightning protection schemes for radomes p 792 A86-47338

Aircraft protection against lightning strikes p 806 A86-50347

Weather radar studies [AD-A161822] p 394 N86-22081

Interaction between EMP (Electromagnetic Pulse), lightning and static electricity with aircraft and missile avionics systems [AGARD-LS-144] p 702 N86-30706

**LIKELIHOOD RATIO**

Aircraft control surface failure detection and isolation using the OSGLR test — orthogonal series generalized likelihood ratio [AIAA PAPER 86-2028] p 821 A86-47419

The evaluation of failure detection and isolation algorithms for restructurable control [NASA-CR-177983] p 93 N86-13310

The evaluation of the OSLR algorithm for restructurable controls [NASA-CR-178083] p 485 N86-24678

**LIMBS (ANATOMY)**

Limb Restraint Evaluator (LRE) p 261 A86-19329

Flow stagnation as an advanced windblast protection technique — for ejection seat safety p 793 A86-47727

**LIMITS (MATHEMATICS)**

Interactive aircraft flight control and aeroelastic stabilization [NASA-CR-178323] p 110 N86-12233

**LINE OF SIGHT**

Radio communication between manoeuvring platforms p 456 A86-31821

**LINE OF SIGHT COMMUNICATION**

A technique to evaluate the accessibility of airborne receivers to interfering signals p 572 A86-37555

**LINEAR EQUATIONS**

Simple approximations of functions with additional constraints p 192 A86-18918

Aeroelastic control of oblique-wing aircraft [NASA-TM-86808] p 595 N86-26340

**LINEAR FILTERS**

New linear tracking filters — for modeling target maneuvering aircraft motion p 508 A86-35342

**LINEAR PREDICTION**

Real-time open-loop frequency response analysis of flight test data [AIAA PAPER 86-9738] p 443 A86-32084

**LINEAR SYSTEMS**

Linear-quadratic Gaussian with loop-transfer recovery methodology for the F-100 engine p 233 A86-20233

Numerical fixed-point solution for near-optimum regulators of linear quadratic Gaussian control problems for singularly perturbed systems p 396 A86-26577

Minimax frequency domain optimization of multivariable linear feedback systems p 465 A86-33127

Eigenstructure assignment: A tutorial. I - Theory — for linear time invariant systems p 531 A86-35358

Time domain control design for robust stability of linear regulators - Application to aircraft control p 508 A86-35383

Linear dynamic coupling in geared rotor systems [ASME PAPER 85-DET-11] p 608 A86-38617

The design and implementation of multivariable variable structure control systems p 679 A86-40762

Robust simplified adaptive control for a class of multivariable continuous-time systems p 680 A86-42860

Dual control and prevention of the turn-off phenomenon in a class of mimo systems p 681 A86-43000

The singular-G method for unstable non-minimum-phase plants p 747 A86-45736

Sensitivity analysis of high-order digital flight control systems using singular-value concepts [AIAA PAPER 86-2084] p 822 A86-47437

A design methodology for robust stabilizing controllers [AIAA PAPER 86-2195] p 823 A86-47475

Automated pole placement algorithm for multivariable optimal control synthesis [AIAA PAPER 86-2196] p 852 A86-47476

A method to stabilize linear systems using eigenvalue gradient information [NASA-TP-2479] p 128 N86-13946

Maximum-likelihood estimation of parameters in linear systems from flight test data. A FORTRAN program [ESA-TT-896] p 264 N86-16989

Application of mathematical optimization procedures to a structural model of a large finite-element wing [NASA-TM-87597] p 322 N86-19661

Natural laminar flow flight experiments on a swept wing business jet-boundary layer stability analyses [NASA-CR-3975] p 478 N86-24659

An LQG up-and-away flight control design for the STOL F-15 aircraft [AD-A164108] p 512 N86-24707

LQG/LTR design of a robust flight controller for the STOL F-15 [AD-A164111] p 512 N86-24708

An LQG up-and-away flight control design for the STOL F-15 aircraft [AD-A164108] p 512 N86-25384

Introduction to robust multivariable control [AD-A165891] p 727 N86-29669

Control design for robust stability in linear regulators: Application to aerospace flight control [NASA-CR-176858] p 749 N86-31265

**LINEARIZATION**

A linearized theory for swirling supersonic jets and its application to shock-cell noise p 186 A86-17137

A parallel quasi-linearization algorithm for air vehicle trajectory optimization [AIAA PAPER 85-0498] p 243 A86-20244

**LINKS (GEOMETRY)**

A method for arranging nodes along the lines of a computational grid during the numerical solution of problems in mathematical physics p 127 A86-13409

**LININGS**

Small gas turbine combustor experimental study - Compliant metal/ceramic liner and performance evaluation [AIAA PAPER 86-1452] p 818 A86-49611

Cooling techniques for turbojet pre-heater channels p 741 N86-29847

Small gas turbine combustor experimental study: Compliant metal/ceramic liner and performance evaluation [NASA-TM-87304] p 819 N86-31582

**LINKAGES**

On the methodology of an interactive computer-aided optimal design of a dual-valve linkage p 523 A86-36887

Safety recommendation [NTSB-A-86-22] p 699 N86-28790

**LIQUID CHROMATOGRAPHY**

An analysis of the quality of aviation lubricants by liquid and gas-liquid chromatography p 844 A86-49984

Development of LC-13C NMR [NASA-CR-176656] p 379 N86-21704

Chemical control for Airbus composites. HPLC standardization [I-104/84] p 664 N86-28133

**LIQUID COOLING**

High performance, stratified charge rotary engines for general aviation [AIAA PAPER 86-1553] p 647 A86-42710

Dual mode heat exchanger [AD-D012156] p 524 N86-24944

**LIQUID CRYSTALS**

Aramid fiber composites for general engineering p 517 A86-37137

Liquid-crystal goggles permit visual simulations of restricted visibility p 718 A86-46150

A new method for laminar boundary layer transition visualization in flight: Color changes in liquid crystal coatings [NASA-TM-87686] p 342 N86-21518

**LIQUID FILLED SHELLS**

Calculation of the heating of a liquid component partially filling a container p 316 A86-23653

Pressure measurements in a liquid-filled cylinder using a three-degree-of-freedom flight simulator [AIAA PAPER 86-2026] p 827 A86-47680

Parametric study of low Reynolds number processing/spinning incompressible flows — applicable to flight stability of liquid-filled projectiles [AIAA PAPER 86-2027] p 827 A86-47661

**LIQUID FUELS**

Liquid fueled supersonic combustion ramjets - A research perspective of the past, present and future [AIAA PAPER 86-0158] p 236 A86-22679

Gas turbine fuels and their influence on combustion — Book p 312 A86-23274

Conical grid plate flame stabilizers - Stability and emissions for liquid fuels [ASME PAPER 86-GT-156] p 842 A86-48210

**LIQUID HYDROGEN**

Liquid hydrogen fueled passenger aircraft [AD-A166229] p 717 N86-30724

**LIQUID NITROGEN**

Cryogenic wind tunnels: Problems of continuous operation at low temperatures [NASA-TM-88448] p 656 N86-28099

**LIQUID OXYGEN**

Oxygen chemisorption cryogenic refrigerator [NASA-CASE-NPO-16734-1-CU] p 612 N86-27467

**LIQUID PROPELLANT ROCKET ENGINES**

Lizzy - The first British liquid propellant rocket motor p 195 A86-18481

**LIQUID SLOSHING**

Calculation of the heating of a liquid component partially filling a container p 316 A86-23653

Energy dissipation of liquids in rotating spherical tanks measured by a forced motion-spin table [AD-A161864] p 460 N86-23874

**LIQUID SURFACES**

Free-surface flows — Russian book p 458 A86-33293

**LIQUID-GAS MIXTURES**

An experimental study of a vacuum water-air ejector with a multichannel liquid-supply nozzle ensuring jet-pair collision p 119 A86-13382

**LIQUIDS**

Energy dissipation of liquids in rotating spherical tanks measured by a forced motion-spin table [AD-A161864] p 460 N86-23874

**LISP (PROGRAMMING LANGUAGE)**

Development of a knowledge acquisition tool for an expert system flight status monitor [AIAA PAPER 86-0240] p 230 A86-19764

Smart Built-in-Test (BIT) p 747 A86-43889

**LISTS**

Cost estimating relationships for fixed wing aircraft: List price versus empty weight [AD-A164196] p 537 N86-25300

**LITHIUM ALLOYS**

The new aluminum alloys for the aeronautical industry p 373 A86-26334

Strength profile in Al-Li plate material p 374 A86-27198

Ingot metallurgy aluminum - Lithium alloys for aircraft structure [AIAA PAPER 86-0690] p 603 A86-38822

Aluminum-lithium alloys III; Proceedings of the Third International Aluminium-Lithium Conference, Oxford University, England, July 8-11, 1985 p 659 A86-40251

Overview — of new metallic and nonmetallic aircraft materials p 659 A86-40252

Production of aluminium-lithium alloy with high specific properties p 659 A86-40255

'Althalite' alloys - Progress, products and properties p 660 A86-40256

Adhesive bonding of aluminium-lithium alloys p 660 A86-40267

Comparison of corrosion behaviour of lithium-containing aluminium alloys and conventional aerospace alloys p 660 A86-40280

Textures developed in Al-Li-Cu-Mg alloy p 660 A86-40291

Coarsening of delta prime, T1, S prime phases and mechanical properties of two Al-Li-Cu-Mg alloys p 660 A86-40303

Development of properties within high-strength aluminium-lithium alloys p 660 A86-40304

Effect of precipitation on mechanical properties of Al-Li-Cu-Mg-Zr alloy p 661 A86-40306

Deformation and fracture in Al-Li base alloys p 661 A86-40312

Problems found when introducing new materials — aircraft industry [SNIA-852-551-101] p 198 N86-16190

The development of aluminum-lithium alloys for aerospace applications p 451 N86-22616

**LOAD DISTRIBUTION (FORCES)**

Improved doublet lattice method for oscillating swept tapered wings in incompressible flow p 274 A86-25200

Calculation of the load distribution, aerodynamic derivatives and dynamic characteristics of quasi-static elastic aircraft p 413 A86-33240

Preliminary airworthiness evaluation of the AH-1S (modernized cobra) with the Hellfire, TOW, and Stinger missiles installed [AD-A160662] p 294 N86-18322

Optimization of tip store modeling [AD-A162119] p 417 N86-23571

Aircraft barricade [AD-D012194] p 656 N86-28102

**LOAD TESTS**

Developmental testing for composite frames — of helicopters p 163 A86-18403

Verification of static rotor-load measurement capabilities of the RSRA helicopter active-isolator system p 165 A86-18428

Variation of effective stress range ratio under simple variable amplitude loading p 453 A86-30014

Digital servocontroller system. Volume 1: Operations manual [AD-A158392] p 192 N86-14960

Digital servocontroller system. Volume 2. Maintenance manual [AD-A159066] p 179 N86-15322

Standardised fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation [RAE-TR-84084] p 226 N86-17336

Standardised fatigue loading sequences for helicopter rotors (Helix and Felix). Part 2: Final definition of Helix and Felix [RAE-TR-84085] p 226 N86-17337

The postbuckling behavior of blade-stiffened carbon epoxy panels loaded in compression — semisubmersible platform [NLR-MP-85019-U] p 611 N86-26661

**LOADING MOMENTS**

Algorithms for the reduction of wind-tunnel data derived from strain gauge force balances [ARL/AERO-R-164] p 113 N86-13337

- The experimental determination of the subsonic aerodynamic characteristics of an Ogive-Cylinder body including a comparison with theoretical estimates, volume 1  
[CAR-8509] p 151 N86-15242
- TURBISTAN: A standard load sequence for aircraft engine discs p 526 N86-25380
- LOADING RATE**  
Performance computation of turbofan and turbojet engines in off-design conditions  
[F+W-FO-1748] p 305 N86-19323
- LOADS (FORCES)**  
Optimization of structural load-bearing designs using anisotropic models according to aeroelasticity conditions p 98 A86-13438  
Cutouts in load-bearing structures — Russian book p 120 A86-13483  
Recent developments in the dynamics of advanced rotor systems. I p 586 A86-39597  
Determining component loads and stresses with improved system modeling techniques p 740 A86-47122  
Comparison of methods for lifetime calculations of highly loaded aero-engine discs  
[ASME PAPER 86-GT-102] p 814 A86-48165  
Dynamic response of the A310 in flight to control-surface loading  
[AAAF PAPER NT 85-18] p 797 A86-48467  
Load examination of vehicle-body of reinforced cylindrical shell in case of kinematic load p 849 A86-49128  
Digital servocontroller system. Volume 4. Results and conclusions  
[AD-A159068] p 111 N86-13335  
Failure mechanisms of laminates transversely loaded by bolt push-through  
[NASA-TM-87803] p 184 N86-14314  
An examination of the relations between rotor vibratory loads and airframe vibrations p 177 N86-15299  
Analysis of potential helicopter vibration reduction concepts p 178 N86-15302  
Adaptation of a modern medium helicopter (Sikorsky S-76) to higher harmonic control p 178 N86-15303  
Evaluation of a load cell model for dynamic calibration of the rotor systems research aircraft p 168 N86-15304  
Digital servocontroller system. Volume 2. Maintenance manual  
[AD-A159066] p 179 N86-15322  
Stress analysis of 27% scale model of AH-64 main rotor hub  
[NASA-TM-87825] p 256 N86-16613  
General aviation crashworthiness project, phase 3: Acceleration loads and velocity changes of survivable general aviation accidents  
[NTSB/SR-85-02] p 280 N86-18308  
Loads and aeroelasticity division research and technology accomplishments for FY 1985 and plans for FY 1986  
[NASA-TM-87678] p 278 N86-19288  
Growth of cracks under constant amplitude fatigue loading: Example calculations  
[ESDU-84001] p 322 N86-19642  
Structural loads preliminary results p 391 N86-21940  
Controlled impact demonstration airframe bending bridges p 391 N86-21943  
Standardized fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation. Part 2: Final definition of Helix and Felix [LBF-FB-187] p 436 N86-23585  
Throttle dependent forces: A primer  
[AD-A162939] p 442 N86-23599  
A research program in active control/aeroelasticity  
[NASA-CR-176773] p 511 N86-24702  
A review of the pilot backache problem in the CH113 Labrador helicopter  
[AD-A164011] p 530 N86-25113  
Loads calibrations of strain gage bridges on the DAST project Aeroelastic Research Wing (ARW-2)  
[NASA-TM-87677] p 639 N86-28075  
An introductory course on aircraft loading  
[NLR-MP-84090-U] p 641 N86-28943  
Technique for measuring side forces on a banked aircraft with a free-swiveling nose gear  
[NASA-TM-87719] p 743 N86-30233  
TURBISTAN: A standard load sequence for aircraft engine discs  
[NLR-MP-85033-U] p 820 N86-32436  
Review of aeronautical fatigue investigations in the Netherlands during the period March 1983 - February 1985  
[NLR-MP-85025-U] p 851 N86-32779
- LOCKHEED AIRCRAFT**  
Stealth p 134 A86-17434  
Stealth comes stealthily p 495 A86-36334
- Aircraft accident report: Galaxy Airlines, Inc., Lockheed Electra-L-188C, N5532, Reno, Nevada, January 21, 1985  
[P886-910401] p 344 N86-21526  
National Transportation Safety Board safety recommendation  
[NTSB-A102C/300A] p 571 N86-27267
- LOGIC**  
Application of fuzzy logic to the estimation of software reliability for computer systems p 396 A86-27472
- LOGIC CIRCUITS**  
Video processor for air traffic control beacon system  
[NASA-CASE-KSC-11155-1] p 283 N86-19304
- LOGIC DESIGN**  
Control law and logic development for controllable ejection seat catapult p 218 A86-19320  
Applications of expert systems p 330 N86-19634  
F-15 digital electronic engine control system description p 504 N86-25345  
[PAPER-3] p 504 N86-25345  
[PAPER-4] p 504 N86-25346  
Airstart performance of a digital electronic engine control system on an F100 engine p 505 N86-25350  
[PAPER-8] p 505 N86-25350  
The impact of very high performance integrated circuits on avionics system readiness p 674 N86-28373
- LOGIC PROGRAMMING**  
A.I.-based real-time support for high performance aircraft operations  
[NASA-CR-178906] p 716 N86-30718
- LOGISTICS**  
Logistics supportability considerations during conceptual and preliminary design p 428 A86-30550  
Complex systems integrated logistic support: Automatic Test Equipment (ATE) and test oriented languages role — military aircraft support equipment p 407 N86-22539  
Logistics engineering analysis techniques for fault-tolerant avionics systems  
[AD-A161981] p 439 N86-23596  
Impact of Reliability/Maintainability (R/M) on logistics costs for USAF aircraft  
[AD-A162204] p 470 N86-24579
- LOGISTICS MANAGEMENT**  
Modular simulators - How to make it work — procurement and logistics for flight-weapon system trainer p 371 A86-28459  
Data systems for logistics evaluation during operational test p 398 A86-28483  
Spare parts pricing - Impact on logistics support p 537 A86-35647  
Developing a maintenance concept for future electronic systems  
[AIAA PAPER 86-1145] p 684 A86-43333  
An example of integrated logistic support applied also to production testing — aircraft industry p 744 N86-30698
- LONG DURATION SPACE FLIGHT**  
USSR report: Space  
[JPRS-USP-85-005] p 131 N86-14111
- LONG TERM EFFECTS**  
Long term deposit formation in aviation turbine fuel at elevated temperature  
[AIAA PAPER 86-0525] p 243 A86-19929
- LONGERONS**  
Step relaxation method for modal test implemented with frequency-domain preprocessing p 457 A86-32975
- LONGITUDINAL CONTROL**  
Frequency-domain application of Gauss-Newton method to extract aircraft longitudinal parameters p 442 A86-31125  
A discrete adaptive observer for a multi-output aircraft control system p 444 A86-33180  
Pivotable strakes for high angle of attack control  
[SAE PAPER 851821] p 593 A86-38329  
The equivalent deterministic function of the Dryden's spectra of atmospheric turbulence and its application to the aircraft response problem p 595 A86-39768  
The design of multi-functional flight controllers for structural load alleviation p 651 A86-40767  
On a method for pilot dynamics identification reflecting feedback structures p 747 A86-43511  
Synthesis of an adaptive flight controller under unknown deterministic disturbances  
[AIAA PAPER 86-2157] p 823 A86-47464  
A preliminary investigation of H (infinity) optimization  
[AIAA PAPER 86-2197] p 853 A86-47477  
Effects of time delay and pitch control sensitivity in the flared landing  
[AIAA PAPER 86-2075] p 831 A86-47706  
A preliminary evaluation of the generalized likelihood ratio for detecting and identifying control element failures in a transport aircraft  
[NASA-TM-87620] p 111 N86-13332
- Pitch rate versus G command as the longitudinal flight control system design strategy for a statistically unstable fighter type aircraft with two control surfaces  
[AD-A158803] p 111 N86-13334
- Subsonic flow investigations on a cranked wing designed for high maneuverability  
[NASA-CR-178046] p 340 N86-20361
- Swashplate control system  
[NASA-CASE-ARC-11633-1] p 511 N86-24700
- Decoupling control synthesis for an oblique-wing aircraft  
[NASA-TM-86801] p 595 N86-26339  
Multiaxis aircraft control power from thrust vectoring at high angles of attack  
[NASA-TM-87741] p 629 N86-28054  
Multi-input, multi-output system control for experimental aircraft  
[NASA-CR-177017] p 654 N86-28955
- LONGITUDINAL STABILITY**  
Longitudinal stability of a hovering, tethered rotorcraft p 109 A86-14295  
The numerical computation of aircraft response to arbitrary vertical gust distributions p 110 A86-14534  
Flight stability and controllability. II - Aircraft longitudinal stability — Serbo-Croatian book p 239 A86-21318  
Liapunov function for studying the stability in the whole of nonlinear systems p 331 A86-23576  
An experimental study of the lift, drag and static longitudinal stability for a three lifting surface configuration  
[AIAA PAPER 86-0396] p 365 A86-28629  
Frequency-domain application of Gauss-Newton method to extract aircraft longitudinal parameters p 442 A86-31125  
An improvement to the numerical method for calculations of aircraft configuration longitudinal aerodynamic characteristics p 411 A86-32994  
Identification of unsteady response in rudders at low velocities  
[AAAF PAPER NT 85-19] p 797 A86-48468  
Hypersonic characteristics of an advanced aerospace plane at Mach 20.3  
[NASA-TM-86435] p 152 N86-15245  
Locally linearized longitudinal and lateral-directional aerodynamic stability and control derivatives for the X-29A aircraft  
[NASA-TM-84919] p 416 N86-23566  
Development of flight testing techniques  
[NASA-CR-176996] p 640 N86-28936  
Longitudinal stability and control derivatives obtained from flight data of a PA-30 aircraft  
[NASA-CR-176999] p 729 N86-30736
- LOOPS**  
Digital servocontroller system. Volume 2. Maintenance manual  
[AD-A159066] p 179 N86-15322  
LQG/LTR design of a robust flight controller for the STOL F-15  
[AD-A164111] p 512 N86-24708  
Effect of time delay on flying qualities: An update  
[NASA-TM-86264] p 653 N86-28092  
Aircraft barricade  
[AD-D012194] p 656 N86-28102
- LORAN C**  
Aircraft approach guidance using relative Loran-C navigation p 282 A86-24533  
Loran C 1984 spring-summer stability  
[AD-A167867] p 789 N86-31555
- LOUDSPEAKERS**  
Interferometric holographic cinematography  
[ISL-CO-219/85] p 851 N86-31872
- LOW ALTITUDE**  
Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes  
[AIAA PAPER 86-0021] p 213 A86-19637  
F-14A low altitude, low airspeed, high angle of attack asymmetric thrust flight test program p 222 A86-21053  
Terrain following avoidance technique of very low altitude penetration p 239 A86-22309  
Wide-angle, low-altitude flight simulator vision system for cockpit research and aircrew training p 311 A86-26152  
LANTIRN flight test - Opening the night window — Low Altitude Navigation and Targeting Infrared System for Night p 361 A86-28842  
F-14A low altitude high angle of attack simulation and flight test program  
[AIAA PAPER 86-9774] p 430 A86-32109  
Detectability of low flying targets in real terrain using a diffraction model p 457 A86-32605  
SHARP (Stationary High Altitude Relay Platform) - Rectenna and low altitude tests p 519 A86-33944  
Lightning measurements of an aircraft flying at low altitude p 567 A86-37490

- Low altitude wind-shear protection can be attained  
p 569 A86-39553
- Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes p 634 A86-41695
- The dynamics of limiting helicopter maneuvers at a very low altitude p 724 A86-45748
- Aircraft lightning attachment at low altitudes p 791 A86-47317
- F-14A low-altitude asymmetric thrust simulation and flight test program p 795 A86-47785
- The Stapleton microburst advisory service project: An operational viewpoint [AD-A161543] p 394 N86-21078
- Weather radar studies [AD-A161822] p 394 N86-22061
- LOW ASPECT RATIO**
- Calculation of transonic steady and oscillatory pressures on a low aspect ratio model and comparison with experiment p 412 A86-33227
- Analytical observations on the aerodynamics of a delta wing with leading edge flaps [NASA-CR-177022] p 630 N86-28913
- Pressure drop and heat transfer characteristics of circular and oblong low aspect ratio pin fins p 741 N86-29827
- LOW ASPECT RATIO WINGS**
- Panel design for optimum strength and stability with allowance for the nonuniformity of heating p 119 A86-13357
- Wing structure design for maximum aileron efficiency p 95 A86-13368
- Lift augmentation via spanwise tip blowing - A numerical study [AIAA PAPER 86-0474] p 202 A86-19893
- Numerical simulation of transonic separated flows over low-aspect ratio wings [AIAA PAPER 86-0508] p 206 A86-22704
- Aerodynamics of swept wings with medium and small aspect ratios. II p 272 A86-23948
- Analytical observations on the aerodynamics of a delta wing with leading edge flaps [AIAA PAPER 86-1790] p 543 A86-37820
- A study of the relationship between nonlinear changes in the lifting force and the vortex structure of flow around a low aspect ratio wing at large angles of attack p 767 A86-48762
- Pressure-distribution measurements on a transonic low-aspect ratio wing [NASA-TM-86683] p 90 N86-13304
- Numerical analysis of nonequilibrium flow about airfoil in thin shock layer approximation p 343 N86-22258
- Flutter analysis of low aspect ratio wings p 527 N86-25838
- Comparison of theoretical and flight-measured local flow aerodynamics for a low-aspect-ratio fin [NASA-CR-176995] p 632 N86-28920
- LOW COST**
- The new 'dual stage' test procedure for low cost measurement of parachute performance p 240 A86-19324
- Avner Electronic Magnetic Compass and low cost navigation system p 358 A86-26504
- Low cost part task trainer for the GBU-15 guided bomb p 370 A86-28457
- Too little time - Too little money - low cost flight simulation facility [SAE PAPER 851904] p 532 A86-36943
- Impact of Reliability/Maintainability (R/M) on logistics costs for USAF aircraft [AD-A162204] p 470 N86-24579
- LOW FREQUENCIES**
- Interaction of airborne and structureborne noise radiated by plates. Volume 1: Analytical study [NASA-TM-87746] p 683 N86-29633
- Interferometric holographic cinematography [ISL-CO-219/85] p 851 N86-31872
- LOW NOISE**
- The role of scale models in the design of 'low BVI noise' rotorcraft p 534 A86-35617
- LOW PASS FILTERS**
- Digital filtering and acceleration pulse interpretation p 400 N86-21941
- LOW PRESSURE**
- Subsonic/transonic stall flutter investigation of an advanced low pressure compressor [ASME PAPER 86-GT-90] p 813 A86-48156
- LOW REYNOLDS NUMBER**
- Diffuser parameter optimization for low Reynolds numbers using experimental data p 111 A86-13400
- Evaluation of low Reynolds number turbulence models for attached and separated flows p 121 A86-14539
- Conference on Low Reynolds Number Airfoil Aerodynamics, Notre Dame, IN, June 16-18, 1985, Proceedings p 136 A86-16301
- Airfoil design for Reynolds numbers between 50,000 and 500,000 p 136 A86-16302

- Low Reynolds number airfoil design p 136 A86-16303
- Airfoil design at low Reynolds number with constrained pitching moment p 136 A86-16304
- A viscous-inviscid coupling method for the design of low Reynolds number airfoil sections p 136 A86-16305
- Effect of pressure gradients on the growth of subharmonic disturbances in boundary layers p 136 A86-16306
- Research on laminar separation bubbles at Delft University of Technology in relation to low Reynolds number airfoil aerodynamics p 137 A86-16308
- An analysis of a separation bubble transition criterion at low Reynolds numbers p 137 A86-16309
- Theoretical and experimental study of low Reynolds number transitional separation bubbles p 137 A86-16310
- Aspect ratio effects on the aerodynamics of a Wortmann airfoil at low Reynolds number p 137 A86-16313
- Performance of finite wings at low Reynolds numbers p 138 A86-16314
- An environmental aerodynamic test system for low-Reynolds-number applications p 138 A86-16315
- Preliminary experiments in unsteady flow on airfoils at low Reynolds numbers p 138 A86-16320
- The effect of trip wire roughness on the performance of the Wortmann FX 63-137 airfoil at low Reynolds numbers p 139 A86-16322
- Acoustic and turbulence influence on low-Reynolds number wing pressure distributions p 139 A86-16323
- Propeller slipstream/wing boundary layer effects at low Reynolds numbers p 139 A86-16324
- Acoustic and turbulence influences on stall hysteresis [AIAA PAPER 86-0170] p 200 A86-19731
- Vortex roll-up for an elliptically-loaded wing at moderately low Reynolds numbers p 203 A86-19951
- Experimental determination of the laminar separation bubble characteristics on an airfoil at low Reynolds numbers [AIAA PAPER 86-1065] p 548 A86-38433
- Parametric study of low Reynolds number processing/spinning incompressible flows - applicable to flight stability of liquid-filled projectiles [AIAA PAPER 86-2027] p 827 A86-47661
- Acoustic effect on stall hysteresis for low Reynolds number laminar flow p 855 A86-47971
- Proceedings of the Conference on Low Reynolds Number Airfoil Aerodynamics [NASA-CR-177308] p 540 N86-26283
- Aspect ratio effects on wings at low Reynolds numbers p 782 N86-32390
- LOW SPEED**
- Swept wing-tip shapes for low-speed airplanes [SAE PAPER 851770] p 546 A86-38305
- Surface pressure measurement during low speed two-dimensional blade-vortex interaction [AIAA PAPER 86-1856] p 753 A86-45478
- F-14A low-altitude asymmetric thrust simulation and flight test program p 795 A86-47785
- On the duration of low speed dynamic stall p 773 A86-49033
- Low-speed aerodynamics of apex fences on a tailless delta configuration [AIAA PAPER 86-1838] p 779 A86-49593
- Low speed aerodynamic characteristics of a two-dimensional sail wing with adjustable slack of the sail [VTH-LR-307] p 211 N86-17314
- An aerodynamic analysis computer program and design notes for low speed wing flap systems [NASA-CR-3675] p 408 N86-23554
- Low-speed performance of an axisymmetric, mixed-compression, supersonic inlet with auxiliary inlets [NASA-TP-2557] p 503 N86-24694
- LOW SPEED STABILITY**
- Low-speed stability characteristics of a helicopter with a sling load p 365 A86-26586
- Low-speed wind-tunnel investigation of the effect of strakes and nose machines on lateral-directional stability of a fighter configuration [NASA-TM-87641] p 278 N86-19287
- Investigation to advance prediction techniques of the low-speed aerodynamics of V/STOL aircraft [NASA-CR-166479] p 416 N86-23568
- Low-speed aerodynamic characteristics of a 1/8-scale X-29A airplane model at high angles of attack and sideslip [NASA-TM-87722] p 781 N86-31532
- LOW SPEED WIND TUNNELS**
- The 'miniutit' surface flow visualisation method - Experience of use in the RAE 5m pressurised low-speed wind tunnel p 447 A86-31124
- Investigation of vortex patterns on slender bodies at high angles of attack p 410 A86-32784

- Vibration test and identification of modal parameter of aircraft wing model p 805 A86-37406
- A wind tunnel study of active control technology on a high aspect ratio wing [AIAA PAPER 86-0956] p 594 A86-38930
- Advanced icing wind tunnel for flight test development of icing rate systems p 838 A86-47792
- Aeroacoustic calibration of the German-Dutch Wind Tunnel (DNW) open jet [DNW-TR-82-03] p 242 N86-16236
- Acoustic evaluation of the German-Dutch Wind Tunnel (DNW) shear layer correction using a model jet [DNW-TR-82-04] p 242 N86-16237
- Aerodynamical calibration of the German-Dutch Wind Tunnel (DNW): A review of testing techniques and results [DNW-PA-82062] p 242 N86-16238
- Activities report in aerospace research, with data concerning the scientific committee NLR-DNV, international cooperation concerning AGARD, DNV, GARTEUR and cooperation with Indonesia p 257 N86-17588
- Modifications to the 4x7 meter tunnel for acoustic research: Engineering feasibility study [NASA-CR-178079] p 470 N86-24394
- LOW TEMPERATURE**
- Application of low temperature curing prepregs and vacuum bag molding techniques to the manufacturing of a composite wing [AIAA PAPER 86-1019] p 609 A86-38876
- Jet fuel viscosity at low temperatures with notes on n-alkane crystals [NASA-CR-174911] p 701 N86-30022
- LOW TEMPERATURE ENVIRONMENTS**
- Cold regions logistic supportability testing of electronic, avionic and communications equipment [AD-A158887] p 188 N86-14514
- LOW VISIBILITY**
- Optical communication between aircraft in low-visibility atmosphere using diode lasers p 122 A86-15584
- Liquid-crystal goggles permit visual simulations of restricted visibility p 718 A86-48150
- Laser communication through low-visibility atmosphere for aircraft application p 788 A86-48581
- LOW WEIGHT**
- ARALL - A light weight structural material for impact and fatigue sensitive structures p 313 A86-26158
- LOWER ATMOSPHERE**
- Wind shear induced by solitary waves in the lower atmosphere [IAF PAPER 85-410] p 125 A86-15886
- LUBRICANT TESTS**
- Determination of the service life of aviation oils p 312 A86-23450
- Carbon residue studies with a microcarbon residue tester [ASLE PREPRINT 86-AM-7A-1] p 732 A86-45395
- LUBRICANTS**
- Synthetic lubricants and working fluids; International Colloquium, 4th, Esslingen, West Germany, January 10-12, 1984, Reports p 378 A86-28096
- Aviation gas turbine lubricants - Military and civil aspects: Aviation fuel and lubricants - Performance testing; Proceedings of the Aerospace Technology Conference and Exposition, Long Beach, CA, October 14-17, 1985 [SAE SP-633] p 607 A86-38526
- Tribology in aircraft systems: Basic principles and applications p 677 N86-29240
- A study of the potential benefits associated with the development of a dedicated helicopter transmission lubricant p 666 N86-29242
- Future trends in helicopter transmission lubricants p 666 N86-29250
- LUBRICATING OILS**
- Determination of the service life of aviation oils p 312 A86-23450
- The relationship of ultrafine filtration and oil debris monitoring for helicopter propulsion systems p 305 A86-26154
- Development of a high temperature jet engine oil - Laboratory and field evaluation [SAE PAPER 851797] p 607 A86-38527
- Performance advantages of high load aviation lubricants [SAE PAPER 851798] p 607 A86-38528
- Some aspects of fluorocarbon elastomer compatibility with gas turbine lubricants [SAE PAPER 851799] p 601 A86-38529
- A study of the potential benefits associated with the development of a dedicated helicopter transmission lubricant [SAE PAPER 851832] p 607 A86-38530
- Formulating advanced 4 centistoke gas turbine oils - A feasibility study [SAE PAPER 851833] p 601 A86-38531

Advanced lubricants for aircraft turbine engines  
[SAE PAPER 851834] p 602 A86-38532

Future trends for U.S. Naval aviation propulsion system lubricants  
[SAE PAPER 851835] p 608 A86-38533

Electrochemical evaluation of corrosion in turbine engine oils  
[SAE PAPER 851867] p 602 A86-38534

The influence of esters on elastomer seals  
[SAE PAPER 851868] p 602 A86-38535

Deposition in gas turbine oil systems. I - Analysis and classification  
[SAE PAPER 851869] p 602 A86-38536

X-ray fluorescence analysis of wear metals in used lubricating oils  
p 673 A86-43430

Analytical applications in the Army oil analysis program  
p 645 A86-47595

An analysis of the quality of aviation lubricants by liquid and gas-liquid chromatography  
p 844 A86-49964

Aircraft and Bearing Tribological Systems  
[AGARD-CP-394] p 677 N86-29236

Requirements on lubrication oil from the view of a helicopter manufacturer  
p 666 N86-29244

Military aircraft propulsion lubricants: Current and future trends  
p 666 N86-29249

Aircraft engine oils and their behaviour at high temperatures  
p 667 N86-29251

Scoring tests of aircraft transmission lubricants at high speeds and high temperatures  
p 667 N86-29253

**LUBRICATION**  
Lubrication and performance of high-speed rolling-element bearings  
p 248 A86-19375

Fiscal year 1987 technical objective document  
[AD-A166659] p 758 N86-31454

**LUBRICATION SYSTEMS**  
High-temperature lubrication systems for ring/liner applications in advanced heat engines  
[AD-A164955] p 604 N86-26446

**LUGS**  
Experimental characterization of cracks at straight attachment lugs  
p 186 A86-16821

Fatigue behaviour of advanced aluminium alloy lugs of 7475-T761 with and without initial cracks  
p 450 A86-30030

Damage tolerance assessment of aircraft attachment lugs  
p 672 A86-43084

**LUMINANCE**  
Electronic display luminance and grey scale control --- for military aircraft  
p 360 A86-28505

**LUMINESCENCE**  
A method for measuring pressure distribution by means of indicating coatings  
p 140 A86-16687

**M**

**MACH NUMBER**  
A method for measuring the direction and the Mach number of a three-dimensional supersonic nozzle  
p 80 A86-13392

Determination of the shape of a profile from a specified chord diagram of Mach numbers in transonic flow  
p 80 A86-13397

Using suction for increasing Mach numbers in a perforated test section with a subsonic nozzle --- of wind tunnel  
p 112 A86-13405

Critical values of the Mach number of a radial airfoil cascade --- for determining turbo-prop engine efficiency  
p 105 A86-13408

National transonic facility Mach number system  
p 597 A86-38076

Development of a temperature-compensated hot-film anemometer system for boundary-layer transition detection on high-performance aircraft  
p 605 A86-38236

Coherent large-scale structures in high Reynolds number supersonic jet of Mach number 1.4  
[AIAA PAPER 86-1841] p 691 A86-45428

The effect of equilibrium air properties and Mach number on the aerodynamic characteristics of a flight vehicle  
p 770 A86-48843

Preliminary measurement of the noise from the 2/9 scale model of the Large-scale Advanced Propfan (LAP) propeller, SR-7A  
[NASA-TM-87116] p 129 N86-14006

Hypersonic characteristics of an advanced aerospace plane at Mach 20.3  
[NASA-TM-86435] p 152 N86-15245

Fundamental study of flow field generated by rotorcraft blades using wide-field shadowgraph  
[NASA-CR-176443] p 152 N86-15249

F-111 natural laminar flow glove flight test data analysis and boundary layer stability analysis  
[NASA-CR-166051] p 168 N86-15305

Progress in the Lewis Research Center Altitude Wind Tunnel (AWT) Modeling Program  
[NASA-TM-87194] p 242 N86-16233

Supersonic aerodynamic characteristics of some reentry concepts for angles of attack to 90 deg  
[NASA-TM-87645] p 243 N86-16243

Current wind tunnel capability and planned improvements at Lewis Research Center  
[NASA-TM-87190] p 311 N86-18329

Generation of the starting plane flowfield for supersonic flow over a spherically capped body  
[AD-A161117] p 278 N86-19291

Comparison of measured and calculated temperatures for a Mach 8 hypersonic wing test structure  
[NASA-TM-85918] p 435 N86-22563

Use of state estimation to calculate angle-of-attack position error from flight test data  
[AD-A163962] p 480 N86-24670

Conversion of air-data system pressure errors into height and speed corrections  
[ESDU-85036] p 497 N86-25338

Evaluation of a quartz bourdon pressure gage of wind tunnel Mach number control system application  
[NASA-TM-88991] p 677 N86-29198

**MACH REFLECTION**  
Mach reflection and aerodynamic choking in two-dimensional ducted flow  
p 411 A86-32987

**MAGNESIUM ALLOYS**  
Textures developed in Al-Li-Cu-Mg alloy  
p 660 A86-40291

Coarsening of delta prime, T1, S prime phases and mechanical properties of two Al-Li-Cu-Mg alloys  
p 660 A86-40303

Advanced rotary engine components utilizing fiber reinforced Mg castings  
[AIAA PAPER 86-1559] p 663 A86-42712

**MAGNETIC COILS**  
Magnetic suspension and balance system advanced study  
[NASA-CR-3937] p 180 N86-14278

**MAGNETIC COMPASSES**  
Ayrer Electronic Magnetic Compass and low cost navigation system  
p 358 A86-26504

Studies on turning errors of the magnetic compass in flight experiments  
p 499 A86-34276

**MAGNETIC COOLING**  
Magnetic suspension and balance system advanced study  
[NASA-CR-3937] p 180 N86-14278

**MAGNETIC FIELDS**  
Data analysis of airborne electromagnetic bathymetry  
[AD-A157132] p 125 N86-12744

**MAGNETIC MATERIALS**  
Materials technology for electrical appliances: Magnetic and electrical properties of metals and alloys  
[PB86-184314] p 665 N86-28186

**MAGNETIC RECORDING**  
Evaluation of tape recordings from an airborne digital recorder  
p 170 A86-16858

Processing of airborne tape recordings with the aid of user programs for monitoring the technical condition of aircraft  
p 133 A86-16860

Using diagnostic systems to collect data on the reliability of aircraft  
p 133 A86-16861

Magnetic tape recording under severe environmental conditions  
p 314 A86-22716

Airborne instrumentation magnetic tape recording thru the early 90's  
p 315 A86-23253

**MAGNETIC STORAGE**  
Airborne instrumentation magnetic tape recording thru the early 90's  
p 315 A86-23253

**MAGNETIC SURVEYS**  
Computer-controlled navigation for aeromagnetic survey flights during the GANOVEX IV Antarctic expedition during the southern summer of 1984/85  
p 484 A86-35293

**MAGNETIC SUSPENSION**  
Magnetic suspension and balance system advanced study  
[NASA-CR-3937] p 180 N86-14278

**MAGNETO-OPTICS**  
Application of magneto-optic modulators to advanced avionics displays  
p 360 A86-26506

**MAINTAINABILITY**  
Maintainable demonstration for Army helicopters  
p 134 A86-18413

R&M test data management during helicopter system development  
p 164 A86-18419

AV-8B design for maintainability  
p 225 A86-22378

Relating factory and field reliability and maintainability measures  
p 253 A86-22391

Support effectiveness evaluation model --- for military air facilities in sortie generation  
p 263 A86-22398

A multiple-parameter allocation process  
p 254 A86-22407

Elastomeric rod end bearings - A solution for improving reliability and maintainability  
p 320 A86-26125

The design of repairable advanced composite structures  
[SAE PAPER 851830] p 606 A86-38335

Design, safety, and maintainability aspects for hydrazine use in emergency secondary power systems  
[SAE PAPER 851972] p 568 A86-38382

Design for engine supportability  
[AIAA PAPER 86-1671] p 648 A86-42784

Maintainability optimization - The future challenge --- for aircraft maintenance  
p 762 A86-49052

Impact of Reliability/Maintainability (R/M) on logistics costs for USAF aircraft  
[AD-A162204] p 470 N86-24579

Comparison of quantity versus quality using performance, reliability, and life cycle cost data. A case study of the F-15, F-16, and A-10 aircraft  
[AD-A162238] p 470 N86-24580

**MAINTENANCE**  
Aircraft field repair  
p 115 A86-13172

Portable computerized tester improves flight-line maintenance  
p 121 A86-15528

Reliability and maintainability - A look at the Rolls-Royce RB.211  
[SAE PAPER 851829] p 590 A86-38334

Quality assurance in the reconditioning of gas turbine and compressor blading components  
[ASME PAPER 86-GT-299] p 847 A86-48311

Introduction to deployable recovery systems  
[DE86-000048] p 211 N86-17310

Information on airport and airway trust fund revenues and outlays by states and large airports  
[PB86-129665] p 449 N86-23609

Materials for emergency repair of runways  
[AD-A164225] p 514 N86-25385

Data on Mi-28 helicopter  
p 498 N86-25602

An analysis of S-3 SDLM (Standard Depot Level Maintenance) corrosion documentation procedures  
[AD-A165568] p 540 N86-26282

Operating and support hazard analysis for the self-contained navigation system LSI model 6218A, B and C group A  
[AD-A166815] p 704 N86-29806

Hardware performance analysis of the basic narrow Microwave Landing System (MLS) at Washington National Airport (DCA) in the Service Test and Evaluation Program (STEP)  
[AD-A166916] p 705 N86-30715

**MALFUNCTIONS**  
Using Fleet reported 3-M data in support of Navy emergency escape parachute assemblies  
p 212 A86-19326

An application of adaptive learning to malfunction recovery  
[NASA-CR-168620] p 533 N86-25169

Flight evaluation of a hydromechanical backup control for the digital electronic engine control system in an F100 engine  
[PAPER-9] p 505 N86-25351

National Transportation Safety Board safety recommendation  
[NTSB-4102C/300A] p 571 N86-27267

A.I.-based real-time support for high performance aircraft operations  
[NASA-CR-176906] p 716 N86-30718

**MAN MACHINE SYSTEMS**  
Analytical methods for LHX mission and task analysis  
p 157 A86-18452

Development of mechanical components for advanced aircrew seating systems  
p 217 A86-19307

A study of programmable switch symbology --- for cockpits  
p 329 A86-23708

Concept flying - A method for deriving unique system requirements  
p 326 A86-23738

Automation effects in a multiloop manual control system  
p 329 A86-25035

Flight deck automation decisions  
[SAE PAPER 841471] p 326 A86-26002

Flight deck design methodology using computerized anthropometric models  
[SAE PAPER 841472] p 326 A86-26003

AI applications to military pilot decision aiding - A perspective on transition  
[SAE PAPER 841533] p 327 A86-26004

Automation in the cockpit - Who's in charge?  
[SAE PAPER 841534] p 327 A86-26005

Flight deck displays for managing wind shear encounters  
[SAE PAPER 841485] p 298 A86-26008

Cockpit advances in Boeing Vertol Company's Model 360 helicopter  
[SAE PAPER 841629] p 298 A86-26032

Auditory signals in military aircraft - Ergonomic principles versus practice  
p 395 A86-28442

A speech recognition research tool for the C-130 Hercules  
p 350 A86-28443

Dynamic retraining approaches for an airborne speech recognition system p 395 A86-28444

Selecting cockpit functions for speech I/O technology p 395 A86-28446

A speech processing system for an air traffic control radar simulator p 351 A86-28447

Wickens' resource allocation model - Implications for the design of human-machine systems p 395 A86-28453

Army 21 - Aviation - strategic and tactical operational concept p 355 A86-28454

2010 - The symbiotic cockpit p 355 A86-28455

Instructor station for the ILLIMAC general aviation instrument training simulator p 371 A86-28482

Pilot/Vehicle Interface Design System (PVIDS) p 361 A86-28512

The Crew Station Information Manager - An avionics expert system p 361 A86-28515

Evaluation of 16 measures of mental workload using a simulated flight task emphasizing mediational activity p 395 A86-28884

Cockpits for 2010 and beyond p 427 A86-31849

Integrating the pilot into the cockpit [AIAA PAPER 86-9785] p 429 A86-32102

Interaction between controlling, planning, and fault managing in complex man-machine systems p 483 A86-33184

Helicopter flight control with one hand p 529 A86-34923

A preliminary study of the basic display/guidance requirements for flying near optimal trajectories p 499 A86-35366

Cockpit automation - Design and implementation issues [SAE PAPER 851821] p 529 A86-35431

Pilot vehicle interfaces with smart avionics systems [SAE PAPER 851823] p 529 A86-35432

Computer-aided cockpit workload analysis for all weather, multirole tactical aircraft [SAE PAPER 851876] p 499 A86-35439

Pilot interface with fly-by-wire control systems [SAE PAPER 851836] p 509 A86-35443

The use of ellipsoidal solids to display human body dynamic response p 530 A86-36852

Simulation of aircraft seat response to a crash environment p 530 A86-36879

Putting humans into virtual space - with visually coupled cockpit simulator p 588 A86-37193

Pilot's Associate - What should it do? - pilot and airborne computer task allocations [SAE PAPER 851890] p 539 A86-38356

Identification of pilot-vehicle dynamics from in-flight tracking data p 725 A86-48459

Adaptive filtering of biodynamic stick feedthrough in manipulation tasks on board moving platforms [AIAA PAPER 86-2248] p 825 A86-47495

Identification of pilot dynamics in a system with a choice of feedback structures [AIAA PAPER 86-2250] p 825 A86-47496

Pitch rate versus G command as the longitudinal flight control system design strategy for a statistically unstable fighter type aircraft with two control surfaces [AD-A158803] p 111 N86-13334

The interactive generation of alphanumeric and symbology with designs on the future [AD-A159218] p 192 N86-14982

Horizontal display for vertical flight: A direction of motion experiment [AD-A161113] p 299 N86-18321

Applications of expert systems p 330 N86-19634

Selection of a man-modelling CAD (Computer-Aided Design) [AD-A161342] p 400 N86-22159

Guidance-Control-Navigation Automation for Night All-Weather Tactical Operations [AGARD-CP-387] p 573 N86-26316

Some quantitative methodology for cockpit design p 586 N86-26320

Development and validation of the crew-station system-integration research facility [NASA-TM-86841] p 622 N86-28051

Effect of time delay on flying qualities: An update [NASA-TM-88264] p 653 N86-28092

Pilot interaction with automated airborne decision making systems [NASA-CR-177002] p 679 N86-29508

Optimal cooperative control synthesis of active displays [NASA-CR-177102] p 683 N86-29651

Operations concept for the TCCC (Tower Control Computer Complex) man-machine interface [AD-A168899] p 705 N86-30714

A feasibility study for the use of electronic flight strips in Air Traffic Control (ATC) controller workstations [ESA-TT-928] p 789 N86-31558

## MAN OPERATED PROPULSION SYSTEMS

'But not with the greatest of ease' - A feasibility study of a human-powered ACV p 121 A86-14355

**MANAGEMENT**

National airspace system, system requirements specification [AD-A157944] p 94 N86-13312

An examination of the life support equipment development and acquisition process [AD-A162241] p 463 N86-24221

**MANAGEMENT INFORMATION SYSTEMS**

Development of a computer-managed readiness assessment system [AD-A162931] p 463 N86-24215

An infrastructure for information processing for computer aided design [NLR-MP-85038-U] p 854 N86-33054

**MANAGEMENT METHODS**

Aviation maintenance management - Book p 197 A86-21055

Software management for integrated avionics systems p 402 A86-28425

The private enterprise factor in regional airlines p 421 A86-31004

Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987 [AD-A162792] p 402 N86-22443

Application of artificial intelligence to improve aircraft survivability [AD-A164172] p 483 N86-24674

**MANAGEMENT PLANNING**

Long range planning for flight test support [AIAA PAPER 86-9744] p 406 A86-32088

Planning for minimum overhaul time p 760 A86-47616

Digital electronic engine control history [PAPER-2] p 504 N86-25344

**MANAGEMENT SYSTEMS**

Safety aspects in stores management systems p 299 A86-26132

Simulation of time-control procedures for terminal area flow management p 484 A86-35369

**MANOEUVRES**

Low mass diffusion bonding tools [AD-D012295] p 851 N86-32746

**MANEUVERABILITY**

The use of analytical methods to assess aircraft maneuverability p 305 A86-23771

Studies of rotorcraft agility and maneuverability p 291 A86-26145

A computer based study of helicopter agility, including the influence of an active tailplane p 291 A86-26146

Assessment of rotorcraft agility and maneuverability with a pilot-in-the-loop simulation p 510 A86-35623

Application of helicopter air-to-air combat test (AACT) data to current LHX concerns p 491 A86-35627

Flight testing a transonic wing with maneuver flaps and a direct force control system for CAS aircraft p 794 A86-47782

Preliminary airworthiness evaluation of the AH-1S (modernized cobra) with the Hellfire, TOW, and Stinger missiles installed [AD-A160862] p 294 N86-18322

Subsonic flow investigations on a cranked wing designed for high maneuverability [NASA-CR-178046] p 340 N86-20361

Experimental assessment of vortex retaining cavity flaps for maneuverability improvement on delta wing fighter aircraft [AD-A164104] p 497 N86-24680

**MANEUVERS**

Development of a flight test maneuver autopilot for an F-15 aircraft [NASA-TM-86799] p 176 N86-14275

Preliminary airworthiness evaluation of the AH-1S (modernized cobra) with the Hellfire, TOW, and Stinger missiles installed [AD-A160862] p 294 N86-18322

Aircraft performance optimization with thrust vector control [AD-A165388] p 587 N86-26334

Bifurcation theory applied to aircraft motions p 563 N86-27250

**MANGANESE**

Potential of composite materials to replace chromium, cobalt and manganese in critical applications [PB86-123965] p 451 N86-22651

**MANIPULATORS**

Adaptive filtering of biodynamic stick feedthrough in manipulation tasks on board moving platforms [AIAA PAPER 86-2248] p 825 A86-47495

Theoretical three-and four-axis gimbal robot wrists [NASA-TP-2564] p 533 N86-25168

**MANUAL CONTROL**

Automation effects in a multiloop manual control system p 329 A86-25035

Helicopter flight control with one hand p 529 A86-34923

Cooperative synthesis of control and display augmentation [AIAA PAPER 86-2204] p 853 A86-47484

A comparison of voice and keyboard data entry for a helicopter navigation task [AD-A163245] p 610 N86-26501

The integrated manual and automatic control of complex flight systems [NASA-CR-177086] p 654 N86-28952

Optimal cooperative control synthesis of active displays [NASA-CR-177102] p 683 N86-29651

**MANUALS**

Preliminary airworthiness evaluation of the AH-1S (modernized cobra) with the Hellfire, TOW, and Stinger missiles installed [AD-A160862] p 294 N86-18322

User's manual for the Falcon system - Falcon research aircraft [ESA-TT-936] p 808 N86-31579

**MANUFACTURING**

The use of automated riveting systems in aircraft construction p 95 A86-13127

Materials and manufacturing processes for advanced jet engines p 105 A86-13173

Unique tooling and manufacturing approach for large advanced composite aircraft structure p 246 A86-21742

High-temperature composite ducts [SME PAPER MF85-501] p 319 A86-24863

Robotic applications to automated composite aircraft component manufacturing [SME PAPER MF85-506] p 319 A86-24667

Robotics in aircraft manufacturing p 522 A86-35660

How US companies are attacking production costs - of aircraft p 805 A86-37323

Composites: Design and manufacturing for general aviation aircraft; Proceedings of the General Aviation Aircraft Meeting and Exposition, Wichita, KS, April 16-19, 1985 [SAE SP-623] p 582 A86-38515

Application of low temperature curing prepreps and vacuum bag molding techniques to the manufacturing of a composite wing [AIAA PAPER 86-1019] p 609 A86-38876

Case studies in aircraft manufacturing automation p 762 A86-49000

Automated systems for the manufacture of Airbus Vertical Stabilizer Spar box in composite materials p 762 A86-49067

Manufacturing technology of composite torque box of vertical fin p 848 A86-49068

Design of nonaxisymmetric structures (turbojet engine nacelle element) [SNIAS-852-430-119] p 248 N86-17498

The 1-(diorganooxophosphonyl)methyl-2, 4- and -2, 6-dinitro and diamino benzenes and their derivatives [NASA-CASE-ARC-11425-2] p 378 N86-20499

Laser metalworking technology transfer [AD-A165808] p 664 N86-28188

**MAP MATCHING GUIDANCE**

Towards robust image matching algorithms p 230 A86-19620

A distributed, fault-tolerant implementation of the airborne digital map using VLSI common programmable modules p 349 A86-28337

Design techniques for improved map-aided navigation p 349 A86-28357

**MAPPING**

Colour design in aviation cartography p 358 A86-28066

A constant altitude flight survey method for mapping atmospheric ambient pressures and systematic radar errors p 360 A86-28507

Spherical mapping and analysis of aircraft angles for maneuvering flight [AIAA PAPER 86-2283] p 830 A86-47701

Analytical observations on the aerodynamics of a delta wing with leading edge flaps [NASA-CR-177022] p 630 N86-28913

Nonlinear control of aircraft [NASA-TM-89225] p 655 N86-28958

**MAPS**

A solid-state map display for rapid response operation p 589 N86-26323

Airborne navigation remote map reader evaluation [AD-A166976] p 719 N86-30729

**MARINE ENVIRONMENTS**

AV-8B initial sea trials p 222 A86-21054

Remote sensing of oil on sea: Lidar and passive IR experiments p 320 N86-18370

Determination of limitations for helicopter ship-borne operations [NLR-MP-84072-U] p 295 N86-19319



- Design, development and integrate/install an airborne remote instrumentation system (AIREYE)  
[AD-A168755] p 719 N86-30728
- MARINE TRANSPORTATION**  
Air traffic control (ATC) and vessel traffic systems (VTS) p 572 A86-39558  
USSR report: Transportation  
[JPRS-UTR-86-007] p 622 N86-28908
- MARITIME SATELLITES**  
Communication with land vehicles and aircraft via satellite p 319 A86-25016
- MARKERS**  
A durable airfield marking system  
[AD-A157953] p 113 N86-13339  
A methodology for applying bar code technology to Aircraft Maintenance Unit support sections  
[AD-A161783] p 402 N86-22441
- MARKETING**  
F-20A Tigershark progress report p 222 A86-21057  
A Synthetic Aperture Radar (SAR) for commercial applications p 250 A86-21248  
Optimization of seaplanes  
[DGLR PAPER 85-170] p 488 A86-35189  
Helicopter customer support - Are we aware of how great it can be p 536 A86-35644  
Cost estimating relationships for fixed wing aircraft: List price versus empty weight  
[AD-A164196] p 537 N86-25300
- MARKING**  
Obstruction marking and lighting  
[AC-70/7480-1G] p 371 N86-20410
- MARKOV CHAINS**  
An efficient filter for abruptly changing systems  
[NLR-MP-84071-U] p 264 N86-18056
- MARKOV PROCESSES**  
Noise immunity of signals with minimum FSK p 383 A86-27492  
Markov jump-diffusion models and decision-making free filtering - air traffic control  
[NLR-MP-83067-U] p 264 N86-17046  
A sophisticated tracking algorithm for Air Traffic Control (ATC) surveillance radar data  
[NLR-MP-84004-U] p 216 N86-17334  
Comparison of a jump-diffusion tracker with a Kalman tracker: An evaluation with emphasis on air traffic control  
[NLR-MP-83063-U] p 216 N86-17335  
An efficient decision-making-free filter for processes with abrupt changes - aircraft tracking  
[NLR-MP-84080-U] p 618 N86-27018
- MARS SURFACE**  
Drigible airships for Martian surface exploration  
[AAS 84-178] p 372 A86-26802
- MARTENSITIC STAINLESS STEELS**  
Properties and potential aerospace applications of E Z 3 CND 13-08 steel. II p 374 A86-26338
- MASKING**  
A comparison of digital terrain models and terrain masking algorithms p 350 A86-26391
- MASKS**  
Protective respirator for the AAH-64 Advanced Attack Helicopter p 261 A86-18336
- MASS BALANCE**  
Calculation of the balancing efficiency of flexible rotors of compressor units on low-cycle balancing machines p 673 A86-43379
- MASS DISTRIBUTION**  
Mass balancing of hollow fan blades  
[NASA-TM-87197] p 255 N86-16611
- MASS FLOW FACTORS**  
The external drag of a simple axisymmetric body of revolution in subsonic and supersonic flow with variable mass flowthrough ratios  
[AIAA PAPER 86-1826] p 545 A86-37842
- MASS FLOW RATE**  
Quantitative determination of engine water ingestion  
[AIAA PAPER 86-0307] p 254 A86-22690
- MASS TRANSFER**  
Interactions between flow, heat and mass transfer during formation of carbon-fiber reinforced epoxy composites p 451 N86-22642
- MATERIALS HANDLING**  
AN-124 airplane's cargo-handling and automation equipment p 527 N86-25600  
Data on Mi-26 helicopter p 498 N86-25602  
Materials technology for electrical appliances: Magnetic and electrical properties of metals and alloys  
[PB86-184314] p 665 N86-28186  
Multivariable control of a twin lift helicopter system using the LQG/LTR design methodology  
[NASA-CR-177025] p 654 N86-28956
- MATERIALS RECOVERY**  
Japan report: Science and technology  
[JPRS-JST-86-007] p 480 N86-23773
- MATERIALS SCIENCE**  
National SAMPE Symposium and Exhibition, 30th, Anaheim, CA, March 19-21, 1985, Proceedings p 115 A86-13076  
National SAMPE Technical Conference, 17th, Klamath Lake, NY, October 22-24, 1985, Proceedings p 244 A86-21701  
Materials and processes: Proceedings of the Fifth Technology Conference, Montreux, Switzerland, June 12-14, 1984, Volumes 1&2 p 450 A86-31475  
Thermophysics of decomposing materials - Russian book p 451 A86-33323  
Advanced composites - The structural revolution p 517 A86-37136
- MATERIALS TESTS**  
Methods of constructing R-curves and application of these curves for evaluation of materials (Review) p 117 A86-13011  
Application of pulsed reflection holography to material testing p 122 A86-18090  
Fatigue of structural materials at high-frequency cycle loading p 453 A86-30019  
8000 psi hydraulic system seals and materials test program - A progress report  
[SAE PAPER 851913] p 580 A86-38367  
Durability and damage tolerance in aircraft design; Proceedings of the Thirteenth Symposium, Pisa, Italy, May 22-24, 1985 p 706 A86-43776
- MATHEMATICAL MODELS**  
Response of a rotorcraft model with damping non-linearities p 162 A86-17898  
Modeling aerodynamic responses to aircraft maneuvers - A numerical validation p 204 A86-20156  
A numerical model of acoustic choking. II - Shocked solutions p 265 A86-20795  
Frequency methods of aircraft identification - Russian book p 306 A86-24148  
A consistent mathematical model to simulate steady and unsteady rotor-blade aerodynamics p 276 A86-26108  
Theoretical prediction of running-time measurements in unsteady flow - for various shapes of rotor blade tips p 276 A86-26112  
Modeling and simulation. Volume 15 - Proceedings of the Fifteenth Annual Pittsburgh Conference, University of Pittsburgh, PA, April 19, 20, 1984. Part 5 - General modeling and simulation p 397 A86-28280  
Modular simulators - Is a local area network sufficient? - for use in flight simulators p 371 A86-28460  
A ring-vortex downburst model for flight simulations p 393 A86-28568  
Measurements of ocean wave spectra and modulation transfer function with the airborne two-frequency scatterometer p 393 A86-28618  
A mathematical model for structures consisting of elastic shell sections connected by open girders p 456 A86-31420  
Verification of the thrust and airflow model obtained from the performance modelling process  
[AIAA PAPER 86-9790] p 441 A86-32121  
Passive control of aerodynamically forced vibrations of supersonic turbomachine rotors by splitter blades  
[AIAA PAPER 86-0844] p 590 A86-38892  
Numerical modelling of the dynamics of aerobatic manoeuvres p 724 A86-45144  
A feasibility study on the numerical modelling of interior noise fields  
[AIAA PAPER 86-1862] p 754 A86-45482  
A robust adaptive flightpath reconstruction technique  
[AIAA PAPER 86-2018] p 826 A86-47653  
Helicopter parameter identification technology research under the considerably disturbing condition p 831 A86-48670  
Precise solution for rational transfer parameters of flight vehicles p 801 A86-48022  
Validation on nonstationary aerodynamics models for longitudinal aeroplane motion on the basis of flight measurements p 833 A86-49026  
A direct-inverse method for transonic and separated flows about airfoils  
[NASA-CR-176403] p 89 N86-13300  
A model for closing the inviscid form of the average-passage equation system  
[NASA-TM-87199] p 147 N86-14224  
Test cases for inviscid flow field methods  
[AGARD-AR-211] p 153 N86-15256  
Ground resonance analysis using a substructure modeling approach p 176 N86-15282  
Numerical simulation of viscous supersonic flow over a generic fighter configuration  
[NASA-TM-86823] p 190 N86-15627  
A numerical simulation of the inviscid flow through a counter-rotating propeller  
[NASA-TM-87200] p 207 N86-16195  
Multivariable control  
[OUEL-1589/85] p 264 N86-17007
- Investigations on efficient numerical method for subsonic lifting surfaces p 209 N86-17285  
Strategies for dynamic modeling of a helicopter structure  
[SNIA-852-210-101] p 228 N86-17350  
Effect of dynamic stall and elastic parameters on the fundamental mechanisms of helicopter vibrations  
[AD-A160022] p 237 N86-17355  
Sound excitation during vortex-airfoil interaction  
[MPIS-MITT-80] p 266 N86-18130  
Microburst wind shear models from the Joint Airport Weather Studies (JAWS)  
[AD-A159758] p 324 N86-18910  
Calculation of ice accretion on cylindrical rods according to Bain's model, and comparison with experimental results - stratus clouds  
[DFVLR-FB-85-46] p 325 N86-18933  
High velocity gas jet noise control p 331 N86-19123  
Interpolation of heights and slopes from a digital terrain elevation model  
[BAE-BT-13198] p 352 N86-20382  
Vibrations and structureborne noise in space station  
[NASA-CR-176520] p 372 N86-20485  
A preliminary note on the development of a three dimensional potential code in Cartesian Coordinates  
[NAL-TM-AE-8504] p 399 N86-21233  
Application of PRA to HEMP vulnerability analysis  
[DE86-001781] p 399 N86-21260  
STEP and STEPSPL: Computer programs for aerodynamic model structure determination and parameter estimation  
[NASA-TM-86410] p 370 N86-21549  
A systems engineering methodology for the advanced tactical aircraft  
[AD-A182049] p 437 N86-23593  
Comparison of quantity versus quality using performance, reliability, and life cycle cost data. A case study of the F-15, F-16, and A-10 aircraft  
[AD-A162238] p 470 N86-24580  
The behaviour and performance of leading edge vortex flaps  
[CAR-8601] p 479 N86-24666  
Simulation problem of controlling lateral movement of aircraft during landing approach p 534 N86-26160  
Proceedings of the Conference on Low Reynolds Number Airfoil Aerodynamics  
[NASA-CR-177308] p 540 N86-26283  
Integrated risk/cost planning models for the US Air Traffic system  
[NASA-CR-177274] p 573 N86-26312  
Math model study of a proposed glide slope for runway 13R, Dallas-Fort Worth Airport, Texas  
[AD-A164907] p 573 N86-26315  
Unsteady aerodynamics application to helicopter noise and vibration sources p 562 N86-27241  
New rotary rig at RAE and experiments on HIRM p 562 N86-27243  
Recent developments in techniques for dynamic simulation for the identification of stability parameters p 562 N86-27246  
Extraction of aerodynamic parameters for aircraft at extreme flight conditions p 563 N86-27246  
Theoretical prediction of wing rocking p 564 N86-27256  
Effects of aerodynamic lags on aircraft responses p 564 N86-27257  
An optimization model for the US Air-Traffic System  
[NASA-CR-177277] p 574 N86-27271  
Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements  
[AD-A165055] p 599 N86-27294  
Laser fringe anemometry for aero engine components  
[NASA-TM-86798] p 629 N86-28053  
Siting criteria for Microwave Landing Systems (MLS)  
[FAA/PM-86/18] p 636 N86-28073  
Computation of the transonic flow about a swept wing in the presence of an engine nacelle  
[NASA-CR-177113] p 630 N86-28911  
Analytical observations on the aerodynamics of a delta wing with leading edge flaps p 630 N86-28913  
A study of the factors affecting boundary layer two-dimensionality in wind tunnels  
[NASA-CR-177023] p 631 N86-28914  
Wake shape and its effects on aerodynamic characteristics  
[NASA-CR-178118] p 631 N86-28918  
Aeroelastic tests of OA 206 and OA 207 profiles  
[ONERA-RT-22/1841-RY-310-R] p 641 N86-28942  
Multivariable control of a forward swept wing aircraft  
[NASA-CR-177112] p 654 N86-28953  
Multi-input, multi-output system control for experimental aircraft  
[NASA-CR-177017] p 654 N86-28955



- An experimental and analytical investigation of isolated rotor flap-lag stability in forward flight  
[NASA-CR-177028] p 654 N86-28957
- Boundary layer model to compute the edge effects in stratified composite plates  
[ONERA-RT-7/3542-RY-041-R] p 678 N86-28279
- A simplified model of the turbulent microburst  
[NASA-CR-177108] p 679 N86-29486
- Interaction of airborne and structureborne noise radiated by plates. Volume 2: Experimental study  
[NASA-TM-87747] p 683 N86-29632
- Vortex sheet modeling with higher order curved panels  
[NASA-CR-176971] p 693 N86-29770
- Experimental and theoretical study of propeller spinner/shank interference  
[NASA-CR-176954] p 694 N86-29773
- Investigations for improving operational reliability and maintainability of instrument landing system components. Volume 1: Text and appendices  
[DOT/FAA/PM-86/7.1-VOL-1] p 704 N86-29801
- Optimal landing of a helicopter in autorotation  
[NASA-CR-177082] p 714 N86-29809
- The method of complex characteristics for design of transonic blade sections  
[NASA-CR-176978] p 696 N86-30691
- The integrated manual and automatic control of complex flight systems  
[NASA-CR-176940] p 729 N86-30737
- Advances in the study of the mechanical behavior of materials  
[AD-A164656] p 735 N86-30838
- A mathematical model of the Sea King Mk.50 helicopter aerodynamics and kinematics  
[ARL-AERO-TM-379] p 808 N86-32425
- MATHEMATICAL PROGRAMMING**  
Optimum design of large structures with multiple constraints  
[AIAA PAPER 86-0952] p 600 A86-38845
- MATRICES (MATHEMATICS)**  
Matrix equations of the spatial flight of an asymmetrical rigid body  
p 365 A86-27446
- Design of direct digital flight-mode control systems for high-performance aircraft using step-response matrices  
p 367 A86-28387
- Aeroelastic tailoring of composite wings with external stores  
[AIAA PAPER 86-1021] p 609 A86-38878
- An adaptive flight control system design for CCV with an unknown interaction matrix  
p 723 A86-43536
- Computation of transfer function matrices  
[NAL-TM-SE-8509] p 399 N86-21232
- A combined integrating and differentiating matrix formulation for boundary value problems on rectangular domains  
[NASA-CR-178074] p 466 N86-23350
- MATRIX MATERIALS**  
Effect of fiber and matrix maximum strain on the energy absorption of composite materials  
p 516 A86-35640
- MATRIX METHODS**  
An algorithm for calculating the coupling between matrices of elastic influence coefficients for two systems of computational points  
p 119 A86-13362
- The automated, advanced matrix FMEA technique — Failure Modes and Effects Analysis  
p 253 A86-22382
- Derivation of jack movement influence coefficients as a basis for selecting wall contours giving reduced levels of interference in flexible walled test sections  
[NASA-CR-177992] p 86 N86-12204
- Linear and nonlinear dynamic analysis of redundant load path bearingless rotor systems  
[NASA-CR-177098] p 682 N86-29579
- Static aeroelastic analysis using aircraft vibration modes  
p 743 N86-30641
- Advances in ground vibration testing using a combination of phase resonance and phase separation methods — aircraft testing  
p 743 N86-30669
- MAXIMUM LIKELIHOOD ESTIMATES**  
Maximum-likelihood estimation of parameters in linear systems from flight test data. A FORTRAN program  
[ESA-TT-896] p 264 N86-16989
- Extraction of aerodynamic parameters for aircraft at extreme flight conditions  
p 563 N86-27248
- A low speed tunnel semi-free dynamic flying study of the high angle of attack pitch derivatives of HF-24 using MLE procedure  
[NAL-TRM-SE-8603] p 782 N86-32393
- MCDONNELL DOUGLAS AIRCRAFT**  
Douglas plans continuing upgrades to maintain MD-80 competitiveness  
p 98 A86-15999
- Designing an airlifter - McDonnell Douglas's C-17  
p 224 A86-21897
- MEAN SQUARE VALUES**  
Performance characteristics of an adaptive controller based on least-mean-square filters  
[AIAA PAPER 86-2160] p 852 A86-47466

MEASURING INSTRUMENTS

- High-temperature thermocouple and heat flux gauge using a unique thin film hardware hot junction  
[ASME PAPER 85-GT-18] p 117 A86-13059
- New methods of measuring strain and temperature in a turbine engine  
p 118 A86-13336
- Information-measurement complexes of flight vehicles — Russian textbook  
p 172 A86-18743
- The measuring and control units of airborne recording systems  
p 297 A86-23763
- Ultrasonic liquid quantity measurement — in oils  
p 360 A86-28478
- Crash response data system for the controlled impact demonstration (CID) of a full-scale transport aircraft  
p 500 A86-37045
- Determination of corrections to flow direction sensor measurements over an angle-of-attack range from 0 degree to 85 degrees  
[NASA-TM-86402] p 187 N86-14267
- An integrated development facility for the calibration of low-energy charged particle flight instrumentation  
[NASA-TM-86526] p 458 N86-22914
- Report on interest expressed in some Australian Defence Establishment products displayed at the 1985 Paris Air Show  
[AD-A160807] p 498 N86-25341
- Calibration of droplet sizing and liquid water content instruments: Survey and analysis  
[NASA-CR-175099] p 611 N86-26596
- An evaluation of the capability of the surface condition analyzer (SCAN) sensors to measure runway water depth  
[AD-A164719] p 611 N86-26803
- Laser fringe anemometry for aero engine components  
[NASA-TM-86798] p 629 N86-28053
- Feasibility of a nuclear gauge for fuel quantity measurement aboard aircraft  
[NASA-TM-87706] p 675 N86-28385
- MECHANICAL DEVICES**  
Design criteria upgrade for US Army Type 2 air traffic control towers  
[AD-A159115] p 94 N86-13314
- The Shock and Vibration Digest, volume 17, no. 8  
[AD-A165115] p 612 N86-27471
- MECHANICAL DRIVES**  
Helicopter drive system bench testing  
p 187 A86-18410
- Pneumatic actuator device  
[AD-D011784] p 99 N86-12217
- Two-hundred to 300 KVA conditioned power system - development, phase 1  
[AD-A158820] p 125 N86-13832
- Fuzzy inference system to diagnose aircraft hydraulic faults  
p 407 N86-22775
- MECHANICAL ENGINEERING**  
Mechanical design and evaluation of a slotted CFRP waveguide antenna  
p 383 A86-27703
- MECHANICAL OSCILLATORS**  
Comparative study of nondestructive pavement testing, WES (Waterways Experiment Station) NDT (nondestructive tests) methodologies  
[AD-A163379] p 610 N86-26480
- MECHANICAL PROPERTIES**  
Role of dispersed oxides in reducing substrate/coating interdiffusion  
p 183 A86-17499
- Recent developments in carbon fibre composite  
p 244 A86-21296
- ARALL - A light weight structural material for impact and fatigue sensitive structures  
p 313 A86-28158
- Properties and potential aerospace applications of E Z 3 CND 13-08 steel. II  
p 374 A86-26338
- Effect of processing and heat treatment on the mechanical properties of Ti-6Al-2Sn-4Zr-6Mo alloy  
p 375 A86-27231
- Properties of diffusion bonded butt joints in Ti-6Al-4V and Ti-4Al-4Mo-2Sn-0.5Si (IMI 550) alloys  
p 375 A86-27260
- EB repair welding of a critical aircraft part made from the nonweldable titanium alloy 3.7184.7 (Ti-4Al-Mo4-Sn2-Si)  
p 382 A86-27278
- New aramid developments for aerospace/aircraft applications  
p 377 A86-27759
- Dispersion strengthened P/M aluminium alloys  
p 451 A86-33223
- Comparison of Al alloys and carbon fiber composite materials in aircraft construction  
[DGLR PAPER 85-136] p 515 A86-35179
- Fabrication of ceramic components for advanced gas turbine engines  
[SAE PAPER 851786] p 606 A86-38310
- Processing study of injection molding of silicon nitride for engine applications  
[SAE PAPER 851787] p 606 A86-38311
- Strength evaluation of helicopter composite bolted joints  
[AIAA PAPER 86-0973] p 608 A86-38853

- Aluminium-lithium alloys III; Proceedings of the Third International Aluminium-Lithium Conference, Oxford University, England, July 8-11, 1985  
p 659 A86-40251
- Production of aluminium-lithium alloy with high specific properties  
p 659 A86-40255
- 'Althalite' alloys - Progress, products and properties  
p 660 A86-40256
- Textures developed in Al-Li-Cu-Mg alloy  
p 660 A86-40291
- Coarsening of delta prime, T1, S prime phases and mechanical properties of two Al-Li-Cu-Mg alloys  
p 660 A86-40303
- Development of properties within high-strength aluminium-lithium alloys  
p 660 A86-40304
- Age hardening behavior of DTD XXXA — high-strength aluminium-lithium alloy (Lital A)  
p 660 A86-40305
- Technical status and future prospects of carbon fibres and their application in composites with polymer matrix (CFRPs)  
p 661 A86-40488
- Structural materials in aeronautics. II - Prospects and perspectives  
p 662 A86-40619
- Characterization of T300/V-378A graphite/bismaleimide for structural applications  
p 662 A86-41053
- Effect of measured material properties on the finite element analysis of an OH-58 composite tail boom  
[NASA-TM-86430] p 116 N86-12259
- The material development, component manufacture, and post-service evaluation of RB211-524 cowl doors utilizing carbon fibre composite materials  
[PNR-90275] p 247 N86-16273
- Impact damage to composite structures  
[AGARD-R-729] p 604 N86-27425
- Direction of R and D and current status of understanding of advanced gear steels  
p 666 N86-29245
- MECHANICS (PHYSICS)**  
SECTAM XII - Proceedings of the Twelfth Southeastern Conference on Theoretical and Applied Mechanics, Pine Mountain, GA, May 10, 11, 1984. Volume 2  
p 455 A86-31259
- MEDICAL SERVICES**  
Airport preparedness for mass disaster - A proposed schematic plan  
p 214 A86-20411
- Tradeoff analysis of technology needs for public service helicopters  
[NASA-CR-3927] p 100 N86-13317
- MELLIN TRANSFORMS**  
Mellin-Fourier correlation  
[AD-A159685] p 330 N86-20006
- MEMBRANE STRUCTURES**  
Aerodynamic characteristics of a flexible membrane wing  
[AIAA PAPER 84-2168] p 410 A86-32959
- MEMORY (COMPUTERS)**  
Imaging connector interconnect system for a parallel fiber optic data bus  
p 385 A86-28340
- The impact of very high performance integrated circuits on avionics system readiness  
p 674 N86-28373
- NASA supercomputer system to become available nationally  
[NASA-NEWS-RELEASE-86-92] p 681 N86-28628
- MENTAL PERFORMANCE**  
Wickens' resource allocation model - Implications for the design of human-machine systems  
p 395 A86-28453
- Evaluation of 16 measures of mental workload using a simulated flight task emphasizing mediational activity  
p 395 A86-28864
- MESOSCALE PHENOMENA**  
Downdraft: Microburst and macroburst  
[PB85-148880] p 191 N86-14826
- METAL BONDING**  
Adhesive selection from the user's viewpoint  
p 841 A86-47715
- METAL COATINGS**  
Process for adhesive bonding of metal skins to aircraft structures  
[SAE PAPER 851805] p 606 A86-38321
- METAL CUTTING**  
A study of optimizing cutting tool performance in high tensile strength materials  
p 668 A86-40527
- METAL FATIGUE**  
Another look at generalized S-N curve shapes  
p 187 A86-18436
- Fatigue properties of Ti-10V-2Fe-0.3Al  
p 375 A86-27274
- The fretting fatigue behaviour of the titanium alloy Ti-6Al-4V  
p 376 A86-27370
- Fretting fatigue testing with a fretting bridge equipment  
Stress analysis, amplitudes of slip, reliability  
p 383 A86-27371
- The strain controlled fatigue behaviour of a near-alpha titanium alloy  
p 378 A86-27383
- High temperature fatigue behavior of IMI 685  
p 376 A86-27385

- Spectrum fatigue crack growth behavior of aluminum alloys p 450 A86-30006
- Fatigue crack propagation from an inclined crack under combined mode loading p 450 A86-30013
- Fatigue behaviour of advanced aluminium alloy lugs of 7475-T761 with and without initial cracks p 450 A86-30030
- Durability and damage-tolerance design and analysis of titanium airframe structures p 454 A86-30091
- Fatigue crack growth in patched plates under constant amplitude and flight simulation loadings p 454 A86-30092
- Some aspects of variability in fatigue crack initiation and propagation in thick aluminium alloy sections p 522 A86-36176
- Fatigue behavior of Ti-6Al-4V powder metallurgy compacts p 603 A86-39617
- A simple crack closure model for predicting fatigue crack growth under flight simulation loading p 737 A86-43796
- Fatigue fracture in landing gear steels p 803 A86-49115
- Crack growth in titanium alloys under the conjoint action of high and low cycle fatigue p 665 A86-29028 [AD-A166429]
- National Transportation Safety Board safety recommendation [NTSB-4357/1] p 699 A86-29792
- METAL HYDRIDES**
- Development in PM HHDH-Ti6Al4V technology for aircraft application — High-quality Hydride Dehydrogenation Process p 375 A86-27224
- Multistage metal hydride compressor [DE86-001965] p 604 A86-27465
- METAL JOINTS**
- Structural analysis of adhesive-bonded joints p 846 A86-47722
- METAL MATRIX COMPOSITES**
- Metals and plastics - State of the art and perspectives [MBB-Z-49-85-OE] p 116 A86-14474
- Some recent research and development of composites in Japan p 377 A86-27765
- ARALL (Aramid Reinforced Aluminium Laminates) - A hybrid composite with a great resistance against fatigue crack propagation [DGLR PAPER 85-137] p 515 A86-35180
- Aeroelastic tailoring of advanced composite compressor blades [AIAA PAPER 86-1008] p 591 A86-38949
- Polymer, metal and ceramic matrix composites for advanced aircraft engine applications [NASA TM 87132] p 117 A86-13407
- METAL OXIDES**
- Igniter electrode life control [AD-D012007] p 441 A86-22577
- METAL PARTICLES**
- X-ray fluorescence analysis of wear metals in used lubricating oils p 673 A86-43430
- METAL PLATES**
- Fracture toughness characterization of light alloys for aeronautical use p 114 A86-12761
- Strength profile in Al-Li plate material p 374 A86-27198
- Fatigue crack growth in patched plates under constant amplitude and flight simulation loadings p 454 A86-30092
- Effect of crack growth rate variations on life predictions [AIAA PAPER 86-0981] p 603 A86-38859
- METAL POWDER**
- Fatigue behavior of Ti-6Al-4V powder metallurgy compacts p 603 A86-39617
- Ultrasonic characterization of microstructure in powder metal alloy p 469 A86-22964
- METAL SHEETS**
- Productibility of aircraft structural parts by superplastic forming and diffusion bonding p 382 A86-27272
- Age hardening behavior of DTD XXXA — high-strength aluminum-lithium alloy (Lital A) p 680 A86-40305
- METAL SPRAYING**
- The future of surface treatments in aeronautical construction [SNIAS-861-551-101] p 665 A86-29037
- METAL SURFACES**
- Electromagnetic interaction of external impulse fields with aircraft p 790 A86-47295
- Residual strength prediction for planed wing tension surfaces [AIAA PAPER 86-0941] p 849 A86-49572
- METAL WORKING**
- Laser metalworking technology transfer [AD-A165808] p 664 A86-28168
- METAL-METAL BONDING**
- Lightning protection guidelines and test data for adhesively bonded aircraft structures [NASA-CR-3782] p 436 A86-23586
- METALLOGRAPHY**
- Japan report: Science and technology [JPRS-JST-86-007] p 460 A86-23773
- METALLURGY**
- Ingot metallurgy aluminum - Lithium alloys for aircraft structure [AIAA PAPER 86-0890] p 603 A86-38822
- Aluminum-lithium alloys III; Proceedings of the Third International Aluminum-Lithium Conference, Oxford University, England, July 8-11, 1985 p 659 A86-40251
- New alloys from the quantum engineer p 663 A86-42424
- METALS**
- Repeatability of mixed-mode adhesive debonding p 249 A86-20638
- National SAMPE Technical Conference, 17th, Kiamasha Lake, NY, October 22-24, 1985, Proceedings p 244 A86-21701
- Conference on Steels and Special Alloys in Aeronautics, 11th, Le Bourget, France, June 6, 1985, Proceedings p 372 A86-26326
- The certification of airframes and components in metals and composites p 737 A86-43798
- Plastic or metal - The judgement factors — for selecting aircraft construction material p 762 A86-49037
- Japan report: Science and technology [JPRS-JST-86-007] p 460 A86-23773
- Materials technology for electrical appliances: Magnetic and electrical properties of metals and alloys [PB86-184314] p 665 A86-28186
- Development of a portable wear metal analyzer for field use [AD-A168013] p 622 A86-28906
- METEOROLOGICAL FLIGHT**
- Aircraft flow effects on cloud drop images and concentrations measured by the NAE Twin Otter p 322 A86-23289
- Deduction of vertical motion in the atmosphere from aircraft measurements p 323 A86-23292
- Progress in the analysis of atmospheric turbulence [ONERA, TP NO. 1985-164] p 323 A86-24631
- High altitude unmanned aircraft for meteorological applications - HIMET p 575 A86-37329
- Installation of a bleed air heated radome/air motion sensing system on a Beech King Air 200 aircraft [SAE PAPER 851811] p 589 A86-38322
- Sampling of solid particles in clouds p 668 A86-40720
- A system for introducing mutual corrections into the airborne temperature and air-speed meters p 738 A86-45208
- The accuracy of air-temperature and flight-altitude measurements aboard meteorological aircraft p 718 A86-45209
- Field observations of aircraft charging in convective clouds p 783 A86-47332
- Relative accuracy of ALPEX aircraft data: An evaluation of the ALPEX intercomparison flight with the NCAR (National Center for Atmospheric Research) Electra, the NOAA (National Oceanic and Atmospheric Administration) P3 and the DFVLR (Deutsche Forschungs- und Versuchsanstalt fuer Luft-und Raumfahrt) Falcon [PB86-100823] p 394 A86-22067
- Processing and meteorological evaluation of research flights with DFVLR motor gliders using the software package RAMF [DFVLR-FB-85-57] p 678 A86-28588
- User's manual for the Falcon system — Falcon research aircraft [ESA-TT-936] p 808 A86-31579
- METEOROLOGICAL INSTRUMENTS**
- Cloud particle effects on laminar flow in the NASA LEFT program - Preliminary results — Leading Edge Flight Test [AIAA PAPER 86-9811] p 432 A86-32138
- Tomorrow's weather - New accuracy in forecasting p 462 A86-32450
- An upward looking airborne millimeter wave radiometer for atmospheric water vapor sounding and rain detection p 718 A86-46676
- METEOROLOGICAL PARAMETERS**
- Meteorological factors in selected aircraft accident investigations [AIAA PAPER 86-0324] p 213 A86-19814
- Verification and application of the icing scaling equations [AIAA PAPER 86-0481] p 343 A86-26640
- An intercomparison of turbulence data obtained by two aircraft during KonTur p 528 A86-38308
- The crash of C-GTIA - The cumulative effects of small defects and a hint of a previously unrecognized major meteorological hazard p 567 A86-37489
- Aircraft measurements and coordination in FASINEX [AD-A160789] p 321 A86-18699
- Giebelstadt in Germany (West). Limited surface observations climatic summary (LISOCs): Parts A, C-F [AD-A158664] p 324 A86-18902
- Catalog of air weather service technical documents [AD-A158681] p 324 A86-18912
- Relative accuracy of ALPEX aircraft data: An evaluation of the ALPEX intercomparison flight with the NCAR (National Center for Atmospheric Research) Electra, the NOAA (National Oceanic and Atmospheric Administration) P3 and the DFVLR (Deutsche Forschungs- und Versuchsanstalt fuer Luft-und Raumfahrt) Falcon [PB86-100823] p 394 A86-22067
- METEOROLOGICAL RADAR**
- Evaluation of meteorological airborne Doppler radar. I - Dual-Doppler analyses of air motions. II - Triple-Doppler analyses of air motions p 103 A86-14223
- Detection and recognition of hazardous weather conditions by primary surveillance radar p 457 A86-32614
- Parameters of a dedicated weather radar for terminal air navigation, traffic control and safety p 423 A86-32616
- The FAA/M.I.T. Lincoln Laboratory Doppler Weather Radar program p 614 A86-37481
- An aviation composite hazards product — for meteorological radar observations p 588 A86-37489
- The Stapleton microburst advisory service project: An operational viewpoint [AD-A161543] p 394 A86-21078
- Weather radar studies [AD-A161822] p 394 A86-22061
- Aviation weather hazards: FAA (Federal Aviation Administration) system for disseminating severe weather warnings to pilots [PB86-195070] p 702 A86-30707
- METEOROLOGICAL RESEARCH AIRCRAFT**
- An intercomparison of turbulence data obtained by two aircraft during KonTur p 528 A86-38308
- Theoretical and experimental investigations of flow vector measurements with angle-of-attack and sideslip sensors on DFVLR meteorological research aircraft [DFVLR-FB-85-50] p 358 A86-21541
- The icing research aircraft DO28, D-IFMP of DFVLR, and its measuring equipment [DFVLR-MITT-85-12] p 394 A86-22064
- Relative accuracy of ALPEX aircraft data: An evaluation of the ALPEX intercomparison flight with the NCAR (National Center for Atmospheric Research) Electra, the NOAA (National Oceanic and Atmospheric Administration) P3 and the DFVLR (Deutsche Forschungs- und Versuchsanstalt fuer Luft-und Raumfahrt) Falcon [PB86-100823] p 394 A86-22067
- METEOROLOGICAL SATELLITES**
- Introduction to operational ASDAR system p 125 A86-12915
- METEOROLOGICAL SERVICES**
- Forecasting for civil aviation. I p 393 A86-28902
- Precision IMC approaches to heliports using collocated MLS — Instrument Meteorological Conditions p 485 A86-35610
- International Conference on the Aviation Weather System, 2nd, Universite du Quebec, Montreal, Canada, June 19-21, 1985, Preprints p 613 A86-37451
- The safety and economic impact of improved aviation weather services p 613 A86-37454
- NMC plans for improved aviation guidance — using numerical weather prediction p 613 A86-37456
- The Federal Aviation Administration future aviation weather system p 613 A86-37458
- The FAA Automated Weather Observing System (AWOS) p 613 A86-37459
- Automation of surface observations program — for improvement of meteorological services p 614 A86-37480
- The center and central flow weather service unit program p 614 A86-37482
- The classify, locate, and avoid wind shear (CLAWS) project at Denver's Stapleton International Airport - Operational testing of terminal weather hazard warnings with an emphasis on microburst wind shear p 615 A86-37495
- Upper air forecasting for aviation in the United States p 615 A86-37501
- The aviation weather forecasting task force - Assessing the current system p 616 A86-37504
- The impact of private meteorology on private aviation p 616 A86-37511
- Taming the killer wind shear p 678 A86-41035
- Forecasting for civil aviation. II p 746 A86-44390
- LLWAS - An integral part of the U.S. wind-shear safety programme p 746 A86-48138
- METEOROLOGY**
- The economics of the North Atlantic air traffic system p 419 A86-31324

**METEOSAT SATELLITE**

Meteosat-derived quantitative measurements on volcanic ash plumes for warning to aviation p 566 A86-37478

**METHANE**

Effect of silane concentration on the supersonic combustion of a silane/methane mixture [AIAA PAPER 86-1396] p 663 A86-42610

**METHOD OF CHARACTERISTICS**

Calculation of supersonic flows around a three-dimensional wing and a waisted body with characteristic method in stream surface coordinates p 206 A86-22319

Calculation of annular nozzle trisonic flowfields by the method of characteristics [AIAA PAPER 86-1519] p 625 A86-42686

**METHODOLOGY**

A methodology for evaluating the operational performance of an aircraft in a tactical environment [AIAA PAPER 86-2095] p 759 A86-47444

Life cycle cost methodology for preliminary design evaluation [ASME PAPER 86-GT-37] p 812 A86-48124

**MICROANALYSIS**

Atom-probe microanalysis of a nickel-base superalloy p 114 A86-12989

**MICROBIOLOGY**

AGARD Corrosion Handbook. Volume 1: Corrosion, causes and case histories [AGARD-AG-278-VOL-1] p 248 N86-16374

**MICROBURSTS**

Microbursts - A hazard for aircraft - small, intense thunderstorm outflow p 124 A86-14816  
The classify, locate, and avoid wind shear (CLAWS) project at Denver's Stapleton International Airport - Operational testing of terminal weather hazard warnings with an emphasis on microburst wind shear p 615 A86-37495

Numerical simulation of precipitation induced downbursts p 615 A86-37496  
Taming the killer wind shear p 678 A86-41035  
LLWAS - An integral part of the U.S. wind-shear safety programme p 746 A86-46138  
Optimal control laws for microburst encounter p 834 A86-49070

Development and evaluation of a microburst test apparatus for use as a minimum destructive test for parachute material [AD-A158110] p 123 N86-12620

Downburst: Microburst and microburst [PB85-148880] p 191 N86-14826

Microburst wind shear models from the Joint Airport Weather Studies (JAWS) [AD-A159758] p 324 N86-18910

A simplified model of the turbulent microburst [NASA-CR-177108] p 679 N86-29466

**MICROCOMPUTERS**

A VME bus microcomputer system for experiment control and analysis on board an aircraft p 297 A86-23313

The study of adaptive control augmentation system implemented with microcomputer - aircraft flight p 306 A86-24577

The development of microcomputer codes for studying the flight dynamics and performance of helicopters p 366 A86-27660

The use of microcomputers in inertial navigation systems with strapdown sensors and for measurement systems of average accuracy - German thesis p 347 A86-27849

Microcomputers and aviation - Book p 567 A86-37625

A minimum route time (MRT) program for microcomputers p 572 A86-39561

From mainframe to micro - Structures and flutter testing at the Air Force Flight Test Center p 838 A86-47791

Computer graphics applications to crew displays p 128 N86-14104

Digital servocontroller system. Volume 2. Maintenance manual [AD-A159066] p 179 N86-15322

Catalog of air weather service technical documents [AD-A159881] p 324 N86-18912

Programmable hand calculators in aviation sport p 465 N86-23309

A microcomputer pollution model for civilian airports and Air Force bases [AD-A163232] p 616 N86-26714

**MICROELECTRONICS**

West Europe report: Science and technology [JPRS-WST-85-031] p 123 N86-13618

West Europe report: Science and technology [JPRS-WST-85-024] p 189 N86-15447

The future of bipolar technology for avionics p 674 N86-28341

**MICROPHONES**

A new application of adaptive noise cancellation - in acoustic barriers p 262 A86-22626

**Improving intelligibility in audio distribution systems**

p 395 A86-28513

Report of noise measurements with 2 different microphone dispositions on airplane type Cessna F 172L [VTH-M-510] p 332 N86-19143

An experimental appraisal of the use of ground-plane microphones for aircraft noise measurement - certification tests [NPL-AC-104] p 401 N86-22302

Microphone probe tests in the S3CH wind tunnel for transonic propeller measurements in S1MA [ONERA-RT-19/3463-AYP] p 841 N86-32451

**MICROPROCESSORS**

Hardware integrity - description of new 32-bit microprocessor architecture for increased air safety p 126 A86-13049

A microprocessor-based digital voice network p 118 A86-13221

A microprocessor sequencer for the advanced Navy ejection seat p 218 A86-19331

Computer controlled operation of reconnaissance cameras p 229 A86-19587

Comparison of performance characteristics of DDC algorithms implemented on a microprocessor - Direct Digital Control p 263 A86-20518

Mach number immune microprocessor controlled sequencer for open ejection seats using on-board environmental sensors p 793 A86-47743

China report: Science and technology [JPRS-CST-85-029] p 122 N86-12446

An apparatus for and a method of determining compass headings [AD-D012051] p 425 N86-23584

Real-time flight test PCM data acquisition monitor [AD-A184035] p 524 N86-24897

Properties, applications, future of European gyro sensors p 676 N86-29082

**MICROSTRUCTURE**

Atom-probe microanalysis of a nickel-base superalloy p 114 A86-12989

Cast aluminum fatigue property/microstructure relationships p 244 A86-21707

Fatigue-crack propagation through titanium welds p 375 A86-27264

High temperature fatigue behavior of IMI 685 p 376 A86-27385

Some characteristics of structure formation in forged semifinished products of V93pch aluminum alloy p 522 A86-35999

Age hardening behavior of DTD XXXA - high-strength aluminum-lithium alloy (Lital A) p 660 A86-40305

Deformation and fracture in Al-Li base alloys p 661 A86-40312

Ultrasonic characterization of microstructure in powder metal alloy p 469 N86-22964

**MICROWAVE COUPLING**

Antenna siting on helicopters p 282 A86-26133

Aircraft coupling model evaluations at SHF/EHF p 346 A86-27128

**MICROWAVE EQUIPMENT**

First tests of an onboard MLS receiver p 484 A86-33968

Selenia's contribution to the development of systems support: Microwave Automatic Test Equipment (ATE) - combat aircraft p 407 N86-22540

**MICROWAVE IMAGERY**

Measurements of ocean wave spectra and modulation transfer function with the airborne two-frequency scatterometer p 393 A86-28618

**MICROWAVE LANDING SYSTEMS**

The Microwave Landing System (MLS) p 160 A86-18723

Microwave Landing System (MLS) p 346 A86-26444

Flight tests of MLS elevation guidance p 348 A86-27899

Microwave Landing System p 349 A86-28358

First tests of an onboard MLS receiver p 484 A86-33968

Precision IMC approaches to heliports using collocated MLS - Instrument Meteorological Conditions p 485 A86-35610

MLS - The pilot's point of view p 572 A86-39557

DME/P - A necessary MLS component for the future p 703 A86-46140

Use of flight simulation to develop terminal instrument procedures for transport category aircraft [AIAA PAPER 86-2072] p 837 A86-47662

Flight simulation of MLS interception procedures applicable to laterally segmented approach paths [AIAA PAPER 86-2073] p 837 A86-47663

Analysis and simulation of the MLS landing signal - Echo separation - French thesis p 788 A86-48564

Test and flight evaluation of precision distance measuring equipment p 788 A86-49017

A fault tolerant system for an integrated avionics sensor configuration p 160 N86-15278

[NASA-CR-3834] p 160 N86-15278

FINDS: A fault inferring nonlinear detection system programmers manual, version 3.0 p 231 N86-16212

[NASA-CR-177866] p 231 N86-16212

Signal processing in the airborne receiver of the interscan microwave landing system p 282 N86-19303

Performance of a commercial transport under typical MLS noise environment p 352 N86-20384

[NASA-CR-178032] p 352 N86-20384

Computed centerline MLS (Microwave Landing System) approach demonstration at Washington National Airport [AD-A163722] p 486 N86-24681

Guidance studies for curved, descending approaches using the Microwave Landing System (MLS) [NASA-CR-178030] p 486 N86-25335

Microwave Landing System (MLS) station interface control report p 540 N86-27178

[DOT/FAA/PM-86/17] p 540 N86-27178

Technical support of the Wall Street/Battery Park city heliport MLS (Microwave Landing System) project [AD-A165073] p 575 N86-27273

Siting criteria for Microwave Landing Systems (MLS) [FAA/PM-86/18] p 636 N86-28073

Implementation and flight tests for the Digital Integrated Automatic Landing System (DIALS). Part 2: Complete set of flight data p 653 N86-28093

[NASA-TM-87632-PT-2] p 653 N86-28093

Design considerations for flight test of a fault inferring nonlinear detection system algorithm for avionics sensors p 637 N86-28933

[NASA-TM-88998] p 637 N86-28933

Implementation and flight tests for the Digital Integrated Automatic Landing System (DIALS). Part 1: Flight software equations, flight test description and selected flight test data p 653 N86-28950

[NASA-TM-87632-PT-1] p 653 N86-28950

Engineering performance evaluation of small community airport microwave landing system (TI-model) at Philadelphia International Airport Runway 17 [FAA/PM-86/24] p 704 N86-29802

The concept of almost-parallel IFR (Instrument Flight Rules) approaches to parallel runways [AD-A168485] p 704 N86-29804

Will the USAF need ground-based air traffic control radar in the year 2000? [AD-A166504] p 704 N86-29805

Hardware performance analysis of the basic narrow Microwave Landing System (MLS) at Washington National Airport (DCA) in the Service Test and Evaluation Program (STEP) p 705 N86-30715

[AD-A166916] p 705 N86-30715

Evaluation of alternatives for an Army precision landing system [AD-A167780] p 789 N86-31554

**MICROWAVE RADIOMETERS**

An airborne multiple-beam 1.4 GHz pushbroom microwave radiometer p 498 A86-33583

High resolution millimeter-wave imaging sensor p 498 A86-33590

An upward looking airborne millimeter wave radiometer for atmospheric water vapor sounding and rain detection p 718 A86-46676

**MICROWAVE RESONANCE**

Measurements of ocean wave spectra and modulation transfer function with the airborne two-frequency scatterometer p 393 A86-28618

**MICROWAVE SPECTROMETERS**

Method to detect ethylene glycol in gaseous mixtures [AD-A158109] p 116 N86-12272

**MICROWAVE TRANSMISSION**

Considerations on the influence of positioning on the quality of GP ILS information p 421 A86-31007

**MIDAIR COLLISIONS**

Aircraft accident report: Midair collision of Wings West Airlines Beech C-99 (N666U) and Aesthetec Inc., Rockwell Commander (N112SM), near San Luis Obispo, California, August 24, 1984 [NTSB/AAR-85/07] p 214 N86-16207

Air safety: Federal Aviation Administration's role in developing mid-air collision avoidance back-up systems [PB86-197506] p 787 N86-32418

**MILITARY AIR FACILITIES**

Support effectiveness evaluation model - for military air facilities in sortie generation p 263 A86-22398

Trends in the design of airfield radars p 421 A86-31008

A graphic terminal for air traffic control of Canadian military airports p 703 A86-44399

Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements [AD-A165055] p 599 N86-27294

**MILITARY AIRCRAFT**

Powered-lift technology on the threshold p 96 A86-14245

Evaluation of a method for analyzing the aperture region of two-dimensional external compression inlets [AIAA PAPER 85-3072] p 83 A86-14432

The fundamentals of aircraft combat survivability analysis and design — Book p 97 A86-14498

Counterrotating intershaft seals for advanced engines p 121 A86-14554

A brief history of the first U.S. JATO flight tests of August 1941 [IAF PAPER 85-453] p 131 A86-15913

Stealth p 134 A86-17434

Avionics update 1986 p 170 A86-17524

The US Army aviation flight activity - An overview p 134 A86-18425

U.S. Navy ALSS corporate report 1984 p 261 A86-19309

Controllable ejection seat catapult program p 218 A86-19339

Investigation of aircraft departure susceptibility using a total-G simulator [AIAA PAPER 86-0492] p 238 A86-19903

A high bandwidth signal distribution system for aircraft Stores Management Systems (SMS) p 231 A86-20505

Life cycle cost and availability in military aeronautics p 266 A86-21872

Designing an airlifter - McDonnell Douglas's C-17 p 224 A86-21887

Is there life after 10,000 flight hours? p 254 A86-22402

Automated Electromagnetic Compatibility (EMC) testing of Naval aircraft and integrated avionics p 284 A86-23254

Telemetry system prototype development — for Naval aircraft flight tests p 281 A86-23268

Digital controlled closed loop air cycle development — for military aircraft p 285 A86-23509

[SAE PAPER 851319] Concept flying - A method for deriving unique system requirements p 326 A86-23738

Fat rating concept introduced in the GTX engine p 304 A86-26071

Safety aspects in stores management systems p 299 A86-26132

Plastic media blast best for stripping p 269 A86-26274

Aircraft coupling model evaluations at SHF/EHF p 348 A86-27128

Fiber optic high speed data bus p 385 A86-28338

High speed bus for Pave Pillar applications p 385 A86-28343

A dual channel high speed fiber optics multiplex data bus system p 386 A86-28344

A Modular Stress Management System (MSMS) with worldwide applications p 359 A86-28367

An adaptive UD-factorized Kalman filter for real-time tactical aircraft Track-While-Scan systems p 350 A86-28370

Autonomous landing guidance systems p 350 A86-28385

Auditory signals in military aircraft - Ergonomic principles versus practice p 395 A86-28442

Knowledge engineering for a flight management expert system p 368 A86-28498

Electronic display luminance and grey scale control — for military aircraft p 360 A86-28505

Flying qualities design criteria for highly augmented systems p 369 A86-28509

Factors affecting the design of military aircraft structures in carbon fibre reinforced composites p 449 A86-29972

Soviet aircraft close technology gap p 427 A86-31336

Noise of military aircraft in the range of airports and at low level flights p 468 A86-31961

Evolving 8000 psi hydraulic systems p 487 A86-34196

Application of CFD design technology in development of the JvX engine inlet p 502 A86-35612

Spare parts pricing - Impact on logistics support p 537 A86-35647

RSRA flight development test in the airplane configuration — Rotor Systems Research Aircraft p 493 A86-35653

Sukhoi frogfoot p 495 A86-36333

Stealth comes stealthily p 495 A86-36334

Too little time - Too little money — low cost flight simulation facility [SAE PAPER 851904] p 532 A86-36943

Enhanced mission versatility of the Aquila RPV system p 575 A86-37338

Boeing Robotic Air Vehicle p 576 A86-37339

A technique to evaluate the accessibility of airborne receivers to interfering signals p 572 A86-37555

X-wing - A low disc-loading V/STOL for the Navy [SAE PAPER 851772] p 578 A86-38307

The significance of advanced technology engines on V/STOL systems [SAE PAPER 851882] p 579 A86-38350

The history and development of the repeatable release catapult holdback bar [SAE PAPER 851942] p 581 A86-38375

Advanced lubricants for aircraft turbine engines [SAE PAPER 851834] p 602 A86-38532

Future trends for U.S. Naval aviation propulsion system lubricants [SAE PAPER 851835] p 608 A86-38533

Electrochemical evaluation of corrosivity in turbine engine oils [SAE PAPER 851867] p 602 A86-38534

Operational experience of U.S. Air Force with structural composites [AIAA PAPER 86-0946] p 583 A86-38840

Fuel conservative guidance for shipboard landing of powered-lift STOL aircraft p 572 A86-39048

A new generation T56 turboprop engine p 642 A86-40133

Naces - Today's ultimate seat p 637 A86-40472

Damage tolerance - USAF experience p 736 A86-43784

Generic integrated maintenance diagnostics p 685 A86-44422

DOD overhauls maintenance p 758 A86-45703

Decision aiding for tactical aircraft p 718 A86-46715

Piloting of unmanned air vehicles p 726 A86-46716

Flight test evaluation of techniques to predict longitudinal pilot induced oscillations [AIAA PAPER 86-2253] p 826 A86-47509

The MIL-prime standard for aircraft flying qualities [AIAA PAPER 86-2131] p 828 A86-47677

Sensor selection for the Boeing CREST ejection seat design p 793 A86-47757

Robotic systems concepts for the rapid turnaround of tactical aircraft in a biochemical environment p 761 A86-47763

Impact of higher freeze point fuels on naval aircraft operations [ASME PAPER 86-GT-282] p 843 A86-48285

The British Aerospace Experimental Aircraft Programme and the role of system development cockpits p 801 A86-48996

Going where no man has gone before p 762 A86-49443

Physical distribution system for aircraft external fuel tanks-survey [AD-A158275] p 101 N86-13324

Impact of Reliability/Maintainability (R/M) on logistics costs for USAF aircraft [AD-A162204] p 470 N86-24579

Flight data recorders (FDR) and/or cockpit Voice Recorders (CVR) in the Lockheed Orion P-3C Update 2 [ETN-86-97395] p 811 N86-31581

**MILITARY AVIATION**

Test and evaluation of shale derived jet fuel by the United States Air Force [ASME PAPER 85-IGT-115] p 313 A86-23911

A comparison of digital terrain models and terrain masking algorithms p 350 A86-28391

Expert systems for aviation maintenance [AIAA PAPER 86-1143] p 622 A86-43332

**MILITARY HELICOPTERS**

Impact of flying qualities on mission effectiveness for helicopter air combat p 110 A86-14531

Radio frequency chamber improves LAMPS Mk III testing p 112 A86-15526

Army VTOL research and development - The first century p 75 A86-16096

Tomorrow's fleet - The light helicopter family (LHX) p 98 A86-16097

For agile read active — control of military helicopters p 175 A86-17175

Helicopter wire strike protection system qualification testing p 163 A86-18411

Maintainable demonstration for Army helicopters p 134 A86-18413

Observations on helicopter integrated system testing based on F/A-18 experiences p 134 A86-18417

The role of simulation for the LHX p 164 A86-18421

Simulating the total system, warts and all — automatic target acquisition for LHX helicopter p 164 A86-18422

Testing helicopters for the air-to-air combat role p 164 A86-18424

U.S. Army/Sikorsky ACAP airframe test techniques/methodology p 165 A86-18427

US Army Flight Condition Monitoring p 170 A86-18435

**MILITARY HELICOPTERS**

Use of a Service Life Assessment Program (SLAP) for identifying Service Life Extension Program (SLEP) procedures for fatigue sensitive airframe components p 134 A86-18442

SH-2F airframe fatigue test plan p 165 A86-18444

The application of fatigue damage tolerance concepts to helicopters - The approach proposed by the UK military airworthiness authorities p 165 A86-18447

Analytical methods for LHX mission and task analysis p 157 A86-18452

Tomorrow's cockpit technology in today's modern helicopter p 166 A86-18457

Use of a stored topographic data base in the modern military helicopter p 171 A86-18459

HMD: Global HUD solution p 171 A86-18460

System partitioning to provide for automatic mission and vehicle management p 175 A86-18465

Injury pattern analysis of helicopter wire strike accidents (+Gz load) p 158 A86-18843

Laboratory and flight testing of ballistic protective headgear for rotary wing aircrew p 261 A86-19344

Some thoughts on the vibration testing of helicopter equipment in the UK p 283 A86-23022

One man and 3,000 million operations a second - Preparing for the LHX cockpit p 286 A86-24988

The development of an advanced helicopter research simulator [SAE PAPER 841610] p 310 A86-26029

Comparison of voice types for helicopter voice warning systems [SAE PAPER 841611] p 328 A86-26030

Prediction of auditory masking in helicopter noise p 289 A86-26115

Composites in the development of Agusta helicopters p 320 A86-26121

The project for anti-tank helicopter p 290 A86-26124

Studies of rotorcraft agility and maneuverability p 291 A86-26145

The relationship of ultrafine filtration and oil debris monitoring for helicopter propulsion systems p 305 A86-26154

T700 - A program designed for early maturity and growth potential p 305 A86-26156

Simulation concepts and testing of the tail rotor fly-by-wire system of the A129 helicopter p 292 A86-26165

Development testing of integrated avionics systems using dynamic environment simulation p 330 A86-26186

The development of an advanced helicopter research simulator p 447 A86-29917

Evaluation of the crash environment and injury-causing hazards in U.S. Navy helicopters p 419 A86-32070

The NASA modern technology rotors program [AIAA PAPER 86-9788] p 440 A86-32120

International Helicopter Forum, 15th and International Aerospace Exhibition, Hanover, West Germany, May 20-27, 1984, Reports p 407 A86-33300

The model 530MG - The forerunner to the ultimate light-combat helicopter [SAE PAPER 1677] p 489 A86-35219

Stored terrain data base aided pilotage for helicopters p 499 A86-35606

Application of helicopter air-to-air combat test (AACT) data to current LHX concerns p 491 A86-35627

Survey of crashworthiness achievements on Aerospace helicopters p 493 A86-35642

The field representative 'front line actioner' — helicopter manufacturer field service representative responsibilities p 536 A86-35645

Description and initial flight experiments - Boeing ARTI test bed — Advanced Rotorcraft Technology Integration p 493 A86-35652

The design and development of new crashworthy seats for Navy helicopters p 494 A86-35662

The Hughes integrated approach to helicopter crashworthiness Past, present, and future p 494 A86-35663

Army helicopter crashworthiness - Loading the battlefield dice in our favor p 494 A86-35664

Integrated avionics suite as implemented on the Agusta A-129 p 500 A86-35666

A study of the potential benefits associated with the development of a dedicated helicopter transmission lubricant [SAE PAPER 851832] p 607 A86-38530

Future trends for U.S. Naval aviation propulsion system lubricants [SAE PAPER 851835] p 608 A86-38533

Low airspeed envelope determination of the CH-139 Jet Ranger helicopter p 586 A86-39565

The T800 turbine engine solicitation - A new thrust in streamlining the acquisition process [AIAA PAPER 86-1669] p 684 A86-42782

- U.S. Army requirements for damage tolerance of composite helicopter structure p 706 A86-43785  
 Northrop's surrogate trainer — simulating AH-64A helicopter p 709 A86-44941  
 Aerobatic testing of the BK-117 helicopter p 710 A86-44950  
 LHX targets dollars as well as boogys p 686 A86-45704  
 Soviet attack helicopters p 712 A86-46005  
 Can Europe meet the challenge of LHX? p 797 A86-48370  
 Preliminary airworthiness evaluation of the AH-1S (modernized cobra) with the Hellfire, TOW, and Stinger missiles installed p 294 A86-18322  
 A mission navigation and control system for modern military helicopters p 574 A86-26327  
 Feasibility study for ergonomic analysis and design of future helicopter cockpit systems [NASA-CR-178942] p 714 A86-29811  
 The black box. Silence is silver, speech is golden [ETN-86-97394] p 702 A86-30706
- MILITARY OPERATIONS**  
 Support effectiveness evaluation model — for military air facilities in sortie generation p 263 A86-22398  
 Army 21 - Aviation — strategic and tactical operational concept p 355 A86-26454  
 Operational acceptability of 2.4 kbps speech for tactical communications p 424 A86-32823  
 The C-17: We need it yesterday p 99 A86-12219  
 The F/A-18 Fighter/Attack aircraft program [AD-A159292] p 195 A86-15205  
 Light helicopter family trade-off analysis. Volume 8: Appendices S and T [AD-A158077] p 169 A86-15308  
 An electronic index of articles pertaining to Air Force transportation in the post-World War 2 era, with abstracts of selected articles [AD-A160837] p 281 A86-18308  
 Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987 [AD-A162792] p 402 A86-22443  
 Review and critical analysis: Rolling-element bearings for system life and reliability [NASA-CR-174710] p 525 A86-24991  
 The C-17: An attempt at increased airlift versatility [AD-A164822] p 540 A86-26280
- MILITARY TECHNOLOGY**  
 Altimeters to meet military low level needs p 102 A86-13548  
 Modernizing tactical C3I p 159 A86-18551  
 XB-70 structures and materials advancements p 224 A86-22131  
 Design and development of an inertial power supply unit for carrier-based aircraft p 304 A86-24861  
 Plastic media blast best for stripping p 269 A86-26274  
 S-2 glass fiber - Its role in military applications p 377 A86-27702  
 NAECON 1985; Proceedings of the National Aerospace and Electronics Conference, Dayton, OH, May 20-24, 1985. Volumes 1 & 2 p 348 A86-28326  
 Space-based bistatic radar - Opportunity for future tactical air surveillance p 423 A86-32627  
 A review of aeroelastic research at the flight dynamics laboratory p 433 A86-33242  
 Developing a maintenance concept for future electronic systems [AIAA PAPER 86-1145] p 684 A86-43333  
 New technologies offer quantum leap in future fighter capabilities p 686 A86-45063  
 An all-weather multimode landing system for tactical fighter aircraft [AIAA PAPER 86-2146] p 787 A86-47517  
 Going where no man has gone before p 762 A86-49443  
 Japanese report on China's F-8 fighter p 111 A86-12405  
 Robotic refueling system for tactical and strategic aircraft [AD-D011980] p 358 A86-21540  
 Flammability of aircraft hydraulic fluids: A bibliography [AD-A165463] p 569 A86-26299
- MILITARY VEHICLES**  
 Digital simulation of regulated electrical power supplies for military applications p 669 A86-40775
- MILLIMETER WAVES**  
 Detection of non-moving targets by airborne mm-wave radars p 351 A86-29783
- MILLING (MACHINING)**  
 A study of optimizing cutting tool performance in high tensile strength materials p 668 A86-40527
- MINIATURIZATION**  
 Application of a computer model to electric current perturbation probe design p 669 A86-41576
- MINICOMPUTERS**  
 Error propagation in a digital avionic processor: A simulation-based study [NASA-CR-178501] p 232 A86-17351  
 Real-time flight test PCM data acquisition monitor [AD-A164035] p 524 A86-24897
- MINIMAX TECHNIQUE**  
 Minimax frequency domain optimization of multivariable linear feedback systems p 465 A86-33127
- MIRAGE AIRCRAFT**  
 A case study in fatigue life extension - The main spar of RAAF Mirage IIIO wings p 225 A86-22165
- MIRAGE 3 AIRCRAFT**  
 Canard Mirage on test p 225 A86-22261
- MIRRORS**  
 Analysis of a mirror deck landing aid [AD-A167988] p 789 A86-31556
- MISALIGNMENT**  
 Calculation of misalignment error of multi-joint holes of wing to fuselage p 253 A86-22318  
 The effect of the admissible centering misalignment of a transport aircraft on its mass p 495 A86-35981  
 Generation of spiral bevel gears with zero kinematical errors and computer aided tooth contact analysis [NASA-TM-87273] p 527 A86-25793
- MISSILE CONFIGURATIONS**  
 Aerodynamic characteristics of slender wing-gap-body combinations. II p 275 A86-25240  
 An analysis of elliptic grid generation techniques using an implicit Euler solver [AIAA PAPER 86-1766] p 542 A86-37804  
 Effects of some geometric variations on missile aerodynamic characteristics at supersonic speeds [NASA-TM-87683] p 415 A86-22553  
 Transonic and supersonic wind tunnel tests on schematic missile configurations with two different nose lengths [FFA-TN-1984-62] p 630 A86-28066
- MISSILE CONTROL**  
 Missile guidance based on Kalman filter estimation of target maneuver p 102 A86-12683  
 Low cost thermal control for flight test laser radar [SAE PAPER 851321] p 285 A86-23511  
 Coordinated bank-to-turn autopilot design p 509 A86-35384  
 Comparison of angular and metric guidance laws for tactical missiles p 726 A86-46469  
 Prediction of the aerodynamic characteristics of flight vehicles in large unsteady maneuvers p 834 A86-49048
- MISSILE LAUNCHERS**  
 Preliminary airworthiness evaluation of the AH-1S (modernized cobra) with the Hellfire, TOW, and Stinger missiles installed [AD-A160862] p 294 A86-18322
- MISSILE STRUCTURES**  
 Nondestructive test methods for composite structures p 118 A86-13147
- MISSILE SYSTEMS**  
 Evolution and status of CFD techniques for scramjet applications [AIAA PAPER 86-0160] p 248 A86-19970  
 Thermal scene generators p 522 A86-36805
- MISSILE TESTS**  
 Old fighters - New targets p 225 A86-22262
- MISSILE TRACKING**  
 Airborne telemetry - The advanced range instrumentation aircraft p 92 A86-13225
- MISSILES**  
 Small propulsion engine LOC considerations p 267 A86-22399  
 The parallel-plate and rhombic EMP simulators - A summarizing review p 381 A86-27146  
 Fiscal year 1987 technical objective document [AD-A166659] p 758 A86-31454
- MISSION ADAPTIVE WINGS**  
 Flight control system development and flight test experience with the F-111 mission adaptive wing aircraft [NASA-TM-88265] p 714 A86-29813  
 Mission adaptive wing soars at NASA Facility [P86-10182] p 806 A86-31563
- MISSION PLANNING**  
 Cockpits for 2010 and beyond p 427 A86-31849  
 Decision aiding for tactical aircraft p 718 A86-46715  
 A methodology for evaluating the operational performance of an aircraft in a tactical environment [AIAA PAPER 86-2095] p 759 A86-47444  
 The F/A-18 Fighter/Attack aircraft program [AD-A159292] p 195 A86-15205  
 Aircraft flight performance methods. Revision 2 [AD-A158227] p 169 A86-15310  
 The search for an advanced fighter: A history from the XF-108 to the advanced tactical fighter [AD-A166724] p 687 A86-29764
- MIXERS**  
 Three-dimensional inviscid flow in mixers. I - Mixer analysis using a Cartesian grid p 554 A86-39090  
 Three-dimensional inviscid flow in mixers. II - Analysis of turbulent forced mixers p 692 A86-46316
- MIXING**  
 A detailed numerical model of a supersonic reacting mixing layer [AIAA PAPER 86-1427] p 671 A86-42636  
 Continuous inline blending of antimisting kerosene p 734 A86-30015
- MODAL RESPONSE**  
 A general purpose, multi-stage, component modal synthesis method p 186 A86-18124  
 Recursive instrumental variable algorithms for modal parameter estimation of structural system p 263 A86-22306  
 Linear and nonlinear modal analysis of aeroelastic structural systems p 387 A86-28742  
 Vibration test and identification of modal parameter of aircraft wing model p 605 A86-37406  
 Holographic mode shape investigation of aircraft engine impellers p 672 A86-43105  
 Comparison of modal analysis methods on a light aircraft p 730 A86-44933  
 Structural modification by modal correction p 738 A86-44934  
 New modal identification methods applied to aeronautical structures [ONERA, TP NO. 1986-35] p 713 A86-46177  
 An intelligent amplifier and its application to modal testing — for inflight aircraft testing p 719 A86-47106  
 Determining component loads and stresses with improved system modeling techniques p 740 A86-47122  
 Propeller FOD qualification using modal analysis, artificial birds, and a static impact facility p 731 A86-47127  
 Investigation of multiple input frequency response function estimation techniques for experimental modal analysis p 461 A86-23971  
 NASTRAN supplemental documentation for modal forced vibration analysis of aerodynamically excited turbosystems [NASA-CR-174967] p 675 A86-28463  
 Static aeroelastic analysis using aircraft vibration modes p 743 A86-30641  
 Determination of natural vibration properties of a wing with winglet by experimental mode synthesis technique p 716 A86-30678  
 Modified US Army U-8F ground vibration test [NASA-TM-86741] p 717 A86-30723  
 Flight control synthesis for flexible aircraft using Eigenspace assignment [NASA-CR-178164] p 835 A86-31590
- MODEL REFERENCE ADAPTIVE CONTROL**  
 Performance characteristics of an adaptive controller based on least-mean-square filters [AIAA PAPER 86-2160] p 852 A86-47466  
 Model-following control for an oblique-wing aircraft [AIAA PAPER 86-2244] p 824 A86-47492
- MODELS**  
 The mission oriented terminal area simulation facility [NASA-TM-87621] p 128 A86-13944  
 Prediction of wing aeroelastic effects on aircraft lift and pitching moment characteristics [NASA-TM-87631] p 178 A86-15319  
 Progress in the Lewis Research Center Altitude Wind Tunnel (AWT) Modeling Program [NASA-TM-87194] p 242 A86-16233  
 Extended parametric representation of compressor fans and turbines. Volume 1: CMGEN user's manual [NASA-CR-174645] p 460 A86-23936  
 Extended parametric representation of compressor fans and turbines. Volume 2: Part user's manual (parametric turbine) [NASA-CR-174646] p 461 A86-23937  
 Extended parametric representation of compressor fans and turbines. Volume 3: MODFAN user's manual (parametric modulating flow fan) [NASA-CR-174647] p 461 A86-23938  
 A microcomputer pollution model for civilian airports and Air Force bases [AD-A163232] p 616 A86-26714  
 Identification of linearized equations of motion for the fixed wing configuration of the rotor systems research aircraft [NASA-CR-178977] p 631 A86-28917  
 Experimental classical flutter results of a composite advanced turboprop model [NASA-TM-88792] p 678 A86-29271
- MODULARITY**  
 Modular simulators - A comprehensive unified architecture — for flight training p 371 A86-28458

- Modular simulators - How to make it work — procurement and logistics for flight-weapon system trainer p 371 A86-28459
- Modular simulators - Is a local area network sufficient? — for use in flight simulators p 371 A86-28460
- MODULATION**
- Control methodology for stochastic system characteristics modulation [AIAA PAPER 86-0335] p 262 A86-19821
- Ferromagnetic resonance probe liftoff suppression apparatus [AD-D011913] p 190 A86-15647
- MODULES**
- The RAJPO GPS range equipment family — navigation modules for various military applications p 92 A86-13216
- F-111 escape systems - Today's module technology p 217 A86-19311
- Concept development of a canopy escape module p 784 A86-47759
- Automated systems for the manufacture of Airbus Vertical Stabilizer Spar box in composite materials p 782 A86-49067
- MODULUS OF ELASTICITY**
- The Shock and Vibration Bulletin 55. Part 1: Welcome, keynote address, invited papers, isolation and damping and damping practices [AD-A160263] p 256 A86-16616
- A different approach to designed in passive damping p 256 A86-16627
- MOIRE FRINGES**
- Application of computerized data acquisition and data processing to the surface contouring of large structures p 118 A86-13342
- MOISTURE CONTENT**
- Measurement of preferential moisture ingress in composite wing/spar joints p 116 A86-16100
- Diffusion of water in carbon epoxy composites p 377 A86-27754
- An internal variable assisted formulation of moisture sorption models for polymers and composites p 515 A86-34650
- The combined effects of stress and moisture on the structural integrity of composites p 667 A86-40344
- Effect of moisture on thermal properties of composite materials for aerospace applications p 661 A86-40345
- Results of icing flights in winter 1983/84: Ice accretion thickness in correlation with cloud physical parameters, object and cloud parameters [DFVLR-FB-85-39] p 191 A86-15838
- An assessment of data quality and quantity from airborne cloud physics projects from 1974 through 1984 [DOT/FAA/CT-85/37] p 528 A86-25079
- MOISTURE METERS**
- Ice detector [NASA-CASE-LAR-13403-1] p 483 A86-24673
- MOISTURE RESISTANCE**
- Environmental exposure effects on composite materials for commercial aircraft [NASA-CR-177929] p 314 A86-18449
- MOLDING MATERIALS**
- Arenyl: A soluble mold technology [SNIAS-852-430-111] p 247 A86-16277
- MOLDS**
- Advances in P/M titanium shape technology using the ceramic mold process p 246 A86-21741
- Generation of an electroformed nickel mold for use in manufacturing composite parts [SAE PAPER 850905] p 607 A86-38523
- Application of low temperature curing prepregs and vacuum bag molding techniques to the manufacturing of a composite wing [AIAA PAPER 86-1019] p 609 A86-38876
- Autoclave, compression moulding p 668 A86-40495
- Arenyl: A soluble mold technology [SNIAS-852-430-111] p 247 A86-16277
- Study of composite material curing molds [DGT-26.817] p 248 A86-17486
- MOLECULAR GASES**
- Aerodynamics and molecular gas dynamics — Russian book p 414 A86-33480
- MOLTEN SALTS**
- Influence of molybdenum, tungsten, and cobalt on the corrosion of high-temperature strength nickel alloys in molten salts p 663 A86-41988
- MOMENTS**
- Analysis of dynamic stability derivatives for high angle of attack aircraft p 414 A86-22546
- MOMENTS OF INERTIA**
- An optimization procedure for a redundant wing structure [SAWE PAPER 1684] p 521 A86-35225
- MOMENTUM**
- Numerical and experimental studies of 3-D and unsteady turbulent body/appendage/propeller flows [AD-A157078] p 123 A86-12552
- MOMENTUM THEORY**
- A study on the propulsive force of wings in non-steady motion by the theorem of momentum p 275 A86-25233
- A revision of the actuator disk concept and momentum theory — rotary wing flow [REPT-R-732-D] p 341 A86-20374
- MONITORS**
- Helicopter fatigue monitoring using a single channel recorder p 220 A86-20038
- A study of state of the art computer graphics systems for flight safety monitoring p 329 A86-23264
- Remote aircraft maintenance monitoring using telemetry p 347 A86-27813
- Alerted monitors: Human operators aided by automated detectors [PB85-222750] p 126 A86-13906
- Real-time flight test PCM data acquisition monitor [AD-A164035] p 524 A86-24897
- Development of a takeoff performance monitoring system [NASA-TM-89001] p 835 A86-31591
- MONOCOQUE STRUCTURES**
- Finite element analysis and optimum design of semi-monocoque airframe structures. I - Finite element analysis p 647 A86-48656
- MONOPOLE ANTENNAS**
- Antenna siting on helicopters p 282 A86-26133
- Monopole element at the center of a circular groundplane of arbitrary radius. Volume 1: Theory and results [AD-A166991] p 744 A86-30908
- MONOPROPELLANTS**
- Evaluation of less toxic fuels for aircraft emergency power systems [SAE PAPER 851974] p 601 A86-38384
- MONOPULSE RADAR**
- Advances in secondary surveillance radar systems p 423 A86-32561
- Secondary radar leads - Monopulse points the way p 787 A86-48372
- MONTE CARLO METHOD**
- Recent advances in Monte Carlo turbulence simulation — for aircraft flight simulation p 792 A86-47636
- Investigations of the aircraft landing process using a computerized simulation model based on the Monte Carlo method [DFVLR-FB-85-27] p 167 A86-14269
- An analysis of rig test disc failures [PNR-90276] p 237 A86-16224
- An analytical methodology for predicting repair time distributions of advanced technology aircraft [AD-A167149] p 763 A86-31529
- Investigations in landing process of aircraft by means of the Monte-Carlo method [ESA-TT-951] p 808 A86-31578
- MOORING**
- Calculating method for Z - 9 helicopters mooring load p 799 A86-48668
- MOTION SIMULATION**
- Fast motion simulation p 454 A86-30359
- Software position and velocity limiting for a synergistic six degree-of-freedom motion system — flight simulators p 655 A86-42170
- Flight simulation techniques with emphasis on the generation of high fidelity 6 DOF motion cues p 839 A86-49024
- Motion planning in the presence of moving obstacles [AD-A161374] p 400 A86-22208
- Multivariable control law design for enhanced air combat maneuvering: F-15/STOL (Short Take-Off and Landing) derivative fighter [AD-A164017] p 512 A86-24706
- MOTION SIMULATORS**
- Effects of simulator variations on the fidelity of a UH-60 Black Hawk simulation p 596 A86-37178
- Results of piloted simulation of Grumman Design 698 [SAE PAPER 851846] p 579 A86-38342
- Simulation of a six degrees of freedom flight simulator motion system [UA-00-39] p 241 A86-16230
- Flight simulation motion-base drive algorithms. Part 2: Selecting the system parameters [UTIAS-307] p 618 A86-27929
- MOTOR VEHICLES**
- USSR report: Transportation [JPRS-UTR-85-014] p 270 A86-18284
- An electronic index of articles pertaining to Air Force transportation in the post-World War 2 era, with abstracts of selected articles [AD-A160837] p 281 A86-18308
- USSR report: Transportation [JPRS-UTR-85-015] p 294 A86-18323
- USSR report: Transportation [JPRS-UTR-86-007] p 622 A86-28906
- MIRCA AIRCRAFT**
- Economical in-flight calibration of air data sensors using inertial navigation units as reference p 284 A86-23270
- Flight test techniques used for carriage load measurements at large underfuselage store configurations on Tornado combat A/C [AIAA PAPER 86-9755] p 429 A86-32096
- Tornado avionic flight testing [AIAA PAPER 86-9805] p 431 A86-32134
- Tornado high speed terrain following testing in mountainous terrain and bad weather p 710 A86-44945
- Flight testing of the Tornado Terrain Following Radar System in bad weather p 795 A86-47783
- Rivista Technica Selenia, volume 9, number 3, 1985 — combat aircraft p 407 A86-22537
- The MRCA automatic test system p 407 A86-22538
- Complex systems integrated logistic support: Automatic Test Equipment (ATE) and test oriented languages role — military aircraft support equipment p 407 A86-22539
- Selenia's contribution to the development of systems support: Microwave Automatic Test Equipment (ATE) — combat aircraft p 407 A86-22540
- Implicit activities in the post development phase — test equipment systems, combat aircraft p 407 A86-22542
- Lines of evolution — automatic test equipment, military aircraft p 407 A86-22543
- MTBF**
- Analysis of the F/A-18 Hornet flight control computer field mean time between failure p 231 A86-22386
- Improved reliability of electronic circuits through the use of heat pipes p 386 A86-28479
- MULTIENGINE VEHICLES**
- Extended range operation of twin-engine commercial airplanes [SAE PAPER 851959] p 490 A86-35455
- The STOL performance of a two-engine, USB powered-lift aircraft with cross-shafted fans [SAE PAPER 851839] p 578 A86-38336
- Aircraft accident report: Vieques Air Link, Inc., Britten-Norman BN-21-6 Islander, N589SA, Vieques, Puerto Rico, August 2, 1984 [PB85-901408] p 159 A86-15276
- MULTILAYER INSULATION**
- Development of a reusable, flight-weight cryogenic foam insulation system [AIAA PAPER 86-1189] p 658 A86-40612
- MULTIPATH TRANSMISSION**
- Radio communication between manoeuvring platforms p 456 A86-31921
- MULTIPHASE FLOW**
- Spreading of two-stream supersonic turbulent mixing layers p 546 A86-37901
- MULTIPLEXING**
- Real-time telemetry of complete 1553 data buses p 347 A86-27789
- MULTIPROCESSING (COMPUTERS)**
- High-speed, automatic controller design considerations for integrating array processor, multi-microprocessor, and host computer system architectures p 531 A86-35409
- The application of systolic array processor technology to real-time control p 532 A86-36894
- Remarks on the development of a multiblock three-dimensional Euler code for out of core and multiprocessor calculations p 748 A86-46791
- Fault-free validation of a fault-tolerant multiprocessor: Baseline experiments and workload implementation [NASA-CR-178075] p 466 A86-24277
- Investigation of an advanced fault tolerant integrated avionics system [NASA-CR-176980] p 642 A86-28945
- MULTISENSOR APPLICATIONS**
- Expert systems in the fighter of the 1990s p 405 A86-31848
- Fiber optic sensors for flexure measurement of aircraft structures p 739 A86-46135
- Design considerations for flight test of a fault inferring nonlinear detection system algorithm for avionics sensors [AIAA PAPER 86-2030] p 810 A86-47511
- Design, development and integrate/install an airborne remote instrumentation system (AIREYE) [AD-A166755] p 719 A86-30728
- MULTISPECTRAL BAND SCANNERS**
- Development of an airborne CCD scanner for land and sea applications p 231 A86-21163
- MULTISTATIC RADAR**
- Space-based bistatic radar - Opportunity for future tactical air surveillance p 423 A86-32627



**MULTIVARIATE STATISTICAL ANALYSIS**

- Multivariable control law design for enhanced air combat maneuvering. F-15/STOL (Short Take-Off and Landing) derivative fighter  
[AD-A164017] p 512 N86-24706
- LQG/LTR design of a robust flight controller for the STOL F-15  
[AD-A164111] p 512 N86-24708
- Study of the effects of discretizing quantitative feedback theory analog control system designs  
[AD-A164209] p 533 N86-25174
- Multivariable output control law design for the STOL (Short Takeoff and Landing) F-15 in landing configuration  
[AD-A164516] p 498 N86-25340
- Time domain design of robust controllers for LQG (Linear Quadratic Gaussian); application to large space structures  
[AD-A163635] p 533 N86-26074
- Introduction to robust multivariable control  
[AD-A165891] p 727 N86-29869
- MUSEUMS**
- Air and space flight. Dream and facts  
[MBB-FILM-382] p 198 N86-16188

**N**

**NACELLES**

- Structural bonding with polysulfide adhesive on B-1B aircraft  
p 94 A86-13106
- Boundary-layer development on the afterbody of an engine nacelle  
p 82 A86-13532
- Conformal mapping as an aid in grid generation for complex three-dimensional configurations  
[AIAA PAPER 86-0497] p 203 A86-19908
- Natural laminar flow flight experiments on a turbine engine nacelle fairing  
[AIAA PAPER 86-9756] p 429 A86-32097
- Evaluation of propeller/nacelle interactions in the PTA program  
[AIAA PAPER 86-1552] p 626 A86-42709
- Propan test assessment (PTA) quick engine change (QEC) nacelle  
[AIAA PAPER 86-1626] p 648 A86-42759
- Correlation of theory and experiment for propan inlets  
[AIAA PAPER 86-1628] p 627 A86-42761
- Flight research on natural laminar flow nacelles - A progress report  
[AIAA PAPER 86-1629] p 627 A86-42762
- Selecting the shape of the middle surface of the pylons and the mounting angles of single nacelles under the wing of subsonic aircraft  
p 800 A86-48767
- Determination of the shape of a jet issuing from a cylinder of finite length around which a supersonic stream flows at small angle of attack  
p 770 A86-48825
- Aerodynamic characteristics of a high-wing transport configuration with a over-the-wing nacelle-pylon arrangement  
[NASA-TP-2497] p 207 N86-16193
- Calculation of the external nacelle surface for single and double stream jet engines for civil aircraft  
[VTH-M-445] p 277 N86-18301
- Effect of underwing aft-mounted nacelles on the longitudinal aerodynamic characteristics of a high-wing transport airplane  
[NASA-TP-2447] p 339 N86-20345
- Installation effects of long-duct pylon-mounted nacelles on a twin-jet transport model with swept supercritical wing  
[NASA-TP-2457] p 339 N86-20346
- Integration effects of underwing forward- and rearward-mounted separate-flow, flow-through nacelles on a high-wing transport  
[NASA-TM-87627] p 342 N86-21514
- Computation of the transonic flow about a swept wing in the presence of an engine nacelle  
[NASA-CR-177113] p 630 N86-28911
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 2: Aircraft engine nacelle fire test programs. Part 1: Fire detection, fire extinguishment and surface ignition studies  
[AD-A167356] p 807 N86-31570
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 1: Executive summary  
[AD-A167443] p 807 N86-31571
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 2: Aircraft engine nacelle fire test programs. Part 2: Small scale testing of dry chemical fire extinguishants  
[AD-A167444] p 807 N86-31572
- NAP-OF-THE-EARTH NAVIGATION**
- Impact of flying qualities on mission effectiveness for helicopter air combat  
p 110 A86-14531
- LANTIRN - Turning night into day  
p 103 A86-15599

- Use of a stored topographic data base in the modern military helicopter  
p 171 A86-18459
- Design techniques for improved map-aided navigation  
p 349 A86-28357
- Directional handling qualities requirements for nap-of-the-earth tasks  
p 442 A86-30499
- Directional handling qualities requirements for nap of the earth (NOE) tasks  
p 510 A86-35622
- Tornado high speed terrain following testing in mountainous terrain and bad weather  
p 710 A86-44945
- Rotary-wing aircraft terrain-following/terrain-avoidance system development  
[AIAA PAPER 86-2147] p 823 A86-47456
- Flight testing of the Tornado Terrain Following Radar System in bad weather  
p 795 A86-47783
- A study of the rotor wake in nap-of-the-earth  
p 767 A86-48653
- Applications of digital terrain data in flight operations  
p 573 N86-26324
- A new technique for terrain following/terrain avoidance guidance command generation  
p 574 A86-26325
- Use of a CO2 laser lidar for flight and penetration at very low altitudes  
p 610 N86-26326

**NASA PROGRAMS**

- The role of a real-time flight support facility in flight research programs  
[AIAA PAPER 86-0166] p 241 A86-19727
- Spanwise turbulence effects on aircraft response  
[AIAA PAPER 86-0255] p 200 A86-19774
- Fundamental heat transfer research for gas turbine engines NASA workshop overview  
p 272 A86-24471
- The NASA modern technology rotors program  
[AIAA PAPER 86-9788] p 440 A86-32120
- Current wind tunnel capability and planned improvements at the NASA Langley Research Center  
[AIAA PAPER 86-0727] p 514 A86-37087
- Advanced turboprop aircraft noise annoyance - A review of recent NASA research  
[AIAA PAPER 86-1959] p 752 A86-45444
- NASA B737 flight test results of the Total Energy Control System  
[AIAA PAPER 86-2143] p 826 A86-47516
- NASA's aircraft icing analysis program  
p 786 A86-49107
- Topics in landing gear dynamics research at NASA Langley  
p 803 A86-49120
- Laminar flow research applicable to subsonic aircraft  
p 781 A86-50269
- NASA LeRC/Akron University Graduate Cooperative Fellowship Program and Graduate Student Researchers Program  
[NASA-CR-174826] p 130 N86-13219
- NASA's Aircraft Icing Analysis Program  
[NASA-TM-88791] p 786 N86-31548

**NASTRAN**

- A general purpose, multi-stage, component modal synthesis method  
p 186 A86-18124
- Fourteenth NASTRAN Users' Colloquium  
[NASA-CP-2419] p 527 N86-25823
- Dynamic and aeroelastic analyses of turbosystems in NASTRAN  
p 527 N86-25826
- Experiences with NASTRAN in a multidisciplinary optimization environment  
p 527 N86-25831
- Flutter analysis of low aspect ratio wings  
p 527 N86-25838
- KRASH85 user's guide: Input/output format  
[DOT/FAA/CT-85/10-REV] p 618 N86-27926
- NASTRAN supplemental documentation for modal forced vibration analysis of aerodynamically excited turbosystems  
[NASA-CR-174967] p 675 N86-28463

**NATIONAL AIRSPACE SYSTEM**

- FAA Air Traffic Control program management technology applications  
p 424 A86-32925
- The Federal Aviation Administration future aviation weather system  
p 613 A86-37458
- National airspace system, system requirements specification  
[AD-A157944] p 94 N86-13312

**NATIONAL AIRSPACE UTILIZATION SYSTEM**

- Setting acceptable levels of safety for the National Airspace System  
p 481 A86-33780

**NATIONAL PARKS**

- Aircraft information packet (Grand Canyon National Park, Arizona)  
[PB86-159704] p 540 N86-27179

**NATIONAL SEVERE STORMS PROJECT**

- Use of computer technology in the operations of the national aviation weather advisory unit  
p 615 A86-37500

**NATURAL LANGUAGE (COMPUTERS)**

- Using a menu-based natural language interface to ask spatial database queries  
p 259 A86-20665
- Understanding natural language commands  
p 263 A86-20667

- China report: Science and technology  
[JPRS-CST-86-007] p 435 N86-22570
- NAVIER-STOKES EQUATION**
- A comparative study of the parabolized Navier-Stokes code using various grid-generation techniques  
p 143 A86-17654
- Some recent developments in numerical methods for transonic flows  
p 144 A86-17889
- The computation of steady 3-D separated flows over aerodynamic bodies at incidence and yaw  
[AIAA PAPER 86-0109] p 199 A86-19693
- Three-dimensional body-fitting grid system for a complete aircraft  
[AIAA PAPER 86-0428] p 201 A86-19870
- Practical applications of new LU-ADI scheme for the three-dimensional Navier-Stokes computation of transonic viscous flows  
[AIAA PAPER 86-0513] p 203 A86-19922
- A three-dimensional viscous flow analysis for the helicopter tip vortex generation process about square and round tipped blades  
[AIAA PAPER 86-0560] p 203 A86-19949
- Simulation of diffuser duct flowfields using a three-dimensional Euler/Navier-Stokes algorithm  
[AIAA PAPER 86-0310] p 206 A86-22692
- Solution of the Navier-Stokes equations in a compressible fluid by an implicit method  
[ONERA, TP NO. 1985-148] p 272 A86-24634
- Navier-Stokes solutions using finite volume procedures  
p 274 A86-25005
- Navier-Stokes procedure for simulating two-dimensional and quasi-two-dimensional cascade flow  
p 274 A86-25006
- Euler and Navier-Stokes solutions for flow over a conical delta wing  
p 411 A86-32960
- Implicit, vectorizable schemes for the flux-difference split, three-dimensional Navier-Stokes equations  
p 523 A86-37067
- An implicit flux-difference splitting scheme for three-dimensional, incompressible Navier-Stokes solutions to leading edge vortex flows  
[AIAA PAPER 86-1839] p 546 A86-37847
- Reduced Navier-Stokes (RNS) relaxation procedure for internal flows with interaction  
[SAE PAPER 851790] p 547 A86-38314
- Navier-Stokes computations of lee-side flows over delta wings  
[AIAA PAPER 86-1049] p 548 A86-38420
- Progress in the development of parabolized Navier-Stokes (PNS) methodology for analyzing propulsive jet mixing problems  
[AIAA PAPER 86-1115] p 551 A86-38473
- Computation of two-dimensional transonic cascade flow using a new Navier-Stokes solver  
[AIAA PAPER 86-1381] p 624 A86-42605
- Study of hypersonic inlet flow fields with a three-dimensional Navier-Stokes code  
[AIAA PAPER 86-1426] p 624 A86-42635
- Simulation of engine installation flowfields using a three-dimensional Euler/Navier-Stokes algorithm  
[AIAA PAPER 86-1537] p 671 A86-42699
- Numerical Navier-Stokes solutions of high speed propeller flows  
[AIAA PAPER 86-1538] p 626 A86-42700
- A parallel processing method for solving the unsteady Navier-Stokes equations at high Reynolds numbers  
p 847 A86-48647
- PN/S calculations for a fighter W/F at high-lift yaw conditions - parabolized Navier-Stokes computer code  
[AIAA PAPER 86-1829] p 779 A86-49588
- Navier-Stokes simulation of transonic flow over wing-fuselage combinations  
[AIAA PAPER 86-1831] p 779 A86-49589
- Parabolized Navier-Stokes analysis of three-dimensional supersonic and subsonic jet mixing problems  
p 780 A86-49804
- Implicit hybrid schemes for the flux-difference split, three-dimensional Navier-Stokes equations  
p 850 A86-50258
- Numerical and experimental studies of 3-D and unsteady turbulent body/appendage/propeller flows  
[AD-A157078] p 123 N86-12552
- A method for calculating flow fields around moving bodies  
[NAL-TR-8597] p 88 N86-13288
- Numerical solutions of Navier-Stokes equations for a Butler wing  
[NASA-CR-174202] p 88 N86-13293
- Computational aspects of zonal algorithms for solving the compressible Navier-Stokes equations in three dimensions  
[NASA-TM-86774] p 88 N86-13296
- A fourth-order scheme for the unsteady compressible Navier-Stokes equations  
[NASA-CR-177994] p 147 N86-14221



The state of development research in numerical aerodynamics in West Germany — conference [DGLR-84-01] p 147 N86-14225

Summary report on the working group for conference 1: Solutions of the Navier-Stokes equations p 147 N86-14226

An implicit finite-difference procedure for the numerical solution of unsteady supersonic flow over a blunt body p 148 N86-14229

Solutions of the Navier-Stokes equations for vortical flow p 148 N86-14231

Numerical calculation of leading-edge vortices on a flat delta wing p 148 N86-14232

Calculation of axisymmetric laminar supersonic flows over blunt bodies p 148 N86-14234

Solutions of the Navier-Stokes equations with the finite volume method p 148 N86-14235

A Navier-Stokes procedure for simulation of two-dimensional and quasi two-dimensional grid flows p 149 N86-14236

Procedure for solution of the Navier-Stokes equations at Dornier GmbH p 149 N86-14238

Calculation of separated laminar supersonic flows over blunt bodies of revolution at zero angle of attack [DFVLR-FB-85-30] p 151 N86-14256

Relative advantages of thin-layer Navier-Stokes and interactive boundary-layer procedures [NASA-TM-86778] p 152 N86-15244

Numerical simulation of the leading-edge separation vortex over delta wing p 209 N86-17271

Numerical simulation of unsteady flow around an airfoil by finite difference solution of Navier-Stokes equations p 209 N86-17273

Numerical analysis about flow over an aerofoil with a large angle of attack p 210 N86-17291

Numerical analysis of transonic flow around two-dimensional airfoil by solving Navier-Stokes equations p 210 N86-17292

Analysis of high Reynolds number transonic flow around an airfoil p 210 N86-17293

Computation of 3-dimensional viscous transonic flows using the LU-ADI factored scheme [NAL-TR-889T] p 555 N86-27184

Viscous vortical flow calculations over delta wings p 558 N86-27202

Computation of leading-edge vortex flows p 558 N86-27205

Steady supersonic Navier-Stokes solutions of a 75 deg delta wing p 558 N86-27206

Velocity and turbulence measurements in dynamically stalled boundary layers on an oscillating airfoil p 560 N86-27228

Patched-grid calculations with the Euler and Navier-Stokes equations: Theory and applications [NASA-TM-88228] p 630 N86-28062

Transonic Navier-Stokes wing solution using a zonal approach. Part 1: Solution methodology and code validation [NASA-TM-88248-PT-1] p 692 N86-29765

Pseudo-time algorithms for the Navier-Stokes equations [NASA-CR-178127] p 694 N86-29776

Navier-Stokes computations for circulation controlled airfoils [AIAA-85-1587] p 744 N86-30995

Navier-Stokes computations for exotic airfoils [AIAA-85-0109] p 745 N86-30996

Transonic Navier-Stokes wing solutions using a zonal approach. Part 2: High angle-of-attack simulation [NASA-TM-88248-PT-2] p 782 N86-32392

## NAVIGATION

Horizontal display for vertical flight: A direction of motion experiment [AD-A161113] p 299 N86-19321

Local flow management/profile descent algorithm. Fuel-efficient, time-controlled profiles for the NASA TSRV airplane [NASA-CR-172593] p 636 N86-28074

The application of high-performance integrated circuits for airport fire control radars p 674 N86-28369

Design requirements and development of an airborne descent path definition algorithm for time navigation [NASA-CR-178037] p 641 N86-28939

An investigation of TNAV equipped aircraft in a simulated en route metering environment [NASA-CR-178031] p 641 N86-28940

Operating and support hazard analysis for the self-contained navigation system LSI model 6216A, B and C group A [AD-A166815] p 704 N86-29806

Subsystem hazard analysis for the LSI models 6216A, B and C self-contained navigation system group A [AD-A166816] p 705 N86-29807

## NAVIGATION AIDS

The RAJPO GPS range equipment family — navigation modules for various military applications p 92 A86-13216

Interference with aeronautical aids to navigation (frequencies of 108-118 MHz) by high power FM radio broadcasts (88-108 MHz) p 180 A86-18696

Visually coupled EO system developed for the RAE Sea King XV371 p 299 A86-26130

Institute of Navigation, Annual Meeting, 41st, U.S. Naval Academy, Annapolis, MD, June 25-27, 1985, Proceedings p 346 A86-26501

Avner Electronic Magnetic Compass and low cost navigation system p 358 A86-26504

Commercial aviation GPS Navigation Set flight test results p 346 A86-26507

A new system simultaneously covering en route navigation and landing p 348 A86-27898

Design techniques for improved map-aided navigation p 349 A86-28357

Design considerations for Doppler VOR ground station antenna arrangement p 349 A86-28360

Expert System Pilot Aid p 361 A86-28516

The history of instrument flight p 405 A86-29868

Aerial navigation p 421 A86-31006

Restrictions on the dispositions of navigation aids p 422 A86-31009

Description and initial flight experiments - Boeing ARTI test bed — Advanced Rotorcraft Technology Integration p 493 A86-35652

Integrated navigation, communication, and surveillance systems based on standard distance measuring equipment p 635 A86-40116

VLF radio navigation systems — Russian book p 703 A86-44279

Effect of head-up display dynamics on fighter flying qualities [AIAA PAPER 86-2206] p 792 A86-47485

Avionics system for future civil helicopters [BMFT-FB-W-85-005] p 160 N86-14266

A fault tolerant system for an integrated avionics sensor configuration [NASA-CR-3834] p 160 N86-15278

Search and Rescue (SAR) System developed as part of the contract signed with the Irish Air Corps for the supply of 365 F Dauphin aircraft [SNIA-852-210-105] p 215 N86-17329

Covariance specification for the linear time-invariant output-feedback control systems using a Kalman filter [NAL-TR-882] p 399 N86-21219

Report on interest expressed in some Australian Defence Establishment products displayed at the 1985 Paris Air Show [AD-A160807] p 498 N86-25341

A comparison of voice and keyboard data entry for a helicopter navigation task [AD-A163245] p 610 N86-26501

Properties, applications, future of European gyro sensors p 676 N86-29082

Airborne navigation remote map reader evaluation [AD-A166976] p 719 N86-30729

Simulation evaluation of display/FLIR concepts for low-altitude, terrain-following helicopter operations [NASA-TM-86779] p 789 N86-31551

## NAVIGATION INSTRUMENTS

A structured approach for integration and test of avionics systems p 170 A86-18423

The disturbance of aircraft navigation and communication systems by atmospheric static electricity p 160 A86-18695

Decentralization filtering and redundancy management/failure detection for multisensor integrated navigation systems p 346 A86-26443

Reliability of aircraft navigation p 348 A86-28312

Navigation methodology - An investigation of an inertial navigation system (INS) enhancement p 349 A86-28356

Concept and performance analysis of a strapdown northfinder p 349 A86-28361

LANTIRN flight test - Opening the night window — Low Altitude Navigation and Targeting Infrared System for Night p 361 A86-28842

A laser-inertial airborne surveying system p 438 A86-30315

Instrumentation system for real time navigation system performance assessment [AIAA PAPER 86-9731] p 422 A86-32078

Flight test with a terrain aided navigation system p 571 A86-37334

Flight testing of the navigation and flight control complexes of aircraft and helicopters — Russian book p 708 A86-44283

Simulation of the algorithms of a navigation computer p 748 A86-46369

Construction of a measuring method using fiber optics and an LTN-90 laser gyro strapdown system for BO-195 helicopters [DFVLR-MITT-85-10] p 216 N86-17333

Aircraft avionics suitable for advanced approach applications. Volume 1: Aircraft fleet equipage [DOT/FAA/PM-86/25,1] p 642 N86-28944

Minimum operational performance standards for airborne area navigation equipment using Omega/VLF inputs [RTCA/DO-190] p 705 N86-30711

NAVIGATORS

Flight training simulators. Effects of terrain accuracy on simulated radar image quality [AD-A160905] p 311 N86-18333

NAVSTAR SATELLITES

Civil helicopter flight operations using differential GPS p 346 A86-26509

Commercial applications of the Navstar Global Positioning System p 514 A86-34112

NAVY

X-wing potential for Navy applications p 492 A86-35631

Pacific aerosystems continues development of Heron 26 vehicle p 495 A86-36818

Thermal stability concerns of Navy aviation fuel [ASME PAPER 86-GT-94] p 842 A86-48159

NEAR FIELDS

Velocity measurements in the near field of a rotor blade in hover [AIAA PAPER 85-5013] p 84 A86-14457

Prediction and measurement of near fields for antennas on structures p 318 A86-23403

The near and far acoustic fields of broadband shock associated noise [AIAA PAPER 86-1943] p 751 A86-45430

Aircraft Noise Prediction Program theoretical manual: Propeller aerodynamics and noise [NASA-TM-83199-PT-3] p 536 N86-25220

Experimental study using nearfield acoustic holography of sound transmission through fuselage sidewall structures [NASA-CR-177162] p 683 N86-28702

Noise predictions of a high bypass turbofan engine using the Lockheed Near-Field Noise Prediction Program [NASA-CR-178146] p 756 N86-30489

NEAR WAKES

L.D.A. measurements in the turbulent near-wake of blunt bodies p 139 A86-16371

Experimental analysis of tip vortex by laser Doppler anemometry p 140 A86-16387

Flow structure of lateral wing-tip blowing [AIAA PAPER 86-1810] p 544 A86-37831

Vortices and pressure waves at trailing edges [ISL-CO-224/84] p 153 N86-15252

Recent developments in three-dimensional wake analysis p 156 N86-15273

NETHERLANDS

Aeroacoustic research in the Netherlands related to aircraft development [NLR-MP-84049-U] p 265 N86-17081

Noise assessment around Schiphol airport (the Netherlands) in 1981 [NLR-TR-82034-U] p 260 N86-17915

NETS

Passive arm retention curtain [AD-D011876] p 91 N86-13307

NETWORK ANALYSIS

Integrated risk/cost planning models for the US Air Traffic system [NASA-CR-177274] p 573 N86-26312

NETWORK SYNTHESIS

Synthesis of system responses - A nonlinear multivariable control design approach — for engine control p 501 A86-35412

Multi-input multi-output automatic design synthesis for performance and robustness p 618 A86-39034

Frequency and time domain designs of a strapdown vertical determination system [AIAA PAPER 86-2148] p 810 A86-47457

NEUROLOGY

Criteria for a state-of-the-art vision test system [AD-A157099] p 126 N86-12973

NEWTON-RAPHSON METHOD

Frequency-domain application of Gauss-Newton method to extract aircraft longitudinal parameters p 442 A86-31125

NICKEL

Generation of an electroformed nickel mold for use in manufacturing composite parts [SAE PAPER 850905] p 607 A86-38523

NICKEL ALLOYS

Atom-probe microanalysis of a nickel-base superalloy p 114 A86-12989

Thermal barrier coatings for jet engine improvement p 183 A86-16278

- High strength nickel-palladium-chromium brazing alloys p 244 A86-20579
- Na2SO4 induced corrosion of nickel at high temperature p 517 A86-37073
- Influence of molybdenum, tungsten, and cobalt on the corrosion of high-temperature strength nickel alloys in molten salts p 663 A86-41988
- New vistas in the determination of hydrogen in aerospace engine metal alloys [AIAA PAPER 86-1479] p 663 A86-42665
- Fracture mechanics and LCF-properties of engine discs of Ti 6Al-4V, Inconel 718 and Udimet 700 P/M-HIP p 507 N86-25378
- Advances in the study of the mechanical behavior of materials [AD-A164656] p 735 N86-30838
- NIGHT**
- The relative effect of noise at different times of day: An analysis of existing survey data [NASA-CR-3965] p 469 N86-24392
- NIGHT FLIGHTS (AIRCRAFT)**
- LANTIRN - Turning night into day p 103 A86-15599
- HMD: Global HUD solution p 171 A86-18460
- Visually coupled EO system developed for the RAE Sea King XV371 p 299 A86-26130
- LANTIRN flight test - Opening the night window - Low Altitude Navigation and Targeting Infrared System for Night p 361 A86-26842
- Guidance-Control-Navigation Automation for Night All-Weather Tactical Operations [AGARD-CP-387] p 573 N86-26316
- The wide field helmet mounted display p 589 N86-26322
- Night vision by NVG with FLIR p 619 N86-26811
- NIGHT VISION**
- HMD: Global HUD solution p 171 A86-18460
- Hughes helicopters AH-64A electroluminescent lighting p 171 A86-18463
- Aircraft lighting systems p 491 A86-35607
- Applications of thermal imager devices incl. modelling aspects [MBB-UD-462-85-OE] p 850 A86-50254
- FLIR, NVG and HMS/D systems for helicopter operation: Review p 619 N86-26804
- Night vision by NVG with FLIR p 619 N86-26811
- NITROGEN**
- The use of a pyrochemiluminescent nitrogen analyzer as a capillary GC (Gas Chromatography) detector [AD-A166597] p 735 N86-30821
- NITROGEN OXIDES**
- Premixing gas and air to reduce NOx emissions with existing proven gas turbine combustion chambers [ASME PAPER 86-GT-157] p 814 A86-48211
- A study on NOx emissions from gas turbine combustor [ASME PAPER 86-GT-168] p 814 A86-48220
- NODES (STANDING WAVES)**
- A method for arranging nodes along the lines of a computational grid during the numerical solution of problems in mathematical physics p 127 A86-13409
- NOISE (SOUND)**
- Preliminary measurement of the noise from the 2/9 scale model of the Large-scale Advanced Propfan (LAP) propeller, SR-7A [NASA-TM-87116] p 129 N86-14006
- B-52G crew noise exposure study [AD-A161112] p 333 N86-20094
- Helicopter rotor noise due to ingestion of atmospheric turbulence [NASA-CR-3973] p 535 N86-25216
- An estimate of the enroute noise of an advanced turboprop airplane NASA-TM-87302 E-3020 NAS 1.15:87302 HC A02/MF A01 p 535 N86-25217
- Experimental study of the effects of installation on singleand counter-rotation propeller noise [NASA-TP-2541] p 536 N86-26162
- A modification of the H-133 ground communications headset for use in intense noise environments. [AD-A166981] p 744 N86-30907
- NOISE GENERATORS**
- A linearized theory for swirling supersonic jets and its application to shock-cell noise p 186 A86-17137
- Noise generated by a stretching vortex p 193 A86-18689
- Airfoil tip vortex formation noise p 331 A86-23134
- Experimental results of the noise radiation of propellers in non-uniform flows [AIAA PAPER 86-1928] p 751 A86-45419
- Use of acoustic intensity measurements in the characterization of jet noise sources p 855 A86-48740
- Measurement and extraction of recurring waveforms: For applications to active transmissions, flow-noise, and helicopter-radiated noise problems [AD-A167400] p 856 N86-32249

**NOISE INTENSITY**

- Noise levels in cockpits of aircraft during normal cruise and considerations of auditory risk p 326 A86-25651
- Comparison of different aircraft noise exposure indices in flight corridors near airports p 468 A86-31964
- Pusher propeller noise directivity and trends [AIAA PAPER 86-1929] p 751 A86-45420
- Airport-Noise Levels and Annoyance Model (ALAMO) user's guide [NASA-TM-87695] p 401 N86-22304
- Airport-Noise Levels and Annoyance Model (ALAMO) system's reference manual [NASA-TM-87694] p 401 N86-22305
- An evaluation of study design for estimating a time-of-day noise weighting [NASA-CR-178062] p 401 N86-22306
- An estimate of the enroute noise of an advanced turboprop airplane NASA-TM-87302 E-3020 NAS 1.15:87302 HC A02/MF A01 [NASA-TM-87302] p 535 N86-25217
- Advisory Circular: Estimated airplane noise levels in A-weighted decibels [AC-36-3D] p 620 N86-27969
- NOISE MEASUREMENT**
- Tone excited jets. IV - Acoustic measurements p 193 A86-16469
- Evaluation of a correction for sound propagation through free-jet shear layers p 193 A86-17783
- Acoustic recognition of aircraft types in flight p 193 A86-18121
- The effect of acoustic reflections on combustor noise measurements p 265 A86-20364
- Prediction of auditory masking in helicopter noise p 289 A86-26115
- Noise of the general aviation airplanes influence on environment of the airclub, airfields and on crews p 461 A86-31955
- Aircraft noise - Different ways to monitor the noise load p 467 A86-31959
- Characteristics of back-radiated departure noise at San Francisco International Airport p 467 A86-31960
- FAA/HAI helicopter flight operations noise tests and initial results p 535 A86-35619
- Advanced turboprop aircraft noise annoyance - A review of recent NASA research [AIAA PAPER 86-1959] p 752 A86-45444
- Aircraft noise measurement - Alternatives to the standard 1-2 metres microphone height [AIAA PAPER 86-1960] p 752 A86-45445
- A study of the rotor/rotor interaction tones from a contra-rotating propeller driven aircraft [AIAA PAPER 86-1894] p 756 A86-45505
- Effect of a wind tunnel on the acoustic field from various aeroacoustic sources [AIAA PAPER 86-1897] p 756 A86-45507
- Measurements and computer modelling of engine exhaust noise in the cabin of single-engine aircraft p 798 A86-48594
- Comparison of advanced turboprop and conventional jet and propeller aircraft flyover noise annoyance: Preliminary results [NASA-TM-87637] p 265 N86-17077
- Helicopter internal noise treatment. Recent methodologies and practical applications [SNIAS-852-210-102] p 266 N86-18133
- Report of noise measurements with 2 different microphone dispositions on airplane type Cessna F 172L [VTH-M-510] p 332 N86-19143
- An experimental appraisal of the use of ground-plane microphones for aircraft noise measurement - certification tests [NPL-AC-104] p 401 N86-22302
- Measurement of noise from airplanes travelling at heights 3500 to 6000m [FFA-TI-AU-2168] p 401 N86-22312
- Experimental study of the effects of installation on singleand counter-rotation propeller noise [NASA-TP-2541] p 536 N86-26162
- Analysis of helicopter noise data using international helicopter noise certification procedures [PB86-186533] p 620 N86-27972
- Investigation of the aerodynamic performance and noise characteristics of a 1/5th scale model of the Dowty Rotol R212 propeller [RAE-TM-AERO-1983] p 756 N86-30468
- A new version of the helicopter aural detection program, ICHIN [NASA-TM-87745] p 756 N86-30471
- Microphone probe tests in the S3CH wind tunnel for transonic propeller measurements in S1MA [ONERA-RT-19/3463-APP] p 841 N86-32451
- A comparison between acoustic mode measurements and acoustic finite element analysis performed for SAAB SF 340 - propeller-driven aircraft [FFA-TN-1986-22] p 856 N86-33125

**NOISE POLLUTION**

- Aircraft noise - Different ways to monitor the noise load p 467 A86-31959
- Characteristics of back-radiated departure noise at San Francisco International Airport p 467 A86-31960
- What should be known on the environmental impact assessment for a planning airport p 462 A86-31962
- A quiet STOLport? Convincing the public p 462 A86-31963
- Comparison of advanced turboprop and conventional jet and propeller aircraft flyover noise annoyance - Preliminary results p 528 A86-37059
- Report of the Working Group for Sensitivity Analysis and Zoning Calculations (GAZOB) p 259 N86-16749
- Analysis and conclusions of the working Group for Sensitivity Analysis and Zoning Calculations (GAZOB) p 259 N86-16750
- Noise nuisance calculations for Schiphol Airport on behalf of the Sensitivity Analysis and Zoning Calculations Working Group (GAZOB) [NLR-TR-85034-U] p 260 N86-16751
- Noise assessment around Schiphol airport (the Netherlands) in 1981 [NLR-TR-82034-U] p 260 N86-17915
- B-52G crew noise exposure study [AD-A161112] p 333 N86-20094
- The relative effect of noise at different times of day: An analysis of existing survey data [NASA-CR-3965] p 469 N86-24392
- NOISE PREDICTION**
- Application of the finite element method in the calculation of transmission loss of flat and curved panels - for noise reduction in aircraft p 400 A86-26888
- An iterative finite element-integral technique for predicting sound radiation from turbofan inlets in steady flight p 856 A86-49806
- Analysis of the noise emitted by a tail rotor p 266 N86-18129
- Vibrations and structureborne noise in space station [NASA-CR-176520] p 372 N86-20485
- NOISE PREDICTION (AIRCRAFT)**
- Review of recent research on interior noise of propeller aircraft p 97 A86-14527
- Helicopter linear noise p 193 A86-17776
- Laboratory study of cabin acoustic treatments installed in an aircraft fuselage p 221 A86-20158
- Prediction of auditory masking in helicopter noise p 289 A86-26115
- Noise emission from jet aircraft during take-off roll with respect to noise exposure calculations p 467 A86-31957
- What should be known on the environmental impact assessment for a planning airport p 462 A86-31962
- Finite element modeling of acoustic singularities with application to propeller noise p 468 A86-32778
- Prediction of advanced propeller noise in the time domain p 469 A86-32963
- 757 Major Static Test instrumentation systems p 520 A86-34636
- Weakly nonlinear acoustic and shock-wave theory of the noise of advanced high-speed turbopropellers p 534 A86-35146
- A comparative study of tail rotor noise mechanisms p 534 A86-35618
- Helicopter cabin noise - Actual vs. statistical energy predictions p 491 A86-35620
- Model helicopter blade slap at low tip speeds - Theoretical and experimental correlations p 535 A86-35621
- Wave envelope and finite element approximations for turbofan noise radiation in flight p 619 A86-39057
- Modeling wind tunnel effects on the radiation characteristics of acoustic sources p 682 A86-41689
- The influence of source location on the structural-acoustic interaction of cylinders - in aerodynamics p 638 A86-41710
- Numerical evaluation of propeller noise including nonlinear effects p 645 A86-41726
- Noise control characteristics of synchrophasing. I - Analytical investigation - of turboprop aircraft noise p 708 A86-44853
- Rotor noise due to atmospheric turbulence ingestion. II - Aeroacoustic results [AIAA PAPER 86-1903] p 750 A86-45404
- Application of the Baseline Rotonet system to the prediction of helicopter tone noise [AIAA PAPER 86-1904] p 750 A86-45405
- Cabin noise characteristics of a small propeller powered aircraft [AIAA PAPER 86-1906] p 710 A86-45407
- Aeroacoustics of contoured plug-nozzle supersonic jet flows [AIAA PAPER 86-1946] p 752 A86-45433
- Broadband noise - Its prediction and likely importance for advanced propfans [AIAA PAPER 86-1963] p 753 A86-45447

- Broadband propeller noise prediction in the plane of the rotor  
[AIAA PAPER 86-1964] p 753 A86-45448  
Mid-field and far-field calculations of Blade-Vortex Interactions  
[AIAA PAPER 86-1854] p 753 A86-45476  
Prediction of structure-borne noise, based on the finite element method  
[AIAA PAPER 86-1861] p 754 A86-45481  
Prediction of sound fields in cavities using boundary element methods  
[AIAA PAPER 86-1864] p 754 A86-45484  
Influence of airfoil camber on convected gust interaction noise  
[AIAA PAPER 86-1873] p 755 A86-45493  
Theoretical prediction of single rotation propeller noise  
[AIAA PAPER 86-1891] p 756 A86-45503  
Statistical analysis of the influence of service parameters on the aeroacoustic effects  
p 712 A86-45750  
Area equivalent method (AEM) on VISICALC and LOTUS 1-2-3 - The Federal Aviation Administration's spreadsheet programs for predicting noise exposure contour areas around an airport  
p 853 A86-48595  
Broadband noise of propellers and rotors  
p 855 A86-48596  
Modelling of acoustic radiation problems associated with turbomachinery and rotating blades  
p 855 A86-48597  
Method for determining the ISO-noise levels by simulated aircraft flight operations  
p 856 A86-49099  
Prediction of single-rotation prop-fan noise by a frequency domain scheme  
[ONERA, TP NO. 1986-100] p 818 A86-49125  
Truncated Taylor series solutions to a generalized Burgers' equation  
p 856 A86-49716  
01General aviation interior noise problem: Some suggested solutions  
p 194 N86-15053  
Report of the Working Group for Sensitivity Analysis and Zoning Calculations (GAZOB)  
p 259 N86-16749  
Analysis and conclusions of the working Group for Sensitivity Analysis and Zoning Calculations (GAZOB)  
p 259 N86-16750  
Noise nuisance calculations for Schiphol Airport on behalf of the Sensitivity Analysis and Zoning Calculations Working Group (GAZOB)  
[NLR-TR-85034-U] p 260 N86-18751  
Comparison of advanced turboprop and conventional jet and propeller aircraft flyover noise annoyance: Preliminary results  
[NASA-TM-87637] p 265 N86-17077  
Separation of airborne and structureborne noise radiated by plates constructed of conventional and composite materials with applications for prediction of interior noise paths in propeller driven aircraft  
[NASA-TM-87414] p 265 N86-18121  
Flight operations noise tests of eight helicopters  
[AD-A159835] p 331 N86-19127  
In-flight acoustic measurements on a light twin-engine turboprop airplane  
[NASA-CR-178004] p 332 N86-20089  
Noise levels for US certificated and foreign aircraft  
[FAA-AC-36-1D] p 401 N86-21279  
Aircraft Noise Prediction Program theoretical manual: Propeller aerodynamics and noise  
[NASA-TM-83199-PT-3] p 536 N86-25220  
Helicopter noise  
p 560 N86-27223  
Interaction of airborne and structureborne noise radiated by plates. Volume 2: Experimental study  
[NASA-TM-87747] p 683 N86-29632  
Noise predictions of a high bypass turbofan engine using the Lockheed Near-Field Noise Prediction Program  
[NASA-CR-178146] p 756 N86-30469  
Advanced turboprop noise prediction: Development of a code at NASA Langley based on recent theoretical results  
[NASA-TM-88993] p 757 N86-31338
- NOISE PROPAGATION**  
Noise emission from jet aircraft during take-off roll with respect to noise exposure calculations  
p 467 A86-31957  
Finite element modeling of acoustic singularities with application to propeller noise  
p 468 A86-32778  
Helicopter tail rotor noise  
[AIAA PAPER 86-1900] p 750 A86-45401  
Calculation of transonic rotor noise using a frequency domain formulation  
[AIAA PAPER 86-1901] p 750 A86-45402  
Cabin noise characteristics of a small propeller powered aircraft  
[AIAA PAPER 86-1906] p 710 A86-45407  
Propeller-induced structure-borne noise - Laboratory-based test apparatus  
[AIAA PAPER 86-1938] p 730 A86-45425  
Features of discrete tones generated by jet flows over Coanda surfaces  
[AIAA PAPER 86-1865] p 691 A86-45485
- Rotor-strut interaction noise of a model fan  
[AIAA PAPER 86-1871] p 755 A86-45491  
Vibrations and structureborne noise in space station  
[NASA-CR-178520] p 372 N86-20485  
Consideration of some factors affecting low-frequency fuselage noise transmission for propeller aircraft  
[NASA-TP-2552] p 469 N86-24393  
Aircraft Noise Prediction Program theoretical manual: Propeller aerodynamics and noise  
[NASA-TM-83199-PT-3] p 536 N86-25220  
Helicopter tail rotor noise analyses  
[NASA-CR-178829] p 536 N86-26163  
Wind-tunnel acoustic results of two rotor models with several tip designs  
[NASA-TM-87698] p 682 N86-28701  
Interaction of airborne and structureborne noise radiated by plates. Volume 2: Experimental study  
[NASA-TM-87747] p 683 N86-29632  
A study of methods to predict and measure the transmission of sound through the walls of light aircraft  
[NASA-CR-177147] p 757 N86-31335
- NOISE REDUCTION**  
Acoustic characteristics of models of ejector suppressors of jet noise  
p 129 A86-13416  
Laboratory study of the effects of sidewall treatment, source directivity and temperature on the interior noise of a light aircraft fuselage  
[AIAA PAPER 86-0390] p 219 A86-19851  
Laboratory study of cabin acoustic treatments installed in an aircraft fuselage  
p 221 A86-20158  
A new application of adaptive noise cancellation - in acoustic barriers  
p 262 A86-22626  
Design approach for an optimum prop-fan propulsion system  
[ASME PAPER 85-IGT-57] p 301 A86-23861  
Prediction of auditory masking in helicopter noise  
p 289 A86-26115  
Application of the finite element method in the calculation of transmission loss of flat and curved panels - for noise reduction in aircraft  
p 400 A86-26888  
Maneuvers for aircraft noise reduction in takeoff, climb, and landing approach operations  
p 467 A86-31010  
Battle of the hushkits - All quieter on western front  
p 440 A86-31349  
Inter-noise 85: Proceedings of the Fourteenth International Conference on Noise Control Engineering, Munich, West Germany, September 18-20, 1985. Volumes 1 & 2  
p 467 A86-31954  
Anatomy of a noise-abatement climb  
p 419 A86-31956  
Acoustical design economic tradeoff for transport aircraft  
p 468 A86-32783  
Turbulent boundary-layer wall pressure fluctuations downstream of a tandem LEBU - Large-Eddy BreakUp devices  
p 457 A86-32984  
Counter-rotation prop-fan optimization  
[AIAA PAPER 86-1470] p 645 A86-42659  
Noise control characteristics of synchrophasing. I - Analytical investigation - of turboprop aircraft noise  
p 708 A86-44853  
Sound transmission through double panel constructions lined with elastic porous materials  
[AIAA PAPER 86-1907] p 750 A86-45408  
Pusher propeller noise directivity and trends  
[AIAA PAPER 86-1929] p 751 A86-45420  
Active control of propeller induced noise fields inside a flexible cylinder  
[AIAA PAPER 86-1957] p 711 A86-45442  
Concepts for reduction of blade-vortex interaction noise  
[AIAA PAPER 86-1855] p 753 A86-45477  
A feasibility study on the numerical modeling of interior noise fields  
[AIAA PAPER 86-1862] p 754 A86-45482  
Noise generated by convected gusts interacting with swept airfoil cascades  
[AIAA PAPER 86-1872] p 755 A86-45492  
Analysis and simulation of the MLS landing signal - Echo separation - French thesis  
p 788 A86-48564  
The aerodynamic potential of anti-sound  
p 855 A86-48977  
Control of interior noise in advanced turbopropeller aircraft  
p 802 A86-49100  
Active noise control - in prop-fan aircraft cabins  
p 803 A86-49101  
Noise control characteristics of synchrophasing. II - Experimental investigation - on aircraft fuselage model  
p 805 A86-49808  
Preliminary measurement of the noise from the 2/9 scale model of the Large-scale Advanced Propfan (LAP) propeller, SR-7A  
[NASA-TM-87116] p 129 N86-14006  
Some design philosophy for reducing the community noise of advanced counter-rotation propellers  
[NASA-TM-87099] p 129 N86-14007
- 01General aviation interior noise problem: Some suggested solutions  
p 194 N86-15053  
On second propagation in radial fan casings  
[DFVLR-FB-85-32] p 194 N86-16053  
Analysis and conclusions of the working Group for Sensitivity Analysis and Zoning Calculations (GAZOB)  
p 259 N86-16750  
Aircraft noise control: Prospects for the 21st century  
[PNR-90272] p 260 N86-16757  
Noise reduction technology  
[GPO-48-026] p 265 N86-17076  
Application of active noise reduction for hearing protection and speech intelligibility improvement  
[IZF-1985-7] p 266 N86-18131  
Helicopter internal noise treatment. Recent methodologies and practical applications  
[SNIAS-852-210-102] p 266 N86-18133  
High velocity gas jet noise control  
p 331 N86-19123  
Laboratory experiments on active suppression of advanced turboprop noise  
[NASA-TM-87129] p 331 N86-19125  
Flight operations noise tests of eight helicopters  
[AD-A159835] p 331 N86-19127  
In-flight acoustic measurements on a light twin-engine turboprop airplane  
[NASA-CR-178004] p 332 N86-20089  
International Civil Aviation Organization Helicopter Noise Measurement Repeatability Program: US test report, Bell 206L-1, noise measurement flight test  
[AD-A159898] p 333 N86-20090  
B-52G crew noise exposure study  
[AD-A161112] p 333 N86-20094  
Noise levels for US certificated and foreign aircraft  
[FAA-AC-36-1D] p 401 N86-21279  
Recent experiences in the analysis of aircraft cabin noise  
p 401 N86-21287  
Beam dampers for skin vibration and noise reduction in the 747  
p 389 N86-21917  
Generation of spiral bevel gears with zero kinematical errors and computer aided tooth contact analysis  
[NASA-TM-87273] p 527 N86-25793  
Langley aerospace test highlights, 1985  
[NASA-TM-87703] p 537 N86-26276  
Noise transmission into propeller aircraft  
p 619 N86-27473  
Experimental study using nearfield acoustic holography of sound transmission through fuselage sidewall structures  
[NASA-CR-177162] p 683 N86-28702  
A study of methods to predict and measure the transmission of sound through the walls of light aircraft  
[NASA-CR-177147] p 757 N86-31335  
Airport noise control strategies  
[AD-A167977] p 840 N86-31602  
On the way to extended noise reductions in propeller aircraft  
[B8573697] p 857 N86-33126
- NOISE SPECTRA**  
Discrete tones generated by an impinging underexpanded rectangular jet  
p 193 A86-17138  
Improving intelligibility in audio distribution systems  
p 395 A86-28513  
Effects of cone surface waviness and freestream noise on transition in supersonic flow  
[AIAA PAPER 86-1086] p 550 A86-38448  
Counter-rotating propeller noise directivity and trends  
[AIAA PAPER 86-1927] p 751 A86-45418  
Measurements and computer modelling of engine exhaust noise in the cabin of single-engine aircraft  
p 798 A86-48594  
Analysis of the noise emitted by a tail rotor  
p 266 N86-18129  
Consideration of some factors affecting low-frequency fuselage noise transmission for propeller aircraft  
[NASA-TP-2552] p 469 N86-24393  
An estimate of the enroute noise of an advanced turboprop airplane  
NASA-TM-87302 E-3020 NAS 1.15:87302 HC A02/MF A01  
[NASA-TM-87302] p 535 N86-25217  
Evaluation of a frequency response technique for aircraft system identification  
[AD-A164367] p 497 N86-25339  
Spectra of noise and amplified turbulence emanating from shock-turbulence interaction: Two scenarios  
[NASA-TM-88766] p 620 N86-27970  
Interaction of airborne and structureborne noise radiated by plates. Volume 2: Experimental study  
[NASA-TM-87747] p 683 N86-29632
- NOISE TOLERANCE**  
An evaluation of study design for estimating a time-of-day noise weighting  
[NASA-CR-178062] p 401 N86-22306
- NOMOGRAPHS**  
A quick method for estimating heat transfer to a coolant  
p 316 A86-23666

**NONDESTRUCTIVE TESTS**

- Composite repairs — Book p 115 A86-13103  
 Nondestructive test methods for composite structures p 118 A86-13147  
 Test of jet engine turbine blades by thermography p 106 A86-15410  
 Application of pulsed reflection holography to material testing p 122 A86-16090  
 Thermographic inspection of carbon epoxy structures p 249 A86-20649  
 In situ methods for crack detection in the master connecting rods of M 462 RF aircraft engines p 316 A86-23755  
 Reliable nondestructive testing - The key to using weldments in critical fighter aircraft structure p 380 A86-26544  
 Robotic nondestructive inspection of aerospace structures p 668 A86-40509  
 Probability of detection of flaws in a gas turbine engine component using electric current perturbation p 669 A86-41574  
 Application of a computer model to electric current perturbation probe design p 669 A86-41576  
 Automatic eddy current inspection of antirotation windows in F100 engine compressor air seals p 669 A86-41581  
 Automatic eddy current hole centering for aircraft engine components p 670 A86-41582  
 An analysis of acoustic emission detected during fatigue testing of an aircraft p 670 A86-41596  
 A fiber optic damage monitor p 670 A86-41605  
 Application of medical computed tomography (CT) scanners to advanced aerospace composites p 670 A86-41631  
 Prospects for intelligent aerospace structures [AIAA PAPER 86-1139] p 672 A86-43328  
 Modern crack detection methods - The use of low frequency eddy currents to assist structural integrity auditing p 845 A86-47613  
 Evaluation of damage tolerance requirements using a probabilistic-based life approach [ASME PAPER 86-GT-266] p 847 A86-48288  
 Fibre optic damage detection in composite structures p 848 A86-48988  
 Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements [AD-A158004] p 181 A86-15324  
 Ferromagnetic resonance probe liftoff suppression apparatus [AD-D011913] p 190 A86-15647  
 Nondestructive inspection: An efficient investment — composite materials [SNIAS-852-430-110] p 247 A86-16276  
 Description of a nondestructive facility using holographic interferometry [SNIAS-852-430-105] p 258 A86-17726  
 Quadrinomial distribution for the characterization of nondestructive inspection (NDI) reliability [NLR-MP-84064-U] p 258 A86-17774  
 Probabilistic evaluation of individual aircraft tracking techniques [AD-A160146] p 282 A86-18312  
 Ultrasonic f-scan inspection of composite materials [AD-A159974] p 314 A86-18451  
 Holography: The nondestructive testing of composite structures — aerospace structures p 458 A86-22611  
 Limitations of manual NDT systems and the no eyes concept — nondestructive testing (NDT) [PNR-90291] p 459 A86-22985  
 Limitations of manual NDT systems and the No Eyes concept p 506 A86-25365  
 Manufacturing technology for nondestructive evaluation (NDE) system to implement Retirement For Cause (RFC) procedures for gas turbine engine components p 507 A86-25368  
 AGARD Cooperative Test Programme on titanium alloy engine disc material p 507 A86-25369  
 Aspects of small crack growth p 518 A86-25370  
 Small defect characterization in powder metallurgy materials p 526 A86-25373  
 Advanced quantitative methods for nondestructive evaluation p 519 A86-25376  
 Comparative study of nondestructive pavement testing, WES (Waterways Experiment Station) NDT (nondestructive tests) methodologies [AD-A163379] p 610 A86-26480  
 Use of NDE to evaluate reflection cracking in airfield pavements [AD-A164880] p 599 A86-27293  
 Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements [AD-A165055] p 599 A86-27294  
**NONEQUILIBRIUM FLOW**  
 Effect of the nonequilibrium character of the flow around a blunt plate with a bend on its aerodynamic characteristics p 768 A86-48783

- Separated transonic airfoil flow calculations with a nonequilibrium turbulence model [NASA-TM-86830] p 152 A86-15247  
 Numerical analysis of nonequilibrium flow about airfoil in thin shock layer approximation p 343 A86-22258  
**NONFLAMMABLE MATERIALS**  
 Nonflammable fluid and 8,000 psi technology for future aircraft hydraulic systems (22 CFR 125.4 /b/ /13/ applicable) [SAE PAPER 851909] p 580 A86-38364  
 Hydraulic pumps for high pressure non-flammable fluids — for aircraft [SAE PAPER 851911] p 580 A86-38366  
**NONISENTROPICITY**  
 Profiling of supersonic ducts with specified nonisentropic parameters at the exit p 79 A86-13375  
 Nonisentropic unsteady three dimensional small disturbance potential theory [AIAA PAPER 86-0863] p 552 A86-38898  
 Nonisentropic unsteady three dimensional small disturbance potential theory [NASA-TM-87726] p 479 A86-24663  
 An entropy correction method for unsteady full potential flows with strong shocks [NASA-TM-87769] p 694 A86-29777  
**NONLINEAR EQUATIONS**  
 Nonlinear analysis of pressure oscillations in ramjet engines [AIAA PAPER 86-0001] p 363 A86-26601  
 Nonlinear potential analysis techniques for supersonic-hypersonic aerodynamic design [NASA-CR-172299] p 417 A86-23569  
**NONLINEAR FILTERS**  
 Noise immunity of signals with minimum FSK p 383 A86-27492  
 Optimum maintenance of aircraft systems on the basis of their condition with allowance for measurement errors p 354 A86-28310  
 Markov jump-diffusion models and decision-making free filtering — air traffic control [NLR-MP-83067-U] p 264 A86-17046  
 A sophisticated tracking algorithm for Air Traffic Control (ATC) surveillance radar data [NLR-MP-84004-U] p 216 A86-17334  
 An efficient filter for abruptly changing systems [NLR-MP-84071-U] p 264 A86-18056  
**NONLINEAR PROGRAMMING**  
 Direct trajectory optimization using nonlinear programming and collocation [AIAA PAPER 86-2000] p 841 A86-47902  
**NONLINEAR SYSTEMS**  
 On the numerical solution of nonlinear problems in fluid dynamics by least squares and finite element methods. II - Applications to transonic flow simulations p 144 A86-17886  
 An introduction to the theory of nonlinear vibrations of aircraft structures — Russian book p 187 A86-18739  
 Liapunov function for studying the stability in the whole of nonlinear systems p 331 A86-23576  
 Equivalent stiffness and damping coefficients for squeeze film dampers p 319 A86-25751  
 A nonlinear model of aeroelastic behaviour of rotor blades in forward flight p 290 A86-26139  
 Nonlinear analysis for dynamic behaviours of a coupled rotational vibration system near its critical speed p 291 A86-26143  
 Stability of a nonlinear stochastic system under periodic excitation — for helicopter rotor vibration p 444 A86-32657  
 Estimation of the state parameters of nonlinear dynamic systems p 465 A86-33047  
 Synthesis of system responses - A nonlinear multivariable control design approach — for engine control p 501 A86-35412  
 The effect of random forces on nonlinear oscillating systems p 535 A86-36710  
 Decoupling of nonlinear systems, noncommutative generatrix series, and Lie algebras p 618 A86-37395  
 Effects of structural nonlinearities on limit cycle response of aerodynamic surfaces [AIAA PAPER 86-0899] p 585 A86-38910  
 The design of a sliding mode controller for dutch roll damping in a non-linear aircraft system p 651 A86-40766  
 MATRIXx Plus with HYPER-BUILD - Accelerating control design, analysis, and simulation — for F-14 flight simulation [AIAA PAPER 86-2085] p 853 A86-47505  
 Design of a nonlinear lever-type mechanism for aircraft control systems p 835 A86-49139  
 Nonlinear dynamics of a helicopter model in ground resonance p 177 A86-15284  
 Limiting performance of nonlinear systems with applications to helicopter vibration control [AD-A161457] p 370 A86-21551

- A methodology for airplane parameter estimation and confidence interval determination in nonlinear estimation problems [NASA-RP-1153] p 445 A86-22579  
 Coupling linearized far-field boundary conditions with nonlinear near-field solutions in transonic flow [AD-A162334] p 417 A86-23573  
 Application of CFD techniques toward the validation of nonlinear aerodynamic models p 565 A86-27265  
 KRASH85 user's guide: Input/output format [DOT/FAA/CT-85/10-REV] p 618 A86-27926  
 Nonlinear control of aircraft [NASA-TM-89225] p 655 A86-28958  
 A canonical form for nonlinear systems [NASA-CR-176974] p 748 A86-30371  
 On control concept for in-flight simulation including actuator nonlinearities and time delays [ESA-TT-948] p 836 A86-31593  
**NONLINEARITY**  
 FINDS: A fault inferring nonlinear detection system programmers manual, version 3.0 [NASA-CR-177986] p 231 A86-16212  
 Nonlinear problems in flight dynamics involving aerodynamic bifurcations p 563 A86-27249  
 Bifurcation theory applied to aircraft motions p 563 A86-27250  
 A self-organising control system for non-linear aircraft dynamics p 564 A86-27258  
 Study of the transition behavior of an airplane in the vicinity of bifurcation points p 566 A86-27266  
 An optimization model for the US Air-Traffic System [NASA-CR-177277] p 574 A86-27271  
 Nonlinear analysis of pressure oscillations in ramjet engines p 659 A86-28240  
 Multivariable control systems with saturating actuators antireset windup strategies [NASA-CR-177100] p 682 A86-29580  
**NONPARAMETRIC STATISTICS**  
 Aircraft nuclear survivability methods [AD-A163218] p 587 A86-26332  
**NONSTABILIZED OSCILLATION**  
 Nonlinear problems in flight dynamics involving aerodynamic bifurcations p 563 A86-27249  
**NONUNIFORM FLOW**  
 Sound generation by an energetically inhomogeneous gas flow in a gas-turbine aircraft engine p 300 A86-23753  
 Heat transfer and drag of a body in the far supersonic wake p 554 A86-39657  
 Experimental results of the noise radiation of propellers in non-uniform flows [AIAA PAPER 86-1928] p 751 A86-45419  
 Studies on the interference of wings and propeller slipstreams p 151 A86-15241  
 Propulsion and Energetics Panel Working Group 14 on suitable averaging techniques in non-uniform internal flows [AD-A133968] p 503 A86-24692  
 The effects on rotor nonuniform inflow harmonic content of uneven circumferential distribution of jet engine inlet guide vanes [AD-A164629] p 555 A86-26291  
**NORMAL SHOCK WAVES**  
 Turbulent-boundary-layer development in an adverse pressure gradient after an interaction with a normal shock wave p 141 A86-17031  
**NORTH AMERICA**  
 A cold-season North American climatology of strong vertical wind shear p 614 A86-37466  
**NORTH ATLANTIC TREATY ORGANIZATION (NATO)**  
 Modernizing tactical C3I p 159 A86-18551  
**NORTHERN HEMISPHERE**  
 The economics of the North Atlantic air traffic system p 419 A86-31324  
**NOSE CONES**  
 Research on the aerodynamic characteristics of vehicles by free flight testing at supersonic speeds [NAL-TR-876] p 339 A86-20353  
 Side force characteristics of a 20 deg cone at high angles of attack [NAL-TM-AE-8503] p 340 A86-20356  
**NOSE WHEELS**  
 The generation of tire cornering forces in aircraft with a free-swiveling nose gear [SAE PAPER 851939] p 581 A86-38372  
 Technique for measuring side forces on a banked aircraft with a free-swiveling nose gear [NASA-TM-87719] p 743 A86-30233  
**NOSES (FOREBODIES)**  
 Low-speed wind-tunnel investigation of the effect of strakes and nose machines on lateral-directional stability of a fighter configuration [NASA-TM-87641] p 278 A86-19287  
 Normal force characteristics of sharp nosed bodies of revolution at high angles of attack in subsonic and transonic flow p 527 A86-25555

- Development of a data acquisition system to aid in the aerodynamic study of various helicopter configurations [AD-A167717] p 781 N86-31539
- NOTCH STRENGTH**  
Fatigue life prediction under complex load using local strain approach and relative Miner's rule p 249 A86-20173  
Selection of fatigue S-N curves within the framework of new aircraft development p 804 A86-49137
- NOTCH TESTS**  
Mode II fatigue crack growth specimen development p 736 A86-43566
- NOWCASTING**  
Wide area real-time thunderstorm mapping using LPATS - The lightning position and tracking system p 614 A86-37487
- NOZZLE DESIGN**  
Performance of a forward swept wing fighter utilizing thrust vectoring and reversing p 221 A86-20163  
Velocity and temperature decay characteristics of inverted-profile jets [AIAA PAPER 86-0312] p 206 A86-22693  
Inverse design of supersonic nozzles and cascades p 477 A86-36207  
Computational models for the analysis/design of hypersonic scramjet components. I - Compressor and nozzle models [AIAA PAPER 86-1595] p 647 A86-42737  
A nozzle design analysis technique [AIAA PAPER 86-1613] p 647 A86-42751  
Initial performance evaluation of 2DCC ejector exhaust systems - two dimensional convergent-divergent [AIAA PAPER 86-1615] p 626 A86-42753  
The effect of a downstream rotor on the measured performance of a transonic turbine nozzle [ASME PAPER 86-GT-103] p 814 A86-48166  
Velocity and temperature decay characteristics of inverted-profile jets [NASA-TM-87159] p 147 N86-14223  
Hot Gas Laboratory twin nozzle calibration [BAE-ARG-200] p 258 N86-17666  
Free jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual flow. Comprehensive data report. Volume 1: Test nozzles and acoustic data [NASA-CR-174817] p 469 N86-23371  
Free jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data [NASA-CR-174818] p 469 N86-23372
- NOZZLE EFFICIENCY**  
An experimental study of a vacuum water-air ejector with a multichannel liquid-supply nozzle ensuring jet-pair collision p 119 A86-13382  
Investigation of a nozzle instability on an F100 engine equipped with a digital electronic engine control [PAPER-12] p 506 N86-25354
- NOZZLE FLOW**  
Effects of tip endwall contouring on the three-dimensional flow field in an annular turbine nozzle guide vane. I - Experimental investigation [ASME PAPER 85-GT-71] p 77 A86-13065  
Calculation of flows in two- and three-dimensional nozzles by an approximate factorization method p 77 A86-13294  
Using suction for increasing Mach numbers in a perforated test section with a subsonic nozzle - of wind tunnel p 112 A86-13405  
Discrete tones generated by an impinging underexpanded rectangular jet p 193 A86-17138  
An eleven parameter axial turbine airfoil geometry model [ASME PAPER 85-GT-219] p 205 A86-22117  
Numerical solution of 2-D thrust reversing and thrust vectoring nozzle [AIAA PAPER 86-0203] p 254 A86-22681  
Laser anemometer measurements of the flow from a simulated fuel nozzle p 520 A86-34410  
Inverse design of supersonic nozzles and cascades p 477 A86-36207  
Investigation of heat transfer in separation regions in supersonic flow in a Laval nozzle p 477 A86-36458  
Calculation of annular nozzle trisonic flowfields by the method of characteristics [AIAA PAPER 86-1519] p 625 A86-42686  
Investigation of the structure of a supersonic jet issuing from a free-vortex nozzle by means of pulsed holographic interferometry p 628 A86-43403  
The effect of a downstream rotor on the measured performance of a transonic turbine nozzle [ASME PAPER 86-GT-103] p 814 A86-48166  
Hot Gas Laboratory twin nozzle calibration [BAE-ARG-200] p 258 N86-17666

**NOZZLE GEOMETRY**

- Diffuser parameter optimization for low Reynolds numbers using experimental data p 111 A86-13400  
Compact gas ejector of a high degree of compression with spiral arrangement of the nozzles p 82 A86-13433  
Aeroacoustics of contoured plug-nozzle supersonic jet flows [AIAA PAPER 86-1946] p 752 A86-45433  
Acoustic properties associated with rectangular geometry supersonic nozzles [AIAA PAPER 86-1867] p 754 A86-45487  
Passive control of jets with indeterminate origins p 780 A86-49807  
Hot Gas Laboratory twin nozzle calibration [BAE-ARG-200] p 258 N86-17666  
Static investigation of two STOL nozzle concepts with pitch thrust-vectoring capability [NASA-TP-2559] p 415 N86-23559  
Variable area radial turbine fabrication and test program [NASA-CR-175091] p 651 N86-26947
- NOZZLE THRUST COEFFICIENTS**  
Numerical solution of 2-D thrust reversing and thrust vectoring nozzle [AIAA PAPER 86-0203] p 254 A86-22681  
An analysis of cross-coupling of a multicomponent jet engine test stand using finite element modeling techniques [NASA-CR-176424] p 181 N86-15323  
Propulsion and control propellers with thruster nozzles primarily for aircraft applications [NASA-TM-77715] p 342 N86-21511  
Static investigation of two STOL nozzle concepts with pitch thrust-vectoring capability [NASA-TP-2559] p 415 N86-23559
- NUCLEAR EXPLOSION EFFECT**  
Aircrew dose and engine dust ingestion from nuclear cloud penetration [AD-A159246] p 101 N86-13327  
Aircraft nuclear survivability methods [AD-A163218] p 587 N86-26332  
Interaction between EMP (Electromagnetic Pulse), lightning and static electricity with aircraft and missile avionics systems [AGARD-LS-144] p 702 N86-30708
- NUCLEAR EXPLOSIONS**  
The parallel-plate and rhombic EMP simulators - A summarizing review p 381 A86-27146  
Response of an operational turbofan engine to a simulated nuclear blast p 643 A86-40728  
Aircrew dose and engine dust ingestion from nuclear cloud penetration [AD-A159246] p 101 N86-13327  
Operation REDWING, Project 5.2, in-flight participation of a B-52 [AD-A995286] p 357 N86-21536
- NUCLEAR MAGNETIC RESONANCE**  
Development of LC-13C NMR [NASA-CR-176656] p 379 N86-21704
- NUCLEAR METEOROLOGY**  
Aircrew dose and engine dust ingestion from nuclear cloud penetration [AD-A159246] p 101 N86-13327
- NUCLEAR POWER PLANTS**  
New passive helicopter detector [DE85-015160] p 123 N86-12595
- NUCLEAR RESEARCH**  
Japan report: Science and technology [JPRS-JST-86-001] p 389 N86-21723
- NUCLEAR VULNERABILITY**  
EC-135 fiber optic technology review p 75 A86-15341  
Fiber optic aircraft systems electromagnetic pulse (EMP) survivability p 103 A86-15342
- NUCLEATION**  
Nucleation of ice crystals in supercooled clouds caused by passage of an airplane p 323 A86-26175
- NUMERICAL ANALYSIS**  
A method for numerical analysis of the aerodynamic characteristics of an airplane wing in the subcritical range of the flying velocity p 83 A86-13933  
A method for numerical analysis of the dynamics of a controlled rotor blade of a helicopter p 486 A86-33998  
Advanced topics in boundary element analysis; Proceedings of the Winter Annual Meeting, Miami Beach, FL, November 17-22, 1985 p 520 A86-34442  
Calculation of transonic rotor noise using a frequency domain formulation [AIAA PAPER 86-1901] p 750 A86-45402  
Numerical analysis of aeroelastic stability problem of helicopter rotor blade p 798 A86-48662  
Numerical and experimental studies of 3-D and unsteady turbulent body/appendage/propeller flows [AD-A157078] p 123 N86-12552

- Numerical solutions of Navier-Stokes equations for a Butler wing [NASA-CR-174202] p 88 N86-13293  
Grid generation for single airfoil using conformal mapping [NAL-TR-851T] p 146 N86-14217  
Development and application of a time-history analysis for rotorcraft dynamics based on a component approach p 168 N86-15291  
An electronic index of articles pertaining to Air Force transportation in the post-World War 2 era, with abstracts of selected articles [AD-A160837] p 281 N86-18306  
Investigation of multiple input frequency response function estimation techniques for experimental modal analysis p 461 N86-23971  
Transonic airfoil analysis and design in nonuniform flow [NASA-CR-3991] p 480 N86-25328  
Time domain design of robust controllers for LQG (Linear Quadratic Gaussian); application to large space structures [AD-A163635] p 533 N86-26074  
Evaluation of 3 numerical methods for propulsion integration studies on transonic transport configurations [NASA-TM-87727] p 559 N86-27209  
Spectra of noise and amplified turbulence emanating from shock-turbulence interaction: Two scenarios [NASA-TM-88766] p 620 N86-27970  
Geometry definition and grid generation for a complete fighter aircraft [NASA-TM-88242] p 622 N86-28050
- NUMERICAL CONTROL**  
A computerized automatic control system for structural testing p 192 A86-18438  
Computer controlled operation of reconnaissance cameras p 229 A86-19587  
Comparison of performance characteristics of DDC algorithms implemented on a microprocessor - Direct Digital Control p 263 A86-20518  
Digital controlled closed loop air cycle development - for military aircraft [SAE PAPER 851319] p 285 A86-23509  
Computer controlled variable pressure reducing/shut-off valve for aircraft ECS [SAE PAPER 851360] p 285 A86-23545  
CAD/CAM supports flight test modifications p 356 A86-29823  
Use of the flight simulator in performing AFTI/F-16 airplane aeroservoelastic analysis [AIAA PAPER 86-0957] p 585 A86-38931  
An expert system for control system design p 680 A86-40774  
Expert systems for mechanical fault diagnosis p 737 A86-43896  
Digital control loading and motion - The final word? - in flight simulation p 732 A86-46149  
Recursive real-time identification of step-response matrices of high-performance aircraft for adaptive digital flight control [AIAA PAPER 86-2017] p 826 A86-47652  
Mach number immune microprocessor controlled sequencer for open ejection seats using on-board environmental sensors p 793 A86-47743  
Program system of computer-aided design of helicopter rotor blade airfoil p 798 A86-48659  
Covariance specification for the linear time-invariant output-feedback control systems using a Kalman filter [NAL-TR-882] p 399 N86-21219  
Multivariable control law design for enhanced air combat maneuvering. F-15/STOL (Short Take-Off and Landing) derivative fighter [AD-A164017] p 512 N86-24706  
Digital Electronic Engine Control (DEEC) Flight Evaluation in an F-15 Airplane [NASA-CP-2298] p 504 N86-25342  
Digital electronic engine control F-15 overview [PAPER-1] p 504 N86-25343  
NASA Lewis F100 engine testing [PAPER-4] p 504 N86-25346  
Effects of inlet distortion on a static pressure probe mounted on the engine hub in an F-15 airplane [PAPER-5] p 505 N86-25347  
Flight testing the digital electronic engine control in the F-15 airplane [PAPER-6] p 505 N86-25348  
Digital electronic engine control fault detection and accommodation flight evaluation [PAPER-7] p 505 N86-25349  
Airstart performance of a digital electronic engine control system on an F100 engine [PAPER-8] p 505 N86-25350  
Flight evaluation of a hydromechanical backup control for the digital electronic engine control system in an F100 engine [PAPER-9] p 505 N86-25351

- Backup control airstart performance on a digital electronic engine control-equipped F100 engine [PAPER-10] p 505 N86-25352
- Augmentor transient capability of an F100 engine equipped with a digital electronic engine control [PAPER-11] p 505 N86-25353
- Investigation of a nozzle instability on an F100 engine equipped with a digital electronic engine control [PAPER-12] p 508 N86-25354
- Real-time in-flight thrust calculation on a digital electronic engine control-equipped F100 engine in an F-15 airplane [PAPER-13] p 506 N86-25355
- Control technology for future aircraft propulsion systems [PAPER-14] p 508 N86-25356
- Role of optimization methods in improvement of flight control for airplanes p 513 N86-25603

**NUMERICAL FLOW VISUALIZATION**

- Numerical simulation of impinging jets [AIAA PAPER 86-0279] p 200 A86-19789
- Numerical simulation of the transonic flowfield for wing/nacelle configurations p 204 A86-20159
- Simulation of inviscid vortex-stretched turbulent shear-layer flow p 411 A86-32979
- Numerical modeling of transonic flows over airfoils and cascades p 414 A86-33409
- Numerical simulation of precipitation induced downbursts p 615 A86-37496
- Inviscid and viscous simulations of high angle of attack flows [SAE PAPER 851820] p 548 A86-38328
- Numerical simulation of tip vortices of wings in subsonic and transonic flows [AIAA PAPER 86-1095] p 550 A86-38456
- Numerical study of the trailing edge region in slip flow regime p 624 A86-42548
- Free-vortex flow simulation using a three-dimensional Euler aerodynamic method p 773 A86-49043
- Computational fluid dynamics at NASA Ames and the numerical aerodynamic simulation program [NASA-TM-86769] p 190 N86-15626
- Numerical simulation of vortices shed behind a rotating wing p 418 N86-23862

**NUMERICAL INTEGRATION**

- State estimation errors in digital Kalman filters caused by measurement delays and numerical integration p 397 A86-28368
- Integration of singular functions associated with lifting surface theory p 689 A86-44875
- Nonlinear analysis of pressure oscillations in ramjet engines p 659 N86-28240

**NUMERICAL STABILITY**

- The classical streamline curvature method in the supersonic range - A numerically ill-posed boundary value problem p 690 A86-45189

**NUMERICAL WEATHER FORECASTING**

- NMC plans for improved aviation guidance -- using numerical weather prediction p 613 A86-37456
- Evaluating the new automated weather observing system p 615 A86-37491
- Development of CAT detection and forecasting techniques for the PROFS Central Weather Processor p 615 A86-37498
- Upper air forecasting for aviation in the United States p 615 A86-37501

**NYQUIST DIAGRAM**

- On the relationship between robustness tests and their application to helicopter control system designs p 652 A86-40771

**O****OBLIQUE SHOCK WAVES**

- Calculation of three-dimensional shock/turbulent boundary-layer interaction generated by sharp fin p 142 A86-17135
- Measurements of fluctuations of surface heat transfer rate in the interacting region of oblique shock wave and turbulent boundary layer p 688 A86-43512
- Fluctuations of wall pressure in the interacting region of oblique shock wave and turbulent boundary layer p 688 A86-43514
- Investigation of the ignition characteristics of hydrogen/air mixtures in the case of combustion induced by oblique shocks p 732 A86-45185
- Intersection of an oblique shock wave with a cylindrical afterbody p 775 A86-49098

**OBLIQUE WINGS**

- Eigenstructure synthesis of an oblique wing flight control system p 652 A86-42913
- Eigenstructure synthesis for active flutter suppression on an oblique-wing aircraft [AIAA PAPER 86-2243] p 824 A86-47491
- Model-following control for an oblique-wing aircraft [AIAA PAPER 86-2244] p 824 A86-47492

- Decoupling control synthesis for an oblique-wing aircraft [NASA-TM-86801] p 595 N86-26339
- Aeroelastic control of oblique-wing aircraft [NASA-TM-86806] p 595 N86-26340
- Model-following control for an oblique-wing aircraft [NASA-TM-88269] p 726 N86-29867
- Eigenstructure synthesis for active flutter suppression on an oblique-wing aircraft [NASA-TM-88275] p 727 N86-29868

**OBSERVABILITY (SYSTEMS)**

- A stable discrete-time adaptive observer applied to multivariable aircraft p 305 A86-23346
- On the development of equiobservable forms with application to adaptive control p 485 A86-33134
- A discrete adaptive observer for a multi-output aircraft control system p 444 A86-33180
- Single-state observer design considerations for aircraft application [AIAA PAPER 86-1996] p 852 A86-47418
- A parameter insensitive technique for aircraft sensor fault analysis using eigenstructure assignment and analytical redundancy [AIAA PAPER 86-2029] p 809 A86-47420

**OBSTACLE AVOIDANCE**

- Terrain following avoidance technique of very low altitude penetration p 239 A86-22309
- Demonstration of an innovative technique for Terrain Following/Terrain Avoidance - The Dynapath Algorithm p 350 A86-28389
- Implementation of TF/TA in the digital terrain management and display system p 359 A86-28390
- Obstacle warning radar for helicopters - An anthropotactical problem p 787 A86-47769

**OCEAN BOTTOM**

- Characterization of shallow ocean sediments using the airborne electromagnetic method p 393 A86-28065

**OCEAN DATA ACQUISITIONS SYSTEMS**

- Comparison of sea surface temperatures obtained from an aircraft using remote and direct sensing techniques p 323 A86-23291

**OCEAN MODELS**

- Probabilistic modeling of fields of atmospheric turbulence and sea roughness with reference to the study of complex systems -- for flight control p 528 A86-36480

**OCEAN SURFACE**

- Airborne radar. I - Air-to-surface p 296 A86-23293
- Measurements of ocean wave spectra and modulation transfer function with the airborne two-frequency scatterometer p 393 A86-28618
- The design, construction and early trials of a novel airborne surveillance radar p 424 A86-32635
- Elimination of directional wave spectrum contamination from noise in elevation measurements p 641 A86-40854
- Evolution of the seawater activated release system (SEAWARS) -- to prevent drownings after ejections from aircraft p 784 A86-47756

**OCEANOGRAPHY**

- Characterization of shallow ocean sediments using the airborne electromagnetic method p 393 A86-28065

**OCEANS**

- USSR report: Transportation [JPRS-UTR-85-014] p 270 N86-18284

**OGIVES**

- Hypersonic flow past non-slender wedges, cones and ogives in oscillation p 76 A86-13047
- Unified supersonic/hypersonic similitude for oscillating wedges and plane ogives p 689 A86-44880
- The experimental determination of the subsonic aerodynamic characteristics of an Ogive-Cylinder body including a comparison with theoretical estimates, volume 1 [CAR-8509] p 151 N86-15242

**OH-58 HELICOPTER**

- Display formats and information transfer requirements as they relate to mission, aircrew and aircraft type p 171 A86-18484
- Effect of measured material properties on the finite element analysis of an OH-58 composite tail boom [NASA-TM-86430] p 116 N86-12259

**OIL POLLUTION**

- Remote sensing of oil on sea: Lidar and passive IR experiments p 320 N86-18370

**OIL SLICKS**

- United States Coast Guard acquisition of remote sensing capability for ocean surveillance p 231 A86-21234

**OILS**

- Pressure-distribution measurements on a transonic low-aspect ratio wing [NASA-TM-86683] p 90 N86-13304
- Turbine fuels from tar sands bitumen and heavy oil. Phase 1: Preliminary process analysis [AD-A161300] p 452 N86-22724

- Flammability of aircraft hydraulic fluids: A bibliography [AD-A165463] p 569 N86-26299
- Properties of aircraft fuels and related materials [AD-A164532] p 604 N86-27461
- Development of a portable wear metal analyzer for field use [AD-A166013] p 622 N86-28906

**OMEGA NAVIGATION SYSTEM**

- Omega - Commercial experiences with a mature system p 345 A86-26442
- Experimental and theoretical study of the effect of wave propagation on the positional accuracy of Omega navigation in Germany -- German thesis p 572 A86-38974
- VLF radio navigation systems -- Russian book p 703 A86-44279
- Minimum operational performance standards for airborne area navigation equipment using Omega/VLF inputs [RTCA/DO-190] p 705 N86-30711

**ON-LINE SYSTEMS**

- Flight test data acquisition and processing system p 329 A86-23263

**ONBOARD DATA PROCESSING**

- Flight Data Analysis and Storage System (FASS) p 170 A86-18407
- Local area command/control networks: The design of an on-board network - ANTINEA -- French thesis p 215 A86-21327
- The telemetry system of the DFVLR experimental aircraft ATLAS p 281 A86-22729
- A VME bus microcomputer system for experiment control and analysis on board an aircraft p 297 A86-23313
- Onboard simulation - A demonstrated technology breakthrough for cost effective testing and training p 360 A86-28464
- Design considerations for on-board simulation p 360 A86-28465
- The development status of JTIDS dual mode TDMA and distributed TDMA (DTDMA) full scale development terminals - An update p 351 A86-28473
- Wind shear estimation by frequency-shaped optimal estimator p 464 A86-31656
- F-16 radar flight test - A lesson in software development [AIAA PAPER 86-9827] p 406 A86-32149

- Design of an advanced flight planning system p 481 A86-35365
- Digital correction of the readings of an aircraft fuel-measurement system p 500 A86-36725
- Decision aiding for tactical aircraft p 718 A86-46715

- Implications associated with the operation of digital data processing in the presence of the relatively harsh EMP environments produced by lightning p 809 A86-47319
- Optimization of onboard systems of data acquisition and processing -- Russian book p 810 A86-48531
- An engineering approach to the use of expert systems technology in avionics applications [NASA-TM-88263] p 497 N86-24687

- Real-time in-flight thrust calculation on a digital electronic engine control-equipped F100 engine in an F-15 airplane [PAPER-13] p 506 N86-25355

**ONBOARD EQUIPMENT**

- A study of the operating condition of aircraft from the recordings of the onboard recording equipment p 133 A86-16859
- Using diagnostic systems to collect data on the reliability of aircraft p 133 A86-16861
- NASA experiments onboard the controlled impact demonstration [SAE PAPER 851885] p 568 A86-38352
- Characteristics of synthetic aperture radars p 610 A86-39683

- Prospects for intelligent aerospace structures [AIAA PAPER 86-1139] p 672 A86-43328
- Mach number immune microprocessor controlled sequencer for open ejection seats using on-board environmental sensors p 793 A86-47743
- Search and Rescue (SAR) System developed as part of the contract signed with the Irish Air Corps for the supply of 365 F Dauphin aircraft [SNIAS-852-210-105] p 215 N86-17329
- Controlled impact demonstration on-board (interior) photographic system p 392 N86-21946
- After action report, CH-47 recovery using D-PAC [AD-A161935] p 437 N86-23589

**ONE DIMENSIONAL FLOW**

- Calculation of unsteady flow in a two-stage gas turbine engine p 105 A86-13444
- Propulsion and Energetics Panel Working Group 14 on suitable averaging techniques in non-uniform internal flows [AD-A133968] p 503 N86-24692



OPENINGS

Cutouts in load-bearing structures — Russian book p 120 A86-13463

OPERATING COSTS

Selection of an optimal cost index for airline hub operation p 130 A86-14239  
Design approach for an optimum prop-fan propulsion system [ASME PAPER 85-IGT-57] p 301 A86-23861  
Application of digital/electric systems to advanced technology aircraft [SAWE PAPER 1639] p 488 A86-35203  
Turboprop and open rotor propulsion for the future [AIAA PAPER 86-1472] p 645 A86-42660  
LHX targets dollars as well as boogies p 686 A86-45704  
Can future aircraft maintenance be afforded? p 857 A86-47617  
A review of unconventional aircraft design concepts p 801 A86-48995  
Fuel saving by optimal integration of on-board avionics and air traffic control [NLR-MP-84035-U] p 159 N86-14263  
Jet engine operating and support cost estimating relationship development [AD-A161683] p 364 N86-21547

OPERATOR PERFORMANCE

Applicability of using the CAR-II model in design and evaluation of multioperator workstations with shared controls p 529 A86-33805

OPERATORS (PERSONNEL)

The employment of operative aircraft dispatchers p 134 A86-18721  
Preliminary airworthiness evaluation of the AH-1S (modernized cobra) with the Hellfire, TOW, and Stinger missiles installed [AD-A160862] p 294 N86-18322

OPTICAL COMMUNICATION

Optical communication between aircraft in low-visibility atmosphere using diode lasers p 122 A86-15584  
The effects of atmospheric turbulence on an air-to-air optical communication link p 351 A86-28470  
Laser communication through low-visibility atmosphere for aircraft application p 788 A86-48581

OPTICAL COUNTERMEASURES

Radiometric characterization methods for Infrared Countermeasures Systems p 103 A86-15314  
Aerospace knowledge magazine (selected articles) [AD-A164720] p 539 N86-26278

OPTICAL DATA PROCESSING

Mellin-Fourier correlation [AD-A159685] p 330 N86-20006

OPTICAL EQUIPMENT

Application of biocular viewers to airborne reconnaissance p 229 A86-19580  
The development of dichromated gelatin for holographic optical element applications p 468 A86-32312  
Aircraft window clamping device [AD-D011999] p 435 N86-22564  
Portable glide slope indicator [AD-D012240] p 789 N86-31552

OPTICAL GYROSCOPES

Requirements for gyroscopes for inertial navigation p 93 A86-13576  
Symposium Gyro Technology 1984; Proceedings of the Symposium, Universitaet Stuttgart, West Germany, September 11, 12, 1984 p 250 A86-21826  
Gyroscopes may cease spinning — in inertial guidance systems p 320 A86-25865  
Low cost inertial reference system based on fiber gyros with GPS-aiding p 788 A86-49016

OPTICAL HETERODYNING

Speckle effects on coherent laser radar detection efficiency p 668 A86-40403  
Sensitivity, noise and optical crosstalk in heterodyne acousto-optical signal processors p 740 A86-46701

OPTICAL MEASUREMENT

Research in lightning swept-stroke attachment patterns and flight conditions with the NASA F-106B airplane p 791 A86-47318  
Feasibility study of optical boundary layer transition detection method [NASA-CR-178109] p 675 N86-28375  
Improvement in the quality of flow visualization in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TM-87730] p 675 N86-28389

OPTICAL MEASURING INSTRUMENTS

Fiber optic sensors for flexure measurement of aircraft structures p 739 A86-46135  
Optical detection methods for testing of fuel tank lightning ignition hazards p 791 A86-47309  
Development of optical diaphragm deflection sensors [NASA-CR-175008] p 194 N86-15113  
FLIR, NVG and HMS/D systems for helicopter operation: Review p 619 N86-26804

Aerodynamics of seeing on large transport aircraft [NASA-CR-177035] p 758 N86-31357

OPTICAL RADAR

Low cost thermal control for flight test laser radar [SAE PAPER 851321] p 285 A86-23511  
Speckle effects on coherent laser radar detection efficiency p 668 A86-40403  
Remote sensing of oil on sea: Lidar and passive IR experiments p 320 N86-18370  
Analysis of airborne Doppler lidar, Doppler radar and tall tower measurements of atmospheric flows in quiescent and stormy weather [NASA-CR-3980] p 462 N86-23159  
Use of a CO<sub>2</sub> laser lidar for flight and penetration at very low altitudes p 610 N86-26326  
Airborne lidar measurements of El Chichon stratospheric aerosols [NASA-RP-1166] p 616 N86-27835

OPTICAL TRACKING

Displacement thresholds in central and peripheral vision during tracking p 679 A86-41782

OPTICS

Thermal zoom optics for R.P.V. sensors p 588 A86-37341

OPTIMAL CONTROL

Air traffic prediction and optimal control of air transportation system — Russian book p 90 A86-13452

Endurance increase by cyclic control — of aircraft p 221 A86-20235

Aircraft terminal area guidance based on the discrete tracking problem of optimal control theory p 215 A86-20520

Optimal control of integral-functional equations p 329 A86-23581

Optimal control change of state of aircraft turbine engine [ASME PAPER 85-IGT-53] p 301 A86-23859

Numerical fixed-point solution for near-optimum regulators of linear quadratic Gaussian control problems for singularly perturbed systems p 396 A86-26577

Minimax frequency domain optimization of multivariable linear feedback systems p 465 A86-33127

Development of a flutter suppression control law by use of Linear Quadratic Gaussian and constrained optimization design techniques p 444 A86-33248

On the vertical turns sustaining corner velocity — optimal control in aircraft minimum time pull-ups from dives p 507 A86-33979

Optimal control of deterministic systems via shifted Legendre polynomials p 530 A86-34140

Locally optimal control in systems with delay — for flight vehicle stabilization p 510 A86-35984

Application of the Optimal Control Model to the design of flight simulation experiments [SAE PAPER 851903] p 532 A86-36942

Computer aided control system design using a multiobjective optimization approach p 679 A86-40760

A design approach to a performance seeking control — for fighter aircraft engines [AIAA PAPER 86-1674] p 652 A86-42785

A differential dynamic programming method with an abrupt penalty integrand for solving tolerance problems p 680 A86-42877

An optimal parameter estimation method compatible with stable parameter prediction in time domain p 746 A86-43482

Use of block-pulse functions in the optimal control of deterministic systems p 747 A86-45728

Comparison of angular and metric guidance laws for tactical missiles p 726 A86-46469

Optimization and acceleration guidance of flight trajectories in a windshear [AIAA PAPER 86-2036] p 822 A86-47425

Automated pole placement algorithm for multivariable optimal control synthesis [AIAA PAPER 86-2196] p 852 A86-47476

A preliminary investigation of H (infinity) optimization [AIAA PAPER 86-2197] p 853 A86-47477

Optimal descending, hypersonic turn to heading [AIAA PAPER 86-2134] p 841 A86-47679

Optimal landing of a helicopter in autorotation [AIAA PAPER 86-2287] p 793 A86-47705

Direct trajectory optimization using nonlinear programming and collocation [AIAA PAPER 86-2000] p 841 A86-47902

An approach to an integrated control system for a modern fighter aircraft engine [ASME PAPER 86-GT-277] p 816 A86-48296

The adjustment of a turbojet engine compressor by the rotation of the guide vanes with the objective of reducing fuel consumption during throttle operation p 816 A86-48757

Reducing fuel consumption by cyclic control p 832 A86-48991

Near-optimal feedback control for three-dimensional interceptions p 854 A86-48992

Optimal control laws for microburst encounter p 834 A86-49070

Methodologies for the direct digital control of highly flexible vehicles [AD-A158448] p 188 N86-14615

PIFCGT: A PIF autopilot design program for general aviation aircraft [NASA-CR-186123] p 178 N86-15320

Extensions to PIFCGT: Multirate output feedback and optimal disturbance suppression [NASA-CR-3968] p 446 N86-22581

Robustness of discrete-time dynamical systems: Application to the multivariable digital control of combat aircraft [ESA-TT-906] p 446 N86-22583

Optimal cooperative control synthesis of active displays [NASA-CR-177102] p 683 N86-29651

Optimal landing of a helicopter in autorotation [NASA-CR-177082] p 714 N86-29809

The integrated manual and automatic control of complex flight systems [NASA-CR-176940] p 729 N86-30737

OPTIMIZATION

Optimization of structural load-bearing designs using anisotropic models according to aeroelasticity conditions p 96 A86-13438

Weight optimization of stiffened cylinders under axial compression p 120 A86-14348

Requirements for tailoring of material properties of viscoelastically damped bonded laminates in aircraft structures p 250 A86-21714

The problem of optimizing the final design modifications of stochastic oscillatory systems p 316 A86-23651

Optimization of stepped input signals in the frequency domain for parametric identification p 329 A86-24586

Application of modern structural optimization to vibration reduction in rotorcraft p 352 A86-26587

Efficient identification of critical stresses in structures subject to dynamic loads p 380 A86-26682

Optimal design of composite power transmission shafting p 353 A86-27654

Numerical optimization design of advanced transonic wing configurations p 356 A86-28562

Thin film electroluminescent (TFEL) display optimized for cockpit applications p 456 A86-32321

Statistical dynamics and control optimization of flight vehicles — Russian textbook p 449 A86-33299

Shape optimization of axisymmetric structures — French thesis p 458 A86-33453

Details on the optimization of cruising drag of the Airbus A320 [DGLR PAPER 85-089] p 487 A86-35152

Comparative investigation of optimization procedures in aircraft preliminary design [DGLR PAPER 85-119] p 487 A86-35170

Optimization of seaplanes [DGLR PAPER 85-170] p 488 A86-35189

An optimization procedure for a redundant wing structure [SAWE PAPER 1684] p 521 A86-35225

Optimization in design processes - An informatics point of view p 531 A86-36208

Airfoil optimization p 623 A86-40107

Dual-wing systems with decalage angle optimization p 624 A86-40121

A study of optimizing cutting tool performance in high tensile strength materials p 668 A86-40527

Computer aided control system design using a multiobjective optimization approach p 679 A86-40760

The OASIS structural optimization system p 672 A86-43090

Computer aided engineering in structural design and optimization p 736 A86-43759

The optimization of seaplanes - New chances and requirements regarding flying boats p 707 A86-43930

Optimizing the NOTAR design p 708 A86-44460

Optimization of stiffened panels under compression p 739 A86-45762

Mechanical design of gas turbine blading in cast superalloys p 721 A86-45819

Optimization of onboard systems of data acquisition and processing — Russian book p 810 A86-48531

Finite element analysis and optimum design of semi-monocoque airframe structures. I - Finite element analysis p 847 A86-48656

Methods for minimizing Boolean functions in the automation of experimental studies of the survivability of aircraft structures p 853 A86-48760

Design of a supercritical airfoil p 771 A86-48982

Automated structural optimisation at Warton — for aircraft p 854 A86-48987



- Optimum-Optimorum integrated wing-fuselage configuration for supersonic transport aircraft of second generation p 801 A86-49010  
The high lift development of the A320 aircraft p 772 A86-49012
- Maintainability optimization - The future challenge — for aircraft maintenance p 782 A86-49052  
On the optimization of flutter characteristics of laminated anisotropic cylindrical shells p 848 A86-49082  
Transonic wave drag estimation and optimization using the nonlinear area rule  
[AIAA PAPER 86-1798] p 778 A86-49582  
Optimization of composite structures by controlled insertion or deletion of diverse fiber types p 844 A86-50122
- Interactive aircraft flight control and aeroelastic stabilization  
[NASA-CR-176323] p 110 N86-12233  
A method to stabilize linear systems using eigenvalue gradient information  
[NASA-TP-2479] p 128 N86-13946  
Procedure for solution of the full potential equation at Domier GmbH p 150 N86-14249  
Optimization in design processes: An informatics point of view  
[NLR-MP-84074-U] p 228 N86-17349  
Application of mathematical optimization procedures to a structural model of a large finite-element wing  
[NASA-TM-87597] p 322 N86-19661  
Optimal airframe synthesis for gust loads  
[NASA-CR-178047] p 357 N86-20386  
A methodology for airplane parameter estimation and confidence interval determination in nonlinear estimation problems  
[NASA-RP-1153] p 445 N86-22579  
Optimization of tip store modeling  
[AD-A182119] p 417 N86-23571  
A research program in active control/aeroelasticity  
[NASA-CR-178773] p 511 N86-24702  
Transonic airfoil analysis and design in nonuniform flow  
[NASA-CR-3991] p 480 N86-25328  
Role of optimization methods in improvement of flight control for airplanes p 513 N86-25603  
Experiences with NASTRAN in a multidisciplinary optimization environment p 527 N86-25831  
Parametric optimization of algorithm for estimating values of one class of unsteady random processes p 534 N86-26161  
An optimization model for the US Air-Traffic System  
[NASA-CR-177277] p 574 N86-27271  
Structural tailoring of engine blades (STAEBL) theoretical manual  
[NASA-CR-175112] p 592 N86-27283  
Structural tailoring of engine blades (STAEBL) user's manual  
[NASA-CR-175113] p 592 N86-27284  
The use of mathematical optimization techniques by the designer  
[NLR-MP-85005-U] p 682 N86-28673  
Development of a flutter suppression control law by use of linear quadratic Gaussian and constrained optimization design techniques p 728 N86-30647  
The application of practical optimization techniques in the preliminary structural design of a forward-swept wing p 715 N86-30654  
Structural optimization programs and methods — aircraft weight reduction p 715 N86-30655  
Variation of anisotropic behavior in structural optimization — aircraft composite structures p 715 N86-30656  
Gust load prediction and alleviation on a fighter aircraft  
[AGARD-R-728] p 729 N86-30741  
Simulation and optimization techniques in computer aided design  
[NLR-MP-85022-U] p 854 N86-33053
- OPTOMETRY**  
Criteria for a state-of-the-art vision test system  
[AD-A157099] p 126 N86-12973
- ORBIT CALCULATION**  
Analytical evaluations of accuracy in determining and predicting parameters of artificial Earth satellite motion using altimeter measurement data p 312 N86-20196
- ORBIT TRANSFER VEHICLES**  
Weights assessment for orbit-on-demand vehicles  
[SAWE PAPER 1674] p 515 A86-35217
- ORBITAL LAUNCHING**  
Weights assessment for orbit-on-demand vehicles  
[SAWE PAPER 1674] p 515 A86-35217
- ORBITAL MANEUVERING VEHICLES**  
An Orbital Maneuvering Vehicle simulator p 658 A86-40515
- ORBITAL POSITION ESTIMATION**  
Analytical evaluations of accuracy in determining and predicting parameters of artificial Earth satellite motion using altimeter measurement data p 312 N86-20196
- ORDNANCE**  
Laser metalworking technology transfer  
[AD-A165808] p 664 N86-28168
- ORGANIC COMPOUNDS**  
Variability of major organic components in aircraft fuels  
[AD-A159057] p 185 N86-15415  
The 1-(diorganooxophosphonyl)methyl-2, 4- and -2, 6-dinitro and diamino benzenes and their derivatives  
[NASA-CASE-ARC-11425-2] p 378 N86-20499  
Conductive heterocyclic ladder polymers  
[AD-D011915] p 378 N86-20569
- ORGANIC MATERIALS**  
A method for measuring pressure distribution by means of indicating coatings p 140 A86-16687  
Corrosion protection of helicopters through organic coatings p 313 A86-26159
- ORGANIC PHOSPHORUS COMPOUNDS**  
Environmental and adhesive durability of aluminum-polymer systems protected with organic corrosion inhibitors p 601 A86-37708
- ORGANIZATIONS**  
DFVLR, Annual Report 1984 p 135 A86-19284
- ORGANIZING**  
Design bureaus: The brain drainers. I - Toulouse - Aircraft mobilize a task force over 1700-strong p 763 A86-49464
- ORIFICES**  
Programming a multiple-orifice hydraulic decelerator  
[AD-A159428] p 181 N86-15328  
The application to airfoils of a technique for reducing orifice-induced pressure error at high Reynolds numbers  
[NASA-TP-2537] p 339 N86-20351
- ORTHOPEDICS**  
A review of the pilot backache problem in the CH113 Labrador helicopter  
[AD-A164011] p 530 N86-25113
- ORTHOTROPIC PLATES**  
Weight minimization of orthotropic flat panels subjected to a flutter speed constraint p 671 A86-41715
- OSCILLATING FLOW**  
Statistical formulation of the objectives of the aerodynamic experiment p 80 A86-13381  
Unsteady aerodynamics of airfoils oscillating in and out of dynamic stall  
[AIAA PAPER 85-4078] p 84 A86-14453  
Sound generation by flow over relatively deep cylindrical cavities p 129 A86-16058  
Nonplanar, subsonic, three-dimensional oscillatory piecewise continuous kernel function method p 162 A86-17779  
Unified supersonic/hypersonic similitude for oscillating wedges and plane ogives p 689 A86-44880  
Calculation of three-dimensional transonic potential flows by a field panel method — oscillating wings p 695 N86-30629
- OSCILLATIONS**  
Equations of rolling for a wheel with an elastic tire p 96 A86-13369  
Inflight excitation of the F-16XL  
[AIAA PAPER 86-9782] p 430 A86-32116  
Transonic unsteady aerodynamics and its aeroelastic applications  
[AGARD-CP-374-ADD-1] p 279 N86-19299  
Geometric and structural properties of a rectangular supercritical wing oscillated in pitch for measurement of unsteady transonic pressure distributions  
[NASA-TM-85673] p 416 N86-23567  
Coupling linearized far-field boundary conditions with nonlinear near-field solutions in transonic flow  
[AD-A162334] p 417 N86-23573  
Unsteady boundary-layer separation on airfoils performing large-amplitude oscillations: Dynamic stall p 561 N86-27231  
Computational aspects of unsteady flows p 561 N86-27232  
Unsteady airload computations for airfoil oscillating in attached and separated compressible flow p 561 N86-27238  
Critical evaluation of the unsteady aerodynamics approach to dynamic stability at high angles of attack  
[NASA-CR-177104] p 632 N86-28924
- OUTLET FLOW**  
Profiling of supersonic ducts with specified nonisentropic parameters at the exit p 79 A86-13375
- OUTLETS**  
Temperature distribution investigation at the outlet of an annular combustor of P type turbojet engine p 591 A86-38998
- OUTPUT**  
Two-hundred to 300 KVA conditioned power system - development, phase 1  
[AD-A158820] p 125 N86-13832  
Covariance specification for the linear time-invariant output-feedback control systems using a Kalman filter  
[NAL-TR-882] p 399 N86-21219
- OV-1 AIRCRAFT**  
Display formats and information transfer requirements as they relate to mission, aircrew and aircraft type p 171 A86-18464
- OVERPRESSURE**  
Development of optical diaphragm deflection sensors  
[NASA-CR-175008] p 194 N86-15113
- OXIDATION**  
The quantification and improvement of the thermal stability of aviation turbine fuel  
[ASME PAPER 85-GT-33] p 247 A86-22022
- OXIDATION RESISTANCE**  
Determination of the service life of aviation oils p 312 A86-23450
- OXIDES**  
Role of dispersed oxides in reducing substrate/coating interdiffusion p 183 A86-17499
- OXYGEN**  
Fire extinguishing agents for oxygen-enriched atmospheres  
[AD-A168967] p 743 N86-30890
- OXYGEN ATOMS**  
Measurement of the heterogeneous recombination probability of oxygen atoms in the course of supersonic dissociated gas flow interaction with solid body surfaces p 85 A86-14743
- OXYGEN SUPPLY EQUIPMENT**  
The oxygen equipment of passenger aircraft — Russian book p 166 A86-18740  
Scott emergency escape breathing device - Evaluation for use in Canadian forces aircraft p 784 A86-47731
- OXYGEN TENSION**  
Na<sub>2</sub>SO<sub>4</sub> induced corrosion of nickel at high temperature p 517 A86-37073

## P

## P-3 AIRCRAFT

The anatomy of sea SKAD (Survival Kit Air Droppable) - A Canadian Forces/industry development program p 213 A86-19335

Integration test facility for P3 aircraft purpose and uses

[AIAA PAPER 86-9807] p 448 A86-32135

Engineering applications of an advanced low-order panel method

[SAE PAPER 851793] p 547 A86-38316

Flight data recorders (FDR) and/or cockpit Voice

Recorders (CVR) in the Lockheed Orion P-3C Update 2

[ETN-86-97395] p 811 N86-31581

## P-531 HELICOPTER

Impact of flying qualities on mission effectiveness for helicopter air combat p 110 A86-14531

## PACKET SWITCHING

Airborne communications reconstitution experiments p 251 A86-21891

## PAIN

A review of the pilot backache problem in the CH113

Labrador helicopter

[AD-A164011] p 530 N86-25113

## PAINTS

Plastic media blast best for stripping

p 269 A86-26274

Stripping and painting a plane - Technological and

economic aspects p 760 A86-47614

New space paints p 451 N86-22621

## PALLADIUM ALLOYS

High strength nickel-palladium-chromium brazing

alloys p 244 A86-20579

## PALMGREN-MINER RULE

Fatigue life prediction under complex load using local

strain approach and relative Miner's rule

p 249 A86-20173

## PANEL FLUTTER

Free vibration characteristics of periodically stiffened

panels with damped stringers p 456 A86-31773

Frequency domain synthesis of a robust flutter

suppression control law p 594 A86-39042

Weight minimization of orthotropic flat panels subjected

to a flutter speed constraint p 671 A86-41715

Research on active suppression technology for

wing/aileron flutter p 835 A86-49096

The Shock and Vibration Bulletin 55. Part 1: Welcome,

keynote address, invited papers, isolation and damping

and damping practices

[AD-A160263] p 256 N86-16616

Recent results on the weight minimization of panels with

a flutter speed constraint p 715 N86-30660

## PANEL METHOD (FLUID DYNAMICS)

- Characteristics of the lifting properties of aircraft with sweptforward wings at supersonic velocities p 96 A86-13371
- A solution of inverse problem for multi-element aerofoils through application of panel method p 83 A86-13546
- Calculation of steady flow about propellers using a surface panel method p 85 A86-14559
- A theoretical basis for extending surface-paneling methods to transonic flow p 142 A86-17131
- Evaluation of methods for predicting complex aircraft flowfields [AIAA PAPER 86-0396] p 201 A86-19655
- A transonic rectangular grid embedded panel method p 204 A86-20953
- An attached flow design of a noninterfering leading-edge extension to a thick delta wing p 337 A86-28569
- Calculation of 3-d unsteady transonic potential flows by a field panel method p 412 A86-33229
- Aerodynamics and radar-signature - A theoretical approach to estimate the radar-signature of complex aircraft configurations compatible with aerodynamic panel-methods [AIAA PAPER 86-1770] p 577 A86-37807
- Unsteady forces on counter-rotating propeller blades [AIAA PAPER 86-1804] p 590 A86-37827
- PAN AIR analysis of a transport high-lift configuration [AIAA PAPER 86-1811] p 544 A86-37832
- The use of curved higher order panels for vortex sheet modeling [AIAA PAPER 86-1812] p 544 A86-37833
- A high order supersonic triplet singularity [AIAA PAPER 86-1815] p 545 A86-37834
- Engineering applications of an advanced low-order panel method [SAE PAPER 851793] p 547 A86-38316
- The indirect boundary integral formulation for elliptic, hyperbolic and non-linear fluid flows p 553 A86-38971
- VSAERO analysis of a wing/pylon/nacelle configuration [AIAA PAPER 86-1523] p 625 A86-42689
- A numerical analysis applied to high angle of attack three-dimensional inlets [AIAA PAPER 86-1527] p 627 A86-42760
- Unsteady low-speed aerodynamic model for complete aircraft configurations [AIAA PAPER 86-2180] p 829 A86-47683
- Application of the TranAir full-potential code to complete configurations p 772 A86-49009
- Evaluation of pressure distributions on an aircraft by two different panel methods and comparison with experimental measurements p 774 A86-49044
- Analysis of wind tunnel corrections for half-model tests of a transport aircraft using a doublet panel method p 839 A86-49060
- Oscillating wings and bodies with flexure in supersonic flow Applications of harmonic potential panel method p 776 A86-49108
- Time-averaged subsonic propeller flowfield calculations [AIAA PAPER 86-1807] p 778 A86-49584
- Review of research in numerical aerodynamics at the DFVLR in Brunswick p 150 N86-12448
- Application of time-linearized methods of oscillating wings in transonic flow and flutter [NLR-MP-84077-U] p 208 N86-16204
- Parametric Bi-cubic surface patch for computer aided geometric design of aircraft and/or other three-dimensional geometries [NAL-TM-AE-8505] p 399 N86-21168
- A numerical analysis applied to high angle of attack three-dimensional inlets [NASA-TM-87298] p 478 N86-24658
- The use of a panel code on high lift configurations of a swept forward wing [NASA-CR-176968] p 631 N86-28916
- Vortex sheet modeling with higher order curved panels [NASA-CR-176971] p 693 N86-29770
- Calculation of three-dimensional transonic potential flows by a field panel method - oscillating wings p 695 N86-30629
- Aspect ratio effects on wings at low Reynolds numbers p 782 N86-32390
- PANELS**
- Application of the finite element method in the calculation of transmission loss of flat and curved panels - for noise reduction in aircraft p 400 A86-26888
- Measurements of the response of transport aircraft ceiling panels to fuel fires p 343 A86-28564
- The effect of center delamination on the instability of composite cylindrical panels p 520 A86-34642
- Buckling and final failure of graphite/PEEK stiffener sections [AIAA PAPER 86-0921] p 608 A86-38831

- Sound transmission through double panel constructions lined with elastic porous materials [AIAA PAPER 86-1907] p 750 A86-45406
- Optimization of stiffened panels under compression p 739 A86-45782
- The effect on the transmission loss of a double wall panel of using helium gas in the gap p 855 A86-48590
- On the fast repair of aircraft panel components p 782 A86-49066
- Aircraft interior panel test criteria derived from full-scale fire tests [FAA/CT-85/23] p 91 N86-12214
- Abrasion behavior of aluminum and composite skin coupons, stiffened skins and stiffened panels representative of transport airplane structures [NASA-TP-2520] p 100 N86-13316
- Failure mechanisms of laminates transversely loaded by bolt push-through [NASA-TM-87603] p 184 N86-14314
- 01General aviation interior noise problem: Some suggested solutions p 194 N86-15053
- Design of hat-stiffened composite panels under uniaxial compression and shear. Minimum mass optimization based on a simplified theory p 259 N86-17806
- Aircraft interior panel test criteria derived from full-scale fire tests [AD-A161637] p 345 N86-21529
- The postbuckling behavior of blade-stiffened carbon epoxy panels loaded in compression - semisubmersible platform [NLR-MP-85019-U] p 611 N86-26661
- Experimental study using nearfield acoustic holography of sound transmission through fuselage sidewall structures [NASA-CR-177182] p 683 N86-28702
- Design and fabrication of large suction panels with perforated surfaces for laminar flow control testing in a transonic wind tunnel [NASA-TM-89011] p 715 N86-29815
- Assessing the effects of delaminations on the postbuckling strength of CRFP panels - aircraft structures p 743 N86-30781
- PARABOLAS**
- A rapid method for estimating equivalent parabolic polars from wind-tunnel tests [AD-A158559] p 153 N86-15251
- PARACHUTE DESCENT**
- Telemetry from experimental rescue- and recovery systems p 95 A86-13219
- Biodynamics of personnel parachute landings - A fresh look at parachute descent rates p 419 A86-32068
- Introduction to deployable recovery systems [DE86-000048] p 211 N86-17310
- PARACHUTE FABRICS**
- Application of Kevlar to parachute system design p 214 A86-20166
- Development and evaluation of a microburst test apparatus for use as a minimum destructive test for parachute material [AD-A158110] p 123 N86-12620
- Alternate altitude testing of solid cloth parachute systems [AD-A157068] p 150 N86-14251
- PARACHUTES**
- Certain characteristics of parachute-wing aerodynamics p 80 A86-13389
- A Single Point Release System for the Advanced Concept Ejection Seat (ACES) II - Survival kit and parachute risers p 217 A86-19303
- Aircrew escape system models used in wind tunnel tests p 217 A86-19316
- Ballistically deployed parachute systems for single and two place aircraft p 212 A86-19319
- The new 'dual stage' test procedure for low cost measurement of parachute performance p 240 A86-19324
- Using Fleet reported 3-M data in support of Navy emergency escape parachute assemblies p 212 A86-19326
- A philosophical basis for the use of high-performance, gliding parachutes in ejection seat aircraft p 213 A86-19352
- Compensating-slit canopy design - A new low-speed/high-speed parachute p 213 A86-19353
- Automatic Inflation Modulation (A.I.M.) parachute up-date p 698 A86-44781
- Evolution of the seawater activated release system (SEAWARS) - to prevent drownings after ejections from aircraft p 784 A86-47756
- Parachute recovery systems design manual, chapters 1 through 4 offprint [AD-A157839] p 87 N86-12210

## PARAMETER IDENTIFICATION

- Alternate altitude testing of solid cloth parachute systems [AD-A157068] p 150 N86-14251
- Introduction to deployable recovery systems [DE86-000048] p 211 N86-17310
- Report on interest expressed in some Australian Defence Establishment products displayed at the 1985 Paris Air Show [AD-A160807] p 496 N86-25341
- PARALLEL FLOW**
- Isolated and interacting round parallel heated jets [AIAA PAPER 86-0281] p 264 A86-19790
- Analysis of interacting dual lifting ejector systems [AIAA PAPER 86-0478] p 233 A86-19895
- PARALLEL PLATES**
- The parallel-plate and rhombic EMP simulators - A summarizing review p 381 A86-27146
- PARALLEL PROCESSING (COMPUTERS)**
- A parallel quasi-linearization algorithm for air vehicle trajectory optimization [AIAA PAPER 85-0498] p 243 A86-20244
- A parallel processing method for solving the unsteady Navier-Stokes equations at high Reynolds numbers p 847 A86-48647
- Partitioning and packing mathematical simulation models for calculation on parallel computers [NASA-TM-87170] p 330 N86-19008
- A zonal approach to the design of finite element grids for 3-D transonic flows with complex geometries [AD-A162168] p 417 N86-23572
- PARALLELEPIPEDS**
- Rectangular parallelepiped coding - A volumetric representation of three-dimensional objects p 747 A86-45473
- PARAMETER IDENTIFICATION**
- Missile guidance based on Kalman filter estimation of target maneuver p 102 A86-12683
- Diffuser parameter optimization for low Reynolds numbers using experimental data p 111 A86-13400
- Using isoperimetric inequalities for the two-sided estimation of the torsional stiffness of a prismatic bar p 119 A86-13410
- Recursive instrumental variable algorithms for modal parameter estimation of structural system p 263 A86-22306
- Optimization of stepped input signals in the frequency domain for parametric identification p 329 A86-24586
- Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics p 353 A86-27861
- Frequency-domain application of Gauss-Newton method to extract aircraft longitudinal parameters p 442 A86-31125
- Wind shear estimation by frequency-shaped optimal estimator p 464 A86-31656
- Flight test planning and parameter extraction for rotorcraft system identification [AIAA PAPER 86-9772] p 430 A86-32107
- Estimation of the state parameters of nonlinear dynamic systems p 465 A86-33047
- On the development of equilibrium observable forms with application to adaptive control p 465 A86-33134
- Estimation of transport airplane aerodynamics using multiple stepwise regression p 469 A86-35385
- Vibration test and identification of modal parameter of aircraft wing model p 605 A86-37406
- Recurrent identification of unsteady aerodynamic forces of elastic vehicles p 554 A86-39762
- Six-force-factor identification of helicopters p 588 A86-39763
- Identification and estimation of the random error models for inertial accelerometer and baro-altimeter p 717 A86-43481
- An optimal parameter estimation method compatible with stable parameter prediction in time domain p 746 A86-43482
- On a method for pilot dynamics identification reflecting feedback structures p 747 A86-43511
- Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics in cruising flight p 713 A86-46461
- Identification of aeroelastic phenomenon employing bispectral analysis techniques p 740 A86-47124
- Synthesis of an adaptive flight controller under unknown deterministic disturbances [AIAA PAPER 86-2157] p 823 A86-47464
- Application of parameter estimation to highly unstable aircraft [AIAA PAPER 86-2020] p 827 A86-47855
- Helicopter parameter identification technology research under the considerably disturbing condition p 831 A86-48670
- Flight path reconstruction - A powerful tool for data compatibility check p 833 A86-49041
- Estimation of aerodynamic parameters from flight data of a high incidence research model p 834 A86-49057

- Maximum-likelihood estimation of parameters in linear systems from flight test data. A FORTRAN program [ESA-TT-896] p 264 N86-18989
- Design method for the calculation of performances and flap movement of flexible wind turbine blades [VTH-M-453] p 323 N86-18795
- Determination of performance and stability characteristics from dynamic maneuvers with a transport aircraft using parameter identification techniques [NLR-MP-84024-U] p 308 N86-18326
- Application of PRA to HEMP vulnerability analysis [DE86-001781] p 399 N86-21260
- STEP and STEPSPL: Computer programs for aerodynamic model structure determination and parameter estimation [NASA-TM-86410] p 370 N86-21549
- A methodology for airplane parameter estimation and confidence interval determination in nonlinear estimation problems [NASA-RP-1153] p 445 N86-22579
- Evaluation of a frequency response technique for aircraft system identification [AD-A164367] p 497 N86-25339
- Parametric optimization of algorithm for estimating values of one class of unsteady random processes p 534 N86-26161
- Recent developments in techniques for dynamic simulation for the identification of stability parameters p 562 N86-27246
- Identification of gust input and gust response characteristics from Do 28 TNT flight test data [ESA-TT-919] p 837 N86-32445
- PARAMETERIZATION**
- A stable discrete-time adaptive observer applied to multivariable aircraft p 305 A86-23346
- Extended parametric representation of compressor fans and turbines. Volume 1: CMGEN user's manual [NASA-CR-174645] p 460 N86-23936
- Extended parametric representation of compressor fans and turbines. Volume 2: Part user's manual (parametric turbine) [NASA-CR-174646] p 461 N86-23937
- Extended parametric representation of compressor fans and turbines. Volume 3: MODFAN user's manual (parametric modulating flow fan) [NASA-CR-174647] p 461 N86-23938
- PARITY**
- Robust detection-isolation-accommodation for sensor failures [NASA-CR-174797] p 255 N86-16486
- PARTIAL DIFFERENTIAL EQUATIONS**
- Equations of rolling for a wheel with an elastic tire p 96 A86-13369
- Shock design for refined recalculations p 150 N86-14247
- Nonlinear control of aircraft [NASA-TM-89225] p 655 N86-28958
- Flap-lag-torsional dynamics of helicopter rotor blades in forward flight [NASA-CR-176976] p 714 N86-29810
- PARTIAL PRESSURE**
- Combustion gas properties. II - Prediction of partial pressures of CO<sub>2</sub> and H<sub>2</sub>O in combustion gases of aviation and diesel fuels [ASME PAPER 86-GT-163] p 843 A86-48216
- PARTICLE COLLISIONS**
- A new rain/ice test capability to simulate flight [AIAA PAPER 86-9824] p 432 A86-32147
- PARTICLE MOTION**
- Particulate flow solutions through centrifugal impeller with two splitters [ASME PAPER 86-GT-130] p 765 A86-48188
- PARTICLE SIZE DISTRIBUTION**
- Cloud particle effects on laminar flow in the NASA LEFT program - Preliminary results - Leading Edge Flight Test [AIAA PAPER 86-9811] p 432 A86-32138
- Effects of vibration-induced cavitation of physicochemical characteristics of aircraft fuel p 184 N86-15346
- Particulate contaminant relocation during shuttle ascent [NASA-TM-87794] p 600 N86-27351
- PARTICLE TRAJECTORIES**
- Air flow and particle trajectories around aircraft fuselages. III - Extensions to particles of arbitrary shape p 316 A86-23281
- Effect of particle characteristics on trajectories and blade impact patterns p 643 A86-40731
- Dilute gas-particle flow in a centrifugal compressor impeller p 668 A86-40733
- Particle trajectories in full 3D flow field of turbomachinery p 669 A86-40734
- Particle trajectory computation on a 3-dimensional engine inlet [NASA-CR-175023] p 344 N86-20379

## PARTICULATE SAMPLING

- Sampling of solid particles in clouds p 688 A86-40720
- Analysis of particulates in the exhaust plume of a J52-P3 turbojet engine at military power [AD-A157840] p 107 N86-12231
- Particulate contaminant relocation during shuttle ascent [NASA-TM-87794] p 600 N86-27351
- PARTICULATES**
- Analysis of particulates in the exhaust plume of a J52-P3 turbojet engine at military power [AD-A157840] p 107 N86-12231
- PASSENGER AIRCRAFT**
- Estimation of the deviation limits of the aircraft path parameters during automatic landing p 108 A86-13365
- 7J7 - Boeing sets the pace p 97 A86-14361
- Douglas plans continuing upgrades to maintain MD-80 competitiveness p 98 A86-15999
- The oxygen equipment of passenger aircraft - Russian book p 186 A86-18740
- Supersonic passenger decade p 288 A86-25848
- The golden age of the great passenger airships: Graf Zeppelin and Hindenburg - Book p 403 A86-27648
- Flight Test Instrumentation System FTIS for type-certification of the Indonesian aircraft CN 235 p 358 A86-27818
- ATRA42 - First of a family p 353 A86-28060
- The choice of techniques used for flight flutter clearance with particular reference to the BAe 146 and BAe 125 p 433 A86-33245
- Major short-haul role seen for tilt-rotor aircraft p 420 A86-33427
- Starship I - A weight control challenge - for next generation business aircraft [SAVE PAPER 1682] p 489 A86-35223
- Further results of natural laminar flow flight test experiments [SAE PAPER 850862] p 581 A86-38504
- Analytical study of three-surface lifting systems [SAE PAPER 850866] p 552 A86-38507
- Beech's enterprising Starship p 637 A86-40471
- Which transport technologies will fly? p 621 A86-41037
- Counter-rotation prop-fan optimization [AIAA PAPER 86-1470] p 645 A86-42659
- UHB technology flight validation program - Ultra High Bypass engines for large passenger aircraft [AIAA PAPER 86-1473] p 656 A86-42661
- Corporate flying, Italian style p 712 A86-45753
- Avanti to fly soon p 713 A86-46405
- Applications of computer-aided engineering to subsonic aircraft design in a university environment p 801 A86-48986
- Potential application of advanced propulsion systems to civil aircraft p 802 A86-49093
- Measurements of landing gear loads of a commuter airliner p 803 A86-49119
- Certification granted to Franco-Italian ATR 42 p 92 N86-13617
- ATR 42 production work in French, Italian plants detailed p 76 N86-13618
- Features of planned IL-96-300, IL-114 aircraft p 294 N86-18325
- More on new IL-96, IL-114 aircraft p 435 N86-22567
- Tupolev bureau developing TU-204 passenger jet: Tupolev on features p 435 N86-22568
- Effect of emerging technology on a convertible, business/interceptor, supersonic-cruise jet [NASA-CR-178097] p 587 N86-27278
- Task Force report on emergency evacuation of transport airplanes, volume 1 [DOT/FAA/VS-86/1.1] p 699 N86-29793
- Preliminary control law and hardware designs for a ride quality augmentation system for commuter aircraft. Phase 2 [NASA-CR-4014] p 836 N86-32440
- A comparison between acoustic mode measurements and acoustic finite element analysis performed for SAAB SF 340 - propeller-driven aircraft [FFA-TN-1986-22] p 856 N86-33125
- PASSENGERS**
- Effectiveness of the civil aviation security program [AD-A159511] p 158 N86-14260
- Proceedings of Cabin Safety Conference and Workshop held on 11-14 December 1984 [AD-A160950] p 344 N86-21527
- Gust alleviation on a transport airplane p 565 N86-27259
- PASSIVITY**
- AGARD Corrosion Handbook. Volume 1: Corrosion, causes and case histories [AGARD-AG-278-VOL-1] p 248 N86-18374

## PATHOLOGICAL EFFECTS

- USAF toxicology research on petroleum and shale-derived aviation gas turbine fuels [ASME PAPER 85-GT-34] p 262 A86-22023
- PATTERN METHOD (FORECASTING)**
- A unified procedure for meeting power-spectral-density and statistical-discrete-gust requirements for flight in turbulence [AIAA PAPER 86-1011] p 584 A86-38869
- PATTERN RECOGNITION**
- Upsilon invariants - A uniform set of moment invariants p 262 A86-19608
- Air targeting of the third kind - Airborne vehicles p 230 A86-19617
- New class of features for pattern recognition and image analysis p 465 A86-32371
- A fast shape descriptor Mellin-Fourier correlation [AD-A159885] p 330 N86-20006
- PAVEMENTS**
- CBR (California Bearing Ratio) design of flexible airfield pavements with case study [AD-A158101] p 113 N86-12242
- A durable airfield marking system [AD-A157953] p 113 N86-13339
- Furfuryl alcohol polymer concretes for use in all-weather repairs of concrete and asphalt surfaces [DE85-014825] p 184 N86-14391
- Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements [AD-A158004] p 181 N86-15324
- Surface properties-vehicle interaction [PB85-242576] p 255 N86-16428
- Evaluation of the FAA design procedures for high traffic volume pavements [DOT/FAA/PM-84/14] p 352 N86-20383
- Runway rubber removal specification development [DOT/FAA/PM-85/33] p 372 N86-21556
- Runway rubber removal specification development: Field evaluation results and data analysis [FAA/PM-85/32] p 448 N86-23607
- Comparative study of nondestructive pavement testing, WES (Waterways Experiment Station) NDT (nondestructive tests) methodologies [AD-A163379] p 610 N86-26480
- Use of NDE to evaluate reflection cracking in airfield pavements [AD-A164880] p 599 N86-27293
- Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements [AD-A165055] p 599 N86-27294
- Mechanistic methodology for airport pavement design with engineering fabrics. Volume 2: Advanced concepts, validation and criteria [DOT/FAA/PM-84/9,II-VOL-2] p 657 N86-28963
- PAYLOADS**
- Wing aspect ratio optimization related to payload and to fuel consumption of transport propeller airplanes [SAWE PAPER 1615] p 98 A86-14975
- Weights assessment for orbit-on-demand vehicles [SAWE PAPER 1674] p 515 A86-35217
- Introduction to deployable recovery systems [DE86-000048] p 211 N86-17310
- PCM TELEMETRY**
- A programmable data acquisition system with integrated test and calibration facilities - in-flight aircraft testing p 102 A86-13215
- An integrated solution for flight test data handling p 93 A86-13226
- Canadian forces PCM telemetry processing and display system p 111 A86-13248
- The data transmission and processing equipment of a high-precision trajectory measurement system p 296 A86-22728
- Real-time telemetry of complete 1553 data buses p 347 A86-27789
- PENALTY FUNCTION**
- A differential dynamic programming method with an abrupt penalty integrand for solving tolerance problems p 680 A86-42877
- PERCEPTION**
- Avionics standardization: Perceptions and recommendations [AD-A161709] p 361 N86-20388
- PERFORATED PLATES**
- Experimental/analytic comparisons considering composite panels with a cutout p 118 A86-13338
- A stress intensity factor solution due to holes ahead of growing cracks in thin sheet material p 454 A86-31123
- The dynamic instability of plate structures p 605 A86-37348
- The effect of a fault on the stiffness and the natural frequency of a plate in bending p 850 A86-49918

PERFORATED SHELLS

Drag reduction of perforated axisymmetric bodies in supersonic flow p 144 A86-18047

PERFORATING

Using suction for increasing Mach numbers in a perforated test section with a subsonic nozzle — of wind tunnel p 112 A86-13405

The effect of a perforated wall on incompressible flow past a U-shaped vortex p 81 A86-13406

Design and fabrication of large suction panels with perforated surfaces for laminar flow control testing in a transonic wind tunnel [NASA-TM-89011] p 715 N86-29815

PERFORMANCE

Turbomachinery performance deterioration; Proceedings of the Fourth Joint Fluid Mechanics, Plasma Dynamics, and Lasers Conference, Atlanta, GA, May 12-14, 1986 p 642 A86-40726

Compressor erosion and performance deterioration p 643 A86-40727

Study of single stage axial flow compressor performance deterioration p 643 A86-40735

Performance deterioration during rotating stall in axial compressors p 644 A86-40738

PERFORMANCE PREDICTION

The performance of composite structures p 121 A86-14680

Accident investigation as a way of assessing aviation life support system performance p 212 A86-19323

An analytical investigation of the effects of swirler design on the performance of annular propulsive nozzles [AIAA PAPER 86-0587] p 233 A86-19965

Prediction and measurement of near fields for antennas on structures p 316 A86-23403

Numerical simulation of a controlled-flow tunnel for V/STOL testing p 371 A86-28561

Instrumentation system for real time navigation system performance assessment [AIAA PAPER 86-9731] p 422 A86-32078

Modeling of aircraft cruise performance using acceleration and deceleration maneuvers - Results and application [AIAA PAPER 86-9735] p 428 A86-32082

Verification of the thrust and airflow model obtained from the performance modelling process [AIAA PAPER 86-9790] p 441 A86-32121

Performance analysis of airborne pulse Doppler radar p 423 A86-32578

Nonlinear multimode response of clamped rectangular plates to acoustic loading p 457 A86-32973

The performance characteristics of simulated ice on rotorcraft airfoils p 482 A86-35856

A verification of propulsion and airplane performance models generated from flight [SAE PAPER 851899] p 580 A86-38362

A mathematical model for calculation of effects of air humidity fuel composition and gas dissociation on engine performance and its actual application p 591 A86-38994

Prediction of fouled compressor performance using stage stacking techniques p 643 A86-40732

Turbine airfoil LCF life prediction verification [AIAA PAPER 86-1496] p 646 A86-42672

Flight test evaluation of techniques to predict longitudinal pilot induced oscillations [AIAA PAPER 86-2253] p 826 A86-47509

A general computational method for simulation and prediction of transient behavior of gas turbines [ASME PAPER 86-GT-180] p 815 A86-48230

Performance evaluation of a linear recursive technique for aircraft altitude prediction in airborne collision avoidance systems p 811 A86-49085

Residual strength prediction for planked wing tension surfaces [AIAA PAPER 86-0941] p 849 A86-49572

Aircraft flight performance methods. Revision 2 [AD-A158227] p 169 N86-15310

Design method for the calculation of performances and flap movement of flexible wind turbine blades [VTH-M-453] p 323 N86-18795

Performance computation of turbofan and turbojet engines in off-design conditions [F+W-FC-1746] p 305 N86-19323

Performance of resonant radar target identification algorithms using intra-class weighting functions p 321 N86-19490

Propulsion and Energetics Panel Working Group 14 on suitable averaging techniques in non-uniform internal flows [AD-A133968] p 503 N86-24682

Increments in aerofoil maximum lift coefficient due to deployment of various high-lift devices [ESDU-85033] p 480 N86-25325

New rotary rig at RAE and experiments on HIRM p 562 N86-27243

Correlation of predicted and free-flight responses near departure conditions of a high incidence research model p 584 N86-27255

Theoretical prediction of wing rocking

p 584 N86-27256

Prediction of the stability performance of a turboreactor combustion chamber [SNECMA-YKC-3269/85] p 651 N86-28949

Aerodynamic data banks for Clark-Y, NACA 4-digit and NACA 16-series airfoil families [NASA-CR-176883] p 697 N86-30693

Aerodynamics of seining on large transport aircraft [NASA-CR-177035] p 758 N86-31357

PERFORMANCE TESTS

Materials and manufacturing processes for advanced jet engines p 105 A86-13173

The effect of trip wire roughness on the performance of the Wortmann FX 83-137 airfoil at low Reynolds numbers p 139 A86-18322

Testing time for AMX - The close support specialist moves towards production p 182 A86-17435

National Specialists' Meeting on Helicopter Testing Technology, Williamsburg, VA, October 29-November 1, 1984, Proceedings p 163 A86-18401

Development testing of the H-60 composite main rotor blade p 163 A86-18404

FAA certification of rotorcraft engine induction system for ice protection p 157 A86-18406

Helicopter drive system bench testing p 187 A86-18410

Operational testing experience on the AH-64A Apache p 164 A86-18418

Reliability development testing of SH-60B helicopter mechanical systems p 184 A86-18420

Testing helicopters for the air-to-air combat role p 164 A86-18424

Testing large transmissions p 187 A86-18426

The new 'dual stage' test procedure for low cost measurement of parachute performance p 240 A86-19324

Small scale wind tunnel testing of model propellers [AIAA PAPER 86-0392] p 233 A86-19853

Application of Kevlar to parachute system design p 214 A86-20166

AV-8B initial sea trials p 222 A86-21054

Progress report - F-16 C&D testing p 222 A86-21056

Non-rigid airship testing p 223 A86-21059

Testing Canadian unique features of the CF-18 - The first year p 223 A86-21060

Escape systems testing p 223 A86-21063

Airborne communications reconstitution experiments p 251 A86-21891

Operating experience in the Jeff (A) in the Arctic [ASME PAPER 85-GT-127] p 266 A86-22076

The KC-135/CFM56 Re-Engine Program [ASME PAPER 85-GT-211] p 224 A86-22112

F/A-18 Hornet - Reliability development testing p 225 A86-22400

Measurement of turbine blade temperature using pyrometer [ASME PAPER 85-IGT-78] p 317 A86-23879

Hover in-ground-effect testing of a full-scale, tilt-nacelle V/STOL model [AIAA PAPER 86-0780] p 286 A86-24759

Data systems for logistics evaluation during operational test p 398 A86-28483

STALINS method for takeoff and landing trajectory measurements p 356 A86-28566

Investigation of main landing gear tire temperatures during taxi-out at heavy take-off masses [AIAA PAPER 86-9778] p 430 A86-32113

Performance characteristics of transponder-aided versus GPS-aided inertial navigation systems [AIAA PAPER 86-9817] p 422 A86-32142

First tests of an onboard MLS receiver p 484 A86-33988

An avionics software test and evaluation technique p 499 A86-35650

Full-scale tilt-rotor hover performance p 576 A86-37770

Aviation gas turbine lubricants - Military and civil aspects: Aviation fuel and lubricants - Performance testing; Proceedings of the Aerospace Technology Conference and Exposition, Long Beach, CA, October 14-17, 1985 [SAE SP-633] p 607 A86-38526

Performance advantages of high load aviation lubricants [SAE PAPER 851798] p 607 A86-38528

The influence of JFTOT operating parameters on the assessment of fuel thermal stability — Jet Fuel Thermal Oxidation Tester [SAE PAPER 851871] p 602 A86-38538

Composite materials: Testing and design; Proceedings of the Seventh Conference, Philadelphia, PA, April 2-4, 1984 p 662 A86-41051

Initial performance evaluation of 2DCD ejector exhaust systems — two dimensional convergent-divergent [AIAA PAPER 86-1815] p 626 A86-42753

Operation of the CT7 turboprop engine as an auxiliary power unit (APU) [ASME PAPER 86-GT-28] p 812 A86-48119

Stress level testing of electronics, avionics communications and C3I equipments [AD-A159395] p 231 N86-18214

The application of sensors in light tests [NLR-MP-84056-U] p 232 N86-17352

Flight test evaluation of the Netherlands flight inspection aircraft [NLR-MP-84052-U] p 295 N86-18318

Development drop test results of the 15-ft-dia ribbon parachute and 73-ft-dia cross parachute for the US Army Natick Laboratory UHLCADS system [DE85-017614] p 341 N86-20371

Programmable, automated transistor test system [NASA-TP-2554] p 389 N86-21755

Hover in-ground-effect testing of a full-scale, tilt-nacelle V/STOL model [NASA-TM-88218] p 629 N86-28058

Hardware performance analysis of the basic narrow Microwave Landing System (MLS) at Washington National Airport (DCA) in the Service Test and Evaluation Program (STEP) [AD-A166916] p 705 N86-30715

An example of integrated logistic support applied also to production testing — aircraft industry p 744 N86-30898

Mission adaptive wing soars at NASA Facility [P86-10182] p 808 N86-31563

PERIPHERAL VISION

A preliminary flight evaluation of the peripheral vision display using the NT-33A aircraft p 297 A86-23729

Displacement thresholds in central and peripheral vision during tracking p 679 A86-41782

PERMEABILITY

Critical permeability parameter in supersonic gradient flow p 146 A86-19148

PERSONNEL

The risk to third party personnel from RPV operations p 566 A86-37327

Development of a computer-managed readiness assessment system [AD-A162931] p 463 N86-24215

A comparison of voice and keyboard data entry for a helicopter navigation task [AD-A163245] p 610 N86-26501

PERSONNEL DEVELOPMENT

Chief on unfavorable force for Soviet air traffic control p 424 N86-22566

PERTURBATION

A contribution to the digital compensation of periodic disturbances with frequencies in bounded intervals — in helicopters [DFVLR-FB-85-55] p 370 N86-21553

PERTURBATION THEORY

Numerical fixed-point solution for near-optimum regulators of linear quadratic Gaussian control problems for singularly perturbed systems p 396 A86-26577

Calculation of the dynamic response of a flight vehicle using a discrete-continuous model p 478 A86-35979

Using the perturbation method for determining the die forging parameters for aircraft parts p 522 A86-35997

Interior transition layers in flight path optimization [AIAA PAPER 86-2037] p 797 A86-48576

PETROLEUM PRODUCTS

USAF toxicology research on petroleum and shale-derived aviation gas turbine fuels [ASME PAPER 85-GT-34] p 262 A86-22023

PHASE LOCK DEMODULATORS

An extended phase-lock technique for aided acquisition — in PM demodulators p 93 A86-13227

PHASE SHIFT

Laboratory experiments on active suppression of advanced turbofan noise [NASA-TM-87129] p 331 N86-19125

PHOSPHORUS COMPOUNDS

Phosphorus anti-wear additives in helicopter transmissions [IC-TS015/85] p 452 N86-22710

PHOSPHORUS COMPOUNDS

The 1-(diorganoxyphosphonyl)methyl-2, 4- and -2, 6-dinitro and diamino benzenes and their derivatives [NASA-CASE-ARC-11425-2] p 378 N86-20499

PHOTOCHEMICAL REACTIONS

Composition and photochemical reactivity of turbine engine exhaust [AD-A157643] p 107 N86-12230

PHOTOELASTIC ANALYSIS

Measurement of elastic-plastic strain field at the curve surface crack tip p 249 A86-20175

## PHOTOGRAMMETRY

- Photogrammetry as a means of mapping postbuckled composite surfaces p 520 A86-34639  
Calibration of an on-ground aircraft tracking radar by aerial photogrammetry [NAL-TR-861] p 282 N86-18311  
In-flight photogrammetric measurement of wing ice accretions [NASA-TM-87191] p 806 N86-31562

## PHOTOGRAPHIC FILM

- KA-102 film/EO standoff system p 229 A86-19581

## PHOTORECONNAISSANCE

- Evolution of real time airborne reconnaissance p 229 A86-19586  
Computer controlled operation of reconnaissance cameras p 229 A86-19587  
Automatic exposure control employing scene statistics in reconnaissance cameras p 230 A86-19588  
Sensor control and film annotation for long range, standoff reconnaissance p 230 A86-19587

## PHYSICAL CHEMISTRY

- Effects of vibration-induced cavitation of physicochemical characteristics of aircraft fuel p 184 A86-15346

## PHYSIOLOGICAL EFFECTS

- 2010 - The symbiotic cockpit p 355 A86-28455  
Noise of the general aviation airplanes influence on environment of the airclub, airfields and on crews p 461 A86-31955

## PHYSIOLOGICAL RESPONSES

- Effect of seat cushions of human response to +Gz impact p 326 A86-25652

## PHYSIOLOGICAL TESTS

- The effects of vocal versus manual response modalities on multi-task performance [AD-A159830] p 321 N86-18588

## PIEZOELECTRIC CRYSTALS

- Development of a piezoelectric quartz pressure sensor for avionics with excellent long term stability (with final demonstration of the results on a prototype) [BMFT-FB-W-85-010] p 232 N86-17353

## PIEZOELECTRIC TRANSDUCERS

- Piezoelectric deicing device [NASA-CASE-LEW-13773-2] p 388 N86-20671

## PILOT ERROR

- Wing it in the 1980's - Why guidelines are needed for cockpit automation [SAE PAPER 841634] p 328 A86-26022  
Air transport pilot involvement in general aviation accidents p 418 A86-29936  
Pilot error accidents - A total system approach to analysis p 481 A86-33799  
Helicopter flight control with one hand p 529 A86-34923  
Aircraft accident report: Midair collision of Wings West Airlines Beech C-99 (N666U) and Aesthetec Inc., Rockwell Commander (N112SM), near San Luis Obispo, California, August 24, 1984 [NTSB/AAR-85/07] p 214 N86-16207  
Use of state estimation to calculate angle-of-attack position error from flight test data [AD-A163962] p 480 N86-24670  
National Transportation Safety Board safety recommendation [NTSB-4102C/300A] p 571 N86-27267  
Aircraft accident report: China Airlines Boeing 747-SP, N4522V 300 nautical miles northwest of San Francisco, California, February 19, 1985 [PB86-910403] p 634 N86-28069  
Investigation of hazards of helicopter operations and root causes of helicopter accidents [FAA/PM-86/28] p 700 N86-29796

## PILOT INDUCED OSCILLATION

- Quantitative feedback design approach to pilot-in-the-loop analysis p 366 A86-28377  
On a method for pilot dynamics identification reflecting feedback structures p 747 A86-43511  
Flight test evaluation of techniques to predict longitudinal pilot induced oscillations [AIAA PAPER 86-2253] p 826 A86-47509

## PILOT PERFORMANCE

- Changes of flying skills during non-flight periods p 125 A86-13944  
The possibility of using a flight recorder for the analysis of pilot performance p 170 A86-16862  
Pilot medical certification - Procedures and recent developments p 195 A86-18849  
Evaluation of pilot performance and aircrew protective devices in a simulated F-14 flat spin environment p 262 A86-19351  
Concept flying - A method for deriving unique system requirements p 326 A86-23738  
Flight deck automation decisions [SAE PAPER 841471] p 326 A86-26002

- Flight deck design methodology using computerized anthropometric models [SAE PAPER 841472] p 326 A86-26003  
AI applications to military pilot decision aiding - A perspective on transition [SAE PAPER 841533] p 327 A86-26004  
Automation in the cockpit - Who's in charge? [SAE PAPER 841534] p 327 A86-26005  
Flight deck displays for managing wind shear encounters [SAE PAPER 841465] p 298 A86-26008  
Effect of vibration on the readability of color CRT displays [SAE PAPER 841466] p 327 A86-26009  
Presentation of information on multimode displays - Abnormal and emergency aircraft operations [SAE PAPER 841494] p 298 A86-26012  
A review of pilot workload measurement techniques used on the A-10 single seat night attack test program [SAE PAPER 841492] p 327 A86-26016  
Advanced fighter technology integration (AFTI) F-16 - The pilot interface [SAE PAPER 841633] p 327 A86-26018  
Effects of digital altimetry on pilot workload [SAE PAPER 841489] p 327 A86-26019  
The decision to fly - by aircraft pilots [SAE PAPER 841613] p 328 A86-26024  
Discrete maneuver flying qualities considerations in control system design p 366 A86-28378  
Pilot/Vehicle Interface Design System (PIVIDS) p 361 A86-28512  
Expert System Pilot Aid p 361 A86-28516  
Head-up/head-down transition - Measurement of transition times p 396 A86-29092  
Cockpit automation - Design and implementation issues [SAE PAPER 851921] p 529 A86-35431  
Pilot vehicle interfaces with smart avionics systems [SAE PAPER 851923] p 529 A86-35432  
Pilot Executive project - PILEX - flight status monitor expert system [SAE PAPER 851806] p 489 A86-35436  
The consideration of pilot factors in development of future collision avoidance systems [SAE PAPER 851807] p 484 A86-35437  
Computer-aided cockpit workload analysis for all weather, multirole tactical aircraft [SAE PAPER 851876] p 499 A86-35439  
Pilot interface with fly-by-wire control systems [SAE PAPER 851836] p 509 A86-35443  
In flight access to minimum vectoring altitudes - A pilot's perspective [SAE PAPER 851837] p 485 A86-35444  
An integrated display for vertical and translational flight Eight factors affecting pilot performance p 529 A86-36175  
CGI delay compensation - Computer Generated Image p 617 A86-37194  
Wind shear studies and cockpit integration [SAE PAPER 851812] p 593 A86-38323  
Pilot's Associate - What should it do? - pilot and airborne computer task allocations [SAE PAPER 851890] p 539 A86-38356  
Crew situational awareness drives avionics developments p 718 A86-45067  
Identification of pilot-vehicle dynamics from in-flight tracking data p 725 A86-46459  
Pitch rate sensitivity criterion for category C flight phases - Class IV aircraft [AIAA PAPER 86-2201] p 823 A86-47481  
Cooperative synthesis of control and display augmentation [AIAA PAPER 86-2204] p 853 A86-47484  
Identification of pilot dynamics in a system with a choice of feedback structures [AIAA PAPER 86-2250] p 825 A86-47496  
The interpretation of flying qualities requirements for flight control design [AIAA PAPER 86-2249] p 826 A86-47523  
Validation of a new flying quality criterion for the landing task [AIAA PAPER 86-2126] p 828 A86-47672  
Pilot-oriented performance measurement [AD-A158849] p 126 N86-13890  
Effects of digital altimetry on pilot workload [NASA-TM-86424] p 126 N86-13892  
Flight dynamics and aircraft piloting [ESA-TT-874] p 240 N86-16229  
The effects of vocal versus manual response modalities on multi-task performance [AD-A159830] p 321 N86-18588  
Comparison of pilot effective time delay for cockpit controllers used on space shuttle and conventional aircraft [NASA-TM-86030] p 307 N86-19324

- Loads and motions of an F-106B flying through thunderstorms [NASA-TM-87671] p 483 N86-24672  
Some quantitative methodology for cockpit design p 586 N86-26320  
Validation of a new flying quality criterion for the landing task [NASA-TM-88261] p 595 N86-26341  
Effect of time delay on flying qualities: An update [NASA-TM-88264] p 653 N86-28092  
Feasibility study for ergonomic analysis and design of future helicopter cockpit systems [NASA-CR-176942] p 714 N86-29811  
Improving the interpretability of an aircraft attitude indicator [AD-A166329] p 719 N86-29817  
A survey of handling qualities criteria and their applications to high performance aircraft [NASA-CR-179654] p 729 N86-30738

## PILOT TRAINING

- Changes of flying skills during non-flight periods p 125 A86-13944  
Wide-angle, low-altitude flight simulator vision system for cockpit research and aircrew training p 180 A86-18453  
Low cost part task trainer for the GBU-15 guided bomb p 370 A86-28457  
Onboard simulation - A demonstrated technology breakthrough for cost effective testing and training p 360 A86-28464  
Design considerations for on-board simulation p 360 A86-28465  
Airlines and the new technology aircraft - A discussion paper p 419 A86-31325  
Development of an authoritative aid to wind shear training [SAE PAPER 851919] p 482 A86-35449  
United Airlines windshear training update [SAE PAPER 851920] p 482 A86-35450  
Capabilities of airborne and ground based flight simulation [SAE PAPER 851944] p 513 A86-36944  
Alpha Jet Training System single aircraft concept [SAE PAPER 851766] p 598 A86-38301  
USAF Test Pilot School use of DIGITAC in systems testing [SAE PAPER 851827] p 594 A86-38333  
Flight simulator upgrades and modifications p 655 A86-40477  
Flight simulation p 730 A86-45137  
Liquid-crystal goggles permit visual simulations of restricted visibility p 718 A86-46150  
Pilot evaluation of experimental flight trajectories in the near-terminal area [AIAA PAPER 86-2074] p 838 A86-47664  
The helicopter to fixed wing conversion program: A critical review [AD-A156820] p 125 N86-12968  
Advanced simulator for pilot training: Effects of collimation on accommodation and vergence [AD-A159545] p 181 N86-14279  
Improving commercial aircraft training simulators p 295 N86-19836

## PILOTLESS AIRCRAFT

- Remotely piloted vehicles; International Conference, 5th, Bristol, England, September 9-11, 1985, Proceedings and Supplementary Papers p 575 A86-37326  
The development of Z-2 Remotely Piloted Helicopter p 575 A86-37328  
High altitude unmanned aircraft for meteorological applications - HIMET p 575 A86-37329  
P T A - Design considerations for an airframe system and detailed design of fuel subsystem - Pilotless Target Aircraft p 590 A86-37331  
The SKYEYE RPV - An NDI solution to today's unmanned aerial vehicle requirements p 712 A86-46134

## PILOTS (PERSONNEL)

- Gravimetric surveying with Mi-8 helicopters p 125 N86-12680  
Passive arm retention curtain [AD-D011876] p 91 N86-13307  
Pitch rate versus G command as the longitudinal flight control system design strategy for a statistically unstable fighter type aircraft with two control surfaces [AD-A158803] p 111 N86-13334  
Effects of noise and workload on a communication task [AD-A160743] p 321 N86-18599  
Horizontal display for vertical flight: A direction of motion experiment [AD-A161113] p 299 N86-19321  
General aviation pilot and aircraft activity survey [AD-A161665] p 345 N86-21530

- Development of an algorithm to model an aircraft equipped with a generic CDTI display [NASA-TM-87732] p 748 N86-30349
- PIPE FLOW**  
A model for closing the inviscid form of the average-passage equation system [NASA-TM-87199] p 147 N86-12224  
Heat transfer, friction, and rheological characteristics of antimisting kerosene p 734 N86-30013
- PIPELINING (COMPUTERS)**  
The possibility of achieving high productivity with vector-pipeline processors in solving problems of mathematical physics p 531 A86-36574
- PIPES (TUBES)**  
Applications of tubular composite structures p 245 A86-21719
- PISTON ENGINES**  
Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 1 [NASA-CR-174923-VOL-1] p 108 N86-13328  
Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 2 [NASA-CR-174923-VOL-2] p 108 N86-13329  
Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 3 [NASA-CR-174923-VOL-3] p 108 N86-13330
- PISTONS**  
Programming a multiple-orifice hydraulic decelerator [AD-A158428] p 181 N86-15328  
High-temperature lubrication systems for ring/liner applications in advanced heat engines [AD-A164955] p 604 N86-26446
- PITCH**  
On the screech tones of supersonic rectangular jets [AIAA PAPER 86-1866] p 754 A86-45486  
Experimentally determined flutter from two- and three-bladed model bearingless rotors in hover p 177 N86-15286
- PITCH (INCLINATION)**  
An experimental investigation of an airfoil pitching at moderate to high rates to large angles of attack [AIAA PAPER 86-0008] p 198 A86-19631  
Energetics and optimum motion of oscillating lifting surfaces of finite span p 274 A86-25084  
An experimental investigation of the influence of a range of airfoil design features on dynamic stall onset p 288 A86-26104  
Transient motion of a hypersonic wedge, including time history effects p 443 A86-31662  
Three-dimensional unsteady flow fields elicited by a pitching forward swept wing [AIAA PAPER 86-1104] p 551 A86-38464  
Unsteady aerodynamics of rapidly pitched airfoils [AIAA PAPER 86-1105] p 551 A86-38465  
Experimental aeroelastic behavior of forward swept graphite/epoxy wings with rigid body freedoms [AIAA PAPER 86-0971] p 584 A86-38851  
Unsteady vortical flow around three-dimensional lifting surfaces p 553 A86-39052  
Unfolding of degenerate Hopf bifurcation for supersonic flow past a pitching wedge p 725 A86-46456  
Pitch rate sensitivity criterion for category C flight phases - Class IV aircraft [AIAA PAPER 86-2201] p 823 A86-47481  
Visualization of dynamic stall controlled by large amplitude interrupted pitching motions [AIAA PAPER 86-2281] p 764 A86-47699  
Air Force Academy Aeronautics Digest [AD-A157215] p 76 N86-12200  
A review of dynamic inflow and its effect on experimental correlations p 157 N86-15293  
USAF/SCREE (United States Air Force/Southeastern Center for Electrical Engineering Education) Research Initiation Program research reports, volume 2 [AD-A161908] p 460 N86-23752  
Use of state estimation to calculate angle-of-attack position error from flight test data [AD-A163962] p 480 N86-24670  
Swashplate control system [NASA-CASE-ARC-11633-1] p 511 N86-24700  
An empirical study of flight control software reliability [NASA-CR-178058] p 532 N86-25145  
Pitch-location effects on dynamic stall [AD-A164322] p 480 N86-25329  
Multiaxis aircraft control power from thrust vectoring at high angles of attack [NASA-TM-87741] p 629 N86-28054  
Wind-tunnel acoustic results of two rotor models with several tip designs [NASA-TM-87698] p 682 N86-28701  
First order analysis of the effect of pitching on the drag coefficient [DE86-006324] p 633 N86-28926
- PITCHING MOMENTS**  
Hypersonic flow past non-slender wedges, cones and ogives in oscillation p 76 A86-13047
- Static and dynamic pitch stability of a blunted cone with forward facing aerodynamic spike in hypersonic flow p 135 A86-16249  
Airfoil design at low Reynolds number with constrained pitching moment p 136 A86-16304  
Direct derivative measurements in the presence of sting plunging p 371 A86-28560  
Prediction of wing aeroelastic effects on aircraft lift and pitching moment characteristics [NASA-TM-87631] p 178 N86-15319  
Experimental assessment of vortex retaining cavity flaps for maneuverability improvement on delta wing fighter aircraft [AD-A164104] p 497 N86-24690
- PITOT TUBES**  
Wind tunnel calibration of a flow direction sensor and a pitot-static tube to high angles of attack and sideslip p 359 A86-28364  
Experimental analysis of a pitot-type air intake p 410 A86-32777  
Performance of an alpha-vane and pitot tube in simulated heavy rain environment [NASA-CR-176353] p 103 N86-12220  
T-33 (Silver Star MK 3) pitot-static system calibration [AD-A157854] p 104 N86-12221  
Method for determining the time delay of the pitot-static tubing system of aircraft - semisubmersible platform [NLR-TR-83075-U] p 589 N86-26335  
Correlation of transonic-cone preston-tube data and skin friction [NASA-CR-176902] p 693 N86-29771
- PIVOTS**  
Pivotal strakes for high angle of attack control [SAE PAPER 851821] p 593 A86-38329
- PLAN POSITION INDICATORS**  
The design, construction and early trials of a novel airborne surveillance radar p 424 A86-32635  
Evaluation of 23 inch radar viewing unit for Heathrow approach control room [CAA-PAPER-85011] p 216 N86-16209
- PLANE STRAIN**  
The vibration and stability of symmetrically-laminated composite rectangular plates subjected to in-plane stresses p 739 A86-45694
- PLANE WAVES**  
Consideration of some factors affecting low-frequency fuselage noise transmission for propeller aircraft [NASA-TP-2552] p 469 N86-24393
- PLANETARY BOUNDARY LAYER**  
Automatic landing through the turbulent planetary boundary layer [UTIAS-289] p 283 N86-19305
- PLANFORMS**  
Some solutions to the Karman equation describing flow past the salient points of a profile p 79 A86-13363  
Multi-knot Boolean sum interpolating surface interactive design of aircraft configuration p 263 A86-22305  
A theoretical study of deltoid planforms operating in the ground effect region p 638 A86-41977  
Supersonic aerodynamic characteristics of some reentry concepts for angles of attack to 90 deg [NASA-TM-87645] p 243 N86-16243
- PLANNING**  
A comparative evaluation of the reliability improvement in line replaceable units warranted under the F-16 reliability improvement warranty [AD-A160830] p 321 N86-18630  
Loads and aeroelasticity division research and technology accomplishments for FY 1985 and plans for FY 1986 [NASA-TM-87676] p 278 N86-19288  
Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987 [AD-A162792] p 402 N86-22443
- PLASMA COMPRESSION**  
Radiative gasdynamic processes in imploding discharges in a plasmodynamic magnetoplasma compressor p 129 A86-13031
- PLASMA DYNAMICS**  
Radiative gasdynamic processes in imploding discharges in a plasmodynamic magnetoplasma compressor p 129 A86-13031
- PLASMA JETS**  
Radiative gasdynamic processes in imploding discharges in a plasmodynamic magnetoplasma compressor p 129 A86-13031
- PLASMA SPRAYING**  
Thermal barrier coatings for jet engine improvement p 183 A86-16278
- PLASTIC AIRCRAFT STRUCTURES**  
Adhesive system for high temperature destructive testing of composite structures p 115 A86-13101  
Interleaf technology for carbon composite aircraft primary structure p 182 A86-16208  
Impact of composite materials on advanced fighters p 245 A86-21722
- Diffusion of water in carbon epoxy composites p 377 A86-27754  
Acoustic-backscattering studies of transverse cracks in composite thick laminates p 451 A86-33088  
Variation of anisotropic behaviour in structural optimization - for fiber reinforced airframes p 434 A86-33258  
A skin-stringer design for a crashworthy composite fuselage for the Hughes 500E helicopter p 492 A86-35637  
Design of a carbon-fiber reinforced wing for the Alpha-Jet major panel tests p 638 A86-41692  
CFRP-wing for the Alpha jet p 686 A86-46199  
Lightning stroke tests at the CFRP horizontal stabilizer of alpha jet p 792 A86-47331  
Analysis of the costs and weight effects of CFK on air transport structure p 842 A86-48097  
Fire safety investigations for material selection and design of a carbon fibre reinforced fuselage structure p 785 A86-48989  
The design and construction of a post buckled carbon fibre wing box structure p 848 A86-49001  
Plastic or metal - The judgement factors - for selecting aircraft construction material p 762 A86-49037  
Manufacturing technology of composite torque box of vertical fin p 848 A86-49068  
A general formulation for the aeroelastic divergence of composite sweptforward wing structures p 802 A86-49095  
Aeroelastic tailoring of aft-swept high aspect ratio composite wings p 802 A86-49097  
Structural design and analysis aspects of composite helicopter components [MBB-UD-454-85-OE] p 806 A86-50256  
Sukhoi design bureau builds sport plane made of plastic p 294 N86-18324  
Frameless transparencies for aircraft cockpit enclosures [AD-D012155] p 497 N86-24889  
Evaluation of the effects of a plastic bead paint removal process on properties of aircraft structural materials [AD-A165289] p 603 N86-26384  
Characterisation and influence of orientation and internal stress in acrylic aircraft materials - windows, canopies, PMMA [NPL-DMA(A)113] p 665 N86-28193
- PLASTIC DEFORMATION**  
Plastic torsion of hollow elements of aircraft - Russian book p 455 A86-31374  
Constitutive modeling of cyclic plasticity and creep, using an internal time concept p 670 A86-41673  
Effects of unfavorable environmental conditions on the service life of jet engine and helicopter bearings p 677 N86-29238
- PLATE THEORY**  
Reliability of the plates and shells of aircraft p 384 A86-28314  
Calculation of structural elements of aircraft: Sandwich plates and shells - Russian book p 458 A86-33292  
Equivalent plate analysis of aircraft wing box structures with general planform geometry [AIAA PAPER 86-0940] p 583 A86-38837  
Strength evaluation of helicopter composite bolted joints [AIAA PAPER 86-0973] p 608 A86-38853
- PLATEAUS**  
Use and maintenance of helicopters on the plateau - areas of China p 785 A86-48669
- PLATES (STRUCTURAL MEMBERS)**  
A study of the static post buckling behavior of composite sandwich plates p 383 A86-27653  
Stress concentration around a small circular hole in the HiMAT composite plate [NASA-TM-86038] p 184 N86-15350  
Equivalent plate analysis of aircraft wing box structures with general planform geometry [NASA-TM-87697] p 392 N86-21954  
Optimized bolted joint [NASA-CASE-LAR-13250-1] p 612 N86-27630
- PLATINUM**  
Protecting gas turbine components - The relative durability of a conventional and a platinum-r modified aluminate coating p 114 A86-13005
- PLENUM CHAMBERS**  
Investigations of transonic Ludwig tubes. II. - Effects of plenum exhaust system on starting process of tunnel test section p 140 A86-16838
- PLOTTING**  
Data reduction, management, and analysis software for CID p 399 N86-21938
- PLUMES**  
Infrared emission from jet engine exhaust plumes [AIAA PAPER 86-0465] p 233 A86-19888  
Meteosat-derived quantitative measurements on volcanic ash plumes for warning to aviation p 566 A86-37478



- Dynamic pressure loads associated with twin supersonic plume resonance  
[AIAA PAPER 86-1539] p 646 A86-42701
- Plume characteristics of single-stream and dual-flow conventional and inverted-profile nozzles at equal thrust  
[AIAA PAPER 86-1809] p 778 A86-49585
- Analysis of particulates in the exhaust plume of a J52-P3 turbojet engine at military power  
[AD-A157840] p 107 N86-12231
- Jet plume temperature effects on afterbody pressure distribution and drag  
[NAL-TM-FM-8502] p 340 N86-20354
- Plume characteristics of single-stream and dual-flow conventional and inverted-profile nozzles at equal thrust  
[NASA-TM-87323] p 554 N86-28285
- PLY ORIENTATION**
- Aeroelastic tailoring of advanced composite compressor blades  
[AIAA PAPER 86-1008] p 591 A86-38949
- PNEUMATIC CONTROL**
- Transient model of a pneumatic ejector - Application to the simulation of aircraft bleed air temperature control systems  
p 489 A86-35405
- Dynamic response characteristics of a circulation control rotor model pneumatic system  
p 157 N86-15298
- Apparatus for the preparation of air  
[AD-A165603] p 673 N86-28266
- PNEUMATIC EQUIPMENT**
- A method for measuring the direction and the Mach number of a three-dimensional supersonic nozzle  
p 80 A86-13392
- Flight tests of the helicopter pneumatic deicing system  
p 163 A86-18408
- Development of an electro-pneumatic anti-G valve for high performance fighter aircraft  
p 218 A86-19317
- Development of pneumatic thrust-deflecting powered-lift systems  
[AIAA PAPER 86-0476] p 219 A86-19894
- Pneumatic actuator device  
[AD-D011794] p 99 N86-12217
- Method for improving the fuel efficiency of a gas turbine engine  
[NASA-CASE-LEW-13142-2] p 364 N86-20389
- PODS (EXTERNAL STORES)**
- Calculation of the external nacelle surface for single and double stream jet engines for civil aircraft  
[VTH-M-445] p 277 N86-18301
- POISSON EQUATION**
- Elliptic generation of composite three-dimensional grids about realistic aircraft  
[NASA-TM-88240] p 783 N86-31527
- POLARIZED ELECTROMAGNETIC RADIATION**
- Considerations on the influence of positioning on the quality of GP ILS information  
p 421 A86-31007
- POLICIES**
- Tradeoff analysis of technology needs for public service helicopters  
[NASA-CR-3927] p 100 N86-13317
- West Europe report: Science and technology  
[JPRS-WST-85-031] p 123 N86-13616
- Introduction to the recent developments of China's civil aviation  
[AD-A166194] p 687 N86-29763
- POLITICS**
- Report of accomplishments under the airport improvement program  
[AD-A156834] p 113 N86-12241
- POLLUTION**
- A microcomputer pollution model for civilian airports and Air Force bases  
[AD-A163232] p 616 N86-26714
- POLLUTION MONITORING**
- United States Coast Guard acquisition of remote sensing capability for ocean surveillance  
p 231 A86-21234
- Aircraft noise - Different ways to monitor the noise load  
p 467 A86-31959
- New research aircraft for DFVLR  
p 428 A86-32074
- Remote sensing of oil on sea: Lidar and passive IR experiments  
p 320 N86-18370
- POLLUTION TRANSPORT**
- Dispersion process of jet engine exhaust plume. II - Buoyant jet  
p 234 A86-20448
- POLYAMIDE RESINS**
- Life prediction for aromatic polyamide reinforcements  
p 377 A86-27691
- ARALL (Aramid Reinforced Aluminium Laminates) - A hybrid composite with a great resistance against fatigue crack propagation  
[DGLR PAPER 85-137] p 515 A86-35180
- POLYGONS**
- Features of the flow structure around polygonal lifting bodies at supersonic velocities  
p 628 A86-43421
- POLYIMIDES**
- Aerospace applications of PMR polyimide composites  
p 377 A86-27730
- Process for preparing essentially colorless polyimide film containing phenoxy-linked diamines  
[NASA-CASE-LAR-13353-1] p 666 N86-29039
- POLYMER CHEMISTRY**
- Optically transparent silicone elastomers  
p 244 A86-21710
- The 1-(diorganooxophosphonyl)methyl-2, 4- and -2, 6-dinitro and diamino benzenes and their derivatives  
[NASA-CASE-ARC-11425-2] p 378 N86-20499
- POLYMER MATRIX COMPOSITES**
- Composite repairs - Book  
p 115 A86-13103
- Aerospace applications of PMR polyimide composites  
p 377 A86-27730
- Technical status and future prospects of carbon fibres and their application in composites with polymer matrix (CFRPs)  
p 661 A86-40488
- Advanced polymer composites for high temperature applications  
p 843 A86-49021
- Copolymers of vinyl styrylpyridines or vinyl stilbazoles with bismaleimide  
[NASA-CASE-ARC-11429-1-CU] p 378 N86-20560
- POLYMER PHYSICS**
- The viscoelastic damping technology design guide for aerospace structures  
[ASME PAPER 85-DET-104] p 318 A86-24230
- Aramid fiber composites for general engineering  
p 517 A86-37137
- POLYMERIC FILMS**
- Process for preparing essentially colorless polyimide film containing phenoxy-linked diamines  
[NASA-CASE-LAR-13353-1] p 666 N86-29039
- POLYMERIZATION**
- Antimisting kerosene: Development of a continuous 10 GPM in-line blender  
[NASA-CR-176432] p 185 N86-15412
- Conductive heterocyclic ladder polymers  
[AD-D011915] p 378 N86-20569
- Interactions between flow, heat and mass transfer during formation of carbon-fiber reinforced epoxy composites  
p 451 N86-22642
- POLYMERS**
- An internal variable assisted formulation of moisture sorption models for polymers and composites  
p 515 A86-34650
- Furfuryl alcohol polymer concretes for use in all-weather repairs of concrete and asphalt surfaces  
[DE85-014825] p 184 N86-14391
- POLYMETHYL METHACRYLATE**
- Characterisation and influence of orientation and internal stress in acrylic aircraft materials - windows, canopies, PMMA  
[NPL-DMA(A)113] p 665 N86-28183
- POLYNOMIALS**
- Quadrinomial distribution for the characterization of nondestructive inspection (NDI) reliability  
[NLR-MP-84064-U] p 258 N86-17774
- The conformal representation of the NACA 642A015 profile  
[VTH-M-502] p 277 N86-18296
- POLYSULFIDES**
- A low temperature curing, quick repair, fuel resistant aircraft sealant  
p 115 A86-13082
- Structural bonding with polysulfide adhesive on B-1B aircraft  
p 94 A86-13106
- POLYURETHANE FOAM**
- Segmented tubular cushion springs and spring assembly  
[NASA-CASE-ARC-11349-1] p 388 N86-20797
- POLYVINYL ALCOHOL**
- Arenyl: A soluble mold technology  
[SNIAS-852-430-111] p 247 N86-16277
- POROSITY**
- Ultrasonic characterization of microstructure in powder metal alloy  
p 469 N86-22964
- Numerical studies of porous airfoils in transonic flow  
[NASA-CR-179655] p 697 N86-30696
- POROUS BOUNDARY LAYER CONTROL**
- Linear theory of an equivalent profile in the problem concerning the influence of porous flow boundaries  
p 81 A86-13411
- Critical permeability parameter in supersonic gradient flow  
p 146 A86-19148
- The passive control of the shock waves on transonic airfoils  
p 411 A86-32990
- The problem of flow past a plane delta wing with power-law injection at its surface  
p 776 A86-49174
- Numerical studies of porous airfoils in transonic flow  
[NASA-CR-179655] p 697 N86-30696
- POROUS MATERIALS**
- Generalization of experimental data on the internal hydraulic resistance of laminated porous materials  
p 650 A86-43383
- Sound transmission through double panel constructions lined with elastic porous materials  
[AIAA PAPER 86-1907] p 750 A86-45408
- POROUS PLATES**
- Supersonic flow around blunt perforated shields  
p 480 N86-25558
- POROUS WALLS**
- Linear theory of an equivalent profile in the problem concerning the influence of porous flow boundaries  
p 81 A86-13411
- Surge margin enhancement by a porous throat diffuser  
p 592 A86-39568
- PORTABLE EQUIPMENT**
- Portable computerized tester improves flight-line maintenance  
p 121 A86-15528
- Mobile Experimental Laboratory (MEL) - computer system for real-time acoustic and vibration field tests of aircraft  
[AIAA PAPER 86-9801] p 465 A86-32130
- Acoustic guide for noise transmission testing of aircraft  
[NASA-CASE-LAR-13111-1-CU] p 332 N86-20086
- Portable glide slope indicator  
[AD-D012240] p 789 N86-31552
- PORTS (OPENINGS)**
- Resonant cavities for stall recovery in gas turbine engines  
[AD-D011891] p 175 N86-15317
- POSITION (LOCATION)**
- Considerations on the influence of positioning on the quality of GP ILS information  
p 421 A86-31007
- Restrictions on the dispositions of navigation aids  
p 422 A86-31009
- Location of lightning strokes on aircraft in storm field with measured electrical, microphysical and dynamical properties  
p 783 A86-47299
- Study on the digital position transducer with optical time-delay pulse  
[NAL-TR-878] p 322 N86-19583
- United States Navy - Canadian forces solid state flight data recorder/crash position locator experiment on the B-720 controlled impact demonstration  
p 391 N86-21945
- Motion planning in the presence of moving obstacles  
[AD-A161374] p 400 N86-22208
- Use of state estimation to calculate angle-of-attack position error from flight test data  
[AD-A163982] p 480 N86-24670
- Pitch-location effects on dynamic stall  
[AD-A164322] p 480 N86-25329
- An analysis of S-3 SDLM (Standard Depot Level Maintenance) corrosion documentation procedures  
[AD-A165588] p 540 N86-26282
- Siting criteria for Microwave Landing Systems (MLS)  
[FAA/PM-86/18] p 636 N86-28073
- Auditory helicopter detection and localization; a literature review focusing on search for helicopters  
[FOA-C-50033-H2] p 757 N86-30474
- Advisory Circular: Auxiliary fuel system installations  
[FAA/AC-25-8] p 716 N86-30719
- Design, development and integrate/install an airborne remote instrumentation system (AIREYE)  
[AD-A166755] p 719 N86-30728
- POSITION ERRORS**
- Commercial aviation GPS Navigation Set flight test results  
p 346 A86-26507
- Errare humanum est... sed perseverare diabolicum or navigation errors of the 747 and the 'heading' position  
p 348 A86-27900
- An terrain-aided guidance system with high convergence speed  
p 573 A86-39766
- POSITION INDICATORS**
- RASP - A system generating very accurate position markers during flight testing - Radiographic Spotting of Position of aircraft  
[AIAA PAPER 86-9802] p 422 A86-32131
- POSITIONING**
- A survey of commercially available positioning systems  
p 345 A86-26440
- Automatic eddy current hole centering for aircraft engine components  
p 670 A86-41582
- Report of noise measurements with 2 different microphone dispositions on airplane type Cessna F 172L  
[VTH-M-510] p 332 N86-19143
- High dynamic GPS receiver validation demonstration  
[NASA-CR-176530] p 283 N86-19306
- POSITIONING DEVICES (MACHINERY)**
- Adapter pallet system  
[AD-D011858] p 191 N86-15671
- POSITIVE FEEDBACK**
- Design of a flutter mode controller using positive real feedback  
p 594 A86-39041
- POSTFLIGHT ANALYSIS**
- A study of the operating condition of aircraft from the recordings of the onboard recording equipment  
p 133 A86-16859
- Processing of airborne tape recordings with the aid of user programs for monitoring the technical condition of aircraft  
p 133 A86-16860

## SUBJECT INDEX

- JTIDS RELNAV performance evaluation — Joint Tactical Information Distribution System in relative air navigation p 350 A86-28369
- POTENTIAL ENERGY**  
The application of energy techniques to propeller-driven airplanes [AD-A167113] p 807 N86-31569
- POTENTIAL FLOW**  
A solution of inverse problem for multi-element aerofoils through application of panel method p 83 A86-13546  
Unsteady potential flow for oscillating airfoils p 83 A86-14359  
Solution of transonic flow past rotor blades using the conservative full potential equation [AIAA PAPER 85-5012] p 84 A86-14456  
Vortex-fitted potential and vortex-captured Euler solution for leading-edge vortex flow p 142 A86-17149  
Delta wings with shock-free cross flow p 145 A86-18528  
Steady and unsteady full potential calculation for large and small aspect ratio supercritical wings [AIAA PAPER 86-0122] p 199 A86-19702  
Aerodynamic design of an airfoil with allowance for the condition of nonseparated flow p 270 A86-23680  
Longitudinal potential distribution in a jet of an ionized gas p 331 A86-23674  
Test cases for the plane potential flow past multi-element aerofoils p 275 A86-25670  
A comparison of solutions of the complete potential equation and the Euler equations for the transonic flow around the DFVLR-F4-wing [DGLR PAPER 85-121] p 475 A86-35171  
Hovering rotor airload prediction using a full potential flow analysis with realistic wake geometry p 475 A86-35636  
Transonic potential flow calculations by two artificial density methods [AIAA PAPER 86-1084] p 549 A86-38448  
A numerical analysis applied to high angle of attack three-dimensional inlets [AIAA PAPER 86-1527] p 627 A86-42760  
Multi-stage compressor airfoil aerodynamics. I - Airfoil potential flow analysis [AIAA PAPER 86-1744] p 627 A86-42822  
Calculation of the potential flow around wing profiles with the aid of a continuously differentiable vortex distribution p 689 A86-44979  
Potential flow models of airfoils with separated flow p 772 A86-49013  
An entropy correction method for unsteady full potential flows with strong shocks [AIAA PAPER 86-1788] p 777 A86-49576  
Calculation of 2-D unsteady transonic full potential flow about oscillating airfoils by two complementary approaches [AIAA PAPER 86-1821] p 778 A86-49586  
Computation of the potential flow over airfoils with cusped or thin trailing edges p 780 A86-49823  
Numerical solutions for three-dimensional cases: Delta wings p 155 N86-15264  
Implicit finite-difference methods for the calculation of unsteady transonic potential flow around two-dimensional airfoils: A discussion [NLR-MP-83063-U] p 208 N86-16202  
A survey of numerical methods for the calculation of inviscid, possibly rotational Euler flows around aeronautical configurations [NLR-TR-83130-U] p 258 N86-17699  
Boundary layer calculations on the leeward surface of a slender delta wing at incidence [NLR-TR-84001-U] p 258 N86-17700  
Elements of the aerodynamic theory of cyclogyro wing systems with concentrator effects [VTH-LR-338] p 279 N86-19294  
Numerical analysis of inviscid flows about wing-fuselage combinations. 2: Development of full potential flow code YOKUDO-P [NAL-TR-881] p 341 N86-20364  
Computation of three dimensional potential flow around a finite wing with a leading-edge discontinuity at high angle of attack p 341 N86-21504  
Two methods for viscous and inviscid free-wake analysis of helicopter rotors [AD-A161513] p 342 N86-21521  
A numerical analysis applied to high angle of attack three-dimensional inlets [NASA-TM-87298] p 478 N86-24658  
Laminar and turbulent boundary-layer calculations on the leeward surface of a slender delta wing at incidence — graph theory [NLR-MP-84040-U] p 555 N86-26293  
Calculation of three-dimensional transonic potential flows by a field panel method — oscillating wings p 695 N86-30629

## POTENTIAL GRADIENTS

- An improved potential gradient method for the calculation of unsteady aerodynamic pressures on oscillating wings in supersonic flow p 413 A86-33234  
An improved potential gradient method for the calculation of unsteady aerodynamic pressures on oscillating wings in supersonic flow p 695 N86-30633

## POTENTIAL THEORY

- A combined method for the analysis of the aerodynamic forces acting on an oscillating flight vehicle in supersonic flow p 79 A86-13380  
Nonisentropic unsteady three dimensional small disturbance potential theory [AIAA PAPER 86-0863] p 552 A86-38898  
Application of a full potential method to practical problems in supersonic aircraft design and analysis p 773 A86-49030  
Applications of potential theory computations to transonic aeroelasticity p 775 A86-49105  
Validation of a full potential method for combined yaw and angle of attack [AIAA PAPER 86-1834] p 779 A86-49591  
The state of development research in numerical aerodynamics in West Germany — conference [DGLR-84-01] p 147 N86-14225  
Comparison of the Euler and potential solutions for supersonic flows over delta wings p 149 N86-14239  
A procedure for solution of full potential equations with correction of the trailing edge condition p 150 N86-14246  
Shock design for refined recalculations p 150 N86-14247  
Review of research in numerical aerodynamics at the DFVLR in Brunswick p 150 N86-14248  
Procedure for solution of the full potential equation at Domier GmbH p 150 N86-14249  
A consistent spatial differencing scheme for the transonic full-potential equation in three dimensions [NASA-TM-86716] p 152 N86-15246  
Elements of the aerodynamic theory of cyclogyro wing systems with concentrator effects [VTH-LR-338] p 279 N86-19294  
Nonlinear potential analysis techniques for supersonic-hypersonic aerodynamic design [NASA-CR-172299] p 417 N86-23569  
Exact closed-form solutions for nonlinear unsteady transonic aerodynamics p 695 N86-30631

## POWDER METALLURGY

- Advances in P/M titanium shape technology using the ceramic mold process p 246 A86-21741  
PM techniques for making near-net-shape titanium alloy components p 246 A86-21756  
Development in PM HfHf-Ti6Al4V technology for aircraft application — High-quality Hydride Dehydriding Process p 375 A86-27224  
Dispersion strengthened P/M aluminum alloys p 451 A86-33223  
Fabrication of ceramic components for advanced gas turbine engines [SAE PAPER 851786] p 606 A86-38310  
Fatigue behavior of Ti-6Al-4V powder metallurgy compacts p 603 A86-39617  
The need for rapidly solidified powder metallurgy aluminum alloys for aerospace applications p 732 A86-46827  
Developments in premium high-strength powder metallurgy alloys by Kaiser Aluminum p 733 A86-46842  
Powdered, sintered alloy materials described: Development of titanium alloys p 314 N86-19447  
Ultrastructural characterization of microstructure in powder metal alloy p 469 N86-22964  
Small defect characterization in powder metallurgy materials p 526 N86-25373

## POWER CONDITIONING

- Digital simulation of regulated electrical power supplies for military applications p 669 A86-40775  
Two-hundred to 300 KVA conditioned power system - development, phase 1 [AD-A158820] p 125 N86-13832

## POWER EFFICIENCY

- A new generation T56 turboprop engine p 642 A86-40133

## POWER GAIN

- ELT antenna gain distributions under simulated crash conditions p 92 A86-12698

## POWER SERIES

- Decoupling of nonlinear systems, noncommutative generatrix series, and Lie algebras p 618 A86-37395

## POWER SPECTRA

- Optimization of stepped input signals in the frequency domain for parametric identification p 329 A86-24586  
A unified procedure for meeting power-spectral-density and statistical-discrete-gust requirements for flight in turbulence [AIAA PAPER 86-1011] p 584 A86-38869

## PREDICTION ANALYSIS TECHNIQUES

- The generation of equal probability design load conditions, using Power Spectral Density (PSD) techniques — aircraft design [NLR-TR-85014-U] p 809 N86-32430
- POWER SUPPLY CIRCUITS**  
Efficiently meeting electric power needs for future aircraft p 319 A76-24829
- POWERED LIFT AIRCRAFT**  
Ground-simulation investigation of VTOL airworthiness criteria for terminal area operations p 90 A86-14237  
Powered-lift technology on the threshold p 98 A86-14245  
Development of pneumatic thrust-deflecting powered-lift systems [AIAA PAPER 86-0476] p 219 A86-18694  
The STOL performance of a two-engine, USB powered-lift aircraft with cross-shafted fans [SAE PAPER 851839] p 578 A86-38336  
Fuel conservative guidance for shipboard landing of powered-lift STOL aircraft p 572 A86-39048  
Flight evaluation of a precision landing task for a powered-lift STOL aircraft [AIAA PAPER 86-2130] p 828 A86-47676
- PREAMPLIFIERS**  
An apparatus for and a method of determining compass headings [AD-D012051] p 425 N86-23584
- PRECIPITATION (METEOROLOGY)**  
Numerical simulation of precipitation induced downbursts p 615 A86-37496  
Limited Surface Observations Climatic Summary (LISOCs). Parts A, C-F: Bremen International, West Germany [AD-A159656] p 323 N86-18894  
Revised Uniform Summary of Surface Weather Observations (RUSSWO). Parts A-F: General Billy Mitchell Field, Wisconsin [AD-A159658] p 324 N86-18896  
Revised Uniform Summary of Surface Weather Observations (RUSSWO). Parts A-F: Aviano AB, Italy [AD-A159662] p 324 N86-18900  
Giebelstadt in Germany (West). Limited surface observations climatic summary (LISOCs): Parts A, C-F [AD-A159664] p 324 N86-18902
- PRECIPITATION HARDENING**  
Atom-probe microanalysis of a nickel-base superalloy p 114 A86-12969  
Effect of precipitation on mechanical properties of Al-Li-Cu-Mg-Zr alloy p 661 A86-40306
- PRECISION**  
Precision casting of aero gas turbine components p 739 A86-45816
- PREDICTION ANALYSIS TECHNIQUES**  
Thrust and drag: its prediction and verification — Book p 98 A86-14161  
Evaluation of an aerodynamic-load prediction method on a STOL fighter configuration [AIAA PAPER 86-0590] p 203 A86-19966  
Prediction of blade flutter in a tuned rotor [ASME PAPER 85-IGT-100] p 302 A86-23899  
The development of an advanced weight estimation technique for aircraft conceptual design [SAE PAPER 1645] p 531 A86-35204  
A weight method for structural boxes [SAE PAPER 1680] p 521 A86-35221  
Helicopter cabin noise - Actual vs. statistical energy predictions p 491 A86-35620  
Durability prediction of parallel fuel tank skins with fluid-structure interaction dynamics [AIAA PAPER 86-0935] p 591 A86-38927  
Broadband noise of propellers and rotors p 855 A86-48596  
Prediction of gust loadings and alleviation at transonic speeds [AIAA PAPER 86-0997] p 777 A86-49573  
Numerical and experimental studies of 3-D and unsteady turbulent body/appendage/propeller flows [AD-A157078] p 123 N86-12552  
Semiempirical method for predicting vortex-induced rolling moments [NASA-TM-87579] p 147 N86-14222  
The effect of supply parameters on the volume of future aircraft movements p 158 N86-14258  
Computer program for performance prediction of tandem-rotor helicopters [AD-A158193] p 167 N86-14268  
The aircraft icing environment in wintertime, low ceiling conditions [AD-A160578] p 280 N86-18307  
Modular application of a shock/boundary layer interaction solution to supercritical viscous-inviscid flow field analysis p 338 N86-20343  
An evaluation of study design for estimating a time-of-day noise weighting [NASA-CR-178062] p 401 N86-22306

- Investigation to advance prediction techniques of the low-speed aerodynamics of V/STOL aircraft  
[NASA-CR-186479] p 416 N86-23568
- Validation of USAF stability and control Datcom methodologies for straight-tapered sweptforward wings  
[AD-A161876] p 417 N86-23570
- Fracture mechanics of multiple crack initiations. An application for fracture mechanics analysis of gas turbine engine disks  
[AD-A162998] p 442 N86-23601
- Life prediction and constitutive models for engine hot section anisotropic materials program  
[NASA-CR-174952] p 526 N86-25003
- Recent developments in techniques for dynamic simulation for the identification of stability parameters  
p 562 N86-27246
- The Shock and Vibration Digest, volume 17, no. 8  
[AD-A165115] p 612 N86-27471
- Rotor/wing aerodynamic interactions in hover  
[NASA-TM-88255] p 629 N86-28060
- Probabilistic damage tolerance analysis of aircraft structures  
[FFA-TN-1985-68] p 640 N86-28081
- A study of the factors affecting boundary layer two-dimensionality in wind tunnels  
[NASA-CR-177023] p 631 N86-28914
- A comparison of computer-generated lift and drag polars for a Wortmann airfoil to flight and wind tunnel results  
[NASA-CR-176963] p 631 N86-28919
- An experimental and analytical investigation of isolated rotor flap-lag stability in forward flight  
[NASA-CR-177028] p 654 N86-28957
- Experimental and theoretical study of propeller spinner/shank interference  
[NASA-CR-176954] p 694 N86-29773
- A survey of handling qualities criteria and their applications to high performance aircraft  
[NASA-CR-179654] p 729 N86-30738
- An analytical methodology for predicting repair time distributions of advanced technology aircraft  
[AD-A167149] p 763 N86-31529
- PREDICTIONS**
- Preliminary measurement of the noise from the 2/9 scale model of the Large-scale Advanced Propfan (LAP) propeller, SR-7A  
[NASA-TM-87116] p 129 N86-14006
- Aircraft Drag Prediction and Reduction  
[AGARD-R-723] p 155 N86-15266
- Parasitic and interference drag prediction and reduction  
p 156 N86-15272
- Prediction of the drag of wings at subsonic speeds by viscous/inviscid interaction techniques  
p 156 N86-15274
- Prediction of wing aeroelastic effects on aircraft lift and pitching moment characteristics  
[NASA-TM-87631] p 178 N86-15319
- The impact of a traffic alert and collision avoidance system on the air traffic control radar beacon system and the mode S system in the Los Angeles Basin  
[FAA-PM-84-30] p 425 N86-23581
- Altitude ignition/lean decel study  
[AD-A163052] p 518 N86-24781
- Data sources for parameters used in predictive modeling of fire growth and smoke spread  
[PB86-130986] p 518 N86-24788
- KRASH dynamics analysis modeling: Transport airplane controlled impact demonstration test  
[DOT/FAA/CT-85/9-REV] p 483 N86-25331
- The physical and empirical basis for a specific clear-air turbulence risk index  
[NASA-CR-3971] p 746 N86-30285
- Sonic-boom research: Selected bibliography with annotation  
[NASA-TM-87685] p 756 N86-30470
- Comparison of experimental surface pressures with theoretical predictions on twin two-dimensional convergent-divergent nozzles  
[NASA-TM-87757] p 697 N86-30694
- Gust load prediction and alleviation on a fighter aircraft  
[AGARD-R-728] p 729 N86-30741
- PREMIXED FLAMES**
- A transport model for flammability of premixed gases  
p 516 A86-36874
- Premixing gas and air to reduce NOx emissions with existing proven gas turbine combustion chambers  
[ASME PAPER 86-GT-157] p 814 A86-48211
- The two-fluid model of turbulent combustion applied to an idealized one-dimensional, unsteady, confined, pre-mixed flame  
[PDR/CFDU/IC/21] p 247 N86-16315
- PREMIXING**
- Evaluation of fuel preparation systems for lean premixing-prevaporizing combustors  
[ASME PAPER 85-GT-137] p 235 A86-22081
- Investigation of chemically-reacting supersonic internal flows  
[NASA-CR-176363] p 188 N86-14532
- PREPARATION**
- Airport preparedness for mass disaster - A proposed schematic plan  
p 214 A86-20411
- PREPREGS**
- Application of low temperature curing prepregs and vacuum bag molding techniques to the manufacturing of a composite wing  
[AIAA PAPER 86-1019] p 609 A86-38876
- Evaluation of the Ciba-Geigy R6376 IM6 prepreg - fiber reinforced plastics  
[DGT-26.649] p 248 N86-17485
- PRESSURE**
- Effects of velocity profile and inclination on dual-jet-induced pressures on a flat plate in a crosswind  
[NASA-CR-177361] p 87 N86-13287
- PRESSURE DISTRIBUTION**
- Construction of equivalent profiles and approximate calculation of transonic flow past the root section of a swept wing  
p 80 A86-13396
- Pressure fluctuations on rotor blades generated by blade-vortex interaction  
p 86 A86-16122
- A method for measuring pressure distribution by means of indicating coatings  
p 140 A86-16687
- Summary of a high subsonic force/pressure experiment for 58 deg cambered/twisted thick delta wings  
[AIAA PAPER 86-0169] p 200 A86-19730
- Calculation of supersonic flows around a three-dimensional wing and a waisted body with characteristic method in stream surface coordinates  
p 206 A86-22319
- A propeller model for studying trace velocity effects on interior noise  
p 284 A86-23191
- Aerodynamic design of an airfoil with allowance for the condition of nonseparated flow  
p 270 A86-23660
- Numerical optimization design of advanced transonic wing configurations  
p 356 A86-28562
- Recent transonic unsteady pressure measurements at the NASA Langley Research Center  
p 412 A86-33232
- Steady and unsteady pressure distributions on various profiles in separated subsonic and transonic flow  
p 413 A86-33233
- An improved potential gradient method for the calculation of unsteady aerodynamic pressures on oscillating wings in supersonic flow  
p 413 A86-33234
- An exact formulation of the unsteady aerodynamic theory of lifting surfaces undergoing arbitrary small motions in a supersonic flow field  
p 413 A86-33235
- Application of unsteady wing collocation methods to cascades in subsonic flow  
p 413 A86-33236
- Experimental transonic pressure distributions of a flexible wing-aileron model and comparisons with results of several theoretical methods  
p 432 A86-33239
- Calculation of helicopter airfoil characteristics for high tip-speed applications  
p 541 A86-37769
- A study of cracking in the pressure bulkhead of a military transport aircraft  
[AIAA PAPER 86-0983] p 584 A86-38861
- Aerodynamic characteristics of an oscillating airfoil - for Vertical Axis Wind Turbine  
p 616 A86-39566
- A computational fluid dynamics evaluation of test cell recirculation effects on high-bypass turbofan engine surface pressure distributions  
[AIAA PAPER 86-1384] p 655 A86-42606
- VSAERO analysis of a wing/pylon/nacelle configuration  
[AIAA PAPER 86-1523] p 625 A86-42689
- Pressure loading on curved leading edge wings in supersonic flow  
p 689 A86-44890
- Method for calculating pressure distribution on the surfaces of wings with slit mechanization  
p 768 A86-48806
- Evaluation of pressure distributions on an aircraft by two different panel methods and comparison with experimental measurements  
p 774 A86-49044
- Effects of spanwise blowing on pressure distribution and leading-edge vortex stability  
p 774 A86-49046
- Effect of surface waviness on a supercritical laminar-flow-control airfoil  
[NASA-TM-85705] p 86 N86-12206
- Effects of velocity profile and inclination on dual-jet-induced pressures on a flat plate in a crosswind  
[NASA-CR-177361] p 87 N86-13287
- Pressure-distribution measurements on a transonic low-aspect ratio wing  
[NASA-TM-86683] p 90 N86-13304
- An airfoil flutter model suspension system to accommodate large static transonic airloads  
[NASA-CR-177998] p 146 N86-14220
- Simulation of three-dimensional viscous transonic flows  
p 148 N86-14233
- A procedure for solution of full potential equations with correction of the trailing edge condition  
p 150 N86-14246
- Three-dimensional, transonic rotor flow field reconstructed from holographic interferogram data  
[NASA-TM-86816] p 188 N86-14555
- Relative advantages of thin-layer Navier-Stokes and interactive boundary-layer procedures  
[NASA-TM-86778] p 152 N86-15244
- Numerical solutions of two-dimensional reference test cases  
p 154 N86-15262
- Pressure distributions from high Reynolds number tests of a Boeing BAC 1 airfoil in the Langley 0.3-meter transonic cryogenic tunnel  
[NASA-TM-87600] p 208 N86-16199
- Calculation of helicopter airfoil characteristics for high tip-speed applications  
[AD-A160694] p 277 N86-18294
- Jet plume temperature effects on afterbody pressure distribution and drag  
[NAL-TM-FM-8502] p 340 N86-20354
- Laser beam duct pressure controller system  
[AD-D012017] p 525 N86-24984
- Pitch-location effects on dynamic stall  
[AD-A164322] p 480 N86-25329
- The effects on rotor nonuniform inflow harmonic content of uneven circumferential distribution of jet engine inlet guide vanes  
[AD-A164629] p 555 N86-26291
- Comparison of theoretical and flight-measured local flow aerodynamics for a low-aspect-ratio fin  
[NASA-CR-176995] p 632 N86-28920
- Design of transonic airfoils with given pressure, subject to geometric constraints  
[NLR-TR-84084-U] p 633 N86-28928
- Steady and unsteady pressure distribution on various profiles in separated subsonic and transonic flow  
p 695 N86-30632
- An improved potential gradient method for the calculation of unsteady aerodynamic pressures on oscillating wings in supersonic flow  
p 695 N86-30633
- Experimental transonic pressure distributions of a flexible wing-aileron model and comparisons with results of several theoretical methods  
p 696 N86-30639
- PRESSURE DRAG**
- The reverse-flow theorem for transonic flow  
p 688 A86-44802
- Jet plume temperature effects on afterbody pressure distribution and drag  
[NAL-TM-FM-8502] p 340 N86-20354
- An investigation of the feasibility of active boundary layer thickening for aircraft drag reduction  
[NASA-CR-177133] p 630 N86-28064
- PRESSURE EFFECTS**
- Experimental study of the effects on the turbofan engine by the distortion  
p 304 A86-25192
- Conversion of air-data system pressure errors into height and speed corrections  
[ESDU-85036] p 497 N86-25338
- An analysis of blade vortex interaction aerodynamics and acoustics  
[NASA-CR-177016] p 630 N86-28912
- PRESSURE GRADIENTS**
- Effect of pressure gradients on the growth of subharmonic disturbances in boundary layers  
p 136 A86-16306
- Turbulent-boundary-layer development in an adverse pressure gradient after an interaction with a normal shock wave  
p 141 A86-17031
- Mean-flow measurements in a supersonic three-dimensional turbulent boundary layer  
p 141 A86-17059
- Numerical and experimental studies of 3-D and unsteady turbulent body/appendage/propeller flows  
[AD-A157078] p 123 N86-12552
- Heat transfer and pressure drop performance of a finned-tube heat exchanger proposed for use in the NASA Lewis Altitude Wind Tunnel  
[NASA-TM-87151] p 123 N86-13677
- Comparison of experimental surface pressures with theoretical predictions on twin two-dimensional convergent-divergent nozzles  
[NASA-TM-87757] p 697 N86-30694
- PRESSURE MEASUREMENT**
- A method for measuring pressure distribution by means of indicating coatings  
p 140 A86-16687
- Comparative measurements of the unsteady pressures and the tip-vortex parameters on four oscillating wing tip models  
p 273 A86-24708
- Comparative measurements of the unsteady pressures and the tip-vortex parameters of four oscillating wing tip models  
p 276 A86-26109
- Cryogenic tunnel measurement of total temperature and pressure  
p 387 A86-28570
- The National Transonic Facility  
p 447 A86-31847

Recent transonic unsteady pressure measurements at the NASA Langley Research Center p 412 A86-33232

National transonic facility Mach number system p 597 A86-38076

Surface pressure measurement during low speed two-dimensional blade-vortex interaction [AIAA PAPER 86-1856] p 753 A86-45478

Pressure measurements in a liquid-filled cylinder using a three-degree-of-freedom flight simulator [AIAA PAPER 86-2026] p 827 A86-47660

The use of surface static pressure data as a diagnostic tool in multistage compressor development [ASME PAPER 86-GT-3] p 812 A86-48103

Measurement of the pressure coefficient at a square wing in transonic-supersonic flows and comparison with theoretical results — German thesis p 767 A86-48568

Pressure-distribution measurements on a transonic low-aspect ratio wing [NASA-TM-86683] p 90 A86-13304

Development of optical diaphragm deflection sensors [NASA-CR-175008] p 194 A86-15113

Wind tunnel calibration of a PMS (Particle Measuring Systems) canister instrumented for airflow measurement [AD-A161124] p 278 A86-19292

Flight measurements of surface pressures on a flexible supercritical research wing [NASA-TP-2501] p 339 A86-20350

Design, development and operation of a high simultaneous capacity digital telemetry system p 613 A86-27632

NASTRAN/FLEXSTAB procedure for static aeroelastic analysis [NASA-TM-84897] p 639 A86-28076

Evaluation of a quartz bourdon pressure gage of wind tunnel Mach number control system application [NASA-TM-88991] p 677 A86-29198

Correlation of transonic-cone preston-tube data and skin friction [NASA-CR-176902] p 693 A86-29771

Preliminary instrumentation for aeroelastic tests at the compressor level — turbocompressor test bench [ONERA-RT-95/7108-RY-054-R] p 743 A86-30219

Experimental and numerical results for a generic axisymmetric single-engine afterbody with tails at transonic speeds [NASA-TM-87755] p 697 A86-30695

**PRESSURE OSCILLATIONS**

Vortex incident upon a leading edge - instantaneous pressure fields p 141 A86-17060

Pressure fluctuations on the external surface of an aircraft p 271 A86-23780

Nonlinear analysis of pressure oscillations in ramjet engines [AIAA PAPER 86-0001] p 363 A86-26801

Identification of longitudinal acoustic modes associated with pressure oscillations in ramjets p 591 A86-39079

Dynamic pressure loads associated with twin supersonic plume resonance [AIAA PAPER 86-1539] p 646 A86-42701

Fluctuations of wall pressure in the interacting region of oblique shock wave and turbulent boundary layer p 688 A86-43514

The pressure field generated by jet-jet impingement [AIAA PAPER 86-1951] p 739 A86-45437

Dynamic stall of swept and unswept oscillating wings p 560 A86-27226

Nonlinear analysis of pressure oscillations in ramjet engines p 659 A86-28240

Large eddy simulations of flow in a ramjet combustor p 659 A86-28241

**PRESSURE PULSES**

A novel feedback concept for combustion instability in ramjets p 665 A86-28236

**PRESSURE RATIO**

Experimental evaluation of heavy fan-high-pressure compressor interaction in a three-shaft engine. I - Experimental setup and results [ASME PAPER 85-GT-173] p 104 A86-13053

**PRESSURE RECOVERY**

Diffuser parameter optimization for low Reynolds numbers using experimental data p 111 A86-13400

Boundary-layer development on the afterbody of an engine nacelle p 82 A86-13532

**PRESSURE REDUCTION**

Computer controlled variable pressure reducing/shut-off valve for aircraft ECS [SAE PAPER 851380] p 285 A86-23545

A hot air tunnel for base bleed experimentation p 597 A86-38252

Backup control airstart performance on a digital electronic engine control-equipped F100-engine [PAPER-10] p 505 A86-25352

Pressure drop and heat transfer characteristics of circular and oblong low aspect ratio pin fins p 741 A86-29827

# PRESSURE REGULATORS

Laser beam duct pressure controller system [AD-D012017] p 525 A86-24964

**PRESSURE SENSORS**

A new high temperature silicon on sapphire transducer for jet engine control applications p 315 A86-23266

High stability pressure transducers for air data systems and test sets p 359 A86-28362

A novel primary air data quality pressure transducer p 359 A86-28363

Flow field study on a supercritical airfoil using a pressure probe and a two-component Laser-Doppler-Anemometer p 775 A86-49074

Practical applications of Tesla semiconductor pressure sensors p 849 A86-49148

Development of optical diaphragm deflection sensors [NASA-CR-175008] p 194 A86-15113

Development of a piezoelectric quartz pressure sensor for avionics with excellent long term stability (with final demonstration of the results on a prototype) [BMFT-FB-W-85-010] p 232 A86-17353

Aircraft measurements and coordination in FASINEX [AD-A160789] p 321 A86-18699

Wind shear measurement on board a Morane 893 p 394 A86-21084

Recent improvements to the NAE 5 ft. x 5 ft. blowdown wind tunnel [AD-A162034] p 449 A86-23608

Computations and turbulent flow modeling in support of helicopter rotor technology [NASA-CR-177095] p 742 A86-30090

**PRESSURE VESSELS**

Computer controlled variable pressure reducing/shut-off valve for aircraft ECS [SAE PAPER 851380] p 285 A86-23545

**PREVENTION**

Reliability and failure prevention through ESA in the 80's And beyond p 381 A86-26837

**PRIMERS (COATINGS)**

Electrodeposited primer scale-up and qualification p 245 A86-21735

**PRINCIPAL COMPONENTS ANALYSIS**

Composite statistical method for modeling wind gusts p 308 A86-23189

**PRISMATIC BARS**

Using isoperimetric inequalities for the two-sided estimation of the torsional stiffness of a prismatic bar p 119 A86-13410

**PROBABILITY DENSITY FUNCTIONS**

Effects of measurement errors on estimation of the probability of vertical overlap p 280 A86-25214

Probability of detection of flaws in a gas turbine engine component using electric current perturbation p 669 A86-41574

**PROBABILITY DISTRIBUTION FUNCTIONS**

Failure detection in a flight control system by the modified sequential probability ratio test p 854 A86-49507

Quadrinomial distribution for the characterization of nondestructive inspection (NDI) reliability [NLR-MP-84064-U] p 258 A86-17774

**PROBABILITY THEORY**

Estimation of the probability of a flight parameter exceeding a specified value under conditions of atmospheric turbulence p 108 A86-13355

Reliability of aircraft navigation p 348 A86-28312

Probabilistic fatigue and fracture design p 453 A86-29961

Evaluation of damage tolerance requirements using a probabilistic-based life approach [ASME PAPER 86-GT-266] p 847 A86-48288

Probabilistic evaluation of individual aircraft tracking techniques [AD-A160146] p 282 A86-18312

Application of PRA to HEMP vulnerability analysis [DE86-001781] p 399 A86-21260

Probabilistic damage tolerance analysis of aircraft structures [FFA-TN-1985-68] p 640 A86-28061

An analytical methodology for predicting repair time distributions of advanced technology aircraft [AD-A167149] p 763 A86-31529

**PROBLEM SOLVING**

Discovery of the Kalman filter as a practical tool for aerospace and industry [NASA-TM-86847] p 94 A86-13311

Information on new AN-124 giant cargo plane p 498 A86-25601

Development of a numerical procedure to map a general 3-d body onto a near-circle p 749 A86-31420

**PROCEDURES**

Research and development project selection methods at the Air Force Wright Aeronautical Laboratories [AD-A161153] p 333 A86-20165

# PROCUREMENT MANAGEMENT

Modular simulators - How to make it work — procurement and logistics for flight-weapon system trainer p 371 A86-28459

The selection and acquisition of commercial aircraft fleets p 686 A86-44935

Information on airport and airway trust fund revenues and outlays by states and large airports [PB86-129665] p 449 A86-23809

An examination of the life support equipment development and acquisition process [AD-A162241] p 463 A86-24221

**PROCUREMENT POLICY**

An examination of the life support equipment development and acquisition process [AD-A162241] p 463 A86-24221

**PRODUCT DEVELOPMENT**

The 'Super Etendard' is always of interest — transonic attack aircraft p 97 A86-14423

Optically transparent silicone elastomers p 244 A86-21710

Software management for integrated avionics systems p 402 A86-28425

Sikorsky Aircraft crew station technology research helicopter [SAE PAPER 851780] p 490 A86-35442

The material development, component manufacture and post-service evaluation of RB 211-524 cowl doors utilising carbon fibre composite materials p 523 A86-37106

'Althalite' alloys - Progress, products and properties p 660 A86-40256

Developments in new gas turbine engine demonstrator programs [ASME PAPER 86-GT-80] p 813 A86-48148

The technical development of cooled gas turbine blades [PNR-90292] p 255 A86-16595

Rivista Technica Selenia, volume 9, number 3, 1985 — combat aircraft p 407 A86-22537

Implicit activities in the post development phase — test equipment systems, combat aircraft p 407 A86-22542

Lines of evolution — automatic test equipment, military aircraft p 407 A86-22543

Statue of aircraft engine research at NPU reviewed p 441 A86-22736

Rollout of XT-4 intermediate class training aircraft p 438 A86-23774

Flight test instrumentation used in the Fokker F27 and F28 development and certification flight program [NLR-MP-84023-U] p 811 A86-32431

Recent developments in propulsion aerodynamics [NLR-MP-85031-U] p 820 A86-32437

**PRODUCTION ENGINEERING**

Technological support for aircraft production — Russian book p 75 A86-13446

The performance of composite structures p 121 A86-14680

SF-340 airfoil structure - A unique approach p 224 A86-21712

Titanium Near Net Shape components for demanding airframe applications p 245 A86-21726

The use of lasers in gas turbine manufacturing [ASME PAPER 85-IGT-141] p 317 A86-23933

Fabrication of high-alumina ceramic fixtures for jet engine repair applications [ASME PAPER 86-GT-48] p 846 A86-48130

The F/A-18 Fighter/Attack aircraft program [AD-A159292] p 195 A86-15205

Laser metalworking technology transfer [AD-A165808] p 664 A86-28168

An example of integrated logistic support applied also to production testing — aircraft industry p 744 A86-30888

**PRODUCTION MANAGEMENT**

Production-theoretical study of air traffic output production — German thesis p 402 A86-27834

The competitive and cooperative outlook for aircraft propulsion systems [AIAA PAPER 86-1134] p 857 A86-49571

ATR 42 production work in French, Italian plants detailed p 76 A86-13618

**PRODUCTION PLANNING**

Technological support for aircraft production — Russian book p 75 A86-13446

**PRODUCTIVITY**

Productivity improvements through the use of CAD/CAM p 121 A86-14538

Production-theoretical study of air traffic output production — German thesis p 402 A86-27834

Airbus-assembly concepts to improve productivity and flexibility in aircraft construction p 761 A86-48999

**PROFILE METHOD (FORECASTING)**

Procedure for solution of the Euler equations at Domier GmbH p 149 A86-14242

PROFILOMETERS

- Surface properties-vehicle interaction  
[PB85-242576] p 255 N86-16428
- PROGRAM VERIFICATION (COMPUTERS)**  
IV&V for the automatic test control system in the USAF  
Aeropropulsion Systems Test Facility p 398 A86-28430
- Development of a flight software testing methodology  
[NASA-CR-178391] p 128 N86-13922
- PROGRAMMING LANGUAGES**  
Advanced avionics computer architecture. Volume 2.  
Instruction set architecture specification  
[AD-A158120] p 104 N86-12223
- Using Ada in the real-time avionics environment issues  
and conclusions  
[AD-A163844] p 533 N86-25151
- PROJECT MANAGEMENT**  
X-29A advanced technology demonstrator program  
overview  
[AIAA PAPER 86-9727] p 428 A86-32076
- FAA Air Traffic Control program management  
technology applications p 424 A86-32925
- PROJECT PLANNING**  
An aircraft maintenance and repair strategy using a test  
and diagnostic system p 133 A86-16855
- PROJECTILES**  
A hot air tunnel for base bleed experimentation  
p 597 A86-38252
- Pressure measurements in a liquid-filled cylinder using  
a three-degree-of-freedom flight simulator  
[AIAA PAPER 86-2026] p 827 A86-47680
- Parametric study of low Reynolds number  
processing/spinning incompressible flows — applicable to  
flight stability of liquid-filled projectiles  
[AIAA PAPER 86-2027] p 827 A86-47661
- An analytical modularized treatment of autoplots for  
guided projectile simulations  
[AD-A159311] p 182 N86-14282
- Six degree of freedom simulation of fluid payload  
projectiles using numerically computed fluid moments  
[DE85-017183] p 208 N86-16200
- PROJECTORS**  
Development of a raster/stroke full-color TV projector  
for simulation p 456 A86-32320
- PROP-FAN TECHNOLOGY**  
7J7 - Boeing sets the pace p 97 A86-14361
- Separated flow unsteady aerodynamic theory  
p 85 A86-14529
- Propulsion system integration configurations for future  
prop-fan powered aircraft p 173 A86-17777
- Design approach for an optimum prop-fan propulsion  
system  
[ASME PAPER 85-IGT-57] p 301 A86-23861
- Propeller design point calculation method for comparing  
turbofan/propfan engine performance  
[ASME PAPER 85-IGT-150] p 303 A86-23941
- The prop-fan introduces a new engine generation  
p 304 A86-25021
- Will 1990s aircraft be powered by propfan or advanced  
turbofan? p 363 A86-26370
- Propfan engine designs examined  
p 363 A86-26371
- What technologies await the future airliner?  
p 405 A86-31038
- Computation of prop-fan engine installation  
aerodynamics p 410 A86-32781
- Dynamic characteristics of an assembly of prop-fan  
blades  
[ASME PAPER 85-GT-134] p 441 A86-32956
- The prop-fan - Initiation for a new generation of  
propulsion systems  
[DGLR PAPER 85-166] p 501 A86-35188
- Numerical evaluation of propeller noise including  
nonlinear effects p 645 A86-41726
- Counter-rotation prop-fan optimization  
[AIAA PAPER 86-1470] p 645 A86-42659
- Turbofan and propfan as basis for future economic  
propulsion concepts  
[AIAA PAPER 86-1474] p 645 A86-42662
- A report on the initial testing of the large scale advanced  
prop-fan  
[AIAA PAPER 86-1551] p 647 A86-42708
- Evaluation of propeller/nacelle interactions in the PTA  
program  
[AIAA PAPER 86-1552] p 626 A86-42709
- Propfan test assessment (PTA) quick engine change  
(QEC) nacelle  
[AIAA PAPER 86-1626] p 648 A86-42759
- Correlation of theory and experiment for propfan inlets  
[AIAA PAPER 86-1628] p 627 A86-42761
- Active minimisation of acoustic potential energy in  
harmonically excited cylindrical enclosed sound fields  
[AIAA PAPER 86-1958] p 752 A86-45443
- Broadband noise - Its prediction and likely importance  
for advanced propfans  
[AIAA PAPER 86-1963] p 753 A86-45447

- A comparison of the structureborne and airborne paths  
for propfan interior noise  
[AIAA PAPER 86-1863] p 711 A86-45483
- Propeller noise caused by blade tip radial forces  
[AIAA PAPER 86-1892] p 721 A86-45504
- A propfan status report p 817 A86-49091
- Propfan and turbofan - Antagonism or synthesis  
p 817 A86-49092
- Potential application of advanced propulsion systems  
to civil aircraft p 802 A86-49083
- Prediction of single-rotation prop-fan noise by a  
frequency domain scheme  
[ONERA, TP NO. 1986-100] p 818 A86-49125
- Preliminary measurement of the noise from the 2/9 scale  
model of the Large-scale Advanced Propfan (LAP)  
propeller, SR-7A  
[NASA-TM-87116] p 129 N86-14006
- West Europe report: Science and technology  
[JPRS-WST-85-024] p 189 N86-15447
- French program CHARME develops propfan aircraft  
p 189 N86-15450
- Comparison of advanced turboprop and conventional  
jet and propeller aircraft flyover noise annoyance:  
Preliminary results  
[NASA-TM-87637] p 265 N86-17077
- Evaluation of propfan propulsion applied to general  
aviation  
[NASA-CR-175020] p 503 N86-24695
- Large-Scale Advanced Prop-Fan (LAP) pitch change  
actuator and control design report  
[NASA-CR-174788] p 592 N86-27282
- Noise transmission into propeller aircraft  
p 819 N86-27473
- Asitalia: Avionics, optoelectronics research, ATR 42  
p 642 N86-29080
- Experimental classical flutter results of a composite  
advanced turboprop model  
[NASA-TM-88792] p 678 N86-29271
- System design and integration of the large-scale  
advanced prop-fan  
[NASA-CR-174789] p 781 N86-31536
- PROPAGATION VELOCITY**  
Effect of crack growth rate variations on life  
predictions  
[AIAA PAPER 86-0981] p 603 A86-38859
- PROPELLANT ADDITIVES**  
The temperature dependence of the electrical  
conductivity of jet fuels with antistatic additives  
p 183 A86-16750
- The effect of the monoethers of dicarboxylic acids on  
the antiwear properties of jet fuels p 843 A86-49963
- PROPELLANT TANKS**  
Development of a reusable, flight-weight cryogenic foam  
insulation system  
[AIAA PAPER 86-1189] p 658 A86-40812
- PROPELLANT TESTS**  
Combustion related to solid-fuel ramjets  
p 116 A86-14566
- PROPELLER BLADES**  
Calculation of steady flow about propellers using a  
surface panel method p 85 A86-14559
- Response determination of propeller to bird strike using  
high speed photography p 90 A86-15308
- Aeroacoustics of an advanced propeller design under  
takeoff and landing conditions p 284 A86-23190
- Distribution of optimal circulation on a propeller blade  
with a nonlinear dependence on the number of blades  
and with allowance tapering p 271 A86-23778
- The prop-fan introduces a new engine generation  
p 304 A86-25021
- Dynamic characteristics of an assembly of prop-fan  
blades  
[ASME PAPER 85-GT-134] p 441 A86-32956
- Prediction of advanced propeller noise in the time  
domain p 469 A86-32963
- Unsteady forces on counter-rotating propeller blades  
[AIAA PAPER 86-1804] p 590 A86-37827
- Numerical evaluation of propeller noise including  
nonlinear effects p 645 A86-41726
- A report on the initial testing of the large scale advanced  
prop-fan  
[AIAA PAPER 86-1551] p 647 A86-42708
- Theory of the motion of propeller blades for large  
displacements p 639 A86-43385
- Propeller noise caused by blade tip radial forces  
[AIAA PAPER 86-1892] p 721 A86-45504
- Propeller FOD qualification using modal analysis,  
artificial birds, and a static impact facility  
p 731 A86-47127
- Preliminary results of unsteady blade surface pressure  
measurements for the SR-3 propeller  
[AIAA PAPER 86-1893] p 780 A86-49625
- Hub effects in propeller design and analysis  
[AD-A158853] p 108 N86-13331

- Preliminary measurement of the noise from the 2/9 scale  
model of the Large-scale Advanced Propfan (LAP)  
propeller, SR-7A p 129 N86-14006
- Flow field survey near the rotational plane of an  
advanced design propeller on a JetStar airplane  
[NASA-TM-86037] p 207 N86-16196
- Vortex conception of rotor and mutual effect of  
screw/propellers  
[NASA-TM-77979] p 342 N86-21510
- Low-speed wind-tunnel tests of single- and  
counter-rotation propellers  
[NASA-TM-87656] p 415 N86-22552
- Preliminary results of unsteady blade surface pressure  
measurements for the SR-3 propeller  
[NASA-TM-87352] p 559 N86-27213
- Noise transmission into propeller aircraft  
p 619 N86-27473
- Experimental classical flutter results of a composite  
advanced turboprop model  
[NASA-TM-88792] p 678 N86-29271
- PROPELLER DRIVE**  
Finite element modeling of acoustic singularities with  
application to propeller noise p 488 A86-32778
- Structural influence of cabin floor on sound transmission  
into propeller aircraft - Analytical investigations  
[AIAA PAPER 86-1940] p 711 A86-45427
- Active noise control — in prop-fan aircraft cabins  
p 803 A86-49101
- Environment-friendly propeller aircraft with a maximum  
weight of 5700 kg, and motor gliders: Publication of the  
noise values p 227 N86-17341
- PROPELLER EFFICIENCY**  
Wing aspect ratio optimization related to payload and  
to fuel consumption of transport propeller airplanes  
[SAWE PAPER 1615] p 98 A86-14975
- An experimental investigation of propeller wakes using  
a laser Doppler velocimeter  
[AIAA PAPER 86-0080] p 232 A86-19677
- Distribution of optimal circulation on a propeller blade  
with a nonlinear dependence on the number of blades  
and with allowance tapering p 271 A86-23778
- An experimental investigation of reducing advanced  
turboprop cabin noise by wing shielding  
[AIAA PAPER 86-1966] p 711 A86-45449
- Wind influence on the range of jet or propeller aircraft  
p 801 A86-48990
- Evaluation of propfan propulsion applied to general  
aviation  
[NASA-CR-175020] p 503 N86-24695
- An experimental investigation of reducing advanced  
turboprop cabin noise by wing shielding  
[NASA-TM-87112] p 536 N86-25218
- A supersonic fan equipped variable cycle engine for a  
Mach 2.7 supersonic transport  
[NASA-CR-177141] p 650 N86-28946
- Investigation of the aerodynamic performance and noise  
characteristics of a 1/5th scale model of the Dowty Rotol  
R212 propeller  
[RAE-TM-AERO-1983] p 756 N86-30488
- Aerodynamic data banks for Clark-Y, NACA 4-digit and  
NACA 16-series airfoil families  
[NASA-CR-176883] p 697 N86-30693
- New technology propulsion (ANT) for general aviation  
aircraft, phase 1  
[BMFT-FB-W-85-031] p 820 N86-31589
- PROPELLER FANS**  
Propulsion system integration configurations for future  
prop-fan powered aircraft p 173 A86-17777
- Computation of prop-fan engine installation  
aerodynamics p 410 A86-32781
- Weakly nonlinear acoustic and shock-wave theory of  
the noise of advanced high-speed turbopropellers  
p 534 A86-35146
- Method for the prediction of the installation  
aerodynamics of a propfan at subsonic speeds: User  
manual  
[NASA-CR-178057] p 340 N86-20360
- On the way to extended noise reductions in propeller  
aircraft  
[B8573697] p 857 N86-33126
- PROPELLER SLIPSTREAMS**  
Propeller slipstream/wing boundary layer effects at low  
Reynolds numbers p 139 A86-16324
- Aerodynamic characteristics of general aviation at high  
angle of attack with the propeller slip stream  
p 306 A86-25204
- An investigation of the effects of the propeller slipstream  
of a laminar wing boundary layer  
[SAE PAPER 850859] p 551 A86-38502
- Wing laminar boundary layer in the presence of a  
propeller slipstream p 770 A86-49122
- Studies on the interference of wings and propeller  
slipstreams p 151 N86-15241

Experimental study of the effects of installation on singleand counter-rotation propeller noise [NASA-TP-2541] p 536 N86-26162

An investigation of the feasibility of active boundary layer thickening for aircraft drag reduction [NASA-CR-177133] p 630 N86-28064

**PROPELLERS**

Review of recent research on interior noise of propeller aircraft p 97 A86-14527

Propeller design by optimization [AIAA PAPER 86-0081] p 232 A86-19678

Small scale wind tunnel testing of model propellers [AIAA PAPER 86-0392] p 233 A86-19853

Propeller design point calculation method for comparing turbofan/propfan engine performance [ASME PAPER 85-IGT-150] p 303 A86-23941

Propfan engine designs examined p 363 A86-26371

Measurements regarding the emission angle dependence of propeller-acoustic pressure/time signals, taking into account passing flight conditions [DGLR PAPER 85-112] p 534 A86-35165

Comparison of advanced turboprop and conventional jet and propeller aircraft flyover noise annoyance - Preliminary results p 528 A86-37059

Aerodynamic effects of wingtip-mounted propellers and turbines [AIAA PAPER 86-1802] p 544 A86-37826

Numerical Navier-Stokes solutions of high speed propeller flows [AIAA PAPER 86-1538] p 626 A86-42700

Theoretical and experimental analysis of highspeed propeller aerodynamics [AIAA PAPER 86-1549] p 626 A86-42706

Evaluation of propeller/nacelle interactions in the PTA program [AIAA PAPER 86-1552] p 626 A86-42709

Modelling of acoustic radiation problems associated with turbomachinery and rotating blades p 749 A86-44805

The effect on radiated noise of non-zero propeller rotational plane attitude [AIAA PAPER 86-1926] p 750 A86-45417

Counter-rotating propeller noise directivity and trends [AIAA PAPER 86-1927] p 751 A86-45418

Experimental results of the noise radiation of propellers in non-uniform flows [AIAA PAPER 86-1928] p 751 A86-45419

Pusher propeller noise directivity and trends [AIAA PAPER 86-1929] p 751 A86-45420

Propeller-induced structure-borne noise - Laboratory-based test apparatus [AIAA PAPER 86-1938] p 730 A86-45425

Active control of propeller induced noise fields inside a flexible cylinder [AIAA PAPER 86-1957] p 711 A86-45442

Broadband propeller noise prediction in the plane of the rotor [AIAA PAPER 86-1964] p 753 A86-45448

Wing loads induced by a propeller wake [AIAA PAPER 86-1967] p 711 A86-45450

Aerodynamics via acoustics - Application of acoustic formulas for aerodynamic calculations [AIAA PAPER 86-1877] p 691 A86-45494

Theoretical prediction of single rotation propeller noise [AIAA PAPER 86-1891] p 756 A86-45503

Statistical analysis of the influence of service parameters on the aeroacoustic effects p 712 A86-45750

Quantifying a propeller/engine power response rate mismatch p 796 A86-47801

Broadband noise of propellers and rotors p 855 A86-48596

Modelling of acoustic radiation problems associated with turbomachinery and rotating blades p 855 A86-48597

Calculations of high speed propeller performances using finite difference methods p 818 A86-49126

An approach to the calculation of the pressure field produced by rigid wide chord dual rotation propellers of high solidity in compressible flow [AIAA PAPER 86-0467] p 856 A86-49586

Time-averaged subsonic propeller flowfield calculations [AIAA PAPER 86-1807] p 778 A86-49584

Numerical and experimental studies of 3-D and unsteady turbulent body/appendage/propeller flows [AD-A157078] p 123 N86-12552

Some design philosophy for reducing the community noise of advanced counter-rotation propellers [NASA-TM-87099] p 129 N86-14007

AN-22 test bed for advanced propeller technology p 174 N86-14274

Mach number and flow-field calibration at the advanced design propeller location on the JetStar airplane [NASA-TM-84923] p 207 N86-16197

Laboratory experiments on active suppression of advanced turboprop noise [NASA-TM-87129] p 331 N86-19125

An experimental investigation of propeller wakes using a laser Doppler velocimeter p 277 N86-19283

Technical evaluation report on the Fluid Dynamics Panel Symposium on Aerodynamics and Acoustics of Propellers [AGARD-AR-213] p 279 N86-19298

Propulsion and control propellers with thruster nozzles primarily for aircraft applications [NASA-TM-77715] p 342 N86-21511

Measurement of noise from airplanes traveling at heights 3500 to 6000m [FFA-TI-AU-2188] p 401 N86-22312

La Recherche Aérospatiale, bimonthly bulletin, number 1985-1, 224/January-February [ESA-TT-915] p 458 N86-22729

Analytical determination of propeller performance degradation due to ice accretion [NASA-CR-175092] p 420 N86-23577

The Shock and Vibration Digest, volume 17, no. 8 [AD-A165115] p 612 N86-27471

An investigation of the feasibility of active boundary layer thickening for aircraft drag reduction [NASA-CR-177133] p 630 N86-28064

NASTRAN supplemental documentation for modal forced vibration analysis of aerodynamically excited turboengines [NASA-CR-174987] p 675 N86-28463

Interaction of airborne and structureborne noise radiated by plates. Volume 1: Analytical study [NASA-TM-87746] p 683 N86-29633

Experimental and theoretical study of propeller spinner/shank interference [NASA-CR-176954] p 694 N86-29773

Advanced turboprop noise prediction: Development of a code at NASA Langley based on recent theoretical results [NASA-TM-88993] p 757 N86-31338

Directivity and trends of noise generated by a propeller in a wake [NASA-TP-2609] p 757 N86-31341

The application of energy techniques to propeller-driven airplanes [AD-A167113] p 807 N86-31569

Microphone probe tests in the S3CH wind tunnel for transonic propeller measurements in S1MA [ONERA-RT-19/3463-ATP] p 841 N86-32451

**PROPORTIONAL CONTROL**

Controllability of redundant flight control system and pressure equalization of redundant servo actuators p 723 A86-43497

**PROPULSION**

Activities report of the Department of Aerospace Engineering p 470 N86-23491

**PROPULSION SYSTEM CONFIGURATIONS**

A linear multivariable dynamical model of a supersonic inlet-engine combination p 85 A86-14560

Propulsion system integration configurations for future prop-fan powered aircraft p 173 A86-17777

Natural selection in transport aircraft propulsion p 174 A86-19278

Design approach for an optimum prop-fan propulsion system [ASME PAPER 85-IGT-57] p 301 A86-23861

Can we develop the 1.5 million pound aerospace plane? p 515 A86-34195

The prop-fan - Initiation for a new generation of propulsion systems [DGLR PAPER 85-166] p 501 A86-35188

Turbofan and propfan as basis for future economic propulsion concepts [AIAA PAPER 86-1474] p 645 A86-42662

Advanced technology payoffs for future rotorcraft, commuter aircraft, cruise missile, and APU propulsion systems [AIAA PAPER 86-1545] p 638 A86-42704

Solid fuel gas generator air - Air TurboRamjet [AIAA PAPER 86-1682] p 649 A86-42792

Propelling the aerospace plane p 720 A86-43910

Heat management in advanced aircraft gas turbine engines [ASME PAPER 86-GT-76] p 813 A86-48144

The competitive and cooperative outlook for aircraft propulsion systems [AIAA PAPER 86-1134] p 857 A86-49571

Progress in the Lewis Research Center Altitude Wind Tunnel (AWT) Modeling Program [NASA-TM-87194] p 242 N86-16233

Propulsion and control propellers with thruster nozzles primarily for aircraft applications [NASA-TM-77715] p 342 N86-21511

Comparison of airborne data acquisition systems at ARL (Aeronautical Research Laboratories) [AD-A161664] p 357 N86-21537

Comparison of experimental surface pressures with theoretical predictions on twin two-dimensional convergent-divergent nozzles [NASA-TM-87757] p 697 N86-30694

New technology propulsion (ANT) for general aviation aircraft, phase 1 [BMFT-FB-W-85-031] p 820 N86-31589

Recent developments in propulsion aerodynamics [NLR-MP-85031-U] p 820 N86-32437

**PROPULSION SYSTEM PERFORMANCE**

Fiber optics for propulsion control systems [ASME PAPER 84-GT-97] p 105 A86-13054

The influence of advanced propulsion on short- to medium-range transport design p 95 A86-13264

Subscale-model and full-scale engine mixed-flow exhaust system performance comparison p 106 A86-14528

Propeller design by optimization [AIAA PAPER 86-0081] p 232 A86-19678

Small propulsion engine LCC considerations p 267 A86-22399

Design approach for an optimum prop-fan propulsion system [ASME PAPER 85-IGT-57] p 301 A86-23861

A study of ramjet engine. III - Air inlet performance as the engine component p 304 A86-25234

Small turbine technology review [AD-A158514] p 175 N86-15316

Current wind tunnel capability and planned improvements at Lewis Research Center [NASA-TM-87190] p 311 N86-18329

Evaluation of propfan propulsion applied to general aviation [NASA-CR-175020] p 503 N86-24695

Summary of results of NASA F-15 flight research program [NASA-TM-88811] p 539 N86-26277

Air Force Academy Aeronautics Digest [AD-A164940] p 540 N86-26281

Aeropropulsion opportunities for the 21st century [NASA-TM-88817] p 819 N86-31585

**PROPULSIVE EFFICIENCY**

A study on the propulsive force of wings in non-steady motion by the theorem of momentum p 275 A86-25233

Computation of prop-fan engine installation aerodynamics p 410 A86-32781

Quantifying a propeller/engine power response rate mismatch p 796 A86-47801

Calculations of high speed propeller performances using finite difference methods p 818 A86-49126

Current wind tunnel capability and planned improvements at Lewis Research Center [NASA-TM-87190] p 311 N86-18329

Aeropropulsion opportunities for the 21st century [NASA-TM-88817] p 819 N86-31585

**PROTECTION**

Lightning discharge protection rod [NASA-CASE-LAR-13470-1] p 569 N86-26296

**PROTECTIVE CLOTHING**

How much inherent buoyancy is acceptable in a helicopter passenger immersion suit p 261 A86-19310

Altitude and acceleration protection system for high performance aircraft p 217 A86-19314

Development of an electro-pneumatic anti-G valve for high performance fighter aircraft p 218 A86-19317

Protective respirator for the AAH-64 Advanced Attack Helicopter p 261 A86-19336

Laboratory and flight testing of ballistic protective headgear for rotary wing aircrew p 261 A86-19344

**PROTECTIVE COATINGS**

Protecting gas turbine components - The relative durability of a conventional and a platinum-modified aluminate coating p 114 A86-13005

Conformal coating for surface mount assembly p 115 A86-13118

Coating requirements in gas turbine engines p 173 A86-17490

Role of dispersed oxides in reducing substrate/coating interdiffusion p 183 A86-7499

Fuel resistant coatings for applications in integral tanks & bladder fuel cells p 246 A86-21737

Corrosion protection of helicopters through organic coatings p 313 A86-26159

Environmental and adhesive durability of aluminum-polymer systems protected with organic corrosion inhibitors p 601 A86-37708

Protective coating systems for high-temperature gas turbine components; Proceedings of the Conference, London, England, November 13, 14, 1984 p 664 A86-43134

Use of protective coatings in aero gas turbine engines p 664 A86-43147

Thermal stability of gas turbine blades with protective coatings p 673 A86-43410



Coatings — for Al alloy corrosion control  
p 845 A86-47721

Life prediction and constitutive models for engine hot section anisotropic materials program  
[NASA-CR-174952] p 526 N86-25003

The future of surface treatments in aeronautical construction  
[SNIAS-981-551-101] p 665 N86-29037

Process for preparing essentially colorless polyimide film containing phenoxy-linked diamines  
[NASA-CASE-LAR-13353-1] p 666 N86-29039

**PROTOCOL (COMPUTERS)**  
Real-time telemetry of complete 1553 data buses  
p 347 A86-27789

**PROTOTYPES**  
The IA 63 trainer  
p 428 A86-32075

Using Ada in the real-time avionics environment issues and conclusions  
[AD-A163844] p 533 N86-25151

Development of a portable wear metal analyzer for field use  
[AD-A166013] p 622 N86-28906

VHF-FM communications antennas for project SINGARS (UH-1 tail whip antenna evaluation)  
[AD-A165897] p 676 N86-29119

The search for an advanced fighter: A history from the XF-108 to the advanced tactical fighter  
[AD-A166724] p 687 N86-29764

High accuracy fuel flowmeter  
[NASA-CR-174869] p 745 N86-31030

**PROVING**  
Validation of viscous and inviscid computational methods for turbomachinery components  
[NASA-TM-87193] p 207 N86-16194

CERR: An aviation verification program  
[PB85-204824] p 280 N86-16854

**PSYCHOLOGICAL EFFECTS**  
2010 - The symbiotic cockpit  
p 355 A86-28455

**PSYCHOMETRICS**  
A review of pilot workload measurement techniques used on the A-10 single seat night attack test program  
[SAE PAPER 841492] p 327 A86-26016

**PSYCHOMOTOR PERFORMANCE**  
The effects of vocal versus manual response modalities on multi-task performance  
[AD-A159830] p 321 N86-18588

**PUBLIC HEALTH**  
Tradeoff analysis of technology needs for public service helicopters  
[NASA-CR-3827] p 100 N86-13317

**PUBLIC RELATIONS**  
A quiet STOLport? Convincing the public  
p 482 A86-31963

Some design philosophy for reducing the community noise of advanced counter-rotation propellers  
[NASA-TM-87099] p 129 N86-14007

**PULSE AMPLITUDE**  
Video processor for air traffic control beacon system  
[NASA-CASE-KSC-11155-1] p 283 N86-19304

**PULSE CODE MODULATION**  
Air Force flight test instrumentation system  
p 102 A86-13202

Canadian forces PCM telemetry processing and display system  
p 111 A86-13248

Use of video cassette recorders for combined video and PCM data recording  
p 315 A86-23256

**PULSE COMMUNICATION**  
Noise immunity of signals with minimum FSK  
p 383 A86-27492

Distributed sensor networks  
[AD-A160596] p 332 N86-19136

**PULSE DOPPLER RADAR**  
Airborne radar - The greater watershed  
p 438 A86-31343

Performance analysis of airborne pulse Doppler radar  
p 423 A86-32578

Efficient, closed-form computation of airborne pulse-Doppler radar clutter  
p 423 A86-32579

**PULSE GENERATORS**  
Design of a fast risetime lightning generator  
p 837 A86-47304

Implementation of a crowbar switch in a Marx generator/peaking capacitor lightning simulator system  
p 790 A86-47305

CID-720 aircraft Langley Research Center preflight hardware tests: Development, flight acceptance and qualification  
p 392 N86-21949

**PULSED LASERS**  
Laser systems for use with airborne platforms  
p 228 A86-19571

Pulsed laser light sheet flow visualization  
p 605 A86-38237

**PULSED RADIATION**  
Interpretation of F-106B in-flight lightning signatures  
[NASA-CR-176387] p 100 N86-13320

**PULSES**  
Digital filtering and acceleration pulse interpretation  
p 400 N86-21941

**PULTRUSION**  
Putrusion used to fabricate tail rotor spar  
p 133 A86-17380

**PUMPS**  
Hydraulic pumps for high pressure non-flammable fluids — for aircraft  
[SAE PAPER 851911] p 580 A86-38366

Pumps for 8000 psi hydraulic systems examined  
p 846 A86-48042

**PURSUIT TRACKING**  
An analysis of a four state model for pursuit-evasion games — during air combat  
p 680 A86-42957

Identification of pilot-vehicle dynamics from in-flight tracking data  
p 725 A86-46459

**PUSHBROOM SENSOR MODES**  
KA-102 film/EO standoff system  
p 229 A86-19581

An airborne multiple-beam 1.4 GHz pushbroom microwave radiometer  
p 498 A86-33583

**PYLON MOUNTING**  
Aerodynamic characteristics of a high-wing transport configuration with a over-the-wing nacelle-pylon arrangement  
[NASA-TP-2497] p 207 N86-16193

**PYLONS**  
Flight test of a decoupler pylon for wing/store flutter suppression  
[AIAA PAPER 86-8730] p 428 A86-32077

VSAERO analysis of a wing/pylon/nacelle configuration  
[AIAA PAPER 86-1523] p 625 A86-42689

Selecting the shape of the middle surface of the pylons and the mounting angles of single nacelles under the wing of subsonic aircraft  
p 800 A86-48767

Integration effects of underwing forward- and rearward-mounted separate-flow, flow-through nacelles on a high-wing transport  
[NASA-TM-87827] p 342 N86-21514

Ground vibration test of an F-16 airplane with modified decoupler pylons  
[NASA-TM-87834] p 496 N86-24685

Experimental study of the effects of installation on single- and counter-rotation propeller noise  
[NASA-TP-2541] p 536 N86-26162

Flight test of a decoupler pylon for wing/store flutter suppression  
[NASA-TM-87767] p 714 N86-29814

Flight test of passive wing/store flutter suppression  
[NASA-TM-87766] p 806 N86-31568

**PYRIDINES**  
Copolymers of vinyl styrylpyridines or vinyl stilbazoles with bismaleimide  
[NASA-CASE-ARC-11429-1-CU] p 378 N86-20560

**PYROMETERS**  
Measurement of turbine blade temperature using pyrometer  
[ASME PAPER 85-IGT-78] p 317 A86-23879

**Q**

**QUADRATIC EQUATIONS**  
Optimal control of integral-functional equations  
p 329 A86-23581

Numerical fixed-point solution for near-optimum regulators of linear quadratic Gaussian control problems for singularly perturbed systems  
p 396 A86-26577

Automated pole placement algorithm for multivariable optimal control synthesis  
[AIAA PAPER 86-2196] p 852 A86-47476

LOG/LTR design of a robust flight controller for the STOL F-15  
[AD-A164111] p 512 N86-24708

Aeroelastic control of oblique-wing aircraft  
[NASA-TM-86808] p 595 N86-26340

**QUALIFICATIONS**  
The US Army aviation flight activity - An overview  
p 134 A86-18425

Is the traditional 150 hour endurance test outdated?  
[PNR-90288] p 237 N86-18626

General aviation pilot and aircraft activity survey  
[AD-A161865] p 345 N86-21530

**QUALITATIVE ANALYSIS**  
Variability of major organic components in aircraft fuels  
[AD-A159057] p 185 N86-15415

An examination of the life support equipment development and acquisition process  
[AD-A162241] p 463 N86-24221

**QUALITY**  
Comparison of quantity versus quality using performance, reliability, and life cycle cost data. A case study of the F-15, F-16, and A-10 aircraft  
[AD-A162238] p 470 N86-24580

**QUALITY CONTROL**  
The performance of composite structures  
p 121 A86-14680

The Air Force approach to environmental stress screening  
p 253 A86-22192

AVIP Air Force thrust for reliability — Avionics Integrity Programs  
p 315 A86-23003

Manufacturing control over the reproduction of high integrity parts - A way to improve the safety of aeronautical products  
p 320 A86-26122

Precision casting of aero gas turbine components  
p 739 A86-45816

Chemical analysis for control — of Al alloy aircraft structures  
p 842 A86-47720

Quality assurance in the reconditioning of gas turbine and compressor blading components  
[ASME PAPER 86-GT-299] p 847 A86-48311

An analysis of the quality of aviation lubricants by liquid and gas-liquid chromatography  
p 844 A86-49964

Nondestructive inspection: An efficient investment — composite materials  
[SNIAS-852-430-110] p 247 N86-16276

AVIP Air Force thrust for reliability  
p 256 N86-16617

Reliability aspects of software for digital avionics  
[NLR-TR-82126-U] p 232 N86-17354

Limitations of manual NDT systems and the no eyes concept — nondestructive testing (NDT)  
[PNR-90291] p 459 N86-22985

Review and critical analysis: Rolling-element bearings for system life and reliability  
[NASA-CR-174710] p 525 N86-24991

Limitations of manual NDT systems and the No Eyes concept  
p 506 N86-25365

Advanced quantitative methods for nondestructive evaluation  
p 519 N86-25376

UK work on safety fuels  
p 733 N86-30012

**QUANTILES**  
Statistical analysis of direct-strike lightning data (1980 to 1982)  
[NASA-TP-2252] p 463 N86-24090

**QUANTUM MECHANICS**  
New alloys from the quantum engineer  
p 663 A86-42424

**QUARTZ TRANSDUCERS**  
Development of a piezoelectric quartz pressure sensor for avionics with excellent long term stability (with final demonstration of the results on a prototype)  
[BMFT-FB-W-85-010] p 232 N86-17353

**QUERY LANGUAGES**  
Using a menu-based natural language interface to ask spatial database queries  
p 259 A86-20665

## R

**RADAR**  
Trends in the design of airfield radars  
p 421 A86-31008

Number of targets threatened simultaneously (NOTTS) in conjunction with over the horizon back-scatter (OTHB) radar coverage  
[AD-A159304] p 189 N86-15528

Operating and support hazard analysis for the self-contained navigation system LSI model 6216A, B and C group A  
[AD-A166815] p 704 N86-29806

Subsystem hazard analysis for the LSI models 6216A, B and C self-contained navigation system group A  
[AD-A166816] p 705 N86-29807

**RADAR ABSORBERS**  
Radio-absorbing materials  
[AD-A157496] p 122 N86-12495

**RADAR ANTENNAS**  
F-16 radar data acquisition and analysis  
[AIAA PAPER 86-9798] p 422 A86-32127

Raid count by autocorrelation — performed on radar receiver by reflection from aircraft  
p 424 A86-32631

Characteristics of synthetic aperture radars  
p 610 A86-39683

Basic characteristics of radar antenna with synthesized aperture tracking arbitrary motion of aircraft  
p 189 N86-15575

**RADAR APPROACH CONTROL**  
Evaluation of 23 inch radar viewing unit for Heathrow approach control room  
[CAA-PAPER-85011] p 216 N86-16209

A comparison of the effects of two traffic alert and collision avoidance systems (TCAS 3 and TCAS 2) on the performance of the Air Traffic Control Radar Beacon System  
[DOT/FAA/PM-86/8] p 636 N86-28930

Aviation weather hazards: FAA (Federal Aviation Administration) system for disseminating severe weather warnings to pilots  
[PB86-195070] p 702 N86-30707

- Airborne intruder detection considerations [DE86-006482] p 808 N86-31578
- Preliminary design of an automated Air Traffic Control (ATC) radar evaluation system [NPL-VG-84-009-L] p 789 N86-32419
- RADAR BEACONS**
- Evolution of the air traffic control beacon system p 215 A86-21606
- Development and flight test of a helicopter, X-band, portable precision landing system concept p 485 A86-35608
- Video processor for air traffic control beacon system [NASA-CASE-KSC-11155-1] p 283 N86-19304
- RADAR CROSS SECTIONS**
- Radar cross section testing [AIAA PAPER 86-9828] p 448 A86-32150
- A radar analysis program for evaluating and monitoring primary and secondary radar systems p 423 A86-32601
- Effect of radar frequency on the detection of shaped (low RCS) targets p 456 A86-32603
- Incoherent imaging of radar targets p 667 A86-40215
- Performance of resonant radar target identification algorithms using intra-class weighting functions p 321 N86-19490
- Determination of antennae patterns and radar reflection characteristics of aircraft [AGARD-AG-300-VOL-4] p 744 N86-30931
- RADAR DATA**
- Radar data processing. Volume 2 - Advanced topics and applications - Book p 805 A86-38224
- Flightpath reconstruction and systematic radar error estimation from multi-radar range-azimuth measurements p 636 A86-42966
- RADAR DETECTION**
- A flexible programmable signal processor for next generation fighter aircraft p 385 A86-28330
- Effect of radar frequency on the detection of shaped (low RCS) targets p 456 A86-32603
- Detectability of low flying targets in real terrain using a diffraction model p 457 A86-32605
- Detection and recognition of hazardous weather conditions by primary surveillance radar p 457 A86-32614
- New CFAR-processor based on an ordered statistic p 457 A86-32618
- Raid count by autocorrelation - performed on radar receiver by reflection from aircraft p 424 A86-32631
- Speckle effects on coherent laser radar detection efficiency p 668 A86-40403
- Obstacle warning radar for helicopters - An anthropotechnical problem p 787 A86-47769
- RADAR ECHOES**
- Incoherent imaging of radar targets p 667 A86-40215
- Determination of antennae patterns and radar reflection characteristics of aircraft [AGARD-AG-300-VOL-4] p 744 N86-30931
- RADAR EQUIPMENT**
- Mode-S beacon system to cover all U.S. upper airspace by 1991 p 281 A86-23376
- Airborne radar - The greater watershed p 438 A86-31343
- Tracking radars at flight test ranges [AIAA PAPER 86-9747] p 447 A86-32091
- The design, construction and early trials of a novel airborne surveillance radar p 424 A86-32635
- Potential applications of multiple instrument approach concepts at 101 U.S. Airports [AD-A161155] p 283 N86-19308
- RADAR IMAGERY**
- Incoherent imaging of radar targets p 667 A86-40215
- Flight training simulators. Effects of terrain accuracy on simulated radar image quality [AD-A160905] p 311 N86-18333
- Remote sensing of oil on sea: Lidar and passive IR experiments p 320 N86-18370
- Preliminary design of an automated Air Traffic Control (ATC) radar evaluation system [NPL-VG-84-009-L] p 789 N86-32419
- RADAR MAPS**
- Flight training simulators. Effects of terrain accuracy on simulated radar image quality [AD-A160905] p 311 N86-18333
- Use of a CO<sub>2</sub> laser lidar for flight and penetration at very low altitudes p 610 N86-26326
- RADAR MEASUREMENT**
- A radar analysis program for evaluating and monitoring primary and secondary radar systems p 423 A86-32601
- Elimination of directional wave spectrum contamination from noise in elevation measurements p 641 A86-40854
- RADAR NAVIGATION**
- Flight testing of the Tornado Terrain Following Radar System in bad weather p 795 A86-47783
- Preliminary hazard analysis for self-contained navigation system [AD-A161883] p 425 N86-23582
- RADAR RECEIVERS**
- Raid count by autocorrelation - performed on radar receiver by reflection from aircraft p 424 A86-32631
- RADAR RESOLUTION**
- Characteristics of synthetic aperture radars p 610 A86-39683
- Basic characteristics of radar antenna with synthesized aperture tracking arbitrary motion of aircraft p 189 N86-15575
- RADAR SCATTERING**
- Radar characteristics of flight vehicles - Russian book p 485 A86-35464
- RADAR SIGNATURES**
- Aerodynamics and radar-signature - A theoretical approach to estimate the radar-signature of complex aircraft configurations compatible with aerodynamic panel-methods [AIAA PAPER 86-1770] p 577 A86-37807
- Performance of resonant radar target identification algorithms using intra-class weighting functions p 321 N86-19490
- Determination of antennae patterns and radar reflection characteristics of aircraft [AGARD-AG-300-VOL-4] p 744 N86-30931
- RADAR TARGET SCATTER SITE PROGRAM**
- Radar cross section testing [AIAA PAPER 86-9828] p 448 A86-32150
- RADAR TARGETS**
- Comparison of two target classification techniques p 318 A86-23951
- Detection of non-moving targets by airborne mm-wave radars p 351 A86-29783
- A radar analysis program for evaluating and monitoring primary and secondary radar systems p 423 A86-32601
- New CFAR-processor based on an ordered statistic p 457 A86-32618
- Incoherent imaging of radar targets p 667 A86-40215
- Performance of resonant radar target identification algorithms using intra-class weighting functions p 321 N86-19490
- Design, development and integrate/install an airborne remote instrumentation system (AIREYE) [AD-A166755] p 719 N86-30728
- RADAR TRACKING**
- Using roll-angle measurements to track aircraft maneuvers p 92 A86-12677
- Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes [AIAA PAPER 86-0021] p 213 A86-19637
- Radars in air traffic control - A status report p 216 A86-21607
- Plessey displays in air traffic control p 216 A86-21608
- An adaptive UD-factorized Kalman filter for real-time tactical aircraft Track-While-Scan systems p 350 A86-26370
- A constant altitude flight survey method for mapping atmospheric ambient pressures and systematic radar errors p 360 A86-28507
- Space based radar application to air traffic control p 423 A86-32626
- Multiradar tracking in the new ATC system at Mazatlan (Mexico) area control center p 424 A86-32640
- Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes p 634 A86-41695
- A survey of multiple targets tracking technique p 735 A86-43489
- Basic characteristics of radar antenna with synthesized aperture tracking arbitrary motion of aircraft p 189 N86-15575
- A sophisticated tracking algorithm for Air Traffic Control (ATC) surveillance radar data [NLR-MP-84004-U] p 216 N86-17334
- Comparison of a jump-diffusion tracker with a Kalman tracker: An evaluation with emphasis on air traffic control [NLR-TR-83083-U] p 216 N86-17335
- An efficient decision-making-free filter for processes with abrupt changes - aircraft tracking [NLR-MP-84080-U] p 618 N86-27018
- Preliminary design of an automated Air Traffic Control (ATC) radar evaluation system [NPL-VG-84-009-L] p 789 N86-32419
- RADIAL DISTRIBUTION**
- Critical values of the Mach number of a radial airfoil cascade - for determining turbo-prop engine efficiency p 105 A86-13408
- RADIAL FLOW**
- Transonic blade to blade calculations in an axial, radial or mixed flow cascade equipped with splitter blades [ASME PAPER 85-GT-86] p 205 A86-22057
- On second propagation in radial fan casings [DFVLR-FB-85-32] p 194 N86-18053
- Spanwise redistribution of energy and loss in an axial flow compressor by wake centrifugation [AD-A159312] p 237 N86-18222
- Variable area radial turbine fabrication and test program [NASA-CR-175091] p 851 N86-28947
- RADIANCE**
- Infrared flight simulation using computer generated imagery p 103 A86-15378
- RADIANT HEATING**
- High frequency-heated air turbojet [NASA-TM-77710] p 364 N86-21543
- RADIATION ABSORPTION**
- Comparison of absorption and radiation boundary conditions using a time-domain three-dimensional finite difference electromagnetic computer code [AD-A163828] p 532 N86-25149
- Modeling the effects of wind tunnel wall absorption on the acoustic radiation characteristics of propellers [NASA-TM-87333] p 683 N86-29630
- RADIATION DAMAGE**
- EC-135 fiber optic technology review p 75 A86-15341
- RADIATION DETECTORS**
- FLIR, NVG and HMS/D systems for helicopter operation: Review p 619 N86-26804
- RADIATION DOSAGE**
- Cosmic-ray dose characteristics on the flight paths of high-altitude aircraft p 758 A86-43672
- RADIATION EFFECTS**
- Fiber optics in adverse environments II; Proceedings of the Meeting, San Diego, CA, August 22-24, 1984 [SPIE-506] p 129 A86-15340
- RADIATION HARDENING**
- EC-135 fiber optic technology review p 75 A86-15341
- RADIATION MEASUREMENT**
- Radiometric characterization methods for infrared Countermeasures Systems p 103 A86-15314
- Jet-engine combustor spectral radiation measurements using fiberoptic instrumentation system. Radiant energy power source for jet aircraft [DE86-007289] p 723 N86-30735
- RADIATION PROTECTION**
- Unified EM transient protection requirements for aircraft avionics line replaceable units p 355 A86-28485
- RADIATION SHIELDING**
- Aircrow dose and engine dust ingestion from nuclear cloud penetration [AD-A159246] p 101 N86-13327
- RADII**
- Monopole element at the center of a circular groundplane of arbitrary radius. Volume 1: Theory and results [AD-A166991] p 744 N86-30908
- RADIO ALTIMETERS**
- Altimeters to meet military low level needs p 102 A86-13548
- Economical in-flight calibration of air data sensors using inertial navigation units as reference p 284 A86-23270
- Presentation of radar altitude information on the HUD [SAE PAPER 841464] p 298 A86-28007
- Probabilistic modeling of fields of atmospheric turbulence and sea roughness with reference to the study of complex systems - for flight control p 528 A86-36480
- RADIO ANTENNAS**
- Design considerations for Doppler VOR ground station antenna arrangement p 349 A86-28360
- VHF-FM communications antennas for project SINGGARS (UH-1 tail whip and cabin roof brnt whip evaluation) [AD-A163581] p 524 N86-24883
- RADIO BEACONS**
- United States Navy - Canadian forces solid state flight data recorder/crash position locator experiment on the B-720 controlled impact demonstration p 391 N86-21945
- RADIO COMMUNICATION**
- Radio communication between manoeuvring platforms p 456 A86-31921
- Radio telephony - A case for growing concern p 635 A86-40569
- Language problems in air traffic control p 635 A86-40570

## RADIO DIRECTION FINDERS

United States Navy - Canadian forces solid state flight data recorder/crash position locator experiment on the B-720 controlled impact demonstration p 391 N86-21945

## RADIO ECHOES

Analysis and simulation of the MLS landing signal - Echo separation - French thesis p 788 A86-48564

## RADIO EQUIPMENT

Preliminary hazard analysis for self-contained navigation system [AD-A161883] p 425 N86-23582

## RADIO FREQUENCY INTERFERENCE

Interference with aeronautical aids to navigation (frequencies of 108-118 MHz) by high power FM radio broadcasts (88-108 MHz) p 160 A86-18696  
A computer model to evaluate airborne receiver performance in interference environments p 703 A86-43862

## RADIO FREQUENCY SHIELDING

Radio frequency chamber improves LAMPS Mk III testing p 112 A86-15526

## RADIO NAVIGATION

Interference with aeronautical aids to navigation (frequencies of 108-118 MHz) by high power FM radio broadcasts (88-108 MHz) p 160 A86-18696  
Radionavigation planning in the FAA p 402 A86-26427

A survey of commercially available positioning systems p 345 A86-26440  
Omega - Commercial experiences with a mature system p 345 A86-26442

New developments in antennas of classical radio navigational and landing systems p 484 A86-33741  
VLF radio navigation systems - Russian book p 703 A86-44279

Establishment and use of time unification system for civil aviation p 258 N86-17648

## RADIO RECEIVERS

Noise immunity of signals with minimum FSK p 383 A86-27492  
First tests of an onboard MLS receiver p 484 A86-33988

A computer model to evaluate airborne receiver performance in interference environments p 703 A86-43862

## RADIO RELAY SYSTEMS

SHARP (Stationary High Altitude Relay Platform) Telecommunications missions and systems p 519 A86-33943

SHARP (Stationary High Altitude Relay Platform) - Rectenna and low altitude tests p 519 A86-33944  
Research on the technology of an airplane concept for a Stationary High-Altitude Relay Platform (SHARP) p 586 A86-39564

## RADIO TELEMETRY

Design, development and operation of a high simultaneous capacity digital telemetry system p 613 N86-27632

## RADIOACTIVE ISOTOPES

Surface layer activation technique for monitoring and in situ wear measurement of turbine components p 591 A86-39086

## RADIOGRAPHY

Reliable nondestructive testing - The key to using weldments in critical fighter aircraft structure p 380 A86-26544

RASP - A system generating very accurate position markers during flight testing - Radiographic Spotting of Position of aircraft [AIAA PAPER 86-9802] p 422 A86-32131

## RADIOMETERS

Radiometric characterization methods for Infrared Countermeasures Systems p 103 A86-15314  
Aircraft measurements and coordination in FASINEX [AD-A160789] p 321 N86-18699

## RADIOSONDES

The aircraft icing environment in wintertime, low ceiling conditions [AD-A160578] p 280 N86-18307

## RADOMES

Installation of a bleed air heated radome/air motion sensing system on a Beech King Air 200 aircraft [SAE PAPER 851811] p 589 A86-38322

Aspects of lightning protection schemes for radomes p 792 A86-47338

Aircraft measurements and coordination in FASINEX [AD-A160789] p 321 N86-18699

## RAIL TRANSPORTATION

USSR report: Transportation [JPRS-UTR-85-014] p 270 N86-18284

USSR report: Transportation [JPRS-UTR-85-015] p 294 N86-18323

USSR report: Transportation [JPRS-UTR-86-004] p 435 N86-22565

## RAIN

Surface wetting effects on a laminar flow airfoil in simulated heavy rain p 162 A86-17780

Simulation and analysis of natural rain in a wind tunnel via digital image processing techniques [AIAA PAPER 86-0291] p 241 A86-22687

Simple technique moistureproofs ILS localizer antenna array p 282 A86-23379

Effects of intense rainfall on the aerodynamics of an airfoil profile p 409 A86-31013

A new rain/ice test capability to simulate flight [AIAA PAPER 86-9824] p 432 A86-32147

The effect of rain and contamination of the front surface on the in-flight behavior of aircraft during roll, II p 688 A86-43938

An upward looking airborne millimeter wave radiometer for atmospheric water vapor sounding and rain detection p 718 A86-46676

Performance of an alpha-vane and pitot tube in simulated heavy rain environment [NASA-CR-176353] p 103 N86-12220

Furfuryl alcohol polymer concretes for use in all-weather repairs of concrete and asphalt surfaces [DE85-014825] p 184 N86-14391

An evaluation of the capability of the surface condition analyzer (SCAN) sensors to measure runway water depth [AD-A164719] p 611 N86-26603

## RAIN IMPACT DAMAGE

Optical technique to study the impact of heavy rain on aircraft performance [NASA-CR-177989] p 123 N86-12580

## RAMJET ENGINES

Solid fuel ramjet simulator results - Experiment and analysis in cold flow - solid fuel ramjet p 106 A86-14562

Combustion related to solid-fuel ramjets p 116 A86-14566

Nonlinear analysis of pressure oscillations in ramjet engines [AIAA PAPER 86-0001] p 363 A86-26601

Longitudinal combustion instabilities in ramjet engines Identification of acoustic modes p 440 A86-31586

Identification of longitudinal acoustic modes associated with pressure oscillations in ramjets p 591 A86-39079

Solid fuel gas generator air - Air TurboRamjet [AIAA PAPER 86-1682] p 649 A86-42792

Theoretical considerations of the specific impulse of ramjet engines p 817 A86-49111

A comparison of pod and tail mounted ramjets p 818 A86-49112

Regression rate study for a solid fuel ramjet p 818 A86-49113

A novel feedback concept for combustion instability in ramjets p 665 N86-28236

The flowfield of a side-dump combustor p 673 N86-28237

Flame driving of longitudinal instabilities in dump type ramjet combustors p 658 N86-28239

Nonlinear analysis of pressure oscillations in ramjet engines p 659 N86-28240

Large eddy simulations of flow in a ramjet combustor p 659 N86-28241

Acoustic-vortex interactions in an idealized ramjet combustor p 659 N86-28242

## RANDOM ERRORS

Identification and estimation of the random error models for inertial accelerometer and baro-altimeter p 717 A86-43481

## RANDOM LOADS

A model for the life variance of a structural element under irregular loading p 119 A86-13388

The effect of random forces on nonlinear oscillating systems p 535 A86-36710

Estimation of load exceedances of an aircraft under carriage with nonlinear properties excited by random runway unevenness [NLR-TR-84030-U] p 228 N86-17348

Fatigue crack propagation under spectrum loading [NAL-TM-MT-8502] p 322 N86-19656

## RANDOM PROCESSES

Autoparametric vibration of coupled beams under random support motion [ASME PAPER 85-DET-184] p 318 A86-24246

Parametric optimization of algorithm for estimating values of one class of unsteady random processes p 534 N86-26161

## RANDOM VIBRATION

Modeling realistic environmental stresses on external stores p 95 A86-13275

Analytical estimation of the variance of error in determining geographic-meridian direction by the gyrocompass method with random oscillation of the base p 160 A86-18990

Dynamic stability of elastic structures under random influences p 384 A86-28318

The life of reinforced thin-walled structures in a random force field p 384 A86-28319

The effect of random forces on nonlinear oscillating systems p 535 A86-36710

Stochastic flutter of nonlinear aeroelastic structures with parameter random fluctuations [AIAA PAPER 86-0962] p 609 A86-38934

Multi shaker modal testing using a modified transient random excitation p 740 A86-47107

## RANGE (EXTREMES)

Twin-engine transport extended range operations [SAE PAPER 851960] p 482 A86-35456

## RAPID QUENCHING (METALLURGY)

The need for rapidly solidified powder metallurgy aluminum alloys for aerospace applications p 732 A86-46827

## RAREFIED GAS DYNAMICS

Flow of a diatomic rarefied gas around a cone p 78 A86-13360

Numerical study of the trailing edge region in slip flow regime p 624 A86-42548

## RATES (PER TIME)

Real-time flight test PCM data acquisition monitor [AD-A164035] p 524 N86-24897

## RATINGS

Wind shear investigation program at the NLR [NLR-MP-84027-U] p 325 N86-19808

## RATIOS

Failure detection in a flight control system by the modified sequential probability ratio test p 854 A86-49507

## RAWINSONDES

Mobile intercept of storms p 191 N86-15771

## RAYLEIGH EQUATIONS

Eigenvalue reanalysis of locally modified structures using a generalized Rayleigh's method [AIAA PAPER 84-0972] p 670 A86-41714

## RAYLEIGH-RITZ METHOD

Aeroelastic tailoring of advanced composite compressor blades [AIAA PAPER 86-1008] p 591 A86-38949

## REACTION CONTROL

A method for estimating jet reaction control effectiveness [AIAA PAPER 86-1805] p 593 A86-37828

## REACTION KINETICS

Flame temperature estimation of conventional and future jet fuels [ASME PAPER 85-GT-31] p 246 A86-22020

Altitude ignition/lean decel study [AD-A163052] p 518 N86-24781

Improving the interpretability of an aircraft attitude indicator [AD-A166329] p 719 N86-29817

## REACTION TIME

Head-up display (HUD) utility. II - Runway to HUD transitions monitoring eye focus and decision times p 498 A86-33802

The interactive generation of alphanumerics and symbology with designs on the future [AD-A159218] p 192 N86-14982

## REACTOR MATERIALS

New passive helicopter detector [DE85-015160] p 123 N86-12595

## READERS

A methodology for applying bar code technology to Aircraft Maintenance Unit support sections [AD-A161783] p 402 N86-22441

Airborne navigation remote map reader evaluation [AD-A166976] p 719 N86-30729

## READING

USAF/SCEEE (United States Air Force/Southeastern Center for Electrical Engineering Education) Research Initiation Program research reports, volume 2 [AD-A161908] p 460 N86-23752

## REAL TIME OPERATION

Acoustic recognition of aircraft types in flight p 193 A86-18121

Modernizing tactical C3I p 159 A86-18551

KA-102 film/EO standoff system p 229 A86-19581

KS-146A camera development and flight test results p 229 A86-19583

Evolution of real time airborne reconnaissance p 229 A86-19586

Computer controlled operation of reconnaissance cameras p 229 A86-19587

The role of a real-time flight support facility in flight research programs [AIAA PAPER 86-0166] p 241 A86-19727

Advanced medium scale real-time system - for evaluation of flight tests p 296 A86-22720

Telemetry system prototype development - for Naval aircraft flight tests p 281 A86-23268

Real-time telemetry of complete 1553 data buses p 347 A86-27789

Data-driven operating concepts for real-time simulation systems p 397 A86-28348

Real time optimal flight path generation by storage of massive data bases p 397 A86-28388

Expert systems for real time applications p 398 A86-28486

Real-time circle generation for raster displays --- computer graphics for aircraft displays p 361 A86-28511

A ring-vortex downburst model for flight simulations p 393 A86-28588

Expert systems in the fighter of the 1990s p 405 A86-31848

Grumman's real time computing system for avionics testing [AIAA PAPER 86-9732] p 464 A86-32079

Helicopter data acquisition and processing [AIAA PAPER 86-9734] p 464 A86-32081

Real-time open-loop frequency response analysis of flight test data [AIAA PAPER 86-9738] p 443 A86-32084

Real-time telemetered inertial guidance (TMIG) evaluation [AIAA PAPER 86-9795] p 449 A86-32124

Mobile Experimental Laboratory (MEL) --- computer system for real-time acoustic and vibration field tests of aircraft [AIAA PAPER 86-9801] p 465 A86-32130

The application of systolic array processor technology to real-time control p 532 A86-36894

Techniques for increasing the update rate of real-time dynamic computer graphic displays p 523 A86-37072

Techniques for optimizing computer performance in real-time flight simulation p 617 A86-37177

Real-time simulator for helicopter rotor wind-tunnel operations p 596 A86-37179

Simulation support software in a real-time environment at the U.S. Air Force Flight Test Center p 617 A86-37180

Flexible manufacturing system for the fabrication of precision components with real time simulation [SAE PAPER 851804] p 606 A86-38320

Rotary-wing aircraft terrain-following/terrain-avoidance system development [AIAA PAPER 86-2147] p 823 A86-47456

An artificial intelligence approach to onboard fault monitoring and diagnosis for aircraft applications [AIAA PAPER 86-2093] p 853 A86-48577

The interactive generation of alphanumeric and symbology with designs on the future [AD-A159218] p 192 N86-14982

The role of a real-time flight support facility in flight research programs [NASA-TM-88805] p 311 N86-19330

A methodology for testing fault-tolerant software [NASA-CR-176713] p 466 N86-23323

Fault-free validation of a fault-tolerant multiprocessor: Baseline experiments and workload implementation [NASA-CR-178075] p 466 N86-24277

An engineering approach to the use of expert systems technology in avionics applications [NASA-TM-88263] p 497 N86-24687

A real-time simulation evaluation of an advanced detection, isolation and accommodation algorithm for sensor failures in turbine engines [NASA-TM-87289] p 504 N86-24697

Real-time flight test PCM data acquisition monitor [AD-A164035] p 524 N86-24897

Using Ada in the real-time avionics environment issues and conclusions [AD-A163844] p 533 N86-25151

An application of adaptive learning to malfunction recovery [NASA-CR-166620] p 533 N86-25169

Real-time in-flight thrust calculation on a digital electronic engine control-equipped F100 engine in an F-15 airplane [PAPER-13] p 506 N86-25355

Synthetic real-time relief display all-weather airborne missions p 589 N86-26321

Flight simulation motion-base drive algorithms. Part 2: Selecting the system parameters [UTIAS-307] p 618 N86-27929

A high-order language for a system of closely coupled processing elements [NASA-CR-177280] p 619 N86-27930

The future of bipolar technology for avionics p 674 N86-28341

In-flight thrust determination on a real-time basis [NASA-CR-176997] p 641 N86-28937

Design, development and integrate/install an airborne remote instrumentation system (AIREYE) [AD-A166755] p 719 N86-30728

**REATTACHED FLOW**

Influence of excitation on coherent structures in reattaching turbulent shear layers [AIAA PAPER 86-0112] p 199 A86-19696

Boundary layer calculation and viscous-inviscid coupling p 773 A86-49031

**RECEIVERS**

Loran C 1984 spring-summer stability [AD-A167867] p 789 N86-31555

**RECIRCULATIVE FLUID FLOW**

Calculation of recirculating flow behind flame-holders p 454 A86-30743

A computational fluid dynamics evaluation of test cell recirculation effects on high-bypass turbofan engine surface pressure distributions [AIAA PAPER 86-1384] p 655 A86-42606

**RECOMMENDATIONS**

Transportation safety recommendations adopted during the month of December 1985 [PB85-916612] p 589 N86-26301

**RECONNAISSANCE AIRCRAFT**

Design of the CL-227 air vehicle p 487 A86-34924

Pacific aerostystems continues development of Heron 26 vehicle p 495 A86-36818

Developmental sciences prepares Skyeeye for Army competition p 495 A86-36819

Army completing development tests for Lockheed Aquila RPV system p 495 A86-36820

Northrop delivers RPVs to Navy to aid in development proposal p 496 A86-36822

Thermal zoom optics for R.P.V. sensors p 588 A86-37341

The Phoenix sensor turret system p 588 A86-37342

**RECONSTRUCTION**

An optimization method for reconstruction of flight path trajectories from non-synchronous time-sampled observations by two cine cameras [ARL-SYS-R-34] p 167 N86-15279

**RECORDING INSTRUMENTS**

The measuring and control units of airborne recording systems p 297 A86-23763

**RECOVERABILITY**

Parachute recovery systems design manual, chapters 1 through 4 offprint [AD-A157839] p 87 N86-12210

**RECOVERY**

The Phoenix air vehicle, its launch and recovery p 576 A86-37340

**RECOVERY PARACHUTES**

Introduction to deployable recovery systems [DE86-000048] p 211 N86-17310

**RECOVERY VEHICLES**

After action report, CH-47 recovery using D-PAAC [AD-A161835] p 437 N86-23589

**RECREATION**

Vertically operating flight vehicle for drilling and agricultural use [NASA-TM-77713] p 357 N86-21535

**RECTANGULAR PANELS**

Nonlinear multimode response of clamped rectangular plates to acoustic loading p 457 A86-32973

Postbuckling failure of composite panels p 523 A86-37112

Effects of nonlinear damping on random response of beams to acoustic loading [AIAA PAPER 86-1004] p 609 A86-38945

Weight minimization of orthotropic flat panels subjected to a flutter speed constraint p 671 A86-41715

Predicted and measured strain response of rectangular panels due to acoustic loading [AIAA PAPER 86-1931] p 751 A86-45421

**RECTANGULAR PLANFORMS**

Divergence study of a high-aspect ratio, forward-swept wing [NASA-TM-87682] p 588 N86-27279

**RECTANGULAR PLATES**

Various approaches in solving stability problems for symmetric angle-ply laminates under combined loading p 848 A86-49040

The effect of a fault on the stiffness and the natural frequency of a plate in bending p 850 A86-49918

**RECTANGULAR WINGS**

An analysis of separated flow of an ideal fluid past a finite-aspect-ratio mechanized wing p 80 A86-13395

Performance of finite wings at low Reynolds numbers p 138 A86-16314

Behaviour of a rectangular wing in a supersonic flow - Dynamic pressure and normal force analysis in the range 1.3-4.0 Mach p 146 A86-19005

Steady and unsteady pressure distributions on various profiles in separated subsonic and transonic flow p 413 A86-33233

Flow structure of lateral wing-tip blowing [AIAA PAPER 86-1810] p 544 A86-37831

Transonic aeroelasticity of wings with tip stores [AIAA PAPER 86-1007] p 553 A86-38948

Unsteady vortical flow around three-dimensional lifting surfaces p 553 A86-39052

The wing tip vortex system in a starting flow p 690 A86-45190

Measurements on wing-tip blowing [NASA-CR-176930] p 632 N86-28922

A theory for lateral wing-tip blowing [NASA-CR-176931] p 632 N86-28923

**RECTENNAS**

SHARP (Stationary High Altitude Relay Platform) - Rectenna and low altitude tests p 519 A86-33944

**RECURSIVE FUNCTIONS**

Recursive instrumental variable algorithms for modal parameter estimation of structural system p 263 A86-22306

**RECYCLING**

Requirements for recycling of valuable chips from and for aircraft manufacturing p 374 A86-27209

Recycling of titanium scrap for the production of high-duty aerospace components p 382 A86-27211

**REDUCED GRAVITY**

Measurements of rotating bubble shapes in low-gravity environment p 251 A86-21996

**REDUCED ORDER FILTERS**

Frequency and time domain designs of a strapdown vertical determination system [AIAA PAPER 86-2148] p 810 A86-47457

Aeroelastic control of oblique-wing aircraft [NASA-TM-86608] p 595 N86-26340

**REDUNDANCY**

Sensor failure detection for jet engines using analytical redundancy p 106 A86-14226

Decentralization filtering and redundancy management/failure detection for multisensor integrated navigation systems p 348 A86-28443

An optimization procedure for a redundant wing structure [SAWE PAPER 1684] p 521 A86-35225

Application of analytical redundancy --- for flight safety [SAE PAPER 851825] p 593 A86-38331

Integrated Application of Active Controls (IAAC) technology to an advanced subsonic transport project: Test act system description [NASA-CR-172221] p 176 N86-14277

Robust detection-isolation-accommodation for sensor failures [NASA-CR-174797] p 255 N86-18486

Flight test of a resident backup software system [NASA-TM-86807] p 307 N86-19325

**REDUNDANT COMPONENTS**

A redundant strapdown reference for advanced aircraft flight control systems p 239 A86-21840

Controllability of redundant flight control system and pressure equalization of redundant servo actuators p 723 A86-43497

**REELS**

Evaluation of a pre-ejection upper torso retraction device p 793 A86-47728

Advancements in inertia reels for fixed seating aircraft p 784 A86-47744

**REENTRY GUIDANCE**

Optimal descending, hypersonic turn to heading [AIAA PAPER 86-2134] p 841 A86-47679

**REENTRY VEHICLES**

Engineering applications of an advanced low-order panel method [SAE PAPER 851793] p 547 A86-38318

Supersonic aerodynamic characteristics of some reentry concepts for angles of attack to 90 deg [NASA-TM-87645] p 243 N86-16243

**REFERENCE SYSTEMS**

Instrumentation system for real time navigation system performance assessment [AIAA PAPER 86-9731] p 422 A86-32078

**REFINING**

The production of jet fuel from alternate sources [ASME PAPER 85-IGT-67] p 312 A86-23868

Turbine fuels from tar sands bitumen and heavy oil. Phase 1: Preliminary process analysis [AD-A161300] p 452 N86-22724

**REFLECTANCE**

A durable airfield marking system [AD-A157953] p 113 N86-13339

**REFLECTION**

Use of NDE to evaluate reflection cracking in airfield pavements [AD-A164880] p 599 N86-27293

Mechanistic methodology for airport pavement design with engineering fabrics. Volume 2: Advanced concepts, validation and criteria [DOT/FAA/PM-84/9,II-VOL-2] p 657 N86-28963

**REFRACTIVITY**

Loran C 1984 spring-summer stability [AD-A167867] p 789 N86-31555

**REFRACTORY COATINGS**

Characterization of the thermal conductivity for fibrous refractory composite insulations p 116 A86-15220

- Protective coating systems for high-temperature gas turbine components: Proceedings of the Conference, London, England, November 13, 14, 1984 p 664 A86-43134
- REFRACTORY MATERIALS**
- Materials in aerospace - Can the emerging thermoplastics meet the challenge? p 843 A86-49020
- Hot corrosion in aircraft engines [ESA-TT-887] p 237 N86-16227
- Dual material exhaust nozzle flap [AD-D011996] p 364 N86-21548
- Advances in the study of the mechanical behavior of materials [AD-A164656] p 735 N86-30838
- REFRACTORY METALS**
- Influence of molybdenum, tungsten, and cobalt on the corrosion of high-temperature strength nickel alloys in molten salts p 663 A86-41988
- REFRIGERATING MACHINERY**
- Oxygen chemisorption cryogenic refrigerator [NASA-CASE-NPO-16734-1-CU] p 612 N86-27467
- REFUELING**
- Live tests on static electricity in fuelling of aircraft p 783 A86-47334
- Robotic refueling system for tactical and strategic aircraft [AD-D011980] p 358 N86-21540
- Automating knowledge acquisition in a flightline robot [AD-A163829] p 525 N86-24997
- Electrostatic hazards of urethane packed fuel tanks [AD-A166803] p 717 N86-30725
- REGENERATION (ENGINEERING)**
- Heat exchangers in regenerative gas turbine cycles p 741 N86-29857
- REGENERATORS**
- An overview of the Small Engine Component Technology (SECT) studies [NASA-TM-88796] p 819 N86-31587
- REGIONAL PLANNING**
- Report of the Working Group for Sensitivity Analysis and Zoning Calculations (GAZOB) p 259 N86-16749
- Analysis and conclusions of the working Group for Sensitivity Analysis and Zoning Calculations (GAZOB) p 259 N86-16750
- Noise nuisance calculations for Schiphol Airport on behalf of the Sensitivity Analysis and Zoning Calculations Working Group (GAZOB) [NLR-TR-85034-U] p 260 N86-16751
- REGRESSION ANALYSIS**
- Estimation of transport airplane aerodynamics using multiple stepwise regression p 489 A86-35385
- Optimal design application on the advanced aeroleastic rotor blade p 167 N86-15290
- The relationship between material failures and flight hours: Statistical considerations [AD-A159571] p 169 N86-15311
- STEP and STEPSPL: Computer programs for aerodynamic model structure determination and parameter estimation [NASA-TM-88410] p 370 N86-21549
- An evaluation of CPRA (Cost Performance Report Analysis) estimate at completion techniques based upon AFVAL (Air Force Wright Aeronautical Laboratories) cost/schedule control system criteria data [AD-A162282] p 470 N86-24584
- Analysis of helicopter noise data using international helicopter noise certification procedures [PB86-186533] p 620 N86-27972
- REGRESSION COEFFICIENTS**
- Regression rate study for a solid fuel ramjet p 818 A86-49113
- REGULATIONS**
- How is airline deregulation working? p 194 A86-18537
- Airline deregulation - What will we know and when will we know it? p 194 A86-18538
- Ultralight aircraft - A need for better regulation than 14 C.F.R. Section 103 - in air law p 343 A86-28000
- Computerisation of air information services in France p 635 A86-40229
- A proposed plane for the initial flight testing of a Rutan Aircraft Factory long-EZ and other light amateur experimental aircraft p 794 A86-47777
- Advisory Circular: Estimated airplane noise levels in A-weighted decibels [AC-36-3D] p 620 N86-27969
- Advisory Circular: Auxiliary fuel system installations [FAA/AC-25-8] p 716 N86-30719
- REGULATORS**
- Numerical fixed-point solution for near-optimum regulators of linear quadratic Gaussian control problems for singularly perturbed systems p 396 A86-26577
- Time domain control design for robust stability of linear regulators - Application to aircraft control p 506 A86-35383

## REINFORCED PLASTICS

- Metals and plastics - State of the art and perspectives [MBB-Z-49-85-OE] p 116 A86-14474
- Some recent research and development of composites in Japan p 377 A86-27765

## REINFORCED PLATES

- A new method of analyzing wave propagation in periodic structures - Applications to periodic Timoshenko beams and stiffened plates p 249 A86-20792
- Fatigue crack growth in patched plates under constant amplitude and flight simulation loadings p 454 A86-30092
- A study of an iteration method for the analysis of plates with parallel stiffness ribs as systems of superelements p 455 A86-31417
- Optimal design of antisymmetric laminated composite plates p 667 A86-40109
- Stability analysis of composite stiffened layer plates under compression p 735 A86-43495
- The vibration and stability of symmetrically-laminated composite rectangular plates subjected to in-plane stresses p 739 A86-45694

## REINFORCED SHELLS

- The life of reinforced thin-walled structures in a random force field p 384 A86-28319
- Load examination of vehicle-body of reinforced cylindrical shell in case of kinematic load p 849 A86-49128

## REINFORCEMENT (STRUCTURES)

- A weight method for structural boxes [SAWE PAPER 1680] p 521 A86-35221

## REINFORCEMENT RINGS

- Aircraft window clamping device [AD-D011999] p 435 N86-22564

## REINFORCING FIBERS

- Life prediction for aromatic polyamide reinforcements p 377 A86-27691
- Optimization of composite structures by controlled insertion or deletion of diverse fiber types p 844 A86-50122

## RELAXATION METHOD (MATHEMATICS)

- Step relaxation method for modal test implemented with frequency-domain preprocessing p 457 A86-32975
- Numerical analysis for steady transonic flows past an airfoil using AF scheme p 209 N86-17289
- Patched-grid calculations with the Euler and Navier-Stokes equations: Theory and applications [NASA-TM-88228] p 630 N86-28062

## RELIABILITY

- Elastomeric rod end bearings - A solution for improving reliability and maintainability p 320 A86-26125
- A new Euler algorithm based on characteristic flux extrapolation p 149 N86-14241
- Light helicopter family trade-off analysis. Volume 8: Appendices S and T [AD-A158077] p 169 N86-15308
- Reliability aspects of software for digital avionics [NLR-TR-82126-U] p 232 N86-17354
- A comparative evaluation of the reliability improvement in line replaceable units warranted under the F-16 reliability improvement warranty [AD-A160830] p 321 N86-18630
- Design validation of fly-by-wire flight control systems p 362 N86-20409
- Impact of Reliability/Maintainability (R/M) on logistics costs for USAF aircraft [AD-A162204] p 470 N86-24579
- Comparison of quantity versus quality using performance, reliability, and life cycle cost data. A case study of the F-15, F-16, and A-10 aircraft [AD-A162238] p 470 N86-24580
- System life and reliability modeling for helicopter transmissions [NASA-CR-3967] p 525 N86-24990

## RELIABILITY ANALYSIS

- The anatomy of sea SKAD (Survival Kit Air Droppable) - A Canadian Forces/industry development program p 213 A86-19335
- Finite element analysis of an ultralight aircraft p 221 A86-20165
- Life cycle cost and availability in military aeronautics p 266 A86-21872
- Implications of new aircraft avionics reliability performance p 253 A86-22178
- Analysis of the F/A-18 Hornet flight control computer field mean time between failure p 231 A86-22386
- Relating factory and field reliability and maintainability measures p 253 A86-22391
- Institute of Environmental Sciences, Annual Technical Meeting, 31st, Las Vegas, NV, April 30-May 2, 1985, Proceedings p 314 A86-23001
- Reliability and failure prevention through ESA in the 80's and beyond p 381 A86-26937
- Application of fuzzy logic to the estimation of software reliability for computer systems p 396 A86-27472

## Reliability and maintenance of aircraft

- Reliability of aircraft navigation p 384 A86-28309
- Reliability of the plates and shells of aircraft p 384 A86-28312
- Problems in the dynamics of aircraft structures exposed to intensive acoustic loading p 384 A86-28316
- A unified method for evaluating the strength and reliability of the blades of the axial-flow compressors and gas turbines of aircraft engines p 364 A86-28317
- The effect of changes in the static strength of a structure during service on the reliability of aircraft p 384 A86-28322
- Short crack problems in gas turbine disks p 440 A86-30093
- The health and usage monitoring of helicopter systems - The next generation p 491 A86-35613
- A reliability concept in structural optimization of flight vehicles p 494 A86-35977
- Engine control reliability and durability improvement through accelerated mission environmental testing [ASME PAPER 86-GT-52] p 813 A86-48132
- Some aspects of the reliability analysis of aircraft structures p 849 A86-49127
- Prediction of the life of stressed structures - A comprehensive study of the aircraft landing gear - Russian book p 804 A86-49288
- A decade of reliability testing progress p 256 N86-16619
- CERT: Where we have been, where we are going p 256 N86-16620
- An empirical study of flight control software reliability [NASA-CR-178058] p 532 N86-25145
- An experiment in software reliability [NASA-CR-172553] p 682 N86-29547
- RELIABILITY ENGINEERING**
- Linear-quadratic Gaussian with loop-transfer recovery methodology for the F-100 engine p 233 A86-20233
- The automated, advanced matrix FMEA technique - Failure Modes and Effects Analysis p 253 A86-22382
- F/A-18 Hornet - Reliability development testing p 225 A86-22400
- Institute of Environmental Sciences, Annual Technical Meeting, 31st, Las Vegas, NV, April 30-May 2, 1985, Proceedings p 314 A86-23001
- AVIP Air Force thrust for reliability - Avionics Integrity Programs p 315 A86-23003
- Problems of aircraft reliability p 383 A86-28303
- Control of the flight testing of aircraft as a means of increasing their reliability p 397 A86-28307
- Reliability and maintainability - A look at the Rolls-Royce RB.211 [SAE PAPER 851829] p 590 A86-38334
- R&M 2000 - A look to the future - Air Force Reliability and Maintainability [AIAA PAPER 86-1668] p 672 A86-42781
- Engine component life prediction methodology for conceptual design investigations [ASME PAPER 86-GT-24] p 812 A86-48116
- The airline engineering role in the management of safety p 762 A86-49084
- Logistics engineering analysis techniques for fault-tolerant avionics systems [AD-A161981] p 439 N86-23596
- Short cracks in aerospace structures [NLR-MP-85054-U] p 851 N86-32781
- RELIEF MAPS**
- Synthetic real-time relief display all-weather airborne missions p 589 N86-26321
- Applications of digital terrain data in flight operations p 573 N86-26324
- Use of a CO<sub>2</sub> laser lidar for flight and penetration at very low altitudes p 610 N86-26326
- REMOTE CONTROL**
- Ground control station for RPVs p 571 A86-37336
- Robotic refueling system for tactical and strategic aircraft [AD-D011980] p 358 N86-21540
- REMOTE HANDLING**
- Theoretical three- and four-axis gimbal robot wrists [NASA-TP-2564] p 533 N86-25168
- REMOTE MANIPULATOR SYSTEM**
- Direct model reference adaptive control of a flexible robotic manipulator [NASA-CR-176659] p 396 N86-22113
- REMOTE SENSING**
- Development of an airborne CCD scanner for land and sea applications p 231 A86-21163
- United States Coast Guard acquisition of remote sensing capability for ocean surveillance p 231 A86-21234
- A Synthetic Aperture Radar (SAR) for commercial applications p 250 A86-21246
- Comparison of sea surface temperatures obtained from an aircraft using remote and direct sensing techniques p 323 A86-23291

- D-CALM - New research aircraft for remote sensing  
p 287 A86-25020
- Characterization of shallow ocean sediments using the airborne electromagnetic method p 393 A86-28065
- The design, construction and early trials of a novel airborne surveillance radar p 424 A86-32635
- Spectroradiometric calibration of the Thematic Mapper and multispectral scanner system  
[E86-10022] p 260 A86-17816
- Analysis of airborne Doppler lidar, Doppler radar and tall tower measurements of atmospheric flows in quiescent and stormy weather  
[NASA-CR-3960] p 462 A86-23159
- REMOTE SENSORS**
- High resolution millimeter-wave imaging sensor p 498 A86-33580
- The Phoenix sensor turret system p 588 A86-37342
- Applications of sensor payloads p 588 A86-37343
- REMOTELY PILOTED VEHICLES**
- An environmental aerodynamic test system for low-Reynolds-number applications p 138 A86-16315
- Simulator evaluation of a remotely piloted vehicle visual landing task p 221 A86-20238
- Exploring the unknown with unmanned aircraft p 225 A86-22263
- Advances in simulation, control and guidance and other systems for manned and unmanned aircraft p 269 A86-28072
- Solar powered vehicle may fly year-long missions p 356 A86-29824
- Design of the CL-227 air vehicle p 487 A86-34924
- Pacific aerostystems continues development of Heron 26 vehicle p 495 A86-36818
- Developmental sciences prepares SkysEye for Army competition p 495 A86-36819
- Army completing development tests for Lockheed Aquila RPV system p 495 A86-36820
- U. S. Army plans to evaluate Canadair CL-227 sentinel p 495 A86-36821
- Northrop delivers RPVs to Navy to aid in development proposal p 496 A86-36822
- Remotely piloted vehicles; International Conference, 5th, Bristol, England, September 9-11, 1985, Proceedings and Supplementary Papers p 575 A86-37326
- The risk to third party personnel from RPV operations p 566 A86-37327
- The development of Z-2 Remotely Piloted Helicopter p 575 A86-37328
- High altitude unmanned aircraft for meteorological applications - HIMET p 575 A86-37329
- Canadair rotary wing, full scale engineering development, III p 575 A86-37330
- A thermal imaging payload for RPV applications p 588 A86-37333
- Flight test with a terrain aided navigation system p 571 A86-37334
- A real-time simulation of a non-linear RPV incorporating head-up type colour graphics p 593 A86-37335
- Ground control station for RPVs p 571 A86-37336
- A new compressed air launching system p 596 A86-37337
- Enhanced mission versatility of the Aquila RPV system p 575 A86-37338
- Boeing Robotic Air Vehicle p 576 A86-37339
- The Phoenix air vehicle, its launch and recovery p 576 A86-37340
- Thermal zoom optics for R.P.V. sensors p 588 A86-37341
- The Phoenix sensor turret system p 588 A86-37342
- Applications of sensor payloads p 588 A86-37343
- 'A flywheel powered RPV launcher - Putting theory into practice' p 590 A86-37344
- A spring in the air -- launching device for RPV p 590 A86-37345
- Design features of automatic control system of D-4 RPV p 593 A86-37407
- NASA experiments onboard the controlled impact demonstration  
[SAE PAPER 851885] p 568 A86-38352
- The design of a sliding mode controller for dutch roll damping in a non-linear aircraft system p 651 A86-40766
- The SKYEYE RPV - An NDI solution to today's unmanned aerial vehicle requirements p 712 A86-46134
- Piloting of unmanned air vehicles p 726 A86-46716
- Flight test experience and controlled impact of a large, four-engine remotely piloted airplane p 794 A86-47781
- Flight tests and preliminary aerodynamic parameter extraction of an externally piloted vehicle aircraft model p 796 A86-47800
- A comparison of pod and tail mounted ramjets p 818 A86-49112
- Full-Scale Transport controlled Impact Demonstration  
[NASA-CP-2395] p 390 A86-21933
- Design of a vertical thrust stand for a remotely piloted model helicopter  
[AD-A167811] p 840 A86-31596
- REMOVAL**
- Rubber removal specification development  
[FAA/PM-85/33] p 371 A86-21555
- RENE 41**
- Buckling behavior of Rene 41 tubular panels for a hypersonic aircraft wing  
[AIAA PAPER 86-0978] p 809 A86-38857
- Buckling behavior of Rene 41 tubular panels for a hypersonic aircraft wing  
[NASA-TM-86798] p 611 A86-26653
- REPLACING**
- Development of a computerised method of determining aircraft maintenance intervals  
[AD-A161339] p 336 A86-21500
- REPORTS**
- The 1983 NASA/ASEE Summer Faculty Fellowship Research Program research reports  
[NASA-CR-171904] p 130 A86-14078
- Activities report of the aerospace industry in West Germany  
[ISSN-0176-5086] p 403 A86-22450
- Aircraft accident/incident summary reports: Concord, California, July 14, 1984; Atlanta, Georgia, September 24, 1984; Jasper, Alabama, December 16, 1984; Avalon, California, January 30, 1984; Charlottesville, Virginia, February 17, 1984; Kansas City, Kansas, January 9, 1985  
[PB86-910410] p 484 A86-25333
- Aircraft accident reports: Brief format, US civil and foreign aviation, issue number 17 of 1983 accidents  
[PB85-916818] p 571 A86-27269
- REQUIREMENTS**
- Aircraft and Bearing Tribological Systems  
[AGARD-CP-394] p 677 A86-29236
- Operations concept for the TCCC (Tower Control Computer Complex) man-machine interface  
[AD-A166899] p 705 A86-30714
- RESCUE OPERATIONS**
- Telemetry from experimental rescue- and recovery systems p 95 A86-13219
- The anatomy of sea SKAD (Survival Kit Air Droppable) - A Canadian Forces/industry development program p 213 A86-19335
- The C-17: We need it yesterday  
[AD-A157147] p 99 A86-12219
- Tradeoff analysis of technology needs for public service helicopters  
[NASA-CR-3927] p 100 A86-13317
- Search and Rescue (SAR) System developed as part of the contract signed with the Irish Air Corps for the supply of 365 F Dauphin aircraft  
[SNIAS-852-210-105] p 215 A86-17329
- After action report, CH-47 recovery using D-PAAC  
[AD-A161935] p 437 A86-23589
- RESEARCH**
- Research and development project selection methods at the Air Force Wright Aeronautical Laboratories  
[AD-A161153] p 333 A86-20165
- Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987  
[AD-A162792] p 402 A86-22443
- RESEARCH AIRCRAFT**
- X-29 flight testing p 95 A86-13213
- Exploring the unknown with unmanned aircraft p 225 A86-22263
- Aircraft flow effects on cloud drop images and concentrations measured by the NAE Twin Otter p 322 A86-23289
- Comparison of sea surface temperatures obtained from an aircraft using remote and direct sensing techniques p 323 A86-23291
- D-CALM - New research aircraft for remote sensing p 287 A86-25020
- X-aircraft for world leadership in aeronautics p 405 A86-31330
- X-29 revives the experimental aircraft p 426 A86-31331
- Unusual aerodynamics of X-29 p 426 A86-31332
- X-29 aims at applications p 426 A86-31334
- New research aircraft for DFVLR p 428 A86-32074
- X-29A flight flutter data analysis by advanced methods  
[AIAA PAPER 86-9737] p 429 A86-32083
- High technology test bed program -- for Hercules cargo aircraft  
[AIAA PAPER 86-9803] p 431 A86-32132
- Sikorsky Aircraft crew station technology research helicopter  
[SAE PAPER 851780] p 490 A86-35442
- The flying simulator and technology carrier ATTAS from DFVLR p 490 A86-35520
- Summary of results of NASA F-15 flight research program  
[AIAA PAPER 86-9761] p 496 A86-37064
- The presence of the Trident III on Antarctica p 573 A86-39562
- Aircraft measurements and coordination in FASINEX  
[AD-A160789] p 321 A86-18699
- The role of a real-time flight support facility in flight research programs p 311 A86-19330
- Procedure for utilizing the lift and thrust forces of omnirotors p 357 A86-21534
- Summary of results of NASA F-15 flight research program  
[NASA-TM-86811] p 539 A86-26277
- X-29A technology demonstrator flight test program overview  
[NASA-TM-86809] p 586 A86-26328
- Modified US Army U-8F ground vibration test  
[NASA-TM-86741] p 717 A86-30723
- Geometrical description for a proposed aerospace flight experiment vehicle  
[NASA-TM-87714] p 749 A86-31237
- User's manual for the Falcon system -- Falcon research aircraft  
[ESA-TT-836] p 806 A86-31579
- RESEARCH AND DEVELOPMENT**
- Derivative engines versus new engines - What determines the choice?  
[ASME PAPER 85-GT-190] p 104 A86-13051
- The RAJPO GPS range equipment family -- navigation modules for various military applications p 92 A86-13216
- Airborne telemetry - The advanced range instrumentation aircraft p 92 A86-13225
- The in-flight simulation program at the NAE Flight Research Laboratory p 96 A86-14356
- Development of modern turboprop engines p 108 A86-14358
- Engine simulator techniques for scaled test cell studies  
[AIAA PAPER 85-1282] p 112 A86-14480
- The laminar airliner - Prospects and problems -- review of boundary layer control research p 96 A86-14822
- 4 x S = S(ATF) -- Advanced Tactical Fighter development p 98 A86-15598
- Army VTOL research and development - The first century p 75 A86-16096
- DFVLR, Annual Report 1984 p 135 A86-19284
- Progress report - F-16 C&D testing p 222 A86-21056
- SF-340 airfoil structure - A unique approach p 224 A86-21712
- Liquid fueled supersonic combustion ramjets - A research perspective of the past, present and future  
[AIAA PAPER 86-0158] p 236 A86-22679
- The role of the Flight Test Department in the development of new technology aircraft p 285 A86-23271
- Future helicopter developments p 269 A86-25023
- Research and development of FJR 710 turbo fan engine - Second phase p 304 A86-25177
- The development of an advanced helicopter research simulator  
[SAE PAPER 841610] p 310 A86-26029
- Advanced technology - New fixes or new problems? -- for helicopter voice warning systems p 328 A86-26031
- Advances in simulation, control and guidance and other systems for manned and unmanned aircraft p 269 A86-28072
- International Conference on Rotorcraft Basic Research, Research Triangle Park, NC, February 19-21, 1985, Proceedings p 335 A86-27651
- Some recent research and development of composites in Japan p 377 A86-27765
- X-aircraft for world leadership in aeronautics p 405 A86-31330
- The development of dichromated gelatin for holographic optical element applications p 468 A86-32312
- A review of aeroelastic research at the flight dynamics laboratory p 433 A86-33242
- Development trends in the case of high-performance aircraft  
[DGLR PAPER 85-106] p 473 A86-35163
- The consideration of pilot factors in development of future collision avoidance systems  
[SAE PAPER 851807] p 484 A86-35437
- Advanced concepts transport aircraft of 1995  
[SAE PAPER 851808] p 490 A86-35438
- Damage tolerant composite design development p 524 A86-37119
- Folding tiltrotor technology demonstrator - The next step for tiltrotor technology  
[SAE PAPER 851844] p 579 A86-38341



- Next generation aircraft structures - The need for co-ordinated Canadian R & D programs p 539 A86-39567
- Investigations in the history and theory of the development of aviation and space science and technology. Number 4 — Russian book p 620 A86-39984
- Technical status and future prospects of carbon fibres and their application in composites with polymer matrix (CFRPs) p 661 A86-40488
- High performance, stratified charge rotary engines for general aviation [AIAA PAPER 86-1553] p 647 A86-42710
- Launching the aerospace plane p 686 A86-44442
- World aerospace profile 1986 — Book p 686 A86-44919
- Stratified charge rotary engine for general aviation [ASME PAPER 86-GT-181] p 615 A86-48231
- The helicopter technology of China p 761 A86-48652
- The high lift development of the A320 aircraft p 772 A86-49012
- Certification of advanced experimental aircraft p 785 A86-49036
- Topics in landing gear dynamics research at NASA Langley p 803 A86-49120
- Design bureaus: The brain drainers. I - Toulouse - Aircraft mobilize a task force over 1700-strong p 763 A86-49484
- Modern developments in rotorcraft technology [MBB-UD-458-85-OE] p 805 A86-49509
- The 1983 NASA/ASEE Summer Faculty Fellowship Research Program research reports [NASA-CR-171904] p 130 A86-14078
- Some comparisons of US and USSR aircraft design developments [NASA-TM-87611] p 214 A86-16208
- High speed aeronautics [GPO-51-341] p 278 A86-19284
- Some lessons learned with wind tunnels [NASA-TM-87710] p 408 A86-23555
- Langley aerospace test highlights, 1985 [NASA-TM-87703] p 537 A86-26276
- RESEARCH FACILITIES**
- Survey of supersonic combustion ramjet research at Langley [AIAA PAPER 86-0159] p 503 A86-37079
- Current wind tunnel capability and planned improvements at the NASA Langley Research Center [AIAA PAPER 86-0727] p 514 A86-37087
- Programming a multiple-orifice hydraulic decelerator [AD-A159428] p 181 A86-15328
- Aeroacoustic research in the Netherlands related to aircraft development [NLR-MP-84049-U] p 265 A86-17081
- Shanghai's outdoor aeroengine test facility detailed p 448 A86-22737
- RESEARCH MANAGEMENT**
- Activities report in aerospace research p 135 A86-15240
- Loads and aeroelasticity division research and technology accomplishments for FY 1985 and plans for FY 1986 [NASA-TM-87676] p 278 A86-19288
- An evaluation of CPRA (Cost Performance Report Analysis) estimate at completion techniques based upon AFVAL (Air Force Wright Aeronautical Laboratories) cost/schedule control system criteria data [AD-A162282] p 470 A86-24584
- Uniform engine testing program phase 7: NASA Lewis Research Center second entry [NASA-TM-87272] p 650 A86-28085
- Cryogenic wind tunnels for high Reynolds number testing [NASA-TM-87743] p 731 A86-29872
- RESEARCH VEHICLES**
- Local flow management/profile descent algorithm. Fuel-efficient, time-controlled profiles for the NASA TSRV airplane [NASA-CR-172593] p 636 A86-28074
- RESERVOIRS**
- Fireproof hydraulic brake system [AD-A163542] p 497 A86-24688
- RESIDUAL STRENGTH**
- Comparison of the strength and damage tolerance of aluminum alloys p 516 A86-36178
- A rationale for the safe operation of an aircraft fleet having known cracks in primary structure p 737 A86-43792
- The influence of slow growth and net section yielding on the residual strength of stiffened structure p 737 A86-43793
- Residual strength characterization of jet transport structures p 707 A86-43795
- Residual strength prediction for planked wing tension surfaces [AIAA PAPER 86-0941] p 849 A86-49572
- Strength of graphite/epoxy bolted wing-skin splice specimens subjected to outdoor exposure under constant load and yearly fatigue loading [NASA-TP-2542] p 378 A86-20508
- Comparison of aluminum alloys concerning strength and damage tolerance — aircraft construction materials [MBB-UT-111/85] p 452 A86-23714
- Assessing the effects of delaminations on the postbuckling strength of CRFP panels — aircraft structures p 743 A86-30781
- RESIDUAL STRESS**
- A simplified residual stress model for predicting fatigue crack growth behavior at coldworked fastener holes p 662 A86-40575
- The control and use of residual stresses in aircraft structural parts p 849 A86-49114
- Aspects of small crack growth p 518 A86-25370
- Characterisation and influence of orientation and internal stress in acrylic aircraft materials — windows, canopies, PMMA [NPL-DMA(A)113] p 665 A86-28193
- RESIDUES**
- Carbon residue studies with a microcarbon residue tester [ASLE PREPRINT 86-AM-7A-1] p 732 A86-45395
- RESIN MATRIX COMPOSITES**
- Polymer, metal and ceramic matrix composites for advanced aircraft engine applications [NASA-TM-87132] p 117 A86-13407
- Copolyesters of vinyl styrylpyridines or vinyl stilbazoles with bismaleimide [NASA-CASE-ARC-11429-1-CU] p 378 A86-20560
- RESINS**
- Conformal coating for surface mount assembly p 115 A86-13118
- RESONANCE**
- Hover test of a full-scale hingeless rotor p 291 A86-26144
- Influence of various unsteady aerodynamic models on the aeromechanical stability of a helicopter in ground resonance p 177 A86-15294
- RESONANCE PROBES**
- Ferromagnetic resonance probe liftoff suppression apparatus [AD-D011913] p 190 A86-15647
- RESONANCE TESTING**
- The performance of composite structures p 121 A86-14680
- Structural dynamic aspects of rotor antiresonant isolation p 353 A86-27663
- Resonance fatigue test of the empennage of a CT4 aircraft [AD-A160749] p 294 A86-18321
- RESONANT FREQUENCIES**
- Optical determination of the effects of a microminiature accelerometer on resonance of a small airfoil p 688 A86-40712
- Advances in aero engine dynamics [AIAA PAPER 86-1877] p 648 A86-42788
- Experimentally determined flutter from two- and three-bladed model bearingless rotors in hover p 177 A86-15286
- Performance of resonant radar target identification algorithms using intra-class weighting functions p 321 A86-19490
- Analysis of direct and nearby lightning strike data for aircraft [NASA-CR-172127] p 617 A86-27855
- RESONANT VIBRATION**
- The viscoelastic damping technology design guide for aerospace structures [ASME PAPER 85-DET-104] p 318 A86-24230
- Excitation of blade vibration by flow induced acoustic resonances in axial-flow compressors p 303 A86-24712
- Structural dynamic aspects of rotor nodal isolation p 434 A86-33267
- Determination of natural vibration properties of a wing with winglet by experimental mode synthesis technique p 435 A86-33280
- Holographic mode shape investigation of aircraft engine impellers p 672 A86-43105
- Solid-beam model of a deformable aircraft for natural-vibration studies p 804 A86-49444
- The effect of a fault on the stiffness and the natural frequency of a plate in bending p 850 A86-49918
- Transmission acoustic vibration testing [AD-A159022] p 101 A86-13326
- Optimal design application on the advanced aeroelastic rotor blade p 167 A86-15290
- Laminated damped fuselage structures p 389 A86-21916
- Linear and nonlinear dynamic analysis of redundant load path bearingless rotor systems [NASA-CR-177098] p 682 A86-29579
- RESOURCE ALLOCATION**
- Wickens' resource allocation model - Implications for the design of human-machine systems p 395 A86-28453
- USAF/SCEEE (United States Air Force/Southeastern Center for Electrical Engineering Education) Research Initiation Program research reports, volume 2 [AD-A161908] p 460 A86-23752
- RESPIRATORS**
- Protective respirator for the AAH-64 Advanced Attack Helicopter p 261 A86-19336
- RETAINING**
- Limb Restraint Evaluator (LRE) p 261 A86-19329
- RETARDING**
- Active flutter suppression on a delta wing model structure [DFVLR-FB-86-01] p 727 A86-29870
- RETIREMENT FOR CAUSE**
- Manufacturing technology for nondestructive evaluation (NDE) system to implement Retirement For Cause (RFC) procedures for gas turbine engine components p 507 A86-25368
- RETRACTABLE EQUIPMENT**
- New design procedures applied to landing gear development p 803 A86-49117
- RETRAINING**
- Dynamic retraining approaches for an airborne speech recognition system p 395 A86-28444
- RETROFITTING**
- Re-engineing the Harrier [ASME PAPER 85-GT-175] p 235 A86-22091
- The KC-135/CFM56 Re-Engine Program [ASME PAPER 85-GT-211] p 224 A86-22112
- Retrofitting avionics - Closing the performance 'Generation gap' [SAE PAPER 851813] p 589 A86-38324
- REUSABLE HEAT SHIELDING**
- Users guide: Steady-state aerodynamic-loads program for shuttle TPS tiles [NASA-TM-85724] p 600 A86-27406
- REUSABLE LAUNCH VEHICLES**
- Weights assessment for orbit-on-demand vehicles [SAWE PAPER 1674] p 515 A86-35217
- REVENUE**
- Information on airport and airway trust fund revenues and outlays by states and large airports [PB86-129665] p 449 A86-23609
- REVERSED FLOW**
- The use of reverse flow to calculate transonic flow past bodies p 81 A86-13412
- Separated flow past a sharp edge according to a reverse-jet scheme p 120 A86-13430
- Reverse flow in multistage axial compressors [AIAA PAPER 86-1747] p 627 A86-42825
- The reverse-flow theorem for transonic flow p 688 A86-44802
- The performance of a reverse flow combustor using JP 10 fuel [ASME PAPER 86-GT-146] p 814 A86-48202
- REVISIONS**
- F-4 functional modernization [ASME PAPER 85-GT-89] p 94 A86-13052
- Douglas plans continuing upgrades to maintain MD-80 competitiveness p 98 A86-15999
- Bigger is better - Stretching the C-141 Starlifter p 220 A86-20125
- Development of the BO 105 LS [MBB-UD-456-85-OE] p 805 A86-50255
- REYNOLDS NUMBER**
- A review and analysis of boundary layer transition data for turbine application [ASME PAPER 85-GT-83] p 251 A86-22054
- Laminar boundary layer stability experiments on a cone at Mach 8. IV - On unit Reynolds number and environmental effects [AIAA PAPER 86-1087] p 550 A86-38449
- Introduction to cryogenic wind tunnels [NASA-CR-177966] p 113 A86-12238
- Numerical approximation of the total drag of a body in a tube [AD-A159548] p 188 A86-14538
- Hypersonic characteristics of an advanced aerospace plane at Mach 20.3 [NASA-TM-86435] p 152 A86-15245
- F-111 natural laminar flow glove flight test data analysis and boundary layer stability analysis [NASA-CR-166051] p 168 A86-15305
- Analysis of high Reynolds number transonic flow around an airfoil p 210 A86-17293
- The comparison of the transonic airfoil calculation by NSFOIL with the wind tunnel test data at high Reynolds number p 210 A86-17295

- Experimental study of the supersonic turbulent boundary layer on a blunted axisymmetric body  
[AD-A163738] p 479 N86-24669
- La recherche aérospatiale. Bimonthly bulletin, no. 1984-6, November - December 1984  
[ESA-TT-907] p 559 N86-27217
- Correlation of transonic-cone preston-tube data and skin friction  
[NASA-CR-176902] p 693 N86-29771
- RHEOLOGY**
- Antimisting fuel technology for transport category aircraft p 733 N86-30008
- Heat transfer, friction, and rheological characteristics of antimisting kerosene p 734 N86-30013
- RIBBON PARACHUTES**
- Development drop test results of the 15-ft-dia ribbon parachute and 73-ft-dia cross parachute for the US Army Natick Laboratory UHLCADS system  
[DE85-017614] p 341 N86-20371
- RIBS (SUPPORTS)**
- A study of an iteration method for the analysis of plates with parallel stiffness ribs as systems of superelements p 455 N86-31417
- RIDING QUALITY**
- Study on using a digital ride quality augmentation system to trim an engine-out in a Cessna 402B  
[NASA-CR-177272] p 595 N86-26342
- Gust alleviation on a transport airplane p 565 N86-27259
- Preliminary control law and hardware designs for a ride quality augmentation system for commuter aircraft. Phase 2  
[NASA-CR-4014] p 836 N86-32440
- RIGID ROTORS**
- Rotor dynamics equations in complex form p 122 N86-16040
- Feasibility of simplifying coupled lag-flap-torsional models for rotor blade stability in forward flight p 98 N86-16123
- The effect of higher harmonic control (HHC) on a four-bladed hingeless model rotor p 99 N86-16124
- Stability of large damped flexible spacecraft with stored angular momentum p 182 N86-18355
- Feasibility of simplifying coupled lag-flap-torsional models for rotor blade stability in forward flight p 290 N86-26138
- Dynamic stability of hingeless and bearingless rotors in forward flight p 366 N86-27662
- Effects of analytical modeling assumptions on the predicted stability of a model hingeless rotor p 490 N86-35605
- X-wing potential for Navy applications p 492 N86-35631
- Gust response of hingeless rotors p 576 N86-37772
- Application of rotor induced velocity field of the vortex theory to the study of stability and controllability of helicopter with hingeless rotor p 705 N86-43477
- A study of stability and control of a hingeless rotor helicopter with non-uniform induced velocity field p 831 N86-48655
- Dynamic aspects in the design of advanced rotor systems p 798 N86-48663
- Coupled rotor-body vibrations with inplane degrees of freedom p 177 N86-15301
- RIGID STRUCTURES**
- Numerical modelling of the dynamics of aerobatic manoeuvres p 724 N86-45144
- Modelling of rigid-body and elastic aircraft dynamics for flight control development  
[AIAA PAPER 86-2232] p 829 N86-47693
- RIGID WINGS**
- Experimental aeroelastic behavior of forward swept graphite/epoxy wings with rigid body freedoms  
[AIAA PAPER 86-0971] p 584 N86-38851
- RING LASERS**
- Gyroscopes may cease spinning --- in inertial guidance systems p 320 N86-25865
- Proceedings of the 12th Biennial Guidance Test Symposium held at Holloman AFB, New Mexico on 22-24 October 1985, volume 1  
[AD-A161996] p 425 N86-23583
- RING STRUCTURES**
- Flight investigation of Bell model 206 ring fin p 491 N86-35624
- Flight effects on noise from coaxial dual flow, I - Unheated jets p 619 N86-39058
- RISK**
- Application of PRA to HEMP vulnerability analysis  
[DE86-001781] p 399 N86-21260
- Integrated risk/cost planning models for the US Air Traffic system p 573 N86-26312
- The physical and empirical basis for a specific clear-air turbulence risk index  
[NASA-CR-3971] p 746 N86-30285
- RIVERS**
- USSR report: Transportation  
[JPRS-UTR-85-014] p 270 N86-18284
- RIVETED JOINTS**
- Some tests to assess the effect of crack stoppers on the fatigue life of center-notched specimens --- semisubmersible platform  
[NLR-TR-84051-U] p 611 N86-26662
- RIVETING**
- The use of automated riveting systems in aircraft construction p 95 N86-13127
- ROBOTICS**
- Boeing Military Airplane Company's robotic ultrasonic inspection system p 118 N86-13180
- Robotics in aircraft manufacturing p 522 N86-35660
- Robotic nondestructive inspection of aerospace structures p 668 N86-40509
- Applications of artificial intelligence II; Proceedings of the Meeting, Arlington, VA, April 9-11, 1985  
[SPIE-548] p 748 N86-46706
- Case studies in aircraft manufacturing automation p 762 N86-49000
- Physical distribution system for aircraft external fuel tanks-survey  
[AD-A158275] p 101 N86-13324
- Robotic refueling system for tactical and strategic aircraft  
[AD-D011980] p 358 N86-21540
- Direct model reference adaptive control of a flexible robotic manipulator  
[NASA-CR-176659] p 396 N86-22113
- Motion planning in the presence of moving obstacles  
[AD-A161374] p 400 N86-22208
- ROBOTS**
- Boeing Military Airplane Company's robotic ultrasonic inspection system p 118 N86-13180
- Toward automated airframe assembly p 197 N86-21894
- CAD/CAM designer - Jack of all trades p 251 N86-21895
- Robotic applications to automated composite aircraft component manufacturing  
[SME PAPER MF85-506] p 319 N86-24667
- An expert planner for the dynamic flight environment p 368 N86-28490
- Robotic systems concepts for the rapid turnaround of tactical aircraft in a biochemical environment p 761 N86-47763
- Automating knowledge acquisition in a flightline robot  
[AD-A163829] p 525 N86-24997
- Theoretical three-and four-axis gimbal robot wrists  
[NASA-TP-2564] p 533 N86-25168
- The design of multirate digital control systems  
[NASA-CR-177126] p 726 N86-29863
- ROBUSTNESS (MATHEMATICS)**
- Multi-model approaches to robust control system design p 127 N86-14830
- Towards robust image matching algorithms p 230 N86-19620
- Time domain control design for robust stability of linear regulators - Application to aircraft control p 508 N86-35383
- Coordinated bank-to-turn autopilot design p 509 N86-35384
- Application of FDI metrics to detection and isolation of sensor failures in turbine engines p 501 N86-35400
- Robust detection, isolation, and accommodation for sensor failures --- in jet engine control systems p 501 N86-35402
- Multi-input multi-output automatic design synthesis for performance and robustness p 618 N86-39034
- On the relationship between robustness tests and their application to helicopter control system designs p 652 N86-40771
- Robust simplified adaptive control for a class of multivariable continuous-time systems p 680 N86-42860
- Integrated control - A decentralized approach p 681 N86-42996
- Synthesis of an adaptive flight controller under unknown deterministic disturbances  
[AIAA PAPER 86-2157] p 823 N86-47464
- Performance characteristics of an adaptive controller based on least-mean-square filters  
[AIAA PAPER 86-2160] p 852 N86-47466
- A design methodology for robust stabilizing controllers  
[AIAA PAPER 86-2195] p 823 N86-47475
- A controller for robust asymptotic tracking in systems with time-varying uncertainties  
[AIAA PAPER 86-2199] p 853 N86-47479
- Application of eigenstructure assignment to design of robust decoupling controllers in MIMO systems --- for helicopters  
[AIAA PAPER 86-2246] p 825 N86-47493
- A robust adaptive flightpath reconstruction technique  
[AIAA PAPER 80-2018] p 826 N86-47653
- Robust detection-isolation-accommodation for sensor failures  
[NASA-CR-174797] p 255 N86-16486
- Robustness of discrete-time dynamical systems: Application to the multivariable digital control of combat aircraft  
[ESA-TT-906] p 446 N86-22583
- Time domain design of robust controllers for LQG (Linear Quadratic Gaussian); application to large space structures  
[AD-A163635] p 533 N86-26074
- Multivariable control of a twin lift helicopter system using the LQG/LTR design methodology  
[NASA-CR-177025] p 654 N86-28956
- Robust detection, isolation and accommodation for sensor failures  
[NASA-CR-174825] p 722 N86-30732
- Control design for robust stability in linear regulators: Application to aerospace flight control  
[NASA-CR-176858] p 749 N86-31265
- ROCKET ENGINE DESIGN**
- Lizzy - The first British liquid propellant rocket motor p 195 N86-18481
- ROCKET ENGINES**
- Fiscal year 1987 technical objective document  
[AD-A166659] p 758 N86-31454
- ROCKET LAUNCHERS**
- Effect of emerging technology on a convertible, business/interceptor, supersonic-cruise jet  
[NASA-CR-178097] p 587 N86-27278
- ROCKET NOZZLES**
- Vectored thrust digital flight control for crew escape, volume 1  
[AD-A166580] p 700 N86-29798
- ROCKET PROPELLANTS**
- Fiscal year 1987 technical objective document  
[AD-A166659] p 758 N86-31454
- ROCKET SOUNDING**
- Comparison of calculated and measured height profiles of transverse electric VLF signals across the daytime earth-ionosphere waveguide p 250 N86-21513
- ROCKET VEHICLES**
- Aircraft and rockets: Design concepts --- Romanian book p 410 N86-32324
- ROCKS**
- Small stone impact testing --- runway debris causing aircraft damage p 279 N86-23020
- RODS**
- Fracture toughness characterization of light alloys for aeronautical use p 114 N86-12761
- Calculation of ice accretion on cylindrical rods according to Bain's model, and comparison with experimental results --- stratus clouds  
[DFVLR-FB-85-46] p 325 N86-18933
- Lightning discharge protection rod  
[NASA-CASE-LAR-13470-1] p 569 N86-26296
- ROLL**
- Using roll-angle measurements to track aircraft maneuvers p 92 N86-12677
- Roll-damping measurements on two flight body configurations in the Goettingen DFVLR-AVA transonic wind tunnel  
[DGLR PAPER 85-090] p 508 N86-35153
- Wake hazard alleviation associated with roll oscillations of wake-generating aircraft p 624 N86-41693
- Eigenstructure assignment, eigensensitivity, and flight control design p 680 N86-42912
- The effect of rain and contamination of the front surface on the in-flight behavior of aircraft during roll. II p 688 N86-43938
- Preliminary design of low authority SAS. II --- stability augmentation system p 724 N86-45058
- A review of dynamic inflow and its effect on experimental correlations p 157 N86-15293
- Analysis of dynamic stability derivatives for high angle of attack aircraft p 414 N86-22546
- ROLL FORMING**
- Textures developed in Al-Li-Cu-Mg alloy p 660 N86-40291
- ROLLER BEARINGS**
- Lubrication and performance of high-speed rolling-element bearings p 248 N86-19375
- Review and critical analysis: Rolling-element bearings for system life and reliability  
[NASA-CR-174710] p 525 N86-24991
- Aircraft and Bearing Tribological Systems  
[AGARD-CP-394] p 677 N86-29236
- Design and calculation of high speed engine bearings p 677 N86-29241
- ROLLING CONTACT LOADS**
- Equations of rolling for a wheel with an elastic tire p 96 N86-13369
- ROLLING MOMENTS**
- Semiempirical method for predicting vortex-induced rolling moments  
[NASA-TM-87579] p 147 N86-14222

- Estimation of sideforce, yawing moment and rolling moment derivatives due to rate of yaw for complete aircraft at subsonic speeds  
[ESDU-84002] p 240 N86-17357
- ROOM TEMPERATURE**
- Development of optical diaphragm deflection sensors  
[NASA-CR-175008] p 194 N86-15113
- ROOT-MEAN-SQUARE ERRORS**
- Improving the interpretability of an aircraft attitude indicator  
[AD-A166329] p 719 N86-29817
- ROTARY ENGINES**
- High performance, stratified charge rotary engines for general aviation  
[AIAA PAPER 86-1553] p 647 A86-42710
- Rotary grows up p 720 A86-44007
- Stratified charge rotary engine for general aviation  
[ASME PAPER 86-GT-181] p 815 A86-48231
- ROTARY GYROSCOPES**
- Concept and performance analysis of a strapdown northfinder p 349 A86-28361
- ROTARY STABILITY**
- Reflections regarding recent rotary rig results  
[AIAA PAPER 86-0123] p 241 A86-19703
- Prediction of blade flutter in a tuned rotor  
[ASME PAPER 85-IGT-100] p 302 A86-23899
- Effects of analytical modeling assumptions on the predicted stability of a model hingeless rotor p 490 A86-35605
- Characteristics pertaining to a stiffness cross-coupled Jeffcott model  
[ASME PAPER 85-DET-144] p 523 A86-37071
- Advances in aero engine dynamics  
[AIAA PAPER 86-1677] p 648 A86-42788
- Application of rotor induced velocity field of the vortex theory to the study of stability and controllability of helicopter with hingeless rotor p 705 A86-43477
- Active suppression of compressor instabilities  
[AIAA PAPER 86-1914] p 690 A86-45410
- Recent developments in rotary-balance testing of fighter aircraft configurations at NASA Ames Research Center p 582 N86-27242
- ROTARY WING AIRCRAFT**
- Aeromechanical stability analysis of a hybrid heavy lift multirotor vehicle in hover p 110 A86-14530
- Response of a rotorcraft model with damping non-linearities p 162 A86-17698
- Laboratory and flight testing of ballistic protective headgear for rotary wing aircrew p 261 A86-19344
- An estimation of the wall interference on a two-dimensional circulation control airfoil  
[AIAA PAPER 86-0738] p 273 A86-24732
- Application of modern structural optimization to vibration reduction in rotorcraft p 352 A86-26587
- Flight investigation of a multivariable model-following control system for rotorcraft  
[AIAA PAPER 86-9779] p 443 A86-32114
- Specific excess power applications for rotary wing aircraft  
[AIAA PAPER 86-9810] p 431 A86-32137
- Design of the CL-227 air vehicle p 487 A86-34924
- U. S. Army plans to evaluate Canadair CL-227 sentinel p 495 A86-36821
- Canadair rotary wing, full scale engineering development. III p 575 A86-37330
- Review of dynamic inflow modeling for rotorcraft flight dynamics  
[AIAA PAPER 86-0845] p 584 A86-38893
- Rotorcraft propulsion for year 2000 plus  
[AIAA PAPER 86-1543] p 646 A86-42702
- Small engine technology payoffs for future commuter aircraft  
[AIAA PAPER 86-1544] p 646 A86-42703
- Rotary-wing aircraft terrain-following/terrain-avoidance system development  
[AIAA PAPER 86-2147] p 823 A86-47456
- Assessment of aerodynamic and dynamic models in a comprehensive analysis  
[NASA-TM-86835] p 76 N86-13286
- Tradeoff analysis of technology needs for public service helicopters  
[NASA-CR-3927] p 100 N86-13317
- Fundamental study of flow field generated by rotorcraft blades using wide-field shadowgraph  
[NASA-CR-176443] p 152 N86-15249
- Rotorcraft Dynamics 1984  
[NASA-CP-2400] p 167 N86-15280
- Ground resonance analysis using a substructure modeling approach p 176 N86-15282
- Test results from a dynamic model dynaflex rotor p 167 N86-15285
- Development of an unsteady aerodynamics model to improve correlation of computed blade stresses with test data p 156 N86-15288

- An investigation of the use of bandwidth criteria for rotorcraft handling-qualities specifications  
[AD-A160664] p 294 N86-18319
- The US Army's LHX (light helicopter family) program  
[AD-A161949] p 437 N86-23591
- Swashplate control system  
[NASA-CASE-ARC-11833-1] p 511 N86-24700
- KRASH85 user's guide: Input/output format  
[DOT/FAA/CT-85/10-REV] p 618 N86-27926
- Rotor/wing aerodynamic interactions in hover  
[NASA-TM-88255] p 629 N86-28060
- Identification of linearized equations of motion for the fixed wing configuration of the rotor systems research aircraft  
[NASA-CR-176977] p 631 N86-28917
- Formal optimization of hovering performance using free wake lifting surface theory  
[NASA-CR-177103] p 640 N86-28935
- Investigation of an advanced fault tolerant integrated avionics system  
[NASA-CR-176980] p 642 N86-28945
- Variable area radial turbine fabrication and test program  
[NASA-CR-175091] p 651 N86-28947
- A trade-off study of tilt rotor aircraft versus helicopters using VASCOMP 2 and HESCOMP  
[AD-A167719] p 808 N86-31575
- ROTARY WINGS**
- Analytical method for considering the elasticity of the blades in the aerodynamic calculation of a helicopter propeller p 96 A86-13421
- Computation of rotor blade flows using the Euler equations  
[AIAA PAPER 85-5010] p 84 A86-14455
- Solution of transonic flow past rotor blades using the conservative full potential equation  
[AIAA PAPER 85-5012] p 84 A86-14456
- Velocity measurements in the near field of a rotor blade in hover  
[AIAA PAPER 85-5013] p 84 A86-14457
- Methods for rotor aerodynamic and dynamic analysis p 161 A86-17068
- Aeroelastic model helicopter rotor testing in the Langley TDT — Transonic Dynamics Tunnel p 163 A86-18402
- Interpretation and evaluation of fatigue properties of cast, HIP and heat treated titanium UH-60A M. R. Hub p 183 A86-18434
- Methods of full scale fatigue testing the Apache helicopter rotor systems p 180 A86-18439
- A rig for the fatigue testing of rotor hubs p 180 A86-18440
- A three-dimensional viscous flow analysis for the helicopter tip vortex generation process about square and round tipped blades  
[AIAA PAPER 86-0560] p 203 A86-19949
- The critical role of computational fluid dynamics in rotary-wing aerodynamics  
[AIAA PAPER 86-0336] p 204 A86-19971
- Scaling of helicopter main rotor noise in hover  
[AIAA PAPER 86-0393] p 265 A86-22699
- Stall flutter of helicopter blade p 306 A86-25205
- Improvement of two blade sections for helicopter rotors p 288 A86-26103
- An experimental investigation of the parallel blade-vortex interaction p 276 A86-26106
- Radial distribution circulation of a rotor in hover measured by laser velocimeter p 276 A86-26110
- Theoretical prediction of running-time measurements in unsteady flow — for various shapes of rotor blade tips p 276 A86-26112
- A theoretical analysis of the effect of thrust-related turbulence distortion on helicopter rotor low-frequency broadband noise p 289 A86-26113
- Design of the 225-knot conventional rotor p 289 A86-26116
- Investigation on a small scale model of ducted composite counterrotating rotor p 289 A86-26119
- Helicopter active control with blade stall alleviation modal capability p 307 A86-26136
- A nonlinear model of aeroelastic behaviour of rotor blades in forward flight p 290 A86-26139
- Nonlinear analysis for dynamic behaviours of a coupled rotational vibration system near its critical speed p 291 A86-26143
- Hover test of a full-scale hingeless rotor p 291 A86-26144
- Tests on a new dynamically scaled model rotor in the RAE 24 ft Wind Tunnel p 292 A86-26162
- HC-Mk1 (Chinook) heated rotor blade icing test. I - Test vehicle, test site, approach and summary of testing p 293 A86-26167
- HC-Mk1 (Chinook) heated rotor blade icing test. II - Analysis of atmospheric conditions, aircraft and systems characteristics p 293 A86-26168
- Helicopter attitude stabilization using individual-blade-control p 307 A86-26170

- Structural dynamic aspects of rotor antiresonant isolation p 353 A86-27663
- Kinematic observers for rotor control p 366 A86-27664
- The prediction of flow around blade tips p 337 A86-27668
- The NASA modern technology rotors program  
[AIAA PAPER 86-9788] p 440 A86-32120
- Stability of a nonlinear stochastic system under periodic excitation — for helicopter rotor vibration p 444 A86-32657
- Solution of the unsteady Euler equations for fixed and rotor wing configurations p 410 A86-32779
- A new look at arbitrary motion unsteady aerodynamics and its application to rotary-wing aeroelasticity p 413 A86-33238
- Structural dynamic aspects of rotor nodal isolation p 434 A86-33267
- A method for numerical analysis of the dynamics of a controlled rotor blade of a helicopter p 486 A86-33998
- Analytic representation of steady and unsteady aerodynamic coefficients of modern helicopter rotors  
[DGLR PAPER 85-114] p 474 A86-35167
- Helicopter gust alleviation, attitude stabilization, and vibration alleviation using individual-blade-control through a conventional swash plate p 510 A86-35604
- Effects of analytical modeling assumptions on the predicted stability of a model hingeless rotor p 490 A86-35605
- Gearbox configuration analysis p 521 A86-35611
- Model helicopter blade slap at low tip speeds - Theoretical and experimental correlations p 535 A86-35621
- Free-tip-rotor wind-tunnel test results p 491 A86-35628
- Preliminary estimate of fatigue life for dynamic components of a new helicopter p 493 A86-35639
- Combining analysis and test for rotor blade development p 493 A86-35648
- Group studies of equations of the laminar boundary layer on a rotating wing p 476 A86-35994
- Real-time simulator for helicopter rotor wind-tunnel operations p 596 A86-37179
- Calculation of helicopter airfoil characteristics for high tip-speed applications p 541 A86-37769
- Full-scale tilt-rotor hover performance p 576 A86-37770
- Gust response of hingeless rotors p 576 A86-37772
- A unified formulation of rotor load prediction methods p 576 A86-37774
- Wind tunnel test of a model rotor with a free-tip  
[AIAA PAPER 86-1781] p 577 A86-37813
- Euler solutions for the flow around a hovering helicopter rotor  
[AIAA PAPER 86-1784] p 543 A86-37815
- Euler calculations for flowfield of a helicopter rotor in hover  
[AIAA PAPER 86-1782] p 577 A86-37849
- Unsteady aerodynamics of rapidly pitched airfoils  
[AIAA PAPER 86-1105] p 551 A86-38465
- Computation of transonic flow about helicopter rotor blades p 554 A86-39053
- A model for the equivalent bending characteristics of a composite beam p 667 A86-40361
- Helicopter rotor and engine sizing for preliminary performance estimation  
[AIAA PAPER 86-1756] p 638 A86-42829
- Application of harmonic analysis method to research on rotor airloads p 706 A86-43490
- Sinusoidal disturbance rejection with application to helicopter flight data estimation p 747 A86-44505
- On aerodynamic sound generation by airfoil-vortex interaction p 688 A86-44803
- Computation of rotor blade flows using the Euler equations p 689 A86-44891
- Calculation of transonic rotor noise using a frequency domain formulation  
[AIAA PAPER 86-1901] p 750 A86-45402
- Mid-field and far-field calculations of Blade-Vortex Interactions  
[AIAA PAPER 86-1854] p 753 A86-45476
- Concepts for reduction of blade-vortex interaction noise  
[AIAA PAPER 86-1855] p 753 A86-45477
- Surface pressure measurement during low speed two-dimensional blade-vortex interaction  
[AIAA PAPER 86-1856] p 753 A86-45478
- Rotor noise due to atmospheric turbulence ingestion. I - Fluid mechanics  
[AIAA PAPER 86-1857] p 754 A86-45479
- 10 years of rotor flows studies at ONERA - State of the art and future studies  
[ONERA, TP NO. 1986-49] p 692 A86-46185

- A study of the rotor wake in nap-of-the-earth p 767 A86-48653
- Program system of computer-aided design of helicopter rotor blade airfoil p 796 A86-48659
- The physical understanding on helicopter air and ground resonance p 798 A86-48660
- Numerical analysis of aeroelastic stability problem of helicopter rotor blade p 798 A86-48662
- Dynamic aspects in the design of advanced rotor systems p 798 A86-48663
- Rotor aeroelastic stability p 798 A86-48664
- Rotor-fuselage dynamic coupling characteristics of helicopter air and ground resonance p 799 A86-48666
- Implementation and verification of a comprehensive helicopter coupled rotor - Fuselage analysis p 799 A86-48667
- Oscillation equations for a helicopter rotor blade p 800 A86-48805
- A study of helicopter main rotor noise in hover [AIAA PAPER 86-1858] p 856 A86-49575
- Rotor tip vortex geometry measurements using the wide-field shadowgraph technique [AIAA PAPER 86-1780] p 778 A86-49580
- Vortex influence on oscillating airfoil at high angle-of-attack [AIAA PAPER 86-1837] p 779 A86-49592
- Recent developments in rotary-wing aerodynamic theory p 780 A86-49802
- Fundamental study of flow field generated by rotorcraft blades using wide-field shadowgraph [NASA-CR-176443] p 152 N86-15249
- Lifting surface theory for a helicopter rotor in forward flight p 156 N86-15287
- Optimal design application on the advanced aeroelastic rotor blade p 167 N86-15290
- Restructuring the rotor analysis program C-80 p 168 N86-15292
- An examination of the relations between rotor vibratory loads and airframe vibrations p 177 N86-15299
- Analysis of potential helicopter vibration reduction concepts p 178 N86-15302
- Standardised fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation [RAE-TR-84084] p 226 N86-17336
- Standardised fatigue loading sequences for helicopter rotors (Helix and Felix). Part 2: Final definition of Helix and Felix [RAE-TR-84085] p 226 N86-17337
- Effect of dynamic stall and elastic parameters on the fundamental mechanisms of helicopter vibrations [AD-A160022] p 237 N86-17355
- Calculation of helicopter airfoil characteristics for high tip-speed applications [AD-A160694] p 277 N86-18294
- Effects of blade-to-blade dissimilarities on rotor-body lead-lag dynamics [AD-A160497] p 293 N86-18317
- Elements of the aerodynamic theory of cyclogyro wing systems with concentrator effects [VTH-LR-338] p 279 N86-19294
- Hover and forward flight acoustics and performance of a small-scale helicopter rotor system [NASA-TM-88584] p 295 N86-19314
- Aerodynamics of two-dimensional blade-vortex interaction [AD-A160682] p 295 N86-19315
- A revision of the actuator disk concept and momentum theory - rotary wing flow [REPT-R-732-D] p 341 N86-20374
- Two methods for viscous and inviscid free-wake analysis of helicopter rotors [AD-A161513] p 342 N86-21521
- Unsteady aerodynamics in time and frequency domains for finite-time arbitrary motion of helicopter rotor blades in hover and forward flight p 414 N86-22548
- Documentation of ice shapes accreted on the main rotor of a UH-1H helicopter in level flight [NASA-CR-175088] p 420 N86-22559
- Standardized fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation. Part 2: Final definition of Helix and Felix [LBF-FB-167] p 436 N86-23585
- Helicopter rotor noise due to ingestion of atmospheric turbulence [NASA-CR-3973] p 535 N86-25216
- Cost estimating relationships for fixed wing aircraft: List price versus empty weight [AD-A164196] p 537 N86-25300
- Six degree-of-freedom LIVE isolation systems, part 1 [NASA-CR-177828] p 587 N86-26331
- La recherche aérospatiale. Bimonthly bulletin, no. 1984-6, November - December 1984 [ESA-TT-907] p 559 N86-27217
- A vortex point method for calculating inviscid incompressible flows around rotary wings p 612 N86-27219
- Dynamic stall modeling of the NACA 0012 profile p 559 N86-27222
- Wind-tunnel acoustic results of two rotor models with several tip designs [NASA-TM-87698] p 682 N86-28701
- Individual-blade-control research in the MIT VTOL Technology Laboratory 1977-1985 [NASA-CR-177121] p 654 N86-28954
- A new look at arbitrary motion unsteady aerodynamics and its application to rotary-wing aeroelasticity p 696 N86-30638
- Structural dynamic aspects of rotor model isolation - helicopters p 715 N86-30665
- Aeroelastic considerations for torsionally soft rotors [NASA-TM-87687] p 745 N86-31070
- Fatigue resistance of high quality steels under multiaxial load [ETN-86-97878] p 851 N86-32785
- ROTATING BODIES**
- Measurements of rotating bubble shapes in low-gravity environment p 251 A86-21996
- Flow field survey near the rotational plane of an advanced design propeller on a JetStar airplane [NASA-TM-86037] p 207 N86-16196
- Airborne tracking Sun photometer apparatus and system [NASA-CASE-ARC-11622-1] p 394 N86-21982
- Normal force characteristics of sharp nosed bodies of revolution at high angles of attack in subsonic and transonic flow p 527 N86-25555
- New rotary rig at RAE and experiments on HIRM p 562 N86-27243
- ROTATING CYLINDERS**
- Flows past a rotating circular cylinder at high Reynolds number p 688 A86-43533
- ROTATING DISKS**
- The solution of the thermal elastic-plastic problem of turbine disk by the incremental finite element method [ASME PAPER 85-IGT-112] p 317 A86-23909
- The effect of limiting aerodynamic and structural coupling in models of mistuned bladed disk vibration p 363 A86-26905
- Analytical and experimental investigation of the coupled bladed disk/shaft whirl of a cantilevered turbofan [ASME PAPER 86-GT-98] p 813 A86-48163
- ROTATING ENVIRONMENTS**
- The effect on radiated noise of non-zero propeller rotational plane attitude [AIAA PAPER 86-1926] p 750 A86-45417
- Laser fringe anemometry for aero engine components [NASA-TM-88798] p 629 N86-28053
- ROTATING SHAFTS**
- Analytical and experimental investigation of the coupled bladed disk/shaft whirl of a cantilevered turbofan [ASME PAPER 86-GT-98] p 813 A86-48163
- ROTATING STALLS**
- Performance deterioration during rotating stall in axial compressors p 644 A86-40738
- Resonant cavities for stall recovery in gas turbine engines [AD-D011891] p 175 N86-15317
- ROTATION**
- Two methods for viscous and inviscid free-wake analysis of helicopter rotors [AD-A161513] p 342 N86-21521
- Numerical simulation of vortices shed behind a rotating wing p 418 N86-23862
- ROTOR AERODYNAMICS**
- Computation of rotor blade flows using the Euler equations [AIAA PAPER 85-5010] p 84 A86-14455
- Solution of transonic flow past rotor blades using the conservative full potential equation [AIAA PAPER 85-5012] p 84 A86-14456
- Velocity measurements in the near field of a rotor blade in hover [AIAA PAPER 85-5013] p 84 A86-14457
- Studies of rotor-airframe interactions in forward flight [AIAA PAPER 85-5015] p 97 A86-14458
- Multistage compressor stator/rotor interaction p 85 A86-14556
- Calculation of unsteady fan rotor response caused by downstream flow distortions p 85 A86-14558
- Methods for rotor aerodynamic and dynamic analysis p 181 A86-17068
- Noise of counter-rotation propellers with nonsynchronous rotors p 193 A86-17768
- Aeroelastic model helicopter rotor testing in the Langley TDT - Transonic Dynamics Tunnel p 163 A86-18402
- Stability of limit cycles in frictionally damped and aerodynamically unstable rotor stages p 174 A86-19196
- Vortex-airfoil interaction tests [AIAA PAPER 86-0354] p 201 A86-19833
- The critical role of computational fluid dynamics in rotary-wing aerodynamics [AIAA PAPER 86-0336] p 204 A86-19971
- Dynamic analysis of complex composite rotor systems with substructure transfer matrix method [ASME PAPER 85-GT-74] p 235 A86-22049
- The development of a second-generation of Controlled Diffusion Airfoils for multistage compressors [ASME PAPER 85-IGT-9] p 271 A86-23830
- Recent advances in helicopter aerodynamics [ONERA, TP NO. 1985-166] p 273 A86-24642
- Improvement of two blade sections for helicopter rotors p 288 A86-26103
- A consistent mathematical model to simulate steady and unsteady rotor-blade aerodynamics p 276 A86-26108
- Radial distribution circulation of a rotor in hover measured by laser velocimeter p 276 A86-26110
- A theoretical analysis of the effect of thrust-related turbulence distortion on helicopter rotor low-frequency broadband noise p 289 A86-26113
- Hover test of a full-scale hingeless rotor p 291 A86-26144
- A review of RAE experimental techniques for rotor dynamics and aerodynamics p 292 A86-26161
- Tests on a new dynamically scaled model rotor in the RAE 24 ft Wind Tunnel p 292 A86-26162
- Forced response analysis of an aerodynamically detuned supersonic turbomachine rotor p 363 A86-26902
- Semi-empirical simulation of steady and unsteady rotor blade aerodynamic loading p 336 A86-27656
- Analysis of the wing/rotor and rotor/rotor interactions present in tilt-rotor aircraft p 353 A86-27657
- Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics p 353 A86-27661
- A wake model for high resolution airloads p 336 A86-27666
- Free wake model of hovering rotors having straight or curved blades p 337 A86-27667
- The prediction of flow around blade tips p 337 A86-27668
- Aerodynamic and structural detuning of supersonic turbomachine rotors p 440 A86-31595
- Influence of high-order dynamics on helicopter flight-control system bandwidth p 442 A86-31680
- A method for numerical analysis of the dynamics of a controlled rotor blade of a helicopter p 466 A86-33998
- Higher harmonic control - Wind tunnel demonstration of fully effective vibratory hub force suppression p 509 A86-35602
- Free-tip-rotor wind-tunnel test results p 491 A86-35628
- A new approach to the free wake problem for hovering rotors p 475 A86-35633
- Applied aerodynamics of circulation control airfoils and rotors p 475 A86-35634
- Aerodynamic performance of a 27-percent-scale AH-64 wind-tunnel model with baseline/advanced rotor blades p 492 A86-35635
- Hovering rotor airload prediction using a full potential flow analysis with realistic wake geometry p 475 A86-35636
- The aerodynamics of rotor blades with ice shapes accreted in hover and in level flight p 476 A86-35655
- The importance of dynamic stall in aerodynamic modeling of the Darrieus rotor p 528 A86-36448
- Effectiveness of current dynamic-inflow models in hover and forward flight p 576 A86-37773
- A unified formulation of rotor load prediction methods p 576 A86-37774
- Wind tunnel test of a model rotor with a free-tip [AIAA PAPER 86-1781] p 577 A86-37813
- Euler solutions for the flow around a hovering helicopter rotor [AIAA PAPER 86-1784] p 543 A86-37815
- Review of dynamic inflow modeling for rotorcraft flight dynamics [AIAA PAPER 86-0845] p 584 A86-38893
- Recent developments in the dynamics of advanced rotor systems. I p 586 A86-39597
- Theoretical and experimental analysis of highspeed propeller aerodynamics [AIAA PAPER 86-1549] p 626 A86-42706
- Knowledge-based systems for rotorcraft aerodynamic diagnostics [AIAA PAPER 86-1678] p 648 A86-42789
- Multi-stage compressor airfoil aerodynamics. I - Airfoil potential flow analysis [AIAA PAPER 86-1744] p 627 A86-42822
- Application of harmonic analysis method to research on rotor airloads p 706 A86-43490

Computation of rotor blade flows using the Euler equations p 689 A86-44891  
 Rotor noise due to atmospheric turbulence ingestion. II - Aeroacoustic results  
 [AIAA PAPER 86-1903] p 750 A86-45404  
 Rotor noise due to atmospheric turbulence ingestion. I - Fluid mechanics  
 [AIAA PAPER 86-1857] p 754 A86-45479  
 Rotor-strut interaction noise of a model fan  
 [AIAA PAPER 86-1871] p 755 A86-45491  
 Aerodynamics via acoustics - Application of acoustic formulas for aerodynamic calculations  
 [AIAA PAPER 86-1877] p 691 A86-45494  
 A study of the rotor/rotor interaction tones from a contra-rotating propeller driven aircraft  
 [AIAA PAPER 86-1894] p 756 A86-45505  
 10 years of rotor flows studies at ONERA - State of the art and future studies  
 [ONERA, TP NO. 1986-49] p 692 A86-46185  
 The physical understanding on helicopter air and ground resonance  
 p 798 A86-48660  
 Numerical analysis of aeroelastic stability problem of helicopter rotor blade  
 p 798 A86-48662  
 Rotor aeroelastic stability  
 p 798 A86-48664  
 Nonlinear dynamics or rotor/blade/casing rub interactions  
 [ASME PAPER 86-DE-6] p 818 A86-49620  
 Recent developments in rotary-wing aerodynamic theory  
 p 780 A86-49802  
 Three-dimensional, transonic rotor flow field reconstructed from holographic interferogram data  
 [NASA-TM-86816] p 188 A86-14555  
 Performance and loads data from a hover test of a full-scale XV-15 rotor  
 [NASA-TM-86833] p 152 A86-15243  
 Lifting surface theory for a helicopter rotor in forward flight  
 p 156 A86-15287  
 Validation of viscous and inviscid computational methods for turbomachinery components  
 [NASA-TM-87193] p 207 A86-16194  
 Rotor performance characteristics from an aeroacoustic helicopter wind-tunnel test program  
 [NASA-TM-87661] p 479 A86-24665  
 Passive eddy-current damping as a means of vibration control in cryogenic turbomachinery  
 [NASA-TP-2562] p 515 A86-24722  
 Dynamic stall modeling of the NACA 0012 profile  
 p 559 A86-27222  
 Rotor/wing aerodynamic interactions in hover  
 [NASA-TM-86255] p 629 A86-28060  
 Effects of blade-to-blade dissimilarities on rotor-body lead-lag dynamics  
 [NASA-TM-86828] p 639 A86-28079  
 An experimental and analytical method for approximate determination of the tilt rotor research aircraft rotor/wing download  
 [NASA-CR-176970] p 693 A86-29769  
 Effect of film cooling on the aerodynamic performance of a turbine cascade  
 p 742 A86-29859  
 A new look at arbitrary motion unsteady aerodynamics and its application to rotary-wing aeroelasticity  
 p 696 A86-30638  
 A mathematical model of the Sea King Mk.50 helicopter aerodynamics and kinematics  
 [ARL-AERO-TM-379] p 808 A86-32425

**ROTOR BLADES**  
 Simulation of the effects of shock wave passing on a turbine rotor blade  
 [ASME PAPER 85-GT-112] p 77 A86-13067  
 Pressure fluctuations on rotor blades generated by blade-vortex interaction  
 p 86 A86-16122  
 Feasibility of simplifying coupled lag-flap-torsional models for rotor blade stability in forward flight  
 p 98 A86-16123  
 The effect of higher harmonic control (HHC) on a four-bladed hingeless model rotor  
 p 99 A86-16124  
 Experience with a new approach to rotor aeroelasticity  
 p 99 A86-16125  
 Model for analytically describing edge vortices  
 p 140 A86-16867  
 Transonic rotor flow-measurement technique using holographic interferometry  
 p 141 A86-17069  
 Development testing of the H-60 composite main rotor blade  
 p 163 A86-18404  
 Hovering model helicopter rotor testing  
 p 179 A86-18412  
 Verification of static rotor-load measurement capabilities of the RSRA helicopter active-isolator system  
 p 165 A86-18428  
 Influence of nonlinear blade damping on helicopter ground resonance instability  
 p 283 A86-23185  
 Prediction of blade flutter in a tuned rotor  
 [ASME PAPER 85-IGT-100] p 302 A86-23899  
 Vibration problems of jet engine rotor systems  
 p 304 A86-25219

Improvement of two blade sections for helicopter rotors  
 p 288 A86-26103  
 An experimental investigation of the influence of a range of aerofoil design features on dynamic stall onset  
 p 288 A86-26104  
 Some calculations of tip vortex - Blade loadings  
 p 276 A86-26107  
 A consistent mathematical model to simulate steady and unsteady rotor-blade aerodynamics  
 p 276 A86-26108  
 Comparative measurements of the unsteady pressures and the tip-vortex parameters of four oscillating wing tip models  
 p 276 A86-26109  
 Theoretical prediction of running-time measurements in unsteady flow --- for various shapes of rotor blade tips  
 p 276 A86-26112  
 Feasibility of simplifying coupled lag-flap-torsional models for rotor blade stability in forward flight  
 p 290 A86-26138  
 Nonlinear analysis for dynamic behaviours of a coupled rotational vibration system near its critical speed  
 p 291 A86-26143  
 Tests on a new dynamically scaled model rotor in the RAE 24 ft Wind Tunnel  
 p 292 A86-26162  
 Helicopter attitude stabilization using individual-blade-control  
 p 307 A86-26170  
 Semi-empirical simulation of steady and unsteady rotor blade aerodynamic loading  
 p 336 A86-27656  
 A wake model for high resolution airloads  
 p 336 A86-27666  
 Free wake model of hovering rotors having straight or curved blades  
 p 337 A86-27667  
 The prediction of flow around blade tips  
 p 337 A86-27668  
 A method for numerical analysis of the dynamics of a controlled rotor blade of a helicopter  
 p 486 A86-33998  
 Measurements regarding the emission angle dependence of propeller-acoustic pressure/time signals, taking into account passing flight conditions  
 [DGLR PAPER 85-112] p 534 A86-35165  
 Higher harmonic control - Vibration reduction for reduced weight --- for helicopters  
 [SAWE PAPER 1679] p 489 A86-35220  
 Design aspects of the XV-15 advanced technology blade program  
 p 492 A86-35630  
 Combining analysis and test for rotor blade development  
 p 493 A86-35648  
 A unified formulation of rotor load prediction methods  
 p 576 A86-37774  
 Rotor tip vortex geometry measurements using the wide-field shadowgraph technique  
 [AIAA PAPER 86-1780] p 778 A86-49580  
 The use of active controls to augment rotor/fuselage stability  
 p 176 A86-15281  
 The technical development of cooled gas turbine blades  
 [PNR-90292] p 255 A86-16595  
 National Transportation Safety Board safety recommendation  
 [NTSB-4357/1] p 699 A86-29792

**ROTOR BLADES (TURBOMACHINERY)**  
 Unsteady potential flow for oscillating airfoils  
 p 83 A86-14359  
 Ice shapes and the resulting drag increase for a NACA 0012 airfoil  
 [AIAA PAPER 84-0109] p 90 A86-14427  
 Multistage compressor stator/rotor interaction  
 p 85 A86-14556  
 Aerodynamic detuning analysis of an unstalled supersonic turbofan cascade  
 [ASME PAPER 85-GT-192] p 270 A86-22732  
 Stator row unsteady aerodynamics due to wake excitations  
 p 273 A86-24703  
 A review of RAE experimental techniques for rotor dynamics and aerodynamics  
 p 292 A86-26161  
 Helicopter model rotor-blade vortex interaction impulsive noise - Scalability and parametric variations  
 p 400 A86-27658  
 Influence of friction dampers on torsional blade flutter  
 [ASME PAPER 85-GT-170] p 441 A86-32957  
 Passive control of aerodynamically forced vibrations of supersonic turbomachine rotors by splitter blades  
 [AIAA PAPER 86-0844] p 590 A86-38892  
 Computation of transonic flow about helicopter rotor blades  
 p 554 A86-39053  
 Experience with laboratory LDA by measuring flow fields in rotating turbomachinery  
 p 672 A86-43109  
 Modelling of acoustic radiation problems associated with turbomachinery and rotating blades  
 p 749 A86-44805  
 Influence of rotor blade aerodynamic loading on the performance of a highly loaded turbine stage  
 [ASME PAPER 86-GT-56] p 765 A86-48134  
 Splitter blades as an aeroelastic detuning mechanism for unstalled supersonic flutter of turbomachine rotors  
 [ASME PAPER 86-GT-99] p 813 A86-48164

The mechanical design of gas turbine blading in cast superalloys  
 [PNR-90247] p 237 A86-16223  
 Effects of planform geometry on hover performance of a 2-meter-diameter model of a four-bladed rotor  
 [NASA-TM-87607] p 340 A86-20358  
 Wind tunnel tests of rotor blade sections with replications of ice formations accreted in hover  
 [NASA-CR-175089] p 420 A86-22558  
 MEP: A program for cross section magnitudes of a multicell wing profile  
 [VTH-M-487] p 459 A86-23013  
 A combined integrating and differentiating matrix formulation for boundary value problems on rectangular domains  
 [NASA-CR-178074] p 466 A86-23350  
 Rotor performance characteristics from an aeroacoustic helicopter wind-tunnel test program  
 [NASA-TM-87661] p 479 A86-24665  
 Dynamic stall of swept and unswept oscillating wings  
 p 560 A86-27226  
 A critical look at dynamic simulation of viscous flow  
 p 560 A86-27230  
 Effects of blade-to-blade dissimilarities on rotor-body lead-lag dynamics  
 [NASA-TM-86828] p 639 A86-28079  
 A supersonic fan equipped variable cycle engine for a Mach 2.7 supersonic transport  
 [NASA-CR-177141] p 650 A86-28946  
 An experimental and analytical investigation of isolated rotor flap-lag stability in forward flight  
 [NASA-CR-177028] p 654 A86-28957  
 An investigation of tip planform influence on the aerodynamic load characteristics of a semi-span, unswept wing and wing-tip  
 [NASA-CR-177110] p 693 A86-29766  
 Flap-lag-torsional dynamics of helicopter rotor blades in forward flight  
 [NASA-CR-176976] p 714 A86-29810  
 Wake-passing in a turbine rotor cascade  
 p 741 A86-29830  
 Effect of film cooling on the aerodynamic performance of a turbine cascade  
 p 742 A86-29859  
 Aerodynamic effect of coolant ejection in the rear part of transonic rotor blades  
 p 742 A86-29861  
 Preliminary instrumentation for aeroelastic tests at the compressor level --- turbocompressor test bench  
 [ONERA-RT-95/7108-RY-054-R] p 743 A86-30219

**ROTOR BODY INTERACTIONS**  
 Aeromechanical stability analysis of a hybrid heavy lift multirotor vehicle in hover  
 p 110 A86-14530  
 Applications of an analysis of axisymmetric body effects on rotor performance and loads  
 p 289 A86-26105  
 Analysis of the wing/rotor and rotor/rotor interactions present in tilt-rotor aircraft  
 p 353 A86-27657  
 Structural dynamic aspects of rotor nodal isolation  
 p 434 A86-33267  
 Calculation of the steady-state transverse vibrations of the system rotors-housing of a gas-turbine engine  
 p 503 A86-36741  
 Coupled aeroelastic hub loads reduction  
 p 799 A86-48665  
 Rotor-fuselage dynamic coupling characteristics of helicopter air and ground resonance  
 p 799 A86-48666  
 Nonlinear dynamics or rotor/blade/casing rub interactions  
 [ASME PAPER 86-DE-6] p 818 A86-49620  
 The use of active controls to augment rotor/fuselage stability  
 p 176 A86-15281  
 Rotor/wing aerodynamic interactions in hover  
 [NASA-TM-86255] p 629 A86-28060  
 Effects of blade-to-blade dissimilarities on rotor-body lead-lag dynamics  
 [NASA-TM-86828] p 639 A86-28079

**ROTOR LIFT**  
 Preliminary report on in-flight measurement of rotor hub drag and lift using the RSRA  
 [NASA-TM-86764] p 100 A86-13319

**ROTOR SPEED**  
 High speed rotor noise due to blade loading  
 [AIAA PAPER 86-1902] p 750 A86-45403  
 Evaluation of the blade-to-blade flow from a high speed compressor rotor  
 [ASME PAPER 86-GT-117] p 765 A86-48176  
 Parametric study of the aeroelastic stability of a bearingless rotor  
 p 176 A86-15283

**ROTOR SYSTEMS RESEARCH AIRCRAFT**  
 Verification of static rotor-load measurement capabilities of the RSRA helicopter active-isolator system  
 p 165 A86-18428  
 Flight testing the fixed wing configuration of the Rotor Systems Research Aircraft (RSRA)  
 p 223 A86-21064  
 Flight test planning and parameter extraction for rotorcraft system identification  
 [AIAA PAPER 86-9772] p 430 A86-32107

- RSRA flight development test in the airplane configuration — Rotor Systems Research Aircraft p 493 A86-35653
- X-wing rotor systems test vehicle scheduled for flight in October p 707 A86-44001
- Preliminary report on in-flight measurement of rotor hub drag and lift using the RSRA [NASA-TM-86784] p 100 N86-13319
- Evaluation of a load cell model for dynamic calibration of the rotor systems research aircraft p 168 N86-15304
- Identification of linearized equations of motion for the fixed wing configuration of the rotor systems research aircraft [NASA-CR-176977] p 631 N86-28917
- ROTORCRAFT AIRCRAFT**
- Longitudinal stability of a hovering, tethered rotorcraft p 109 A86-14235
- The wind tunnel as a design tool p 179 A86-18429
- Variable cyclic turboshaft technology for rotorcraft of the '90s p 233 A86-20371
- Rotorcraft trends. II - Requirements and monitoring p 287 A86-25089
- International Conference on Rotorcraft Basic Research, Research Triangle Park, NC, February 19-21, 1985, Proceedings p 335 A86-27651
- A study of the static post buckling behavior of composite sandwich plates p 383 A86-27653
- Effects of side-stick controllers on rotorcraft handling qualities for terrain flight p 366 A86-27659
- Description and initial flight experiments - Boeing ARTI test bed — Advanced Rotorcraft Technology Integration p 493 A86-35652
- The performance characteristics of simulated ice on rotorcraft airfoils p 482 A86-35656
- Crashworthy design of rotorcraft - A basic research approach p 494 A86-35665
- Experimental investigation of rotorcraft hub and shaft fairing drag reduction p 577 A86-37814
- Advanced technology payoffs for future rotorcraft, commuter aircraft, cruise missile, and APU propulsion systems [AIAA PAPER 86-1545] p 638 A86-42704
- Modern developments in rotorcraft technology [MBB-UD-458-85-OE] p 805 A86-49509
- Tradeoff analysis of technology needs for public service helicopters [NASA-CR-3927] p 100 N86-13317
- ROTORS**
- Numerical modeling of rotor flows with a conservative form of the full-potential equations [AIAA PAPER 86-0079] p 198 A86-19676
- A holographic study of the vibrational modes of aircraft engine rotors p 301 A86-23756
- Equivalent stiffness and damping coefficients for squeeze film dampers p 319 A86-25751
- Dynamic analysis of structures with flexible rotors p 441 A86-33266
- Characteristics pertaining to a stiffness cross-coupled Jeffcott model [ASME PAPER 85-DET-144] p 523 A86-37071
- Linear dynamic coupling in geared rotor systems [ASME PAPER 85-DET-11] p 608 A86-38617
- Improved compressor performance using recessed clearance (trenches) over the rotor [AIAA PAPER 86-1745] p 649 A86-42823
- The effect of a downstream rotor on the measured performance of a transonic turbine nozzle [ASME PAPER 86-GT-103] p 814 A86-48166
- Broadband noise of propellers and rotors p 855 A86-48596
- Preliminary report on in-flight measurement of rotor hub drag and lift using the RSRA [NASA-TM-86784] p 100 N86-13319
- Aeroelastic considerations for torsionally soft rotors p 157 N86-15289
- Stress analysis of 27% scale model of AH-64 main rotor hub [NASA-TM-87625] p 256 N86-16613
- A simulation of rotor-stator interaction using the Euler equations and patched grids [NASA-TM-86821] p 264 N86-17014
- Vortex conception of rotor and mutual effect of screw/propellers [NASA-TM-77979] p 342 N86-21510
- One-piece HPTR blade squealer tip [AD-D012003] p 504 N86-24698
- Swashplate control system [NASA-CASE-ARC-11633-1] p 511 N86-24700
- Unsteady heat transfer and direct comparison to steady-state measurements in a rotor-wake experiment [NASA-TM-87220] p 524 N86-24934
- The effects on rotor nonuniform inflow harmonic content of uneven circumferential distribution of jet engine inlet guide vanes [AD-A164629] p 555 N86-26291
- The Shock and Vibration Digest, volume 18, no. 1 [AD-A165726] p 612 N86-27468
- Laser fringe anemometry for aero engine components [NASA-TM-88798] p 629 N86-28053
- Analytical investigation of rotor wake formation and geometry [NASA-CR-177032] p 693 N86-29768
- Multi-variable control of the GE T700 engine using the LQG/LTR design methodology [NASA-CR-177080] p 721 N86-29819
- ROUTES**
- An investigation of TNAV equipped aircraft in a simulated en route metering environment [NASA-CR-178031] p 641 N86-28940
- RUBBER**
- Rubber removal specification development [FAA/PM-85/33] p 371 N86-21555
- Runway rubber removal specification development: Field evaluation results and data analysis [FAA/PM-85/32] p 448 N86-23607
- RUBBER COATINGS**
- Runway rubber removal specification development [DOT/FAA/PN-85/33] p 372 N86-21556
- RUDERS**
- Problems in rudder design for small transport aircraft p 306 A86-23781
- Identification of unsteady response in rudders at low velocities [AAAF PAPER NT 85-19] p 797 A86-48468
- RUN TIME (COMPUTERS)**
- A new fast solver procedure applied to the BGK computer program for transonic flow past an airfoil p 83 A86-14360
- The possibility of achieving high productivity with vector-pipeline processors in solving problems of mathematical physics p 531 A86-36574
- Three-dimensional flight-path reconstruction by means of spline approximation [NLR-TR-83091-U] p 228 N86-17347
- RUNGE-KUTTA METHOD**
- Summary report on the working group on conference 2: Solutions of the Euler equations p 148 N86-14227
- Procedure for solution of the Navier-Stokes equations at Dornier GmbH p 149 N86-14238
- A survey of numerical methods for the calculation of inviscid, possibly rotational Euler flows around aeronautical configurations [NLR-TR-83130-U] p 258 N86-17699
- An Euler aerodynamic method for leading-edge vortex flow simulation p 558 N86-27203
- RUNWAY CONDITIONS**
- Aircraft field repair p 115 A86-13172
- Waves due to a steadily moving source on a floating ice plate — used as aircraft runway p 124 A86-13535
- Damaged runway options explored p 75 A86-15600
- Influence of rough runways on undercarriage design p 166 A86-19277
- Small stone impact testing — runway debris causing aircraft damage p 279 A86-23020
- The extension of the Madeira airport runway - A unique task p 447 A86-31012
- A review of computer simulations for aircraft-surface dynamics p 432 A86-32776
- Simulation of aircraft taxi testing on the AGILE shaker test facility p 448 A86-33265
- Head-up display (HUD) utility. II - Runway to HUD transitions monitoring eye focus and decision times p 498 A86-33802
- The optimal take-off run of an aircraft on an unpaved surface p 494 A86-35978
- Generic aircraft ground operation simulation [AIAA PAPER 86-0989] p 584 A86-38865
- Rubber removal specification development [FAA/PM-85/33] p 371 N86-21555
- Runway rubber removal specification development [DOT/FAA/PN-85/33] p 372 N86-21556
- Runway rubber removal specification development: Field evaluation results and data analysis [FAA/PM-85/32] p 448 N86-23607
- RUNWAY LIGHTS**
- Glide slope indicator system [AD-D012077] p 424 N86-23580
- RUNWAYS**
- Long taxi rolls can lead to catastrophic blow-outs p 157 A86-17063
- High-speed braking of an aircraft tire on grooved surfaces p 162 A86-17787
- Aircraft flotation analysis - Current methods and perspective — of ground performance evaluation [SAE PAPER 851936] p 580 A86-38369
- Runway requirements in instrument flight traffic at regional airports and commercial landing areas p 635 A86-41873
- CBR (California Bearing Ratio) design of flexible airfield pavements with case study [AD-A158101] p 113 N86-12242
- Abrasion behavior of aluminum and composite skin coupons, stiffened skins and stiffened panels representative of transport airplane structures [NASA-TP-2520] p 100 N86-13316
- A durable airfield marking system [AD-A157953] p 113 N86-13339
- Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements [AD-A158004] p 181 N86-15324
- Surface properties-vehicle interaction [PB85-242576] p 255 N86-16428
- Estimation of load exceedances of an aircraft under carriage with nonlinear properties excited by random runway unevenness [NLR-TR-84030-U] p 228 N86-17348
- Evaluation of the FAA design procedures for high traffic volume pavements [DOT/FAA/PM-84/14] p 352 N86-20383
- The Stapleton microburst advisory service project: An operational viewpoint [AD-A161543] p 394 N86-21078
- Computed centerline MLS (Microwave Landing System) approach demonstration at Washington National Airport [AD-A163722] p 486 N86-24681
- Fireproof hydraulic brake system [AD-A163542] p 497 N86-24688
- Materials for emergency repair of runways [AD-A164225] p 514 N86-25385
- Math model study of a proposed glide slope for runway 13R, Dallas-Fort Worth Airport, Texas [AD-A164907] p 573 N86-26315
- Comparative study of nondestructive pavement testing, WES (Waterways Experiment Station) NDT (nondestructive tests) methodologies [AD-A163379] p 610 N86-26480
- An evaluation of the capability of the surface condition analyzer (SCAN) sensors to measure runway water depth [AD-A164719] p 611 N86-26603
- Use of NDE to evaluate reflection cracking in airfield pavements [AD-A164880] p 599 N86-27293
- Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements [AD-A165055] p 599 N86-27294
- Mechanistic methodology for airport pavement design with engineering fabrics. Volume 2: Advanced concepts, validation and criteria [DOT/FAA/PM-84/9,II-VOL-2] p 657 N86-28963
- The concept of almost-parallel IFR (Instrument Flight Rules) approaches to parallel runways [AD-A166485] p 704 N86-29804

## S

## S CURVES

- Calculation of external and internal transonic flow field of a three-dimensional shielded S-shaped inlet p 205 A86-22303

## S GLASS

- S-2 glass fiber - Its role in military applications p 377 A86-27702

## S WAVES

- Spectra of noise and amplified turbulence emanating from shock-turbulence interaction: Two scenarios [NASA-TM-88786] p 620 N86-27970

## S-N DIAGRAMS

- A model for the life variance of a structural element under irregular loading p 119 A86-13388
- Another look at generalized S-N curve shapes p 187 A86-18436
- Selection of fatigue S-N curves' within the framework of new aircraft development p 804 A86-49137
- Safe service life scattering coefficient j sub N (and/or eta sub 4) and the S-N curve p 804 A86-49138

## S-61 HELICOPTER

- Retrofit energy-absorbing crewseat for the SH-3 (S-61 series) Sea King helicopter p 793 A86-47736

## SAAB AIRCRAFT

- A comparison between acoustic mode measurements and acoustic finite element analysis performed for SAAB SF 340 — propeller-driven aircraft [FFA-TN-1986-22] p 856 N86-33125

## SABOTAGE

- Investigation of an aircraft accident by fractographic analysis p 418 A86-30097
- Effectiveness of the civil aviation security program [AD-A159511] p 158 N86-14260



## SAFETY

- Light helicopter family trade-off analysis. Volume 10: Appendices V, W, X, and Z  
[AD-A158079] p 169 N86-15309
- Operating and support hazard analysis for the self-contained navigation system LSI model 6216A, B and C group A  
[AD-A166815] p 704 N86-29806
- Subsystem hazard analysis for the LSI models 6216A, B and C self-contained navigation system group A  
[AD-A166816] p 705 N86-29807
- SAFETY DEVICES**  
VSTOL aircraft ice protection design considerations  
p 493 A86-35654
- Upper torso restraint systems --- for fixed wing and rotorcraft aircraft  
[SAE PAPER 851848] p 567 A86-38344
- Advanced emergency openings for commercial aircraft  
[NASA-TM-87580] p 91 N86-13305
- SAFETY FACTORS**  
STOLport London - A design for safety  
p 655 A86-40226
- A rationale for the safe operation of an aircraft fleet having known cracks in primary structure  
p 737 A86-43792
- SAFETY MANAGEMENT**  
The market price for air safety p 633 A86-40228
- The fire-hard airliner p 698 A86-44400
- Airports build for future traffic amid new security concern p 838 A86-48371
- Managing airworthiness p 785 A86-49035
- The airline engineering role in the management of safety p 762 A86-49084
- Galley and overhead compartment experiment results: Full-scale transport controlled impact demonstration  
[DOT/FAA/CT-85/33] p 343 N86-20378
- Proceedings of Cabin Safety Conference and Workshop held on 11-14 December 1984  
[AD-A160950] p 344 N86-21527
- Information on airport and airway trust fund revenues and outlays by states and large airports  
[PB86-129665] p 449 N86-23609
- Transportation safety recommendations adopted during the month of December 1985  
[PB85-916612] p 569 N86-26301
- SAGNAC EFFECT**  
Gyroscopes may cease spinning --- in inertial guidance systems p 320 A86-25865
- SAILS**  
China report: Science and technology  
[JPRS-CST-85-029] p 122 N86-12446
- Wingtip sails tested on Y-5 aircraft p 99 N86-12450
- SAILWINGS**  
Low speed aerodynamic characteristics of a two-dimensional sail wing with adjustable slack of the sail  
[VTH-LR-307] p 211 N86-17314
- SAMPLING**  
F100 fuel sampling analysis  
[AD-A161667] p 379 N86-21707
- Airborne lidar measurements of El Chichon stratospheric aerosols  
[NASA-RP-1166] p 616 N86-27835
- SANDWICH STRUCTURES**  
Dynamic response of a laminated plate with friction damping  
[ASME PAPER 85-DET-16] p 122 A86-16032
- A study of the static post buckling behavior of composite sandwich plates p 383 A86-27653
- Applying I. G. Bubnov's method to the solution of the natural vibration problem for a conical sandwich panel p 384 A86-28315
- Calculation of structural elements of aircraft: Sandwich plates and shells --- Russian book p 458 A86-33292
- Stability analysis of composite stiffened layer plates under compression p 735 A86-43495
- Buckling and initial post buckling analysis of composite panels under axial compression p 735 A86-43496
- Fire-retardant decorative inks for aircraft interiors  
[NASA-TM-88198] p 313 N86-18441
- SATELLITE COMMUNICATION**  
Applications of satellite communications technologies to International Civil Aviation p 702 A86-43708
- SATELLITE NAVIGATION SYSTEMS**  
Activities report in aerospace research, with data concerning the scientific committee NLR-NIVR, international cooperation concerning AGARD, DNW, GARTEUR and cooperation with Indonesia p 257 N86-17588
- SATELLITE NETWORKS**  
Future Aeronautical Communication System (FACS): Report  
[ETN-86-96959] p 673 N86-28309

## SATELLITE OBSERVATION

- Meteorat-derived quantitative measurements on volcanic ash plumes for warning to aviation p 566 A86-37478
- System and technology considerations for space-based air traffic surveillance  
[AIAA PAPER 86-1170] p 658 A86-40581
- Introduction to operational ASDAR system p 125 N86-12915
- SATELLITE TRANSMISSION**  
Introduction to operational ASDAR system p 125 N86-12915
- The role of a real-time flight support facility in flight research programs  
[NASA-TM-86805] p 311 N86-19330
- SCALE MODELS**  
Engine simulator techniques for scaled test cell studies  
[AIAA PAPER 85-1282] p 112 A86-14480
- Scaling of helicopter main rotor noise in hover  
[AIAA PAPER 86-0393] p 265 A86-22699
- Tests on a new dynamically scaled model rotor in the RAE 24 ft Wind Tunnel p 292 A86-26162
- The role of scale models in the design of 'low BVI noise' rotorcraft p 534 A86-35617
- A study of the structural integrity of the Canadair Challenger at ditching p 785 A86-49054
- Preliminary measurement of the noise from the 2/9 scale model of the Large-scale Advanced Propfan (LAP) propeller, SR-7A  
[NASA-TM-87116] p 129 N86-14006
- Test results from a dynamic model dynaflex rotor p 167 N86-15285
- Aircraft transparency testing: Artificial birds  
[AD-A166832] p 701 N86-30704
- SCALING LAWS**  
Verification and application of the icing scaling equations  
[AIAA PAPER 86-0481] p 343 A86-26640
- Analysis and verification of the icing scaling equations. Volume 1  
[AD-A162226] p 437 N86-23595
- SCANNING**  
Effects of digital altimetry on pilot workload  
[SAE PAPER 841489] p 327 A86-26019
- The SKYEY RPV - An NDI solution to today's unmanned aerial vehicle requirements p 712 A86-46134
- Effects of digital altimetry on pilot workload  
[NASA-TM-86424] p 126 N86-13892
- Ultrasonic f-scan inspection of composite materials  
[AD-A159974] p 314 N86-18451
- Design, development and integrate/install an airborne remote instrumentation system (AIREYE)  
[AD-A166755] p 719 N86-30728
- SCATTERING COEFFICIENTS**  
Safe service life scattering coefficient j sub N (and/or eta sub 4) and the S-N curve p 804 A86-49138
- SCAVENGING**  
Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 1  
[NASA-CR-174923-VOL-1] p 108 N86-13328
- Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 2  
[NASA-CR-174923-VOL-2] p 108 N86-13329
- Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 3  
[NASA-CR-174923-VOL-3] p 108 N86-13330
- SCENE ANALYSIS**  
Automatic exposure control employing scene statistics in reconnaissance cameras p 230 A86-19588
- Simulator scene display evaluation device  
[NASA-CASE-ARC-11504-1] p 840 N86-32447
- SCHEDULING**  
Simulation of time-control procedures for terminal area flow management p 484 A86-35369
- Development of a computerised method of determining aircraft maintenance intervals  
[AD-A161339] p 336 N86-21500
- Time-based air traffic management using expert systems  
[NASA-TM-88234] p 634 N86-28068
- SCHLIEREN PHOTOGRAPHY**  
Wake-passing in a turbine rotor cascade p 741 N86-29830
- SCHOOLS**  
Propulsion education at the Air Force Institute of Technology  
[AIAA PAPER 86-1754] p 684 A86-42827
- SCRAP**  
Requirements for recycling of valuable chips from and for aircraft manufacturing p 374 A86-27209
- Recycling of titanium scrap for the production of high-duty aerospace components p 382 A86-27211

## SCREEN EFFECT

- Self-similar supersonic gas flows through a permeable screen p 140 A86-16784
- An analysis of flow of a nonviscous incompressible fluid past a wing of finite thickness in the presence of a screen p 770 A86-48841
- SCRUBBERS**  
Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 3: On-Board Inert Gas Generator System (OBIGGS) studies. Part 2: Fuel scrubbing and oxygen evolution tests  
[AD-A167445] p 807 N86-31573
- SEA ICE**  
Waves due to a steadily moving source on a floating ice plate --- used as aircraft runway p 124 A86-13535
- SEA ROUGHNESS**  
Probabilistic modeling of fields of atmospheric turbulence and sea roughness with reference to the study of complex systems --- for flight control p 528 A86-36480
- SEA STATES**  
An investigation into the vertical axis control power requirements for landing VTOL type aircraft onboard nonaviation ships in various sea states  
[NASA-CR-176355] p 88 N86-13294
- SEA SURFACE TEMPERATURE**  
Comparison of sea surface temperatures obtained from an aircraft using remote and direct sensing techniques p 323 A86-23291
- SEALERS**  
A low temperature curing, quick repair, fuel resistant aircraft sealant p 115 A86-13082
- Improved temperature resistant sealants for composite & adhesive bonded fuel-tank structures p 246 A86-21736
- SEALS (STOPPERS)**  
Counterrotating intershaft seals for advanced engines p 121 A86-14554
- Ribbon-burner simulation of T-700 turbine shroud for ceramic-lined seals research p 106 A86-15225
- Experimental study of ceramic-coated tip seals for turbojet engines p 121 A86-15227
- 8000 psi hydraulic system seals and materials test program - A progress report  
[SAE PAPER 851913] p 580 A86-38367
- The influence of esters on elastomer seals  
[SAE PAPER 851868] p 602 A86-38535
- Dynamic response of film thickness in spiral-groove face seals  
[NASA-TP-2544] p 174 N86-15313
- SEAPLANES**  
Optimization of seaplanes  
[DGLR PAPER 85-170] p 488 A86-35189
- The optimization of seaplanes - New chances and requirements regarding flying boats p 707 A86-43930
- SEARCHING**  
Tradeoff analysis of technology needs for public service helicopters  
[NASA-CR-3927] p 100 N86-13317
- Search and Rescue (SAR) System developed as part of the contract signed with the Irish Air Corps for the supply of 365 F Dauphin aircraft  
[SNIAS-852-210-105] p 215 N86-17329
- SEAS**  
The anatomy of sea SKAD (Survival Kit Air Droppable) - A Canadian Forces/industry development program p 213 A86-19335
- SEAT BELTS**  
Upper torso restraint systems --- for fixed wing and rotorcraft aircraft  
[SAE PAPER 851848] p 567 A86-38344
- Data for the development of criteria for general aviation seat and restraint system performance  
[SAE PAPER 850851] p 568 A86-38511
- General aviation crashworthiness project, phase 3: Acceleration loads and velocity changes of survivable general aviation accidents  
[NTSB/SR-85/02] p 280 N86-18306
- Controlled impact demonstration seat/cabin restraint systems: FAA p 390 N86-21937
- Impact dynamics instrumentation p 392 N86-21948
- SEATS**  
The development of dynamic performance standards for general aviation aircraft seats  
[SAE PAPER 850853] p 97 A86-14449
- Development of mechanical components for advanced aircrew seating systems p 217 A86-19307
- Effect of seat cushions of human response to +Gz impact p 326 A86-25652
- The design and development of new crashworthy seats for Navy helicopters p 494 A86-35662
- Simulation of aircraft seat response to a crash environment p 530 A86-36879
- Data for the development of criteria for general aviation seat and restraint system performance  
[SAE PAPER 850851] p 568 A86-38511

- A procedure to evaluate aircraft crash floor pulses  
[SAE PAPER 850854] p 582 A86-38513
- Preliminary design research for the Caravan 1 crew seat  
[SAE PAPER 850856] p 582 A86-38514
- Retrofit energy-absorbing crewseat for the SH-3 (S-61 series) Sea King helicopter p 793 A86-47736
- Advancements in inertia reels for fixed seating aircraft p 784 A86-47744
- Segmented tubular cushion springs and spring assembly  
[NASA-CASE-ARC-11349-1] p 388 N86-20797
- CID overview p 390 N86-21834
- NASA experiments on the B-720 structure and seats p 390 N86-21836
- Controlled impact demonstration seat/cabin restraint systems: FAA p 390 N86-21837
- NASA seat experiment and occupant responses p 390 N86-21839
- Structural loads preliminary results p 391 N86-21940
- Preliminary floor, seat, and dummy data p 391 N86-21942
- A review of the pilot backache problem in the CH113 Labrador helicopter  
[AD-A164011] p 530 N86-25113
- Crash-resistant crewseat limit-load optimization through dynamic testing with cadavers  
[AD-A164828] p 569 N86-26298
- Seat experiment results of full-scale transport aircraft controlled impact demonstration  
[DOT/FAA/CT-85/25] p 701 N86-30702
- SECONDARY FLOW**
- Secondary flows and losses downstream of a turbine cascade  
[ASME PAPER 85-GT-64] p 77 A86-13062
- 3-D design of turbine airfoils  
[ASME PAPER 85-GT-188] p 236 A86-22101
- Production and development of secondary flows and losses within a three dimensional turbine stator cascade  
[ASME PAPER 85-GT-217] p 205 A86-22115
- Predictions of endwall losses and secondary flows in axial flow turbine cascades  
[ASME PAPER 86-GT-228] p 766 A86-48262
- Double-branched vortex generator  
[NASA-TM-88201] p 89 N86-13298
- Spanwise redistribution of energy and loss in an axial flow compressor by wake centrifugation  
[AD-A159312] p 237 N86-16222
- SECONDARY RADAR**
- Using roll-angle measurements to track aircraft maneuvers p 92 A86-12677
- Advances in secondary surveillance radar systems p 423 A86-32581
- A radar analysis program for evaluating and monitoring primary and secondary radar systems p 423 A86-32601
- Secondary radar leads - Monopulse points the way p 787 A86-48372
- SECURITY**
- Airborne intruder detection considerations  
[DE86-006462] p 808 N86-31576
- SEDIMENTS**
- Characterization of shallow ocean sediments using the airborne electromagnetic method p 393 A86-28065
- SEISMIC WAVES**
- New passive helicopter detector  
[DE85-015160] p 123 N86-12595
- SEISMOLOGY**
- The Shock and Vibration Bulletin 55. Part 2: Dynamic testing, flight vehicle dynamics, seismic loads and fluid-structure interaction  
[AD-A160264] p 257 N86-16646
- SELECTION**
- Research and development project selection methods at the Air Force Wright Aeronautical Laboratories  
[AD-A161153] p 333 N86-20165
- SELECTORS**
- Errare humanum est... sed perseverare diabolicum or navigation errors of the 747 and the 'leading' position p 348 A86-27900
- SELF ADAPTIVE CONTROL SYSTEMS**
- 'Smart' engine components - A micro in every blade? p 234 A86-21896
- An application of self-tuning regulator to GLA system of an aircraft - Gust Load Alleviation p 508 A86-34926
- Design and research of aircraft parameter-adaptive lateral command augmentation systems p 723 A86-43498
- Feasibility of a nuclear gauge for fuel quantity measurement aboard aircraft  
[NASA-TM-87706] p 675 N86-28385
- SELF OSCILLATION**
- Aeroelasticity and dynamics of the helicopter structure - Russian book p 166 A86-18733
- Self-oscillatory regimes of aircraft motion during spin-roll coupling p 832 A86-48775
- A certain type of self-oscillation of aircraft landing-gear wheels p 800 A86-48829
- Solid-beam model of a deformable aircraft for natural-vibration studies p 804 A86-49444
- SELF REPAIRING DEVICES**
- A self-repairing aircraft? - new control methods for fighter stabilization p 110 A86-14243
- SEMICONDUCTOR DEVICES**
- Practical applications of Tesla semiconductor pressure sensors p 849 A86-49148
- China report: Science and technology  
[JPRS-CST-85-035] p 122 N86-12399
- The Impact of Very High Performance Integrated Circuits on Radar, Guidance and Avionics Systems  
[AGARD-CP-380] p 674 N86-28337
- The future of bipolar technology for avionics p 674 N86-28341
- SEMICONDUCTOR LASERS**
- Laser communication through low-visibility atmosphere for aircraft application p 788 A86-48581
- SEMICONDUCTORS (MATERIALS)**
- Materials technology for electrical appliances: Magnetic and electrical properties of metals and alloys  
[PB86-184314] p 665 N86-28186
- SEMISPAN MODELS**
- Correlation of stability test results and analysis for the 1/5 scale V-22 aeroelastic model p 490 A86-35603
- SENSITIVITY**
- Eigenstructure assignment, eigensensitivity, and flight control design p 680 A86-42912
- Development of a sensitivity analysis technique for multiloop flight control systems  
[NASA-CR-166619] p 240 N86-17358
- SENSORIMOTOR PERFORMANCE**
- Head-up/head-down transition - Measurement of transition times p 396 A86-29092
- SENSORS**
- Fiber optics for propulsion control systems  
[ASME PAPER 84-GT-97] p 105 A86-13054
- Application of FDI metrics to detection and isolation of sensor failures in turbine engines p 501 A86-35400
- Robust detection, isolation, and accommodation for sensor failures - in jet engine control systems p 501 A86-35402
- Sensor selection for the Boeing CREST ejection seat design p 793 A86-47757
- Smart probes for air data p 811 A86-49498
- Direct model reference adaptive control of a flexible robotic manipulator  
[NASA-CR-176659] p 396 N86-22113
- SEPARATED FLOW**
- A study of the normal of a delta-wing aircraft at large angles of attack during unsteady motion p 79 A86-13379
- An analysis of separated flow of an ideal fluid past a finite-aspect-ratio mechanized wing p 80 A86-13395
- Formation of asymmetric separated flow past slender bodies of revolution at large angles of attack p 82 A86-13429
- Separated flow past a sharp edge according to a reverse-jet scheme p 120 A86-13430
- Separated flow unsteady aerodynamic theory p 85 A86-14529
- Evaluation of low Reynolds number turbulence models for attached and separated flows p 121 A86-14539
- Airfoil design for Reynolds numbers between 50,000 and 500,000 p 136 A86-16302
- Low Reynolds number airfoil design p 136 A86-16303
- Effect of pressure gradients on the growth of subharmonic disturbances in boundary layers p 136 A86-16306
- Research on laminar separation bubbles at Delft University of Technology in relation to low Reynolds number airfoil aerodynamics p 137 A86-16308
- An analysis of a separation bubble transition criterion at low Reynolds numbers p 137 A86-16309
- Theoretical and experimental study of low Reynolds number transitional separation bubbles p 137 A86-16310
- Separation bubble behavior for a NACA 23009 airfoil p 137 A86-16312
- Symmetry breaking and lift hysteresis arising from massive laminar separation - A study of multiple steady-state solutions p 138 A86-16316
- Mean flow properties measured around an aerofoil close to its maximum lift p 140 A86-16395
- An experimental study of geometrical effects on the drag and flow field of two bluff bodies separated by a gap p 141 A86-17055
- Experimental investigation of three dimensional separation on an ellipsoid-cylinder body at incidence  
[AIAA PAPER 85-1686] p 143 A86-17636
- Modification to the NASA Langley 4- by 7-meter tunnel for improved rotorcraft aerodynamics and acoustics p 179 A86-18414
- The vortex patterns of dynamic separation - A parametric and comparative study p 145 A86-18534
- Large-scale separation and hysteresis in cascades p 145 A86-18577
- The computation of steady 3-D separated flows over aerodynamic bodies at incidence and yaw  
[AIAA PAPER 86-0109] p 199 A86-19693
- Computation of dynamic stall of NACA0012 airfoil by block pentadiagonal matrix scheme  
[AIAA PAPER 86-0116] p 199 A86-19697
- Aerodynamic measurements of an airfoil with simulated glaze ice  
[AIAA PAPER 86-0484] p 202 A86-19897
- A solution to the problem of flow past wings with allowance for flow separation on the basis of a system of Euler equations p 205 A86-21345
- Numerical simulation of transonic separated flows over low-aspect ratio wings  
[AIAA PAPER 86-0508] p 206 A86-22704
- A viscous-inviscid interaction model for transonic unsteady flow  
[ONERA, TP NO. 1985-152] p 272 A86-24630
- Optical fibers application to visualization of flow separation inside an aircraft intake in wind tunnel  
[ONERA, TP NO. 1985-158] p 309 A86-24638
- Stator row unsteady aerodynamics due to wake excitations p 273 A86-24703
- Comment on 'Conical similarity of shock/boundary-layer interactions generated by swept and unswept wings' p 337 A86-28558
- Steady and unsteady transonic pressure distributions on NACA 0012 p 337 A86-28565
- Dynamic stall inception correlation for airfoils undergoing constant pitch rate motions p 411 A86-32978
- Steady and unsteady pressure distributions on various profiles in separated subsonic and transonic flow p 413 A86-33233
- Analytic representation of steady and unsteady aerodynamic coefficients of modern helicopter rotors  
[DGLR PAPER 85-114] p 474 A86-35187
- Velocity distribution around a wing in a wind tunnel Verification of a calculation method by means of a laser anemometer p 476 A86-35925
- Investigation of heat transfer in separation regions in supersonic flow in a Laval nozzle p 477 A86-36458
- Calculation of asymmetric vortex separation on slender delta wings with a vortex-sheet model  
[AIAA PAPER 86-1836] p 546 A86-37846
- Navier-Stokes computations of lee-side flows over delta wings  
[AIAA PAPER 86-1049] p 548 A86-38420
- Experimental determination of the laminar separation bubble characteristics on an airfoil at low Reynolds numbers  
[AIAA PAPER 86-1065] p 548 A86-38433
- A numerical analysis applied to high angle of attack three-dimensional inlets  
[AIAA PAPER 86-1527] p 627 A86-42760
- Viscous-inviscid interaction solvers and computation of highly separated flows  
[ONERA, TP NO. 1986-4] p 691 A86-46152
- Effect of cantilever sweep on the aerodynamic characteristics of a wing with a projection in separated flow p 768 A86-48779
- Determination of the aerodynamic characteristics of separated flow past a wing with allowance for slight unsteadiness induced by changes in angle of attack p 769 A86-48816
- Nonuniqueness of laminar separated flow around an airfoil at angle of attack in the Kirchhoff scheme p 769 A86-48822
- Symmetric and nonsymmetric separated flow past a low aspect ratio wing with a fuselage p 770 A86-48838
- Flow of an ideal fluid in the core of a vortex sheet p 770 A86-48839
- A study of the characteristics of separated flow past wings and lifting systems p 770 A86-48842
- Potential flow models of airfoils with separated flow p 772 A86-49013
- Boundary layer calculation and viscous-inviscid coupling p 773 A86-49031
- Separated transonic airfoil flow calculations with a nonequilibrium turbulence model  
[NASA-TM-86830] p 152 N86-15247
- A rapid method for estimating equivalent parabolic polars from wind-tunnel tests  
[AD-A159559] p 153 N86-15251
- Numerical simulation of the leading-edge separation vortex over delta wing p 209 N86-17271
- On the separated flow over a delta wing at high subsonic and transonic speeds  
[VTH-M-527] p 279 N86-19293

- Acta Aerodynamica Sinica (selected articles)  
[AD-A162993] p 417 N86-23575
- Investigations in the flow field of airfoils with various geometries in the domain of high angles of attack. Experimental investigations  
[REPT-A-13/85] p 418 N86-23576
- A numerical analysis applied to high angle of attack three-dimensional inlets  
[NASA-TM-87298] p 478 N86-24658
- ALESEP. Part 2: A computer program for the analysis of leading edge separation bubbles on infinite swept wings  
[NASA-CR-178015] p 479 N86-24664
- Experimental study of the supersonic turbulent boundary layer on a blunted axisymmetric body  
[AD-A163736] p 479 N86-24669
- Increments in aerofoil maximum lift coefficient due to deployment of various high-lift devices  
[ESDU-85033] p 480 N86-25325
- Analysis of transitional separation bubbles on infinite swept wings  
[NASA-CR-3956] p 555 N86-26288
- Computation of leading-edge vortex flows  
p 558 N86-27205
- A self-organising control system for non-linear aircraft dynamics  
p 564 N86-27258
- Steady and unsteady pressure distribution on various profiles in separated subsonic and transonic flow  
p 695 N86-30632
- Three-dimensional shock wave and turbulent boundary layer interactions  
[AD-A167086] p 745 N86-31010
- Computations of separated subsonic and transonic flow about airfoils in unsteady motion  
[NLR-MP-84094-U] p 782 N86-31541
- SEPARATORS**
- How to not eat your own dust --- particle filters for helicopter air intakes  
p 440 A86-31328
- Development of the portable water separator for the WSIM test  
[SAE PAPER 851870] p 608 A86-38537
- Fireproof hydraulic brake system  
[AD-A163542] p 497 N86-24688
- SEQUENCING**
- Mach number immune microprocessor controlled sequencer for open ejection seats using on-board environmental sensors  
p 793 A86-47743
- SEQUENTIAL CONTROL**
- A microprocessor sequencer for the advanced Navy ejection seat  
p 218 A86-19331
- Vectored thrust digital flight control for crew escape, volume 2  
[AD-A166596] p 700 N86-29799
- SERVICE LIFE**
- Consideration of the multiplicity of critical spots in a structure in estimating the durability and the service life  
p 119 A86-13367
- Influence of unsteady flow effects on the length of operation of a hypersonic shock tunnel  
p 112 A86-13428
- Impact of loads recording methodology on crack-growth-based individual aircraft tracking  
p 162 A86-17790
- Use of a Service Life Assessment Program (SLAP) for identifying Service Life Extension Program (SLEP) procedures for fatigue sensitive airframe components  
p 134 A86-18442
- Aircraft reliability, safety, and lifetime --- Russian book  
p 166 A86-19290
- The new 'dual stage' test procedure for low cost measurement of parachute performance  
p 240 A86-19324
- Approach for service life extension of explosive devices for aircraft escape systems  
p 243 A86-19349
- Is there life after 10,000 flight hours?  
p 254 A86-22402
- Determination of the service life of aviation oils  
p 312 A86-23450
- A study of the service life of fail-safe airframe structures on the basis of routine inspections and crack size assessment  
p 286 A86-23769
- Life prediction for the main shaft of aircraft turbine engine  
[ASME PAPER 85-IGT-136] p 303 A86-23928
- The life of reinforced thin-walled structures in a random force field  
p 384 A86-28319
- The health and usage monitoring of helicopter systems - The next generation  
p 491 A86-35613
- The possibility of using ion implantation for increasing the life of the compressor blades of gas-turbine aircraft engines  
p 522 A86-35998
- Substantiation of regimes for accelerated equivalent tests of gas-turbine aeroengines  
p 644 A86-41549
- Turbine airfoil LCF life prediction verification  
[AIAA PAPER 86-1496] p 646 A86-42672

- Engine component life prediction methodology for conceptual design investigations  
[ASME PAPER 86-GT-24] p 812 A86-48116
- Safe service life scattering coefficient j sub N (and/or eta sub 4) and the S-N curve  
p 804 A86-49138
- Prediction of the life of stressed structures - A comprehensive study of the aircraft landing gear --- Russian book  
p 804 A86-49288
- Interactive effects of high- and low-frequency loading on fatigue  
[AD-A160601] p 293 N86-18318
- Igniter electrode life control  
[AD-D012007] p 441 N86-22577
- Fracture mechanics of multiple crack initiations. An application for fracture mechanics analysis of gas turbine engine disks  
[AD-A162998] p 442 N86-23601
- An analysis of rig test disc failures  
p 527 N86-25381
- National Transportation Safety Board safety recommendation  
[NTSB-4357/1] p 699 N86-29792
- Advances in the study of the mechanical behavior of materials  
[AD-A164656] p 735 N86-30838
- Cost reductions from introduction of new life philosophies for aircraft engine discs  
[NLR-MP-85076-U] p 820 N86-32438
- SERVOCONTROL**
- Controllability of redundant flight control system and pressure equalization of redundant servo actuators  
p 723 A86-43497
- An approach to integrated aeroservoelastic tailoring for stability  
p 836 N86-32439
- Servo-actuator for sampled-data feedback disturbance rejection --- helicopters  
[DFVLR-FB-86-08] p 837 N86-32446
- SERVOMECHANISMS**
- A possible approach to the diagnostics of the hydraulic servomechanism of the aircraft control system  
p 285 A86-23757
- Digital fault tolerant flight actuation systems  
p 354 A86-28400
- Improvement of servo systems for flight simulator  
p 706 A86-43487
- Digital servocontroller system. Volume 4. Results and conclusions  
[AD-A159068] p 111 N86-13335
- Digital servocontroller system. Volume 1: Operations manual  
[AD-A158392] p 192 N86-14960
- Digital servocontroller system. Volume 2. Maintenance manual  
[AD-A159066] p 179 N86-15322
- SH-3 HELICOPTER**
- Visually coupled EO system developed for the RAE Sea King XV371  
p 299 A86-26130
- Helicopter flight test demonstration of differential GPS  
p 345 A86-26438
- Flight testing of an ASW helicopter  
p 352 A86-26585
- A mathematical model of the Sea King Mk.50 helicopter aerodynamics and kinematics  
[ARL-AERO-TM-379] p 808 N86-32425
- SHADOWGRAPH PHOTOGRAPHY**
- Rotor tip vortex geometry measurements using the wide-field shadowgraph technique  
[AIAA PAPER 86-1780] p 778 A86-49580
- Fundamental study of flow field generated by rotorcraft blades using wide-field shadowgraph  
[NASA-CR-176443] p 152 N86-15249
- SHADOWS**
- Upsilon invariants - A uniform set of moment invariants  
p 262 A86-19608
- SHAFTS (MACHINE ELEMENTS)**
- Optimal design of composite power transmission shafting  
p 353 A86-27654
- Optimal sizing of composite power transmission shafting  
p 454 A86-30500
- Fatigue failure of jet engine drive shafts  
p 500 A86-33970
- Experimental investigation of rotorcraft hub and shaft fairing drag reduction  
[AIAA PAPER 86-1783] p 577 A86-37814
- SHALE OIL**
- USAF toxicology research on petroleum and shale-derived aviation gas turbine fuels  
[ASME PAPER 85-GT-34] p 262 A86-22023
- The production of jet fuel from alternate sources  
[ASME PAPER 85-IGT-67] p 312 A86-23868
- Test and evaluation of shale derived jet fuel by the United States Air Force  
[ASME PAPER 85-IGT-115] p 313 A86-23911
- SHALLOW WATER**
- Characterization of shallow ocean sediments using the airborne electromagnetic method  
p 393 A86-28065

**SHAPES**

- Shape optimization of axisymmetric structures --- French thesis  
p 458 A86-33453
- Shape optimization of aircraft structural elements with stress raisers  
p 848 A86-48846
- Documentation of ice shapes accreted on the main rotor of a UH-1H helicopter in level flight  
[NASA-CR-175088] p 420 N86-22559
- A study of a collision avoidance system mounted on a curved ground plane  
[NASA-CR-176771] p 485 N86-24677
- SHARP LEADING EDGES**
- Separated flow past a sharp edge according to a reverse-jet scheme  
p 120 A86-13430
- A comparison of experimental and numerical results for delta wings with vortex flaps  
[AIAA PAPER 86-1840] p 546 A86-37848
- Influence of numerical dissipation in computing supersonic vortex-dominated flows  
[AIAA PAPER 86-1073] p 549 A86-38439
- The lift of sharp-leading-edged delta wings with blowing  
[NASA-CR-176967] p 631 N86-28915
- SHEAR FLOW**
- Noise generated by a stretching vortex  
p 193 A86-18689
- The noise emitted by turbulent jets in close proximity to solid surfaces  
[AIAA PAPER 86-1869] p 755 A86-45489
- Motion and interaction of decaying trailing vortices in spanwise shear wind  
[NASA-TP-2599] p 687 N86-29762
- SHEAR LAYERS**
- Evaluation of a correction for sound propagation through free-jet shear layers  
p 193 A86-17783
- Influence of excitation on coherent structures in reattaching turbulent shear layers  
[AIAA PAPER 86-0112] p 199 A86-19696
- Simulation of inviscid vortex-stretched turbulent shear-layer flow  
p 411 A86-32979
- Inviscid vortex-stretched turbulent shear-layer flow computed around a cranked delta wing  
p 475 A86-35253
- Acoustic evaluation of the German-Dutch Wind Tunnel (DNW) shear layer correction using a model jet  
[DNW-TR-82-04] p 242 N86-16237
- Aerodynamics of seeing on large transport aircraft  
[NASA-CR-177035] p 758 N86-31357

**SHEAR FLOW**

- SHEAR PROPERTIES**
- A different approach to designed in passive damping  
p 256 N86-16627
- SHEAR STRESS**
- Bolted composite repairs subjected to biaxial or shear loads  
p 662 A86-41052
- A study of the factors affecting boundary layer two-dimensionality in wind tunnels  
[NASA-CR-177023] p 631 N86-28914
- Studies for the application of a flexible weight and balance (W/B) measuring facility for commercial aircraft  
[BMFT-FB-W-85-029] p 840 N86-31604
- SHELL STABILITY**
- Reliability of the plates and shells of aircraft  
p 384 A86-28314
- SHELL THEORY**
- Calculation of structural elements of aircraft: Sandwich plates and shells --- Russian book  
p 458 A86-33292
- Response of composite material shallow arch to concentrated load  
p 670 A86-41699
- SHELLS (STRUCTURAL FORMS)**
- The finite element stress analysis for solid-shell combined parts in aeroengines  
[ASME PAPER 85-IGT-72] p 317 A86-23873
- Plastic torsion of hollow elements of aircraft --- Russian book  
p 455 A86-31374
- SHIELDING**
- An experimental investigation of reducing advanced turboprop cabin noise by wing shielding  
[AIAA PAPER 86-1966] p 711 A86-45449
- An experimental investigation of reducing advanced turboprop cabin noise by wing shielding  
[NASA-TM-87112] p 536 N86-25218
- SHIPS**
- Dynamic interface - Conventional flight testing plus a new analytical approach  
p 163 A86-18405
- Simulator design features for helicopter landing on small ships  
p 308 A86-23750
- Realtime piloted simulation investigation of helicopter flying qualities during approach and landing on nonaviation ships  
[AIAA PAPER 86-0490] p 365 A86-26642
- An investigation into the vertical axis control power requirements for landing VTOL type aircraft onboard nonaviation ships in various sea states  
[NASA-CR-176355] p 88 N86-13294
- Helicopter-ship qualification testing  
[NLR-MP-84062-U] p 227 N86-17343

- USSR report: Transportation  
[JPRS-UTR-85-015] p 294 N86-18323
- Determination of limitations for helicopter ship-borne operations  
[NLR-MP-84072-U] p 295 N86-19319
- USSR report: Transportation  
[JPRS-UTR-86-004] p 435 N86-22565
- Preliminary evaluation of a compound cycle engine for shipboard gassets  
[NASA-CR-179451] p 611 N86-26829
- SHIPYARDS**
- USSR report: Transportation  
[JPRS-UTR-86-004] p 435 N86-22565
- SHOCK ABSORBERS**
- Influence of rough runways on undercarriage design  
p 166 A86-19277
- Effect of underwing aft-mounted nacelles on the longitudinal aerodynamic characteristics of a high-wing transport airplane  
[NASA-TP-2447] p 339 N86-20345
- NASA experiments on the B-720 structure and seats  
p 390 N86-21936
- NASA seat experiment and occupant responses  
p 390 N86-21939
- SHOCK LAYERS**
- The effect of a shock layer on the viscous resistance of star-shaped bodies with flat side faces  
p 140 A86-18691
- Hypersonic viscous shock layer on a surface with an abrupt variation of catalytic activity  
p 737 A86-43994
- Modular application of a shock/boundary layer interaction solution to supercritical viscous-inviscid flow field analysis  
p 338 N86-20343
- Numerical analysis of nonequilibrium flow about airfoil in thin shock layer approximation  
p 343 N86-22258
- SHOCK LOADS**
- The Shock and Vibration Digest, volume 18, no. 1  
[AD-A185726] p 612 N86-27468
- The Shock and Vibration Digest, volume 17, no. 8  
[AD-A185115] p 612 N86-27471
- SHOCK TUNNELS**
- Influence of unsteady flow effects on the length of operation of a hypersonic shock tunnel  
p 112 A86-13428
- Wall cooling effects on hypersonic boundary layer transition,  $M(1) = 7.5 - 15$   
[AIAA PAPER 86-1088] p 550 A86-38450
- SHOCK WAVE ATTENUATION**
- A numerical model of acoustic choking. II - Shocked solutions  
p 285 A86-20795
- The passive control of the shock waves on transonic airfoils  
p 411 A86-32990
- SHOCK WAVE INTERACTION**
- A study of flow near a shock wave intersection line  
p 78 A86-13353
- The application of laser anemometry to the study of transonic shock boundary-layer interactions  
p 139 A86-18352
- The effect of a shock layer on the viscous resistance of star-shaped bodies with flat side faces  
p 140 A86-18691
- Turbulent-boundary-layer development in an adverse pressure gradient after an interaction with a normal shock wave  
p 141 A86-17031
- Structure of a supersonic turbulent boundary layer during its interaction with a shock wave  
p 141 A86-17096
- A linearized theory for swirling supersonic jets and its application to shock-cell noise  
p 186 A86-17137
- Shock wave/turbulent boundary layer interaction and its control  
[ONERA, TP NO. 1985-165] p 145 A86-18535
- Modelling of three-dimensional shock wave turbulent boundary layer interactions  
p 669 A86-41261
- Mathematical model of the interaction of a single unsteady supersonic jet with a moving barrier of finite size  
p 628 A86-43401
- Procedure for solution of the Navier-Stokes equations at Dornier GmbH  
p 149 N86-14236
- Shock-wave boundary layer interactions  
[AGARD-AG-280] p 676 N86-29173
- Numerical studies of porous airfoils in transonic flow  
[NASA-CR-179655] p 697 N86-30696
- Three-dimensional shock wave and turbulent boundary layer interactions  
[AD-A167066] p 745 N86-31010
- SHOCK WAVE PROPAGATION**
- Simulation of the effects of shock wave passing on a turbine rotor blade  
[ASME PAPER 85-GT-112] p 77 A86-13067
- An experimental investigation of the parallel blade-vortex interaction  
p 276 A86-26106
- Flow structure at the windward side of conical wings with an attached shock wave at the leading edge  
p 410 A86-32739
- Weakly nonlinear acoustic and shock-wave theory of the noise of advanced high-speed turbopropellers  
p 534 A86-35146
- Limiting values of the specific parameters of a ramjet engine  
p 502 A86-35992
- Lifting bodies designed for flow behind axisymmetric conical shock waves  
p 554 A86-39660
- Role of shocks in transonic/supersonic compressor rotor flutter  
p 720 A86-44872
- Formulation of the Euler boundary value problem  
p 154 N86-15258
- SHOCK WAVES**
- Measurement of the heterogeneous recombination probability of oxygen atoms in the course of supersonic dissociated gas flow interaction with solid body surfaces  
p 85 A86-14743
- A transonic wing-body flowfield calculation with improved grid topology  
p 142 A86-17134
- Delta wings with shock-free cross flow  
p 145 A86-18528
- A compressible laminar boundary layer on a plane triangular plate with an attached shock wave  
p 146 A86-18902
- Shock modelling in transonic and supersonic flow  
p 204 A86-20946
- Supersonic interface instabilities of accelerated surfaces and jets  
p 455 A86-31356
- Calculation of helicopter airfoil characteristics for high tip-speed applications  
p 541 A86-37789
- Development of a temperature-compensated hot-film anemometer system for boundary-layer transition detection on high-performance aircraft  
p 605 A86-38236
- A method for the design of shock-free slender bodies of revolution  
p 554 A86-39054
- The near and far acoustic fields of broadband shock associated noise  
[AIAA PAPER 86-1943] p 751 A86-45430
- High speed flight effects on shock associated noise  
[AIAA PAPER 86-1944] p 751 A86-45431
- Shock noise from supersonic jets in simulated flight to Mach 0.4  
[AIAA PAPER 86-1945] p 752 A86-45432
- An entropy correction method for unsteady full potential flows with strong shocks  
[AIAA PAPER 86-1768] p 777 A86-49576
- The Shock and Vibration Bulletin 55, Part 2: Dynamic testing, flight vehicle dynamics, seismic loads and fluid-structure interaction  
[AD-A160284] p 257 N86-16646
- Calculation of helicopter airfoil characteristics for high tip-speed applications  
[AD-A160894] p 277 N86-18294
- Experimental study of the supersonic turbulent boundary layer on a blunt axisymmetric body  
[AD-A163736] p 479 N86-24869
- Hypersonic flow around a wing at large angles of attack with detached compression jump  
p 480 N86-25534
- Spectra of noise and amplified turbulence emanating from shock-turbulence interaction: Two scenarios  
[NASA-TM-88766] p 620 N86-27970
- A novel feedback concept for combustion instability in ramjets  
p 665 N86-28236
- An entropy correction method for unsteady full potential flows with strong shocks  
[NASA-TM-87769] p 694 N86-29777
- SHORT CIRCUITS**
- Electrostatic charging of the CH-53E helicopter  
[AD-A161936] p 437 N86-23590
- SHORT HAUL AIRCRAFT**
- Design of a twin-engine short-haul commuter aircraft for the 1990s  
[AIAA PAPER 86-0077] p 219 A86-19674
- Measurements of landing gear loads of a commuter airliner  
p 803 A86-49119
- SHORT TAKEOFF AIRCRAFT**
- Strain measurement of the USB-flap structures of NAL STOL aircraft  
p 95 A86-13315
- Aero-propulsion technology for STOL and maneuver  
[AIAA PAPER 85-4013] p 97 A86-14436
- A numerical solution of the downwash associated with a blown-flap system  
[AIAA PAPER 86-0473] p 202 A86-19692
- Evaluation of an aerodynamic-load prediction method on a STOL fighter configuration  
[AIAA PAPER 86-0590] p 203 A86-19986
- Blended blown flaps and vectored thrust for low-speed flight  
[AIAA PAPER 84-2199] p 221 A86-20157
- Velocity and temperature decay characteristics of inverted-profile jets  
[AIAA PAPER 86-0312] p 206 A86-22693
- Small stone impact testing — runway debris causing aircraft damage  
p 279 A86-23020
- An integrated flight control system for a STOL transport aircraft  
p 367 A86-28384
- Flying qualities design criteria for highly augmented systems  
p 369 A86-28509
- A quiet STOLport? Convincing the public  
p 462 A86-31963
- AV-8B High Angle of Attack/departure resistance system flight test program  
[AIAA PAPER 86-9729] p 496 A86-37082
- The STOL performance of a two-engine, USB powered-lift aircraft with cross-shafted fans  
[SAE PAPER 851839] p 578 A86-38336
- Fuel conservative guidance for shipboard landing of powered-lift STOL aircraft  
p 572 A86-39048
- STOLport London - A design for safety  
p 655 A86-40226
- Robust fault detection and isolation for a high performance aircraft on STOL approach  
[AIAA PAPER 86-2031] p 821 A86-47421
- Flight evaluation of a precision landing task for a powered-lift STOL aircraft  
[AIAA PAPER 86-2130] p 828 A86-47676
- The ground effects of a powered-lift STOL aircraft during landing approach  
p 795 A86-47784
- The C-17: We need it yesterday  
[AD-A157147] p 99 N86-12219
- Velocity and temperature decay characteristics of inverted-profile jets  
[NASA-TM-87159] p 147 N86-14223
- Details of Y-121 STOL aircraft presented  
p 436 N86-22573
- Static investigation of two STOL nozzle concepts with pitch thrust-vectoring capability  
[NASA-TP-2559] p 415 N86-23559
- In-flight measurements of wing ice shapes and wing section drag increases caused by natural icing conditions  
[NASA-TM-87301] p 479 N86-24867
- Experimental study of apex fences for lift enhancement on a highly swept delta wing configuration  
[AD-A163877] p 512 N86-24705
- Multivariable control law design for enhanced air combat maneuvering, F-15/STOL (Short Take-Off and Landing) derivative fighter  
[AD-A164017] p 512 N86-24706
- An LQG up-and-away flight control design for the STOL F-15 aircraft  
[AD-A164108] p 512 N86-24707
- LQG/LTR design of a robust flight controller for the STOL F-15  
[AD-A164111] p 512 N86-24708
- Multivariable output control law design for the STOL (Short Takeoff and Landing) F-15 in landing configuration  
[AD-A164516] p 498 N86-25340
- An LQG up-and-away flight control design for the STOL F-15 aircraft  
[AD-A164108] p 512 N86-25384
- An analysis of the limit cycle observed in the functional mockup test of the NAL QSTOL research aircraft  
[NAL-TR-893] p 587 N86-27277
- Aerodynamics of the Viggen 37 aircraft. Part 1: General characteristics at low speed  
[NASA-TM-88403] p 632 N86-28925
- Multi-input, multi-output system control for experimental aircraft  
[NASA-CR-177017] p 654 N86-28955
- Optical technology for flight control systems  
[NASA-TM-88400] p 655 N86-28960
- A trade-off study of tilt rotor aircraft versus helicopters using VASCOMP 2 and HESCOMP  
[AD-A167719] p 808 N86-31575
- SHROUDED NOZZLES**
- Variable area radial turbine fabrication and test program  
[NASA-CR-175091] p 651 N86-28947
- SHROUDED TURBINES**
- Ribbon-burner simulation of T-700 turbine shroud for ceramic-lined seals research  
p 106 A86-15225
- The forced response of shrouded fan stages  
[ASME PAPER 85-DET-19] p 303 A86-24226
- SIDE-LOOKING RADAR**
- The design, construction and early trials of a novel airborne surveillance radar  
p 424 A86-32635
- Design, development and integrate/install an airborne remote instrumentation system (AIREYE)  
[AD-A166755] p 719 N86-30728
- SIDELobe REDUCTION**
- Video processor for air traffic control beacon system  
[NASA-CASE-KSC-11155-1] p 283 N86-19304
- SIDESLIP**
- Wind tunnel calibration of a flow direction sensor and a pitot-static tube to high angles of attack and sideslip  
p 359 A86-28364
- Determination of corrections to flow direction sensor measurements over an angle-of-attack range from 0 degree to 85 degrees  
[NASA-TM-86402] p 167 N86-14267

- Hypersonic characteristics of an advanced aerospace plane at Mach 20.3  
[NASA-TM-86435] p 152 N86-15245
- Side force characteristics of a 20 deg cone at high angles of attack  
[NAL-TM-AE-8503] p 340 N86-20356
- Theoretical and experimental investigations of flow vector measurements with angle-of-attack and sideslip sensors on DFVLR meteorological research aircraft  
[DFVLR-FB-85-50] p 358 N86-21541
- STEP and STEPSPL: Computer programs for aerodynamic model structure determination and parameter estimation  
[NASA-TM-86410] p 370 N86-21549
- Wake shape and its effects on aerodynamic characteristics  
[NASA-CR-178118] p 631 N86-28918
- Low-speed aerodynamic characteristics of a 1/8-scale X-29A airplane model at high angles of attack and sideslip  
[NASA-TM-87722] p 781 N86-31532
- SIGNAL ANALYSIS**
- An analysis of acoustic emission detected during fatigue testing of an aircraft  
p 670 A86-41596
- Analysis and simulation of the MLS landing signal - Echo separation - French thesis  
p 788 A86-48564
- Video processor for air traffic control beacon system  
[NASA-CASE-KSC-11155-1] p 283 N86-19304
- SIGNAL DETECTION**
- The evaluation of failure detection and isolation algorithms for restructurable control  
[NASA-CR-177983] p 93 N86-13310
- SIGNAL ENCODING**
- Real-time flight test PCM data acquisition monitor  
[AD-A164035] p 524 N86-24897
- SIGNAL FADING**
- The effects of atmospheric turbulence on an air-to-air optical communication link  
p 351 A86-28470
- SIGNAL MEASUREMENT**
- Aircraft measurements and coordination in FASINEX  
[AD-A160789] p 321 N86-18699
- SIGNAL MIXING**
- Effects of measurement errors on estimation of the probability of vertical overlap  
p 280 A86-25214
- SIGNAL PROCESSING**
- An over the horizon command/data link system  
p 92 A86-13224
- The use of translators with GPS - for signal conversion  
p 93 A86-13230
- Frequency methods of aircraft identification - Russian book  
p 306 A86-24148
- A combined optimal algorithm for filtering and calculating navigation coordinates  
p 348 A86-28311
- A flexible programmable signal processor for next generation fighter aircraft  
p 385 A86-28330
- The NDS 2000 Flight Test Instrumentation System in the F-20 Tigershark  
[AIAA PAPER 86-9797] p 438 A86-32126
- Characteristics of synthetic aperture radars  
p 610 A86-39683
- Weibull-distributed ground clutter in the frequency domain  
p 671 A86-41883
- A graphic terminal for air traffic control of Canadian military airports  
p 703 A86-44399
- Sensitivity, noise and optical crosstalk in heterodyne acousto-optical signal processors  
p 740 A86-46701
- In-flight turbulence detection  
[AD-A160380] p 325 N86-18923
- Signal processing in the airborne receiver of the Interscan microwave landing system  
p 282 N86-19303
- Digital filtering and acceleration pulse interpretation  
p 400 N86-21941
- CID-720 aircraft high-environment flight instrumentation system  
p 392 N86-21947
- TCAS Experimental Unit (TEU) hardware description  
[FAA/PM-85/2] p 574 N86-27272
- The future of bipolar technology for avionics  
p 674 N86-28341
- Mil-DAP: Its architecture and role as a real time airborne digital signal processor  
p 681 N86-28359
- Multivariable control systems with saturating actuators antireset windup strategies  
[NASA-CR-177100] p 682 N86-29580
- Analogue signal conditioning for flight test instrumentation  
[AGARD-AG-160-VOL-17] p 719 N86-29816
- The design of multirate digital control systems  
[NASA-CR-177126] p 726 N86-29863
- Measurement and extraction of recurring waveforms: For applications to active transmissions, flow-noise, and helicopter-radiated noise problems  
[AD-A167400] p 856 N86-32249
- SIGNAL RECEPTION**
- VHF-AM communications equipment selection and installation practices for helicopters  
[DOT/FAA/PM-85/8] p 189 N86-15518
- SIGNAL TO NOISE RATIOS**
- A new application of adaptive noise cancellation - in acoustic barriers  
p 262 A86-22626
- Prediction of auditory masking in helicopter noise  
p 289 A86-26115
- Loran C 1984 spring-summer stability  
[AD-A167867] p 789 N86-31555
- SIGNAL TRANSMISSION**
- A high bandwidth signal distribution system for aircraft Stores Management Systems (SMS)  
p 231 A86-20505
- Optical technology for flight control systems  
[NASA-TM-88400] p 655 N86-28960
- SIGNS AND SYMPTOMS**
- A review of the pilot backache problem in the CH113 Labrador helicopter  
[AD-A164011] p 530 N86-25113
- SIKORSKY AIRCRAFT**
- Flight Data Analysis and Storage System (FASS)  
p 170 A86-18407
- Effects of variations in crashworthiness criteria on Sikorsky S-75 ACAP landing gear weights  
p 492 A86-35638
- SILANES**
- Environmental and adhesive durability of aluminium-polymer systems protected with organic corrosion inhibitors  
p 601 A86-37708
- Effect of silane concentration on the supersonic combustion of a silane/methane mixture  
[AIAA PAPER 86-1396] p 663 A86-42610
- SILICON**
- Development of optical diaphragm deflection sensors  
[NASA-CR-175008] p 194 N86-15113
- The Impact of Very High Performance Integrated Circuits on Radar, Guidance and Avionics Systems  
[AGARD-CP-380] p 674 N86-28337
- SILICON CARBIDES**
- Ceramic heat exchangers for gas turbines or turbojet engines  
p 742 N86-29858
- SILICON NITRIDES**
- Processing study of injection molding of silicon nitride for engine applications  
[SAE PAPER 851787] p 606 A86-38311
- SILICONE RESINS**
- Optically transparent silicone elastomers  
p 244 A86-21710
- SIMILARITY THEOREM**
- Aeroelastic wind tunnel similarity theory for anisotropic aircraft wings  
p 433 A86-33244
- Anisotropic wing aeroelastic theories with warping effects  
p 696 N86-30659
- SIMILITUDE LAW**
- Unified supersonic/hypersonic similitude for oscillating wedges and plane ogives  
p 689 A86-44880
- Similarity criteria for a circulation control airfoil  
p 769 A86-48815
- SIMULATION**
- The role of simulation for the LHX  
p 164 A86-18421
- An improved smoke generator for aircraft testing  
p 308 A86-23265
- Wall-interference assessment in three-dimensional slotted-wall wind tunnels  
[NASA-CR-176320] p 113 N86-12240
- An investigation into the vertical axis control power requirements for landing VTOL type aircraft onboard nonaviation ships in various sea states  
[NASA-TM-87620] p 88 N86-13294
- A preliminary evaluation of the generalized likelihood ratio for detecting and identifying control element failures in a transport aircraft  
[NASA-TM-87620] p 111 N86-13332
- Pitch rate versus G command as the longitudinal flight control system design strategy for a statistically unstable fighter type aircraft with two control surfaces  
[AD-A158803] p 111 N86-13334
- The mission oriented terminal area simulation facility  
[NASA-TM-87621] p 128 N86-13944
- Digital servocontroller system. Volume 1: Operations manual  
[AD-A158392] p 192 N86-14960
- Numerical simulation of viscous supersonic flow over a generic fighter configuration  
[NASA-TM-86823] p 190 N86-15627
- Six degree of freedom simulation of fluid payload projectiles using numerically computed fluid moments  
[DE85-017183] p 208 N86-16200
- FINDS: A fault inferring nonlinear detection system programmers manual, version 3.0  
[NASA-CR-177986] p 231 N86-16212
- An investigation of adaptive controllers for helicopter vibration and the development of a new dual controller  
[NASA-CR-177377] p 239 N86-18228
- Triaxial vibration system  
p 257 N86-16647
- Current wind tunnel capability and planned improvements at Lewis Research Center  
[NASA-TM-87190] p 311 N86-18329
- Environmental exposure effects on composite materials for commercial aircraft  
[NASA-CR-177929] p 314 N86-18449
- Sonic-boom research: Selected bibliography with annotation  
[NASA-TM-87685] p 756 N86-30470
- Flight control synthesis for flexible aircraft using Eigenspace assignment  
[NASA-CR-178164] p 835 N86-31590
- SIMULATORS**
- The parallel-plate and rhombic EMP simulators - A summarizing review  
p 381 A86-27146
- All about simulators, 1984: Proceedings of the Simulators Conference, Norfolk, VA, April 18-20, 1984  
p 464 A86-31252
- Arnold Engineering Development Center - Simulators encompass spectrum of aerospace environments  
p 730 A86-45673
- Arnold Engineering Development Center - New facility to assess engine-airframe compatibility prior to first flight  
p 730 A86-45674
- Ground based helicopter simulation  
p 838 A86-48673
- Status and capabilities of sonic boom simulators  
[NASA-TM-87664] p 332 N86-20086
- Technology research for strapdown inertial experiment and digital flight control and guidance  
[NASA-CR-176907] p 703 N86-29800
- SINE WAVES**
- Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics  
p 353 A86-27661
- Sinusoidal disturbance rejection with application to helicopter flight data estimation  
p 747 A86-44505
- Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics in cruising flight  
p 713 A86-46461
- SINGLE CRYSTALS**
- Transition of advanced materials and structures - Single crystal blades  
p 252 A86-22143
- The evolution of turbine blade materials  
p 373 A86-26330
- Effects of section thickness and orientation on creep-rupture properties of two advanced single crystal alloys  
[SAE PAPER 851785] p 601 A86-38309
- Single crystal superalloys for turbine blades in advanced aircraft engines  
[ONERA, TP NO. 1986-102] p 843 A86-49077
- Life prediction and constitutive models for engine hot section anisotropic materials program  
[NASA-CR-174952] p 526 N86-25003
- SINGULAR INTEGRAL EQUATIONS**
- Integration of singular functions associated with lifting surface theory  
p 689 A86-44875
- SINGULARITY (MATHEMATICS)**
- A high order supersonic triplet singularity  
[AIAA PAPER 86-1815] p 545 A86-37834
- SINKS**
- Flow past a flat plate with a vortex/sink combination  
[NASA-CR-176908] p 676 N86-29159
- SINTERING**
- Powdered, sintered alloy materials described: Development of titanium alloys  
p 314 N86-19447
- SITE SELECTION**
- Combined test force operations at the Air Force Flight Test Center  
[AIAA PAPER 86-9739] p 406 A86-32085
- Principal site testing concept within the Navy  
[AIAA PAPER 86-9740] p 406 A86-32086
- SITES**
- Design criteria upgrade for US Army Type 2 air traffic control towers  
[AD-A159115] p 94 N86-13314
- Computed centerline MLS (Microwave Landing System) approach demonstration at Washington National Airport  
[AD-A163722] p 486 N86-24681
- SIZE (DIMENSIONS)**
- Layout of electrical equipment on an aircraft with allowance for equipment size constraints in the framework of computer-aided design  
p 639 A86-43389
- SIZE DETERMINATION**
- Computer sizing of fighter aircraft  
[AIAA PAPER 85-0212] p 637 A86-40106
- Rapid sizing method for airplanes  
p 708 A86-44887
- SIZING**
- Helicopter rotor and engine sizing for preliminary performance estimation  
[AIAA PAPER 86-1756] p 638 A86-42829

## SKEWNESS

Model-following control for an oblique-wing aircraft  
[NASA-TM-88289] p 726 N86-29867

## SKID LANDINGS

Abrasion behavior of aluminum and composite skin coupons, stiffened skins and stiffened panels representative of transport airplane structures  
[NASA-TP-2520] p 100 N86-13318

## SKIDDING

Nonstick coating formulations  
[AD-D012186] p 604 N86-27457

## SKIN (STRUCTURAL MEMBER)

Measurement of preferential moisture ingress in composite wing/spar joints p 116 A86-16100  
A new approach to durability prediction for fuel tank skins — aircraft industry p 842 A86-40119  
Ring discharge on the back surface of a composite skin with ohmic anisotropy in response to frontal high current injection p 845 A86-47329

Abrasion behavior of aluminum and composite skin coupons, stiffened skins and stiffened panels representative of transport airplane structures  
[NASA-TP-2520] p 100 N86-13318

Strength of graphite/epoxy bolted wing-skin splice specimens subjected to outdoor exposure under constant load and yearly fatigue loading  
[NASA-TP-2542] p 378 N86-20506

Laminated damped fuselage structures  
p 389 N86-21916

Use of skin damping treatments to control airframe dynamic response for interior noise control  
p 389 N86-21919

## SKIN FRICTION

Research on antimisting fuel for suppression of postcrash aircraft fires  
[AIAA PAPER 86-0573] p 247 A86-22706

Experimental investigation of the turbulent boundary layer at high Reynolds numbers and a Mach number of 0.8 p 624 A86-42168

Integration effects of underwing forward- and rearward-mounted separate-flow, flow-through nacelles on a high-wing transport  
[NASA-TM-87627] p 342 N86-21514

Experimental study of the supersonic turbulent boundary layer on a blunt axisymmetric body  
[AD-A163736] p 479 N86-24689

Aircraft drag prediction and reduction. Addendum 1: Computational drag analyses and minimization; mission impossible?  
[AGARD-R-723-ADD-1] p 556 N86-27187

Correlation of transonic-cone preston-tube data and skin friction  
[NASA-CR-176902] p 693 N86-29771

## SLENDER BODIES

Formation of asymmetric separated flow past slender bodies of revolution at large angles of attack  
p 82 A86-13429

Aerodynamic characteristics of slender wing-gap-body combinations. II p 275 A86-25240

Applications of an analysis of axisymmetric body effects on rotor performance and loads p 289 A86-26105

Investigation of vortex patterns on slender bodies at high angles of attack p 410 A86-32784

A method for the design of shock-free slender bodies of revolution p 554 A86-39054

Transonic wave drag estimation and optimization using the nonlinear area rule  
[AIAA PAPER 86-1798] p 778 A86-49582

Investigation of rolling-up and interaction of leading-edge and trailing-edge vortex sheets on a slender delta wing  
[AD-A163692] p 479 N86-24686

## SLENDER WINGS

Symmetric transonic flow past wings of large aspect ratios p 78 A86-13352

Certain criteria and formulas for the analysis of flexural-torsional flutter p 109 A86-13394

Steady and unsteady full potential calculation for large and small aspect ratio supercritical wings  
[AIAA PAPER 86-0122] p 199 A86-19702

Calculation of asymmetric vortex separation on slender delta wings with a vortex-sheet model  
[AIAA PAPER 86-1836] p 546 A86-37846

A wind tunnel study of active control technology on a high aspect ratio wing  
[AIAA PAPER 86-0956] p 594 A86-38930

Ground effect on slender wings at moderate and high angles of attack p 623 A86-40106

The role of structural and aerodynamic damping on the aeroelastic behavior of wings p 708 A86-44894

Determination of the required stiffness characteristics for a large aspect ratio wing from the conditions of static strength and aileron efficiency p 800 A86-48845

Analysis of strake-slender-wing configurations using slender-wing theory p 774 A86-49049

Aeroelastic tailoring of aft-swept high aspect ratio composite wings p 802 A86-49097

Wind tunnel test and analysis on gust load alleviation of a high-aspect-ratio wing  
[NAL-TR-890] p 556 N86-27185

Vortex lift research: Early contributions and some current challenges p 556 N86-27191

Leading-edge vortex research: Some nonplanar concepts and current challenges p 556 N86-27192

## SLIP FLOW

Numerical study of the trailing edge region in slip flow regime p 624 A86-42548

## SLIPSTREAMS

Experimental study of the combustion of gas-air mixtures in a channel and the diffusion combustion in a slipstream at high velocities  
[AD-A157495] p 116 N86-12271

Vortex wake alleviation studies with a variable twist wing  
[NASA-TP-2442] p 197 N86-16187

Method for the prediction of the installation aerodynamics of a propfan at subsonic speeds: User manual  
[NASA-CR-178057] p 340 N86-20360

## SLOPES

The generation of tire cornering forces in aircraft with a free-swiveling nose gear  
[SAE PAPER 851939] p 581 A86-38372

An analytical comparison of three visual approach slope indicators: VASIS, T-VASIS and PAPI  
[ARL/SYS-R-33] p 93 N86-13309

## SLOT ANTENNAS

Mechanical design and evaluation of a slotted CFRP waveguide antenna p 383 A86-27703

## SLOTS

Design of combustor cooling slots for high film effectiveness. I - Film general development  
[ASME PAPER 85-GT-35] p 234 A86-22024

## SLOTTED WIND TUNNELS

Numerical design parameter study for slotted walls in transonic wind tunnels p 839 A86-49059

User's guide to STIPPAN: A panel method program for slotted tunnel interference prediction  
[NASA-CR-178003] p 113 N86-12237

Wall-interference assessment in three-dimensional slotted-wall wind tunnels  
[NASA-CR-176320] p 113 N86-12240

## SLURRIES

Antimisting kerosene: Development of a continuous 10 GPM in-line blender  
[NASA-CR-176432] p 185 N86-15412

Continuous inline blending of antimisting kerosene  
p 734 N86-30015

## SMALL PERTURBATION FLOW

Propagation of small perturbations during the interaction of nonviscous jets p 80 A86-13390

New aspects of the small-perturbation method in aerodynamics p 271 A86-23770

Nonisentropic unsteady three dimensional small disturbance potential theory  
[AIAA PAPER 86-0863] p 552 A86-38896

## SMOG

Variability of major organic components in aircraft fuels  
[AD-A159057] p 185 N86-15415

## SMOKE

An improved smoke generator for aircraft testing  
p 308 A86-23265

A smoke generator for the absolute calibration of gas turbine engine smoke sampling and measuring systems  
[RAE-TM-P-1044] p 258 N86-17702

Data sources for parameters used in predictive modeling of fire growth and smoke spread  
[PB86-130986] p 518 N86-24788

## SMOKE DETECTORS

An improved smoke generator for aircraft testing  
p 308 A86-23265

## SODAR

Windshear detection using a Doppler acoustic sounder (SODAR) p 614 A86-37484

## SODIUM SULFATES

Na<sub>2</sub>SO<sub>4</sub> induced corrosion of nickel at high temperature p 517 A86-37073

## SOFTWARE ENGINEERING

Development of a generalized escape system simulation computer program p 240 A86-19340

A new approach to ensuring deterministic processing in an integrated avionics software system p 398 A86-28419

Designing into the unknown — military aircraft software p 398 A86-28420

Software management for integrated avionics systems p 402 A86-28425

An avionics software test and evaluation technique p 499 A86-35650

Fault Tolerant Hardware/Software Architecture for Flight Critical Function  
[AGARD-LS-143] p 369 N86-20399

Programmable, automated transistor test system  
[NASA-TP-2554] p 389 N86-21755

Dynamic assertion testing of flight control software  
[NASA-CR-176716] p 466 N86-23325

An empirical study of flight control software reliability  
[NASA-CR-178058] p 532 N86-25145

Users guide: Steady-state aerodynamic-loads program for shuttle TPS tiles  
[NASA-TM-85724] p 600 N86-27406

An experiment in software reliability  
[NASA-CR-172553] p 682 N86-29547

A.I.-based real-time support for high performance aircraft operations p 716 N86-30718

Six degree of freedom simulation software  
[NAL-PD-SE-8614] p 854 N86-33042

## SOFTWARE TOOLS

AIRID - An application of the KAS/Prospector expert system builder to airplane identification p 128 A86-15283

Aeroelastic tailoring study in aircraft design p 383 A86-27741

JTIDS RELNAV performance evaluation — Joint Tactical Information Distribution System in relative air navigation p 350 A86-28369

IV&V for the automatic test control system in the USAF Aeropropulsion Systems Test Facility p 398 A86-28430

Management controls on the X-29 flight-control system software development p 443 A86-32136

Requirements and recommendations for the development of theoretical codes and experimental facilities in the near future — for aircraft design  
[ONERA, TP NO. 1986-10] p 731 A86-46155

MATRIX Plus with HYPER-BUILD - Accelerating control design, analysis, and simulation — for F-14 flight simulation p 853 A86-47505

Dynamic assertion testing of flight control software  
[NASA-CR-176715] p 466 N86-23321

Dynamic assertion testing of flight control software  
[NASA-CR-176712] p 466 N86-23322

A methodology for testing fault-tolerant software  
[NASA-CR-176713] p 466 N86-23323

## SOIL MOISTURE

An airborne multiple-beam 1.4 GHz pushbroom microwave radiometer p 498 A86-33583

## SOLAR ARRAYS

Development of autonomous power system testbed p 311 A86-24841

## SOLAR POWERED AIRCRAFT

Solar powered vehicle may fly year-long missions p 356 A86-29824

## SOLAR SENSORS

Airborne tracking Sun photometer apparatus and system  
[NASA-CASE-ARC-11622-1] p 394 N86-21962

## SOLID ELECTRODES

The effect of the electrode gap geometry on current distribution during electrochemical rounding of edges p 522 A86-35980

## SOLID LUBRICANTS

High-temperature lubrication systems for ring/liner applications in advanced heat engines  
[AD-A164955] p 604 N86-26446

## SOLID PROPELLANT COMBUSTION

Solid fuel ramjet simulator results - Experiment and analysis in cold flow — solid fuel ramjet p 106 A86-14562

Combustion related to solid-fuel ramjets p 116 A86-14566

## SOLID PROPELLANTS

Regression rate study for a solid fuel ramjet p 818 A86-49113

Crushing strength of aluminum oxide agglomerates  
[AD-A158051] p 124 N86-13756

## SOLID STATE DEVICES

Aircraft electrical power systems p 364 A86-28508

United States Navy - Canadian forces solid state flight data recorder/crash position locator experiment on the B-720 controlled impact demonstration p 391 N86-21945

## SOLID-SOLID INTERFACES

Role of dispersed oxides in reducing substrate/coating interdiffusion p 183 A86-17499

Contact heat transfer - The last decade p 387 A86-28551

## SOLITARY WAVES

Wind shear induced by solitary waves in the lower atmosphere  
[IAF PAPER 85-410] p 125 A86-15886

## SONIC BOOMS

Status and capabilities of sonic boom simulators  
[NASA-TM-87664] p 332 N86-20066



- Spectra of noise and amplified turbulence emanating from shock-turbulence interaction: Two scenarios [NASA-TM-88766] p 620 N86-27970
- Sonic-boom research: Selected bibliography with annotation [NASA-TM-87885] p 756 N86-30470
- SOOT**
- Variability of major organic components in aircraft fuels [AD-A159057] p 185 N86-15415
- Fuel effects on soot formation in turbojet engines [AD-A159073] p 185 N86-15416
- Fuel property effects on combustion [AD-A162451] p 378 N86-20522
- SORTIE SYSTEMS**
- Support effectiveness evaluation model — for military air facilities in sortie generation p 263 N86-22398
- SOS (SEMICONDUCTORS)**
- A new high temperature silicon on sapphire transducer for jet engine control applications p 315 N86-23266
- SOUND FIELDS**
- Finite element modeling of acoustic singularities with application to propeller noise p 468 N86-32778
- Flow field and near and far sound field of a subsonic jet p 476 N86-35855
- Mid-field and far-field calculations of Blade-Vortex Interactions [AIAA PAPER 86-1854] p 753 N86-45476
- A feasibility study on the numerical modeling of interior noise fields [AIAA PAPER 86-1862] p 754 N86-45482
- Prediction of sound fields in cavities using boundary element methods [AIAA PAPER 86-1864] p 754 N86-45484
- Effect of a wind tunnel on the acoustic field from various aeroacoustic sources [AIAA PAPER 86-1897] p 756 N86-45507
- An approach to the calculation of the pressure field produced by rigid wide chord dual rotation propellers of high solidity in compressible flow [AIAA PAPER 86-0467] p 856 N86-49566
- An iterative finite element-integral technique for predicting sound radiation from turbofan inlets in steady flight p 856 N86-49806
- SOUND GENERATORS**
- Sounding a happy note for lift — sound generation to prevent stalling p 780 N86-49676
- SOUND INTENSITY**
- Investigation of the level difference between sound pressure and sound intensity in an aircraft cabin under different fuselage conditions p 799 N86-48738
- Use of acoustic intensity measurements in the characterization of jet noise sources p 855 N86-48740
- Advisory Circular: Estimated airplane noise levels in A-weighted decibels [AC-36-3D] p 620 N86-27969
- Investigation of the aerodynamic performance and noise characteristics of a 1/5th scale model of the Dowty Rotol R212 propeller [RAE-TM-AERO-1983] p 756 N86-30468
- SOUND LOCALIZATION**
- Auditory helicopter detection and localization; a literature review focusing on search for helicopters [FOA-C-50033-H2] p 757 N86-30474
- SOUND PRESSURE**
- A propeller model for studying trace velocity effects on interior noise p 284 N86-23191
- Measurements regarding the emission angle dependence of propeller-acoustic pressure/time signals, taking into account passing flight conditions [DGLR PAPER 85-112] p 534 N86-35185
- Fine structure of subsonic jet noise p 619 N86-39069
- Investigation of the level difference between sound pressure and sound intensity in an aircraft cabin under different fuselage conditions p 799 N86-48738
- In-flight acoustic measurements on a light twin-engined turboprop airplane [NASA-CR-178004] p 332 N86-20089
- SOUND PROPAGATION**
- The effect of acoustic reflections on combustor noise measurements p 265 N86-20364
- Flight effects on noise from coaxial dual flow, I - Unheated jets p 619 N86-39058
- On second propagation in radial fan casings [DFVLR-FB-85-32] p 194 N86-16053
- SOUND TRANSMISSION**
- Sound transmission through double panel constructions lined with elastic porous materials [AIAA PAPER 86-1907] p 750 N86-45408
- Propeller-induced structure-borne noise - Laboratory-based test apparatus [AIAA PAPER 86-1938] p 730 N86-45425
- Effects of an internal floor on low frequency sound transmission into aircraft cabins - An experimental investigation [AIAA PAPER 86-1939] p 711 N86-45426
- Structural influence of cabin floor on sound transmission into propeller aircraft - Analytical investigations [AIAA PAPER 86-1940] p 711 N86-45427
- Transmission acoustic vibration testing [AD-A159022] p 101 N86-13326
- Noise transmission into propeller aircraft p 619 N86-27473
- A study on the transmission of sound through flow ducts of varying cross section [NLR-TR-83128-U] p 683 N86-29636
- SOUND WAVES**
- Wave envelope and finite element approximations for turbofan noise radiation in flight p 619 N86-39057
- Predicted and measured strain response of rectangular panels due to acoustic loading [AIAA PAPER 86-1931] p 751 N86-45421
- Response of symmetric rectangular composite laminates with nonlinear damping subjected to acoustic loading [AIAA PAPER 86-1933] p 738 N86-45422
- Active minimization of acoustic potential energy in harmonically excited cylindrical enclosed sound fields [AIAA PAPER 86-1958] p 752 N86-45443
- An experimental and theoretical investigation of the propagation of sound waves through a turbulent boundary layer [AIAA PAPER 86-1968] p 753 N86-45451
- Development of an impulsive noise source to study the acoustic reflection characteristics of hard-walled wind tunnels [AIAA PAPER 86-1887] p 755 N86-45500
- Acoustic reflection contamination measurements in the 16-foot NASA Langley Transonic Wind Tunnel [AIAA PAPER 86-1888] p 755 N86-45501
- New passive helicopter detector [DE85-015160] p 123 N86-12595
- Transmission acoustic vibration testing [AD-A159022] p 101 N86-13326
- Consideration of some factors affecting low-frequency fuselage noise transmission for propeller aircraft [NASA-TP-2552] p 469 N86-24393
- Large eddy simulations of flow in a ramjet combustor p 659 N86-28241
- Acoustic-vortex interactions in an idealized ramjet combustor p 659 N86-28242
- Modeling the effects of wind tunnel wall absorption on the acoustic radiation characteristics of propellers [NASA-TM-87333] p 683 N86-29630
- Measurement and extraction of recurring waveforms: For applications to active transmissions, flow-noise, and helicopter-radiated noise problems [AD-A167400] p 856 N86-32249
- SOUNDING ROCKETS**
- Behaviour of a rectangular wing in a supersonic flow - Dynamic pressure and normal force analysis in the range 1.3-4.0 Mach p 146 N86-19005
- SOVIET SPACECRAFT**
- Studies in the history and theory of the development of science and technology in the fields of aviation, rocketry, and space. Number 3 — Russian book p 131 N86-13462
- SPACE BASED RADAR**
- Space based radar application to air traffic control p 423 N86-32626
- Space-based bistatic radar - Opportunity for future tactical air surveillance p 423 N86-32627
- SPACE CAPSULES**
- Research on the aerodynamic characteristics of vehicles by free flight testing at supersonic speeds [NAL-TR-876] p 339 N86-20353
- SPACE COMMERCIALIZATION**
- Commercial applications of the Navstar Global Positioning System p 514 N86-34112
- Emerging aerospace technologies [NASA-TM-86837] p 131 N86-14213
- SPACE ENVIRONMENT SIMULATION**
- Arnold Engineering Development Center - Simulators encompass spectrum of aerospace environments p 730 N86-45673
- SPACE EXPLORATION**
- Drigible airships for Martian surface exploration [AAS 84-176] p 372 N86-28802
- SPACE FLIGHT**
- Matrix equations of the spatial flight of an asymmetrical rigid body p 365 N86-27446
- SPACE MISSIONS**
- Solar powered vehicle may fly year-long missions p 356 N86-29824
- SPACE NAVIGATION**
- Institute of Navigation, Annual Meeting, 41st, U.S. Naval Academy, Annapolis, MD, June 25-27, 1985, Proceedings p 348 N86-26501
- SPACE SHUTTLE ASCENT STAGE**
- Particulate contaminant relocation during shuttle ascent [NASA-TM-87794] p 600 N86-27351
- SPACE SHUTTLE MISSION 61-B**
- Selections from Flug Revue und Flugwelt International. A. On the border of Time-hypersonic flight. B. NASA programs pave the way for the hypersonic aircraft. C. Shuttle flight 61-B; construction in space. D. Faster than a bullet; hypersonic military aircraft [NASA-TM-88418] p 474 N86-24852
- SPACE SHUTTLE ORBITERS**
- New applications of mu to real-parameter variation problems — structured singular value theory for flight control systems stability analysis p 680 N86-42871
- Technique for measuring side forces on a banked aircraft with a free-swiveling nose gear [NASA-TM-87719] p 743 N86-30233
- SPACE SHUTTLES**
- Computer graphics applications to crew displays p 128 N86-14104
- Comparison of pilot effective time delay for cockpit controllers used on space shuttle and conventional aircraft [NASA-TM-86030] p 307 N86-19324
- Particulate contaminant relocation during shuttle ascent [NASA-TM-87794] p 600 N86-27351
- Users guide: Steady-state aerodynamic-loads program for shuttle TPS tiles [NASA-TM-85724] p 600 N86-27406
- Numerical computation of viscous flow around bodies and wings moving at supersonic speeds [NASA-CR-176903] p 693 N86-29772
- SPACE STATION POWER SUPPLIES**
- Electric power management and distribution for air and space applications p 319 N86-24828
- SPACE STATIONS**
- Electric power management and distribution for air and space applications p 319 N86-24828
- Emerging aerospace technologies [NASA-TM-86837] p 131 N86-14213
- Vibrations and structureborne noise in space station [NASA-CR-176520] p 372 N86-20485
- Direct model reference adaptive control of a flexible robotic manipulator [NASA-CR-176659] p 396 N86-22113
- SPACE SUITS**
- The effect of water ingress on buoyancy and thermal quality of survival suits p 261 N86-19333
- SPACE SURVEILLANCE (GROUND BASED)**
- Integrated navigation, communication, and surveillance systems based on standard distance measuring equipment p 635 N86-40116
- SPACECRAFT CONSTRUCTION MATERIALS**
- Evolution of Aircraft/Aerospace Structures and Materials Symposium, Dayton, OH, April 24, 25, 1985, Proceedings p 197 N86-22128
- New developments in the materials used in airliner, helicopter and spacecraft structures p 372 N86-26327
- Experiences in FRG in aerospace application — of carbon fiber reinforced plastics p 661 N86-40498
- Experiences in UK and France in aerospace application — of glass and carbon fiber reinforced composites p 621 N86-40499
- The need for rapidly solidified powder metallurgy aluminum alloys for aerospace applications p 732 N86-46827
- Materials in aerospace - Can the emerging thermoplastics meet the challenge? p 843 N86-49020
- Advanced polymer composites for high temperature applications p 843 N86-49021
- The development of aluminum-lithium alloys for aerospace applications p 451 N86-22616
- SPACECRAFT CONTROL**
- Failure detection and accommodation in structural dynamics systems using analytic redundancy — in large space structures p 658 N86-42938
- Guidance, Navigation and Control Conference, Williamsburg, VA, August 18-20, 1986, Technical Papers p 852 N86-47401
- SPACECRAFT DESIGN**
- Studies in the history and theory of the development of science and technology in the fields of aviation, rocketry, and space. Number 3 — Russian book p 131 N86-13462
- Aerospace planes and trans-atmospheric vehicles - Recent US studies revive dormant technologies p 449 N86-31348
- Integrated aerosealastic tailoring of lifting surfaces [AIAA PAPER 86-1005] p 594 N86-38946
- Integrated structure/control design - Present methodology and future opportunities p 854 N86-49094
- Activities report of the Department of Aerospace Engineering p 470 N86-23491

Activities report in aerospace research  
[ETN-86-97190] p 622 N86-28907

**SPACECRAFT MOTION**  
Analytical evaluations of accuracy in determining and predicting parameters of artificial Earth satellite motion using altimeter measurement data p 312 N86-20196

**SPACECRAFT POWER SUPPLIES**  
Electric power management and distribution for air and space applications p 319 A86-24828  
Development of autonomous power system testbed p 311 A86-24841

**SPACECRAFT PROPULSION**  
Propulsion education at the Air Force Institute of Technology [AIAA PAPER 86-1754] p 684 A86-42827  
Fiscal year 1987 technical objective document [AD-A166659] p 758 N86-31454

**SPACECRAFT RELIABILITY**  
A new approach to durability prediction for fuel tank skins — aircraft industry p 642 A86-40119

**SPACECRAFT STABILITY**  
Stability of large damped flexible spacecraft with stored angular momentum p 182 A86-18355  
Dynamics R and D in the AFWAL Structures and Dynamics Division p 256 N86-18618

**SPACECRAFT STRUCTURES**  
Evolution of Aircraft/Aerospace Structures and Materials Symposium, Dayton, OH, April 24, 25, 1985, Proceedings p 197 A86-22128  
New developments in the materials used in airliner, helicopter and spacecraft structures p 372 A86-26327  
Aerospace applications of PMR polyimide composites p 377 A86-27730  
Robotic nondestructive inspection of aerospace structures p 668 A86-40509  
Prospects for intelligent aerospace structures [AIAA PAPER 86-1139] p 672 A86-43328  
Polymer, metal and ceramic matrix composites for advanced aircraft engine applications [NASA-TM-87132] p 117 N86-13407  
Holography: The nondestructive testing of composite structures — aerospace structures p 458 N86-22611  
New space paints p 451 N86-22621  
Selections from Flug Revue und Flugwelt International. A. On the border of Time-hypersonic flight. B. NASA programs pave the way for the hypersonic aircraft. C. Shuttle flight 61-B; construction in space. D. Faster than a bullet; hypersonic military aircraft [NASA-TM-88418] p 474 N86-24652  
Time domain design of robust controllers for LQG (Linear Quadratic Gaussian); application to large space structures [AD-A163635] p 533 N86-26074  
Reconstruction of forcing functions based on measured structural responses p 732 N86-30684

**SPACERS**  
Low mass diffusion bonding tools [AD-D012295] p 851 N86-32746

**SPANWISE BLOWING**  
Lift augmentation via spanwise tip blowing - A numerical study [AIAA PAPER 86-0474] p 202 A86-19893  
An investigation of improving high angle of attack performance and flap effectiveness of a configuration with delta wing by spanwise blowing [AIAA PAPER 86-1777] p 542 A86-37811  
Effects of spanwise blowing on pressure distribution and leading-edge vortex stability p 774 A86-49046  
Analysis of aerodynamic coefficients using gradient data: Spanwise turbulence effects on airplane response [NASA-CR-3961] p 393 N86-21069  
Measurements on wing-tip blowing [NASA-CR-176930] p 632 N86-28922  
A theory for lateral wing-tip blowing [NASA-CR-176931] p 632 N86-28923  
International Aviation (selected articles) [AD-A166748] p 687 N86-30690

**SPARE PARTS**  
Using Fleet reported 3-M data in support of Navy emergency escape parachute assemblies p 212 A86-19326  
Method of spare parts - Digital simulation of aircraft turbine engine control system [ASME PAPER 85-IGT-52] p 301 A86-23858  
Spare parts pricing - Impact on logistics support p 537 A86-35647  
Development of a computerized method of determining aircraft maintenance intervals [AD-A161339] p 336 N86-21500

**SPARK IGNITION**  
Optical detection methods for testing of fuel tank lightning ignition hazards p 791 A86-47309

**SPARKS**  
Altitude ignition/lean decel study [AD-A163052] p 518 N86-24781

**SPATIAL DISTRIBUTION**  
A consistent spatial differencing scheme for the transonic full-potential equation in three dimensions [NASA-TM-86716] p 152 N86-15246  
The effects on rotor nonuniform inflow harmonic content of uneven circumferential distribution of jet engine inlet guide vanes [AD-A164629] p 555 N86-26291  
Airborne lidar measurements of El Chichon stratospheric aerosols [NASA-RP-1166] p 616 N86-27835

**SPATIAL MARCHING**  
Progress in the development of parabolized Navier-Stokes (PNS) methodology for analyzing propulsive jet mixing problems [AIAA PAPER 86-1115] p 551 A86-38473  
Modeling three-dimensional flows in terms of viscous-inviscid interaction by means of the MSZ method [ONERA, TP NO. 1986-29] p 692 A86-46171  
Validation of a full potential method for combined yaw and angle of attack [AIAA PAPER 86-1834] p 779 A86-49591  
Comparison of the Euler and potential solutions for supersonic flows over delta wings p 149 N86-14239  
Application of a dynamic grid adaptation in the ASWR procedure p 149 N86-14243

**SPATIAL RESOLUTION**  
The calculation of the entropy distribution along cloud traverses using aircraft measurements p 678 A86-40555

**SPECIFIC IMPULSE**  
Theoretical considerations of the specific impulse of ramjet engines p 817 A86-49111

**SPECIFICATIONS**  
The Air Force approach to environmental stress screening p 253 A86-22192  
National airspace system, system requirements specification [AD-A157944] p 94 N86-13312  
Introduction to deployable recovery systems [DE86-000048] p 211 N86-17310  
An approach to developing specification measures p 330 N86-19968  
F100 fuel sampling analysis [AD-A161687] p 379 N86-21707  
Operations concept for the TCCC (Tower Control Computer Complex) man-machine interface [AD-A166899] p 705 N86-30714

**SPECIMEN GEOMETRY**  
Mode II fatigue crack growth specimen development p 736 A86-43566

**SPECKLE PATTERNS**  
The development of laser speckle velocimetry for the measurement of vortical flow fields [AIAA PAPER 86-0768] p 523 A86-37091  
Speckle effects on coherent laser radar detection efficiency p 668 A86-40403

**SPECTRA**  
Study of the influence of an oscillating spoiler on the surrounding aerodynamic field [IMFL-3119] p 90 N86-13303

**SPECTRAL ENERGY DISTRIBUTION**  
Evaluation of a frequency response technique for aircraft system identification [AD-A164367] p 497 N86-25339

**SPECTRAL METHODS**  
A spectral hodograph method for shockless transonic two-dimensional flow [AIAA PAPER 86-1796] p 543 A86-37824  
Identification of aeroelastic phenomenon employing bispectral analysis techniques p 740 A86-47124

**SPECTRORADIOMETERS**  
Spectroradiometric calibration of the Thematic Mapper and multispectral scanner system [E86-10022] p 260 N86-17816

**SPECTROSCOPY**  
Method to detect ethylene glycol in gaseous mixtures [AD-A158109] p 116 N86-12272

**SPECTRUM ANALYSIS**  
Helicopter data acquisition and processing [AIAA PAPER 86-9734] p 464 A86-32081  
Sensitivity, noise and optical crosstalk in heterodyne acousto-optical signal processors p 740 A86-46701  
Jet-engine combustor spectral radiation measurements using fiberoptic instrumentation system. Radiant energy power source for jet aircraft [DE86-007289] p 723 N86-30735

**SPEECH**  
Operational acceptability of 2.4 kbps speech for tactical communications p 424 A86-32823  
Effects of noise and workload on a communication task [AD-A160743] p 321 N86-18599

**SPEECH RECOGNITION**  
Talking to your aircraft p 239 A86-21900

A speech recognition research tool for the C-130 Hercules p 350 A86-28443  
Dynamic retraining approaches for an airborne speech recognition system p 395 A86-28444  
A comparison of voice and keyboard data entry for a helicopter navigation task [AD-A163245] p 610 N86-26501

**SPEED CONTROL**  
Two-hundred to 300 KVA conditioned power system - development, phase 1 [AD-A158820] p 125 N86-13632

**SPEED INDICATORS**  
Dynamic characteristics of air data sensor systems: Altimeter, speedometer and alpha times beta vane [NAL-TR-852] p 172 N86-15312

**SPHERES**  
Generation of the starting plane flowfield for supersonic flow over a spherically capped body [AD-A161117] p 278 N86-19291

**SPHERICAL COORDINATES**  
Numerical solutions of Navier-Stokes equations for a Butler wing [NASA-CR-174202] p 88 N86-13293  
Numerical generation of 3D curvilinear coordinate systems and computational grids for aircraft configurations [AD-A162249] p 462 N86-23997

**SPHERICAL TANKS**  
Energy dissipation of liquids in rotating spherical tanks measured by a forced motion-spin table [AD-A161864] p 460 N86-23874

**SPIKES (AERODYNAMIC CONFIGURATIONS)**  
Static and dynamic pitch stability of a blunted cone with forward facing aerodynamic spike in hypersonic flow p 135 A86-16249

**SPILLING**  
Variability of major organic components in aircraft fuels [AD-A159057] p 185 N86-15415

**SPIN DYNAMICS**  
Method for calculating the equilibrium spin of an aircraft p 109 A86-13435  
Free-falling autorotating plate - A coupled fluid and flight mechanics problem p 110 A86-14533

**SPIN STABILIZATION**  
A study of aircraft motion stability in steady spin p 176 A86-19070  
Navy departure/spin and air combat maneuvering evaluation of a National Aeronautics and Space Administration developed flight control system for the F-14 p 724 A86-44944

**SPIN TESTS**  
Reflections regarding recent rotary rig results [AIAA PAPER 86-0123] p 241 A86-19703  
Evaluation of cyclic spin pit tests for the damage tolerance of disks p 507 N86-25379

**SPLICING**  
Optimized bolted joint [NASA-CASE-LAR-13250-1] p 612 N86-27630

**SPLINE FUNCTIONS**  
Efficient identification of critical stresses in structures subject to dynamic loads p 380 A86-26682  
Three-dimensional flight-path reconstruction by means of spline approximation [NLR-TR-83091-U] p 228 N86-17347

**SPLINES**  
Torsional low cycle fatigue of spline-ended drive components p 187 A86-18431  
Aero-engine gears: Manufacturing cracks and their effect on operation p 677 N86-29239

**SPLIT FLAPS**  
Potential flow models of airfoils with separated flow p 772 A86-49013

**SPOILERS**  
A study of the flow around a wing equipped with a spoiler p 83 A86-14186  
Studies of the aerodynamics of flaps and spoilers in unsteady flow [ONERA, TP NO. 1985-149] p 272 A86-24627  
A survivable fly-by-wire spoiler actuation system featuring nonflammable fluid, 8,000 PSI hydraulics and direct drive valves p 355 A86-28402  
Potential flow models of airfoils with separated flow p 772 A86-49013  
Steady and unsteady investigations of spoiler and flap aerodynamics in two dimensional subsonic flows [ONERA, TP NO. 1986-101] p 776 A86-49106  
Study of the influence of an oscillating spoiler on the surrounding aerodynamic field [IMFL-3119] p 90 N86-13303  
Vortex wake alleviation studies with a variable twist wing [NASA-TP-2442] p 197 N86-16187  
Application of computational aerodynamics to wing design p 226 N86-17297

- The 737 graphite composite flight spoiler flight service evaluation  
[NASA-CR-172600] p 314 N86-18448
- Experimental and theoretical study of incompressible flow around a wing profile with a spoiler. Contributions of laser velocimetry and the Dvorak method  
[ISL-R-116/84] p 279 N86-19297
- Aerodynamic characteristics of several current helicopter tail boom cross sections including the effect of spoilers  
[NASA-TP-2506] p 339 N86-20349
- SPONTANEOUS COMBUSTION**
- Aircraft accident report: Air Canada Flight 797, McDonnell Douglas DC-9-32, C-FTLU Greater Cincinnati International Airport, Covington, Kentucky, June 2, 1983 [PB86-910402] p 344 N86-21525
- SPRAY CHARACTERISTICS**
- Characterization of fuel sprays using a high-resolution patternator  
[AIAA PAPER 86-1726] p 656 A86-42814
- SPRAY NOZZLES**
- Turbulent dispersion of the icing cloud from spray nozzles used in icing tunnels  
[NASA-TM-87316] p 820 N86-31588
- SPRAYED COATINGS**
- Flame rig testing of thermal barrier coatings and correlation with engine results p 173 A86-17491
- Strain isolated ceramic coatings for gas turbine engines  
[ASME PAPER 85-GT-96] p 247 A86-22082
- SPRAYERS**
- Heat transfer and pressure drop performance of a finned-tube heat exchanger proposed for use in the NASA Lewis Altitude Wind Tunnel  
[NASA-TM-87151] p 123 N86-13677
- SPRINGS (ELASTIC)**
- A spring in the air — launching device for RPV  
p 590 A86-37345
- Segmented tubular cushion springs and spring assembly  
[NASA-CASE-ARC-11349-1] p 388 N86-20797
- SQUEEZE FILMS**
- Equivalent stiffness and damping coefficients for squeeze film dampers p 319 A86-25751
- STABILITY**
- Dynamic stability of a bearingless circulation control rotor blade in hover p 177 N86-15297
- Validation of USAF stability and control Datcom methodologies for straight-tapered sweptforward wings [AD-A161876] p 417 N86-23570
- Natural laminar flow flight experiments on a swept wing business jet-boundary layer stability analyses  
[NASA-CR-3975] p 478 N86-24659
- Investigation of a nozzle instability on an F100 engine equipped with a digital electronic engine control [PAPER-12] p 506 N86-25354
- Experience with synchronous and asynchronous digital control systems  
[NASA-TM-88271] p 726 N86-29866
- STABILITY AUGMENTATION**
- Control of a forward-swept-wing configuration dominated by flight dynamic/aeroelastic interactions p 239 A86-20237
- Preliminary design of low authority SAS. I — stability augmentation system p 510 A86-36772
- Design and research of aircraft parameter-adaptive lateral command augmentation systems p 723 A86-43498
- Preliminary design of low authority SAS. II — stability augmentation system p 724 A86-45058
- A programme of research into the aerodynamics, stability and control characteristics of a combat aircraft having a forward swept wing p 357 N86-21533
- An analysis of the limit cycle observed in the functional mockup test of the NAL QSTOL research aircraft [NAL-TR-893] p 587 N86-27277
- STABILITY DERIVATIVES**
- Low-speed stability characteristics of a helicopter with a sling load p 365 A86-26586
- Direct derivative measurements in the presence of sting plunging p 371 A86-28560
- Analysis of aerodynamic coefficients using gradient data: Spanwise turbulence effects on airplane response  
[NASA-CR-3961] p 393 N86-21069
- Validation of USAF stability and control Datcom methodologies for straight-tapered sweptforward wings [AD-A161876] p 417 N86-23570
- Recent developments in techniques for dynamic simulation for the identification of stability parameters p 562 N86-27246
- Dynamic nonlinear airloads: Representation and measurement p 563 N86-27251
- Correlation of predicted and free-flight responses near departure conditions of a high incidence research model p 564 N86-27255
- A computer programme for DATCOM methods of estimation of lateral stability and control derivatives [NAL-TM-AE-8601] p 596 N86-27289
- STABILITY TESTS**
- Determination of the service life of aviation oils p 312 A86-23450
- Recent developments in rotary-balance testing of fighter aircraft configurations at NASA Ames Research Center p 562 N86-27242
- STABILIZATION**
- An inertial navigation system with single-axis stabilization p 702 A86-43484
- Advanced laser based inertial instrument development [AD-A166307] p 742 N86-30128
- STABILIZERS**
- Impaction efficiencies of evaporating kerosene droplets on vee-gutter flame stabilizer  
[ASME PAPER 86-GT-174] p 815 A86-48225
- STABILIZERS (FLUID DYNAMICS)**
- Lightning stroke tests at the CFRP horizontal stabilizer of alpha jet p 792 A86-47331
- Automated systems for the manufacture of Airbus Vertical Stabilizer Spar box in composite materials p 782 A86-49067
- STABLE OSCILLATIONS**
- Stability of limit cycles in frictionally damped and aerodynamically unstable rotor stages p 174 A86-19198
- STAGNATION FLOW**
- Flow stagnation as an advanced windblast protection technique — for ejection seat safety p 793 A86-47727
- STAGNATION POINT**
- Experimental study of the supersonic turbulent boundary layer on a blunted axisymmetric body  
[AD-A163736] p 479 N86-24669
- STAGNATION PRESSURE**
- Cryogenic tunnel measurement of total temperature and pressure p 387 A86-28570
- Experiments on high speed ejectors  
[NASA-CR-177419] p 721 N86-29820
- STAGNATION TEMPERATURE**
- Cryogenic tunnel measurement of total temperature and pressure p 387 A86-28570
- STAINLESS STEELS**
- The development of high strength stainless steels for the aeronautical industry p 373 A86-26337
- Low mass diffusion bonding tools  
[AD-D012295] p 851 N86-32746
- STANDARDIZATION**
- Progress towards international standardisation of aircraft noise contour calculations p 468 A86-31966
- Navy should join the Air Force and Army program to develop an advanced integrated avionics system [PB85-222503] p 104 N86-12224
- Standardised fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation  
[RAE-TR-84084] p 226 N86-17336
- Standardised fatigue loading sequences for helicopter rotors (Helix and Felix). Part 2: Final definition of Helix and Felix  
[RAE-TR-84085] p 226 N86-17337
- Avionics standardization: Perceptions and recommendations p 361 N86-20388
- Chemical control for Airbus composites. HPLC standardization [I-104/84] p 664 N86-28133
- STANDARDS**
- The development of dynamic performance standards for general aviation aircraft seats  
[SAE PAPER 850853] p 97 A86-14449
- Aircraft ground support equipment standardization - The pros and cons of 'functional' vs 'technical' standardization  
[SAE PAPER 851794] p 620 A86-38317
- Aircraft noise measurement - Alternatives to the standard 1-2 metres microphone height  
[AIAA PAPER 86-1960] p 752 A86-45445
- Environment-friendly propeller aircraft with a maximum weight of 5700 kg. and motor gliders: Publication of the noise values p 227 N86-17341
- Obstruction marking and lighting  
[AC-70/7460-1G] p 371 N86-20410
- Publications of the National Bureau of Standards, 1984 catalog [PB85-245678] p 402 N86-21435
- Minimum operational performance standards for Airborne Distance Measuring Equipment (DME) operation within the radio frequency range of 960-1215 megahertz [RTCA/DO-189] p 362 N86-21542
- Minimum operational performance standards for Airborne thunderstorm detection equipment [RTCA/DO-191] p 617 N86-27851
- Investigations for improving operational reliability and maintainability of instrument landing system components. Volume 1: Text and appendices  
[DOT/FAA/PM-86/7,1-VOL-1] p 704 N86-29801
- Safety fuels-specifications and progress p 734 N86-30018
- Minimum operational performance standards for Airborne area navigation equipment using Omega/VLF inputs  
[RTCA/DO-190] p 705 N86-30711
- TURBISTAN: A standard load sequence for aircraft engine disks  
[NLR-MP-85033-U] p 820 N86-32436
- STARTING**
- Investigations of transonic Ludwig tubes. III - Effects of plenum exhaust system on starting process of tunnel test section p 140 A86-16838
- STATE ESTIMATION**
- State estimation errors in digital Kalman filters caused by measurement delays and numerical integration p 397 A86-28368
- Estimation of the state parameters of nonlinear dynamic systems p 465 A86-33047
- Use of state estimation to calculate angle-of-attack position error from flight test data  
[AD-A163962] p 480 N86-24670
- STATE VECTORS**
- New and existing techniques for dynamic loads analyses of flexible airplanes p 432 A86-32787
- Optimal landing of a helicopter in autorotation  
[NASA-CR-177082] p 714 N86-29809
- STATIC AERODYNAMIC CHARACTERISTICS**
- Effect of sweep angle on static aerelasticity - Theory for physical meanings p 288 A86-25180
- Comparison of F-101 ejection seat and ACES II static aerodynamic coefficients — Advanced Concept Ejection Seat p 428 A86-32067
- Static aerelastic analysis using aircraft vibration modes p 432 A86-33241
- Static aerelastic analysis using aircraft vibration modes p 743 N86-30641
- STATIC DISCHARGERS**
- Electrostatic charging of the CH-53E helicopter  
[AD-A161936] p 437 N86-23590
- STATIC ELECTRICITY**
- The disturbance of aircraft navigation and communication systems by atmospheric static electricity p 180 A86-18695
- International Aerospace and Ground Conference on Lightning and Static Electricity, 10th, and Congress International Aeronautique, 17th, Paris, France, June 10-13, 1985, Proceedings p 844 A86-47292
- Live tests on static electricity in fuelling of aircraft p 783 A86-47334
- Atmospheric electricity hazards threat environment definition  
[AD-A159739] p 324 N86-18909
- Interaction between EMP (Electromagnetic Pulse), lightning and static electricity with aircraft and missile avionics systems [AGARD-LS-144] p 702 N86-30708
- STATIC LOADS**
- Strength analysis of flight vehicles — Russian book p 356 A86-29642
- Hypersonic characteristics of an advanced aerospace plane at Mach 20.3  
[NASA-TM-86435] p 152 N86-15245
- Static aerelasticity in combat aircraft  
[AGARD-R-725] p 613 N86-27678
- STATIC PRESSURE**
- The use of surface static pressure data as a diagnostic tool in multistage compressor development  
[ASME PAPER 86-GT-3] p 812 A86-48103
- Compressor research facility F100 high pressure compressor inlet total pressure and swirl profile simulation  
[AD-A157108] p 107 N86-12229
- An airfoil flutter model suspension system to accommodate large static transonic airloads  
[NASA-CR-177998] p 146 N86-14220
- The application to airfoils of a technique for reducing orifice-induced pressure error at high Reynolds numbers [NASA-TP-2537] p 339 N86-20351
- Effects of inlet distortion on a static pressure probe mounted on the engine hub in an F-15 airplane [PAPER-5] p 505 N86-25347
- STATIC STABILITY**
- Allowance for initial conditions in static and dynamic calculations of structures by the finite element method p 119 A86-13419
- An experimental study of the lift, drag and static longitudinal stability for a three lifting surface configuration  
[AIAA PAPER 86-0398] p 365 A86-26629

- The effect of changes in the static strength of a structure during service on the reliability of aircraft  
p 384 A86-28322
- Strength analysis of flight vehicles — Russian book  
p 356 A86-29842
- Comparison of the strength and damage tolerance of aluminum alloys  
p 516 A86-36178
- Limitations of statically unstable aircraft due to the effects of sensor noise, turbulence, and structural dynamics  
[AIAA PAPER 86-2203] p 824 A86-47483
- Experimental study of effects of forebody geometry on high angle of attack static and dynamic stability and control  
p 833 A86-49039
- NASTRAN/FLEXSTAB procedure for static aeroelastic analysis  
[NASA-TM-84897] p 639 N86-28076
- STATIC TESTS**
- U.S. Army/Sikorsky ACAP airframe test techniques/methodology  
p 165 A86-18427
- Verification of static rotor-load measurement capabilities of the RSRA helicopter active-isolator system  
p 165 A86-18428
- An engineering simulation of the Boeing 747 primary flight control systems  
[AIAA PAPER 86-0494] p 239 A86-19905
- Performance of AV-8B Harrier II structural test program  
p 241 A86-22189
- 757 Major Static Test instrumentation systems  
p 520 A86-34636
- Experimental study of flight effect on fan noise. I - A study of inflow control device for simulating in-flight fan noise in static test  
p 721 A86-46024
- Propeller FOD qualification using modal analysis, artificial birds, and a static impact facility  
p 731 A86-47127
- Lecture notes on fatigue, static tensile strength and stress corrosion of aircraft materials and structures. Part 2: Figures  
[VTH-LR-360-PT-2] p 227 N86-17345
- Low-speed wind-tunnel investigation of the effect of strakes and nose machines on lateral-directional stability of a fighter configuration  
[NASA-TM-87641] p 278 N86-19287
- Correlation of results of an OH-58A helicopter composite tail boom test with a finite element model  
[AD-A181062] p 295 N86-19316
- Static investigation of two STOL nozzle concepts with pitch thrust-vectoring capability  
[NASA-TP-2559] p 415 N86-23559
- STATISTICS**
- Microwave Landing System (MLS) station interface control report  
[DOT/FAA/PM-86/17] p 540 N86-27178
- STATISTICAL ANALYSIS**
- Statistical formulation of the objectives of the aerodynamic experiment  
p 80 A86-13381
- Statistical dynamics and control optimization of flight vehicles — Russian textbook  
p 449 A86-33299
- A unified procedure for meeting power-spectral-density and statistical-discrete-gust requirements for flight in turbulence  
[AIAA PAPER 86-1011] p 584 A86-38869
- Determination of the statistical characteristics of aircraft motion during an automatic approach  
p 832 A86-48844
- Statistical sampling of aircraft operations at non-towered airports  
[AD-A157095] p 128 N86-13051
- Investigations of the aircraft landing process using a computerized simulation model based on the Monte Carlo method  
[DFVLR-FB-85-27] p 167 N86-14269
- CERR: An aviation verification program  
[PB85-204824] p 260 N86-16854
- Analysis of data from NASA B-57B gust gradient program  
[NASA-CR-178736] p 446 N86-23604
- Statistical analysis of direct-strike lightning data (1980 to 1982)  
[NASA-TP-2252] p 463 N86-24090
- ALESEP. Part 2: A computer program for the analysis of leading edge separation bubbles on infinite swept wings  
[NASA-CR-178015] p 479 N86-24864
- Annual review of aircraft accident data. US air carrier operations: Calendar year 1982  
[PB86-212529] p 634 N86-28929
- Investigations in landing process of aircraft by means of the Monte-Carlo method  
[ESA-TT-951] p 808 N86-31578
- STATISTICAL DISTRIBUTIONS**
- Effect of crack growth rate variations on life predictions  
[AIAA PAPER 86-0981] p 603 A86-38859
- An analytical methodology for predicting repair time distributions of advanced technology aircraft  
[AD-A187149] p 763 N86-31529
- STATISTICAL MECHANICS**
- NASA LeRC/Akron University Graduate Cooperative Fellowship Program and Graduate Student Researchers Program  
[NASA-CR-174826] p 130 N86-13219
- STATISTICAL TESTS**
- Failure detection in a flight control system by the modified sequential probability ratio test  
p 854 A86-49507
- STATISTICS**
- Results of the expert study of accidents during operation of German aircraft in the homeland and abroad as well as of foreign aircraft in the homeland  
p 158 N86-14261
- Results of the expert study of accidents during operation of German aircraft in the homeland and abroad as well as of foreign aircraft in the homeland  
p 159 N86-14262
- STATOR BLADES**
- Multistage compressor stator/rotor interaction  
p 85 A86-14556
- Production and development of secondary flows and losses within a three dimensional turbine stator cascade  
[ASME PAPER 85-GT-217] p 205 A86-22115
- Noise generated by convected gusts interacting with swept airfoil cascades  
[AIAA PAPER 86-1872] p 755 A86-45492
- STATORS**
- Spanwise redistribution of energy and loss in an axial flow compressor by wake centrifugation  
[AD-A159312] p 237 N86-18222
- A simulation of rotor-stator interaction using the Euler equations and patched grids  
[NASA-TM-86821] p 264 N86-17014
- STEADY FLOW**
- Calculation of steady flow about propellers using a surface panel method  
p 85 A86-14559
- Self-similar supersonic gas flows through a permeable screen  
p 140 A86-16784
- Application of NLR's calculation methods to transonic flow about oscillating wings  
p 143 A86-17778
- Some recent developments in numerical methods for transonic flows  
p 144 A86-17889
- The effectiveness of various control surfaces in quasi-steady and unsteady flows - Applications  
[ONERA, TP NO. 1985-147] p 306 A86-24633
- Aerodynamics of lifting surfaces in steady flow --- Russian book  
p 275 A86-25599
- A consistent mathematical model to simulate steady and unsteady rotor-blade aerodynamics  
p 276 A86-26108
- Semi-empirical simulation of steady and unsteady rotor blade aerodynamic loading  
p 336 A86-27656
- A perturbative lambda formulation --- for compressible flow  
p 337 A86-28535
- Transonic flow calculations for aircraft  
p 338 A86-29474
- On the exact solution of the linearized lifting-surface problem of an elliptic wing  
p 409 A86-31132
- Steady transonic flow  
p 413 A86-33408
- Analytic representation of steady and unsteady aerodynamic coefficients of modern helicopter rotors  
[DGLR PAPER 85-114] p 474 A86-35167
- Analysis of a three-dimensional stationary turbulent boundary layer on the root section of a wing without allowance for compressibility  
p 476 A86-35991
- Visualization of wing tip vortices in unsteady and steady wind  
[AIAA PAPER 86-1096] p 551 A86-38457
- Objectives and scope of the Working Group 07  
p 153 N86-15257
- Nonlinear problems in flight dynamics involving aerodynamic bifurcations  
p 563 N86-27249
- Steady and unsteady pressure distribution on various profiles in separated subsonic and transonic flow  
p 695 N86-30632
- STEADY STATE**
- Method for calculating the equilibrium spin of an aircraft  
p 109 A86-13435
- Calculation of equilibrium turn  
p 109 A86-13436
- Calculation of the steady-state transverse vibrations of the system rotors-housing of a gas-turbine engine  
p 503 A86-36741
- Formulation of the Euler boundary value problem  
p 154 N86-15258
- Steady supersonic Navier-Stokes solutions of a 75 deg delta wing  
p 558 N86-27206
- STEEL STRUCTURES**
- Fatigue fracture in landing gear steels  
p 803 A86-49115
- STEELS**
- Methods of constructing R-curves and application of these curves for evaluation of materials (Review)  
p 117 A86-13011
- A durable airfield marking system  
[AD-A157953] p 113 N86-13339
- Direction of R and D and current status of understanding of advanced gear steels  
p 666 N86-29245
- Fatigue resistance of high quality steels under multiaxial load  
[ETN-86-97878] p 851 N86-32785
- STEERABLE ANTENNAS**
- Future Aeronautical Communication System (FACS): Report  
[ETN-86-96959] p 673 N86-28309
- STEERING**
- European aircraft steering systems  
[SAE PAPER 851940] p 581 A86-38373
- Technique for measuring side forces on a banked aircraft with a free-swiveling nose gear  
[NASA-TM-87719] p 743 N86-30233
- STEP FUNCTIONS**
- Design of direct digital flight-mode control systems for high-performance aircraft using step-response matrices  
p 367 A86-28387
- STIFFENING**
- A study of an iteration method for the analysis of plates with parallel stiffness ribs as systems of superelements  
p 455 A86-31417
- Buckling and final failure of graphite/PEEK stiffener sections  
[AIAA PAPER 86-0921] p 608 A86-38831
- The influence of slow growth and net section yielding on the residual strength of stiffened structure  
p 737 A86-43793
- Fracture diagrams for stiffened aircraft structures - Effects of material non-linearity  
p 737 A86-43794
- Optimization of stiffened panels under compression  
p 739 A86-45762
- Failure mechanisms of laminates transversely loaded by bolt push-through  
[NASA-TM-87603] p 184 N86-14314
- Design of hat-stiffened composite panels under uniaxial compression and shear. Minimum mass optimization based on a simplified theory  
[VTH-LR-312] p 259 N86-17806
- Computation of the stress intensity factor in stiffened panels (built in or adhesive bonded stiffeners)  
[SNIAS-436.021/85] p 851 N86-32784
- STIFFNESS**
- Nondestructive test methods for composite structures  
p 118 A86-13147
- Using isoperimetric inequalities for the two-sided estimation of the torsional stiffness of a prismatic bar  
p 119 A86-13410
- Design of a minimum-weight gliding wing  
p 96 A86-13437
- Equivalent stiffness and damping coefficients for squeeze film dampers  
p 319 A86-25751
- Characteristics pertaining to a stiffness cross-coupled Jeffcott model  
[ASME PAPER 85-DET-144] p 523 A86-37071
- Determination of the required stiffness characteristics for a large aspect ratio wing from the conditions of static strength and aileron efficiency  
p 800 A86-48845
- The effect of a fault on the stiffness and the natural frequency of a plate in bending  
p 850 A86-49918
- Investigation of chemically-reacting supersonic internal flows  
[NASA-CR-176363] p 188 N86-14532
- Standard dynamics model experiments with the DFVLR/AVA transonic derivative balance  
p 562 N86-27245
- STIFFNESS MATRIX**
- Buckling behavior of Rene 41 tubular panels for a hypersonic aircraft wing  
[NASA-TM-86798] p 611 N86-26653
- STOCHASTIC PROCESSES**
- Control methodology for stochastic system characteristics modulation  
[AIAA PAPER 86-0335] p 262 A86-19821
- Optimal control of integral-functional equations  
p 329 A86-23581
- The problem of optimizing the final design modifications of stochastic oscillatory systems  
p 316 A86-23651
- Stability of a nonlinear stochastic system under periodic excitation --- for helicopter rotor vibration  
p 444 A86-32657
- The effect of random forces on nonlinear oscillating systems  
p 535 A86-36710
- Stochastic flutter of nonlinear aeroelastic structures with parameter random fluctuations  
[AIAA PAPER 86-0962] p 609 A86-38934
- The near and far acoustic fields of broadband shock associated noise  
[AIAA PAPER 86-1943] p 751 A86-45430
- A stochastic decentralized flight control system  
[AIAA PAPER 86-1994] p 821 A86-47416

## STOPPING

Some tests to assess the effect of crack stoppers on the fatigue life of center-notched specimens — semisubmersible platform  
[NLR-TR-84051-U] p 611 N86-26662

## STORM SUPPRESSION

Weather radar studies  
[AD-A161622] p 394 N86-22061

## STORMS

NASA storm hazards research in lightning strikes to aircraft p 566 A86-37479  
Storm precipitation and wind structure during aircraft strike lightning events  
[AD-A162338] p 463 N86-24100

## STORMS (METEOROLOGY)

Evaluation of meteorological airborne Doppler radar. I - Dual-Doppler analyses of air motions. II - Triple-Doppler analyses of air motions p 103 A86-14223  
Location of lightning strokes on aircraft in storm field with measured electrical, microphysical and dynamical properties p 783 A86-47299  
Downburst: Microburst and macroburst  
[PB85-148880] p 191 N86-14826  
Loads and motions of an F-106B flying through thunderstorms  
[NASA-TM-87671] p 483 N86-24672  
DFW (Dallas-Ft. Worth) microburst on August 2, 1985  
[NASA-CR-176784] p 529 N86-25956

## STOWAGE (ONBOARD EQUIPMENT)

Galley and overhead compartment experiment results: Full-scale transport controlled impact demonstration  
[DOT/FAA/CT-85/33] p 343 N86-20378

## STRAIN GAGE BALANCES

Improved drag element for wind tunnel sting balances p 112 A86-14532  
Algorithms for the reduction of wind-tunnel data derived from strain gauge force balances  
[ARL/AERO-R-164] p 113 N86-13337

## STRAIN GAGES

Fiber optic sensors for flexure measurement of aircraft structures p 739 A86-46135  
Measurements of landing gear loads of a commuter airliner p 803 A86-49119  
Strain-gauge autopilot altitude corrector p 811 A86-49142  
Application of strain gauge amplifiers and computer technology to the strength testing of aircraft p 849 A86-49144

Application of strain gauge methods to determination of in-flight loads of structure groups of small transport aircraft p 811 A86-49149  
Impact dynamics instrumentation p 392 N86-12948  
Composite integral response sensing  
[AD-A163136] p 470 N86-24457

Loads calibrations of strain gage bridges on the DAST project Aerelastic Research Wing (ARW-2)  
[NASA-TM-87677] p 639 N86-28075

Mirage A3-002 strain responses to ground calibration loadings between 1978 and 1985  
[AD-A165846] p 640 N86-28080

Aspect ratio effects on wings at low Reynolds numbers p 782 N86-32390

## STRAIN MEASUREMENT

Strain measurement of the USB-flap structures of NAL STOL aircraft p 95 A86-13315

New methods of measuring strain and temperature in a turbine engine p 118 A86-13336

Application of computerized data acquisition and data processing to the surface contouring of large structures p 118 A86-13342

Measurement of elastic-plastic strain field at the curve surface crack tip p 249 A86-20175

Straining for weight savings in advanced composites  
[SAWE PAPER 1685] p 516 A86-35226

Fatigue life monitoring of aircraft  
[NLR-MP-83069-U] p 226 N86-16211

## STRAIN RATE

SPF aluminum - A first for the S-76B helicopter --- Superplastic Forming p 250 A86-21709

## STRAKES

Exploratory investigation of deflectable forebody strakes for high angle of attack yaw control  
[AIAA PAPER 86-0333] p 238 A86-19819

Pivotable strakes for high angle of attack control  
[SAE PAPER 851821] p 593 A86-38329

Use of hinged strakes for lateral control at high angles of attack  
[AIAA PAPER 86-2278] p 830 A86-47696

Analysis of strake-slender-wing configurations using slender-wing theory p 774 A86-49049

Use of hinged strakes for lateral control at high angles of attack  
[AD-A158005] p 178 N86-15321

Low-speed wind-tunnel investigation of the effect of strakes and nose machines on lateral-directional stability of a fighter configuration  
[NASA-TM-87641] p 278 N86-19287

## STRAPDOWN INERTIAL GUIDANCE

A redundant strapdown reference for advanced aircraft flight control systems p 239 A86-21840

The use of microcomputers in inertial navigation systems with strapdown sensors and for measurement systems of average accuracy --- German thesis p 347 A86-27849

Concept and performance analysis of a strapdown northfinder p 349 A86-28361

Flight test of a velocity augmented strapdown navigation system LHN-81 p 421 A86-30314

Flight path measurement of helicopters using a strap-down navigation system  
[AIAA PAPER 86-9733] p 422 A86-32080

LMR-83 - Inertial measurement unit for flight regulation and navigation  
[DGLR PAPER 85-132] p 508 A86-35177

Frequency and time domain designs of a strapdown vertical determination system  
[AIAA PAPER 86-2148] p 810 A86-47457

Construction of a measuring method using fiber optics and an LTN-90 laser gyro strapdown system for BO-195 helicopters  
[DFVLR-MITT-85-10] p 216 N86-17333

Improvement of strapdown system performance by means of numerical methods  
[BMFT-FB-W-85-011] p 575 N86-27275

Technology research for strapdown inertial experiment and digital flight control and guidance  
[NASA-CR-176907] p 703 N86-29800

## STRAPS

Passive arm retention curtain  
[AD-D011876] p 91 N86-13307

Aircraft barricade  
[AD-D012194] p 656 N86-28102

## STRATEGIC MATERIALS

Potential of composite materials to replace chromium, cobalt and manganese in critical applications  
[PB86-123965] p 451 N86-22651

## STRATEGY

The C-17: An attempt at increased airlift versatility  
[AD-A164822] p 540 N86-26280

Airport noise control strategies  
[AD-A167977] p 840 N86-31602

## STRATIFIED FLOW

A quasi-one-dimensional model for the evolution of the turbulent wake of a body in a stratified medium p 738 A86-45231

## STRATOSPHERE

Airborne lidar measurements of El Chichon stratospheric aerosols  
[NASA-RP-1166] p 616 N86-27835

## STRATUS CLOUDS

Calculation of ice accretion on cylindrical rods according to Bain's model, and comparison with experimental results --- stratus clouds  
[DFVLR-FB-85-46] p 325 N86-18933

## STREAM FUNCTIONS (FLUIDS)

Numerical solution of transonic stream function equation on S1 stream surface in cascade  
[AIAA PAPER 86-GT-110] p 765 A86-48172

A method for transonic inverse cascade design with a stream function equation  
[ASME PAPER 86-GT-189] p 766 A86-48239

A consistent spatial differencing scheme for the transonic full-potential equation in three dimensions  
[NASA-TM-86716] p 152 N86-15246

## STREAMLINED BODIES

The classical streamline curvature method in the supersonic range - A numerically ill-posed boundary value problem p 690 A86-45189

## STREAMLINING

The status of two-dimensional testing at high transonic speeds in the University of Southampton transonic self-streamlining wind tunnel  
[NASA-CR-3919] p 86 N86-12203

## STREAMS

Multiple ducted streams with a periodic or a steady supersonic driver flow p 142 A86-17129

## STRESS (PHYSIOLOGY)

A review of the pilot backache problem in the CH113 Labrador helicopter  
[AD-A164011] p 530 N86-25113

## STRESS ANALYSIS

Consideration of the multiplicity of critical spots in a structure in estimating the durability and the service life p 119 A86-13367

A theory of large and finite displacements of bars p 316 A86-23662

The finite element stress analysis for solid-shell combined parts in aeroengines  
[ASME PAPER 85-IGT-72] p 317 A86-23873

The solution of the thermal elastic-plastic problem of turbine disk by the incremental finite element method  
[ASME PAPER 85-IGT-112] p 317 A86-23909

The development and application of finite element stress analysis techniques at Westland Helicopters Ltd p 330 A86-26118

Reliability and failure prevention through ESA in the 80's And beyond p 381 A86-26937

Fretting fatigue testing with a fretting bridge equipment Stress analysis, amplitudes of slip, reliability p 383 A86-27371

Calculation of structural elements of aircraft: Sandwich plates and shells --- Russian book p 458 A86-33292

Advanced topics in boundary element analysis; Proceedings of the Winter Annual Meeting, Miami Beach, FL, November 17-22, 1985 p 520 A86-34442

Stress analysis of gas turbine engine structures using the boundary element method p 520 A86-34444

Fatigue life in a coupled problem concerning the motion of a flexible wing p 474 A86-35082

Observations on compressive local buckling, postbuckling and crippling of graphite/epoxy airframe structure  
[AIAA PAPER 86-0923] p 608 A86-38833

Strength evaluation of helicopter composite bolted joints  
[AIAA PAPER 86-0973] p 608 A86-38853

Buckling behavior of Rene 41 tubular panels for a hypersonic aircraft wing  
[AIAA PAPER 86-0978] p 609 A86-38857

A study of cracking in the pressure bulkhead of a military transport aircraft  
[AIAA PAPER 86-0983] p 584 A86-38861

Failure analysis of composite angle structures p 667 A86-40353

Prospects for intelligent aerospace structures  
[AIAA PAPER 86-1139] p 672 A86-43328

Determining component loads and stresses with improved system modeling techniques p 740 A86-47122

Computing codes for development of helicopter crashworthy structures and test substantiation p 798 A86-48657

Calculation of the loading of the airframe in flight due to multidimensional turbulence p 799 A86-48759

Experience with stress analysis during airframe fatigue tests p 840 A86-49143

Prediction of the life of stressed structures - A comprehensive study of the aircraft landing gear --- Russian book p 804 A86-49288

Stress level testing of electronics, avionics communications and C3I equipments  
[AD-A159395] p 231 N86-16214

Stress analysis of 27% scale model of AH-64 main rotor hub  
[NASA-TM-87625] p 256 N86-16613

The Shock and Vibration Bulletin 55. Part 1: Welcome, keynote address, invited papers, isolation and damping and damping practices  
[AD-A160263] p 256 N86-16616

CERT: Where we have been, where we are going p 256 N86-16620

Fatigue crack propagation under spectrum loading  
[NAL-TM-MT-8502] p 322 N86-19656

La Recherche Aerospatiale, bimonthly bulletin, number 1985-1, 224/January-February p 458 N86-22729

Aspects of small crack growth p 518 N86-25370

## STRESS CONCENTRATION

Cutouts in load-bearing structures --- Russian book p 120 A86-13463

A numerical analysis of singular stress fields at the free edge of layered composites  
[ONERA, TP NO. 1985-154] p 313 A86-24636

Shape optimization of aircraft structural elements with stress raisers p 848 A86-48846

Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements  
[AD-A158004] p 181 N86-15324

Stress concentration around a small circular hole in the HiMAT composite plate  
[NASA-TM-86038] p 184 N86-15350

## STRESS CORROSION

Lecture notes on fatigue, static tensile strength and stress corrosion of aircraft materials and structures. Part 2: Figures  
[VTH-LR-360-PT-2] p 227 N86-17345

## STRESS CORROSION CRACKING

Multipurpose corrosion inhibitors for aerospace alloys in naval environments p 450 A86-33021

Aero-engine gears: Manufacturing cracks and their effect on operation p 677 N86-29239

## STRESS CYCLES

Crack growth in titanium alloys under the conjoint action of high and low cycle fatigue  
[AD-A166429] p 665 N86-29028

**STRESS INTENSITY FACTORS**

- Methods of constructing R-curves and application of these curves for evaluation of materials (Review) p 117 A86-13011
- Experimental characterization of cracks at straight attachment lugs p 186 A86-16821
- Fatigue-crack propagation through titanium welds p 375 A86-27264
- Unified approach for modelling fatigue crack growth and some observations on behaviour under flight simulation loading p 453 A86-29954
- A stress intensity factor solution due to holes ahead of growing cracks in thin sheet material p 454 A86-31123
- Stress intensity factor in an integral or bonded stiffened panel using an analytical method — aircraft structures [SNIAS-861-111-104] p 676 A86-28481
- Computation of the stress intensity factor in stiffened panels (built in or adhesive bonded stiffeners) [SNIAS-436.021/85] p 851 A86-32784

**STRESS MEASUREMENT**

- New methods of measuring strain and temperature in a turbine engine p 118 A86-13336
- Determination of wing deformation in wind tunnel models using stress measurement section technology [DGLR PAPER 85-091] p 474 A86-35154
- Controlled impact demonstration aircraft bending bridges p 391 A86-21943
- CID-720 aircraft high-environment flight instrumentation system p 392 A86-21947

**STRESS-STRAIN DIAGRAMS**

- Fracture diagrams for stiffened aircraft structures - Effects of material non-linearity p 737 A86-43794

**STRESS-STRAIN RELATIONSHIPS**

- A study of an iteration method for the analysis of plates with parallel stiffness ribs as systems of superelements p 455 A86-31417
- A mathematical model for structures consisting of elastic shell sections connected by open girders p 456 A86-31420
- Method to determine the complete three-dimensional elastic compliance matrix of composite materials p 517 A86-37134
- Comparative study of nondestructive pavement testing, WES (Waterways Experiment Station) NDT (nondestructive tests) methodologies [AD-A163379] p 610 A86-26480

**STRESS-STRAIN-TIME RELATIONS**

- Constitutive modeling of cyclic plasticity and creep, using an internal time concept p 670 A86-41673

**STRESSES**

- The combined effects of stress and moisture on the structural integrity of composites p 667 A86-40344

**STRETCHING**

- Quasi nonstretching hypervelocity jets [ISL-CO-236/84] p 153 A86-15254

**STRINGERS**

- Free vibration characteristics of periodically stiffened panels with damped stringers p 456 A86-31773

**STRIPPING**

- Plastic media blast best for stripping p 269 A86-26274
- Stripping and painting a plane - Technological and economic aspects p 760 A86-47614

**STROBOSCOPES**

- A turbine engine inlet viewing system [AIAA PAPER 86-1647] p 656 A86-42769

**STRUCTURAL ANALYSIS**

- A model for the life variance of a structural element under irregular loading p 119 A86-13388
- Computation of aeronautical structures — Romanian book p 120 A86-14157
- A methodology for analyzing laser-induced structural damage p 186 A86-17791
- Finite element analysis of an ultralight aircraft p 221 A86-20165
- NASA Lewis Research Center/university graduate research program on engine structures [ASME PAPER 85-GT-159] p 252 A86-22084
- Advances in aerospace structural analysis; Proceedings of the Winter Annual Meeting, Miami Beach, FL, November 17-22, 1985 p 387 A86-28651
- SECTAM XII - Proceedings of the Twelfth Southeastern Conference on Theoretical and Applied Mechanics, Pine Mountain, GA, May 10, 11, 1984. Volume 1 p 455 A86-31258
- SECTAM XII - Proceedings of the Twelfth Southeastern Conference on Theoretical and Applied Mechanics, Pine Mountain, GA, May 10, 11, 1984. Volume 2 p 455 A86-31259
- Stress analysis of gas turbine engine structures using the boundary element method p 520 A86-34444
- Photogrammetry as a means of mapping postbuckled composite surfaces p 520 A86-34639

Some characteristics of structure formation in forged semifinished products of V93pch aluminum alloy p 522 A86-35999

Drop testing and analysis of six-foot diameter graphite-epoxy frames p 517 A86-37068

Combined, nonlinear aerodynamic and structural method for the aeroelastic design of a three-dimensional wing in supersonic flow [AIAA PAPER 86-1769] p 542 A86-37806

Structural analysis of the controlled impact demonstration of a jet transport airplane [AIAA PAPER 86-0939] p 583 A86-38836

Optimum design of large structures with multiple constraints [AIAA PAPER 86-0952] p 600 A86-38845

Eigenvalue reanalysis of locally modified structures using a generalized Rayleigh's method [AIAA PAPER 84-0972] p 670 A86-41714

A large displacement formulation for anisotropic beam analysis p 671 A86-42075

Computer aided engineering in structural design and optimization p 736 A86-43759

An iterative method for statically indeterminate structures of flight vehicle p 738 A86-45059

Structural analysis of adhesive-bonded joints p 846 A86-47722

Computational engine structural analysis [ASME PAPER 86-GT-70] p 813 A86-48141

Finite element analysis and optimum design of semi-monocoque airframe structures. I - Finite element analysis p 847 A86-48856

Unified constitutive materials model development and evaluation for high-temperature structural analysis applications — for aircraft gas turbine engines p 849 A86-49133

Structural design and analysis aspects of composite helicopter components [MBB-UD-454-85-OE] p 806 A86-50256

NASA LeRC/Akron University Graduate Cooperative Fellowship Program and Graduate Student Researchers Program [NASA-CR-174826] p 130 A86-13219

Planning, creating and documenting a NASTRAN finite element model of a modern helicopter p 189 A86-15300

Analysis of potential helicopter vibration reduction concepts p 178 A86-15302

Flutter generator control and force computer [AEL-0242-TM] p 178 A86-15318

Strategies for dynamic modeling of a helicopter structure [SNIAS-852-210-101] p 228 A86-17350

Correlation of results of an OH-58A helicopter composite tail boom test with a finite element model [AD-A161062] p 295 A86-19316

Application of mathematical optimization procedures to a structural model of a large finite-element wing [NASA-TM-87597] p 322 A86-19861

Controlled impact demonstration aircraft bending bridges p 391 A86-21943

CID-720 aircraft high-environment flight instrumentation system p 392 A86-21947

Equivalent plate analysis of aircraft wing box structures with general planform geometry [NASA-TM-87697] p 392 A86-21954

Geometric and structural properties of a rectangular supercritical wing oscillated in pitch for measurement of unsteady transonic pressure distributions [NASA-TM-85673] p 416 A86-23567

Engine cyclic durability by analysis and testing: Highlights of the spring 1984 PEP Meeting p 506 A86-25362

Time domain design of robust controllers for LQG (Linear Quadratic Gaussian); application to large space structures [AD-A163635] p 533 A86-26074

Boundary layer model to compute the edge effects in stratified composite plates [ONERA-RT-7/3542-RY-041-R] p 678 A86-29279

**STRUCTURAL DESIGN**

Panel design for optimum strength and stability with allowance for the nonuniformity of heating p 119 A86-13357

Aeroelastic tailoring - Theory, practice, and promise [AIAA PAPER 84-0982] p 220 A86-20155

Structural demonstration of the AV-8B Harrier II p 223 A86-21061

Structural and material considerations for advanced fighters p 252 A86-22134

X-20 structures overview p 268 A86-22138

Performance of AV-8B Harrier II structural test program p 241 A86-22189

Rotorcraft structural dynamic design modifications p 289 A86-26117

Efficient identification of critical stresses in structures subject to dynamic loads p 380 A86-26682

Probabilistic fatigue and fracture design p 453 A86-29961

A study of an iteration method for the analysis of plates with parallel stiffness ribs as systems of superelements p 455 A86-31417

The application of practical optimization techniques in the preliminary structural design of a forward-swept wing p 433 A86-33256

Structural optimisation programs and methods — computer aided aircraft design p 434 A86-33257

Variation of anisotropic behaviour in structural optimization — for fiber reinforced airframes p 434 A86-33258

Shape optimization of axisymmetric structures — French thesis p 458 A86-33453

Design aspects of the XV-15 advanced technology blade program p 492 A86-35630

Damage tolerant composite design development p 524 A86-37119

Combined, nonlinear aerodynamic and structural method for the aeroelastic design of a three-dimensional wing in supersonic flow [AIAA PAPER 86-1769] p 542 A86-37806

Design and use of Kevlar in aircraft structures [SAE PAPER 850893] p 583 A86-38520

ASTROS - An advanced software environment for automated design [AIAA PAPER 86-0856] p 618 A86-38807

Optimum design of large structures with multiple constraints [AIAA PAPER 86-0952] p 600 A86-38845

Influence of FBW - Control laws on structural design of modern transport aircraft — fly by wire [AIAA PAPER 86-0953] p 584 A86-38846

Optimal design of antisymmetric laminated composite plates p 667 A86-40109

The OASIS structural optimization system p 672 A86-43090

Computer aided engineering in structural design and optimization p 736 A86-43759

Damage tolerance test program of the Fokker 100 p 706 A86-43786

Residual strength characterization of jet transport structures p 707 A86-43795

Optimization of stiffened panels under compression p 739 A86-45762

Influence of EFCS-control laws on structural design of modern transport aircraft p 800 A86-48984

Integrated structure/control design - Present methodology and future opportunities p 854 A86-49094

Structural design and analysis aspects of composite helicopter components [MBB-UD-454-85-OE] p 806 A86-50256

Dynamics R and D in the AFWAL Structures and Dynamics Division p 256 A86-16618

Optimization in design processes: An informatics point of view [NLR-MP-84074-U] p 228 A86-17349

Data on Mi-26 helicopter p 498 A86-25602

Wind tunnel and flight test analysis and evaluation of the buffet phenomena for the alpha jet transonic wing p 561 A86-27239

Large-Scale Advanced Prop-Fan (LAP) pitch change actuator and control design report [NASA-CR-174788] p 592 A86-27282

Impact damage to composite structures [AGARD-R-729] p 604 A86-27425

Computing codes for development of helicopter crashworthy structures and test substantiation [SNIAS-861-210-106] p 640 A86-28084

Stress intensity factor in an integral or bonded stiffened panel using an analytical method — aircraft structures [SNIAS-861-111-104] p 676 A86-28481

Properties, applications, future of European gyro sensors p 676 A86-29082

Computations and turbulent flow modeling in support of helicopter rotor technology [NASA-CR-177095] p 742 A86-30090

The application of practical optimization techniques in the preliminary structural design of a forward-swept wing p 715 A86-30654

Structural optimization programs and methods — aircraft weight reduction p 715 A86-30655

Variation of anisotropic behavior in structural optimization — aircraft composite structures p 715 A86-30656

Effects of anisotropic design on the static aeroelasticity of a swept wing — aeroelastic tailoring p 687 A86-30661

Aeroelastic problems and structural design of a tailless Carbon Fiber Composite (CFC) sailplane p 715 A86-30662

Advisory Circular: Auxiliary fuel system installations [FAA/AC-25-8] p 716 A86-30719



- The influence of large-scale computing on aircraft structural design [AGARD-R-726] p 717 N86-30726
- High accuracy fuel flowmeter [NASA-CR-174869] p 745 N86-31030
- A study of methods to predict and measure the transmission of sound through the walls of light aircraft [NASA-CR-177147] p 757 N86-31335
- ### STRUCTURAL DESIGN CRITERIA
- Wing structure design for maximum aileron efficiency p 95 A86-13368
- Optimization of structural load-bearing designs using anisotropic models according to aeroelasticity conditions p 96 A86-13438
- Strength analysis of flight vehicles — Russian book p 356 A86-29842
- Factors affecting the design of military aircraft structures in carbon fibre reinforced composites p 449 A86-29872
- A general criterion in design — of aircraft p 455 A86-31412
- A study of the effect of certain factors on the fatigue strength of structural irregularities in the airframe of aircraft p 427 A86-31413
- Effects of anisotropic design on the static aeroelasticity of a swept wing p 434 A86-33263
- Aeroelastic problems and structural design of a tailless CFC-sailplane p 434 A86-33264
- The impact of accommodating defects on the efficiency of aircraft design [SAVE PAPER 1635] p 488 A86-35201
- Effects of variations in crashworthiness criteria on Sikorsky S-75 ACAP landing gear weights p 492 A86-35638
- Survey of crashworthiness achievements on Aerospace helicopters p 493 A86-35642
- Tilt rotor crashworthiness p 493 A86-35661
- The Hughes integrated approach to helicopter crashworthiness Past, present, and future p 494 A86-35663
- Crashworthy design of rotorcraft - A basic research approach p 494 A86-35665
- The design of repairable advanced composite structures [SAE PAPER 851830] p 606 A86-38335
- Next generation aircraft structures - The need for co-ordinated Canadian R & D programs p 539 A86-39567
- Damage tolerance assessment of aircraft attachment lugs p 672 A86-43084
- Damage tolerance - USAF experience p 736 A86-43784
- Mechanical design of gas turbine blading in cast superalloys p 721 A86-45819
- Computational engine structural analysis [ASME PAPER 86-GT-70] p 813 A86-48141
- Optimum design technique for rotating wheels [ASME PAPER 86-GT-255] p 846 A86-48281
- Method for determining the efficiency of utilization of the material in a thin-wall aircraft structure according to the strength conditions p 847 A86-48776
- New design procedures applied to landing gear development p 803 A86-49117
- The development of aeroelastic tailoring in the United States p 805 A86-50111
- A survey of aeronautical structural research in Australia [AD-A157211] p 76 N86-12199
- NASA LeRC/Akron University Graduate Cooperative Fellowship Program and Graduate Student Researchers Program [NASA-CR-174826] p 130 N86-13219
- Damage-tolerant aircraft design [NLR-MP-84005-U] p 227 N86-17342
- Application of mathematical optimization procedures to a structural model of a large finite-element wing [NASA-TM-87597] p 322 N86-19661
- Effects of planform geometry on hover performance of a 2-meter-diameter model of a four-bladed rotor [NASA-TM-87607] p 340 N86-20358
- Optimal airframe synthesis for gust loads [NASA-CR-178047] p 357 N86-20386
- Laminated damped fuselage structures p 389 N86-21916
- Integrated damped fuselage structure p 389 N86-21918
- Advanced composite structures in commercial transport aircraft [AI/TE3-384/82-ISSUE-2] p 451 N86-22648
- Study of the effects of discretizing quantitative feedback theory analog control system designs [AD-A164209] p 533 N86-25174
- Flow direction measurement criteria and techniques planned for the 40- by 80-/80- x 120-foot wind tunnel integrated systems tests [NASA-CR-176969] p 676 N86-29152
- Advisory Circular: Design considerations to protect fuel systems during a wheels-up landing [FAA-AC/25.994-1] p 806 N86-31564
- The generation of equal probability design load conditions, using Power Spectral Density (PSD) techniques — aircraft design [NLR-TR-85014-U] p 809 N86-32430
- Fatigue resistance of high quality steels under multiaxial load [ETN-86-97878] p 851 N86-32785
- ### STRUCTURAL ENGINEERING
- The viscoelastic damping technology design guide for aerospace structures [ASME PAPER 85-DET-104] p 318 A86-24230
- Advanced composites - The structural revolution p 517 A86-37136
- Computer aided engineering in structural design and optimization p 736 A86-43759
- A survey of aeronautical structural research in Australia [AD-A157211] p 76 N86-12199
- CBR (California Bearing Ratio) design of flexible airfield pavements with case study [AD-A158101] p 113 N86-12242
- ### STRUCTURAL FAILURE
- Fiber-reinforced plastic composites for energy absorption purposes p 312 A86-23823
- Nonlinear multimode response of clamped rectangular plates to acoustic loading p 457 A86-32973
- Fatigue failure of jet engine drive shafts p 500 A86-33970
- A theory for fault-tolerant flight control combining expert system and analytical redundancy concepts [AIAA PAPER 86-2092] p 822 A86-47442
- The control and use of residual stresses in aircraft structural parts p 849 A86-49114
- Fatigue fracture in landing gear steels p 803 A86-49115
- Probabilistic evaluation of individual aircraft tracking techniques [AD-A160146] p 282 N86-18312
- Controlled impact demonstration airframe bending bridges p 391 N86-21943
- Impact dynamics instrumentation p 392 N86-21948
- National Transportation Safety Board safety recommendation [NTSB-4357/1] p 699 N86-29792
- ### STRUCTURAL INFLUENCE COEFFICIENTS
- An algorithm for calculating the coupling between matrices of elastic influence coefficients for two systems of computational points p 119 A86-13362
- ### STRUCTURAL MEMBERS
- Cutouts in load-bearing structures — Russian book p 120 A86-13463
- Titanium Near Net Shape components for demanding airframe applications p 245 A86-21726
- Calculation of structural elements of aircraft: Sandwich plates and shells — Russian book p 458 A86-33292
- Logistics engineering analysis techniques for fault-tolerant avionics systems [AD-A161981] p 439 N86-23596
- ### STRUCTURAL RELIABILITY
- Consideration of the multiplicity of critical spots in a structure in estimating the durability and the service life p 119 A86-13367
- Structural airworthiness - A decade of developments p 288 A86-25925
- Reliability and failure prevention through ESA in the 80's and beyond p 381 A86-26937
- Structural impact and crashworthiness: Proceedings of the International Conference, Imperial College of Science and Technology, London, England, July 16-20, 1984. Volume 1 Keynote Lectures. Volume 2 - Conference Papers p 383 A86-28276
- Reliability of the plates and shells of aircraft p 384 A86-28314
- Problems in the dynamics of aircraft structures exposed to intensive acoustic loading p 384 A86-28316
- The effect of changes in the static strength of a structure during service on the reliability of aircraft p 384 A86-28322
- Short crack development in mechanical structures p 453 A86-30027
- Short crack problems in gas turbine disks p 440 A86-30093
- A study of the effect of certain factors on the fatigue strength of structural irregularities in the airframe of aircraft p 427 A86-31413
- A reliability concept in structural optimization of flight vehicles p 494 A86-35977
- The combined effects of stress and moisture on the structural integrity of composites p 667 A86-40344
- Durability and damage tolerance in aircraft design; Proceedings of the Thirteenth Symposium, Pisa, Italy, May 22-24, 1985 p 706 A86-43776
- Continuing structural integrity program for transport aircraft p 736 A86-43789
- Supplemental inspections of aging aircraft p 845 A86-47525
- Ageing aircraft as seen by an authority p 783 A86-47611
- Durability and damage tolerance assessment of the TF34-100 engine [ASME PAPER 86-GT-38] p 812 A86-48125
- A study of the structural integrity of the Canadair Challenger at ditching p 785 A86-49054
- Some aspects of the reliability analysis of aircraft structures p 849 A86-49127
- Aircraft crashing. Analysis and identification methods. Presentation of a solution method [IMFL-4116] p 91 N86-13308
- ### STRUCTURAL STABILITY
- Experimental/analytic comparisons considering composite panels with a cutout p 118 A86-13338
- Panel design for optimum strength and stability with allowance for the nonuniformity of heating p 119 A86-13357
- Cutouts in load-bearing structures — Russian book p 120 A86-13463
- Dynamic strength problems in aerospace equipment p 120 A86-13690
- Control of aeroelastic instabilities through stiffness cross-coupling p 284 A86-23192
- Aeromechanical stability analysis of a multicopter vehicle with application to hybrid heavy lift helicopter dynamics p 290 A86-26141
- Dynamic stability of elastic structures under random influences p 384 A86-28318
- Problems in the stability and dynamics of aircraft structures with physicomachanical singularities p 384 A86-28321
- The effect of center delamination on the instability of composite cylindrical panels p 520 A86-34642
- The dynamic instability of plate structures p 605 A86-37348
- Stability analysis of composite stiffened layer plates under compression p 735 A86-43495
- The vibration and stability of symmetrically-laminated composite rectangular plates subjected to in-plane stresses p 739 A86-45694
- Aeroelastic behavior of low aspect ratio metal and composite blades [ASME PAPER 86-GT-243] p 846 A86-48271
- Various approaches in solving stability problems for symmetric angle-ply laminates under combined loading p 848 A86-49040
- Fourteenth NASTRAN Users' Colloquium [NASA-CP-2419] p 527 N86-25823
- An investigation of empennage buffeting [NASA-CR-176973] p 726 N86-29864
- Impact data from a transport aircraft during a controlled impact demonstration [NASA-TP-2589] p 716 N86-30721
- ### STRUCTURAL STRAIN
- Effect of fiber and matrix maximum strain on the energy absorption of composite materials p 516 A86-35640
- Predicted and measured strain response of rectangular panels due to acoustic loading [AIAA PAPER 86-1931] p 751 A86-45421
- Response of symmetric rectangular composite laminates with nonlinear damping subjected to acoustic loading [AIAA PAPER 86-1933] p 738 A86-45422
- ### STRUCTURAL VIBRATION
- Prediction and measurement of damping of vibrations of structures by adhesives p 118 A86-13171
- Dynamic strength problems in aerospace equipment p 120 A86-13690
- Vibration analysis of rotating turbomachinery blades by an improved finite difference method p 106 A86-14338
- Modal constraints on structural dynamic force determination p 161 A86-17070
- Stability of large damped flexible spacecraft with stored angular momentum p 182 A86-18355
- An introduction to the theory of nonlinear vibrations of aircraft structures — Russian book p 187 A86-18739
- Engine/airframe health and usage monitoring an alternate approach via advanced vibration monitoring systems p 296 A86-23255
- The problem of optimizing the final design modifications of stochastic oscillatory systems p 316 A86-23651
- The forced response of shrouded fan stages [ASME PAPER 85-DET-19] p 303 A86-24226
- Interactive modal imaging process for vibrating structures [ASME PAPER 85-DET-110] p 318 A86-24231
- Autoparametric vibration of coupled beams under random support motion [ASME PAPER 85-DET-184] p 318 A86-24246

- Nonlinear analysis for dynamic behaviours of a coupled rotational vibration system near its critical speed  
p 291 A86-26143
- Modal test requirements for coupled structure analysis using experimentally-derived component models  
p 380 A86-26878
- Energy dissipation connected with vibrations of mechanical systems  
p 381 A86-27076
- Mathematical models for studying aircraft vibrations with allowance for structural hysteresis  
p 365 A86-27081
- Applying I. G. Bubnov's method to the solution of the natural vibration problem for a conical sandwich panel  
p 384 A86-28315
- The life of reinforced thin-walled structures in a random force field  
p 384 A86-28319
- Inflight excitation of the F-16XL  
[AIAA PAPER 86-9782] p 430 A86-32116
- Comparison of some time domain methods for structural system identification  
p 457 A86-33279
- Rapid vibration mode analysis of aircraft with external stores  
p 435 A86-33281
- A method for numerical analysis of the dynamics of a controlled rotor blade of a helicopter  
p 486 A86-33998
- Higher harmonic control - Vibration reduction for reduced weight - for helicopters  
[SAWE PAPER 1679] p 489 A86-35220
- Vibration characteristics of aircraft engine-bladed-disk assembly  
p 502 A86-35865
- Durability prediction of parallel fuel tank skins with fluid-structure interaction dynamics  
[AIAA PAPER 86-0935] p 591 A86-38927
- Advances in aero engine dynamics  
[AIAA PAPER 86-1877] p 648 A86-42788
- Sensitivity analysis of parameters in solving inverse problem of structural dynamics  
p 736 A86-43502
- Structural influence of cabin floor on sound transmission into propeller aircraft - Analytical investigations  
[AIAA PAPER 86-1940] p 711 A86-45427
- The vibration and stability of symmetrically-laminated composite rectangular plates subjected to in-plane stresses  
p 739 A86-45694
- New modal identification methods applied to aeronautical structures  
[ONERA, TP NO. 1986-35] p 713 A86-46177
- Coupled aeroelastic hub loads reduction  
p 799 A86-48665
- Shimmy problems of landing gears caused by elastic deformation of tires  
p 803 A86-49118
- Strategies for dynamic modeling of a helicopter structure  
[SNIA-852-210-101] p 228 N86-17350
- Vibrations and structureborne noise in space station  
[NASA-CR-178520] p 372 N86-20485
- A design guide for damping of aerospace structures  
p 390 N86-21923
- Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987  
[AD-A162792] p 402 N86-22443
- Determination of natural vibration properties of a wing with winglet by experimental mode synthesis technique  
p 716 N86-30678
- Modified US Army U-8F ground vibration test  
[NASA-TM-86741] p 717 N86-30723
- Dynamic analysis: Correlation of theory with experiment - MSC/NASTRAN analysis of Westland 30 G-BGHF [RP661] p 651 N86-31917
- STRUCTURAL WEIGHT**
- Aeroelastic tailoring - Theory, practice, and promise  
[AIAA PAPER 84-0982] p 220 A86-20155
- Methods for determining the weight and the center of gravity of aircraft - The platform balance of the Aeronautical Research and Test Institute  
p 286 A86-23768
- The design of an advanced engineering gearbox  
p 320 A86-26155
- The development of an advanced weight estimation technique for aircraft conceptual design  
[SAWE PAPER 1645] p 531 A86-35204
- Weight assessment of electronic boxes - for aircraft design  
[SAWE PAPER 1661] p 499 A86-35207
- The Grumman X-29 technology demonstrator - Technology interplay and weight evolution  
[SAWE PAPER 1665] p 488 A86-35210
- Requirements for second generation aircraft weighing systems  
[SAWE PAPER 1669] p 513 A86-35213
- A weight method for structural boxes  
[SAWE PAPER 1680] p 521 A86-35221
- Starship I - A weight control challenge - for next generation business aircraft  
[SAWE PAPER 1682] p 489 A86-35223
- Weight control of aircraft modification projects  
[SAWE PAPER 1683] p 489 A86-35224
- Influences of two landing gear designs on helicopter crashworthiness and weights  
p 492 A86-35632
- Effects of variations in crashworthiness criteria on Sikorsky S-75 ACAP landing gear weights  
p 492 A86-35638
- The effect of the admissible centering misalignment of a transport aircraft on its mass  
p 495 A86-35981
- Influence of structural changes on the fuel-consumption efficiency of a transport aircraft  
p 638 A86-43380
- Analysis of the costs and weight effects of CFK on air transport structure  
p 842 A86-48097
- Automated structural optimisation at Warton - for aircraft  
p 854 A86-48987
- STRUTS**
- Experimental investigation of unsteady fan flow interaction with downstream struts  
[AIAA PAPER 86-1870] p 739 A86-45490
- Rotor-strut interaction noise of a model fan  
[AIAA PAPER 86-1871] p 755 A86-45491
- A numerical study of the aerodynamic interference of a model support system used in the RAE 5 metre wind tunnel  
[AD-A165671] p 657 N86-28962
- SUBCRITICAL FLOW**
- Trailing edge flow with transonic profiles  
p 149 N86-14240
- Subsonic wall interference corrections for half-model tests using sparse wall pressure data  
[LR-616] p 276 N86-18287
- Analysis of wings with leading edge and/or trailing edge segmented (spanwise) flaps using planar horse shoe vortex lattice method  
[NAL-TM-AE-8507] p 559 N86-27212
- SUBROUTINES**
- Development and evaluation of math library routines for a 1750A airborne microcomputer  
[AD-A164050] p 533 N86-28030
- SUBSONIC AIRCRAFT**
- Influence of the dropping conditions on container motion near the carrier and on the impact parameters  
p 158 A86-19069
- Practical difficulties in the theoretical design of low-speed profiles  
p 271 A86-23775
- Advanced boundary layer transition measurement methods for flight applications  
[AIAA PAPER 86-9786] p 500 A86-37083
- Interdependence of parameters important to the design of subsonic canard-configured aircraft  
[SAE PAPER 850885] p 581 A86-38506
- Selecting the shape of the middle surface of the pylons and the mounting angles of single nacelles under the wing of subsonic aircraft  
p 800 A86-48767
- Applications of computer-aided engineering to subsonic aircraft design in a university environment  
p 801 A86-48986
- Method of analysing data on a swept wing aircraft in flight  
p 775 A86-49103
- Laminar flow research applicable to subsonic aircraft  
p 781 A86-50269
- SUBSONIC FLOW**
- Using suction for increasing Mach numbers in a perforated test section with a subsonic nozzle - of wind tunnel  
p 112 A86-13405
- Separated flow unsteady aerodynamic theory  
p 85 A86-14529
- A numerical method for calculating internal subsonic swirling flows of an ideal gas  
p 85 A86-14679
- Supercritical mode of the nonlinear interaction of subsonic and supersonic inviscid jets in a two-dimensional channel  
p 142 A86-17098
- Solution of the Euler equations - Explicit schemes acceleration by a multigrid method  
[ONERA, TP NO. 1985-129] p 142 A86-17627
- Nonplanar, subsonic, three-dimensional oscillatory piecewise continuous kernel function method  
p 162 A86-17779
- Flow past caret wings with flaps  
p 146 A86-18903
- Determination of the intensity of a free vortex sheet in the context of airfoil theory  
p 146 A86-18904
- Doublet strip method for oscillating rectangular wings in subsonic flow  
p 274 A86-25189
- Two-dimensional scheme 'DLM-C' to examine subsonic unsteady lifting surface schemes for finite span  
p 275 A86-25239
- Improved numerical method for lifting airfoils with oscillating control surfaces in subsonic flow  
p 409 A86-31021
- Application of unsteady wing collocation methods to cascades in subsonic flow  
p 413 A86-33236
- Flow field and near and far sound field of a subsonic jet  
p 476 A86-35855
- The external drag of a simple axisymmetric body of revolution in subsonic and supersonic flow with variable mass flowthrough ratios  
[AIAA PAPER 86-1828] p 545 A86-37842
- Application of the vortex-lattice method to high-angle-of-attack subsonic aerodynamics  
[SAE PAPER 851817] p 547 A86-38326
- Numerical simulation of tip vortices of wings in subsonic and transonic flows  
[AIAA PAPER 86-1095] p 550 A86-38456
- A calculation method for unsteady aerodynamic forces in the Laplace domain and its application to root loci  
[AIAA PAPER 86-0886] p 553 A86-38901
- Experimental investigation of the turbulent boundary layer at high Reynolds numbers and a Mach number of 0.8  
p 624 A86-42168
- Effects of S-bends on diffuser internal performance and turbulence characteristics  
[AIAA PAPER 86-1459] p 625 A86-42654
- Rotational-translational subsonic motion of a finite-span wing in an ideal gas  
p 628 A86-43384
- Subsonic/transonic stall flutter investigation of an advanced low pressure compressor  
[ASME PAPER 86-GT-90] p 813 A86-48156
- A theoretical solution of three-dimensional flows in subsonic, transonic and supersonic turbomachines - An exact solution and its numerical method  
[ASME PAPER 86-GT-111] p 765 A86-48173
- Method for calculating subsonic ideal-gas flow past an aircraft  
p 788 A86-48907
- Method for the visualization of subsonic gas flows  
p 769 A86-48808
- Time-averaged subsonic propeller flowfield calculations  
[AIAA PAPER 86-1807] p 778 A86-49584
- Parabolized Navier-Stokes analysis of three-dimensional supersonic and subsonic jet mixing problems  
p 780 A86-49804
- User's guide to STIPPAN: A panel method program for slotted tunnel interference prediction  
[NASA-CR-178003] p 113 N86-12237
- A direct-inverse method for transonic and separated flows about airfoils  
[NASA-CR-178403] p 89 N86-13300
- Investigations on efficient numerical method for subsonic lifting surfaces  
p 209 N86-17285
- On the separated flow over a delta wing at high subsonic and transonic speeds  
p 279 N86-19293
- Aerodynamics of two-dimensional blade-vortex interaction  
[AD-A160682] p 295 N86-19315
- Subsonic flow investigations on a cranked wing designed for high maneuverability  
[NASA-CR-178046] p 340 N86-20361
- An aerodynamic analysis computer program and design notes for low speed wing flap systems  
[NASA-CR-3675] p 408 N86-23554
- Vortex lift research: Early contributions and some current challenges  
p 556 N86-27191
- A direct and inverse boundary layer method for subsonic flow over delta wings  
p 557 N86-27195
- In-flight and wind tunnel leading-edge vortex study on the F-108B airplane  
p 557 N86-27196
- Generation of two-dimensional gust fields in subsonic wind-tunnels  
p 563 N86-27247
- NASTRAN supplemental documentation for model forced vibration analysis of aerodynamically excited turbosystems  
[NASA-CR-174967] p 675 N86-28483
- Steady and unsteady pressure distribution on various profiles in separated subsonic and transonic flow  
p 695 N86-30632
- Application of unsteady wing collocation methods to cascades in subsonic flow  
p 696 N86-30636
- Computations of separated subsonic and transonic flow about airfoils in unsteady motion  
[NLR-MP-84094-U] p 782 N86-31541
- SUBSONIC FLUTTER**
- Active flutter suppression on a delta wing model structure  
[DFVLR-FB-86-01] p 727 N86-29870
- NLR experience in the application of active flutter suppression and gust load alleviation, applied to a wind tunnel model  
p 728 N86-30649
- SUBSONIC SPEED**
- Calculation of the dynamic response of a flight vehicle using a discrete-continuous model  
p 478 A86-35979
- Fine structure of subsonic jet noise  
p 619 A86-39089
- Disordered vortex flow computed around a cranked delta wing at subsonic speed and high incidence  
p 772 A86-49027
- Integrated Application of Active Controls (IAAC) technology to an advanced subsonic transport project: Test act system description  
[NASA-CR-172221] p 176 N86-14277
- The experimental determination of the subsonic aerodynamic characteristics of an Ogive-Cylinder body including a comparison with theoretical estimates, volume 1  
[CAR-8509] p 151 N86-15242

- Estimation of sideforce, yawing moment and rolling moment derivatives due to rate of yaw for complete aircraft at subsonic speeds  
[ESDU-84002] p 240 N86-17357
- Method for the prediction of the installation aerodynamics of a propfan at subsonic speeds: User manual  
[NASA-CR-178057] p 340 N86-20360
- Test and evaluation of the HIDE engine uptrim algorithm  
[NASA-TM-88262] p 650 N86-28088
- The application of energy techniques to propeller-driven airplanes  
[AD-A167113] p 807 N86-31569
- SUBSONIC WIND TUNNELS**
- Subsonic thermal wind tunnel with an Eiffel chamber  
p 112 A86-13443
- Summary of a high subsonic force/pressure experiment for 58 deg cambered/twisted thick delta wings  
[AIAA PAPER 86-0169] p 200 A86-19730
- Future requirements of wind tunnels for aeronautical systems development  
[AIAA PAPER 86-0751] p 309 A86-24740
- Reduction of turbulent drag - Turbulence manipulators  
[AAAF PAPER NT 85-04] p 766 A86-48455
- The F2 wind tunnel of the Fauga-Mauzac Test Center  
[ONERA, TP NO. 1986-104] p 839 A86-49075
- Progress in the Lewis Research Center Altitude Wind Tunnel (AWT) Modeling Program  
[NASA-TM-87194] p 242 N86-16233
- Recent improvements to the NAE 5 ft x 5 ft blowdown wind tunnel  
[AD-A162034] p 449 N86-23608
- SUBSTITUTES**
- Potential of composite materials to replace chromium, cobalt and manganese in critical applications  
[PB86-123965] p 451 N86-22651
- SUBSTRATES**
- Role of dispersed oxides in reducing substrate/coating interdiffusion  
p 183 A86-17499
- SUBSTRUCTURES**
- A general purpose, multi-stage, component modal synthesis method  
p 186 A86-18124
- SUCTION**
- Using suction for increasing Mach numbers in a perforated test section with a subsonic nozzle --- of wind tunnel  
p 112 A86-13405
- Trapping of a free vortex by airfoils with surface suction  
p 780 A86-49801
- Laminar flow control with suction: Theory and experiment  
p 155 N86-15269
- Extensions of the concept of suction analogy to prediction of vortex lift effect  
p 556 N86-27193
- Design and fabrication of large suction panels with perforated surfaces for laminar flow control testing in a transonic wind tunnel  
[NASA-TM-89011] p 715 N86-29815
- SUITS**
- Ship/rig personnel abandonment and helicopter crew/passenger immersion suits - The requirements in the North Atlantic  
p 396 A86-29100
- SUMS**
- Multi-knot Boolean sum interpolating surface interactive design of aircraft configuration  
p 263 A86-22305
- SUPERCARGERS**
- Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 1  
[NASA-CR-174923-VOL-1] p 108 N86-13328
- Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 2  
[NASA-CR-174923-VOL-2] p 108 N86-13329
- Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 3  
[NASA-CR-174923-VOL-3] p 108 N86-13330
- SUPERCOMPUTERS**
- Impact of supercomputers on the next decade of computational fluid dynamics  
p 740 A86-46788
- Computational fluid dynamics at NASA Ames and the numerical aerodynamic simulation program  
[NASA-TM-86769] p 190 N86-15626
- SUPERCONDUCTING MAGNETS**
- Magnetic suspension and balance system advanced study  
[NASA-CR-3937] p 180 N86-14278
- SUPERCOOLING**
- Nucleation of ice crystals in supercooled clouds caused by passage of an airplane  
p 323 A86-26175
- An assessment of data quality and quantity from airborne cloud physics projects from 1974 through 1984  
[DOT/FAA/CT-85/37] p 528 N86-25079
- SUPERCritical AIRFOILS**
- The application of laser anemometry to the study of transonic shock boundary-layer interactions  
p 139 A86-16352
- Comparative study between two Navier-Stokes algorithms for transonic airfoils  
p 411 A86-32966

- The passive control of the shock waves on transonic airfoils  
p 411 A86-32990
- Exact closed-form solutions for nonlinear unsteady transonic aerodynamics  
p 412 A86-33231
- Unsteady transonic flows past airfoils using the Euler equations  
[AIAA PAPER 86-1764] p 541 A86-37802
- Thick supercritical airfoils with low drag and NLF capability  
p 771 A86-48981
- Design of a supercritical airfoil  
p 771 A86-48982
- Flow field study on a supercritical airfoil using a pressure probe and a two-component Laser-Doppler-Anemometer  
p 775 A86-49074
- Steady and unsteady investigations of spoiler and flap aerodynamics in two dimensional subsonic flows  
[ONERA, TP NO. 1986-101] p 776 A86-49106
- Effect of surface waviness on a supercritical laminar-flow-control airfoil  
[NASA-TM-85705] p 86 N86-12206
- An airfoil flutter model suspension system to accommodate large static transonic airloads  
[NASA-CR-177998] p 146 N86-14220
- Separated transonic airfoil flow calculations with a nonequilibrium turbulence model  
[NASA-TM-86830] p 152 N86-15247
- Pressure distributions from high Reynolds number tests of a Boeing BAC 1 airfoil in the Langley 0.3-meter transonic cryogenic tunnel  
[NASA-TM-87600] p 208 N86-16199
- Analysis of experimental data for a 21% thick natural laminar flow airfoil, NAE68-060-21:1  
[NAE-AN-34] p 278 N86-19285
- Modular application of a shock/boundary layer interaction solution to supercritical viscous-inviscid flow field analysis  
p 338 N86-20343
- The method of complex characteristics for design of transonic blade sections  
[NASA-CR-176978] p 696 N86-30691
- SUPERCritical FLOW**
- A theoretical basis for extending surface-paneling methods to transonic flow  
p 142 A86-17131
- Inverse design of supercritical nozzles and cascades  
p 477 A86-36207
- Trailing edge flow with transonic profiles  
p 149 N86-14240
- The comparison of the transonic airfoil calculation by NSFOIL with the wind tunnel test data at high Reynolds number  
p 210 N86-17295
- Aerodynamic design methods for modern transport aircraft  
[ESA-TT-923] p 782 N86-31543
- SUPERCritical PRESSURES**
- Flight measurements of surface pressures on a flexible supercritical research wing  
[NASA-TP-2501] p 339 N86-20350
- SUPERCritical WINGS**
- A method for numerical analysis of the aerodynamic characteristics of an airplane wing in the subcritical range of the flying velocity  
p 83 A86-13933
- Steady and unsteady full potential calculation for large and small aspect ratio supercritical wings  
[AIAA PAPER 86-0122] p 199 A86-19702
- Tests on CAST 7 and CAST 10 profiles in the T2 adaptive-wall cryogenic wind tunnel - Study of the Reynolds-number effect in natural and triggered transitions  
[AAAF PAPER NT 85-06] p 838 A86-48457
- Transonic wind tunnel tests of a swept supercritical wing-body model, PT 8  
[FFA-TN-1982-24] p 211 N86-17316
- Experimental and theoretical study of incompressible flow around a wing profile with a spoiler. Contributions of laser velocimetry and the Dvorak method  
[ISL-R-116/84] p 279 N86-19297
- Installation effects of long-duct pylon-mounted nacelles on a twin-jet transport model with swept supercritical wing  
[NASA-TP-2457] p 339 N86-20346
- Flight measurements of surface pressures on a flexible supercritical research wing  
[NASA-TP-2501] p 339 N86-20350
- Geometric and structural properties of a rectangular supercritical wing oscillated in pitch for measurement of unsteady transonic pressure distributions  
[NASA-TM-85673] p 416 N86-23567
- Unsteady airload computations for airfoil oscillating in attached and separated compressible flow  
p 561 N86-27238
- Extension of a transonic three-dimensional unsteady small perturbation computing method  
[ONERA-RTS-23/3064-RY-048-R] p 633 N86-28927
- Influence of the angle of attack and flutter on the lift of a supercritical wing. Comparison between theory and experiment  
[ONERA-RT-24/3064-RY-044-R] p 695 N86-29786

- Computations of separated subsonic and transonic flow about airfoils in unsteady motion  
[NLR-MP-84094-U] p 782 N86-31541
- SUPERHIGH FREQUENCIES**
- Aircraft coupling model evaluations at SHF/EHF  
p 346 A86-27128
- Development and flight test of a helicopter, X-band, portable precision landing system concept  
p 485 A86-35608
- SUPERPLASTICITY**
- SPF aluminum - A first for the S-76B helicopter --- Superplastic Forming  
p 250 A86-21709
- Superplastically-formed/diffusion-bonded titanium technology transition case study  
p 252 A86-22142
- Properties of diffusion bonded butt joints in Ti-6Al-4V and Ti-4Al-4Mo-2Sn-0.5Si (IMI 550) alloys  
p 375 A86-27260
- Advanced structural components by SPF/DB processing --- superplastic forming and diffusion bonding  
p 363 A86-27271
- Producibility of aircraft structural parts by superplastic forming and diffusion bonding  
p 382 A86-27272
- Powdered, sintered alloy materials described: Development of titanium alloys  
p 314 N86-19447
- Structural evaluation of superplastic aluminum. Part 1. Mechanical, corrosion, metallurgical data  
[AD-A161366] p 379 N86-21662
- SUPERPOSITION (MATHEMATICS)**
- The superposition distortion index --- in axial flow fans of turbofan engines  
p 500 A86-34279
- SUPERSONIC AIRCRAFT**
- 4 x S = S(ATF) --- Advanced Tactical Fighter development  
p 98 A86-15598
- A predictive technique for determining store motion after release from a carrier vehicle at supersonic speeds  
[AIAA PAPER 86-0586] p 203 A86-19964
- Supersonic conventional weapon testing of the F/A-18A Hornet  
p 222 A86-21052
- What technologies await the future airliner?  
p 405 A86-31038
- Development and flight testing of the T-2 control configured vehicle  
[AIAA PAPER 86-9763] p 429 A86-32101
- Experimental analysis of a pitot-type air intake  
p 410 A86-32777
- Configuration aspects of modern high-performance aircraft  
[DGLR PAPER 85-130] p 488 A86-35176
- Optimization of a supersonic wing by combining linear and Euler methods  
[SAE PAPER 851791] p 547 A86-38315
- Weight minimization of orthotropic flat panels subjected to a flutter speed constraint  
p 671 A86-41715
- Rafale will keep tricolor flying --- experimental combat aircraft  
p 707 A86-44003
- New technologies for a European fighter  
p 708 A86-44004
- Flight testing a transsonic wing with maneuver flaps and a direct side force control system for CAS aircraft  
p 794 A86-47782
- Optimum-Optimorum integrated wing-fuselage configuration for supersonic transport aircraft of second generation  
p 801 A86-49010
- Application of a full potential method to practical problems in supersonic aircraft design and analysis  
p 773 A86-49030
- Introduction to cryogenic wind tunnels  
[NASA-CR-177966] p 113 N86-12238
- Japanese report on China's F-8 fighter  
p 111 N86-12405
- Investigation of a supersonic cruise fighter model flow field  
[NASA-TM-86361] p 152 N86-15248
- Exploratory low-speed wind-tunnel study of concepts designed to improve aircraft stability and control at high angles of attack  
[NASA-CR-176615] p 338 N86-20344
- Effect of underwing aft-mounted nacelles on the longitudinal aerodynamic characteristics of a high-wing transport airplane  
[NASA-TP-2447] p 339 N86-20345
- Aerodynamic characteristics of a supersonic fighter aircraft model at Mach 0.40 to 2.47  
[NASA-TP-2580] p 416 N86-23561
- Use of state estimation to calculate angle-of-attack position error from flight test data  
[AD-A163962] p 480 N86-24670
- Low-speed performance of an axisymmetric, mixed-compression, supersonic inlet with auxiliary inlets  
[NASA-TP-2557] p 503 N86-24694
- Evaluation of 3 numerical methods for propulsion integration studies on transonic transport configurations  
[NASA-TM-87727] p 559 N86-27209
- Effect of emerging technology on a convertible, business/interceptor, supersonic-cruise jet  
[NASA-CR-178097] p 587 N86-27278

Flight control system development and flight test experience with the F-111 mission adaptive wing aircraft [NASA-TM-88265] p 714 N86-29813

**SUPERSONIC AIRFOILS**

Delta wings with shock-free cross flow p 145 A86-18528

Optimum supersonic wings with subsonic leading edges p 410 A86-32785

Airfoil design at sonic velocity p 411 A86-32989

The passive control of the shock waves on transonic airfoils p 411 A86-32990

Fatigue life in a coupled problem concerning the motion of a flexible wing p 474 A86-35082

Supersonic airfoil optimization [AIAA PAPER 86-1818] p 545 A86-37837

Supersonic aerodynamic characteristics of some reentry concepts for angles of attack to 90 deg [NASA-TM-87645] p 243 N86-16243

**SUPERSONIC BOUNDARY LAYERS**

The effect of a shock layer on the viscous resistance of star-shaped bodies with flat side faces p 140 A86-16691

Mean-flow measurements in a supersonic three-dimensional turbulent boundary layer p 141 A86-17059

Structure of a supersonic turbulent boundary layer during its interaction with a shock wave p 141 A86-17096

Spreading of two-stream supersonic turbulent mixing layers p 546 A86-37901

Experimental study of the supersonic turbulent boundary layer on a blunt axisymmetric body [AD-A163736] p 479 N86-24669

**SUPERSONIC COMBUSTION**

Effect of silane concentration on the supersonic combustion of a silane/methane mixture [AIAA PAPER 86-1396] p 663 A86-42610

A detailed numerical model of a supersonic reacting mixing layer [AIAA PAPER 86-1427] p 671 A86-42636

Effect of different hydrogen-injection techniques on its burnup in a supersonic air flow p 664 A86-43420

Study of high speed combustion flows by laser velocimetry [NASA-CR-176439] p 190 N86-15668

**SUPERSONIC COMBUSTION RAMJET ENGINES**

Evolution and status of CFD techniques for scramjet applications [AIAA PAPER 86-0160] p 248 A86-19970

Liquid fueled supersonic combustion ramjets - A research perspective of the past, present and future [AIAA PAPER 86-0158] p 236 A86-22679

A study of ramjet engine. III - Air inlet performance as the engine component p 304 A86-25234

Limiting values of the specific parameters of a ramjet engine p 502 A86-35992

Survey of supersonic combustion ramjet research at Langley [AIAA PAPER 86-0159] p 503 A86-37079

Computational models for the analysis/design of hypersonic scramjet components. I - Compressor and nozzle models [AIAA PAPER 86-1595] p 647 A86-42737

Propelling the aerospace plane p 720 A86-43910

Investigation of the ignition characteristics of hydrogen/air mixtures in the case of combustion induced by oblique shocks p 732 A86-45185

Investigation of chemically-reacting supersonic internal flows [NASA-CR-176363] p 188 N86-14532

User's guide for NASCRIN: A vectorized code for calculating two-dimensional supersonic internal flow fields [NASA-TM-85708] p 416 N86-23565

**SUPERSONIC COMPRESSORS**

Mass balancing of hollow fan blades [NASA-TM-87197] p 255 N86-16611

**SUPERSONIC CRUISE AIRCRAFT RESEARCH**

British experimental aircraft program providing insight into new technology p 710 A86-45064

Theoretical and experimental flow fields for a supersonic cruise fighter forebody [NASA-TM-86450] p 146 N86-14218

Preliminary design of a supersonic cruise aircraft high-pressure turbine [NASA-CR-174878] p 174 N86-14272

**SUPERSONIC DIFFUSERS**

Diffuser parameter optimization for low Reynolds numbers using experimental data p 111 A86-13400

**SUPERSONIC DRAG**

Wave drag of a supersonic air intake at high subsonic velocities p 770 A86-48834

**SUPERSONIC FLIGHT**

Optimal lifting surfaces of wings of complex configurations at supersonic flight velocities p 288 A86-25423

Advanced boundary layer transition measurement methods for flight applications [AIAA PAPER 86-3786] p 500 A86-37083

Effect of longitudinal-contour shape on the aerodynamic characteristics of lifting bodies at supersonic and hypersonic flight velocities p 628 A86-43402

The drag of a pair of bodies at supersonic flight velocities p 768 A86-48802

Damping of the rolling motion of full caliber fin-stabilized projectiles in supersonic flight [ISL-CO-233/84] p 153 N86-15253

**SUPERSONIC FLOW**

A marching explicit-implicit procedure for calculating supersonic flow past bodies p 78 A86-13296

A study of flow near a shock wave intersection line p 78 A86-13353

Selecting the principal parameters of a wedge-profiled wing p 78 A86-13358

Calculation of supersonic inviscid flow past a plane air intake element with an isolated head wave p 79 A86-13364

Profiling of supersonic ducts with specified nonisentropic parameters at the exit p 79 A86-13375

A combined method for the analysis of the aerodynamic forces acting on an oscillating flight vehicle in supersonic flow p 79 A86-13380

Calculation of supersonic flow past a three-dimensional configuration using integral relationships p 81 A86-13423

Theory of self-similar regimes of supersonic flow in an axisymmetric channel with a sudden expansion p 82 A86-13427

Supersonic gas flow past a V-shaped wing p 82 A86-13440

Measurement of the heterogeneous recombination probability of oxygen atoms in the course of supersonic dissociated gas flow interaction with solid body surfaces p 85 A86-14743

Self-similar supersonic gas flows through a permeable screen p 140 A86-16784

Multiple ducted streams with a periodic or a steady supersonic driver flow p 142 A86-17129

Solution of the Euler equations - Explicit schemes acceleration by a multigrid method [ONERA, TP NO. 1985-129] p 142 A86-17627

Supersonic viscous-inviscid interaction of a swept compression ramp with a turbulent boundary layer [AIAA PAPER 85-1669] p 143 A86-17826

Drag reduction of perforated axisymmetric bodies in supersonic flow p 144 A86-18047

Shock wave/turbulent boundary layer interaction and its control [ONERA, TP NO. 1985-165] p 145 A86-18535

Flow past caret wings with flaps p 146 A86-18903

Behaviour of a rectangular wing in a supersonic flow - Dynamic pressure and normal force analysis in the range 1.3-4.0 Mach p 146 A86-19005

Critical permeability parameter in supersonic gradient flow p 146 A86-19148

Shock modelling in transonic and supersonic flow p 204 A86-20946

A solution to the problem of flow past wings with allowance for flow separation on the basis of a system of Euler equations p 205 A86-21345

Calculation of supersonic flows around a three-dimensional wing and a waisted body with characteristic method in stream surface coordinates p 206 A86-22319

Numerical issues in computing inviscid supersonic flow over conical delta wings [AIAA PAPER 86-0440] p 206 A86-22701

Euler and Navier-Stokes solutions for flow over a conical delta wing p 411 A86-32960

Prediction of advanced propeller noise in the time domain p 469 A86-32963

An improved potential gradient method for the calculation of unsteady aerodynamic pressures on oscillating wings in supersonic flow p 413 A86-33234

An exact formulation of the unsteady aerodynamic theory of lifting surfaces undergoing arbitrary small motions in a supersonic flow field p 413 A86-33235

Rising of the Ferrie point on the windward side of delta wings p 474 A86-34485

Analytic representation of steady and unsteady aerodynamic coefficients of modern helicopter rotors [DGLR PAPER 85-114] p 474 A86-35167

The method of fundamental solutions in aerodynamics. II - Applications to the theory of lifting surfaces in supersonic flow p 477 A86-36285

Investigation of heat transfer in separation regions in supersonic flow in a Laval nozzle p 477 A86-36458

Characteristics of the interaction of interference and diffraction flows at supersonic velocities p 478 A86-36459

Combined, nonlinear aerodynamic and structural method for the aeroelastic design of a three-dimensional wing in supersonic flow [AIAA PAPER 86-1769] p 542 A86-37806

Counterflow sonic nosejet into a supersonic stream [AIAA PAPER 86-1808] p 544 A86-37830

A high order supersonic triplet singularity [AIAA PAPER 86-1815] p 545 A86-37834

Wing and conical body of arbitrary cross-section combinations in supersonic flow [AIAA PAPER 86-1826] p 545 A86-37841

The external drag of a simple axisymmetric body of revolution in subsonic and supersonic flow with variable mass flowthrough ratios [AIAA PAPER 86-1828] p 545 A86-37842

Comparison of hot-wire measurement techniques in a Mach 3 pilot quiet tunnel p 605 A86-38235

A hot air tunnel for base bleed experimentation p 597 A86-38252

Experiments on supersonic turbulent flow development in a square duct [AIAA PAPER 86-1038] p 548 A86-38412

Influence of numerical dissipation in computing supersonic vortex-dominated flows [AIAA PAPER 86-1073] p 549 A86-38439

Effects of wind-tunnel noise on swept-cylinder transition at Mach 3.5 [AIAA PAPER 86-1085] p 550 A86-38447

Effects of cone surface waviness and freestream noise on transition in supersonic flow [AIAA PAPER 86-1086] p 550 A86-38448

Numerical study of the trailing edge region in slip flow regime p 624 A86-42548

A detailed numerical model of a supersonic reacting mixing layer [AIAA PAPER 86-1427] p 671 A86-42636

Application of laser-dual-focus velocimetry in a counterflow p 628 A86-43110

Solution of problems of conjugate heat transfer during flow past bodies of different shape p 673 A86-43370

Experimental study of supersonic flow around a single-stage wedge with cheeks at sideslip angles p 628 A86-43404

Features of the flow structure around polygonal lifting bodies at supersonic velocities p 628 A86-43421

A second-order theory for three-dimensional unsteady flows and its application to thin wings with angle of attack at supersonic and hypersonic speeds p 687 A86-43485

Role of shocks in transonic/supersonic compressor rotor flutter p 720 A86-44872

Unified supersonic/hypersonic similitude for oscillating wedges and plane ogives p 689 A86-44880

Pressure loading on curved leading edge wings in supersonic flow p 689 A86-44890

Numerical solution of the supersonic laminar flow over a two-dimensional compression corner using an implicit approach p 690 A86-45054

Investigation of the ignition characteristics of hydrogen/air mixtures in the case of combustion induced by oblique shocks p 732 A86-45185

The classical streamline curvature method in the supersonic range - A numerically ill-posed boundary value problem p 690 A86-45189

Scheme for calculating an almost-axisymmetric gas flow and supersonic flow past the end of a cylinder at a small angle of attack p 690 A86-45345

On the screech tones of supersonic rectangular jets [AIAA PAPER 86-1866] p 754 A86-45486

Unfolding of degenerate Hopf bifurcation for supersonic flow past a pitching wedge p 725 A86-46456

Some aspects of supersonic flow over a cavity cascade [AIAA PAPER 86-2025] p 764 A86-47659

A theoretical solution of three-dimensional flows in subsonic, transonic and supersonic turbomachines - An exact solution and its numerical method [ASME PAPER 86-GT-111] p 765 A86-48173

Measurement of the pressure coefficient at a square wing in transonic-supersonic flows and comparison with theoretical results - German thesis p 767 A86-48568

Hypothesis of two-dimensional cross sections for a wing of finite span at supersonic velocities p 767 A86-48769

Determination of the shape of a jet issuing from a cylinder of finite length around which a supersonic stream flows at small angle of attack p 770 A86-48825

Finite-volume and integral-equation techniques for transonic and supersonic vortex-dominated flows p 774 A86-49045

PN/S calculations for a fighter W/F at high-lift yaw conditions - parabolized Navier-Stokes computer code [AIAA PAPER 86-1829] p 779 A86-49588

Validation of a full potential method for combined yaw and angle of attack [AIAA PAPER 86-1834] p 779 A86-49591

- Cancellation zone in supersonic lifting wing theory  
p 780 A86-49824
- Theoretical and experimental flow fields for a supersonic  
cruise fighter forebody  
[NASA-TM-86450] p 146 N86-14218
- Summary report on the working group on conference  
2: Solutions of the Euler equations p 148 N86-14227
- Comparison of the Euler and potential solutions for  
supersonic flows over delta wings p 149 N86-14239
- Shock design for refined recalculations  
p 150 N86-14247
- Investigation of chemically-reacting supersonic internal  
flows  
[NASA-CR-176383] p 188 N86-14532
- Objectives and scope of the Working Group 07  
p 153 N86-15257
- Exact solutions to transonic and supersonic flows  
p 154 N86-15260
- Numerical simulation of viscous supersonic flow over  
a generic fighter configuration  
[NASA-TM-86823] p 190 N86-15627
- Random-choice-method solutions for two-dimensional  
planar and axisymmetric steady supersonic flows  
[UTIAS-297] p 415 N86-22555
- User's guide for NASCRIN: A vectorized code for  
calculating two-dimensional supersonic internal flow  
fields  
[NASA-TM-85708] p 416 N86-23565
- Supersonic flow around blunt perforated shields  
p 480 N86-25558
- Extensions of the concept of suction analogy to  
prediction of vortex lift effect p 556 N86-27193
- An overview of the fundamental aerodynamics branch's  
research activities in wing leading-edge vortex flows at  
supersonic speeds p 558 N86-27207
- Bifurcation theory applied to aircraft motions  
p 563 N86-27250
- NASTRAN supplemental documentation for modal  
forced vibration analysis of aerodynamically excited  
turbofans  
[NASA-CR-174967] p 675 N86-28463
- Shock-wave boundary layer interactions  
[AGARD-AG-280] p 676 N86-29173
- An improved potential gradient method for the  
calculation of unsteady aerodynamic pressures on  
oscillating wings in supersonic flow p 695 N86-30633
- An exact formulation of the unsteady aerodynamic theory  
of lifting surfaces undergoing arbitrary small motions in  
a supersonic flow field p 696 N86-30634
- High speed viscous flow calculations about complex  
configurations  
[NASA-TM-88237] p 850 N86-31827
- SUPERSONIC FLUTTER**
- On the teaching of the principles of wing flexure-torsion  
flutter p 185 A86-16248
- Aerodynamic and structural detuning of supersonic  
turbomachine rotors p 440 A86-31595
- Influence of friction dampers on torsional blade flutter  
[ASME PAPER 85-GT-170] p 441 A86-32957
- Splitter blades as an aeroelastic detuning mechanism  
for unstalled supersonic flutter of turbomachine rotors  
[ASME PAPER 86-GT-99] p 813 A86-48164
- On the optimization of flutter characteristics of laminated  
anisotropic cylindrical shells p 848 A86-49082
- Oscillating wings and bodies with flexure in supersonic  
flow Applications of harmonic potential panel method  
p 776 A86-49108
- Estimation of divergence and flutter boundaries on  
supersonic plate wing models from subcritical random  
responses due to air turbulence  
[NAL-TR-856] p 211 N86-17308
- SUPERSONIC INLETS**
- A linear multivariable dynamical model of a supersonic  
inlet-engine combination p 85 A86-14560
- A study of ramjet engine. III - Air inlet performance as  
the engine component p 304 A86-25234
- Effects of S-bends on diffuser internal performance and  
turbulence characteristics  
[AIAA PAPER 86-1459] p 625 A86-42654
- Wave drag of a supersonic air intake at high subsonic  
velocities p 770 A86-48834
- Throttle dependent forces: A primer  
[AD-A162939] p 442 N86-23599
- Low-speed performance of an axisymmetric,  
mixed-compression, supersonic inlet with auxiliary inlets  
[NASA-TP-2557] p 503 N86-24694
- SUPERSONIC JET FLOW**
- Propagation of small perturbations during the interaction  
of nonviscous jets p 80 A86-13390
- Supercritical mode of the nonlinear interaction of  
subsonic and supersonic inviscid jets in a two-dimensional  
channel p 142 A86-17098
- A linearized theory for swirling supersonic jets and its  
application to shock-cell noise p 186 A86-17137
- Discrete tones generated by an impinging  
underexpanded rectangular jet p 193 A86-17138
- Supersonic interface instabilities of accelerated surfaces  
and jets p 455 A86-31356
- Progress in the development of parabolized  
Navier-Stokes (PNS) methodology for analyzing propulsive  
jet mixing problems  
[AIAA PAPER 86-1115] p 551 A86-38473
- Mathematical model of the interaction of a single  
unsteady supersonic jet with a moving barrier of finite  
size p 628 A86-43401
- Investigation of the structure of a supersonic jet issuing  
from a free-vortex nozzle by means of pulsed holographic  
interferometry p 628 A86-43403
- Coherent large-scale structures in high Reynolds number  
supersonic jet of Mach number 1.4  
[AIAA PAPER 86-1941] p 691 A86-45428
- The near and far acoustic fields of broadband shock  
associated noise  
[AIAA PAPER 86-1943] p 751 A86-45430
- High speed flight effects on shock associated noise  
[AIAA PAPER 86-1944] p 751 A86-45431
- Shock noise from supersonic jets in simulated flight to  
Mach 0.4  
[AIAA PAPER 86-1945] p 752 A86-45432
- Aeroacoustics of contoured plug-nozzle supersonic jet  
flows  
[AIAA PAPER 86-1946] p 752 A86-45433
- Features of discrete tones generated by jet flows over  
Coanda surfaces  
[AIAA PAPER 86-1865] p 691 A86-45485
- Parabolized Navier-Stokes analysis of three-dimensional  
supersonic and subsonic jet mixing problems  
p 780 A86-49804
- SUPERSONIC NOZZLES**
- A method for measuring the direction and the Mach  
number of a three-dimensional supersonic nozzle  
p 80 A86-13392
- Compact gas ejector of a high degree of compression  
with spiral arrangement of the nozzles  
p 82 A86-13433
- Dynamic pressure loads associated with twin supersonic  
plume resonance  
[AIAA PAPER 86-1539] p 646 A86-42701
- Acoustic properties associated with rectangular  
geometry supersonic nozzles  
[AIAA PAPER 86-1867] p 754 A86-45487
- SUPERSONIC SPEED**
- Characteristics of the lifting properties of aircraft with  
sweptforward wings at supersonic velocities  
p 96 A86-13371
- An evaluation of leading-edge flap performance on delta  
and double-delta wings at supersonic speeds  
[AIAA PAPER 86-0315] p 201 A86-19808
- Navier-Stokes computations of lee-side flows over delta  
wings  
[AIAA PAPER 86-1049] p 548 A86-38420
- Preliminary measurement of the noise from the 2/9 scale  
model of the Large-scale Advanced Proplan (LAP)  
propeller, SR-7A  
[NASA-TM-87116] p 129 N86-14006
- Research on the aerodynamic characteristics of vehicles  
by free flight testing at supersonic speeds  
[NAL-TR-876] p 339 N86-20353
- Effects of some geometric variations on missile  
aerodynamic characteristics at supersonic speeds  
[NASA-TM-87683] p 415 N86-22553
- Nonlinear potential analysis techniques for  
supersonic-hypersonic aerodynamic design  
[NASA-CR-172299] p 417 N86-23569
- The search for an advanced fighter: A history from the  
XF-108 to the advanced tactical fighter  
[AD-A166724] p 687 N86-29764
- SUPERSONIC TRANSPORTS**
- Tomorrow... Concorde's successor?  
p 293 A86-26299
- Planform effects for low-finesness ratio multibody  
configurations at supersonic speeds  
[AIAA PAPER 86-1799] p 544 A86-37825
- The impact of emerging technologies on an advanced  
supersonic transport p 761 A86-48997
- SUPERSONIC TURBINES**
- Numerical analysis of fully three-dimensional periodic  
flows through a turbine stage  
[ASME PAPER 85-GT-57] p 76 A86-13060
- Forced response analysis of an aerodynamically  
detuned supersonic turbomachine rotor  
p 363 A86-26902
- Passive control of aerodynamically forced vibrations of  
supersonic turbomachine rotors by splitter blades  
[AIAA PAPER 86-0844] p 590 A86-38892
- Influence of rotor blade aerodynamic loading on the  
performance of a highly loaded turbine stage  
[ASME PAPER 86-GT-56] p 765 A86-48134
- SUPERSONIC WAKES**
- Heat transfer and drag of a body in the far supersonic  
wake p 554 A86-39657
- Experimental study of the supersonic turbulent boundary  
layer on a blunted axisymmetric body  
[AD-A163736] p 479 N86-24669
- SUPERSONIC WIND TUNNELS**
- An estimation of the wall interference on a  
two-dimensional circulation control airfoil  
[AIAA PAPER 86-0738] p 273 A86-24732
- Future requirements of wind tunnels for aeronautical  
systems development  
[AIAA PAPER 86-0751] p 309 A86-24740
- A hot air tunnel for base bleed experimentation  
p 597 A86-38252
- Effects of cone surface waviness and freestream noise  
on transition in supersonic flow  
[AIAA PAPER 86-1086] p 550 A86-38448
- Current wind tunnel capability and planned  
improvements at Lewis Research Center  
[NASA-TM-87190] p 311 N86-18329
- Transonic and supersonic wind tunnel tests on  
schematic missile configurations with two different nose  
lengths  
[FFA-TN-1984-62] p 630 N86-28066
- Boundary layer stability measurements over a flat plate  
at mach 3  
[AD-A166188] p 694 N86-29778
- SUPPORT INTERFERENCE**
- Dynamic support interference in high alpha testing —  
of aircraft models  
[AIAA PAPER 86-0760] p 309 A86-24746
- SUPPORT SYSTEMS**
- Long range planning for flight test support  
[AIAA PAPER 86-9744] p 406 A86-32088
- A supportability strategy for 1995  
[AIAA PAPER 86-1670] p 684 A86-42783
- Navy aircraft support data systems study:  
ECAMS/NALCOMIS integration feasibility and procedure  
[DE85-016977] p 192 N86-15003
- SUPPORTS**
- A review of the pilot backache problem in the CH113  
Labrador helicopter  
[AD-A164011] p 530 N86-25113
- SUPPRESSORS**
- Free jet feasibility study of a thermal acoustic shield  
concept for AST/VCE application-dual flow.  
Comprehensive data report. Volume 1: Test nozzles and  
acoustic data  
[NASA-CR-174817] p 469 N86-23371
- SURFACE CRACKS**
- Measurement of elastic-plastic strain field at the curve  
surface crack tip p 249 A86-20175
- Ultrasonic direct backscattering technique for material  
surface inspection p 740 A86-47133
- SURFACE DEFECTS**
- Fatigue behaviour of titanium materials in aircraft  
engines p 375 A86-27275
- SURFACE DISTORTION**
- Certain problems of fluid flow near the core of a spiral  
discontinuity p 120 A86-13424
- SURFACE FINISHING**
- Adhesive bonding of aluminium-lithium alloys  
p 660 A86-40267
- Aviaremont's efforts to introduce laser technology  
p 320 N86-18286
- The future of surface treatments in aeronautical  
construction  
[SNIAS-861-551-101] p 665 N86-29037
- SURFACE GEOMETRY**
- The effect of the curvature of the external contours of  
turbine blade profiles on their aerodynamic  
characteristics p 144 A86-18152
- Interdependence of centrifugal compressor blade  
geometry and relative flow field  
[ASME PAPER 85-GT-85] p 251 A86-22056
- Surfaces on a nonrectangular frame  
p 316 A86-23663
- SURFACE LAYERS**
- Comparative study of nondestructive pavement testing,  
WES (Waterways Experiment Station) NDT  
(nondestructive tests) methodologies  
[AD-A163379] p 610 N86-26480
- SURFACE NAVIGATION**
- Airport surface navigation and traffic control  
p 635 A86-40227
- USSR report: Transportation  
[JPRS-UTR-85-015] p 294 N86-18323
- SURFACE PROPERTIES**
- A study of heat transfer on wedges with a swept leading  
edge and a sharply bent generatrix p 81 A86-13399
- Features of discrete tones generated by jet flows over  
Coanda surfaces  
[AIAA PAPER 86-1865] p 691 A86-45485
- Surface properties-vehicle interaction  
[PB85-242576] p 255 N86-16428

**SURFACE ROUGHNESS**

- Effects of cone surface waviness and freestream noise on transition in supersonic flow [AIAA PAPER 86-1086] p 550 A86-38448
- Programming a multiple-orifice hydraulic decelerator [AD-A159428] p 181 N86-15328
- Runway rubber removal specification development [DOT/FAA/PN-85/33] p 372 N86-21556
- Investigations for improving operational reliability and maintainability of instrument landing system components. Volume 1: Text and appendices [DOT/FAA/PM-86/7.1-VOL-1] p 704 N86-28801

**SURFACE ROUGHNESS EFFECTS**

- The effect of trip wire roughness on the performance of the Wortmann FX 63-137 airfoil at low Reynolds numbers p 139 A86-16322
- Influence of rough runways on undercarriage design p 186 A86-19277
- Aerodynamic performances of fabric surface airfoils p 275 A86-25224
- Verification and application of the icing scaling equations [AIAA PAPER 86-0481] p 343 A86-26640
- A review of computer simulations for aircraft-surface dynamics p 432 A86-32776
- Simulation of aircraft taxi testing on the AGILE shaker test facility p 731 N86-30663

**SURFACE STABILITY**

- An experimental study of the lift, drag and static longitudinal stability for a three lifting surface configuration [AIAA PAPER 86-0398] p 365 A86-26629
- Effects of structural nonlinearities on limit cycle response of aerodynamic surfaces [AIAA PAPER 86-0899] p 585 A86-38910

**SURFACE WATER**

- An evaluation of the capability of the surface condition analyzer (SCAN) sensors to measure runway water depth [AD-A164719] p 611 N86-26603

**SURFACES**

- The method of fundamental solutions in aerodynamics. II - Applications to the theory of lifting surfaces in supersonic flow p 477 A86-36285
- Investigations on efficient numerical method for subsonic lifting surfaces p 209 N86-17285
- An exact formulation of the unsteady aerodynamic theory of lifting surfaces undergoing arbitrary small motions in a supersonic flow field p 696 N86-30634

**SURGES**

- Active suppression of compressor instabilities [AIAA PAPER 86-1914] p 690 A86-45410
- The observation of high frequency B(dot) and D(dot) transients excited on a fuselage by an impulse generator p 790 A86-47306

**SURVEILLANCE**

- United States Coast Guard acquisition of remote sensing capability for ocean surveillance p 231 A86-21234
- Distributed sensor networks [AD-A160596] p 332 N86-19136
- Design, development and integrate/install an airborne remote instrumentation system (AIREYE) [AD-A166755] p 719 N86-30728

**SURVEILLANCE RADAR**

- Aerial navigation p 421 A86-31006
- Advances in secondary surveillance radar systems p 423 A86-32581
- Detection and recognition of hazardous weather conditions by primary surveillance radar p 457 A86-32614
- Space-based bistatic radar - Opportunity for future tactical air surveillance p 423 A86-32627
- Evaluation of the ASR-9 weather reflectivity product - airport surveillance radar p 614 A86-37485
- Secondary radar leads - Monopulse points the way p 787 A86-48372

**SURVEYS**

- A constant altitude flight survey method for mapping atmospheric ambient pressures and systematic radar errors p 360 A86-28507

**SURVIVAL**

- Survival of helicopter accidents p 419 A86-31005
- Automatic Inflation Modulation (A.I.M.) parachute up-date p 698 A86-44781

**SURVIVAL EQUIPMENT**

- The effect of water ingress on buoyancy and thermal quality of survival suits p 261 A86-19333
- The anatomy of sea SKAD (Survival Kit Air Droppable) - A Canadian Forces/industry development program p 213 A86-19335
- Ship/rig personnel abandonment and helicopter crew/passenger immersion suits - The requirements in the North Atlantic p 396 A86-29100

**SUSPENDING (HANGING)**

- Low-speed stability characteristics of a helicopter with a sling load p 365 A86-26586

- Dynamics of a helicopter with a sling load [AIAA PAPER 86-2288] p 831 A86-47709

**SWEDEN**

- How Sweden decided to build the Gripen p 405 A86-31340
- Sweden's Gripen - A tough bird to tangle with p 427 A86-31341

**SWEEP ANGLE**

- A study of heat transfer on wedges with a swept leading edge and a sharply bent generatrix p 81 A86-13399
- Effect of sweep angle on static aeroelasticity - Theory for physical meanings p 288 A86-25180
- Effect of cantilever sweep on the aerodynamic characteristics of a wing with a projection in separated flow p 768 A86-48779

**SWEEP EFFECT**

- Noise generated by convected gusts interacting with swept airfoil cascades [AIAA PAPER 86-1872] p 755 A86-45492
- Design of a basic profile for a slightly swept wing. Part 2: Experimental investigation on the airfoil DFVLR-W1 in the Brunswick Transonic Wind Tunnel (TWB) [ESA-TT-916-PT-2] p 782 N86-31542

**SWEEPBACK**

- NASTRAN supplemental documentation for modal forced vibration analysis of aerodynamically excited turbosystems [NASA-CR-174967] p 675 N86-28463

**SWEPT FORWARD WINGS**

- Characteristics of the lifting properties of aircraft with sweptforward wings at supersonic velocities p 96 A86-13371
- Flutter and divergence aeroelastic characteristics for composite forward swept cantilevered wing p 97 A86-14536
- Divergence study of a high-aspect ratio, forward-swept wing [AIAA PAPER 86-0009] p 219 A86-19632
- Dynamics and controls flight testing of the X-29A airplane [AIAA PAPER 86-0167] p 237 A86-19728
- Performance of a forward swept wing fighter utilizing thrust vectoring and reversing p 221 A86-20163
- Control of a forward-swept-wing configuration dominated by flight dynamic/aeroelastic interactions p 239 A86-20237
- The role of the Flight Test Department in the development of new technology aircraft p 285 A86-23271
- Multivariable control law design for the X-29 aircraft p 369 A86-28510
- Management controls on the X-29 flight-control system software development [AIAA PAPER 86-9808] p 443 A86-32136
- The application of practical optimization techniques in the preliminary structural design of a forward-swept wing p 433 A86-33256
- The Grumman X-29 technology demonstrator - Technology interplay and weight evolution [SAWE PAPER 1665] p 488 A86-35210
- The X-29 - A unique and innovative aerodynamic concept [SAE PAPER 851771] p 546 A86-38306
- Three-dimensional unsteady flow fields elicited by a pitching forward swept wing [AIAA PAPER 86-1104] p 551 A86-38464
- Experimental aeroelastic behavior of forward swept graphite/epoxy wings with rigid body freedoms [AIAA PAPER 86-0971] p 584 A86-38851
- Classical flight dynamics of a variable forward-swept-wing aircraft p 594 A86-39043
- A forward-swept-wing fighter configuration designed by a transonic computational method p 638 A86-41696
- Divergence of an anisotropic sweptforward wing p 768 A86-48788
- Transonic flow past the root section of a wing with sweepback and sweepforward p 769 A86-48817
- The estimation of the stability and control characteristics of a canard configured combat aircraft having a forward swept wing p 834 A86-49056
- A general formulation for the aeroelastic divergence of composite sweptforward wing structures p 802 A86-49095
- Configuration and longitudinal wind tunnel testing [J] of forward-swept wings p 181 N86-14449
- Dynamics and controls flight testing of the X-29A airplane [NASA-TM-86803] p 295 N86-19313
- A programme of research into the aerodynamics, stability and control characteristics of a combat aircraft having a forward swept wing p 357 N86-21533
- Locally linearized longitudinal and lateral-directional aerodynamic stability and control derivatives for the X-29A aircraft [NASA-TM-84919] p 416 N86-23566

- X-29A technology demonstrator flight test program overview [NASA-TM-86809] p 586 N86-26326

- Divergence study of a high-aspect ratio, forward-swept wing [NASA-TM-87682] p 588 N86-27279

- The use of a panel code on high lift configurations of a swept forward wing [NASA-CR-178968] p 631 N86-28916

- The application of practical optimization techniques in the preliminary structural design of a forward-swept wing p 715 N86-30654

- Effects of anisotropic design on the static aeroelasticity of a swept wing - aeroelastic tailoring p 687 N86-30661

- Low-speed aerodynamic characteristics of a 1/8-scale X-29A airplane model at high angles of attack and sideslip [NASA-TM-87722] p 781 N86-31532

**SWEPT WINGS**

- Construction of equivalent profiles and approximate calculation of transonic flow past the root section of a swept wing p 80 A86-13396
- The efficient simulation of separated three-dimensional viscous flows using the boundary-layer equations [AIAA PAPER 85-0464] p 84 A86-14452
- Doublet strip method for oscillating swept tapered wings in incompressible flow p 85 A86-14537
- Measurements in the turbulent boundary layer on an 'infinite' swept wing p 86 A86-16102
- Numerical computation of unsteady transonic flow about wings with flaps [AIAA PAPER 85-1712] p 144 A86-17849
- Comparison of computations and experimental data for leading edge vortices - Effects of yaw and vortex flaps [AIAA PAPER 86-0439] p 202 A86-19680
- Aerodynamics of swept wings with medium and small aspect ratios. II p 272 A86-23948
- Comment on 'Conical similarity of shock/boundary-layer interactions generated by swept and unswept wings' p 337 A86-28558
- Effects of anisotropic design on the static aeroelasticity of a swept wing p 434 A86-33263
- Combined, nonlinear aerodynamic and structural method for the aeroelastic design of a three-dimensional wing in supersonic flow p 542 A86-37806
- Drag-reduction characteristics of aft-swept wing tips [AIAA PAPER 86-1824] p 545 A86-37840
- Swept wing-tip shapes for low-speed airplanes [SAE PAPER 851770] p 546 A86-38305
- Pivotal strakes for high angle of attack control [SAE PAPER 851821] p 593 A86-38329
- Further results of natural laminar flow flight test experiments [SAE PAPER 850862] p 581 A86-38504
- Unsteady vortical flow around three-dimensional lifting surfaces p 553 A86-39052
- A report on the initial testing of the large scale advanced prop-fan [AIAA PAPER 86-1551] p 647 A86-42706
- Vortex-induced effects on aircraft dynamics [AIAA PAPER 86-2279] p 630 A86-47697
- Comparisons in three-dimensionality in the unsteady flows elicited by straight and swept wings [AIAA PAPER 86-2280] p 764 A86-47698
- Hypothesis of two-dimensional cross sections for a wing of finite span at supersonic velocities p 767 A86-48789
- Method for the visualization of subsonic gas flows p 769 A86-48808
- Disordered vortex flow computed around a cranked delta wing at subsonic speed and high incidence p 772 A86-49027
- Leading edge vortex flow over a 75 degree-swept delta wing Experimental and computational results [ONERA, TP NO. 1986-122] p 773 A86-49042
- Free-vortex flow simulation using a three-dimensional Euler aerodynamic method p 773 A86-49043
- Method of analysing data on a swept wing aircraft in flight p 775 A86-49103
- Flowfield survey over a 75 deg swept delta wing at an angle of attack of 20.5 deg [AIAA PAPER 86-1775] p 777 A86-49579
- Numerical solutions for three-dimensional cases: Swept wings p 154 N86-15263
- The analysis of practical transonic swept wings with and without boundary layer effects p 211 N86-17300
- Subsonic flow investigations on a cranked wing designed for high maneuverability [NASA-CR-178046] p 340 N86-20361
- Natural laminar flow flight experiments on a swept wing business jet-boundary layer stability analyses [NASA-CR-3975] p 478 N86-24659



- ALESEP. Part 2: A computer program for the analysis of leading edge separation bubbles on infinite swept wings**  
[NASA-CR-178015] p 479 N86-24664
- Experimental study of apex fences for lift enhancement on a highly swept delta wing configuration  
[AD-A163877] p 512 N86-24705
- Computation of 3-dimensional viscous transonic flows using the LU-ADI factored scheme  
[NAL-TR-889T] p 555 N86-27184
- Towards an advanced vortex flap system: The cavity flap  
p 557 N86-27200
- Dynamic stall of swept and unswept oscillating wings  
p 560 N86-27226
- Loads calibrations of strain gage bridges on the DAST project Aeroelastic Research Wing (ARW-2)  
[NASA-TM-87677] p 639 N86-28075
- A theory for lateral wing-tip blowing  
[NASA-CR-176931] p 632 N86-28923
- Multivariable control of a forward swept wing aircraft  
[NASA-CR-177112] p 654 N86-28953
- Three-dimensional shock wave and turbulent boundary layer interactions  
[AD-A167086] p 745 N86-31010
- SWEPTBACK WINGS**
- Spiral vortex flow over a swept-back wing  
p 691 A86-46004
- Numerical calculations of inviscid transonic flows over wings  
p 692 A86-46415
- Transition to three-dimensional flow and laminarization of the boundary layer on a swept-back wing  
[AAAF PAPER NT 85-03] p 766 A86-48454
- Transonic flow past the root section of a wing with sweepback and sweepforward  
p 769 A86-48817
- Aeroelastic tailoring of aft-swept high aspect ratio composite wings  
p 802 A86-49097
- Configuration and longitudinal wind tunnel testing of forward-swept wings  
p 181 N86-14449
- A numerical solution of the transonic integral equation and its application to three-dimensional transonic wing design  
p 226 N86-17298
- Transonic wind tunnel tests of a swept supercritical wing-body model, PT 8  
[FFA-TM-1982-24] p 211 N86-17316
- Buckling behavior of Rene 41 tubular panels for a hypersonic aircraft wing  
[NASA-TM-86796] p 611 N86-26653
- Aircraft barricade  
[AD-D012194] p 656 N86-28102
- Tests with three-dimensional adjustments in the rectangular working section of the French T2 wind tunnel with an AS 07-type swept-back wing model  
[NASA-TM-88442] p 657 N86-28964
- SWIRLING**
- Multiscale flow visualization of lateral jet injection into a swirling cross flow  
p 85 A86-14561
- A numerical method for calculating internal subsonic swirling flows of an ideal gas  
p 85 A86-14679
- A linearized theory for swirling supersonic jets and its application to shock-cell noise  
p 186 A86-17137
- An analytical investigation of the effects of swirler design on the performance of annular propulsive nozzles  
[AIAA PAPER 86-0587] p 233 A86-19965
- Laser anemometer measurements of the flow from a simulated fuel nozzle  
p 520 A86-34410
- SWITCHING CIRCUITS**
- A novel voice activated switch (VOX) for high noise environments  
p 348 A86-28335
- Implementation of a crowbar switch in a Marx generator/peaking capacitor lightning simulator system  
p 790 A86-47305
- SYMBOLS**
- The interactive generation of alphanumerics and symbology with designs on the future  
[AD-A159218] p 192 N86-14982
- SYMMETRY**
- Experimental study of the supersonic turbulent boundary layer on a blunt axisymmetric body  
[AD-A163736] p 479 N86-24669
- SYNCHRONISM**
- Synchronizing characteristics of a large variable frequency starting system  
p 249 A86-20516
- Establishment and use of time unification system for civil aviation  
p 258 N86-17648
- Experience with synchronous and asynchronous digital control systems  
[NASA-TM-88271] p 726 N86-29866
- SYNCHROPHASING**
- A propeller model for studying trace velocity effects on interior noise  
p 284 A86-23191
- Noise control characteristics of synchrophasing. I - Analytical investigation — of turboprop aircraft noise  
p 708 A86-44853
- Noise control characteristics of synchrophasing. II - Experimental investigation — on aircraft fuselage model  
p 805 A86-49808

- SYNOPTIC METEOROLOGY**
- Some microphysical processes affecting aircraft icing  
[AD-A160375] p 325 N86-18921
- SYNTHESIS (CHEMISTRY)**
- Copolymers of vinyl styrylpyridines or vinyl stilbazoles with bismaleimide  
[NASA-CASE-ARC-11429-1-CU] p 378 N86-20560
- SYNTHETIC APERTURE RADAR**
- A Synthetic Aperture Radar (SAR) for commercial applications  
p 250 A86-21246
- Characteristics of synthetic aperture radars  
p 610 A86-39683
- Basic characteristics of radar antenna with synthesized aperture tracking arbitrary motion of aircraft  
p 189 N86-15575
- SYNTHETIC FUELS**
- The production of jet fuel from alternate sources  
[ASME PAPER 85-IGT-67] p 312 A86-23868
- Test and evaluation of shale derived jet fuel by the United States Air Force  
[ASME PAPER 85-IGT-115] p 313 A86-23911
- Scientists on aircraft development trends  
p 407 N86-22545
- SYNTHETIC RESINS**
- Copolymers of vinyl styrylpyridines or vinyl stilbazoles with bismaleimide  
[NASA-CASE-ARC-11429-1-CU] p 378 N86-20560
- A design guide for damping of aerospace structures  
p 390 N86-21923
- SYSTEM EFFECTIVENESS**
- Life cycle cost and availability in military aeronautics  
p 266 A86-21872
- Principles of flight test  
[AIAA PAPER 86-9742] p 406 A86-32087
- Operational suitability evaluation of a tactical fighter system  
[AIAA PAPER 86-9753] p 406 A86-32094
- Sophistication and safety in a semi-automated air traffic control system  
p 635 A86-41874
- The effect of deposits on the cooling efficiency of gas-turbine engine blades  
p 720 A86-44697
- National airspace system, system requirements specification  
[AD-A157944] p 94 N86-13312
- Flight training simulators. Effects of terrain accuracy on simulated radar image quality  
[AD-A160905] p 311 N86-18333
- A comparative evaluation of the reliability improvement in line replaceable units warranted under the F-16 reliability improvement warranty  
[AD-A160830] p 321 N86-18630
- Integration effects of underwing forward- and rearward-mounted separate-flow, flow-through nacelles on a high-wing transport  
[NASA-TM-87627] p 342 N86-21514
- System life and reliability modeling for helicopter transmissions  
[NASA-CR-3967] p 525 N86-24990
- An analytical methodology for predicting repair time distributions of advanced technology aircraft  
[AD-A167149] p 763 N86-31529
- SYSTEM FAILURES**
- Safety aspects in stores management systems  
p 299 A86-26132
- Application of fuzzy logic to the estimation of software reliability for computer systems  
p 396 A86-27472
- Detection and isolation of control surface effectiveness failures in high performance aircraft  
p 367 A86-28392
- Application of FDI metrics to detection and isolation of sensor failures in turbine engines  
p 501 A86-35400
- Robust detection, isolation, and accommodation for sensor failures — in jet engine control systems  
p 501 A86-35402
- Design issues for fault tolerant-restructurable aircraft control  
p 652 A86-42937
- Robust fault detection and isolation for a high performance aircraft on STOL approach  
[AIAA PAPER 86-2031] p 821 A86-47421
- Failure detection in a flight control system by the modified sequential probability ratio test  
p 854 A86-49507
- The evaluation of failure detection and isolation algorithms for restructurable control  
[NASA-CR-177983] p 93 N86-13310
- Aircraft accident/incident summary reports: Denver, Colorado, August 19, 1983; Blountville, Tennessee, July 16, 1983; Tucson, Arizona, February 6, 1983; Cockeysville, Maryland, April 28, 1984; Akron, Ohio, September 30, 1984; Seattle, Washington, October 18, 1984; Miami, Florida, November 11, 1983  
[PB85-910409] p 483 N86-24675
- Failures in advanced flight control systems of future transport aircraft — semisubmersible platform  
[NLR-TR-84108-U] p 595 N86-26343
- Robust detection, isolation and accommodation for sensor failures  
[NASA-CR-174825] p 722 N86-30732

- SYSTEM IDENTIFICATION**
- Experimental system identification for experimental/analytical correlation and modelling  
p 381 A86-26883
- Comparison of some time domain methods for structural system identification  
p 457 A86-33279
- Application of system identification to aircraft flight test data processing  
p 638 A86-43002
- An explicit adaptive flight control system based on the modified gain extended Kalman filter  
[AIAA PAPER 86-2158] p 823 A86-47465
- Identification of pilot dynamics in a system with a choice of feedback structures  
[AIAA PAPER 86-2250] p 825 A86-47496
- STEP and STEPSPL: Computer programs for aerodynamic model structure determination and parameter estimation  
[NASA-TM-86410] p 370 N86-21549
- Evaluation of a frequency response technique for aircraft system identification  
[AD-A164367] p 497 N86-25339
- Identification of gust input and gust response characteristics from Do 28 TNT flight test data  
[ESA-TT-919] p 837 N86-32445
- SYSTEMS ANALYSIS**
- Modeling and simulation. Volume 15 - Proceedings of the Fifteenth Annual Pittsburgh Conference, University of Pittsburgh, PA, April 19, 20, 1984. Part 5 - General modeling and simulation  
p 387 A86-28280
- X-29 ground and flight subsystem testing  
[AIAA PAPER 86-9781] p 430 A86-32115
- Estimation of the state parameters of nonlinear dynamic systems  
p 465 A86-33047
- New applications of mu to real-parameter variation problems — structured singular value theory for flight control systems stability analysis  
p 680 A86-42871
- A fundamental approach to equivalent systems analysis — in evaluating aircraft handling qualities  
[AIAA PAPER 86-2128] p 828 A86-47674
- Restructuring the rotor analysis program C-60  
p 168 N86-15292
- Dynamic assertion testing of flight control software  
[NASA-CR-176712] p 466 N86-23322
- Dynamic assertion testing of flight control software  
[NASA-CR-176716] p 466 N86-23325
- Investigation of an advanced fault tolerant integrated avionics system  
[NASA-CR-176980] p 642 N86-28945
- Experience with synchronous and asynchronous digital control systems  
[NASA-TM-88271] p 726 N86-29866
- Finite state modelling of aeroelastic systems for active control applications: A general theory  
p 749 N86-30648
- SYSTEMS ENGINEERING**
- Designing an electro-impulse de-icing system  
[AIAA PAPER 86-0545] p 220 A86-19940
- Radars in air traffic control - A status report  
p 216 A86-21607
- Trends of active control technology  
p 307 A86-25213
- The McDonnell aircraft telemetry tracking system at Edwards Air Force Base, CA  
p 346 A86-27784
- Wickens' resource allocation model - Implications for the design of human-machine systems  
p 395 A86-28453
- Modular simulators - A comprehensive unified architecture — for flight training  
p 371 A86-28458
- A peripheral integrated system status display - Figural goodness or proximity effects?  
p 453 A86-29870
- The NDS 2000 Flight Test Instrumentation System in the F-20 Tigershark  
[AIAA PAPER 86-9797] p 438 A86-32126
- Failure detection and accommodation in structural dynamics systems using analytic redundancy — in large space structures  
p 658 A86-42938
- Parachute recovery systems design manual, chapters 1 through 4 offprint  
[AD-A157833] p 87 N86-12210
- Design and evaluation of an instrumentation system for measurements in nonsteady symmetrical flight conditions with the Hawker Hunter MK 7  
[VTH-LR-308] p 232 N86-16215
- Dependable avionic data transmission  
p 362 N86-20405
- Rivista Technica Selenia, volume 9, number 3, 1985 — combat aircraft  
p 407 N86-22537
- The MRCA automatic test system  
p 407 N86-22538
- Selenia's contribution to the development of systems support: Microwave Automatic Test Equipment (ATE) — combat aircraft  
p 407 N86-22540
- Lines of evolution — automatic test equipment, military aircraft  
p 407 N86-22543
- Activities report of the Department of Aerospace Engineering  
p 470 N86-23491

- A systems engineering methodology for the advanced tactical aircraft  
[AD-A162049] p 437 N86-23593
- Computed centerline MLS (Microwave Landing System) approach demonstration at Washington National Airport  
[AD-A163722] p 486 N86-24681
- Study of the effects of discretizing quantitative feedback theory analog control system designs  
[AD-A164209] p 533 N86-25174
- An analysis of the limit cycle observed in the functional mockup test of the NAL QSTOL research aircraft  
[NAL-TR-893] p 587 N86-27277
- Development and validation of the crew-station system-integration research facility  
[NASA-TM-86841] p 622 N86-28051
- System design and integration of the large-scale advanced prop-fan  
[NASA-CR-174789] p 781 N86-31536
- Development of a data acquisition system to aid in the aerodynamic study of various helicopter configurations  
[AD-A167717] p 781 N86-31539
- Aeropropulsion opportunities for the 21st century  
[NASA-TM-88817] p 819 N86-31585
- ### SYSTEMS INTEGRATION
- Automation and integration on AFTI/F-16  
[AIAA PAPER 85-3089] p 103 A86-14433
- Parts integration - Advantages and problems --- in aircraft design  
p 133 A86-16207
- Observations on helicopter integrated system testing based on F/A-18 experiences  
p 134 A86-18417
- A structured approach for integration and test of avionics systems  
p 170 A86-18423
- Toward an avionics supersystem  
p 172 A86-18552
- Information-measurement complexes of flight vehicles --- Russian textbook  
p 172 A86-18743
- Presentation of radar altitude information on the HUD  
[SAE PAPER 841464] p 298 A86-26007
- Development testing of integrated avionics systems using dynamic environment simulation  
p 330 A86-26166
- High speed fiber optic data bus for avionics integration  
p 385 A86-28342
- An expert system for integrated aircraft/engine controls design  
p 355 A86-28405
- A new approach to ensuring deterministic processing in an integrated avionics software system  
p 398 A86-28419
- Embedded training avionics integration  
p 360 A86-28463
- Onboard simulation - A demonstrated technology breakthrough for cost effective testing and training  
p 360 A86-28464
- Experience with flight testing integrated avionics systems  
[AIAA PAPER 86-9804] p 431 A86-32133
- Integration test facility for P3 aircraft purpose and uses  
[AIAA PAPER 86-9807] p 448 A86-32135
- A completely integrated system for the treatment of crack growth test data  
p 531 A86-34635
- Integrated avionics suite as implemented on the Agusta A-129  
p 500 A86-35666
- An integrated display for vertical and translational flight  
Eight factors affecting pilot performance  
p 529 A86-36175
- The integrated digital avionics system for the F-20 Tigershark  
[SAE PAPER 851850] p 589 A86-38345
- Integrated control - A decentralized approach  
p 681 A86-42996
- Generic integrated maintenance diagnostics  
p 685 A86-44422
- Aircraft/engine integration for an advanced fighter considering mission specifics  
[ASME PAPER 86-GT-295] p 797 A86-48308
- Integrated structure/control design - Present methodology and future opportunities  
p 854 A86-49094
- Development and validation of the crew-station system-integration research facility  
[NASA-TM-86841] p 622 N86-28051
- The integrated manual and automatic control of complex flight systems  
[NASA-CR-177086] p 654 N86-28952
- Flow direction measurement criteria and techniques planned for the 40- by 80-/80- x 120-foot wind tunnel integrated systems tests  
[NASA-CR-176969] p 676 N86-29152
- ### SYSTEMS MANAGEMENT
- A systems engineering methodology for the advanced tactical aircraft  
[AD-A162049] p 437 N86-23593
- ### SYSTEMS SIMULATION
- Solid fuel ramjet simulator results - Experiment and analysis in cold flow --- solid fuel ramjet  
p 106 A86-14562
- Simulating the total system, warts and all --- automatic target acquisition for LHX helicopter  
p 164 A86-18422
- Development of a generalized escape system simulation computer program  
p 240 A86-19340
- Discussion about dynamic simulation test of an aero-engine control system  
[ASME PAPER 85-IGT-30] p 308 A86-23845
- Modeling and simulation. Volume 15 - Proceedings of the Fifteenth Annual Pittsburgh Conference, University of Pittsburgh, PA, April 19, 20, 1984. Part 5 - General modeling and simulation  
p 397 A86-28280
- 1985 Summer Computer Simulation Conference, Chicago, IL, July 22-24, 1985, Proceedings  
p 464 A86-30351
- All about simulators, 1984; Proceedings of the Simulators Conference, Norfolk, VA, April 18-20, 1984  
p 464 A86-31252
- Transient model of a pneumatic ejector - Application to the simulation of aircraft bleed air temperature control systems  
p 489 A86-35405
- Aerospace simulation II; Proceedings of the Second Conference, San Diego, CA, January 23-25, 1986  
p 596 A86-37176
- A simulation of an integrated flight control/air-ground cannon firing system  
[ONERA, TP NO. 1986-31] p 725 A86-46173
- Design of a fast risetime lightning generator  
p 837 A86-47304
- Implementation of a crowbar switch in a Marx generator/peaking capacitor lightning simulator system  
p 790 A86-47305
- Lightning simulation tests on FAA CV-580 lightning research aircraft  
p 790 A86-47307
- High voltage laboratory tests and lightning phenomena  
p 844 A86-47312
- Simulation of a six degrees of freedom flight simulator motion system  
[UA-00-39] p 241 N86-16230
- Improvement of strapdown system performance by means of numerical methods  
[BMFT-FB-W-85-011] p 575 N86-27275
- ### SYSTEMS STABILITY
- Application of the state-space method to analyze the stability of digital systems  
p 127 A86-13418
- Stability of a nonlinear stochastic system under periodic excitation --- for helicopter rotor vibration  
p 444 A86-32657
- Finite state modelling of aeroelastic systems for active control applications - A general theory  
p 444 A86-33249
- Time domain control design for robust stability of linear regulators - Application to aircraft control  
p 508 A86-35383
- An inertial navigation system with single-axis stabilization  
p 702 A86-43484
- Disturbance attenuation by a frequency-shaped linear-quadratic-regulator method --- applied to design of feedback control system for aircraft gust alleviation  
p 725 A86-46453
- A method to stabilize linear systems using eigenvalue gradient information  
[NASA-TP-2479] p 128 N86-13946
- Application of parameter estimation to highly unstable aircraft  
[NASA-TM-88266] p 639 N86-28078
- ## T
- ### T-2 AIRCRAFT
- Development and flight testing of the T-2 control configured vehicle  
[AIAA PAPER 86-9763] p 429 A86-32101
- ### T-33 AIRCRAFT
- Turbulence response matching in the NT-33A in-flight simulator  
[AIAA PAPER 86-2076] p 827 A86-47665
- ### T-56 ENGINE
- A new generation T56 turboprop engine  
p 642 A86-40133
- ### TABLES (DATA)
- Tables for correcting airfoil data obtained in the Langley 0.3-meter transonic cryogenic tunnel for sidewall boundary-layer effects  
[NASA-TM-87723] p 555 N86-26289
- ### TACAN
- A new system simultaneously covering en route navigation and landing  
p 348 A86-27898
- ### TACTICS
- Harrier the viffer --- vectoring in forward flight as fighter aircraft combat maneuver  
p 763 A86-49681
- ### TAIL ASSEMBLIES
- Comparative analysis of two methods for evaluating the loads acting on the tail plane during a symmetric manoeuvre  
p 287 A86-25095
- An analysis of the influence of the duration and sharpness of a symmetric manoeuvre on the load acting on the tail plane  
p 287 A86-25096
- Canard/tail comparison for an advanced variable-sweep-wing fighter  
p 637 A86-41688
- Optimizing the NOTAR design  
p 708 A86-44460
- A comparison of pod and tail mounted ramjets  
p 818 A86-49112
- Load examination of vehicle-body of reinforced cylindrical shell in case of kinematic load  
p 849 A86-49128
- Simulation of the enhanced traffic alert and collision avoidance system (TCAS 2)  
[NASA-CR-176328] p 93 N86-12216
- Effect of measured material properties on the finite element analysis of an OH-58 composite tail boom  
[NASA-TM-86430] p 116 N86-12259
- Resonance fatigue test of the empennage of a CT4 aircraft  
[AD-A160749] p 294 N86-18321
- Correlation of results of an OH-58A helicopter composite tail boom test with a finite element model  
[AD-A161062] p 295 N86-19316
- Aerodynamic characteristics of several current helicopter tail boom cross sections including the effect of spoilers  
[NASA-TP-2506] p 339 N86-20349
- Investigation of empennage buffeting  
[NASA-CR-177164] p 654 N86-28951
- An investigation of empennage buffeting  
[NASA-CR-176973] p 726 N86-29864
- Development of a data acquisition system to aid in the aerodynamic study of various helicopter configurations  
[AD-A167717] p 781 N86-31539
- ### TAIL SURFACES
- Wake shape and its effects on aerodynamic characteristics  
[NASA-CR-178118] p 631 N86-28918
- ### TAILLESS AIRCRAFT
- Aircraft of special configurations --- Russian book  
p 335 A86-28521
- Aeroelastic problems and structural design of a tailless CFC-sailplane  
p 434 A86-33264
- Aircraft of the future  
[NASA-TM-77952] p 100 N86-13318
- Aeroelastic problems and structural design of a tailless Carbon Fiber Composite (CFC) sailplane  
p 715 N86-30662
- ### TAKEOFF
- Aircraft field repair  
p 115 A86-13172
- Damaged runway options explored  
p 75 A86-15600
- Engine-out take-off climb - An old airworthiness problem reviewed  
p 161 A86-17061
- Investigation of aircraft departure susceptibility using a total-G simulator  
[AIAA PAPER 86-0492] p 238 A86-19903
- Conventional takeoff and landing (CTOL) airplane ski jump evaluation  
p 222 A86-21058
- Aeroacoustics of an advanced propeller design under takeoff and landing conditions  
p 284 A86-23190
- Thrust-vectorized takeoff, landing, and ground handling of an airship  
p 343 A86-28571
- Noise emission from jet aircraft during take-off roll with respect to noise exposure calculations  
p 467 A86-31957
- A note on the prediction of flying boat take-off  
p 487 A86-34158
- The history and development of the repeatable release catapult holdback bar  
[SAE PAPER 851942] p 581 A86-38375
- Euler solutions for airfoil/jet/ground-interaction flowfields  
p 623 A86-40112
- CTOL ski jump - Analysis, simulation, and flight test  
p 637 A86-40113
- Optimal take-off trajectories in the presence of wind shear  
p 708 A86-44386
- Optimization and acceleration guidance of flight trajectories in a wind shear  
[AIAA PAPER 86-2036] p 822 A86-17425
- Take-off and landing in a downburst  
p 786 A86-49089
- Operational application of the STALINS method for measuring take-off and landing trajectories  
[NLR-TR-83010-U] p 227 N86-17346
- Improvements to the FATOLA computer program including added actively controlled landing gear subroutines  
[NASA-CR-166069] p 436 N86-23588
- Analysis of data from NASA B-57B gust gradient program  
[NASA-CR-178736] p 446 N86-23604
- LQG/LTR design of a robust flight controller for the STOL F-15  
[AD-A164111] p 512 N86-24708

- Development of a takeoff performance monitoring system  
[NASA-TM-89001] p 835 N86-31591
- TAKEOFF RUNS**  
A brief history of the first U.S. JATO flight tests of August 1941  
[IAF PAPER 85-453] p 131 A86-15913  
STALINS method for takeoff and landing trajectory measurements p 356 A86-28566  
Maneuvers for aircraft noise reduction in takeoff, climb, and landing approach operations p 467 A86-31010  
Accident of the DC-10 EC-DEG aircraft at Malaga on September 13, 1982 p 419 A86-31011  
Investigation of main landing gear tire temperatures during taxi-out at heavy take-off masses  
[AIAA PAPER 86-9778] p 430 A86-32113  
The optimal take-off run of an aircraft on an unpaved surface p 494 A86-35978  
Ground resonance of a helicopter during the take-off and landing run p 712 A86-45749  
Take-off prediction for the Airbus A300-600 and the A310 compared with flight test results p 804 A86-49121
- TANDEM WING AIRCRAFT**  
The joined wing - An overview --- aircraft tandem wings in diamond configurations p 355 A86-28559
- TANKER AIRCRAFT**  
Elimination of buffeting on the rear fuselage of the Hercules tanker p 221 A86-20822  
Probe and drogue refuelling large receiver aircraft p 223 A86-21062
- TANKS (CONTAINERS)**  
Electrically conductive structural adhesive p 115 A86-13170
- TAPE RECORDERS**  
Evaluation of tape recordings from an airborne digital recorder p 170 A86-16858  
Processing of airborne tape recordings with the aid of user programs for monitoring the technical condition of aircraft p 133 A86-16860  
Magnetic tape recording under severe environmental conditions p 314 A86-22716  
Airborne instrumentation magnetic tape recording thru the early 90's p 315 A86-23253
- TAPERING**  
Doublet strip method for oscillating swept tapered wings in incompressible flow p 85 A86-14537  
Distribution of optimal circulation on a propeller blade with a nonlinear dependence on the number of blades and with allowance tapering p 271 A86-23778
- TAR SANDS**  
Turbine fuels from tar sands bitumen and heavy oil. Phase 1: Preliminary process analysis  
[AD-A161300] p 452 N86-22724
- TARGET ACQUISITION**  
Missile guidance based on Kalman filter estimation of target maneuver p 102 A86-12683  
LANTIRN - Turning night into day p 103 A86-15599  
Simulating the total system, warts and all --- automatic target acquisition for LHX helicopter p 164 A86-18422  
Adaptive field of view expansion via multiple model filtering for tracking dynamic target images p 359 A86-28371  
LANTIRN flight test - Opening the night window --- Low Altitude Navigation and Targeting Infrared System for Night p 361 A86-28842  
Detection of non-moving targets by airborne mm-wave radars p 351 A86-29783  
Detectability of low flying targets in real terrain using a diffraction model p 457 A86-32605  
A differential dynamic programming method with an abrupt penalty integrand for solving tolerance problems p 680 A86-42877  
A survey of multiple targets tracking technique p 735 A86-43489  
A simulation of an integrated flight control/air-ground cannon firing system  
[ONERA, TP NO. 1986-31] p 725 A86-46173
- TARGET DRONE AIRCRAFT**  
Old fighters - New targets p 225 A86-22262  
Northrop delivers RPVs to Navy to aid in development proposal p 496 A86-36822  
P T A - Design considerations for an airflow system and detailed design of fuel subsystem --- Pilotless Target Aircraft p 590 A86-37331  
Designing compact electromechanical actuators for flight control p 593 A86-37332
- TARGET RECOGNITION**  
Air targeting of the third kind - Airborne vehicles p 230 A86-19617  
Effect of radar frequency on the detection of shaped (low RCS) targets p 456 A86-32603  
Performance of resonant radar target identification algorithms using intra-class weighting functions p 321 N86-19490
- Flight simulator: Comparison of resolution thresholds for two light valve video projectors  
[AD-A164577] p 598 N86-26344
- TARGETS**  
Number of targets threatened simultaneously (NOTTS) in conjunction with over the horizon back-scatter (OTHB) radar coverage  
[AD-A159304] p 189 N86-15528  
Distributed sensor networks  
[AD-A160596] p 332 N86-19136
- TASK COMPLEXITY**  
Automation in the cockpit - Who's in charge?  
[SAE PAPER 841534] p 327 A86-26005  
Wickens' resource allocation model - Implications for the design of human-machine systems p 395 A86-28453  
Low cost part task trainer for the GBU-15 guided bomb p 370 A86-28457  
Evaluation of 16 measures of mental workload using a simulated flight task emphasizing mediational activity p 395 A86-28864  
Head-up/head-down transition - Measurement of transition times p 396 A86-29092
- TASKS**  
Analytical methods for LHX mission and task analysis p 157 A86-18452  
An analysis of the application of AI to the development of intelligent aids for flight crew tasks  
[NASA-CR-3944] p 90 N86-12212
- TAXIING**  
Long taxi rolls can lead to catastrophic blow-outs p 157 A86-17063  
New nose-in aircraft guidance/docking system developed p 308 A86-23380  
Simulation of aircraft taxi testing on the AGILE shaker test facility p 448 A86-33265  
Aircraft flotation analysis - Current methods and perspective --- of ground performance evaluation  
[SAE PAPER 851936] p 580 A86-38369  
European aircraft steering systems  
[SAE PAPER 851940] p 581 A86-38373  
Airport surface navigation and traffic control p 635 A86-40227  
Ground resonance of a helicopter during the take-off and landing run p 712 A86-45749  
Estimation of load exceedances of an aircraft under carriage with nonlinear properties excited by random runway unevenness  
[NLR-TR-84030-U] p 228 N86-17348  
Simulation of aircraft taxi testing on the AGILE shaker test facility p 731 N86-30663
- TAYLOR SERIES**  
Truncated Taylor series solutions to a generalized Burgers' equation p 856 A86-49716
- TECHNOLOGICAL FORECASTING**  
Variable cyclic turboshaft technology for rotorcraft of the '90s p 233 A86-20371  
Future requirements of wind tunnels for aeronautical systems development  
[AIAA PAPER 86-0751] p 309 A86-24740  
One man and 3,000 million operations a second - Preparing for the LHX cockpit p 286 A86-24988  
Impact of advanced technology on future helicopter preliminary design p 290 A86-26126  
Tomorrow ... Concorde's successor? p 293 A86-26299  
What does the future hold for 1990's new airframe materials p 373 A86-26328  
2010 - The symbiotic cockpit p 355 A86-28455  
Expert system applications to the cockpit of the '90s p 399 A86-28487  
What technologies await the future airliner? p 405 A86-31038  
Cockpits for 2010 and beyond p 427 A86-31849  
Guidance, navigation, and control for 21st century aircraft p 508 A86-34194  
Aircraft engine technology windows (Lecture) p 502 A86-36336  
Which transport technologies will fly? p 621 A86-41037  
Small engine propulsion readiness for the 21st century  
[AIAA PAPER 86-1624] p 647 A86-42758  
R&M 2000 - A look to the future --- Air Force Reliability and Maintainability p 672 A86-42781  
Trends in civil avionics for the near future p 718 A86-46141  
Aeroelasticity today and tomorrow  
[ONERA, TP NO. 1986-105] p 800 A86-48978  
Future trends in propulsion p 816 A86-48979  
Aircraft of the future  
[NASA-TM-77952] p 100 N86-13318  
Structural materials in aeronautics: Prospects and perspectives  
[RAE-TR-85077] p 357 N86-21532
- Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987  
[AD-A162792] p 402 N86-22443
- TECHNOLOGIES**  
The theoretical basis of helicopter technology; Proceedings of the Seminar, Nanjing, People's Republic of China, November 6-8, 1985. Parts 1, 2, 3, 4, & 5 p 761 A86-48651
- TECHNOLOGY ASSESSMENT**  
National SAMPE Symposium and Exhibition, 30th, Anaheim, CA, March 19-21, 1985, Proceedings p 115 A86-13076  
Studies in the history and theory of the development of science and technology in the fields of aviation, rocketry, and space. Number 3 --- Russian book p 131 A86-13462  
Powered-lift technology on the threshold p 96 A86-14245  
Metals and plastics - State of the art and perspectives  
[MBB-Z-49-85-OE] p 116 A86-14474  
EC-135 fiber optic technology review p 75 A86-15341  
A brief history of the first U.S. JATO flight tests of August 1941  
[IAF PAPER 85-453] p 131 A86-15913  
Application of mechanics to flight-simulator problems p 179 A86-16853  
The past, the present, and the future of aircraft test and diagnostic technology p 179 A86-16854  
Overview of advanced display technologies p 171 A86-18455  
Advanced light emitting diode (LED) displays-paced by technology or systems application? p 171 A86-18458  
Helicopter cockpit avionics development or the advanced transport and next generation aircraft p 171 A86-18461  
Aerospace highlights 1985 p 195 A86-19052  
Accident investigation as a way of assessing aviation life support system performance p 212 A86-19323  
Aircraft design - From the myth of make-do to Mach 3 p 267 A86-22130  
The evolution of reciprocating engines at Lycoming p 267 A86-22135  
The little turbine business p 236 A86-22200  
Airborne radar. I - Air-to-surface p 296 A86-23293  
Winging it in the 1980's - Why guidelines are needed for cockpit automation  
[SAE PAPER 841634] p 328 A86-26022  
T700 - A program designed for early maturity and growth potential p 305 A86-26156  
The development status of JTIDS dual mode TDMA and distributed TDMA (DTDMA) full scale development terminals - An update p 351 A86-28473  
Aircraft of special configurations --- Russian book p 335 A86-28521  
Aerospace and electronic systems - Advanced concepts and pioneering perspectives; Proceedings of the Sixth Symposium, Dayton, OH, November 14, 15, 1984 p 455 A86-31253  
Navigation in aerial commerce p 422 A86-31323  
Airlines and the new technology aircraft - A discussion paper p 419 A86-31325  
X-aircraft for world leadership in aeronautics p 405 A86-31330  
X-29 revives the experimental aircraft p 426 A86-31331  
X-29 flight - Acid test for design predictions p 426 A86-31333  
Soviet aircraft close technology gap p 427 A86-31336  
Mission control features at Yuma Proving Ground  
[AIAA PAPER 86-9745] p 447 A86-32089  
International Helicopter Forum, 15th and International Aerospace Exhibition, Hanover, West Germany, May 20-27, 1984, Reports p 407 A86-33300  
Cockpit automation technology - A further look p 499 A86-33814  
Development trends in the case of high-performance aircraft  
[DGLR PAPER 85-106] p 473 A86-35163  
The prop-fan - Initiation for a new generation of propulsion systems  
[DGLR PAPER 85-166] p 501 A86-35188  
The Grumman X-29 technology demonstrator - Technology interplay and weight evolution  
[SAE PAPER 1665] p 488 A86-35210  
Classification of flight vehicles according to the type of propulsion - Determination of the type and number of lift solutions p 473 A86-35983  
Aircraft engine technology windows (Lecture) p 502 A86-36336  
Canadair rotary wing, full scale engineering development. III p 575 A86-37330

- The impact of technology on fighter aircraft requirements  
[SAE PAPER 851841] p 579 A86-38338
- Estimation of lift losses of hovering vehicles using a single jet  
[SAE PAPER 851842] p 579 A86-38339
- Research on the technology of an airplane concept for a Stationary High-Altitude Relay Platform (SHARP)  
p 586 A86-39564
- Next generation aircraft structures - The need for co-ordinated Canadian R & D programs  
p 539 A86-39567
- Flight simulator upgrades and modifications  
p 655 A86-40477
- Simulator upgrade - Regulations and benefits  
p 621 A86-40478
- Carbon fibres and their composites  
p 661 A86-40487
- Technical status and future prospects of carbon fibres and their application in composites with polymer matrix (CFRPs)  
p 661 A86-40488
- Using Derivative engine technology to achieve maturity goals  
[AIAA PAPER 86-1752] p 649 A86-42826
- Line replaceable modules - The next generation of avionics  
p 685 A86-43890
- Fundamentals of aviation technology and airport equipment --- Russian book  
p 685 A86-44291
- New levels of realism achieved in visuals for flight simulation  
p 739 A86-46148
- Digitalization of avionics in today's and tomorrow's aircraft and implications on aircraft maintenance  
p 760 A86-47609
- The impact of emerging technologies on an advanced supersonic transport  
p 761 A86-48997
- A propfan status report  
p 817 A86-49091
- Propfan and turbofan - Antagonism or synthesis  
p 817 A86-49092
- Aeronautical technology 2000: A projection of advanced vehicle concepts  
[NASA-CR-176322] p 130 N86-13235
- Study of high speed combustion flows by laser velocimetry  
[NASA-CR-176439] p 190 N86-15668
- State-of-the-art review on composite material fatigue/damage tolerance  
[FAA/CT-85/77] p 379 N86-21615
- A perspective of computational fluid dynamics  
[NASA-TM-88246] p 629 N86-28057
- Aeroflot officials roundtable on section's technical progress  
p 623 N86-28909
- Technology demonstration for investigation of the new possibilities of amphibious flying boats, phase 2  
[BMFT-FB-W-85-022] p 808 N86-31577
- An overview of the Small Engine Component Technology (SECT) studies  
[NASA-TM-88796] p 819 N86-31587
- TECHNOLOGY TRANSFER**
- High-angle-of-attack aerodynamics - Lessons learned  
[AIAA PAPER 86-1774] p 777 A86-49578
- Emerging aerospace technologies  
[NASA-TM-86837] p 131 N86-14213
- Japan report: Science and technology  
[JPRS-JST-86-001] p 389 N86-21723
- China report: Science and technology  
[JPRS-CST-86-007] p 435 N86-22570
- Control technology for future aircraft propulsion systems  
[PAPER-14] p 506 N86-25356
- Laser metalworking technology transfer  
[AD-A165808] p 664 N86-28168
- TECHNOLOGY UTILIZATION**
- Technological support for aircraft production --- Russian book  
p 75 A86-13446
- Productivity improvements through the use of CAD/CAM  
p 121 A86-14538
- Application of pulsed reflection holography to material testing  
p 122 A86-16090
- A Synthetic Aperture Radar (SAR) for commercial applications  
p 250 A86-21246
- Applications of tubular composite structures  
p 245 A86-21719
- Coupling artificial intelligence and numerical computation for engineering design (Invited paper)  
[AIAA PAPER 86-0242] p 254 A86-22684
- Current concepts of composite applications in aircraft and engines  
p 312 A86-23690
- The possibility of using the on-board computer for in-flight diagnostics  
p 297 A86-23765
- X-29 aims at applications  
p 426 A86-31334
- Thin film electroluminescent (TFEL) display optimized for cockpit applications  
p 456 A86-32321
- Space based radar application to air traffic control  
p 423 A86-32626
- FAA Air Traffic Control program management technology applications  
p 424 A86-32925
- Applicability of using the CAR-II model in design and evaluation of multipoperator workstations with shared controls  
p 529 A86-33805
- X-wing potential for Navy applications  
p 492 A86-35631
- Applications of sensor payloads  
p 588 A86-37343
- The impact of technology on fighter aircraft requirements  
[SAE PAPER 851841] p 579 A86-38338
- Experiences in FRG in aerospace application --- of carbon fiber reinforced plastics  
p 661 A86-40498
- Experiences in UK and France in aerospace application --- of glass and carbon fiber reinforced composites  
p 621 A86-40499
- Use and maintenance of helicopters on the plateau --- areas of China  
p 785 A86-48669
- The applications of composite materials in the aeronautical domain  
[SNIA5-852-551-103] p 247 N86-16279
- Structural materials in aeronautics: Prospects and perspectives  
[RAE-TR-85077] p 357 N86-21532
- The development of aluminum-lithium alloys for aerospace applications  
p 451 N86-22616
- Advanced composite structures in commercial transport aircraft  
[AI/TE3-384/82-ISSUE-2] p 451 N86-22648
- Analyzing the cost effectiveness of using flight simulators in the Israeli Air Force  
[AD-A164864] p 599 N86-26346
- Aeroflot officials roundtable on section's technical progress  
p 623 N86-28909
- TELECOMMUNICATION**
- Frequency synthesis type airborne transmitters  
p 347 A86-27819
- TELEMETRY**
- X-29 flight testing  
p 95 A86-13213
- Grumman's automated test systems  
p 111 A86-13214
- Telemetry from experimental rescue- and recovery systems  
p 95 A86-13219
- Airborne telemetry - The advanced range instrumentation aircraft  
p 92 A86-13225
- Advanced medium scale real-time system --- for evaluation of flight tests  
p 296 A86-22720
- The telemetry system of the DFVLR experimental aircraft ATLAS  
p 281 A86-22729
- Telemetry system prototype development --- for Naval aircraft flight tests  
p 281 A86-23268
- The McDonnell aircraft telemetry tracking system at Edwards Air Force Base, CA  
p 346 A86-27784
- TSPI data processing in the telemetry environment --- Time Space Position Information for flight tests  
p 347 A86-27804
- Remote aircraft maintenance monitoring using telemetry  
p 347 A86-27813
- Frequency synthesis type airborne transmitters  
p 347 A86-27819
- Further development of the dynamic gas temperature measurement system  
[AIAA PAPER 86-1648] p 672 A86-42770
- A system for introducing mutual corrections into the airborne temperature and air-speed meters  
p 738 A86-45208
- The accuracy of air-temperature and flight-altitude measurements aboard meteorological aircraft  
p 718 A86-45209
- TELEPHONY**
- Radio telephony - A case for growing concern  
p 635 A86-40569
- Language problems in air traffic control  
p 635 A86-40570
- TELEVISION CAMERAS**
- Mechanical interface devices for automatic test equipment  
[SAE PAPER 851795] p 606 A86-38318
- A turbine engine inlet viewing system  
[AIAA PAPER 86-1647] p 656 A86-42769
- TELEVISION EQUIPMENT**
- Development of a raster/stroke full-color TV projector for simulation  
p 456 A86-32320
- TEMPERATURE COMPENSATION**
- Development of a temperature-compensated hot-film anemometer system for boundary-layer transition detection on high-performance aircraft  
p 605 A86-38236
- Practical applications of Tesla semiconductor pressure sensors  
p 849 A86-49148
- TEMPERATURE CONTROL**
- Low cost thermal control for flight test laser radar  
[SAE PAPER 851321] p 285 A86-23511
- HC-Mk1 (Chinook) heated rotor blade icing test. I - Test vehicle, test site, approach and summary of testing  
p 293 A86-26167
- Improved reliability of electronic circuits through the use of heat pipes  
p 386 A86-28479
- Transient model of a pneumatic ejector - Application to the simulation of aircraft bleed air temperature control systems  
p 489 A86-35405
- TEMPERATURE DEPENDENCE**
- The temperature dependence of the electrical conductivity of jet fuels with antistatic additives  
p 183 A86-16750
- Laboratory study of the effects of sidewall treatment, source directivity and temperature on the interior noise of a light aircraft fuselage  
[AIAA PAPER 86-0390] p 219 A86-19851
- Method to determine the complete three-dimensional elastic compliance matrix of composite materials  
p 517 A86-37134
- TEMPERATURE DISTRIBUTION**
- Temperature distribution investigation at the outlet of an annular combustor of P type turbojet engine  
p 591 A86-38996
- Redistribution of an inlet temperature distortion in an axial flow turbine stage  
[AIAA PAPER 86-1468] p 671 A86-42658
- Perspectives on dilution jet mixing --- in creating temperature patterns at combustor exits in gas turbine engines  
[AIAA PAPER 86-1611] p 818 A86-49614
- Transient thermal behaviour of a compressor rotor with ventilation: Test results under simulated engine conditions  
p 741 N86-29856
- TEMPERATURE EFFECTS**
- The combined effects of stress and moisture on the structural integrity of composites  
p 667 A86-40344
- Analysis of the effects of transient heat transfer on axial flow compressor blade boundary layers  
[AD-A158094] p 175 N86-15315
- Development of a piezoelectric quartz pressure sensor for avionics with excellent long term stability (with final demonstration of the results on a prototype)  
[BMFT-FB-W-85-010] p 232 N86-17353
- Jet plume temperature effects on afterbody pressure distribution and drag  
[NAL-TM-FM-8502] p 340 N86-20354
- Emission FTIR analyses of thin microscopic patches of jet fuel residues deposited on heated metal surfaces  
[NASA-CR-176786] p 519 N86-25502
- TEMPERATURE MEASUREMENT**
- New methods of measuring strain and temperature in a turbine engine  
p 118 A86-13336
- Comparison of sea surface temperatures obtained from an aircraft using remote and direct sensing techniques  
p 323 A86-23291
- Measurement of turbine blade temperature using pyrometer  
[ASME PAPER 85-IGT-78] p 317 A86-23879
- Cryogenic tunnel measurement of total temperature and pressure  
p 387 A86-28570
- Investigation of main landing gear tire temperatures during taxi-out at heavy take-off masses  
[AIAA PAPER 86-9778] p 430 A86-32113
- Further development of the dynamic gas temperature measurement system  
[AIAA PAPER 86-1648] p 672 A86-42770
- A system for introducing mutual corrections into the airborne temperature and air-speed meters  
p 738 A86-45208
- The accuracy of air-temperature and flight-altitude measurements aboard meteorological aircraft  
p 718 A86-45209
- TEMPERATURE PROBES**
- Multiple thermocouple testing device  
[AD-D012276] p 850 N86-31860
- TEMPERATURE PROFILES**
- Calculation of the characteristics of a multistage gas turbine with allowance for the circumferential nonuniformity of inlet temperature  
p 649 A86-43381
- Plume characteristics of single-stream and dual-flow conventional and inverted-profile nozzles at equal thrust  
[AIAA PAPER 86-1809] p 778 A86-49585
- Plume characteristics of single-stream and dual-flow conventional and inverted-profile nozzles at equal thrust  
[NASA-TM-87323] p 554 N86-26285
- Profiles of temperature and density based on extremes at 5, 10, 20, 30 and 40 km  
p 616 N86-27727
- TEMPERATURE SENSORS**
- Improved temperature detection system for use on film cooled turbine airfoils  
[AD-D011762] p 107 N86-12228
- TENSILE DEFORMATION**
- Deformation and fracture in Al-Li base alloys  
p 661 A86-40312
- TENSILE PROPERTIES**
- Cast aluminum fatigue property/microstructure relationships  
p 244 A86-21707
- SPF aluminum - A first for the S-76B helicopter --- Superplastic Forming  
p 250 A86-21709
- Fatigue properties of Ti-10V-2Fe-03Al  
p 375 A86-27274

- Effect of precipitation on mechanical properties of Al-Li-Cu-Mg-Zr alloy p 661 A86-40306  
Evaluation of the Ciba-Geigy R6376 IM6 prepreg — fiber reinforced plastics [DGT-26.649] p 248 N86-17485

**TENSILE STRENGTH**

- Strength profile in Al-Li plate material p 374 A86-27198  
Deformation and fracture in Al-Li base alloys p 661 A86-40312  
A durable airfield marking system [AD-A157953] p 113 N86-13339  
Lecture notes on fatigue, static tensile strength and stress corrosion of aircraft materials and structures. Part 2: Figures [VTH-LR-360-PT-2] p 227 N86-17345

**TENSILE STRESS**

- Effects of vibration-induced cavitation of physicochemical characteristics of aircraft fuel p 184 N86-15346  
MEP: A program for cross section magnitudes of a multicell wing profile [VTH-M-487] p 459 N86-23013  
Use of NDE to evaluate reflection cracking in airfield pavements [AD-A164880] p 599 N86-27293

**TENSILE TESTS**

- Method to determine the complete three-dimensional elastic compliance matrix of composite materials p 517 A86-37134

**TENSOMETERS**

- Strain-gauge autopilot altitude corrector p 811 A86-49142  
Application of strain gauge amplifiers and computer technology to the strength testing of aircraft p 849 A86-49144

**TERMINAL FACILITIES**

- Aircraft terminal area guidance based on the discrete tracking problem of optimal control theory p 215 A86-20520  
Runway requirements in instrument flight traffic at regional airports and commercial landing areas p 635 A86-41873  
Fundamentals of aviation technology and airport equipment — Russian book p 685 A86-44291  
Technical support of the Wall Street/Battery Park city heliport MLS (Microwave Landing System) project [AD-A165073] p 575 N86-27273

**TERMINAL GUIDANCE**

- Parameters of a dedicated weather radar for terminal air navigation, traffic control and safety p 423 A86-32616  
Terminal control factors for the carrier landing task [AIAA PAPER 86-2251] p 825 A86-47497  
Pilot evaluation of experimental flight trajectories in the near-terminal area [AIAA PAPER 86-2074] p 838 A86-47664  
An analytical modularized treatment of autopilots for guided projectile simulations [AD-A158311] p 182 N86-14282

**TERRAIN**

- Interpolation of heights and slopes from a digital terrain elevation model [BAE-BT-13198] p 352 N86-20382  
After action report, CH-47 recovery using D-PAAC [AD-A161935] p 437 N86-23589  
Applications of digital terrain data in flight operations p 573 N86-26324  
Simulation evaluation of display/FLIR concepts for low-altitude, terrain-following helicopter operations [NASA-TM-86779] p 789 N86-31551

**TERRAIN ANALYSIS**

- A comparison of digital terrain models and terrain masking algorithms p 350 A86-28391  
A FORTRAN algorithm for terrain perspective and plan view display p 398 A86-28421  
A laser-inertial airborne surveying system p 438 A86-30315

- An terrain-aided guidance system with high convergence speed p 573 A86-39766  
Flight training simulators. Effects of terrain accuracy on simulated radar image quality [AD-A160905] p 311 N86-18333

**TERRAIN FOLLOWING AIRCRAFT**

- LANTIRN - Turning night into day p 103 A86-15599  
Terrain following avoidance technique of very low altitude penetration p 239 A86-22309  
Demonstration of an innovative technique for Terrain Following/Terrain Avoidance - The Dynapath Algorithm p 350 A86-28389  
Implementation of TF/TA in the digital terrain management and display system p 358 A86-28390  
Detectability of low flying targets in real terrain using a diffraction model p 457 A86-32605

- Tornado high speed terrain following testing in mountainous terrain and bad weather p 710 A86-44945

- Rotary-wing aircraft terrain-following/terrain-avoidance system development [AIAA PAPER 86-2147] p 823 A86-47456  
Flight testing of the Tornado Terrain Following Radar System in bad weather p 795 A86-47783  
A new technique for terrain following/terrain avoidance guidance command generation p 574 N86-26325

**TEST CHAMBERS**

- Subsonic thermal wind tunnel with an Eiffel chamber p 112 A86-13443  
Radio frequency chamber improves LAMPS Mk III testing p 112 A86-15526  
Hovering model helicopter rotor testing p 179 A86-18412

**TEST EQUIPMENT**

- A programmable data acquisition system with integrated test and calibration facilities — in-flight aircraft testing p 102 A86-13215  
Drive train simulation requirements for development of helicopter overrunning clutches p 186 A86-17071  
Society of Flight Test Engineers, Annual Symposium, 15th, St. Louis, MO, August 12-16, 1984, Proceedings p 284 A86-23252  
Development of autonomous power system testbed p 311 A86-24841  
Electromagnetic pulse test aircraft (EMPTAC) program p 335 A86-27145  
757 Major Static Test instrumentation systems p 520 A86-34636  
The development of a system for the study of fatigue crack growth up to 2000 Hz p 520 A86-34641  
Practical diagnostics of aircraft gas turbines — Russian book p 502 A86-35472  
Description and initial flight experiments - Boeing ARTI test bed — Advanced Rotorcraft Technology Integration p 493 A86-35652  
Evaluation of JFTOT tube deposits by carbon burnoff — Jet Fuel Thermal Oxidation Tester [SAE PAPER 851994] p 602 A86-38539

**TEST FACILITIES**

- Reflections regarding recent rotary rig results [AIAA PAPER 86-0123] p 241 A86-19703  
Facility for closed loop testing of aircraft control systems p 241 A86-22188  
Performance of AV-8B Harrier II structural test program p 241 A86-22189  
Methods for determining the weight and the center of gravity of aircraft - The platform balance of the Aeronautical Research and Test Institute p 286 A86-23768  
Development testing of integrated avionics systems using dynamic environment simulation p 330 A86-26166  
The National Transonic Facility p 447 A86-31847  
Mission control features at Yuma Proving Ground [AIAA PAPER 86-9745] p 447 A86-32089  
The MBB flight test centre and its facilities [AIAA PAPER 86-9746] p 447 A86-32090  
Integration test facility for P3 aircraft purpose and uses [AIAA PAPER 86-9807] p 448 A86-32135  
Simulation of aircraft taxi testing on the AGILE shaker test facility p 448 A86-33265  
Helicopter test installation RoTeSt in DNW - Application and results [DGLR PAPER 85-113] p 513 A86-35166  
Instrumentation and testing techniques in the T2 transonic cryogenic wind tunnel at the ONERA/CERT p 597 A86-38228  
Aircraft Landing Dynamics Facility - A unique facility with new capabilities [SAE PAPER 851938] p 598 A86-38371  
Landing gear test facilities examined p 730 A86-44458  
Arnold Engineering Development Center - Simulators encompass spectrum of aerospace environments p 730 A86-45673  
Arnold Engineering Development Center - New facility to assess engine-airframe compatibility prior to first flight p 730 A86-45674

- Requirements and recommendations for the development of theoretical codes and experimental facilities in the near future — for aircraft design [ONERA, TP NO. 1986-10] p 731 A86-46155  
Lightning simulation tests on FAA CV-580 lightning research aircraft p 790 A86-47307  
Society of Flight Test Engineers, Annual Symposium, 16th, Seattle, WA, July 29-August 2, 1985, Proceedings p 794 A86-47776  
The F2 wind tunnel of the Fauga-Mauzac Test Center [ONERA, TP NO. 1986-104] p 839 A86-49075  
Performance and loads data from a hover test of a full-scale XV-15 rotor [NASA-TM-86833] p 152 N86-15243

- Aeronautical facilities catalogue. Volume 2: Airbreathing propulsion and flight simulators [NASA-RP-1133] p 311 N86-18328  
Uniform engine testing program phase 7: NASA Lewis Research Center second entry [NASA-TM-87272] p 650 N86-28085  
Preliminary instrumentation for aeroelastic tests at the compressor level — turbocompressor test bench [ONERA-RT-95/7108-RY-054-R] p 743 N86-30219  
Simulation of aircraft taxi testing on the AGILE shaker test facility p 731 N86-30663

**TEST PILOTS**

- A preliminary flight evaluation of the peripheral vision display using the NT-33A aircraft p 297 A86-23729  
USAF Test Pilot School use of DIGITAC in systems testing [SAE PAPER 851827] p 594 A86-38333

**TEST RANGES**

- The RAJPO GPS range equipment family — navigation modules for various military applications p 92 A86-13216  
The role of a real-time flight support facility in flight research programs [AIAA PAPER 86-0166] p 241 A86-19727  
Mission control features at Yuma Proving Ground [AIAA PAPER 86-9745] p 447 A86-32089  
Tracking radars at flight test ranges [AIAA PAPER 86-9747] p 447 A86-32091  
Air Force Flight Test Center range overview [AIAA PAPER 86-9748] p 448 A86-32092  
Bird impact testing at AEDC's range S-3 [AIAA PAPER 86-9818] p 432 A86-32143  
Radar cross section testing [AIAA PAPER 86-9828] p 448 A86-32150

**TEST STANDS**

- Engine simulator techniques for scaled test cell studies [AIAA PAPER 85-1282] p 112 A86-14480  
An analysis of cross-coupling of a multicomponent jet engine test stand using finite element modeling techniques [NASA-CR-176424] p 181 N86-15323  
Design of a vertical thrust stand for a remotely piloted model helicopter [AD-A167811] p 840 N86-31598

**TESTS**

- Testability of aircraft p 269 A86-23760

**TETHERING**

- Longitudinal stability of a hovering, tethered rotorcraft p 109 A86-14235

**TEXTBOOKS**

- Aircraft design — Book p 161 A86-16213  
Methods of the assembly of aircraft instrumentation and systems — Russian book p 685 A86-44284

**TEXTILES**

- Analytical and experimental studies of textile structural composites p 377 A86-27652

**TEXTURES**

- Rubber removal specification development [FAA/PM-85/33] p 371 N86-21555

**TF-34 ENGINE**

- Hover in-ground-effect testing of a full-scale, tilt-nacelle V/STOL model [AIAA PAPER 86-0780] p 286 A86-24759  
Durability and damage tolerance assessment of the TF34-100 engine [ASME PAPER 86-GT-38] p 812 A86-48125  
Hover in-ground-effect testing of a full-scale, tilt-nacelle V/STOL model [NASA-TM-88218] p 629 N86-28056

**THEMATIC MAPPING**

- Spectroradiometric calibration of the Thematic Mapper and multispectral scanner system [E86-10022] p 260 N86-17816

**THEORETICAL PHYSICS**

- A method for arranging nodes along the lines of a computational grid during the numerical solution of problems in mathematical physics p 127 A86-13409

**THERMAL ANALYSIS**

- Constant temperature heaters for the repair of composite structures p 115 A86-13174  
A methodology for analyzing laser-induced structural damage p 186 A86-17791  
HC-Mk1 (Chinook) heated rotor blade icing test. II - Analysis of atmospheric conditions, aircraft and systems characteristics p 293 A86-26168  
Thermophysics of decomposing materials — Russian book p 451 A86-33323

**THERMAL CONDUCTIVITY**

- Characterization of the thermal conductivity for fibrous refractory composite insulations p 116 A86-15220

**THERMAL CONTROL COATINGS**

- Thermal barrier coatings for jet engine improvement p 183 A86-16278  
Flame rig testing of thermal barrier coatings and correlation with engine results p 173 A86-17491

## SUBJECT INDEX

- New space paints p 451 N86-22621  
Ceramic thermal barrier coatings for electric utility gas turbine engines  
[NASA-TM-87288] p 452 N86-22687  
Thermal barrier coating life prediction model development  
[NASA-CR-175087] p 452 N86-22713
- THERMAL CYCLING TESTS**  
Thermal barrier coatings for jet engine improvement p 183 A86-18278  
Effect of moisture on thermal properties of composite materials for aerospace applications p 661 A86-40345
- THERMAL DECOMPOSITION**  
Thermophysics of decomposing materials — Russian book p 451 A86-33323  
Thermal decomposition of aircraft fuel  
[ASME PAPER 86-GT-36] p 842 A86-48123
- THERMAL ENERGY**  
Method for improving the fuel efficiency of a gas turbine engine  
[NASA-CASE-LEW-13142-2] p 364 N86-20389
- THERMAL ENVIRONMENTS**  
Heat management in advanced aircraft gas turbine engines  
[ASME PAPER 86-GT-76] p 813 A86-48144  
Aircraft nuclear survivability methods  
[AD-A163218] p 587 N86-26332  
Cryogenic wind tunnels: Problems of continuous operation at low temperatures  
[NASA-TM-88446] p 656 N86-28099
- THERMAL FATIGUE**  
High temperature fatigue behavior of Inl 685 p 376 A86-27385  
Thermal-mechanical fatigue behavior of nickel-base superalloys  
[NASA-CR-175048] p 518 N86-24818
- THERMAL INSULATION**  
The drag of a thermally insulated plate in a stream of a compressible gas under mixed flow conditions p 120 A86-13671  
Characterization of the thermal conductivity for fibrous refractory composite insulations p 116 A86-15220  
The effect of water ingress on buoyancy and thermal quality of survival suits p 261 A86-19333  
Thermophysics of decomposing materials — Russian book p 451 A86-33323  
Development of a reusable, flight-weight cryogenic foam insulation system  
[AIAA PAPER 86-1189] p 658 A86-40612
- THERMAL MAPPING**  
Inflight resolution evaluation for thermal imaging systems p 296 A86-23272  
Thermal scene generators p 522 A86-36805  
Applications of thermal imager devices incl. modelling aspects  
[MBB-UD-462-85-OE] p 850 A86-50254
- THERMAL PROTECTION**  
The Canadian forces twin Otter aircraft operations in the Arctic - A thermal assessment p 212 A86-19334  
Composite fabrics in a thermal protection application p 245 A86-21734  
Design of combustor cooling slots for high film effectiveness. I - Film general development  
[ASME PAPER 85-GT-35] p 234 A86-22024  
Users guide: Steady-state aerodynamic-loads program for shuttle TPS tiles  
[NASA-TM-85724] p 600 N86-27406  
Process for preparing essentially colorless polyimide film containing phenoxy-linked diamines  
[NASA-CASE-LAR-13353-1] p 666 N86-29039  
Cooling techniques for turbojet pre-heater channels p 741 N86-29847
- THERMAL RESISTANCE**  
Contact heat transfer - The last decade p 387 A86-28551  
Elevated-temperature-resistant adhesives p 842 A86-47717
- THERMAL STABILITY**  
Dynamic thermal analysis characterizations of electron-beam cured adhesives p 182 A86-16234  
The quantification and improvement of the thermal stability of aviation turbine fuel  
[ASME PAPER 85-GT-33] p 247 A86-22022  
Strain isolated ceramic coatings for gas turbine engines  
[ASME PAPER 85-GT-96] p 247 A86-22062  
The influence of JFTOT operating parameters on the assessment of fuel thermal stability — Jet Fuel Thermal Oxidation Tester  
[SAE PAPER 851871] p 602 A86-38538  
Evaluation of JFTOT tube deposits by carbon burnoff — Jet Fuel Thermal Oxidation Tester  
[SAE PAPER 851994] p 602 A86-38539  
Thermal stability of gas turbine blades with protective coatings p 673 A86-43410

- Thermal stability concerns of Navy aviation fuel  
[ASME PAPER 86-GT-94] p 842 A86-48159  
Advanced polymer composites for high temperature applications p 843 A86-49021  
Fire-retardant decorative inks for aircraft interiors  
[NASA-TM-88198] p 313 N86-18441
- THERMAL STRESSES**  
Flame rig testing of thermal barrier coatings and correlation with engine results p 173 A86-17491  
The solution of the thermal elastic-plastic problem of turbine disk by the incremental finite element method  
[ASME PAPER 85-IGT-112] p 317 A86-23909  
Toward improved durability in advanced combustors and turbines - Progress in prediction of thermomechanical loads  
[ASME PAPER 86-GT-172] p 815 A86-48224  
Optimum design technique for rotating wheels  
[ASME PAPER 86-GT-255] p 846 A86-48281
- THERMOCOUPLES**  
High-temperature thermocouple and heat flux gauge using a unique thin film-hardware hot junction  
[ASME PAPER 85-GT-18] p 117 A86-13059  
Further development of the dynamic gas temperature measurement system  
[AIAA PAPER 86-1648] p 672 A86-42770  
Dynamic gas temperature measurement system. Volume 2: Operation and program manual  
[NASA-CR-168267] p 190 N86-15651  
A numerical and experimental investigation of electrochemical aircraft deicing  
[NASA-CR-175024] p 344 N86-20380  
Multiple thermocouple testing device  
[AD-D012276] p 850 N86-31860
- THERMODYNAMIC CYCLES**  
Performance estimation of the mixed flow, afterburning, cooled, two-spool turbofan engine with bleed and power extraction  
[AIAA PAPER 86-1757] p 649 A86-42830
- THERMODYNAMIC EFFICIENCY**  
Preliminary evaluation of a compound cycle engine for shipboard gensets  
[NASA-CR-179451] p 611 N86-26629
- THERMODYNAMIC PROPERTIES**  
Effect of moisture on thermal properties of composite materials for aerospace applications p 661 A86-40345  
Thermodynamic evaluation of transonic compressor rotors using the finite volume approach  
[NASA-CR-176840] p 610 N86-26546
- THERMODYNAMICS**  
Thermal-mechanical fatigue behavior of nickel-base superalloys  
[NASA-CR-175048] p 518 N86-24818
- THERMOGRAPHY**  
Nondestructive test methods for composite structures p 118 A86-13147  
Test of jet engine turbine blades by thermography p 106 A86-15410  
Thermographic inspection of carbon epoxy structures p 249 A86-20649
- THERMOMECHANICAL TREATMENT**  
The thermo-mechanical processing during closed die forging - A method of improving aeronautical materials p 380 A86-26336  
Multiaxial and thermomechanical fatigue considerations in damage tolerant design p 526 N86-25375
- THERMOPHYSICAL PROPERTIES**  
Thermophysics of decomposing materials — Russian book p 451 A86-33323
- THERMOPLASTIC RESINS**  
Aramid fiber composites for general engineering p 517 A86-37137  
Buckling and final failure of graphite/PEEK stiffener sections  
[AIAA PAPER 86-0921] p 608 A86-38831  
Thermoplastic composites - Design material of the 1990s? p 663 A86-41685  
Materials in aerospace - Can the emerging thermoplastics meet the challenge? p 843 A86-49020
- THICK PLATES**  
Summary of a high subsonic force/pressure experiment for 58 deg cambered/twisted thick delta wings  
[AIAA PAPER 86-0169] p 200 A86-19730
- THICKNESS**  
Effects of section thickness and orientation on creep-rupture properties of two advanced single crystal alloys  
[SAE PAPER 851785] p 601 A86-38309
- THIN AIRFOILS**  
Separated flow unsteady aerodynamic theory p 85 A86-14529  
Large-scale separation and hysteresis in cascades p 145 A86-18577  
Determination of off-design flowrates according to the position of branching points on an under-the-wing (over-the-wing) air intake p 769 A86-48812

## THREE DIMENSIONAL BOUNDARY LAYER

- Turbulent transonic flow for NACA 0012/RAE 2822 airfoils under Baldwin-Lomax model p 776 A86-49245  
System design and integration of the large-scale advanced prop-fan  
[NASA-CR-174789] p 781 N86-31536
- THIN BODIES**  
Mathematical solution for unsteady subsonic flow past a thin profile in a channel p 140 A86-16851
- THIN FILMS**  
High-temperature thermocouple and heat flux gauge using a unique thin film-hardware hot junction  
[ASME PAPER 85-GT-18] p 117 A86-13059  
A thin film electroluminescent display for cockpit applications p 171 A86-18456  
Thin film electroluminescent (TFEL) display optimized for cockpit applications p 456 A86-32321
- THIN PLATES**  
A compressible laminar boundary layer on a plane triangular plate with an attached shock wave p 146 A86-18902  
A stress intensity factor solution due to holes ahead of growing cracks in thin sheet material p 454 A86-31123
- THIN WALLED SHELLS**  
The life of reinforced thin-walled structures in a random force field p 384 A86-28319  
A mathematical model for structures consisting of elastic shell sections connected by open girders p 456 A86-31420  
Postbuckling and crippling behavior of graphite/epoxy thin-walled airframe members p 521 A86-35643
- THIN WALLS**  
Method for determining the efficiency of utilization of the material in a thin-wall aircraft structure according to the strength conditions p 847 A86-48776
- THIN WINGS**  
The effect of the incalculable flow regime of air scoops on flow past a wing p 78 A86-13354  
Effect of cantilevers on the lift characteristics of a thin swept wing and vortex-wake stability p 81 A86-13422  
Numerical simulation of leading-edge vortex flows p 270 A86-23133  
Optimal lifting surfaces of wings of complex configurations at supersonic flight velocities p 288 A86-25423  
On the exact solution of the linearized lifting-surface problem of an elliptic wing p 409 A86-31132  
Application of the vortex-lattice method to high-angle-of-attack subsonic aerodynamics  
[SAE PAPER 851817] p 547 A86-38326  
A calculation method for unsteady aerodynamic forces in the Laplace domain and its application to root loci  
[AIAA PAPER 86-0866] p 553 A86-38901  
A second-order theory for three-dimensional unsteady flows and its application to thin wings with angle of attack at supersonic and hypersonic speeds p 687 A86-43485  
Lifting-line solution for a symmetrical thin wing in ground effect p 689 A86-44874  
Cancellation zone in supersonic lifting wing theory p 780 A86-49824
- THREAT EVALUATION**  
What USAF aircraft should be the Wild Weasel of the 1990's? An assessment of the F-4G, the F-15WW, and F-16WW  
[AD-A164727] p 539 N86-26279  
TCAS Experimental Unit (TEU) hardware description  
[FAA/PM-85/2] p 574 N86-27272  
Airborne intruder detection considerations  
[DE86-006462] p 808 N86-31576
- THREE DIMENSIONAL BODIES**  
The effect of a shock layer on the viscous resistance of star-shaped bodies with flat side faces p 140 A86-16691  
Conformal mapping as an aid in grid generation for complex three-dimensional configurations  
[AIAA PAPER 86-0497] p 203 A86-19908  
Calculation of the aerodynamic characteristics of three-dimensional wings of finite span in a potential incompressible flow p 476 A86-35985  
Rectangular parallelepiped coding - A volumetric representation of three-dimensional objects p 747 A86-45473
- THREE DIMENSIONAL BOUNDARY LAYER**  
The efficient simulation of separated three-dimensional viscous flows using the boundary-layer equations  
[AIAA PAPER 85-4064] p 84 A86-14452  
On the effects of boundary-layer transition on a cylindrical afterbody at incidence in low-speed flow p 135 A86-16250  
Mean-flow measurements in a supersonic three-dimensional turbulent boundary layer p 141 A86-17059  
Calculation of three-dimensional shock/turbulent boundary-layer interaction generated by sharp fin p 142 A86-17135



- Experimental investigation of three dimensional separation on an ellipsoid-cylinder body at incidence [AIAA PAPER 85-1686] p 143 A86-17845
- An experimental study of the flow and wall pressure field around a wing-body junction p 337 A86-28637
- Three-dimensional and unsteady boundary-layer computations p 338 A86-29415
- Analysis of a three-dimensional stationary turbulent boundary layer on the root section of a wing without allowance for compressibility p 476 A86-35991
- Three-dimensional interaction of wakes and boundary layers [AIAA PAPER 86-1820] p 545 A86-37838
- A three-dimensional boundary-layer method for flow over delta wings with leading-edge separation [SAE PAPER 851818] p 547 A86-38327
- Modeling three-dimensional flows in terms of viscous-inviscid interaction by means of the MSZ method [ONERA, TP NO. 1986-29] p 692 A86-46171
- Transition to three-dimensional flow and laminarization of the boundary layer on a swept-back wing [AAAF PAPER NT 85-03] p 766 A86-48454
- Experimental investigation of a boundary layer on a schematic aircraft model p 769 A86-48824
- Numerical calculation of leading-edge vortices on a flat delta wing p 148 N86-14232
- Simulation of three-dimensional viscous transonic flows p 148 N86-14233
- Review of research in numerical aerodynamics at the DFVLR in Brunswick p 150 N86-14248
- Procedure for solution of the full potential equation at Dornier GmbH p 150 N86-14249
- Boundary layer calculations on the leeward surface of a slender delta wing at incidence [NLR-TR-84001-U] p 258 N86-17700
- Three-dimensional boundary layer analysis program Blay and its application [NASA-TM-77962] p 342 N86-21516
- Three-dimensional shock wave and turbulent boundary layer interactions [AD-A167086] p 745 N86-31010
- ### THREE DIMENSIONAL FLOW
- Numerical analysis of fully three-dimensional periodic flows through a turbine stage [ASME PAPER 85-GT-57] p 76 A86-13060
- Performance evaluation of linear turbine cascades using three-dimensional viscous flow calculations [ASME PAPER 85-G-65] p 77 A86-13063
- Effects of tip endwall contouring on the three-dimensional flow field in an annular turbine nozzle guide vane. I - Experimental investigation [AIAA PAPER 85-GT-71] p 77 A86-13065
- Calculation of flows in two- and three-dimensional nozzles by an approximate factorization method p 77 A86-13294
- A study of flow near a shock wave intersection line p 78 A86-13353
- A method for measuring the direction and the Mach number of a three-dimensional supersonic nozzle p 80 A86-13392
- Computation of rotor blade flows using the Euler equations [AIAA PAPER 85-5010] p 84 A86-14455
- Three-dimensional solutions to the Euler equations with one million grid points p 142 A86-17150
- Experimental investigation of three dimensional separation on an ellipsoid-cylinder body at incidence [AIAA PAPER 85-1686] p 143 A86-17636
- False diffusion in three-dimensional flow calculations p 143 A86-17653
- Nonplanar, subsonic, three-dimensional oscillatory piecewise continuous kernel function method p 162 A86-17779
- The computation of steady 3-D separated flows over aerodynamic bodies at incidence and yaw [AIAA PAPER 86-0109] p 199 A86-19693
- Unsteady three-dimensional simulations of a VTOL upwash fountain [AIAA PAPER 86-0212] p 200 A86-19753
- Three-dimensional body-fitting grid system for a complete aircraft [AIAA PAPER 86-0428] p 201 A86-19870
- Three-dimensional elliptic grid generation about fighter aircraft for zonal finite-difference computations [AIAA PAPER 86-0429] p 202 A86-19871
- A three-dimensional viscous flow analysis for the helicopter tip vortex generation process about square and round tipped blades [AIAA PAPER 86-0560] p 203 A86-19949
- Calculation of external and internal transonic flow field of a three-dimensional shielded S-shaped inlet p 205 A86-22303
- Simulation of diffuser duct flowfields using a three-dimensional Euler/Navier-Stokes algorithm [AIAA PAPER 86-0310] p 206 A86-22692
- Vortex flows in aerodynamics p 338 A86-29417
- Outer surface of airplane and computational grid for flow analysis in physical space p 409 A86-31022
- Unsteady stall modelling in three-dimensional flow p 409 A86-32154
- Transonic Equivalent Strip method for aeroelastic applications p 412 A86-33228
- Calculation of 3-d unsteady transonic potential flows by a field panel method p 412 A86-33229
- Implicit, vectorizable schemes for the flux-difference split, three-dimensional Navier-Stokes equations p 523 A86-37067
- Combined, nonlinear aerodynamic and structural method for the aeroelastic design of a three-dimensional wing in supersonic flow [AIAA PAPER 86-1769] p 542 A86-37806
- An implicit flux-difference splitting scheme for three-dimensional, incompressible Navier-Stokes solutions to leading edge vortex flows [AIAA PAPER 86-1839] p 546 A86-37847
- Block-structured solution of Euler equations for transonic flows [AIAA PAPER 86-1080] p 549 A86-38443
- Three-dimensional, conservative, Euler computations using patched grid systems and explicit methods [AIAA PAPER 86-1081] p 549 A86-38444
- Three-dimensional unsteady flow fields elicited by a pitching forward swept wing [AIAA PAPER 86-1104] p 551 A86-38464
- Nonisentropic unsteady three dimensional small disturbance potential theory [AIAA PAPER 86-0863] p 552 A86-38898
- Unsteady vortical flow around three-dimensional lifting surfaces p 553 A86-39052
- Three-dimensional inviscid flow in mixers. I - Mixer analysis using a Cartesian grid p 554 A86-39090
- Particle trajectories in full 3D flow field of turbomachinery p 669 A86-40734
- Modelling of three-dimensional shock wave turbulent boundary layer interactions p 669 A86-41261
- A forward-swept-wing fighter configuration designed by a transonic computational method p 638 A86-41696
- Study of hypersonic inlet flow fields with a three-dimensional Navier-Stokes code [AIAA PAPER 86-1426] p 624 A86-42635
- Simulation of engine installation flowfields using a three-dimensional Euler/Navier-Stokes algorithm [AIAA PAPER 86-1537] p 671 A86-42699
- A comparison of computational methods for three-dimensional, turbulent turbomachinery flow fields [AIAA PAPER 86-1599] p 626 A86-42740
- A second-order theory for three-dimensional unsteady flows and its application to thin wings with angle of attack at supersonic and hypersonic speeds p 687 A86-43485
- Some problems in the finite-difference computation of three-dimensional transonic flows p 687 A86-43501
- Computation of rotor blade flows using the Euler equations p 689 A86-44891
- Axisymmetric three-dimensional flow in the cooled gas turbine - German thesis p 720 A86-44925
- Three-dimensional inviscid flow in mixers. II - Analysis of turbulent forced mixers p 692 A86-46316
- Remarks on the development of a multiblock three-dimensional Euler code for out of core and multiprocessor calculations p 748 A86-46791
- Comparisons in three-dimensionality in the unsteady flows elicited by straight and swept wings [AIAA PAPER 86-2280] p 764 A86-47698
- A theoretical solution of three-dimensional flows in subsonic, transonic and supersonic turbomachines - An exact solution and its numerical method [ASME PAPER 86-GT-111] p 765 A86-48173
- Acceleration of the convergence of methods for calculating two- and three-dimensional transonic flow past bodies in an unbounded stream p 769 A86-48809
- The use of the magnetic aerohydrodynamic analogy method to simulate three-dimensional flow past aircraft, taking powerplant operation into account p 770 A86-48833
- Efficient solution of three-dimensional Euler equations using embedded grids p 771 A86-49007
- Wake/boundary-layer interactions in two and three dimensions p 773 A86-49032
- Free-vortex flow simulation using a three-dimensional Euler aerodynamic method p 773 A86-49043
- Three-dimensional transonic flow computations on simple skewed grids [AIAA PAPER 86-1794] p 778 A86-49581
- Parabolized Navier-Stokes analysis of three-dimensional supersonic and subsonic jet mixing problems p 780 A86-49804
- Numerical solutions of Navier-Stokes equations for a Butler wing [NASA-CR-174202] p 88 N86-13293
- Procedure for solution of the Euler equations at Dornier GmbH p 149 N86-14242
- Three-dimensional, transonic rotor flow field reconstructed from holographic interferogram data [NASA-TM-86816] p 188 N86-14555
- Reference test cases and contributors p 154 N86-15261
- Numerical solutions for three-dimensional cases: Swept wings p 154 N86-15263
- Numerical solutions for three-dimensional cases: Delta wings p 155 N86-15264
- Recent developments in three-dimensional wake analysis p 156 N86-15273
- Numerical simulation of viscous supersonic flow over a generic fighter configuration [NASA-TM-86823] p 190 N86-15627
- Validation of viscous and inviscid computational methods for turbomachinery components [NASA-TM-87193] p 207 N86-16194
- Numerical simulation of the leading-edge separation vortex over delta wing p 209 N86-17271
- Parametric determination of lift interference for three-dimensional models in the Emmen (Switzerland) aircraft works wind tunnel [F+W-FO-1740] p 277 N86-18304
- Microburst wind shear models from the Joint Airport Weather Studies (JAWS) [AD-A159758] p 324 N86-18910
- Generation of the starting plane flowfield for supersonic flow over a spherically capped body [AD-A161117] p 278 N86-19291
- A preliminary note on the development of a three dimensional potential code in Cartesian Coordinates [NAL-TM-AE-8504] p 399 N86-21233
- Optimization of tip store modeling [AD-A162119] p 417 N86-23571
- A zonal approach to the design of finite element grids for 3-D transonic flows with complex geometries [AD-A162168] p 417 N86-23572
- Three-dimensional flow in compressors and channels [AD-A161858] p 460 N86-23873
- Computation of 3-dimensional viscous transonic flows using the LU-ADI factored scheme [NAL-TR-8897] p 555 N86-27184
- Laser velocimetry in highly three-dimensional and vortical flows p 557 N86-27197
- Extension of a transonic three-dimensional unsteady small perturbation computing method [ONERA-RTS-23/3064-RY-048-R] p 633 N86-28927
- Tests with three-dimensional adjustments in the rectangular working section of the French T2 wind tunnel with an AS 07-type swept-back wing model [NASA-TM-88442] p 657 N86-28964
- Calculation of three-dimensional transonic potential flows by a field panel method - oscillating wings p 695 N86-30629
- ### THREE DIMENSIONAL MOTION
- Calculation of equilibrium turn p 109 A86-13436
- Three dimensional unsteady aerodynamics and aeroelastic response of advanced turboprops [AIAA PAPER 86-0846] p 591 A86-38894
- Spherical mapping and analysis of aircraft angles for maneuvering flight [AIAA PAPER 86-2283] p 830 A86-47701
- Near-optimal feedback control for three-dimensional interceptions p 854 A86-48992
- Three-dimensional flight-path reconstruction by means of spline approximation [NLR-TR-83091-U] p 228 N86-17347
- ### THRESHOLDS (PERCEPTION)
- Displacement thresholds in central and peripheral vision during tracking p 679 A86-41782
- ### THROTTLING
- The adjustment of a turbojet engine compressor by the rotation of the guide vanes with the objective of reducing fuel consumption during throttle operation p 816 A86-48757
- Throttle dependent forces: A primer [AD-A162939] p 442 N86-23599
- Flight testing the digital electronic engine control in the F-15 airplane [PAPER-6] p 505 N86-25348
- ### THRUST
- Thrust and drag: Its prediction and verification - Book p 96 A86-14161
- Asymmetric thrust warning system for dual engine aircraft [AD-D011960] p 361 N86-20387
- Experimental and theoretical study of propeller spinner/shank interference [NASA-CR-176954] p 694 N86-29773
- The application of energy techniques to propeller-driven airplanes [AD-A167113] p 807 N86-31569

- Design of a vertical thrust stand for a remotely piloted model helicopter  
[AD-A167811] p 840 N86-31598
- THRUST AUGMENTATION**  
The influence of forward flight on thrust augmenting ejectors  
[AIAA PAPER 85-1589] p 173 A86-17843  
Analysis of interacting dual lifting ejector systems  
[AIAA PAPER 86-0478] p 233 A86-19895  
Control technology for future aircraft propulsion systems  
[PAPER-14] p 506 N86-25356  
Experiments on high speed ejectors  
[NASA-CR-177419] p 721 N86-29820
- THRUST CONTROL**  
Development of pneumatic thrust-deflecting powered-lift systems  
[AIAA PAPER 86-0476] p 219 A86-19894  
Case studies of the effects on non-linearities on the accuracy of gas turbine control  
p 817 A86-49090  
An investigation of the use of bandwidth criteria for rotorcraft handling-qualities specifications  
[AD-A160664] p 294 N86-18319  
Procedure for utilizing the lift and thrust forces of ornithopters  
[NASA-TM-77682] p 357 N86-21534  
Digital Electronic Engine Control (DEEC) Flight Evaluation in an F-15 Airplane  
[NASA-CP-2298] p 504 N86-25342
- THRUST LOADS**  
Passive damping, sonic fatigue and the KC-135A  
p 256 N86-16625
- THRUST MEASUREMENT**  
Development of in-flight thrust measurement procedures for an afterburning turbofan engine  
[AIAA PAPER 85-1405] p 720 A86-45375  
Real-time in-flight thrust calculation on a digital electronic engine control-equipped F100 engine in an F-15 airplane  
[PAPER-13] p 506 N86-25355  
In-flight thrust determination on a real-time basis  
[NASA-CR-176997] p 641 N86-28937
- THRUST REVERSAL**  
Aero/propulsion technology for STOL and maneuver  
[AIAA PAPER 85-4013] p 97 A86-14436  
Numerical solution of 2-D thrust reversing and thrust vectoring nozzle  
[AIAA PAPER 86-0203] p 254 A86-22681  
Materials in thrust reversers  
p 373 A86-26332  
Development of the Boeing 767 thrust reverser  
[AIAA PAPER 86-1536] p 646 A86-42698
- THRUST VECTOR CONTROL**  
Aero/propulsion technology for STOL and maneuver  
[AIAA PAPER 85-4013] p 97 A86-14436  
Vectored thrust digital control of ejection seats  
p 218 A86-19318  
Blended blown flaps and vectored thrust for low-speed flight  
[AIAA PAPER 84-2199] p 221 A86-20157  
Performance of a forward swept wing fighter utilizing thrust vectoring and reversing  
p 221 A86-20163  
Numerical solution of 2-D thrust reversing and thrust vectoring nozzle  
[AIAA PAPER 86-0203] p 254 A86-22681  
Thrust-vectored takeoff, landing, and ground handling of an airship  
p 343 A86-28571  
NASA's Langley Center making gains in advanced technology projects  
p 686 A86-45065  
Post stall maneuvers and thrust vectoring performance analysis  
[AD-A158100] p 110 N86-12235  
Three-axis electrofluidic angular rate sensor for ejection seat steering thrust vector control  
[AD-A159413] p 159 N86-15277  
An analysis of cross-coupling of a multicomponent jet engine test stand using finite element modeling techniques  
[NASA-CR-176424] p 181 N86-15323  
Propulsion and control propellers with thruster nozzles primarily for aircraft applications  
[NASA-TM-77715] p 342 N86-21511  
Static investigation of two STOL nozzle concepts with pitch thrust-vectoring capability  
[NASA-TP-2559] p 415 N86-23559  
Multivariable control law design for enhanced air combat maneuvering, F-15/STOL (Short Take-Off and Landing) derivative fighter  
[AD-A164017] p 512 N86-24706  
Aircraft performance optimization with thrust vector control  
[AD-A165388] p 587 N86-26334  
Multiaxis aircraft control power from thrust vectoring at high angles of attack  
[NASA-TM-87741] p 629 N86-28054  
Vectored thrust digital flight control for crew escape, volume 1  
[AD-A166580] p 700 N86-29798
- Vectored thrust digital flight control for crew escape, volume 2  
[AD-A166596] p 700 N86-29799  
International Aviation (selected articles)  
[AD-A166748] p 687 N86-30690  
The performance evaluation of a jet flap on an advanced supersonic hamer  
[NASA-CR-179653] p 716 N86-30722
- THRUST-WEIGHT RATIO**  
Polymer, metal and ceramic matrix composites for advanced aircraft engine applications  
[NASA-TM-87132] p 117 N86-13407
- THUNDERSTORMS**  
Microbursts - A hazard for aircraft - small, intense thunderstorm outflow  
p 124 A86-14816  
Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes  
[AIAA PAPER 86-0021] p 213 A86-19637  
Wide area real-time thunderstorm mapping using LPATS - The lightning position and tracking system  
p 614 A86-37487  
Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes  
p 634 A86-41695  
The energy requirements of an aircraft triggered discharge  
p 844 A86-47315  
Research in lightning swept-stroke attachment patterns and flight conditions with the NASA F-106B airplane  
p 791 A86-47318  
Aircraft protection against lightning strikes  
p 806 A86-50347  
Mobile intercept of storms  
p 191 N86-15771  
Joint agency turbulence experiment  
[AD-A160420] p 325 N86-18924  
Weather radar studies  
[AD-A161822] p 394 N86-22061  
Loads and motions of an F-106B flying through thunderstorms  
[NASA-TM-87671] p 483 N86-24672  
Minimum operational performance standards for airborne thunderstorm detection equipment  
[RTCA/DO-191] p 617 N86-27851  
Development of airborne electric field and lightning detection instrumentation for aviation safety  
[AD-A167342] p 701 N86-30705
- THYRISTORS**  
Power thyristor starter for aircraft engine  
p 386 A86-28373
- TIDES**  
Design technique to reduce effects of tidal variations on an ILS glide slope system  
p 635 A86-41335
- TILES**  
A durable airfield marking system  
[AD-A157953] p 113 N86-13339
- TILT ROTOR AIRCRAFT**  
Stability and control of VTOL capable airships in hovering flight  
p 109 A86-14236  
Use of simulation during preliminary design of the V-22 Osprey  
[AIAA PAPER 86-0491] p 238 A86-19902  
Analysis of the wing/rotor and rotor/rotor interactions present in tilt-rotor aircraft  
p 353 A86-27657  
Major short-haul role seen for tilt-rotor aircraft  
p 420 A86-33427  
Application of CFD design technology in development of the JTV engine inlet  
p 502 A86-35612  
Tilt rotor crashworthiness  
p 493 A86-35661  
The XV-15 Tilt-Rotor flight-test program  
p 709 A86-44938  
The US Army's LHX (light helicopter family) program  
[AD-A161949] p 437 N86-23581  
Feasibility study for convertible engine torque converter  
[NASA-CR-175082] p 722 N86-30733  
A trade-off study of tilt rotor aircraft versus helicopters using VASCOMP 2 and HESCOMP  
[AD-A167719] p 808 N86-31575
- TILT ROTOR RESEARCH AIRCRAFT PROGRAM**  
The V-22 - Preparing for full-scale development  
p 98 A86-16095  
An experimental and analytical method for approximate determination of the tilt rotor research aircraft rotor/wing download  
[NASA-CR-176970] p 693 N86-29769
- TILTING ROTORS**  
Folding tiltrotor technology demonstrator - The next step for tiltrotor technology  
[SAE PAPER 851844] p 579 A86-38341  
An experimental and analytical method for approximate determination of the tilt rotor research aircraft rotor/wing download  
[NASA-CR-176970] p 693 N86-29769
- TIME**  
Design requirements and development of an airborne descent path definition algorithm for time navigation  
[NASA-CR-178037] p 641 N86-28839
- An investigation of TNAV equipped aircraft in a simulated en route metering environment  
[NASA-CR-178031] p 641 N86-28840
- TIME DEPENDENCE**  
Cumulative-damage modeling of fatigue crack growth in turbine engine materials  
p 105 A86-13599  
Changes of flying skills during non-flight periods  
p 125 A86-13944  
Displacement thresholds in central and peripheral vision during tracking  
p 679 A86-41782  
Unsteady aerodynamics in time and frequency domains for finite-time arbitrary motion of helicopter rotor blades in hover and forward flight  
p 414 N86-22548  
A time-based concept for terminal-area traffic management  
[NASA-TM-88243] p 622 N86-28049  
Pseudo-time algorithms for the Navier-Stokes equations  
[NASA-CR-178127] p 694 N86-29776
- TIME DIVISION MULTIPLE ACCESS**  
The development status of JTIDS dual mode TDMA and distributed TDMA (DTDMA) full scale development terminals - An update  
p 351 A86-28473
- TIME DIVISION MULTIPLEXING**  
Real-time flight test PCM data acquisition monitor  
[AD-A164035] p 524 N86-24897
- TIME FUNCTIONS**  
Aircraft Noise Prediction Program theoretical manual: Propeller aerodynamics and noise  
[NASA-TM-83199-PT-3] p 536 N86-25220  
Development and evaluation of math library routines for a 1750A airborne microcomputer  
[AD-A164050] p 533 N86-26030
- TIME LAG**  
CGI delay compensation --- Computer Generated Image  
p 617 A86-37194  
Effect of time delay on flying qualities - An update  
[AIAA PAPER 86-2202] p 823 A86-47482  
Effects of time delay and pitch control sensitivity in the flared landing  
[AIAA PAPER 86-2075] p 831 A86-47706  
Comparison of pilot effective time delay for cockpit controllers used on space shuttle and conventional aircraft  
[NASA-TM-86030] p 307 N86-19324  
Study on the digital position transducer with optical time-delay pulse  
[NAL-TR-878] p 322 N86-19583  
Method for determining the time delay of the pilot-static tubing system of aircraft --- semiautonomous platform  
[NLR-TR-83075-U] p 589 N86-26335  
Effect of time delay on flying qualities: An update  
[NASA-TM-88264] p 653 N86-28092  
On control concept for in-flight simulation including actuator nonlinearities and time delays  
[ESA-TT-848] p 836 N86-31593
- TIME MARCHING**  
A marching explicit-implicit procedure for calculating supersonic flow past bodies  
p 78 A86-13296  
A computational transonic flutter boundary tracking procedure  
[AIAA PAPER 86-0902] p 553 A86-38913  
Thermodynamic evaluation of transonic compressor rotors using the finite volume approach  
[NASA-CR-176840] p 610 N86-26546
- TIME MEASUREMENT**  
Head-up/head-down transition - Measurement of transition times  
p 396 A86-29092  
Establishment and use of time unification system for civil aviation  
p 258 N86-17648
- TIME OPTIMAL CONTROL**  
Selection of an optimal cost index for airline hub operation  
p 130 A86-14239  
Time scale analysis of a closed-loop discrete optimal control system  
[AIAA PAPER 86-1995] p 852 A86-47417  
Aerodynamic delay following control actuation in a glider  
[AIAA PAPER 86-2226] p 829 A86-47689
- TIME RESPONSE**  
Design factors and considerations for a time-based flight management system  
[AIAA PAPER 86-2144] p 822 A86-47455
- TIME SERIES ANALYSIS**  
Composite statistical method for modeling wind gusts  
[AD-A160380] p 308 A86-23189  
In-flight turbulence detection  
[AD-A160380] p 325 N86-18923
- TIMOSHENKO BEAMS**  
A new method of analyzing wave propagation in periodic structures - Applications to periodic Timoshenko beams and stiffened plates  
p 249 A86-20792  
A theory of large and finite displacements of bars  
p 316 A86-23662

## TIP SPEED

- Preliminary measurement of the noise from the 2/9 scale model of the Large-scale Advanced Propfan (LAP) propeller, SR-7A  
[NASA-TM-87116] p 129 N86-14006
- Fundamental study of flow field generated by rotorcraft blades using wide-field shadowgraph  
[NASA-CR-176443] p 152 N86-15249
- Laboratory experiments on active suppression of advanced turboprop noise  
[NASA-TM-87129] p 331 N86-19125

## TIP VANES

- Aeroelastic research on wind turbines  
[VTH-M-474] p 459 N86-23012
- Aeroelastic research on wind turbines  
[VTH-M-501] p 459 N86-23014
- Aeroelastic research on wind turbines  
[VTH-M-517] p 459 N86-23016

## TIRES

- Investigation of main landing gear tire temperatures during taxi-out at heavy take-off masses  
[AIAA PAPER 86-9778] p 430 N86-32113
- Fireproof hydraulic brake system  
[AD-A163542] p 497 N86-24688

## TITANIUM

- Titanium: Science and technology; Proceedings of the Fifth International Conference on Titanium, Munich, West Germany, September 10-14, 1984. Volumes 1-4  
p 374 N86-27201
- Engineer's Guide to Titanium Castings  
p 382 N86-27203
- Recycling of titanium scrap for the production of high-duty aerospace components  
p 382 N86-27211
- Low mass diffusion bonding tools  
[AD-D012295] p 851 N86-32746

## TITANIUM ALLOYS

- Metals and plastics - State of the art and perspectives  
[MBB-Z-49-85-OE] p 116 N86-14474
- Interpretation and evaluation of fatigue properties of cast, HIP and heat treated titanium UH-60A M. R. Hub  
p 183 N86-18434
- Titanium Near Net Shape components for demanding airframe applications  
p 245 N86-21726
- Advances in P/M titanium shape technology using the ceramic mold process  
p 246 N86-21741
- Current and potential usage of titanium castings for airframe applications  
p 246 N86-21753
- PM techniques for making near-net-shape titanium alloy components  
p 246 N86-21756
- Superplastically-formed/diffusion-bonded titanium technology transition case study  
p 252 N86-22142
- A survey of accelerated vibratory fatigue test method of aero-engine compressor blade  
[ASME PAPER 85-IGT-105] p 317 N86-23904
- Titanium near net shape components for demanding airframe applications  
p 380 N86-26717
- Titanium: Science and technology; Proceedings of the Fifth International Conference on Titanium, Munich, West Germany, September 10-14, 1984. Volumes 1-4  
p 374 N86-27201
- Applications of titanium and titanium alloys  
p 374 N86-27202
- Engineer's Guide to Titanium Castings  
p 382 N86-27203
- Titanium investment casting - Production, properties and applications  
p 382 N86-27204
- An evaluation of centrifugally cast Ti-4Al-4Mo-2Sn-0.5Si (IMI 550) alloy  
p 374 N86-27207
- Requirements for recycling of valuable chips from and for aircraft manufacturing  
p 374 N86-27209
- Development in PM HHDH-Ti6Al4V technology for aircraft application - High-quality Hydride Dehydrogenation Process  
p 375 N86-27224
- Ten years of front-fan blade forging  
p 382 N86-27227
- Effect of processing and heat treatment on the mechanical properties of Ti-6Al-2Sn-4Zr-6Mo alloy  
p 375 N86-27231
- Isothermal forging system for the production of large rotating components from titanium alloys or superalloys  
p 382 N86-27247
- Properties of diffusion bonded butt joints in Ti-6Al-4V and Ti-4Al-4Mo-2Sn-0.5Si (IMI 550) alloys  
p 375 N86-27260
- Fatigue-crack propagation through titanium welds  
p 375 N86-27264
- Advanced structural components by SPF/DB processing - superplastic forming and diffusion bonding  
p 363 N86-27271
- Producibility of aircraft structural parts by superplastic forming and diffusion bonding  
p 382 N86-27272
- Fatigue properties of Ti-10V-2Fe-0.3Al  
p 375 N86-27274
- Fatigue behaviour of titanium materials in aircraft engines  
p 375 N86-27275

- EB repair welding of a critical aircraft part made from the nonweldable titanium alloy 3.7184.7  
(Ti-6Al-4Mo-4Sn-2Si) p 382 N86-27278
- Embrittled trailing edges of compressor blades (titanium alloy Ti6Al-4V and Ti6Al2Sn4Zr2Mo) of gas turbine aero-engines  
p 376 N86-27279
- The fretting fatigue behaviour of the titanium alloy Ti-6Al-4V  
p 376 N86-27370
- The strain controlled fatigue behaviour of a near-alpha titanium alloy  
p 376 N86-27383
- Studies on crack growth rate of high temperature titanium alloys  
p 376 N86-27384
- High temperature fatigue behavior of IMI 685  
p 376 N86-27385
- Developments in high temperature alloys  
p 376 N86-27388
- Durability and damage-tolerance design and analysis of titanium airframe structures  
p 454 N86-30091
- Process development and test evaluation of cast, HIP and heat treated titanium UH-60A M.R. Damper Bracket  
p 516 N86-35641
- Fatigue behavior of Ti-6Al-4V powder metallurgy compacts  
p 603 N86-39617
- Aeroelastic behavior of low aspect ratio metal and composite blades  
[ASME PAPER 86-GT-243] p 846 N86-48271
- Powdered, sintered alloy materials described: Development of titanium alloys  
p 314 N86-19447
- Fundamental investigation on the impact strength of hollow fan blades  
[NAL-TR-879] p 322 N86-19657
- AGARD Cooperative Test Programme on titanium alloy engine disc material  
p 507 N86-25369
- Crack growth in near-alpha titanium alloys  
p 526 N86-25371
- Fracture mechanics and LCF-properties of engine discs of Ti 6Al-4V, Inconel 718 and Udimet 700 P/M-HIP  
p 507 N86-25378
- Crack growth in titanium alloys under the conjoint action of high and low cycle fatigue  
[AD-A166429] p 665 N86-29028
- TOLERANCES (MECHANICS)**
- The damage tolerance approach in the type approval process  
p 220 N86-20036
- The application of fracture mechanics methodology to the damage tolerance analysis of the Boeing 757 airplane  
p 425 N86-30090
- Durability and damage-tolerance design and analysis of titanium airframe structures  
p 454 N86-30091
- The impact of accommodating defects on the efficiency of aircraft design  
[SAWE PAPER 1635] p 488 N86-35201
- Damage tolerance assessment of aircraft attachment lugs  
p 672 N86-43084
- Fatigue and damage tolerance work during the aircraft design process  
p 706 N86-43777
- Damage tolerance - USAF experience  
p 736 N86-43784
- U.S. Army requirements for damage tolerance of composite helicopter structure  
p 706 N86-43785
- Damage tolerance test program of the Fokker 100  
p 706 N86-43786
- Airbus Industrie A310 and A300-600 experience with practical applications of damage tolerance design in fuselage primary structure  
p 707 N86-43787
- Continued airworthiness of damage tolerant aircraft  
p 707 N86-43788
- Damage tolerance and durability in the design of a short-haul turboprop aircraft  
p 707 N86-43790
- Maintenance system by means of damage tolerance principle  
p 736 N86-43791
- Evaluation of damage tolerance requirements using a probabilistic-based life approach  
[ASME PAPER 86-GT-266] p 847 N86-48288
- Damage-tolerant aircraft design  
[NLR-MP-84005-U] p 227 N86-17342
- Logistics engineering analysis techniques for fault-tolerant avionics systems  
[AD-A161981] p 439 N86-23596
- Damage Tolerance Concepts for Critical Engine Components  
[AGARD-CP-393] p 506 N86-25360
- Damage tolerance concepts for critical engine components  
p 506 N86-25361
- AGARD Cooperative Test Programme on titanium alloy engine disc material  
p 507 N86-25369
- Multiaxial and thermomechanical fatigue considerations in damage tolerant design  
p 526 N86-25375
- Evaluation of cyclic spin pit tests for the damage tolerance of disks  
p 507 N86-25379
- Cost reductions from introduction of new life philosophies for aircraft engine discs  
[NLR-MP-85076-U] p 820 N86-32438
- TOLERANCES (PHYSIOLOGY)**
- G protection by an extreme crouch position  
[AD-A157081] p 91 N86-12213

- B-52G crew noise exposure study  
[AD-A161112] p 333 N86-20094
- Halon extinguisher agent behavior in a ventilated small aircraft  
[DOT/FAA/CT-86/5] p 699 N86-29794
- TOLLMEIN-SCHLICHTING WAVES**
- A numerical analysis of the characteristics of a Tollmien-Schlichting wave packet in a boundary layer on a flat plate  
p 79 N86-13374
- F-111 natural laminar flow glove flight test data analysis and boundary layer stability analysis  
[NASA-CR-166051] p 168 N86-15305
- TOMOGRAPHY**
- Reconstruction of a three-dimensional, transonic rotor flow field from holographic interferogram data  
[AIAA PAPER 85-0370] p 337 N86-27669
- TOOLING**
- Unique tooling and manufacturing approach for large advanced composite aircraft structure  
p 246 N86-21742
- TOOLS**
- A cementitious tooling/molding material - Room temperature castable, high temperature capable  
[SAE PAPER 850904] p 607 N86-38522
- Generation of an electroformed nickel mold for use in manufacturing composite parts  
[SAE PAPER 850905] p 607 N86-38523
- Low mass diffusion bonding tools  
[AD-D012295] p 851 N86-32746
- TOPOGRAPHY**
- Infrared flight simulation using computer generated imagery  
p 103 N86-15378
- Use of a stored topographic data base in the modern military helicopter  
p 171 N86-18459
- TOPOLOGY**
- Applications of differential topology to grid generation  
[AD-A162834] p 487 N86-24354
- TORNADOES**
- Tomorrow's weather - New accuracy in forecasting  
p 462 N86-32450
- TORQUE**
- Manufacturing technology of composite torque box of vertical fin  
p 848 N86-49068
- Experimental and theoretical study of propeller spinner/shank interference  
[NASA-CR-176954] p 694 N86-29773
- TORQUE CONVERTERS**
- Feasibility study for convertible engine torque converter  
[NASA-CR-175082] p 722 N86-30733
- TORQUEMETERS**
- Contactless measurement of the torque of an aircraft engine  
p 849 N86-49145
- TORSION**
- Plastic torsion of hollow elements of aircraft - Russian book  
p 455 N86-31374
- An experimental study of the aerodynamics of incipient torsional stall flutter  
[AIAA PAPER 86-0901] p 553 N86-38912
- Rotor aeroelastic stability  
p 798 N86-48664
- The influence of dynamic inflow and torsional flexibility on rotor damping in forward flight from symbolically generated equations  
p 177 N86-15295
- Flap-lag-torsion stability in forward flight  
p 177 N86-15296
- Dynamic stability of a bearingless circulation control rotor blade in hover  
p 177 N86-15297
- TORSIONAL STRESS**
- Using isoperimetric inequalities for the two-sided estimation of the torsional stiffness of a prismatic bar  
p 119 N86-13410
- Torsional low cycle fatigue of spline-ended drive components  
p 187 N86-18431
- Method to determine the complete three-dimensional elastic compliance matrix of composite materials  
p 517 N86-37134
- A model for the equivalent bending characteristics of a composite beam  
p 667 N86-40361
- Development of an unsteady aerodynamics model to improve correlation of computed blade stresses with test data  
p 156 N86-15288
- Aeroelastic considerations for torsionally soft rotors  
p 157 N86-15289
- MEP: A program for cross section magnitudes of a multicell wing profile  
[VTH-M-487] p 459 N86-23013
- Aeroelastic considerations for torsionally soft rotors  
[NASA-TM-87687] p 745 N86-31070
- TORSIONAL VIBRATION**
- A property of the elastic vibrations of nearly symmetric systems  
p 119 N86-13387
- Certain criteria and formulas for the analysis of flexural-torsional flutter  
p 109 N86-13394
- On the teaching of the principles of wing flexure-torsion flutter  
p 185 N86-16248

- A loss of dynamic stability of the torsional vibrations of blades due to cascade flutter p 364 A86-27543
- Aerodynamic and structural detuning of supersonic turbomachine rotors p 440 A86-31595
- Influence of friction dampers on torsional blade flutter [ASME PAPER 85-GT-170] p 441 A86-32957
- Experimentally determined flutter from two- and three-bladed model bearingless rotors in hover p 177 N86-15286
- TORSO**
- Upper torso restraint systems — for fixed wing and rotorcraft aircraft [SAE PAPER 851848] p 567 A86-38344
- Evaluation of a pre-ejection upper torso retraction device p 793 A86-47728
- TOUGHNESS**
- Failure mechanisms of laminates transversely loaded by bolt push-through [NASA-TM-87603] p 184 N86-14314
- TOW MISSILES**
- Preliminary airworthiness evaluation of the AH-1S (modernized cobra) with the Hellfire, TOW, and Stinger missiles installed [AD-A160862] p 294 N86-18322
- TOWED BODIES**
- Preliminary airworthiness evaluation of the AH-1S (modernized cobra) with the Hellfire, TOW, and Stinger missiles installed [AD-A160862] p 294 N86-18322
- TOWERS**
- Operations concept for the TCCC (Tower Control Computer Complex) man-machine interface [AD-A166899] p 705 N86-30714
- TOXIC HAZARDS**
- The F-16 aircraft and hydrazine - An industrial hygiene perspective [SAE PAPER 851971] p 568 A86-38381
- TOXICITY**
- Evaluation of less toxic fuels for aircraft emergency power systems [SAE PAPER 851974] p 601 A86-38384
- Aircraft mishap fire pattern investigations [AD-A161094] p 344 N86-21528
- TOXICOLOGY**
- USAF toxicology research on petroleum and shale-derived aviation gas turbine fuels [ASME PAPER 85-GT-34] p 262 A86-22023
- TRACKING (POSITION)**
- Radar characteristics of flight vehicles — Russian book p 485 A86-35464
- Probabilistic evaluation of individual aircraft tracking techniques [AD-A160146] p 282 N86-18312
- High dynamic GPS receiver validation demonstration [NASA-CR-176530] p 283 N86-19306
- Weather radar studies [AD-A161622] p 394 N86-22061
- An LQG up-and away flight control design for the STOL F-15 aircraft [AD-A164108] p 512 N86-24707
- An LQG up-and away flight control design for the STOL F-15 aircraft [AD-A164108] p 512 N86-25384
- TRACKING FILTERS**
- Using roll-angle measurements to track aircraft maneuvers p 92 A86-12677
- Computationally simple adaptive tracking filters based on weighted averages p 457 A86-32642
- New linear tracking filters — for modeling target maneuvering aircraft motion p 508 A86-35342
- Markov jump-diffusion models and decision-making free filtering — air traffic control [NLR-MP-83067-U] p 264 N86-17046
- A sophisticated tracking algorithm for Air Traffic Control (ATC) surveillance radar data [NLR-MP-84004-U] p 216 N86-17334
- Comparison of a jump-diffusion tracker with a Kalman tracker: An evaluation with emphasis on air traffic control [NLR-TR-83063-U] p 216 N86-17335
- An efficient filter for abruptly changing systems [NLR-MP-84071-U] p 264 N86-18056
- An efficient decision-making-free filter for processes with abrupt changes — aircraft tracking [NLR-MP-84080-U] p 618 N86-27018
- TRACKING NETWORKS**
- Wide area real-time thunderstorm mapping using LPATS The lightning position and tracking system p 614 A86-37487
- Distributed sensor networks [AD-A160596] p 332 N86-19136
- TRACKING PROBLEM**
- Aircraft terminal area guidance based on the discrete tracking problem of optimal control theory p 215 A86-20520
- A controller for robust asymptotic tracking in systems with time-varying uncertainties [AIAA PAPER 86-2199] p 853 A86-47479
- TRACKING RADAR**
- Tracking radars at flight test ranges [AIAA PAPER 86-9747] p 447 A86-32091
- Basic characteristics of radar antenna with synthesized aperture tracking arbitrary motion of aircraft p 189 N86-15575
- Calibration of an on-ground aircraft tracking radar by aerial photogrammetry [NAL-TR-861] p 282 N86-18311
- TRACKING STATIONS**
- The McDonnell aircraft telemetry tracking system at Edwards Air Force Base, CA p 346 A86-27784
- TRACTION**
- Surface properties-vehicle interaction [PB85-242576] p 255 N86-16428
- Runway rubber removal specification development: Field evaluation results and data analysis [FAA/PM-85/32] p 448 N86-23607
- TRADEOFFS**
- Light helicopter family trade-off analysis. Volume 4: Appendix N [AD-A158075] p 168 N86-15306
- Light helicopter family trade-off analysis. Volume 7: Appendix R [AD-A158076] p 168 N86-15307
- Light helicopter family trade-off analysis. Volume 8: Appendices S and T [AD-A158077] p 169 N86-15308
- Light helicopter family trade-off analysis. Volume 10: Appendices V, W, X, and Z [AD-A158079] p 169 N86-15309
- A trade-off study of tilt rotor aircraft versus helicopters using VASCOMP 2 and HESCOMP [AD-A167719] p 808 N86-31575
- TRAFFIC CONTROL**
- New CFAR-processor based on an ordered statistic p 457 A86-32618
- Air traffic control (ATC) and vessel traffic systems (VTS) p 572 A86-39558
- Airport surface navigation and traffic control p 635 A86-40227
- Simulation of the enhanced traffic alert and collision avoidance system (TCAS 2) [NASA-CR-176328] p 93 N86-12216
- TRAILING EDGE FLAPS**
- Numerical computation of unsteady transonic flow about wings with flaps [AIAA PAPER 85-1712] p 144 A86-17849
- Means to increase the lift on aircraft wing profiles p 271 A86-23776
- Studies of the aerodynamics of flaps and spoilers in unsteady flow [ONERA, TP NO. 1985-149] p 272 A86-24627
- An investigation of improving high angle of attack performance and flap effectiveness of a configuration with delta wing by spanwise blowing [AIAA PAPER 86-1777] p 542 A86-37811
- Reference test cases and contributors p 154 N86-15261
- Experimental study of apex fences for lift enhancement on a highly swept delta wing configuration [AD-A163877] p 512 N86-24705
- Analysis of wings with leading edge and/or trailing edge segmented (spanwise) flaps using planar horse shoe vortex lattice method [NAL-TM-AE-8507] p 559 N86-27212
- TRAILING EDGES**
- Experiments on unsteady flows about wing sections p 138 A86-16318
- Embrittled trailing edges of compressor blades (titanium alloy Ti6Al-4V and Ti6Al2Sn4Zr2Mo) of gas turbine aero-engines p 376 A86-27279
- Experimental and theoretical study of wings with blunt trailing edges p 410 A86-32789
- Investigations of transonic trailing edge flows p 541 A86-37192
- Numerical study of the trailing edge region in slip flow regime p 624 A86-42548
- A new, improved method for separating turbulent boundary layer for aerodynamic performance prediction of trailing edge stall airfoils [AIAA PAPER 86-1832] p 779 A86-49590
- Airfoil trailing-edge flow measurements p 780 A86-49803
- Computation of the potential flow over airfoils with cusped or thin trailing edges p 780 A86-49823
- An improved viscid/invicid interaction procedure for transonic flow over airfoils [NASA-CR-3805] p 87 N86-12208
- Summary report on the working group on conference 2: Solutions of the Euler equations p 148 N86-14227
- Trailing edge flow with transonic profiles p 149 N86-14240
- A procedure for solution of full potential equations with correction of the trailing edge condition p 150 N86-14246
- The properties of a row of trailing vortices generated in the uniform flow. The path of trailing vortex [REPT-1] p 151 N86-14422
- The properties of a row of trailing vortices generated in the uniform flow. Shape of trailing vortex and its streamwise variation [REPT-2] p 151 N86-14423
- Vortices and pressure waves at trailing edges [ISL-CO-224/84] p 153 N86-15252
- Vortex wake alleviation studies with a variable twist wing [NASA-TP-2442] p 197 N86-16187
- Investigation of rolling-up and interaction of leading-edge and trailing-edge vortex sheets on a slender delta wing [AD-A163692] p 479 N86-24668
- Experimental analyses of trailing edge flows [NASA-CR-176904] p 632 N86-28921
- Motion and interaction of decaying trailing vortices in spanwise shear wind [NASA-TP-2599] p 687 N86-29762
- Flight control system development and flight test experience with the F-111 mission adaptive wing aircraft [NASA-TM-88265] p 714 N86-29813
- TRAINING AIRCRAFT**
- A study of aircraft motion stability in steady spin p 176 A86-19070
- The IA 63 trainer p 428 A86-32075
- T-46A flight test results [AIAA PAPER 86-9766] p 429 A86-32103
- Flight test simulation of the T-46 [AIAA PAPER 86-9773] p 430 A86-32108
- Experience with aeroelastic analysis of a single engine turbo trainer using finite elements methods p 433 A86-33247
- Alpha Jet Training System single aircraft concept [SAE PAPER 851766] p 598 A86-38301
- Hawk - The British fighting trainer [SAE PAPER 851768] p 578 A86-38303
- The EMB-312 Tucano - A Brazilian trainer [SAE PAPER 851769] p 578 A86-38304
- CFRP-wing for the Alpha jet p 686 A86-46199
- T-46A - The USAF next generation trainer p 796 A86-47796
- Resonance fatigue test of the empenage of a CT4 aircraft [AD-A160749] p 294 N86-18321
- Rollout of XT-4 intermediate class training aircraft p 438 N86-23774
- Use of state estimation to calculate angle-of-attack position error from flight test data [AD-A163962] p 480 N86-24670
- TRAINING ANALYSIS**
- Flight training simulators. Effects of terrain accuracy on simulated radar image quality [AD-A160905] p 311 N86-18333
- TRAINING DEVICES**
- A case study in simulation vs. stimulation - The B-1 weapon system trainer p 398 A86-28456
- Low cost part task trainer for the GBU-15 guided bomb p 370 A86-28457
- The mission oriented terminal area simulation facility [NASA-TM-87621] p 128 N86-13944
- Development of a computer-managed readiness assessment system [AD-A162931] p 463 N86-24215
- TRAINING EVALUATION**
- Flight simulator upgrades and modifications p 655 A86-40477
- Simulator upgrade - Regulations and benefits p 621 A86-40478
- Development of a computer-managed readiness assessment system [AD-A162931] p 463 N86-24215
- TRAINING SIMULATORS**
- The basics of on-board simulation and embedded training [AIAA PAPER 86-0493] p 219 A86-19904
- An engineering simulation of the Boeing 747 primary flight control systems [AIAA PAPER 86-0494] p 239 A86-19905
- Wide-angle, low-altitude flight simulator visor system for cockpit research and aircrew training p 311 A86-26152
- A speech processing system for an air traffic control radar simulator p 351 A86-28447
- Modular simulators - How to make it work — procurement and logistics for flight-weapon system trainer p 371 A86-28459
- Embedded training avionics integration p 360 A86-28483
- Simulation of aircraft components for training purposes [SAE PAPER 851965] p 496 A86-36946

- Real-time simulator for helicopter rotor wind-tunnel operations p 586 A86-37179
- Simulator upgrade - Regulations and benefits p 621 A86-40478
- Northrop's surrogate trainer --- simulating AH-64A helicopter p 709 A86-44941
- Liquid-crystal goggles permit visual simulations of restricted visibility p 718 A86-46150
- Advanced simulator for pilot training: Effects of collimation on accommodation and vergence [AD-A159545] p 181 N86-14279
- TRAJECTORIES**
- An optimization method for reconstruction of flight path trajectories from non-synchronous time-sampled observations by two cine cameras [ARL-SYS-R-34] p 167 N86-15279
- Motion planning in the presence of moving obstacles [AD-A161374] p 400 N86-22208
- USAF/SCREE (United States Air Force/Southeastern Center for Electrical Engineering Education) Research Initiation Program research reports, volume 2 [AD-A161908] p 460 N86-23752
- Verification and aerodynamic calibration of the tunnel 16T Captive Trajectory Support (CTS) system [AD-A165235] p 599 N86-27295
- TRAJECTORY ANALYSIS**
- Influence of the dropping conditions on container motion near the carrier and on the impact parameters p 158 A86-19069
- Use of block-pulse functions in the optimal control of deterministic systems p 747 A86-45728
- Minimum time and fuel flight profiles for an F-15 airplane with a Highly Integrated Digital Electronic Control (HIDEC) system [NASA-TM-86042] p 436 N86-23587
- Math model study of a proposed glide slope for runway 13R, Dallas-Fort Worth Airport, Texas [AD-A164907] p 573 N86-26315
- A new technique for terrain following/terrain avoidance guidance command generation p 574 N86-26325
- TRAJECTORY CONTROL**
- Automation and integration on AFTI/F-16 [AIAA PAPER 85-3089] p 103 A86-14433
- Flight test maneuver modeling and control [AIAA PAPER 86-0426] p 219 A86-19868
- Flight mechanics contributions to the time-based trajectory control in the aircraft longitudinal plane --- German thesis p 348 A86-27852
- An interpretation of airplane general motion and control as inverse problem p 443 A86-31661
- Flight test trajectory controller synthesis with constrained eigenstructure assignment p 509 A86-35404
- TRAJECTORY MEASUREMENT**
- The data transmission and processing equipment of a high-precision trajectory measurement system p 296 A86-22728
- STALINS method for takeoff and landing trajectory measurements p 356 A86-28566
- Flightpath reconstruction and systematic radar error estimation from multi-radar range-azimuth measurements p 636 A86-42966
- TRAJECTORY OPTIMIZATION**
- A parallel quasi-linearization algorithm for air vehicle trajectory optimization [AIAA PAPER 85-0498] p 243 A86-20244
- Demonstration of an innovative technique for Terrain Following/Terrain Avoidance - The Dynaph Algorithm p 350 A86-28389
- Periodic control for minimum-fuel aircraft trajectories p 427 A86-31657
- Optimal control of deterministic systems via shifted Legendre polynomials p 530 A86-34140
- A preliminary study of the basic display/guidance requirements for flying near optimal trajectories p 499 A86-35366
- Maximum-range passive flight p 535 A86-36467
- An analysis of a four state model for pursuit-evasion games --- during air combat p 680 A86-42957
- Optimal take-off trajectories in the presence of windshear p 708 A86-44386
- Optimization and acceleration guidance of flight trajectories in a windshear [AIAA PAPER 86-2036] p 822 A86-47425
- A study of aircraft cruise [AIAA PAPER 86-2286] p 792 A86-47704
- Direct trajectory optimization using nonlinear programming and collocation [AIAA PAPER 86-2000] p 841 A86-47902
- Optimization and gamma/theta guidance of flight trajectories in a windshear p 834 A86-49071
- TRANSATMOSPHERIC VEHICLES**
- Aerospace planes and trans-atmospheric vehicles - Recent US studies revive dormant technologies p 449 A86-31348
- Can we develop the 1.5 million pound aerospace plane? p 515 A86-34195

- Mastering the transatmosphere p 658 A86-41274
- Supersonic aerodynamic characteristics of some reentry concepts for angles of attack to 90 deg [NASA-TM-87645] p 243 N86-16243
- High speed aeronautics [GPO-51-341] p 278 N86-19284
- TRANSDUCERS**
- Preliminary results of unsteady blade surface pressure measurements for the SR-3 propeller [AIAA PAPER 86-1893] p 780 A86-49625
- The application of sensors in light tests [NLR-MP-84056-U] p 232 N86-17352
- Study on the digital position transducer with optical time-delay pulse [NAL-TR-878] p 322 N86-19583
- Study on the digital position transducer with optical time-delay pulse [NAL-TR-878] p 388 N86-20759
- Impact dynamics instrumentation p 392 N86-21948
- Preliminary results of unsteady blade surface pressure measurements for the SR-3 propeller [NASA-TM-87352] p 559 N86-27213
- Analogue signal conditioning for flight test instrumentation [AGARD-AG-160-VOL-17] p 719 N86-29816
- TRANSFER FUNCTIONS**
- Helicopter fatigue monitoring using a single channel recorder p 220 A86-20038
- Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics p 353 A86-27661
- Measurements of ocean wave spectra and modulation transfer function with the airborne two-frequency scatterometer p 393 A86-28618
- Comparison of modal analysis methods on a light aircraft p 730 A86-44933
- Cabin noise characteristics of a small propeller powered aircraft [AIAA PAPER 86-1906] p 710 A86-45407
- New modal identification methods applied to aeronautical structures [ONERA, TP NO. 1986-35] p 713 A86-46177
- Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics in cruising flight p 713 A86-46461
- Pitch rate sensitivity criterion for category C flight phases - Class IV aircraft [AIAA PAPER 86-2201] p 823 A86-47481
- Precise solution for rational transfer parameters of flight vehicles p 801 A86-49022
- An analytical modularized treatment of autopilots for guided projectile simulations [AD-A159311] p 182 N86-14282
- Computation of transfer function matrices [NAL-TM-SE-8509] p 399 N86-21232
- TRANSFORMATIONS (MATHEMATICS)**
- A fast shape descriptor p 748 A86-46377
- TRANSIENT LOADS**
- The dynamic instability of plate structures p 605 A86-37348
- TRANSIENT OSCILLATIONS**
- Multi shaker modal testing using a modified transient random excitation p 740 A86-47107
- TRANSIENT PRESSURES**
- Geometric and structural properties of a rectangular supercritical wing oscillated in pitch for measurement of unsteady transonic pressure distributions [NASA-TM-85673] p 416 N86-23567
- TRANSIENT RESPONSE**
- Unified EM transient protection requirements for aircraft avionics line replaceable units p 355 A86-28485
- Response of an operational turbofan engine to a simulated nuclear blast p 643 A86-40728
- Transient induced drag p 689 A86-44879
- A general computational method for simulation and prediction of transient behavior of gas turbines [ASME PAPER 86-GT-180] p 815 A86-48230
- Nonlinear dynamics of rotor/blade/casing rub interactions [ASME PAPER 86-DE-6] p 818 A86-49620
- Augmentor transient capability of an F100 engine equipped with a digital electronic engine control [PAPER-11] p 505 N86-25353
- TRANSITION FLOW**
- An analysis of a separation bubble transition criterion at low Reynolds numbers p 137 A86-16309
- Streamwise and spanwise vortical patterns visualized over airfoils in unsteady flow p 138 A86-16319
- Development of a temperature-compensated hot-film anemometer system for boundary-layer transition detection on high-performance aircraft p 605 A86-38236
- A faster 'transition' to laminar flow [SAE PAPER 851855] p 548 A86-38347

- Large and small structures in the computation of transition to fully developed turbulent flows p 669 A86-41254
- Study of the transition behavior of an airplane in the vicinity of bifurcation points p 566 N86-27266
- TRANSITION LAYERS**
- Interior transition layers in flight path optimization [AIAA PAPER 86-2037] p 797 A86-48576
- TRANSLATIONAL MOTION**
- An integrated display for vertical and translational flight Eight factors affecting pilot performance p 529 A86-36175
- TRANSMISSION**
- Evaluation of a load cell model for dynamic calibration of the rotor systems research aircraft p 168 N86-15304
- TRANSMISSION LINES**
- New symmetrical condensed node for three-dimensional solution of electromagnetic-wave problems by TLM --- transmission-line modeling p 455 A86-31187
- Analysis of direct and nearby lightning strike data for aircraft [NASA-CR-172127] p 617 N86-27855
- Interface of the transport systems research vehicle monochrome display system to the digital autonomous terminal access communication data bus [NASA-TM-87728] p 656 N86-28961
- Transmission line design for a power distribution system at 20 kHz for aircraft [NASA-CR-3987] p 721 N86-29818
- TRANSMISSION LOSS**
- Application of the finite element method in the calculation of transmission loss of flat and curved panels --- for noise reduction in aircraft p 400 A86-26888
- The effect on the transmission loss of a double wall panel of using helium gas in the gap p 855 A86-48590
- TRANSMISSIONS (MACHINE ELEMENTS)**
- Testing large transmissions p 187 A86-18426
- Optimal design of composite power transmission shafting p 353 A86-27654
- Optimal sizing of composite power transmission shafting p 454 A86-30500
- A study of the potential benefits associated with the development of a dedicated helicopter transmission lubricant [SAE PAPER 851832] p 607 A86-38530
- Future trends for U.S. Naval aviation propulsion system lubricants [SAE PAPER 851835] p 608 A86-38533
- Health and usage monitoring techniques for greater safety in helicopter operations p 621 A86-40232
- Transmission design using finite element method analysis techniques p 847 A86-48658
- Transmission acoustic vibration testing [AD-A159022] p 101 N86-13326
- Phosphorus anti-wear additives in helicopter transmissions [IC-TS015/85] p 452 N86-22710
- System life and reliability modeling for helicopter transmissions [NASA-CR-3967] p 525 N86-24990
- Testing of YUH-61A helicopter transmission in NASA Lewis 2240-kW (3000-hp) facility [NASA-TP-2538] p 525 N86-24992
- Generation of spiral bevel gears with zero kinematical errors and computer aided tooth contact analysis [NASA-TM-87273] p 527 N86-25793
- Aircraft and Bearing Tribological Systems [AGARD-CP-394] p 677 N86-29236
- A study of the potential benefits associated with the development of a dedicated helicopter transmission lubricant p 666 N86-29242
- Requirements on lubrication oil from the view of a helicopter manufacturer p 666 N86-29244
- Future trends in helicopter transmission lubricants p 666 N86-29250
- Scoring tests of aircraft transmission lubricants at high speeds and high temperatures p 667 N86-29253
- TRANSMITTANCE**
- LOG/LTR design of a robust flight controller for the STOL F-15 [AD-A164111] p 512 N86-24708
- TRANSMITTER RECEIVERS**
- Minimum operational performance standards for airborne Distance Measuring Equipment (DME) operation within the radio frequency range of 960-1215 megahertz [RTCA/DO-189] p 362 N86-21542
- TRANSMITTERS**
- Frequency synthesis type airborne transmitters p 347 A86-27819
- TRANSOCEANIC COMMUNICATION**
- A satellite system for aeronautical data communications [AIAA PAPER 86-0602] p 351 A86-29578

## TRANSOCEANIC FLIGHT

- Reserve generator for over-ocean twins  
p 106 A86-14244
- The golden age of the great passenger airships: Graf Zeppelin and Hindenburg — Book p 403 A86-27648

## TRANSONIC COMPRESSORS

- Thermodynamic evaluation of transonic compressor rotors using the finite volume approach  
[NASA-CR-176840] p 610 N86-26546
- Unsteady design-point flow phenomena in transonic compressors  
[NASA-CR-176879] p 722 N86-30730
- Time resolved and time averaged flow evaluation for an isolated transonic compressor rotor  
[AD-A166759] p 723 N86-30734

## TRANSONIC FLIGHT

- Design of a natural laminar flow wing for a transonic corporate transport  
[AIAA PAPER 86-0314] p 200 A86-19807
- The effect of the aspect ratio of the cylindrical section on the fuselage drag at transonic flight velocities  
p 768 A86-48801
- Three-dimensional, transonic rotor flow field reconstructed from holographic interferogram data  
[NASA-TM-86816] p 188 N86-14555
- Throttle dependent forces: A primer  
[AD-A162939] p 442 N86-23599

## TRANSONIC FLOW

- The design, performance and analysis of a high work capacity transonic turbine  
[ASME PAPER 85-GT-15] p 105 A86-13058
- Symmetric transonic flow past wings of large aspect ratios  
p 78 A86-13352
- A joint analysis of the boundary layer and inviscid flow around the axisymmetric rear section of a fuselage  
p 79 A86-13373
- Construction of equivalent profiles and approximate calculation of transonic flow past the root section of a swept wing  
p 80 A86-13396
- Determination of the shape of a profile from a specified chord diagram of Mach numbers in transonic flow  
p 80 A86-13397
- The use of reverse flow to calculate transonic flow past bodies  
p 81 A86-13412
- A new fast solver procedure applied to the BGK computer program for transonic flow past an aerofoil  
p 83 A86-14360
- Computation of rotor blade flows using the Euler equations  
[AIAA PAPER 85-5010] p 84 A86-14455
- Solution of transonic flow past rotor blades using the conservative full potential equation  
[AIAA PAPER 85-5012] p 84 A86-14456
- The application of laser anemometry to the study of transonic shock boundary-layer interactions  
p 139 A86-16352
- Investigations of transonic Ludwig tubes. III - Effects of plenum exhaust system on starting process of tunnel test section  
p 140 A86-16838
- Transonic rotor flow-measurement technique using holographic interferometry  
p 141 A86-17069
- A theoretical basis for extending surface-paneling methods to transonic flow  
p 142 A86-17131
- A transonic wing-body flowfield calculation with improved grid topology  
p 142 A86-17134
- On a weak solution for a transonic flow problem  
p 143 A86-17738
- Application of NLR's calculation methods to transonic flow about oscillating wings  
p 143 A86-17778
- Computation of flowfields in high solidity and high turning angle cascades using Euler equations  
[AIAA PAPER 85-1705] p 144 A86-17847
- Numerical computation of unsteady transonic flow about wings with flaps  
[AIAA PAPER 85-1712] p 144 A86-17849
- On the numerical solution of nonlinear problems in fluid dynamics by least squares and finite element methods. II - Applications to transonic flow simulations  
p 144 A86-17886
- Some recent developments in numerical methods for transonic flows  
p 144 A86-17889
- Unsteady transonic flows in an axial flow compressor  
p 145 A86-18529
- Computation of unsteady transonic flows with an implicit numerical method for solving the Euler equations  
p 145 A86-18686
- Unsteady transonics of a wing with tip store  
[AIAA PAPER 86-0010] p 198 A86-19633
- Numerical modeling of rotor flows with a conservative form of the full-potential equations  
[AIAA PAPER 86-0079] p 198 A86-19676
- Steady and unsteady full potential calculation for large and small aspect ratio supercritical wings  
[AIAA PAPER 86-0122] p 199 A86-19702

Evaluation of methods for predicting complex aircraft flowfields

- [AIAA PAPER 86-0396] p 201 A86-19855
- Practical applications of new LU-ADI scheme for the three-dimensional Navier-Stokes computation of transonic viscous flows  
[AIAA PAPER 86-0513] p 203 A86-19922
- Numerical simulation of the transonic flowfield for wing/nacelle configurations  
p 204 A86-20159
- Geometry generation for transonic design  
p 221 A86-20932
- Shock modelling in transonic and supersonic flow  
p 204 A86-20946
- A transonic rectangular grid embedded panel method  
p 204 A86-20953
- Transonic blade to blade calculations in an axial, radial or mixed flow cascade equipped with splitter blades  
[ASME PAPER 85-GT-86] p 205 A86-22057
- Calculation of external and internal transonic flow field of a three-dimensional shielded S-shaped inlet  
p 205 A86-22303
- Numerical simulation of transonic separated flows over low-aspect ratio wings  
[AIAA PAPER 86-0508] p 206 A86-22704
- Development of numerical methods of external high-speed aerodynamics  
p 271 A86-23777
- A viscous-inviscid interaction model for transonic unsteady flow  
[ONERA, TP NO. 1985-152] p 272 A86-24630
- Research on sonic inlet  
p 331 A86-25217
- An engineering approach to the inverse transonic wing design problem  
p 336 A86-26409
- Reconstruction of a three-dimensional, transonic rotor flow field from holographic interferogram data  
[AIAA PAPER 85-0370] p 337 A86-27669
- Numerical optimization design of advanced transonic wing configurations  
p 356 A86-28562
- Steady and unsteady transonic pressure distributions on NACA 0012  
p 337 A86-28565
- Transonic flow calculations for aircraft  
p 338 A86-29474
- A method for computer aided design of transonic turbine cascade  
p 409 A86-30734
- Unsteady transonic flow calculations for two-dimensional canard-wing configurations  
p 410 A86-32780
- Comparative study between two Navier-Stokes algorithms for transonic airfoils  
p 411 A86-32966
- The passive control of the shock waves on transonic airfoils  
p 411 A86-32990
- Calculation of transonic steady and oscillatory pressures on a low aspect ratio model and comparison with experiment  
p 412 A86-33227
- Transonic Equivalent Strip method for aeroelastic applications  
p 412 A86-33228
- Calculation of 3-d unsteady transonic potential flows by a field panel method  
p 412 A86-33229
- Application of transonic unsteady methods for calculation of flutter airloads  
p 412 A86-33230
- Exact closed-form solutions for nonlinear unsteady transonic aerodynamics  
p 412 A86-33231
- Recent transonic unsteady pressure measurements at the NASA Langley Research Center  
p 412 A86-33232
- Experimental transonic pressure distributions of a flexible wing-airfoil model and comparisons with results of several theoretical methods  
p 432 A86-33239
- Selected topics in experimental aeroelasticity at the NASA Langley Research Center  
p 433 A86-33243
- Steady transonic flow  
p 413 A86-33408
- Numerical modeling of transonic flows over airfoils and cascades  
p 414 A86-33409
- Intrablade velocity mapping in transonic fan passages of gas turbine  
p 474 A86-34411
- A comparison of solutions of the complete potential equation and the Euler equations for the transonic flow around the DFVLR-F4-wing  
[DGLR PAPER 85-121] p 475 A86-35171
- Analytical tools for systematic transonic design  
p 477 A86-36201
- Inverse method with geometric constraints for transonic aerofoil design  
p 477 A86-36202
- Application of elliptic continuation method for transonic aerofoil design and experimental verification  
p 477 A86-36206
- Investigations of transonic trailing edge flows  
p 541 A86-37192
- Calculation of helicopter airfoil characteristics for high tip-speed applications  
p 541 A86-37769
- Unsteady transonic flows past airfoils using the Euler equations  
[AIAA PAPER 86-1764] p 541 A86-37802
- A two-dimensional transonic aerodynamic design method  
[AIAA PAPER 86-1793] p 543 A86-37823

A spectral hodograph method for shockless transonic two-dimensional flow

- [AIAA PAPER 86-1796] p 543 A86-37824
- Counterflow sonic nosejet into a supersonic stream  
[AIAA PAPER 86-1808] p 544 A86-37830
- Block-structured solution of Euler equations for transonic flows  
[AIAA PAPER 86-1080] p 549 A86-38443
- Transonic flow solutions on a blunt, finned body of revolution using the Euler equations  
[AIAA PAPER 86-1082] p 549 A86-38445
- Transonic potential flow calculations by two artificial density methods  
[AIAA PAPER 86-1084] p 549 A86-38446
- Numerical simulation of tip vortices of wings in subsonic and transonic flows  
[AIAA PAPER 86-1095] p 550 A86-38456
- Unsteady transonic flow calculations for wing-fuselage configurations  
[AIAA PAPER 86-0862] p 552 A86-38897
- A computational transonic flutter boundary tracking procedure  
[AIAA PAPER 86-0902] p 553 A86-38913
- Computation of transonic flow about helicopter rotor blades  
p 554 A86-39053
- Viscous effects on transonic airfoil stability and response  
p 623 A86-40110
- Aerodynamic investigations toward an adaptive airfoil for a transonic transport aircraft  
p 623 A86-40115
- Unsteady transonic flow calculations for interfering lifting surface configurations  
p 623 A86-40118
- A forward-swept-wing fighter configuration designed by a transonic computational method  
p 639 A86-41696
- Computation of two-dimensional transonic cascade flow using a new Navier-Stokes solver  
[AIAA PAPER 86-1381] p 624 A86-42605
- Some problems in the finite-difference computation of three-dimensional transonic flows  
p 687 A86-43501
- The reverse-flow theorem for transonic flow  
p 688 A86-44802
- Far-field boundary conditions for transonic lifting solutions to the Euler equations  
p 689 A86-44855
- Role of shocks in transonic/supersonic compressor rotor flutter  
p 720 A86-44872
- Transonic aeroelastic analysis of the B-1 wing  
[AIAA PAPER 85-0690] p 708 A86-44886
- Computation of rotor blade flows using the Euler equations  
p 689 A86-44891
- 10 years of rotor flows studies at ONERA - State of the art and future studies  
[ONERA, TP NO. 1986-49] p 692 A86-46185
- Numerical calculations of inviscid transonic flows over wings  
p 692 A86-46415
- The effect of a downstream rotor on the measured performance of a transonic turbine nozzle  
[ASME PAPER 86-GT-103] p 814 A86-48166
- Development of an experimental correlation for transonic turbine flow  
[ASME PAPER 86-GT-108] p 765 A86-48170
- Numerical solution of transonic stream function equation on S1 stream surface in cascade  
[ASME PAPER 86-GT-110] p 765 A86-48172
- A theoretical solution of three-dimensional flows in subsonic, transonic and supersonic turbomachines - An exact solution and its numerical method  
[ASME PAPER 86-GT-111] p 765 A86-48173
- A method for transonic inverse cascade design with a stream function equation  
[ASME PAPER 86-GT-189] p 766 A86-48239
- Measurement of the pressure coefficient at a square wing in transonic-supersonic flows and comparison with theoretical results — German thesis  
p 767 A86-48568
- Acceleration of the convergence of methods for calculating two- and three-dimensional transonic flow past bodies in an unbounded stream  
p 769 A86-48809
- Transonic flow past the root section of a wing with sweepback and sweepforward  
p 769 A86-48817
- Wave drag of a supersonic air intake at high subsonic velocities  
p 770 A86-48834
- Transonic computations about complex configurations using coupled inner and outer flow equations  
p 771 A86-49008
- Application of the TranAir full-potential code to complete configurations  
p 772 A86-49009
- Finite-volume and integral-equation techniques for transonic and supersonic vortex-dominated flows  
p 774 A86-49045
- Turbulent transonic flow for NACA 0012/RAE 2822 airfoils under Baldwin-Lomax model  
p 776 A86-49245
- Prediction of gust loadings and alleviation at transonic speeds  
[AIAA PAPER 86-0997] p 777 A86-49573
- Three-dimensional transonic flow computations on simple skewed grids  
[AIAA PAPER 86-1794] p 778 A86-49581



- Transonic wave drag estimation and optimization using the nonlinear area rule  
[AIAA PAPER 86-1798] p 778 A86-49582
- Calculation of 2-D unsteady transonic full potential flow about oscillating airfoils by two complementary approaches  
[AIAA PAPER 86-1821] p 778 A86-49586
- Navier-Stokes simulation of transonic flow over wing-fuselage combinations  
[AIAA PAPER 86-1831] p 779 A86-49589
- Transonic airfoil calculations including wind tunnel wall-interference effects  
p 780 A86-49825
- GRUMFOIL: A computer code for the viscous transonic flow over airfoils  
[NASA-CR-3806] p 86 N86-12202
- Some recent advances in computational aerodynamics for helicopter applications  
[NASA-TM-86777] p 87 N86-12207
- An improved viscid/inviscid interaction procedure for transonic flow over airfoils  
[NASA-CR-3805] p 87 N86-12208
- Introduction to cryogenic wind tunnels  
[NASA-CR-177966] p 113 N86-12238
- A direct-inverse method for transonic and separated flows about airfoils  
[NASA-CR-176403] p 89 N86-13300
- Acta aeronautica et astronautica sinica (selected articles)  
[AD-A158454] p 135 N86-14216
- Theoretical and experimental flow fields for a supersonic cruise fighter forebody  
[NASA-TM-86450] p 146 N86-14218
- Three-dimensional, transonic rotor flow field reconstructed from holographic interferogram data  
[NASA-TM-86816] p 188 N86-14555
- A consistent spatial differencing scheme for the transonic full-potential equation in three dimensions  
[NASA-TM-86716] p 152 N86-15246
- Separated transonic airfoil flow calculations with a nonequilibrium turbulence model  
[NASA-TM-86830] p 152 N86-15247
- Investigation of a supersonic cruise fighter model flow field  
[NASA-TM-86361] p 152 N86-15248
- Early transonic ideas in the light of later developments  
[AD-A159101] p 153 N86-15250
- Objectives and scope of the Working Group 07  
p 153 N86-15257
- Exact solutions to transonic and supersonic flows  
p 154 N86-15260
- Validation of viscous and inviscid computational methods for turbomachinery components  
[NASA-TM-87193] p 207 N86-16194
- Implicit finite-difference methods for the calculation of unsteady transonic potential flow around two-dimensional airfoils: A discussion  
[NLR-MP-83063-U] p 208 N86-16202
- Application of time-linearized methods of oscillating wings in transonic flow and flutter  
[NLR-MP-84077-U] p 208 N86-16204
- Calculations of transonic flows around single and multielement airfoils on a small computer  
[REPT-84-48] p 208 N86-16205
- Transonic internal flow about an airfoil oscillating in pitch: Comparisons between computation and experiment  
p 209 N86-17278
- Numerical analysis for steady transonic flows past an airfoil using AF scheme  
p 209 N86-17289
- Numerical analysis of transonic flow around two-dimensional airfoil by solving Navier-Stokes equations  
p 210 N86-17292
- Analysis of high Reynolds number transonic flow around an airfoil  
p 210 N86-17293
- Validation and comparison with experiment of a high Reynolds number transonic flow airfoil analysis code NSFOIL  
p 210 N86-17294
- The comparison of the transonic airfoil calculation by NSFOIL with the wind tunnel test data at high Reynolds number  
p 210 N86-17295
- A numerical solution of the transonic integral equation and its application to three-dimensional transonic wing design  
p 226 N86-17298
- A wing design based on the three-dimensional transonic inverse method and the comparison with the wind tunnel testing data  
p 226 N86-17299
- The analysis of practical transonic swept wings with and without boundary layer effects  
p 211 N86-17300
- Calculation of helicopter airfoil characteristics for high tip-speed applications  
[AD-A160694] p 277 N86-18294
- On the separated flow over a delta wing at high subsonic and transonic speeds  
[VTH-M-527] p 279 N86-19293
- Transonic unsteady aerodynamics and its aeroelastic applications  
[AGARD-CP-374-ADD-1] p 279 N86-19299
- Aerodynamics of two-dimensional blade-vortex interaction  
[AD-A160662] p 295 N86-19315
- The application to airfoils of a technique for reducing office-induced pressure error at high Reynolds numbers  
[NASA-TP-2537] p 339 N86-20351
- A preliminary note on the development of a three dimensional potential code in Cartesian Coordinates  
[NAL-TM-AE-8504] p 399 N86-21233
- A viscous-inviscid interaction method to predict the aerodynamic performance of airfoils at transonic speed  
[NAL-TR-873] p 341 N86-21508
- Flow prediction for propfan engine installation effects on transport aircraft at transonic speeds  
[NASA-CR-3954] p 414 N86-22550
- A zonal approach to the design of finite element grids for 3-D transonic flows with complex geometries  
[AD-A162168] p 417 N86-23572
- Coupling linearized far-field boundary conditions with nonlinear near-field solutions in transonic flow  
[AD-A162334] p 417 N86-23573
- Three-dimensional flow in compressors and channels  
[AD-A161858] p 460 N86-23873
- Unsteady transonic flow calculations for wing-fuselage configurations  
[NASA-TM-87707] p 478 N86-24657
- Transonic airfoil analysis and design in nonuniform flow  
[NASA-CR-3991] p 480 N86-25328
- Normal force characteristics of sharp nosed bodies of revolution at high angles of attack in subsonic and transonic flow  
p 527 N86-25555
- Computation of 3-dimensional viscous transonic flows using the LU-ADI factored scheme  
[NAL-TR-889T] p 555 N86-27184
- Aircraft drag prediction and reduction. Addendum 1: Computational drag analyses and minimization; mission impossible?  
[AGARD-R-723-ADD-1] p 556 N86-27187
- Leading-edge vortex research: Some nonplanar concepts and current challenges  
p 556 N86-27192
- In-flight and wind tunnel leading-edge vortex study on the F-106B airplane  
p 557 N86-27198
- Review of SMP 1984 Symposium on Transonic Unsteady Aerodynamics and its Aeroelastic Applications  
p 561 N86-27236
- Transonic aerodynamic and aeroelastic characteristics of a variable sweep wing  
p 561 N86-27237
- Wind tunnel and flight test analysis and evaluation of the buffet phenomena for the alpha jet transonic wing  
p 561 N86-27239
- New dynamic testing techniques and related results at FFA  
p 562 N86-27244
- Standard dynamics model experiments with the DFVLR/AVA transonic derivative balance  
p 562 N86-27245
- Unsteady interactions of transonic airfoils with gusts and concentrated vortices  
p 565 N86-27261
- Verification and aerodynamic calibration of the tunnel 16T Captive Trajectory Support (CTS) system  
[AD-A165235] p 599 N86-27295
- Design of transonic airfoils with given pressure, subject to geometric constraints  
[NLR-TR-84064-U] p 633 N86-28928
- Multivariable control of a forward swept wing aircraft  
[NASA-CR-177112] p 654 N86-28953
- Shock-wave boundary layer interactions  
[AGARD-AG-280] p 676 N86-29173
- Transonic Navier-Stokes wing solution using a zonal approach. Part 1: Solution methodology and code validation  
[NASA-TM-88248-PT-1] p 692 N86-29765
- Influence of the angle of attack and flutter on the lift of a supercritical wing. Comparison between theory and experiment  
[ONERA-RT-24/3064-RY-044-R] p 695 N86-29786
- Transonic equivalent strip method for aeroelastic applications  
p 695 N86-30628
- Calculation of three-dimensional transonic potential flows by a field panel method --- oscillating wings  
p 695 N86-30629
- Application of transonic unsteady methods for calculation of flutter airloads  
p 727 N86-30630
- Exact closed-form solutions for nonlinear unsteady transonic aerodynamics  
p 695 N86-30631
- Steady and unsteady pressure distribution on various profiles in separated subsonic and transonic flow  
p 695 N86-30632
- A review of aeroelastic research at the Flight Dynamics Laboratory  
p 727 N86-30642
- The method of complex characteristics for design of transonic blade sections  
[NASA-CR-176978] p 696 N86-30691
- Numerical studies of porous airfoils in transonic flow  
[NASA-CR-179655] p 697 N86-30696
- ATRAN3S: An unsteady transonic code for clean wings  
[NASA-TM-86783] p 781 N86-31535
- Computations of separated subsonic and transonic flow about airfoils in unsteady motion  
[NLR-MP-84094-U] p 782 N86-31541
- Transonic Navier-Stokes wing solutions using a zonal approach. Part 2: High angle-of-attack simulation  
[NASA-TM-88248-PT-2] p 782 N86-32392
- Microphone probe tests in the S3CH wind tunnel for transonic propeller measurements in S1MA  
[ONERA-RT-19/3463-AYP] p 841 N86-32451
- TRANSONIC FLUTTER**
- Application of NLR's calculation methods to transonic flow about oscillating wings  
p 143 A86-17778
- Transonic Equivalent Strip method for aeroelastic applications  
p 412 A86-33228
- Selected topics in experimental aeroelasticity at the NASA Langley Research Center  
p 433 A86-33243
- Subsonic/transonic stall flutter investigation of an advanced low pressure compressor  
[ASME PAPER 86-GT-90] p 813 A86-48156
- Applications of potential theory computations to transonic aeroelasticity  
p 775 A86-49105
- Transonic internal flow about an airfoil oscillating in pitch: Comparisons between computation and experiment  
p 209 N86-17278
- Transonic unsteady aerodynamics and its aeroelastic applications  
[AGARD-CP-374-ADD-1] p 279 N86-19299
- Extension of a transonic three-dimensional unsteady small perturbation computing method  
[ONERA-RTS-23/3064-RY-048-R] p 633 N86-28927
- Transonic equivalent strip method for aeroelastic applications  
p 695 N86-30628
- Flight test of passive wing/store flutter suppression  
[NASA-TM-87766] p 806 N86-31568
- TRANSONIC SPEED**
- Development of a temperature-compensated hot-film anemometer system for boundary-layer transition detection on high-performance aircraft  
p 605 A86-38236
- Transonic aeroelasticity of wings with tip stores  
[AIAA PAPER 86-1007] p 553 A86-38948
- Calculation of transonic rotor noise using a frequency domain formulation  
[AIAA PAPER 86-1901] p 750 A86-45402
- A tomographic technique for aerodynamics at transonic speeds  
[NASA-TM-86766] p 89 N86-13297
- Transonic drag rise and drag reduction by active/passive boundary layer control  
p 156 N86-15275
- A viscous-inviscid interaction method to predict the aerodynamic performance of airfoils at transonic speed  
[NAL-TR-873] p 341 N86-21508
- Effects of upper-surface nacelles on longitudinal aerodynamic characteristics of high-wing transport configuration  
[NASA-TP-2579] p 416 N86-23562
- Geometric and structural properties of a rectangular supercritical wing oscillated in pitch for measurement of unsteady transonic pressure distributions  
[NASA-TM-85673] p 416 N86-23567
- Cryogenic wind tunnels: Problems of continuous operation at low temperatures  
[NASA-TM-88446] p 656 N86-28099
- TRANSONIC WIND TUNNELS**
- Using suction for increasing Mach numbers in a perforated test section with a subsonic nozzle --- of wind tunnel  
p 112 A86-13405
- A review of adaptive wall wind tunnels  
p 179 A86-17067
- Aircrew escape system models used in wind tunnel tests  
p 217 A86-19316
- An estimation of the wall interference on a two-dimensional circulation control airfoil  
[AIAA PAPER 86-0738] p 273 A86-24732
- Future requirements of wind tunnels for aeronautical systems development  
[AIAA PAPER 86-0751] p 309 A86-24740
- Cryogenic tunnel measurement of total temperature and pressure  
p 387 A86-28570
- The development and calibration of an acoustic wall transonic test section  
[AIAA PAPER 86-0759] p 514 A86-37090
- National transonic facility Mach number system  
p 597 A86-38076
- Instrumentation and testing techniques in the T2 transonic cryogenic wind tunnel at the ONERA/CERT  
p 597 A86-38228
- Comparison of hot-wire measurement techniques in a Mach 3 pilot quiet tunnel  
p 605 A86-38235
- Application of optical interferometry in compressible flows  
p 546 A86-38258

- Development of an impulsive noise source to study the acoustic reflection characteristics of hard-walled wind tunnels [AIAA PAPER 86-1887] p 755 A86-45500
- Acoustic reflection contamination measurements in the 16-foot NASA Langley Transonic Wind Tunnel [AIAA PAPER 86-1888] p 755 A86-45501
- Advances at AEDC in treating transonic wind tunnel wall interference p 839 A86-49058
- Numerical design parameter study for slotted walls in transonic wind tunnels p 839 A86-49059
- The status of two-dimensional testing at high transonic speeds in the University of Southampton transonic self-streamlining wind tunnel [NASA-CR-3919] p 86 N86-12203
- Derivation of jack movement influence coefficients as a basis for selecting wall contours giving reduced levels of interference in flexible walled test sections [NASA-CR-177992] p 86 N86-12204
- An airfoil flutter model suspension system to accommodate large static transonic airloads [NASA-CR-177998] p 146 N86-14220
- Magnetic suspension and balance system advanced study [NASA-CR-3937] p 180 N86-14278
- Early transonic ideas in the light of later developments [AD-A159101] p 153 N86-15250
- Aerodynamic characteristics of a high-wing transport configuration with a over-the-wing nacelle-pylon arrangement [NASA-TP-2497] p 207 N86-16193
- Transonic wind tunnel tests of a swept supercritical wing-body model, PT 8 [FFA-TN-1982-24] p 211 N86-17316
- Recent improvements to the NAE 5 ft x 5 ft blowdown wind tunnel [AD-A162034] p 449 N86-23608
- Tables for correcting airfoil data obtained in the Langley 0.3-meter transonic cryogenic tunnel for sidewall boundary-layer effects [NASA-TM-87723] p 555 N86-26289
- Divergence study of a high-aspect ratio, forward-swept wing [NASA-TM-87882] p 588 N86-27279
- Transonic and supersonic wind tunnel tests on schematic missile configurations with two different nose lengths [FFA-TN-1984-62] p 630 N86-28066
- Improvement in the quality of flow visualization in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TM-87730] p 675 N86-28369
- Experimental analyses of trailing edge flows [NASA-CR-178904] p 632 N86-28921
- Evaluation of a quartz bourdon pressure gage of wind tunnel Mach number control system application [NASA-TM-88991] p 677 N86-29198
- Correlation of transonic-cone preston-tube data and skin friction [NASA-CR-178902] p 683 N86-29771
- Design and fabrication of large suction panels with perforated surfaces for laminar flow control testing in a transonic wind tunnel [NASA-TM-89011] p 715 N86-29815
- Cryogenic wind tunnels for high Reynolds number testing [NASA-TM-87743] p 731 N86-29872
- Design of a basic profile for a slightly swept wing. Part 2: Experimental investigation on the airfoil DFVLR-W1 in the Brunswick Transonic Wind Tunnel (TWB) [ESA-TT-916-PT-2] p 782 N86-31542
- TRANSPARENCE**
- Optically transparent silicone elastomers p 244 A86-21710
- New transparent solid material for helicopter windshields [SNPE-NT-37/85/CRB/NP] p 641 N86-28941
- Process for preparing essentially colorless polyimide film containing phenoxy-linked diamines [NASA-CASE-LAR-13353-1] p 666 N86-29039
- TRANSPONDERS**
- Performance characteristics of transponder-aided versus GPS-aided inertial navigation systems [AIAA PAPER 86-9817] p 422 A86-32142
- Video processor for air traffic control beacon system [NASA-CASE-KSC-11155-1] p 283 N86-19304
- A comparison of the effects of two traffic alert and collision avoidance systems (TCAS 3 and TCAS 2) on the performance of the Air Traffic Control Radar Beacon System [DOT/FAA/PM-86/8] p 636 N86-28930
- TRANSPORT AIRCRAFT**
- The influence of advanced propulsion on short- to medium-range transport design p 95 A86-13284
- Douglas plans continuing upgrades to maintain MD-80 competitiveness p 98 A86-15999
- Helicopter cockpit avionics development or the advanced transport and next generation aircraft p 171 A86-18461
- Turbofan engines for commercial aircraft p 173 A86-18725
- Natural selection in transport aircraft propulsion p 174 A86-19278
- Designing an airlifter - McDonnell Douglas's C-17 p 224 A86-21897
- Problems in rudder design for small transport aircraft p 306 A86-23781
- The laminar wing - A way for improving the economy of commercial aircraft p 274 A86-25022
- Reliability and structural inspection program for transport aeroplanes p 269 A86-25176
- Affordable safety p 269 A86-25850
- An integrated flight control system for a STOL transport aircraft p 367 A86-28384
- Measurements of the response of transport aircraft ceiling panels to fuel fires p 343 A86-28564
- Transonic flow calculations for aircraft p 338 A86-29474
- The 7J7 - Boeing's answer to the Airbus A320 p 426 A86-31039
- Single heading climbs - An alternate technique for determining performance - in jet transport flight tests [AIAA PAPER 86-9757] p 429 A86-32098
- Acoustical design economic tradeoff for transport aircraft p 468 A86-32783
- Windtunnel test and laboratory simulation of a load alleviation system for a modern transport aircraft p 445 A86-33252
- An application of self-tuning regulator to GLA system of an aircraft - Gust Load Alleviation p 508 A86-34926
- From wind tunnel to large aircraft [DGLR PAPER 85-088] p 487 A86-35151
- Determination of wing deformation in wind tunnel models using stress measurement section technology [DGLR PAPER 85-091] p 474 A86-35154
- Wing aspect ratio optimization problems for transport turbojet airplanes [SAWE PAPER 1680] p 488 A86-35208
- Estimation of transport airplane aerodynamics using multiple stepwise regression p 489 A86-35385
- Advanced concepts transport aircraft of 1995 [SAE PAPER 851808] p 490 A86-35438
- Twin-engine transport extended range operations [SAE PAPER 851960] p 482 A86-35456
- The effect of the admissible centering misalignment of a transport aircraft on its mass p 495 A86-35981
- Crash response data system for the controlled impact demonstration (CID) of a full-scale transport aircraft p 500 A86-37045
- Prospects for destructive self-induced interactions in a vortex pair due to sinusoidal disturbances - of large transport aircraft wakes [AIAA PAPER 86-1791] p 543 A86-37821
- PAN AIR analysis of a transport high-lift configuration [AIAA PAPER 86-1811] p 544 A86-37832
- NASA experiments onboard the controlled impact demonstration [SAE PAPER 851885] p 568 A86-38352
- Antimisting fuel technology for transport category aircraft [SAE PAPER 851886] p 568 A86-38353
- FAA structural crash dynamics program update - Transport category aircraft [SAE PAPER 851887] p 568 A86-38354
- Transport aircraft crashworthiness requirements - An industry view [SAE PAPER 851888] p 580 A86-38355
- Structural analysis of the controlled impact demonstration of a jet transport airplane [AIAA PAPER 86-0939] p 583 A86-38836
- Aerodynamic investigations toward an adaptive airfoil for a transonic transport aircraft p 623 A86-40115
- Which transport technologies will fly? p 621 A86-41037
- Counter-rotation prop-fan optimization [AIAA PAPER 86-1470] p 645 A86-42659
- Evaluation of propeller/nacelle interactions in the PTA program [AIAA PAPER 86-1552] p 626 A86-42709
- Influence of structural changes on the fuel-consumption efficiency of a transport aircraft p 638 A86-43380
- Continuing structural integrity program for transport aircraft p 736 A86-43789
- Maintenance system by means of damage tolerance principle p 736 A86-43791
- Residual strength characterization of jet transport structures p 707 A86-43795
- Lightning-induced transient test on a transport aircraft p 791 A86-47327
- Thirty years with the jets: Commercial transport flight management systems - Past, present, and future [AIAA PAPER 86-2289] p 821 A86-47402
- Digitalization of avionics in today's and tomorrow's aircraft and implications on aircraft maintenance p 780 A86-47809
- Use of flight simulation to develop terminal instrument procedures for transport category aircraft [AIAA PAPER 86-2072] p 837 A86-47662
- A study of aircraft cruise [AIAA PAPER 86-2286] p 792 A86-47704
- A new look at inflight loads on existing transport aircraft p 796 A86-47794
- The GTPC36-300 - A gas turbine auxiliary power unit for advanced technology transport aircraft [ASME PAPER 86-GT-285] p 816 A86-48302
- Thick supercritical airfoils with low drag and NLF capability p 771 A86-48981
- Investigations on high Reynolds number laminar flow airfoils p 771 A86-48983
- Influence of EFCS-control laws on structural design of modern transport aircraft p 800 A86-48984
- Avionics fault data acquisition - A concept for civil transport aircraft p 810 A86-49051
- Structural dynamics research in a full-scale transport aircraft crash test p 785 A86-49053
- A study of the structural integrity of the Canadair Challenger at ditching p 785 A86-49054
- Analysis of wind tunnel corrections for half-model tests of a transport aircraft using a doublet panel method p 839 A86-49060
- Application of strain gauge methods to determination of in-flight loads of structure groups of small transport aircraft p 811 A86-49149
- Navier-Stokes simulation of transonic flow over wing-fuselage combinations [AIAA PAPER 86-1831] p 779 A86-49589
- Laminar flow research applicable to subsonic aircraft p 781 A86-50269
- An analysis of the application of AI to the development of intelligent aids for flight crew tasks [NASA-CR-3944] p 90 N86-12212
- Abrasion behavior of aluminum and composite skin coupons, stiffened skins and stiffened panels representative of transport airplane structures [NASA-TP-2520] p 100 N86-13316
- Aircraft of the future [NASA-TM-77952] p 100 N86-13318
- Alerted monitors: Human operators aided by automated detectors [PB85-222750] p 126 N86-13906
- Design considerations for application of laminar flow control systems to transport aircraft p 155 N86-15270
- Prediction of wing aeroelastic effects on aircraft lift and pitching moment characteristics [NASA-TM-87631] p 178 N86-15319
- French program CHARME develops propfan aircraft p 169 N86-15450
- Adapter pallet system [AD-D011858] p 191 N86-15671
- Aerodynamic characteristics of a high-wing transport configuration with a over-the-wing nacelle-pylon arrangement [NASA-TP-2497] p 207 N86-16193
- The test loads sequences applied to the CT4 full scale fatigue test [AD-A160736] p 294 N86-18320
- Effect of underwing aft-mounted nacelles on the longitudinal aerodynamic characteristics of a high-wing transport airplane [NASA-TP-2447] p 339 N86-20345
- Installation effects of long-duct pylon-mounted nacelles on a twin-jet transport model with swept supercritical wing [NASA-TP-2457] p 339 N86-20346
- Galley and overhead compartment experiment results: Full-scale transport controlled impact demonstration [DOT/FAA/CT-85/33] p 343 N86-20378
- Strength of graphite/epoxy bolted wing-skin splice specimens subjected to outdoor exposure under constant load and yearly fatigue loading [NASA-TP-2542] p 378 N86-20506
- Aircraft interior panel test criteria derived from full-scale fire tests [AD-A161637] p 345 N86-21529
- CID overview p 390 N86-21934
- NASA experiments on the B-720 structure and seats p 390 N86-21936
- NASA seat experiment and occupant responses p 390 N86-21939
- Structural loads preliminary results p 391 N86-21940
- Digital filtering and acceleration pulse interpretation p 400 N86-21941
- Preliminary floor, seat, and dummy data p 391 N86-21942

- Controlled impact demonstration airframe bending bridges p 391 N86-21943
- Controlled impact demonstration flight data recorders/cockpit voice recorders p 391 N86-21944
- United States Navy - Canadian forces solid state flight data recorder/crash position locator experiment on the B-720 controlled impact demonstration p 391 N86-21945
- Controlled impact demonstration on-board (interior) photographic system p 392 N86-21946
- CID-720 aircraft high-environment flight instrumentation system p 392 N86-21947
- Impact dynamics instrumentation p 392 N86-21948
- CID-720 aircraft Langley Research Center preflight hardware tests: Development, flight acceptance and qualification p 392 N86-21949
- Flow prediction for propfan engine installation effects on transport aircraft at transonic speeds [NASA-CR-3954] p 414 N86-22550
- The Australian implementation of AMDAR/ACARS and the use of derived equivalent gust velocity as a turbulence indicator [AR-004-51] p 420 N86-22560
- A methodology for airplane parameter estimation and confidence interval determination in nonlinear estimation problems [NASA-RP-1153] p 445 N86-22579
- Low-speed stability and control characteristics of a transport model with aft-fuselage-mounted advanced turboprops [NASA-TP-2535] p 445 N86-22580
- Effects of upper-surface nacelles on longitudinal aerodynamic characteristics of high-wing transport configuration [NASA-TP-2579] p 416 N86-23562
- Preliminary hazard analysis for self-contained navigation system [AD-A161883] p 425 N86-23582
- In-flight measurements of wing ice shapes and wing section drag increases caused by natural icing conditions [NASA-TM-87301] p 479 N86-24667
- Wind tunnel technology for the development of future commercial aircraft [NASA-TM-88390] p 514 N86-24710
- KRASH dynamics analysis modeling: Transport airplane controlled impact demonstration test [DOT/FAA/CT-85/9-REV] p 483 N86-25331
- AN-124 airplane's cargo-handling and automation equipment p 527 N86-25600
- The C-17: An attempt at increased airlift versatility [AD-A164822] p 540 N86-26280
- Flight test guide for certification of transport category airplanes [FAA-AC-25-7] p 587 N86-26329
- Evaluation of 3 numerical methods for propulsion integration studies on transonic transport configurations [NASA-TM-87727] p 559 N86-27209
- Identification of aircraft characteristics including gust induced dynamic effects p 565 N86-27263
- KRASH85 user's guide: Input/output format [DOT/FAA/CT-85/10-REV] p 618 N86-27926
- Flight simulation motion-base drive algorithms. Part 2: Selecting the system parameters [UTIAS-307] p 618 N86-27929
- An investigation of the feasibility of active boundary layer thickening for aircraft drag reduction [NASA-CR-177133] p 630 N86-28064
- Local flow management/profile descent algorithm. Fuel-efficient, time-controlled profiles for the NASA TSRV airplane [NASA-CR-172593] p 636 N86-28074
- Evaluation of laminar flow control systems concepts for subsonic commercial transport aircraft [NASA-CR-159251] p 639 N86-28077
- Task Force report on emergency evacuation of transport airplanes, volume 1 [DOT/FAA/VS-86/1.1] p 699 N86-29793
- Task force report on emergency evacuation of transport airplanes. Volume 2: Supporting documentation [FAA/VS-86/1.2] p 700 N86-29797
- Seat experiment results of full-scale transport aircraft controlled impact demonstration [DOT/FAA/CT-85/25] p 701 N86-30702
- Fire extinguishing agents for oxygen-enriched atmospheres [AD-A166967] p 743 N86-30890
- International Aviation (selected articles) [AD-A166298] p 763 N86-31528
- Aerodynamic design methods for modern transport aircraft [ESA-TT-923] p 782 N86-31543
- TRANSPORT THEORY**
- A transport model for flammability of premixed gases p 516 N86-36874
- Summary report on the working group for conference 1: Solutions of the Navier-Stokes equations p 147 N86-14226
- TRANSPORTATION**
- USSR report: Transportation [JPRS-UTR-85-014] p 270 N86-18284
- An electronic index of articles pertaining to Air Force transportation in the post-World War 2 era, with abstracts of selected articles [AD-A160837] p 281 N86-18308
- Transportation safety recommendations adopted during the month of December 1985 [PB85-916612] p 569 N86-26301
- TRANSPORTATION NETWORKS**
- Air traffic prediction and optimal control of air transportation system — Russian book p 90 N86-13452
- USSR report: Transportation [JPRS-UTR-86-004] p 435 N86-22565
- TRANSVERSE OSCILLATION**
- Calculation of the steady-state transverse vibrations of the system rotors-housing of a gas-turbine engine p 503 N86-36741
- TRAPPED VORTEXES**
- Trapping of a free vortex by airfoils with surface suction p 780 N86-49801
- TRENDS**
- Aircraft noise control: Prospects for the 21st century [PNR-90272] p 260 N86-16757
- Lines of evolution — automatic test equipment, military aircraft p 407 N86-22543
- TRIANGULATION**
- An optimisation method for reconstruction of flight path trajectories from non-synchronous time-sampled observations by two cine cameras [ARL-SYS-R-34] p 167 N86-15279
- TRIBOLOGY**
- Using wear products for assessing and predicting the condition of aircraft jet engines p 316 N86-23759
- High-temperature lubrication systems for ring/liner applications in advanced heat engines [AD-A164955] p 604 N86-26446
- Aircraft and Bearing Tribological Systems [AGARD-CP-394] p 677 N86-29236
- Tribology in aircraft systems: Basic principles and applications p 677 N86-29240
- Aircraft engine oils and their behaviour at high temperatures p 667 N86-29251
- TRITIUM**
- Multistage metal hydride compressor [DE86-001965] p 604 N86-27465
- TRUCKS**
- An electronic index of articles pertaining to Air Force transportation in the post-World War 2 era, with abstracts of selected articles [AD-A160837] p 281 N86-18308
- TRUNCATION ERRORS**
- Numerical calculation of leading-edge vortices on a flat delta wing p 148 N86-14232
- Development of multigrid algorithms for problems from fluid dynamics p 187 N86-14244
- Shock design for refined recalculations p 150 N86-14247
- TUNERS**
- Splitter blades as an aeroelastic detuning mechanism for unstalled supersonic flutter of turbomachine rotors [ASME PAPER 86-GT-99] p 813 N86-48164
- TUPOLEV AIRCRAFT**
- Tupolev bureau developing TU-204 passenger jet: Tupolev on features p 435 N86-22568
- TURBINE BLADES**
- Protecting gas turbine components - The relative durability of a conventional and a platinum-modified aluminide coating p 114 N86-13005
- Local heat-transfer measurements on a large scale-model turbine blade airfoil using a composite of a heater element and liquid crystals [ASME PAPER 85-GT-59] p 117 N86-13061
- Secondary flows and losses downstream of a turbine cascade [ASME PAPER 85-GT-64] p 77 N86-13062
- Performance evaluation of linear turbine cascades using three-dimensional viscous flow calculations [ASME PAPER 85-G-65] p 77 N86-13063
- Effects of tip endwall contouring on the three-dimensional flow field in an annular turbine nozzle guide vane. I - Experimental investigation [ASME PAPER 85-GT-71] p 77 N86-13065
- Simulation of the effects of shock wave passing on a turbine rotor blade [ASME PAPER 85-GT-112] p 77 N86-13067
- The performance of composite structures p 121 N86-14680
- Precision casting at Rolls-Royce p 121 N86-14973
- Test of jet engine turbine blades by thermography p 106 N86-15410
- The effect of the curvature of the external contours of turbine blade profiles on their aerodynamic characteristics p 144 N86-18152
- Heat transfer measurements with film cooling on a turbine blade profile in cascade [ASME PAPER 85-GT-117] p 251 N86-22070
- Inverse design of coolant flow passage shapes with partially fixed internal geometries [ASME PAPER 85-GT-118] p 252 N86-22071
- Production and development of secondary flows and losses within a three dimensional turbine stator cascade [ASME PAPER 85-GT-217] p 205 N86-22115
- An eleven parameter axial turbine airfoil geometry model [ASME PAPER 85-GT-219] p 205 N86-22117
- Transition of advanced materials and structures - Single crystal blades p 252 N86-22143
- Measurement of turbine blade temperature using pyrometer [ASME PAPER 85-IGT-78] p 317 N86-23879
- The evolution of turbine blade materials p 373 N86-26330
- The effect of limiting aerodynamic and structural coupling in models of mistuned bladed disk vibration p 363 N86-26905
- The fretting fatigue behaviour of the titanium alloy Ti-6Al-4V p 376 N86-27370
- A unified method for evaluating the strength and reliability of the blades of the axial-flow compressors and gas turbines of aircraft engines p 364 N86-28317
- A method for computer aided design of transonic turbine cascade p 409 N86-30734
- Aerodynamic and structural detuning of supersonic turbomachine rotors p 440 N86-31595
- Na2SO4 induced corrosion of nickel at high temperature p 517 N86-37073
- Effect of particle characteristics on trajectories and blade impact patterns p 643 N86-40731
- Clearance effects on heat transfer at the tips of plain and grooved turbine airfoils p 644 N86-40737
- Influence of molybdenum, tungsten, and cobalt on the corrosion of high-temperature strength nickel alloys in molten salts p 663 N86-41988
- Turbine airfoil LCF life prediction verification [AIAA PAPER 86-1496] p 646 N86-42672
- Thermal stability of gas turbine blades with protective coatings p 673 N86-43410
- Mechanical design of gas turbine blading in cast superalloys p 721 N86-45819
- Development of an experimental correlation for transonic turbine flow [ASME PAPER 86-GT-108] p 785 N86-48170
- Aeroelastic behavior of low aspect ratio metal and composite blades [ASME PAPER 86-GT-243] p 846 N86-48271
- Single crystal superalloys for turbine blades in advanced aircraft engines [ONERA, TP NO. 1986-102] p 843 N86-49077
- Design method for the calculation of performances and flap movement of flexible wind turbine blades [VTH-M-453] p 323 N86-18795
- One-piece HPTR blade squealer tip [AD-D012003] p 504 N86-24698
- Structural tailoring of engine blades (STAEBL) user's manual [NASA-CR-175113] p 592 N86-27284
- National Transportation Safety Board safety recommendation [NTSB-4360/33] p 699 N86-29791
- Self-retained platform cooling plate for turbine vane [AD-D012218] p 721 N86-29822
- Pressure drop and heat transfer characteristics of circular and oblong low aspect ratio pin fins p 741 N86-29827
- Wake-passing in a turbine rotor cascade p 741 N86-29830
- A model for correlating flat plate film cooling effectiveness for rows of round holes p 741 N86-29840
- Effect of film cooling on the aerodynamic performance of a turbine cascade p 742 N86-29859
- Aerodynamic effect of coolant ejection in the rear part of transonic rotor blades p 742 N86-29861
- Theoretical flutter investigations on a plane cascade in incompressible flow — axial flow compressors and turbines p 727 N86-30635
- Application of unsteady wing collocation methods to cascades in subsonic flow p 696 N86-30636
- System design and integration of the large-scale advanced prop-fan [NASA-CR-174789] p 781 N86-31536
- TURBINE ENGINES**
- Cumulative-damage modeling of fatigue crack growth in turbine engine materials p 105 N86-13599

- Long term deposit formation in aviation turbine fuel at elevated temperature  
[AIAA PAPER 86-0525] p 243 A86-19929
- 3-D design of turbine airfoils  
[ASME PAPER 85-GT-188] p 236 A86-22101
- Method of spare parts - Digital simulation of aircraft turbine engine control system  
[ASME PAPER 85-IGT-52] p 301 A86-23858
- Optimal control change of state of aircraft turbine engine  
[ASME PAPER 85-IGT-53] p 301 A86-23859
- Vibration problems of jet engine rotor systems  
p 304 A86-25219
- Natural laminar flow flight experiments on a turbine engine nacelle fairing  
[AIAA PAPER 86-9756] p 429 A86-32097
- Application of FDI metrics to detection and isolation of sensor failures in turbine engines p 501 A86-35400
- The T800 turbine engine solicitation - A new thrust in streamlining the acquisition process  
[AIAA PAPER 86-1669] p 684 A86-42782
- Advanced turbine engine simulation technique development and applications to testing  
[AIAA PAPER 86-1731] p 649 A86-42818
- Superalloy component durability enhancements  
p 739 A86-46562
- Toward improved durability in advanced combustors and turbines - Progress in prediction of thermomechanical loads  
[ASME PAPER 86-GT-172] p 815 A86-48224
- Composition and photochemical reactivity of turbine engine exhaust  
[AD-A157643] p 107 N86-12230
- Preliminary design of a supersonic cruise aircraft high-pressure turbine  
[NASA-CR-174878] p 174 N86-14272
- Turbine fuels from tar sands bitumen and heavy oil. Phase 1: Preliminary process analysis  
[AD-A161300] p 452 N86-22724
- Evaluating turbine engine operating characteristics  
[FAA-AC-25-939-1] p 504 N86-24696
- A real-time simulation evaluation of an advanced detection. Isolation and accommodation algorithm for sensor failures in turbine engines  
[NASA-TM-87289] p 504 N86-24697
- Structural tailoring of engine blades (STAEBL) theoretical manual  
[NASA-CR-175112] p 592 N86-27283
- Uniform engine testing program phase 7: NASA Lewis Research Center second entry  
[NASA-TM-87272] p 650 N86-28085
- Variable area radial turbine fabrication and test program  
[NASA-CR-175091] p 651 N86-28947
- National Transportation Safety Board safety recommendation  
[NTSB-4380/33] p 699 N86-29791
- TURBINE EXHAUST NOZZLES**
- Plume characteristics of single-stream and dual-flow conventional and inverted-profile nozzles at equal thrust  
[AIAA PAPER 86-1809] p 778 A86-49585
- Plume characteristics of single-stream and dual-flow conventional and inverted-profile nozzles at equal thrust  
[NASA-TM-87323] p 554 N86-26285
- TURBINE INSTRUMENTS**
- Practical diagnostics of aircraft gas turbines - Russian book p 502 A86-35472
- TURBINE PUMPS**
- Passive eddy-current damping as a means of vibration control in cryogenic turbomachinery  
[NASA-TP-2562] p 515 N86-24722
- TURBINE WHEELS**
- Vibration problems of jet engine rotor systems  
p 304 A86-25219
- Short crack problems in gas turbine disks  
p 440 A86-30083
- Vibration characteristics of aircraft engine-bladed-disk assembly  
p 502 A86-35865
- Probability of detection of flaws in a gas turbine engine component using electric current perturbation  
p 689 A86-41574
- Comparison of methods for lifetime calculations of highly loaded aero-engine disks  
[ASME PAPER 86-GT-102] p 814 A86-48165
- A contribution to airworthiness certification of gas turbine disks  
p 849 A86-49136
- An analysis of rig test disc failures  
[PNR-90276] p 237 N86-16224
- Fracture mechanics and LCF-properties of engine discs of Ti 6Al-4V, Inconel 718 and Udimet 700 P/M-HIP  
p 507 N86-25378
- Evaluation of cyclic spin pit tests for the damage tolerance of disks  
p 507 N86-25379
- TURBISTAN: A standard load sequence for aircraft engine discs  
p 526 N86-25380
- An analysis of rig test disc failures  
p 527 N86-25381
- Dynamic analysis of structures with flexible rotors - aircraft engines  
p 722 N86-30664
- TURBINES**
- The design, performance and analysis of a high work capacity transonic turbine  
[ASME PAPER 85-GT-15] p 105 A86-13058
- Aerodynamic effects of wingtip-mounted propellers and turbines  
[AIAA PAPER 86-1802] p 544 A86-37826
- The effect of a downstream rotor on the measured performance of a transonic turbine nozzle  
[ASME PAPER 86-GT-103] p 814 A86-48166
- Advances in turbine technology  
p 817 A86-49079
- Improved temperature detection system for use on film cooled turbine airfoils  
[AD-D011762] p 107 N86-12228
- Extended parametric representation of compressor fans and turbines. Volume 2: Part user's manual (parametric turbine)  
[NASA-CR-174646] p 461 N86-23937
- Properties of aircraft fuels and related materials  
[AD-A164532] p 604 N86-27461
- TURBOCOMPRESSORS**
- Multistage compressor stator/rotor interaction  
p 85 A86-14556
- Unsteady transonic flows in an axial flow compressor  
p 145 A86-18529
- Stator row unsteady aerodynamics due to wake excitations  
p 273 A86-24703
- Excitation of blade vibration by flow induced acoustic resonances in axial-flow compressors  
p 303 A86-24712
- Experimental study of the effects on the turbofan engine by the distortion  
p 304 A86-25192
- A unified method for evaluating the strength and reliability of the blades of the axial-flow compressors and gas turbines of aircraft engines  
p 384 A86-28317
- Modelling an axial flow compressor in starting of a turbojet engine  
p 440 A86-30737
- Compressor erosion and performance deterioration  
p 643 A86-40727
- Prediction of fouled compressor performance using stage stacking techniques  
p 643 A86-40732
- Study of single stage axial flow compressor performance deterioration  
p 643 A86-40735
- Experimental and numerical study of the response of an axial compressor to distorted inlet flow  
[ONERA, TP NO. 1986-38] p 644 A86-40736
- Performance deterioration during rotating stall in axial compressors  
p 644 A86-40738
- Direct and system effects of water ingestion into jet engine compressors  
p 644 A86-40739
- Wake induced unsteady aerodynamic interactions in a multi-stage compressor  
[AIAA PAPER 86-1455] p 625 A86-42653
- Axial-flow fan stalling behavior with circumferential inlet sectoring  
[AIAA PAPER 86-1622] p 626 A86-42756
- Multi-stage compressor airfoil aerodynamics. I - Airfoil potential flow analysis  
[AIAA PAPER 86-1744] p 627 A86-42822
- Reverse flow in multistage axial compressors  
[AIAA PAPER 86-1747] p 627 A86-42825
- Calculation of the balancing efficiency of flexible rotors of compressor units on low-cycle balancing machines  
p 673 A86-43379
- The development of a model for the unstable operation of a turbocompressor and the design of a device to protect a gas turbine engine against stalling and surging  
p 650 A86-43390
- A method for the analytical determination of accelerated test schedules for compressor blades working in a corrosive medium  
p 673 A86-43411
- Active suppression of compressor instabilities  
[AIAA PAPER 86-1914] p 690 A86-45410
- The use of surface static pressure data as a diagnostic tool in multistage compressor development  
[ASME PAPER 86-GT-3] p 812 A86-48103
- Evaluation of the blade-to-blade flow from a high speed compressor rotor  
[ASME PAPER 86-GT-117] p 765 A86-48176
- Optimum design technique for rotating wheels  
[ASME PAPER 86-GT-255] p 846 A86-48281
- Quality assurance in the reconditioning of gas turbine and compressor blading components  
[ASME PAPER 86-GT-299] p 847 A86-48311
- The adjustment of a turbojet engine compressor by the rotation of the guide vanes with the objective of reducing fuel consumption during throttle operation  
p 816 A86-48757
- Proposed control of compressor stall by pressure perturbation and blade design  
p 816 A86-49064
- Fluid machines: Expanding the limits, past and future  
[NASA-TM-87161] p 107 N86-12227
- Sparwise redistribution of energy and loss in an axial flow compressor by wake centrifugation  
[AD-A159312] p 237 N86-16222
- Propulsion and Energetics Panel Working Group 14 on suitable averaging techniques in non-uniform internal flows  
[AD-A133968] p 503 N86-24692
- TURBISTAN: A standard load sequence for aircraft engine discs  
p 526 N86-25380
- An analysis of rig test disc failures  
p 527 N86-25381
- NASTRAN supplemental documentation for modal forced vibration analysis of aerodynamically excited turbosystems  
[NASA-CR-174967] p 675 N86-28463
- Compressors study: Improving the efficiency of a high performance multistage compressor  
[ETN-86-97192] p 651 N86-28948
- Preliminary instrumentation for aeroelastic tests at the compressor level - turbocompressor test bench  
[ONERA-RT-95/7108-RY-054-R] p 743 N86-30219
- Unsteady design-point flow phenomena in transonic compressors  
[NASA-CR-176879] p 722 N86-30730
- Time resolved and time averaged flow evaluation for an isolated transonic compressor rotor  
[AD-A166759] p 723 N86-30734
- TURBOFAN AIRCRAFT**
- Aerodynamic detuning analysis of an unstalled supersonic turbofan cascade  
[ASME PAPER 85-GT-192] p 270 A86-22732
- The STOL performance of a two-engine, USB powered-lift aircraft with cross-shafted fans  
[SAE PAPER 851839] p 578 A86-38336
- Turbofan and propfan as basis for future economic propulsion concepts  
[AIAA PAPER 86-1474] p 645 A86-42662
- TURBOFAN ENGINES**
- The design, performance and analysis of a high work capacity transonic turbine  
[ASME PAPER 85-GT-15] p 105 A86-13058
- DEAN - A program for Dynamic Engine Analysis  
[AIAA PAPER 85-1354] p 106 A86-14430
- The V2500 engine  
p 173 A86-17750
- Turbofan engines for commercial aircraft  
p 173 A86-18725
- Isolated and interacting round parallel heated jets  
[AIAA PAPER 86-0281] p 264 A86-19790
- Linear-quadratic Gaussian with loop-transfer recovery methodology for the F-100 engine  
p 233 A86-20233
- The KC-135/CFM56 Re-Engine Program  
[ASME PAPER 85-GT-211] p 224 A86-22112
- Evolution of the turbofan aircraft engine  
p 236 A86-22136
- Quantitative determination of engine water ingestion  
[AIAA PAPER 86-0307] p 254 A86-22690
- Convergence of performance calculation of twin spool turbojet and turbofan  
[ASME PAPER 85-IGT-82] p 302 A86-23883
- Rapid calculation of engine performance  
[ASME PAPER 85-IGT-83] p 302 A86-23884
- Development of a new technology small fan jet engine  
[ASME PAPER 85-IGT-139] p 303 A86-23931
- Propeller design point calculation method for comparing turbofan/propfan engine performance  
[ASME PAPER 85-IGT-150] p 303 A86-23941
- The forced response of shrouded fan stages  
[ASME PAPER 85-DET-19] p 303 A86-24226
- Results of recent research on damped fan blades  
[ASME PAPER 85-DET-133] p 318 A86-24236
- Research and development of FJR 710 turbo fan engine - Second phase  
p 304 A86-25177
- Experimental study of the effects on the turbofan engine by the distortion  
p 304 A86-25192
- An analytical method of the characteristics of the turbofan engine components  
p 304 A86-25201
- Will 1990s aircraft be powered by propfan or advanced turbofan?  
p 363 A86-26370
- Ten years of front-fan blade forging  
p 382 A86-27227
- The superposition distortion index - in axial flow fans of turbofan engines  
p 500 A86-34279
- Gain-scheduled multivariable control for the GE-21 turbofan engine using the LQG/LTR methodology  
p 501 A86-35334
- Wave envelope and finite element approximations for turbofan noise radiation in flight  
p 619 A86-39057
- Three-dimensional inviscid flow in mixers. I - Mixer analysis using a Cartesian grid  
p 554 A86-39090
- Response of an operational turbofan engine to a simulated nuclear blast  
p 643 A86-40728
- Factors relating to deterioration based on Rolls-Royce RB 211 in service performance  
p 643 A86-40730
- After the big turbofans  
p 645 A86-42099

- A computational fluid dynamics evaluation of test cell recirculation effects on high-bypass turbofan engine surface pressure distributions  
[AIAA PAPER 86-1384] p 655 A86-42606
- Theoretical and experimental investigation of test cell aerodynamics for turbofan applications  
[AIAA PAPER 86-1732] p 656 A86-42819
- Performance estimation of the mixed flow, afterburning, cooled, two-spool turbofan engine with bleed and power extraction  
[AIAA PAPER 86-1757] p 649 A86-42830
- An analysis of bending wave propagation on impact in a rotating fan blade  
p 736 A86-43534
- Development of in-flight thrust measurement procedures for an afterburning turbofan engine  
[AIAA PAPER 85-1405] p 720 A86-45375
- Experimental investigation of unsteady fan flow interaction with downstream struts  
[AIAA PAPER 86-1870] p 739 A86-45490
- Experimental study of flight effect on fan noise. I - A study of inflow control device for simulating in-flight fan noise in static test  
p 721 A86-46024
- Three-dimensional inviscid flow in mixers. II - Analysis of turbofan forced mixers  
p 692 A86-46316
- Flight testing of general electric high bypass engines evolution and revolution  
p 812 A86-47786
- Re-engine KC-135R/CFM56 flight test program - An overview  
p 795 A86-47793
- T-46A - The USAF next generation trainer  
p 796 A86-47796
- An artificial intelligence approach to onboard fault monitoring and diagnosis for aircraft applications  
[AIAA PAPER 86-2093] p 853 A86-48577
- Modelling of acoustic radiation problems associated with turbomachinery and rotating blades  
p 855 A86-48597
- The M53 turbofan control system - A strong basis for the development of the future digital control systems  
p 817 A86-49088
- Propfan and turbofan - Antagonism or synthesis  
p 817 A86-49092
- An iterative finite element-integral technique for predicting sound radiation from turbofan inlets in steady flight  
p 856 A86-49806
- Length adjustable strut link with low aerodynamic drag  
[AD-D011851] p 107 N86-12232
- Effects of velocity profile and inclination on dual-jet-induced pressures on a flat plate in a crosswind  
[NASA-CR-177361] p 87 N86-13287
- AN-22 test bed for advanced propeller technology  
p 174 N86-14274
- Analysis of the effects of transient heat transfer on axial flow compressor blade boundary layers  
[AD-A158094] p 175 N86-15315
- Estimation of drag due to inoperative turbo-jet and turbo-fan engines using data item nos. 81009 and 84004  
[ESDU-84005] p 211 N86-17305
- A real-time simulation evaluation of an advanced detection isolation and accommodation algorithm for sensor failures in turbine engines  
[NASA-TM-87289] p 504 N86-24697
- Digital Electronic Engine Control (DEEC) Flight Evaluation in an F-15 Airplane  
[NASA-CP-2298] p 504 N86-25342
- F-15 digital electronic engine control system description  
[PAPER-3] p 504 N86-25345
- NASA Lewis F100 engine testing  
[PAPER-4] p 504 N86-25346
- Airstart performance of a digital electronic engine control system on an F100 engine  
[PAPER-8] p 505 N86-25350
- Flight evaluation of a hydromechanical backup control for the digital electronic engine control system in an F100 engine  
[PAPER-9] p 505 N86-25351
- Backup control airstart performance on a digital electronic engine control-equipped F100-engine  
[PAPER-10] p 505 N86-25352
- Augmentor transient capability of an F100 engine equipped with a digital electronic engine control  
[PAPER-11] p 505 N86-25353
- Investigation of a nozzle instability on an F100 engine equipped with a digital electronic engine control  
[PAPER-12] p 506 N86-25354
- The General Electric F404 - engine of the RAAF's new fighter  
[AD-A164562] p 592 N86-26338
- Effect of emerging technology on a convertible, business/interceptor, supersonic-cruise jet  
[NASA-CR-178097] p 587 N86-27278
- Properties of aircraft fuels and related materials  
[AD-A164532] p 604 N86-27461
- A supersonic fan equipped variable cycle engine for a Mach 2.7 supersonic transport  
[NASA-CR-177141] p 650 N86-28946
- A study on the transmission of sound through flow ducts of varying cross section  
[NLR-TR-83128-U] p 683 N86-29636
- Noise predictions of a high bypass turbofan engine using the Lockheed Near-Field Noise Prediction Program  
[NASA-CR-178146] p 756 N86-30469
- Feasibility study for convertible engine torque converter  
[NASA-CR-175082] p 722 N86-30733
- An overview of the Small Engine Component Technology (SECT) studies  
[NASA-TM-88796] p 819 N86-31587
- Multiple thermocouple testing device  
[AD-D012276] p 850 N86-31860
- TURBOFANS**
- A nozzle design analysis technique  
[AIAA PAPER 86-1613] p 647 A86-42751
- Modelling of acoustic radiation problems associated with turbomachinery and rotating blades  
p 749 A86-44805
- Analytical and experimental investigation of the coupled bladed disk/shaft whirl of a cantilevered turbofan  
[ASME PAPER 86-GT-98] p 813 A86-48163
- On second propagation in radial fan casings  
[DFVLR-FB-85-32] p 194 N86-16053
- Modeling the effects of wind tunnel wall absorption on the acoustic radiation characteristics of propellers  
[NASA-TM-87333] p 683 N86-29630
- TURBOJET ENGINE CONTROL**
- Linear-quadratic Gaussian with loop-transfer recovery methodology for the F-100 engine  
p 233 A86-20233
- A flight evaluation of a digital electronic engine control  
p 299 A86-23273
- Gain-scheduled multivariable control for the GE-21 turbofan engine using the LQG/LTR methodology  
p 501 A86-35334
- Robust detection, isolation, and accommodation for sensor failures --- in jet engine control systems  
p 501 A86-35402
- The application of LQR synthesis techniques to the turboshaft engine control problem --- Linear Quadratic Regulator  
p 502 A86-35614
- The adjustment of a turbojet engine compressor by the rotation of the guide vanes with the objective of reducing fuel consumption during throttle operation  
p 816 A86-48757
- TURBOJET ENGINES**
- Experimental study of ceramic-coated tip seals for turbojet engines  
p 121 A86-15227
- An experimental investigation of response of a turbojet engine to inlet distortion  
[ASME PAPER 85-IGT-12] p 301 A86-23832
- Convergence of performance calculation of twin spool turbojet and turbofan  
[ASME PAPER 85-IGT-82] p 302 A86-23883
- Rapid calculation of engine performance  
[ASME PAPER 85-IGT-83] p 302 A86-23884
- Modelling an axial flow compressor in starting of a turbojet engine  
p 440 A86-30737
- Experimental investigation on frequency response of a turbojet engine to turbulence-type dynamic distortion  
p 440 A86-30740
- Wing aspect ratio optimization problems for transport turbojet airplanes  
[SAWE PAPER 1660] p 488 A86-35206
- Temperature distribution investigation at the outlet of an annular combustor of P type turbojet engine  
p 591 A86-38998
- Propelling the aerospace plane  
p 720 A86-43910
- A jet fuel starter and expendable turbojet  
[ASME PAPER 86-GT-1] p 812 A86-48101
- Analysis of particulates in the exhaust plume of a J52-P3 turbojet engine at military power  
[AD-A157840] p 107 N86-12231
- Acta aeronautica et astronautica sinica (selected articles)  
[AD-A158454] p 135 N86-14216
- Fuel effects on soot formation in turbojet engines  
[AD-A159073] p 185 N86-15416
- Mach number and flow-field calibration at the advanced design propeller location on the JetStar airplane  
[NASA-TM-84923] p 207 N86-16197
- Calculation of the external nacelle surface for single and double stream jet engines for civil aircraft  
[VTH-M-445] p 277 N86-18301
- Performance computation of turbofan and turbojet engines in off-design conditions  
[F+W-FO-1746] p 305 N86-19323
- B-52G crew noise exposure study  
[AD-A161112] p 333 N86-20094
- Experimental study of the acoustic fields far and near a Microturbo TRS 18 turboreactor  
[ISL-R-113/84] p 333 N86-20095
- High frequency-heated air turbojet  
[NASA-TM-77710] p 364 N86-21543
- Dual material exhaust nozzle flap  
[AD-D011998] p 364 N86-21548
- Prediction of the stability performance of a turboreactor combustion chamber  
[SNECMA-YKC-3269/85] p 651 N86-28949
- Crack growth in titanium alloys under the conjoint action of high and low cycle fatigue  
[AD-A166429] p 665 N86-29028
- Self-retained platform cooling plate for turbine vane  
[AD-D012218] p 721 N86-29622
- Cooling techniques for turbojet pre-heater channels  
p 741 N86-29847
- Ceramic heat exchangers for gas turbines or turbojet engines  
p 742 N86-29858
- Jet-engine combustor spectral radiation measurements using fiberoptic instrumentation system. Radiant energy power source for jet aircraft  
[DE86-007289] p 723 N86-30735
- TURBOMACHINE BLADES**
- The effect of the deflector type on internal heat transfer in blades with transverse coolant flow  
p 120 A86-13673
- Vibration analysis of rotating turbomachinery blades by an improved finite difference method  
p 106 A86-14338
- Interdependence of centrifugal compressor blade geometry and relative flow field  
[ASME PAPER 85-GT-85] p 251 A86-22056
- Transonic blade to blade calculations in an axial, radial or mixed flow cascade equipped with splitter blades  
[ASME PAPER 85-GT-86] p 205 A86-22057
- Axial flow contra-rotating turbines  
[ASME PAPER 85-GT-218] p 236 A86-22116
- Results of recent research on damped fan blades  
[ASME PAPER 85-DET-133] p 318 A86-24236
- The possibility of using ion implantation for increasing the life of the compressor blades of gas-turbine aircraft engines  
p 522 A86-35998
- Reduced Navier-Stokes (RNS) relaxation procedure for internal flows with interaction  
[SAE PAPER 851790] p 547 A86-38314
- The effect of deposits on the cooling efficiency of gas-turbine engine blades  
p 720 A86-44697
- A method for transonic inverse cascade design with a stream function equation  
[ASME PAPER 86-GT-189] p 766 A86-48239
- Turbine blade thermal fatigue testing Pratt and Whitney aircraft hollow core blades  
[NASA-TM-86528] p 174 N86-14271
- Numerical Techniques for Viscous Flow Calculations in Turbomachinery Bladings --- conference  
[VKI-LS-1986-02] p 744 N86-30988
- TURBOMACHINERY**
- Off-design operation of turbomachines --- French book  
p 591 A86-38956
- Turbomachinery performance deterioration; Proceedings of the Fourth Joint Fluid Mechanics, Plasma Dynamics, and Lasers Conference, Atlanta, GA, May 12-14, 1986  
p 642 A86-40726
- Particle trajectories in full 3D flow field of turbomachinery  
p 669 A86-40734
- A comparison of computational methods for three-dimensional, turbulent turbomachinery flow fields  
[AIAA PAPER 86-1599] p 626 A86-42740
- Tip leakage reduction through tip injection in turbomachines  
[AIAA PAPER 86-1746] p 627 A86-42824
- Modelling of acoustic radiation problems associated with turbomachinery and rotating blades  
p 749 A86-44805
- Numerical solution of transonic stream function equation on S1 stream surface in cascade  
[ASME PAPER 86-GT-110] p 765 A86-48172
- A theoretical solution of three-dimensional flows in subsonic, transonic and supersonic turbomachines - An exact solution and its numerical method  
[ASME PAPER 86-GT-111] p 765 A86-48173
- Modelling of acoustic radiation problems associated with turbomachinery and rotating blades  
p 855 A86-48597
- The role of flow field computation in improving turbomachinery  
p 775 A86-49080
- A model for closing the inviscid form of the average-passage equation system  
[NASA-TM-87199] p 147 N86-14224
- Small turbine technology review  
[AD-A158514] p 175 N86-15316
- Dynamic and aeroelastic analyses of turbosystems in NASTRAN  
p 527 N86-25826
- Laser fringe anemometry for aero engine components  
[NASA-TM-88798] p 629 N86-28053
- NASTRAN supplemental documentation for modal forced vibration analysis of aerodynamically excited turbosystems  
[NASA-CR-174967] p 675 N86-28463
- TURBOPROP AIRCRAFT**
- Review of recent research on interior noise of propeller aircraft  
p 97 A86-14527
- Problems in rudder design for small transport aircraft  
p 306 A86-23781

- Flight Test Instrumentation System FTIS for type-certification of the Indonesian aircraft CN 235 p 358 A86-27818
- Comparison of advanced turboprop and conventional jet and propeller aircraft flyover noise annoyance - Preliminary results p 528 A86-37059
- The EMB-312 Tucano - A Brazilian trainer [SAE PAPER 851769] p 578 A86-38304
- Three dimensional unsteady aerodynamics and aeroelastic response of advanced turboprops [AIAA PAPER 86-0846] p 581 A86-38894
- Beech's enterprising Starship p 637 A86-40471
- Damage tolerance and durability in the design of a short-haul turboprop aircraft p 707 A86-43790
- Noise control characteristics of synchrophasing. I - Analytical investigation --- of turboprop aircraft noise p 708 A86-44853
- Structureborne noise investigations of a twin engine aircraft [AIAA PAPER 86-1905] p 710 A86-45406
- Advanced turboprop aircraft noise annoyance - A review of recent NASA research [AIAA PAPER 86-1959] p 752 A86-45444
- An experimental investigation of reducing advanced turboprop cabin noise by wing shielding [AIAA PAPER 86-1968] p 711 A86-45449
- Acoustic reflection contamination measurements in the 16-foot NASA Langley Transonic Wind Tunnel [AIAA PAPER 86-1888] p 755 A86-45501
- Corporate flying, Italian style p 712 A86-45753
- Dynamic and flutter analysis using F.E.M. of the GP-180 --- turboprop aircraft p 713 A86-47128
- Control of interior noise in advanced turbopropeller aircraft p 802 A86-49100
- Noise control characteristics of synchrophasing. II - Experimental investigation --- on aircraft fuselage model p 805 A86-49808
- Laboratory experiments on active suppression of advanced turboprop noise [NASA-TM-87129] p 331 N86-19125
- In-flight acoustic measurements on a light twin-engined turboprop airplane [NASA-CR-178004] p 332 N86-20089
- Details of Y-121 STOL aircraft presented p 436 N86-22573
- An estimate of the enroute noise of an advanced turboprop airplane NASA-TM-87302 E-3020 NAS 1.15:87302 HC A02/MF A01 [NASA-TM-87302] p 535 N86-25217
- An experimental investigation of reducing advanced turboprop cabin noise by wing shielding [NASA-TM-87112] p 536 N86-25218
- ### TURBOPROP ENGINES
- Development of modern turboprop engines p 106 A86-14358
- Propulsion system integration configurations for future prop-fan powered aircraft p 173 A86-17777
- A propeller model for studying trace velocity effects on interior noise p 284 A86-23191
- A cost-effective performance development of the PT6A-65 turboprop compressor [ASME PAPER 85-IGT-41] p 301 A86-23853
- Investigation into the cause of failure of a turboprop impeller in service [ASME PAPER 85-IGT-147] p 303 A86-23938
- Weakly nonlinear acoustic and shock-wave theory of the noise of advanced high-speed turbopropellers p 534 A86-35146
- A new approach to automated gas turbine engine testing p 597 A86-38070
- S-duct inlet/diffusers for turboprop offset gearbox applications [AIAA PAPER 86-1462] p 625 A86-42655
- Turboprop and open rotor propulsion for the future [AIAA PAPER 86-1472] p 645 A86-42660
- Improved Euler analysis of advanced turboprop propeller flows [AIAA PAPER 86-1521] p 625 A86-42688
- Rotorcraft propulsion for year 2000 plus [AIAA PAPER 86-1543] p 646 A86-42702
- Small engine technology payoffs for future commuter aircraft [AIAA PAPER 86-1544] p 646 A86-42703
- Small turboshaft/turboprop engine technology study [AIAA PAPER 86-1623] p 647 A86-42757
- Correlation of theory and experiment for propfan inlets [AIAA PAPER 86-1628] p 627 A86-42761
- Fatigue life analysis of a turboprop reduction gearbox [ASME PAPER 85-DET-10] p 738 A86-45256
- Development of an impulsive noise source to study the acoustic reflection characteristics of hard-walled wind tunnels [AIAA PAPER 86-1887] p 755 A86-45500
- Quantifying a propeller/engine power response rate mismatch p 796 A86-47801
- Operation of the CT7 turboprop engine as an auxiliary power unit (APU) [ASME PAPER 86-GT-28] p 812 A86-48119
- Calculations of high speed propeller performances using finite difference methods p 818 A86-49126
- A numerical simulation of the inviscid flow through a counter-rotating propeller [NASA-TM-87200] p 207 N86-16195
- Comparison of advanced turboprop and conventional jet and propeller aircraft flyover noise annoyance: Preliminary results [NASA-TM-87637] p 265 N86-17077
- Low-speed wind-tunnel tests of single- and counter-rotation propellers [NASA-TM-87656] p 415 N86-22552
- Cost estimating relationships for fixed wing aircraft: List price versus empty weight [AD-A164196] p 537 N86-25300
- Experimental classical flutter results of a composite advanced turboprop model [NASA-TM-88792] p 678 N86-29271
- Advanced turboprop noise prediction: Development of a code at NASA Langley based on recent theoretical results [NASA-TM-88993] p 757 N86-31338
- System design and integration of the large-scale advanced prop-fan [NASA-CR-174789] p 781 N86-31536
- An overview of the Small Engine Component Technology (SECT) studies [NASA-TM-88796] p 819 N86-31587
- ### TURBORAMJET ENGINES
- A parametric study of a gas-generator air turbo ramjet (ATR) [NASA-TM-88808] p 819 N86-31586
- ### TURBOROCKET ENGINES
- Turbine blade thermal fatigue testing Pratt and Whitney aircraft hollow core blades [NASA-TM-86528] p 174 N86-14271
- ### TURBOSHAFTS
- Variable cyclic turboshaft technology for rotorcraft of the '90s p 233 A86-20371
- Life prediction for the main shaft of aircraft turbine engine [ASME PAPER 85-IGT-136] p 303 A86-23928
- T700 - A program designed for early maturity and growth potential p 305 A86-26156
- The application of LQR synthesis techniques to the turboshaft engine control problem --- Linear Quadratic Regulator p 502 A86-35614
- Small turboshaft/turboprop engine technology study [AIAA PAPER 86-1623] p 647 A86-42757
- Power level influence on architecture of small helicopter turboshaft engines [ASME PAPER 86-GT-191] p 815 A86-48241
- Multi-variable control of the GE T700 engine using the LQG/LTR design methodology [NASA-CR-177080] p 721 N86-29819
- ### TURBULENCE
- Noise generated by a stretching vortex p 193 A86-18689
- An investigation into the vertical axis control power requirements for landing VTOL type aircraft onboard nonaviation ships in various sea states [NASA-CR-176355] p 88 N86-13294
- Fluid forces on two circular cylinders in crossflow [DE85-014294] p 124 N86-13704
- Studies on the interference of wings and propeller slipstreams p 151 N86-15241
- Separated transonic airflow flow calculations with a nonequilibrium turbulence model [NASA-TM-86830] p 152 N86-15247
- Aircraft measurements and coordination in FASINEX [AD-A160789] p 321 N86-18699
- In-flight turbulence detection [AD-A160380] p 325 N86-18923
- Joint agency turbulence experiment [AD-A160420] p 325 N86-18924
- Analysis of experimental data for a 21% thick natural laminar flow airfoil, NAE68-060-21:1 [NAE-AN-34] p 278 N86-19285
- Analysis of aerodynamic coefficients using gradient data: Spanwise turbulence effects on airplane response [NASA-CR-3961] p 393 N86-21069
- Weather radar studies [AD-A161622] p 394 N86-22061
- Investigation of the dynamic response of aircraft to microburst (JAWS) wind shear p 445 N86-22578
- Storm precipitation and wind structure during aircraft strike lightning events [AD-A162338] p 463 N86-24100
- Review and evaluation of recent developments in melt inlet dynamic flow distortion prediction and computer program documentation and user's manual estimating maximum instantaneous inlet flow distortion from steady-state total pressure measurements with full, limited, or no dynamic data [NASA-CR-176765] p 525 N86-24955
- Aircraft drag prediction and reduction. Addendum 1: Computational drag analyses and minimization; mission impossible? [AGARD-R-723-ADD-1] p 556 N86-27187
- A perspective of computational fluid dynamics [NASA-TM-88246] p 629 N86-28057
- Cryogenic wind tunnels: Problems of continuous operation at low temperatures [NASA-TM-88446] p 656 N86-28099
- Shock-wave boundary layer interactions [AGARD-AG-280] p 676 N86-29173
- An investigation of turbulence mechanisms in V/STOL upwash flow fields [AD-A166286] p 694 N86-29782
- Aircraft response to turbulence [AGARD-R-738] p 729 N86-30739
- Gust load prediction and alleviation on a fighter aircraft [AGARD-R-728] p 729 N86-30741
- Six degree of freedom simulation software [NAL-PD-SE-8614] p 854 N86-33042
- ### TURBULENCE EFFECTS
- Acoustic and turbulence influence on low-Reynolds number wing pressure distributions p 139 A86-16323
- Freestream turbulence effects on wake properties of a flat plate at an incidence p 142 A86-17132
- Acoustic and turbulence influences on stall hysteresis [AIAA PAPER 86-0170] p 200 A86-19731
- Spanwise turbulence effects on aircraft response [AIAA PAPER 86-0255] p 200 A86-19774
- A theoretical analysis of the effect of thrust-related turbulence distortion on helicopter rotor low-frequency broadband noise p 289 A86-26113
- The effects of atmospheric turbulence on an air-to-air optical communication link p 351 A86-28470
- Numerical synthesis of tri-variate velocity realizations of turbulence p 387 A86-28654
- Experimental investigation on frequency response of a turbojet engine to turbulence-type dynamic distortion p 440 A86-30740
- Categorization of atmospheric turbulence in terms of aircraft response for use in turbulence reports and forecasts p 615 A86-37487
- Rotor noise due to atmospheric turbulence ingestion. II - Aeroacoustic results [AIAA PAPER 86-1903] p 750 A86-45404
- Rotor noise due to atmospheric turbulence ingestion. I - Fluid mechanics [AIAA PAPER 86-1857] p 754 A86-45479
- Limitations of statically unstable aircraft due to the effects of sensor noise, turbulence, and structural dynamics [AIAA PAPER 86-2203] p 824 A86-47483
- Turbulence response matching in the NT-33A in-flight simulator [AIAA PAPER 86-2076] p 827 A86-47665
- Calculation of the loading of the airframe in flight due to multidimensional turbulence p 799 A86-48759
- Helicopter rotor noise due to ingestion of atmospheric turbulence [NASA-CR-3973] p 535 N86-25216
- Spectra of noise and amplified turbulence emanating from shock-turbulence interaction: Two scenarios [NASA-TM-88766] p 620 N86-29790
- ### TURBULENT BOUNDARY LAYER
- The effect of the bluntness and the half-angle of a cone on the turbulent transition of a boundary layer at free-stream Mach 6 p 80 A86-13391
- Boundary-layer development on the afterbody of an engine nacelle p 82 A86-13532
- Measurements in the turbulent boundary layer on an 'infinite' swept wing p 86 A86-18102
- The application of laser anemometry to the study of transonic shock boundary-layer interactions p 139 A86-16352
- Experimental analysis of tip vortex by laser Doppler anemometry p 140 A86-16387
- Turbulent-boundary-layer development in an adverse pressure gradient after an interaction with a normal shock wave p 141 A86-17031
- Longitudinal vortices imbedded in turbulent boundary layers. I - Single vortex p 186 A86-17043
- Mean-flow measurements in a supersonic three-dimensional turbulent boundary layer p 141 A86-17059
- Structure of a supersonic turbulent boundary layer during its interaction with a shock wave p 141 A86-17096



- Calculation of three-dimensional shock/turbulent boundary-layer interaction generated by sharp fin  
p 142 A86-17135
- Supersonic viscous-inviscid interaction of a swept compression ramp with a turbulent boundary layer  
[AIAA PAPER 85-1669] p 143 A86-17826
- Shock wave/turbulent boundary layer interaction and its control  
[ONERA, TP NO. 1985-185] p 145 A86-18535
- Heat transfer at the lateral surface of a blunt cone during the absorption of the entropy layer by a laminar or a turbulent boundary layer  
p 187 A86-18907
- Critical permeability parameter in supersonic gradient flow  
p 146 A86-19148
- An experimental study of the flow and wall pressure field around a wing-body junction  
p 337 A86-28637
- Turbulent boundary-layer wall pressure fluctuations downstream of a tandem LEBU — Large-Eddy BreakUp devices  
p 457 A86-32984
- Analysis of a three-dimensional stationary turbulent boundary layer on the root section of a wing without allowance for compressibility  
p 476 A86-35991
- Spreading of two-stream supersonic turbulent mixing layers  
p 548 A86-37901
- The interaction between a strong longitudinal vortex and a turbulent boundary layer  
[AIAA PAPER 86-1071] p 549 A86-38437
- Modelling of three-dimensional shock wave turbulent boundary layer interactions  
p 689 A86-41261
- Experimental investigation of the turbulent boundary layer at high Reynolds numbers and a Mach number of 0.8  
p 624 A86-42168
- Measurements of fluctuations of surface heat transfer rate in the interacting region of oblique shock wave and turbulent boundary layer  
p 688 A86-43512
- Fluctuations of wall pressure in the interacting region of oblique shock wave and turbulent boundary layer  
p 688 A86-43514
- An experimental and theoretical investigation of the propagation of sound waves through a turbulent boundary layer  
[AIAA PAPER 86-1968] p 753 A86-45451
- Transition to three-dimensional flow and laminarization of the boundary layer on a swept-back wing  
[AAAF PAPER NT 85-03] p 766 A86-48454
- Reduction of turbulent drag - Turbulence manipulators  
[AAAF PAPER NT 85-04] p 766 A86-48455
- Boundary layer calculation and viscous-inviscid coupling  
p 773 A86-49031
- A new, improved method for separating turbulent boundary layer for aerodynamic performance prediction of trailing edge stall airfoils  
[AIAA PAPER 86-1832] p 779 A86-49590
- An evaluation of four methods of numerical analysis for two-dimensional airfoil flows. Revision  
[AD-A157248] p 87 N86-12209
- Boundary-layer transition: T-S waves and crossflow mechanisms  
p 155 N86-15268
- Turbulent drag reduction for external flows  
p 156 N86-15271
- Studies of the flow field near a NACA 4412 airfoil at nearly maximum lift  
[RAE-TM-AERO-2026] p 211 N86-17307
- Automatic landing through the turbulent planetary boundary layer  
[UTIAS-289] p 283 N86-19305
- Experimental study of the supersonic turbulent boundary layer on a blunted axisymmetric body  
[AD-A163736] p 479 N86-24669
- An experimental investigation on location of boundary layer transition on the NACA 0012 using surface hot film gages  
[NASA-TM-88285] p 524 N86-24936
- Laminar and turbulent boundary-layer calculations on the leeward surface of a slender delta wing at incidence — graph theory  
[NLR-MP-84040-U] p 555 N86-26293
- La recherche aérospatiale. Bimonthly bulletin, no. 1984-6, November - December 1984  
[ESA-TT-907] p 559 N86-27217
- Velocity and turbulence measurements in dynamically stalled boundary layers on an oscillating airfoil  
p 560 N86-27228
- Noise transmission into propeller aircraft  
p 619 N86-27473
- Spectra of noise and amplified turbulence emanating from shock-turbulence interaction: Two scenarios  
[NASA-TM-88766] p 620 N86-27970
- An investigation of the feasibility of active boundary layer thickening for aircraft drag reduction  
[NASA-CR-177133] p 630 N86-28064
- Feasibility of generating an artificial burst in a turbulent boundary layer  
[NASA-CR-4003] p 675 N86-28377
- Three-dimensional shock wave and turbulent boundary layer interactions  
[AD-A167086] p 745 N86-31010
- ### TURBULENT FLOW
- Statistical formulation of the objectives of the aerodynamic experiment  
p 80 A86-13381
- Evaluation of low Reynolds number turbulence models for attached and separated flows  
p 121 A86-14539
- Streamwise and spanwise vortical patterns visualized over airfoils in unsteady flow  
p 138 A86-16319
- A comparative study of the parabolized Navier-Stokes code using various grid-generation techniques  
p 143 A86-17654
- Influence of excitation on coherent structures in reattaching turbulent shear layers  
[AIAA PAPER 86-0112] p 199 A86-19696
- A review and analysis of boundary layer transition data for turbine application  
[ASME PAPER 85-GT-83] p 251 A86-22054
- Pressure fluctuations on the external surface of an aircraft  
p 271 A86-23780
- An experimental investigation of response of a turbojet engine to inlet distortion  
[ASME PAPER 85-IGT-12] p 301 A86-23832
- Simulation of inviscid vortex-stretched turbulent shear-layer flow  
p 411 A86-32979
- Inviscid vortex-stretched turbulent shear-layer flow computed around a cranked delta wing  
p 475 A86-35253
- Advanced boundary layer transition measurement methods for flight applications  
[AIAA PAPER 86-9786] p 500 A86-37083
- Experiments on supersonic turbulent flow development in a square duct  
[AIAA PAPER 86-1038] p 548 A86-38412
- Experimental study of a turbulent horseshoe vortex using a three-component laser velocimeter  
[AIAA PAPER 86-1069] p 548 A86-38436
- An investigation of the effects of the propeller slipstream of a laminar wing boundary layer  
[SAE PAPER 850859] p 551 A86-38502
- Large and small structures in the computation of transition to fully developed turbulent flows  
p 669 A86-41254
- Application of unsteady aerodynamics to large-eddy breakup devices in a turbulent flow  
p 688 A86-44238
- An experimental investigation of wing tip turbulence with applications to aerosound  
[AIAA PAPER 86-1918] p 691 A86-45413
- Tone-like noise from an isolated two dimensional airfoil  
[AIAA PAPER 86-1947] p 752 A86-45434
- Reduction of turbulent drag - Turbulence manipulators  
[AAAF PAPER NT 85-04] p 766 A86-48455
- An experimental study of turbulent wake/boundary layer mixing flows  
p 772 A86-49014
- Disordered vortex flow computed around a cranked delta wing at subsonic speed and high incidence  
p 772 A86-49027
- Turbulent transonic flow for NACA 0012/RAE 2822 airfoils under Baldwin-Lomax model  
p 776 A86-49245
- Numerical and experimental studies of 3-D and unsteady turbulent body/appendage/propeller flows  
[AD-A157078] p 123 N86-12552
- Solutions of the Navier-Stokes equations with the finite volume method  
p 148 N86-14235
- Turbulent drag reduction for external flows  
p 156 N86-15271
- F-111 natural laminar flow glove flight test data analysis and boundary layer stability analysis  
[NASA-CR-166051] p 168 N86-15305
- Analysis of the effects of transient heat transfer on axial flow compressor blade boundary layers  
[AD-A158094] p 175 N86-15315
- Numerical simulation of viscous supersonic flow over a generic fighter configuration  
[NASA-TM-86823] p 190 N86-15627
- Vortex conception of rotor and mutual effect of screw/propellers  
[NASA-TM-77979] p 342 N86-21510
- Wind tunnel test and analysis on gust load alleviation of a high-aspect-ratio wing  
[NAL-TR-890] p 556 N86-27185
- Unsteady Aerodynamics-Fundamentals and Applications to Aircraft Dynamics  
[AGARD-CP-386] p 560 N86-27224
- Experimental study of the effect of turbulence on dynamic stalling  
p 565 N86-27264
- A simplified model of the turbulent microburst  
[NASA-CR-177108] p 679 N86-29466
- Numerical computation of viscous flow around bodies and wings moving at supersonic speeds  
[NASA-CR-176903] p 693 N86-29772
- Thermodynamic evaluation of transonic compressor rotors using the finite volume approach  
[NASA-CR-176947] p 722 N86-30731
- Aerodynamics of seeing on large transport aircraft  
[NASA-CR-177035] p 758 N86-31357
- Turbulent dispersion of the icing cloud from spray nozzles used in icing tunnels  
[NASA-TM-87316] p 820 N86-31588
- High speed viscous flow calculations about complex configurations  
[NASA-TM-88237] p 850 N86-31827
- ### TURBULENT JETS
- Multispark flow visualization of lateral jet injection into a swirling cross flow  
p 85 A86-14561
- False diffusion in three-dimensional flow calculations  
p 143 A86-17653
- Dispersion process of jet engine exhaust plume. II - Buoyant jet  
p 234 A86-20448
- The pressure field generated by jet-jet impingement  
[AIAA PAPER 86-1951] p 739 A86-45437
- The noise emitted by turbulent jets in close proximity to solid surfaces  
[AIAA PAPER 86-1869] p 755 A86-45489
- ### TURBULENT MIXING
- Spreading of two-stream supersonic turbulent mixing layers  
p 546 A86-37901
- An investigation of turbulence mechanisms in V/STOL upwash flow fields  
[AD-A166286] p 694 N86-29782
- ### TURBULENT WAKES
- L.D.A. measurements in the turbulent near-wake of blunt bodies  
p 139 A86-16371
- Freestream turbulence effects on wake properties of a flat plate at an incidence  
p 142 A86-17132
- Investigations of transonic trailing edge flows  
p 541 A86-37192
- Wake hazard alleviation associated with roll oscillations of wake-generating aircraft  
p 624 A86-41693
- A quasi-one-dimensional model for the evolution of the turbulent wake of a body in a stratified medium  
p 738 A86-45231
- An experimental study of turbulent wake/boundary layer mixing flows  
p 772 A86-49014
- Recent developments in three-dimensional wake analysis  
p 156 N86-15273
- Two methods for viscous and inviscid free-wake analysis of helicopter rotors  
[AD-A161513] p 342 N86-21521
- Experimental analyses of trailing edge flows  
[NASA-CR-176904] p 632 N86-28921
- Analytical investigation of rotor wake formation and geometry  
[NASA-CR-177032] p 693 N86-29768
- ### TURING MACHINES
- Finite state modelling of aeroelastic systems for active control applications: A general theory  
p 749 N86-30648
- ### TURNING FLIGHT
- Calculation of equilibrium turn  
p 109 A86-13436
- The use of analytical methods to assess aircraft maneuverability  
p 305 A86-23771
- Studies on turning errors of the magnetic compass in flight experiments  
p 499 A86-34276
- Optimal descending, hypersonic turn to heading  
[AIAA PAPER 86-2134] p 841 A86-47679
- Post stall maneuvers and thrust vectoring performance analysis  
[AD-A158100] p 110 N86-12235
- Pilot-oriented performance measurement  
[AD-A158849] p 126 N86-13890
- Aircraft performance optimization with thrust vector control  
[AD-A165388] p 587 N86-26334
- The concept of almost-parallel IFR (Instrument Flight Rules) approaches to parallel runways  
[AD-A166485] p 704 N86-29804
- ### TWISTED WINGS
- Summary of a high subsonic force/pressure experiment for 58 deg cambered/twisted thick delta wings  
[AIAA PAPER 86-0169] p 200 A86-19730
- Anisotropic wing aeroelastic theories with warping effects  
p 434 A86-33261
- Vortex wake alleviation studies with a variable twist wing  
[NASA-TP-2442] p 197 N86-16187
- ### TWO DIMENSIONAL BODIES
- Broad band noise from an isolated two dimensional airfoil  
[AIAA PAPER 86-1948] p 752 A86-45435
- Surface pressure measurement during low speed two-dimensional blade-vortex interaction  
[AIAA PAPER 86-1856] p 753 A86-45478
- Pressure distributions from high Reynolds number tests of a Boeing BAC 1 airfoil in the Langley 0.3-meter transonic cryogenic tunnel  
[NASA-TM-87600] p 208 N86-16199
- Navier-Stokes computations for exotic airfoils  
[AIAA-85-0109] p 745 N86-30996

**TWO DIMENSIONAL BOUNDARY LAYER**

- Measurements in the turbulent boundary layer on an 'infinite' swept wing p 86 A86-16102  
 Modular application of a shock/boundary layer interaction solution to supercritical viscous-inviscid flow field analysis p 338 N86-20343

**TWO DIMENSIONAL FLOW**

- Calculation of flows in two- and three-dimensional nozzles by an approximate factorization method p 77 A86-13294  
 Certain properties of two-dimensional flows in the case of flow past bodies with jets p 82 A86-13431  
 Evaluation of a method for analyzing the aperture region of two-dimensional external compression inlets [AIAA PAPER 85-3072] p 83 A86-14432  
 Computational study of flow over Miley and Wortmann airfoils p 138 A86-16317  
 A review of adaptive wall wind tunnels p 179 A86-17067  
 A theoretical basis for extending surface-paneling methods to transonic flow p 142 A86-17131  
 Shock wave/turbulent boundary layer interaction and its control [ONERA, TP NO. 1985-165] p 145 A86-18535  
 Large-scale separation and hysteresis in cascades p 145 A86-18577  
 Investigation of chord ratio, stagger, decalage angle, and flap angle for dual wing configurations [AIAA PAPER 86-0317] p 201 A86-19810  
 Navier-Stokes procedure for simulating two-dimensional and quasi-two-dimensional cascade flow p 274 A86-25006  
 Mach reflection and aerodynamic choking in two-dimensional ducted flow p 411 A86-32967  
 Impinging jets p 458 A86-33419  
 A two-dimensional transonic aerodynamic design method [AIAA PAPER 86-1793] p 543 A86-37823  
 A spectral hodograph method for shockless transonic two-dimensional flow [AIAA PAPER 86-1796] p 543 A86-37824  
 Application of continuous vorticity panels to general unsteady incompressible two-dimensional lifting flows p 624 A86-41890  
 Computation of two-dimensional transonic cascade flow using a new Navier-Stokes solver [AIAA PAPER 86-1381] p 624 A86-42605  
 Numerical solution of the supersonic laminar flow over a two-dimensional compression corner using an implicit approach p 690 A86-45054  
 A quasi-one-dimensional model for the evolution of the turbulent wake of a body in a stratified medium p 738 A86-45231  
 Acceleration of the convergence of methods for calculating two- and three-dimensional transonic flow past bodies in an unbounded stream p 769 A86-48809  
 Wake/boundary-layer interactions in two and three dimensions p 773 A86-49032  
 Steady and unsteady investigations of spoiler and flap aerodynamics in two dimensional subsonic flows [ONERA, TP NO. 1986-101] p 776 A86-49106  
 Calculation of 2-D unsteady transonic full potential flow about oscillating airfoils by two complementary approaches [AIAA PAPER 86-1821] p 778 A86-49586  
 An evaluation of four methods of numerical analysis for two-dimensional airfoil flows. Revision [AD-A157248] p 87 N86-12209  
 An airfoil flutter model suspension system to accommodate large static transonic airloads [NASA-CR-177998] p 146 N86-14220  
 A Navier-Stokes procedure for simulation of two-dimensional and quasi two-dimensional grid flows p 149 N86-14236  
 Procedure for solution of the Euler equations at Dornier GmbH p 149 N86-14242  
 A procedure for solution of full potential equations with correction of the trailing edge condition p 150 N86-14246  
 FLEXWAL: A computer program for predicting the wall modifications for two-dimensional, solid, adaptive-wall tunnels [NASA-TM-84648] p 150 N86-14250  
 Reference test cases and contributors p 154 N86-15261  
 Numerical solutions of two-dimensional reference test cases p 154 N86-15262  
 Implicit finite-difference methods for the calculation of unsteady transonic potential flow around two-dimensional airfoils: A discussion [NLR-MP-83063-U] p 208 N86-16202  
 Studies of the flow field near a NACA 4412 airfoil at nearly maximum lift [RAE-TM-AERO-2026] p 211 N86-17307

- New techniques for experimental generation of two-dimensional blade-vortex interaction at low Reynolds numbers [NASA-TP-2551] p 401 N86-21280  
 User's guide for NASCRIN: A vectorized code for calculating two-dimensional supersonic internal flow fields [NASA-TM-85708] p 416 N86-23565  
 The effects on rotor nonuniform inflow harmonic content of uneven circumferential distribution of jet engine inlet guide vanes [AD-A164829] p 555 N86-26291  
 Generation of two-dimensional gust fields in subsonic wind-tunnels p 563 N86-27247  
 Comparison of experimental surface pressures with theoretical predictions on twin two-dimensional convergent-divergent nozzles [NASA-TM-87757] p 697 N86-30694  
 Thermodynamic evaluation of transonic compressor rotors using the finite volume approach [NASA-CR-176947] p 722 N86-30731
- TWO DIMENSIONAL JETS**  
 An investigation of turbulence mechanisms in V/STOL upwash flow fields [AD-A166286] p 694 N86-29782
- TWO FLUID MODELS**  
 The two-fluid model of turbulent combustion applied to an idealized one-dimensional, unsteady, confined, pre-mixed flame [PDR/CFDU/IC/21] p 247 N86-16315
- TWO PHASE FLOW**  
 An experimental study of a vacuum water-air ejector with a multichannel liquid-supply nozzle ensuring jet-pair collision p 119 A86-13382  
 Dilute gas-particle flow in a centrifugal compressor impeller p 668 A86-40733  
 Particulate flow solutions through centrifugal impeller with two splitters [ASME PAPER 86-GT-130] p 765 A86-48188  
 Optical technique to study the impact of heavy rain on aircraft performance [NASA-CR-177989] p 123 N86-12580

**U****U.S.S.R.**

- Soviet aircraft close technology gap p 427 A86-31336  
 The Soviet fighter - Four decades of development p 486 A86-33989  
 Sukhoi frogfoot p 495 A86-36333  
 Some comparisons of US and USSR aircraft design developments [NASA-TM-87811] p 214 N86-16206  
 USSR report: Transportation [JPRS-UTR-86-004] p 435 N86-22565
- U.S.S.R. SPACE PROGRAM**  
 Studies in the history and theory of the development of science and technology in the fields of aviation, rocketry, and space. Number 3 — Russian book p 131 A86-13462

**UH-1 HELICOPTER**

- Flight tests of the helicopter pneumatic deicing system p 163 A86-18408  
 DFVLR flying qualities research using operational helicopters p 307 A86-26147  
 VHF-FM communications antennas for project SINGARS (UH-1 tail whip and cabin roof bent whip evaluation) [AD-A163561] p 524 N86-24883
- UH-60A HELICOPTER**  
 Reliability development testing of SH-60B helicopter mechanical systems p 184 A86-18420  
 Interpretation and evaluation of fatigue properties of cast, HIP and heat treated titanium UH-60A M. R. Hub p 183 A86-18434  
 Process development and test evaluation of cast, HIP and heat treated titanium UH-60A M.R. Damper Bracket p 516 A86-35641  
 Effects of simulator variations on the fidelity of a UH-60 Black Hawk simulation p 596 A86-37178

**ULLAGE**

- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 3: On-Board Inert Gas Generator System (OBIGGS) studies. Part 2: Fuel scrubbing and oxygen evolution tests [AD-A167445] p 807 N86-31573

**ULTRALIGHT AIRCRAFT**

- Ballistically deployed parachute systems for single and two place aircraft p 212 A86-19319  
 Finite element analysis of an ultralight aircraft p 221 A86-20165  
 Ultralight aircraft - A need for better regulation than 14 C.F.R. Section 103 — in air law p 343 A86-28000

**Long endurance aircraft performance**

- p 805 A86-49478  
 Safety study: Ultraviolet vehicle accidents [PB85-917001] p 343 N86-20377

**ULTRASONIC FLAW DETECTION**

- Boeing Military Airplane Company's robotic ultrasonic inspection system p 118 A86-13180  
 Reliable nondestructive testing - The key to using weldments in critical fighter aircraft structure p 380 A86-26544  
 Ultrasonic direct backscattering technique for material surface inspection p 740 A86-47133  
 Manufacturing technology for nondestructive evaluation (NDE) system to implement Retirement For Cause (RFC) procedures for gas turbine engine components p 507 N86-25368  
 Advanced quantitative methods for nondestructive evaluation p 519 N86-25376

**ULTRASONIC RADIATION**

- Ultrasonic characterization of microstructure in powder metal alloy p 469 N86-22964

**ULTRASONIC TESTS**

- Fatigue of structural materials at high-frequency cycle loading p 453 A86-30019  
 The prediction of lift inferred from downstream vorticity measurements p 775 A86-49102  
 Ultrasonic f-scan inspection of composite materials [AD-A159974] p 314 N86-18451

**ULTRASONIC WAVE TRANSDUCERS**

- Real-time measurement of ice growth during simulated and natural icing conditions using ultrasonic pulse-echo techniques [AIAA PAPER 86-0410] p 214 A86-19860  
 Ultrasonic liquid quantity measurement — in oils p 360 A86-28478  
 Measurement of ice growth during simulated and natural icing conditions using ultrasonic pulse-echo techniques p 634 A86-41894

**ULTRASONICS**

- Ultrasonic f-scan inspection of composite materials [AD-A159974] p 314 N86-18451  
 Ultrasonic characterization of microstructure in powder metal alloy p 469 N86-22964

**UNDERCARRIAGES**

- Influence of rough runways on undercarriage design p 166 A86-18277  
 Estimation of load exceedances of an aircraft under carriage with nonlinear properties excited by random runway unevenness [NLR-TR-84030-U] p 228 N86-17348

**UNDERWATER BREATHING APPARATUS**

- Pilot underwater high pressure emergency breathing system p 261 A86-18343

**UNIFORM FLOW**

- Numerical solutions of Navier-Stokes equations for a Butler wing [NASA-CR-174202] p 88 N86-13293

**UNIQUENESS THEOREM**

- Nonuniqueness of laminar separated flow around an airfoil at angle of attack in the Kirchhoff scheme p 769 A86-48822

**UNITED STATES**

- Emerging aerospace technologies [NASA-TM-86837] p 131 N86-14213  
 Some comparisons of US and USSR aircraft design developments [NASA-TM-87811] p 214 N86-16206

**UNIVERSITIES**

- NASA Lewis Research Center/university graduate research program on engine structures [ASME PAPER 85-GT-159] p 252 A86-22084  
 Aircraft design at Kingston Polytechnic p 333 A86-25090  
 The status of two-dimensional testing at high transonic speeds in the University of Southampton transonic self-streamlining wind tunnel [NASA-CR-3919] p 86 N86-12203  
 The 1983 NASA/ASCE Summer Faculty Fellowship Research Program research reports [NASA-CR-171904] p 130 N86-14078

**UNSTEADY FLOW**

- A study of the normal of a delta-wing aircraft at large angles of attack during unsteady motion p 79 A86-13379  
 Influence of unsteady flow effects on the length of operation of a hypersonic shock tunnel p 112 A86-13428  
 Calculation of unsteady flow in a two-stage gas turbine engine p 105 A86-13444  
 Unsteady potential flow for oscillating airfoils p 83 A86-14359  
 Viscous flow results for the vortex-airfoil interaction problem [AIAA PAPER 85-4053] p 83 A86-14451

- Unsteady aerodynamics of airfoils oscillating in and out of dynamic stall  
[AIAA PAPER 85-4078] p 84 A86-14453
- Solution of transonic flow past rotor blades using the conservative full potential equation  
[AIAA PAPER 85-5012] p 84 A86-14456
- Separated flow unsteady aerodynamic theory  
p 85 A86-14529
- Calculation of unsteady fan rotor response caused by downstream flow distortions  
p 85 A86-14558
- Computational and theoretical studies of unsteady viscous aerodynamics  
p 137 A86-16307
- Experiments on unsteady flows about wing sections  
p 138 A86-16318
- Streamwise and spanwise vortical patterns visualized over airfoils in unsteady flow  
p 138 A86-16319
- Preliminary experiments in unsteady flow on airfoils at low Reynolds numbers  
p 138 A86-16320
- Mathematical solution for unsteady subsonic flow past a thin profile in a channel  
p 140 A86-16851
- Application of NLR's calculation methods to transonic flow about oscillating wings  
p 143 A86-17778
- Numerical computation of unsteady transonic flow about wings with flaps  
[AIAA PAPER 85-1712] p 144 A86-17849
- Unsteady transonic flows in an axial flow compressor  
p 145 A86-18529
- Computation of unsteady transonic flows with an implicit numerical method for solving the Euler equations  
p 145 A86-18886
- Unsteady transonics of a wing with tip store  
[AIAA PAPER 86-0010] p 198 A86-19633
- Steady and unsteady full potential calculation for large and small aspect ratio supercritical wings  
[AIAA PAPER 86-0122] p 199 A86-19702
- Unsteady three-dimensional simulations of a VTOL upwash fountain  
[AIAA PAPER 86-0212] p 200 A86-19753
- The response of airfoils to periodic disturbances - The unsteady Kutta condition  
[AIAA PAPER 84-0050] p 270 A86-23126
- New aspects of the small-perturbation method in aerodynamics  
p 271 A86-23770
- Studies of the aerodynamics of flaps and spoilers in unsteady flow  
[ONERA, TP NO. 1985-149] p 272 A86-24627
- A viscous-inviscid interaction model for transonic unsteady flow  
[ONERA, TP NO. 1985-152] p 272 A86-24630
- The effectiveness of various control surfaces in quasi-steady and unsteady flows - Applications  
[ONERA, TP NO. 1985-147] p 306 A86-24633
- Comparative measurements of the unsteady pressures and the tip-vortex parameters on four oscillating wing tip models  
p 273 A86-24708
- Two-dimensional scheme 'DLM-C' to examine subsonic unsteady lifting surface schemes for finite span  
p 275 A86-25239
- A consistent mathematical model to simulate steady and unsteady rotor-blade aerodynamics  
p 276 A86-26108
- Theoretical prediction of running-time measurements in unsteady flow — for various shapes of rotor blade tips  
p 276 A86-26112
- Semi-empirical simulation of steady and unsteady rotor blade aerodynamic loading  
p 336 A86-27656
- Tail profile effects on unsteady large scale flow structure in the wing and plate junction  
p 387 A86-28666
- Three-dimensional and unsteady boundary-layer computations  
p 338 A86-29415
- Unsteady stall modelling in three-dimensional flow  
p 409 A86-32154
- Solution of the unsteady Euler equations for fixed and rotor wing configurations  
p 410 A86-32779
- Dynamic stall inception correlation for airfoils undergoing constant pitch rate motions  
p 411 A86-32978
- Application of transonic unsteady methods for calculation of flutter airloads  
p 412 A86-33230
- Exact closed-form solutions for nonlinear unsteady transonic aerodynamics  
p 412 A86-33231
- Recent transonic unsteady pressure measurements at the NASA Langley Research Center  
p 412 A86-33232
- An exact formulation of the unsteady aerodynamic theory of lifting surfaces undergoing arbitrary small motions in a supersonic flow field  
p 413 A86-33235
- Application of unsteady wing collocation methods to cascades in subsonic flow  
p 413 A86-33236
- A new look at arbitrary motion unsteady aerodynamics and its application to rotary-wing aeroelasticity  
p 413 A86-33238
- Analytic representation of steady and unsteady aerodynamic coefficients of modern helicopter rotors [DGLR PAPER 85-114] p 474 A86-35167
- The development of laser speckle velocimetry for the measurement of vortical flow fields  
[AIAA PAPER 86-0768] p 523 A86-37091
- Unsteady transonic flows past airfoils using the Euler equations  
[AIAA PAPER 86-1764] p 541 A86-37802
- Visualization of wing tip vortices in unsteady and steady wind  
[AIAA PAPER 86-1098] p 551 A86-38457
- Three-dimensional unsteady flow fields elicited by a pitching forward swept wing  
[AIAA PAPER 86-1104] p 551 A86-38464
- Unsteady aerodynamics of rapidly pitched airfoils  
[AIAA PAPER 86-1105] p 551 A86-38465
- Three dimensional unsteady aerodynamics and aeroelastic response of advanced turboprops  
[AIAA PAPER 86-0846] p 591 A86-38894
- Unsteady transonic flow calculations for wing-fuselage configurations  
[AIAA PAPER 86-0862] p 552 A86-38897
- Nonisentropic unsteady three dimensional small disturbance potential theory  
[AIAA PAPER 86-0863] p 552 A86-38898
- A new approach to finite state modelling of unsteady aerodynamics  
[AIAA PAPER 86-0865] p 552 A86-38900
- A calculation method for unsteady aerodynamic forces in the Laplace domain and its application to root loci  
[AIAA PAPER 86-0866] p 553 A86-38901
- Application of the unsteady vortex-lattice method to the nonlinear two-degree-of-freedom aeroelastic equations  
[AIAA PAPER 86-0867] p 585 A86-38902
- Recurrent identification of unsteady aerodynamic forces of elastic vehicles  
p 554 A86-39762
- Unsteady transonic flow calculations for interfering lifting surface configurations  
p 623 A86-40118
- Application of continuous vorticity panels to general unsteady incompressible two-dimensional lifting flows  
p 624 A86-41690
- Wake induced unsteady aerodynamic interactions in a multi-stage compressor  
[AIAA PAPER 86-1455] p 625 A86-42653
- Solution of problems of conjugate heat transfer during flow past bodies of different shape  
p 673 A86-43370
- Mathematical model of the interaction of a single unsteady supersonic jet with a moving barrier of finite size  
p 628 A86-43401
- A second-order theory for three-dimensional unsteady flows and its application to thin wings with angle of attack at supersonic and hypersonic speeds  
p 687 A86-43485
- Application of unsteady aerodynamics to large-eddy breakup devices in a turbulent flow  
p 688 A86-44238
- Transient induced drag  
p 689 A86-44879
- The wing tip vortex system in a starting flow  
p 690 A86-45190
- Experimental investigation of unsteady fan flow interaction with downstream struts  
[AIAA PAPER 86-1870] p 739 A86-45490
- Unsteady low-speed aerodynamic model for complete aircraft configurations  
[AIAA PAPER 86-2180] p 829 A86-47683
- Comparisons in three-dimensionality in the unsteady flows elicited by straight and swept wings  
[AIAA PAPER 86-2280] p 764 A86-47698
- Visualization of dynamic stall controlled by large amplitude interrupted pitching motions  
[AIAA PAPER 86-2281] p 764 A86-47699
- Unsteady aerodynamics - Fundamental aspects and applications to aircraft dynamics  
[AAAF PAPER NT 85-16] p 767 A86-48465
- A parallel processing method for solving the unsteady Navier-Stokes equations at high Reynolds numbers  
p 847 A86-48647
- The aerodynamic potential of anti-sound  
p 855 A86-48977
- Prediction of the aerodynamic characteristics of flight vehicles in large unsteady maneuvers  
p 834 A86-49048
- Steady and unsteady investigations of spoiler and flap aerodynamics in two dimensional subsonic flows  
[ONERA, TP NO. 1986-101] p 776 A86-49106
- An entropy correction method for unsteady full potential flows with strong shocks  
[AIAA PAPER 86-1768] p 777 A86-49576
- Preliminary results of unsteady blade surface pressure measurements for the SR-3 propeller  
[AIAA PAPER 86-1893] p 780 A86-49625
- Numerical solutions of Navier-Stokes equations for a Butler wing  
[NASA-CR-174202] p 88 A86-13293
- Implicit finite-difference methods for the calculation of unsteady transonic potential flow around two-dimensional airfoils: A discussion  
[NLR-MP-83063-U] p 208 A86-16202
- Numerical simulation of unsteady flow around an airfoil by finite difference solution of Navier-Stokes equations  
p 209 A86-17273
- Investigations on efficient numerical method for subsonic lifting surfaces  
p 209 A86-17285
- Compressible, unsteady lifting-surface theory for a helicopter rotor in forward flight  
[NASA-TP-2503] p 277 A86-18289
- Transonic unsteady aerodynamics and its aeroelastic applications  
[AGARD-CP-374-ADD-1] p 279 A86-19299
- New techniques for experimental generation of two-dimensional blade-vortex interaction at low Reynolds numbers  
[NASA-TP-2551] p 401 A86-21280
- Coupling linearized far-field boundary conditions with nonlinear near-field solutions in transonic flow  
[AD-A162334] p 417 A86-23573
- Unsteady transonic flow calculations for wing-fuselage configurations  
[NASA-TM-87707] p 478 A86-24657
- Propulsion and Energetics Panel Working Group 14 on suitable averaging techniques in non-uniform internal flows  
[AD-A133968] p 503 A86-24692
- Experimental study of the effects of installation on singleand counter-rotation propeller noise  
[NASA-TP-2541] p 536 A86-26162
- Unsteady aerodynamics-fundamentals and applications to aircraft dynamics  
[NASA-TM-88768] p 555 A86-27182
- Preliminary results of unsteady blade surface pressure measurements for the SR-3 propeller  
[NASA-TM-87352] p 559 A86-27213
- A vortex point method for calculating inviscid incompressible flows around rotary wings  
p 612 A86-27219
- Unsteady Aerodynamics-Fundamentals and Applications to Aircraft Dynamics  
[AGARD-CP-386] p 560 A86-27224
- A critical look at dynamic simulation of viscous flow  
p 560 A86-27230
- Unsteady boundary-layer separation on airfoils performing large-amplitude oscillations: Dynamic stall  
p 561 A86-27231
- Computational aspects of unsteady flows  
p 561 A86-27232
- Review of SMP 1984 Symposium on Transonic Unsteady Aerodynamics and its Aeroelastic Applications  
p 561 A86-27236
- Transonic aerodynamic and aeroelastic characteristics of a variable sweep wing  
p 561 A86-27237
- Unsteady airload computations for airfoil oscillating in attached and separated compressible flow  
p 561 A86-27238
- Unsteady vortex airfoil interaction  
p 562 A86-27240
- Unsteady aerodynamics application to helicopter noise and vibration sources  
p 562 A86-27241
- Recent experiences of unsteady aerodynamic effects on aircraft flight dynamics at high angle of attack  
p 564 A86-27252
- Unsteady aerodynamics and dynamic aircraft maneuverability  
p 564 A86-27253
- On the interface between unsteady aerodynamics, dynamics and control  
p 564 A86-27254
- Effects of aerodynamic lags on aircraft responses  
p 564 A86-27257
- Gust alleviation on a transport airplane  
p 565 A86-27259
- Unsteady interactions of transonic airfoils with gusts and concentrated vortices  
p 565 A86-27261
- Identification of aircraft characteristics including gust induced dynamic effects  
p 565 A86-27263
- Preliminary instrumentation for aeroelastic tests at the compressor level — turbocompressor test bench  
[ONERA-RT-95/7108-RY-054-R] p 743 A86-30219
- Exact closed-form solutions for nonlinear unsteady transonic aerodynamics  
p 695 A86-30631
- Steady and unsteady pressure distribution on various profiles in separated subsonic and transonic flow  
p 695 A86-30632
- An exact formulation of the unsteady aerodynamic theory of lifting surfaces undergoing arbitrary small motions in a supersonic flow field  
p 696 A86-30634
- Application of unsteady wing collocation methods to cascades in subsonic flow  
p 696 A86-30636
- A new look at arbitrary motion unsteady aerodynamics and its application to rotary-wing aeroelasticity  
p 696 A86-30638
- Unsteady design-point flow phenomena in transonic compressors  
[NASA-CR-176879] p 722 A86-30730
- ATRAN35: An unsteady transonic code for clean wings  
[NASA-TM-86783] p 781 A86-31535
- UNSTEADY STATE  
Unsteady forces on counter-rotating propeller blades  
[AIAA PAPER 86-1804] p 590 A86-37827

Unsteady aerodynamics-fundamentals and applications to aircraft dynamics  
[NASA-TM-88788] p 555 N86-27182

An entropy correction method for unsteady full potential flows with strong shocks  
[NASA-TM-87769] p 694 N86-29777

**UNSWEPT WINGS**

Energetics and optimum motion of oscillating lifting surfaces of finite span p 274 A86-25084

Comment on 'Conical similarity of shock/boundary-layer interactions generated by swept and unswept wings' p 337 A86-28558

Dynamic stall of swept and unswept oscillating wings p 580 N86-27226

**UPGRADING**

Design criteria upgrade for US Army Type 2 air traffic control towers  
[AD-A159115] p 94 N86-13314

**UPPER ATMOSPHERE**

Upper air forecasting for aviation in the United States p 615 A86-37501

Weather radar studies  
[AD-A161822] p 394 N86-22061

**UPPER SURFACE BLOWING**

Euler solutions for aircraft configurations employing upper surface blowing (USB)  
[AIAA PAPER 86-1767] p 542 A86-37805

**UPPER SURFACE BLOWN FLAPS**

Strain measurement of the USB-flap structures of NAL STOL aircraft p 95 A86-13315

Aerodynamic investigations toward an adaptive airfoil for a transonic transport aircraft p 623 A86-40115

**UPWASH**

Unsteady three-dimensional simulations of a VTOL upwash fountain  
[AIAA PAPER 86-0212] p 200 A86-19753

A study on the propulsive force of wings in non-steady motion by the theorem of momentum p 275 A86-25233

Some design philosophy for reducing the community noise of advanced counter-rotation propellers  
[NASA-TM-87099] p 129 N86-14007

An investigation of turbulence mechanisms in V/STOL upwash flow fields  
[AD-A166286] p 694 N86-29782

**URBAN TRANSPORTATION**

USSR report: Transportation  
[JPRS-UTR-86-004] p 435 N86-22565

**URETHANES**

Fuel resistant coatings for applications in integral tanks & bladder fuel cells p 246 A86-21737

**USER MANUALS (COMPUTER PROGRAMS)**

Basic aircraft performance — Book p 224 A86-21306

GRUMFOIL: A computer code for the viscous transonic flow over airfoils  
[NASA-CR-3806] p 86 N86-12202

PLITTER user's guide  
[NASA-CR-177385] p 88 N86-13291

Dynamic gas temperature measurement system. Volume 2: Operation and program manual  
[NASA-CR-168267] p 190 N86-15651

Airport-Noise Levels and Annoyance Model (ALAMO) system's reference manual  
[NASA-TM-87694] p 401 N86-22305

Numerical analysis of inviscid flows about wing-fuselage combinations. Part 1: Development of grid generation code YOKUDO-G  
[NAL-TR-864] p 414 N86-22551

User's guide for NASCRIN: A vectorized code for calculating two-dimensional supersonic internal flow fields  
[NASA-TM-85708] p 416 N86-23565

A microcomputer pollution model for civilian airports and Air Force bases  
[AD-A163232] p 616 N86-26714

Structural tailoring of engine blades (STAEBL) theoretical manual  
[NASA-CR-175112] p 592 N86-27283

Users guide: Steady-state aerodynamic-loads program for shuttle TPS tiles  
[NASA-TM-85724] p 600 N86-27406

Computation of the transonic flow about a swept wing in the presence of an engine nacelle  
[NASA-CR-177113] p 630 N86-28911

The method of complex characteristics for design of transonic blade sections  
[NASA-CR-176978] p 696 N86-30691

ATRAN3S: An unsteady transonic code for clean wings  
[NASA-TM-86783] p 781 N86-31535

**USER REQUIREMENTS**

The MIL-prime standard for aircraft flying qualities  
[AIAA PAPER 86-2131] p 828 A86-47677

Adhesive selection from the user's viewpoint p 841 A86-47715

An approach to developing specification measures p 330 N86-19968

Implicit activities in the post development phase — test equipment systems, combat aircraft p 407 N86-22542

Extended parametric representation of compressor fans and turbines. Volume 1: CMGEN user's manual  
[NASA-CR-174645] p 460 N86-23936

Extended parametric representation of compressor fans and turbines. Volume 2: Part user's manual (parametric turbine)  
[NASA-CR-174646] p 461 N86-23937

Extended parametric representation of compressor fans and turbines. Volume 3: MODFAN user's manual (parametric modulating flow fan)  
[NASA-CR-174647] p 461 N86-23938

Structural tailoring of engine blades (STAEBL) user's manual  
[NASA-CR-175113] p 592 N86-27284

VHF-FM communications antennas for project SINGARS (UH-1 tail whip antenna evaluation)  
[AD-A165897] p 676 N86-29119

**UTILITIES**

Ceramic thermal barrier coatings for electric utility gas turbine engines  
[NASA-TM-87288] p 452 N86-22687

**UTILITY AIRCRAFT**

Flutter clearance tests on a Transavia PL-12/T-400 Skylarmer  
[AD-A157212] p 110 N86-12234

Development of a computer-managed readiness assessment system  
[AD-A162931] p 463 N86-24215

## V

**V GROOVES**

High-speed braking of an aircraft tire on grooved surfaces p 162 A86-17787

**V/STOL AIRCRAFT**

Powered-lift technology on the threshold p 96 A86-14245

Simulation world moves up to V/STOL p 112 A86-14246

The influence of forward flight on thrust augmenting ejectors  
[AIAA PAPER 85-1589] p 173 A86-17843

Future requirements of wind tunnels for aeronautical systems development  
[AIAA PAPER 86-0751] p 309 A86-24740

Hover in-ground-effect testing of a full-scale, tilt-nacelle V/STOL model  
[AIAA PAPER 86-0780] p 286 A86-24759

Numerical simulation of a controlled-flow tunnel for V/STOL testing p 371 A86-28561

VSTOL aircraft ice protection design considerations p 483 A86-35654

A method for estimating jet reaction control effectiveness  
[AIAA PAPER 86-1805] p 593 A86-37828

X-wing - A low disc-loading V/STOL for the Navy  
[SAE PAPER 851772] p 578 A86-38307

Requirements for future RALS/STOVL operating concepts — Remote Augmented Lift System  
[SAE PAPER 851840] p 578 A86-38337

Estimation of lift losses of hovering vehicles using a single jet  
[SAE PAPER 851842] p 579 A86-38339

Results of piloted simulation of Grumman Design 698  
[SAE PAPER 851846] p 579 A86-38342

Harrier III-AV8B with a modern engine  
[SAE PAPER 851881] p 579 A86-38349

The significance of advanced technology engines on V/STOL systems  
[SAE PAPER 851882] p 579 A86-38350

Euler solutions for airfoil/jet/ground-interaction flowfields p 623 A86-40112

Control of V/STOL aircraft p 724 A86-46002

Ground effects on V/STOL and STOL aircraft: A survey  
[NASA-TM-86825] p 89 N86-13299

Investigation to advance prediction techniques of the low-speed aerodynamics of V/STOL aircraft  
[NASA-CR-166479] p 416 N86-23568

Hover in-ground-effect testing of a full-scale, tilt-nacelle V/STOL model  
[NASA-TM-88218] p 629 N86-28056

An investigation of turbulence mechanisms in V/STOL upwash flow fields  
[AD-A166286] p 694 N86-29782

The performance evaluation of a jet flap on an advanced supersonic harrier  
[NASA-CR-179653] p 716 N86-30722

## VACUUM APPARATUS

An experimental study of a vacuum water-air ejector with a multichannel liquid-supply nozzle ensuring jet-pair collision p 119 A86-13382

## VACUUM SYSTEMS

Application of low temperature curing prepregs and vacuum bag molding techniques to the manufacturing of a composite wing  
[AIAA PAPER 86-1019] p 609 A86-38876

## VALVES

On the methodology of an interactive computer-aided optimal design of a dual-valve linkage p 523 A86-36887

Fuel pump vent drain system  
[AD-D011993] p 459 N86-22947

## VAN DER WAAL FORCES

Crushing strength of aluminum oxide agglomerates  
[AD-A158051] p 124 N86-13756

## VANADIUM ALLOYS

Fatigue behavior of Ti-6Al-4V powder metallurgy compacts p 603 A86-39617

## VANES

Wind tunnel turning vanes of modern design  
[NASA-TM-87146] p 113 N86-12239

Dynamic characteristics of air data sensor systems: Altimeter, speedometer and alpha times beta vane  
[NAL-TR-852] p 172 N86-15312

De-icing of the altitude wind tunnel turning vanes by electro-magnetic impulse  
[NASA-CR-177260] p 599 N86-27291

Variable area radial turbine fabrication and test program  
[NASA-CR-175091] p 651 N86-28947

Self-retained platform cooling plate for turbine vane  
[AD-D012218] p 721 N86-29622

## VAPOR PHASES

Variability of major organic components in aircraft fuels  
[AD-A159057] p 185 N86-15415

## VAPORS

Properties of aircraft fuels and related materials  
[AD-A164532] p 604 N86-27461

## VARIABILITY

Variability of major organic components in aircraft fuels  
[AD-A159057] p 185 N86-15415

## VARIABLE CYCLE ENGINES

Variable cyclic turboshaft technology for rotorcraft of the '90s p 233 A86-20371

Gain-scheduled multivariable control for the GE-21 turbofan engine using the LQG/LTR methodology p 501 A86-35334

Free jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual flow. Comprehensive data report. Volume 1: Test nozzles and acoustic data p 469 N86-23371

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174817] p 469 N86-23372

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174818] p 469 N86-23372

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174819] p 469 N86-23372

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174820] p 469 N86-23372

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174821] p 469 N86-23372

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174822] p 469 N86-23372

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174823] p 469 N86-23372

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174824] p 469 N86-23372

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174825] p 469 N86-23372

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174826] p 469 N86-23372

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174827] p 469 N86-23372

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174828] p 469 N86-23372

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174829] p 469 N86-23372

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174830] p 469 N86-23372

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174831] p 469 N86-23372

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174832] p 469 N86-23372

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174833] p 469 N86-23372

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174834] p 469 N86-23372

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174835] p 469 N86-23372

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174836] p 469 N86-23372

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174837] p 469 N86-23372

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174838] p 469 N86-23372

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174839] p 469 N86-23372

- Pressure loading on curved leading edge wings in supersonic flow p 689 A86-44890
- The dynamic response of a variable sweep aircraft in the course of changing geometry [AIAA PAPER 86-2234] p 829 A86-47894
- Transonic aerodynamic and aeroelastic characteristics of a variable sweep wing p 561 N86-27237
- VARIANCE (STATISTICS)**
- A model for the life variance of a structural element under irregular loading p 119 A86-13388
- VARIATIONAL PRINCIPLES**
- A model for the equivalent bending characteristics of a composite beam p 667 A86-40361
- VECTORS (MATHEMATICS)**
- The possibility of achieving high productivity with vector-pipeline processors in solving problems of mathematical physics p 531 A86-36574
- VELOCITY**
- Joint agency turbulence experiment [AD-A160420] p 325 N86-18924
- VELOCITY DISTRIBUTION**
- The effect of the velocity profile at the diffuser inlet on the flow pattern p 300 A86-23684
- Numerical synthesis of tri-variate velocity realizations of turbulence p 387 A86-28654
- Velocity distribution around a wing in a wind tunnel
- Verification of a calculation method by means of a laser anemometer p 476 A86-35925
- BLR studies on conic model with LDA in FL-1 wind tunnel p 87 N86-12434
- Semiempirical method for predicting vortex-induced rolling moments [NASA-TM-87579] p 147 N86-14222
- Quasi nonstretching hypervelocity jets [ISL-CO-236/84] p 153 N86-15254
- Flow field survey near the rotational plane of an advanced design propeller on a JetStar airplane [NASA-TM-86037] p 207 N86-16196
- Experimental and theoretical study of incompressible flow around a wing profile with a spoiler. Contributions of laser velocimetry and the Dvorak method [ISL-R-116/84] p 279 N86-19297
- VELOCITY ERRORS**
- Measurements accuracy with 3D laser velocimetry [ONERA, TP NO. 1985-171] p 318 A86-24646
- VELOCITY MEASUREMENT**
- Velocity measurements in the near field of a rotor blade in hover [AIAA PAPER 85-5013] p 84 A86-14457
- The development of laser speckle velocimetry for the measurement of vortical flow fields [AIAA PAPER 86-0768] p 523 A86-37091
- Study of high speed combustion flows by laser velocimetry [NASA-CR-176439] p 190 N86-15688
- An experimental investigation of propeller wakes using a laser Doppler velocimeter p 277 N86-19283
- An experimental investigation of vortex breakdown on a delta wing p 557 N86-27196
- Velocity and turbulence measurements in dynamically stalled boundary layers on an oscillating airfoil p 580 N86-27228
- VENTILATION**
- Subsonic wall interference corrections for half-model tests using sparse wall pressure data [LR-616] p 276 N86-18287
- Transient thermal behaviour of a compressor rotor with ventilation: Test results under simulated engine conditions p 741 N86-29656
- VENTS**
- Fuel pump vent drain system [AD-D011993] p 459 N86-22947
- VERBAL COMMUNICATION**
- Operational acceptability of 2.4 kbps speech for tactical communications p 424 A86-32823
- Cockpit and cabin crew coordination and communication [SAE PAPER 851918] p 473 A86-35448
- Cockpit communication and aircraft safety - An empirical study [SAE PAPER 851858] p 482 A86-35451
- Radio telephony - A case for growing concern p 635 A86-40569
- Language problems in air traffic control p 635 A86-40570
- VERTEBRAL COLUMN**
- A review of the pilot backache problem in the CH113 Labrador helicopter [AD-A164011] p 530 N86-25113
- Crash-resistant crewseat limit-load optimization through dynamic testing with cadavers [AD-A164828] p 569 N86-26296
- VERTICAL AIR CURRENTS**
- The numerical computation of aircraft response to arbitrary vertical gust distributions p 110 A86-14534
- Deduction of vertical motion in the atmosphere from aircraft measurements p 323 A86-23292
- An ill wind - wind shear p 461 A86-31225
- A numerical analysis for vertical gust field induced by gust generator p 432 A86-33237
- A cold-season North American climatology of strong vertical wind shear p 614 A86-37466
- Numerical simulation of precipitation induced downbursts p 615 A86-37496
- VERTICAL DISTRIBUTION**
- Effects of measurement errors on estimation of the probability of vertical overlap p 280 A86-25214
- The aircraft icing environment in wintertime, low ceiling conditions [AD-A160578] p 280 N86-18307
- VERTICAL FLIGHT**
- An integrated display for vertical and translational flight
- Eight factors affecting pilot performance p 529 A86-36175
- Horizontal display for vertical flight: A direction of motion experiment [AD-A161113] p 299 N86-19321
- Vertically operating flight vehicle for drilling and agricultural use [NASA-TM-77713] p 357 N86-21535
- VERTICAL LANDING**
- Characteristics of the design of VTOL jet aircraft - Russian book p 162 A86-17600
- Horizontal display for vertical flight: A direction of motion experiment [AD-A161113] p 299 N86-19321
- VERTICAL MOTION**
- Frequency and time domain designs of a strapdown vertical determination system [AIAA PAPER 86-2148] p 810 A86-47457
- VERTICAL MOTION SIMULATORS**
- Simulation world moves up to V/STOL p 112 A86-14246
- VERTICAL ORIENTATION**
- An investigation of the use of bandwidth criteria for rotorcraft handling-qualities specifications [AD-A160664] p 294 N86-18319
- VERTICAL TAKEOFF AIRCRAFT**
- Stability and control of VTOL capable airships in hovering flight p 109 A86-14236
- Ground-simulation investigation of VTOL airworthiness criteria for terminal area operations p 90 A86-14237
- Army VTOL research and development - The first century p 75 A86-18096
- Characteristics of the design of VTOL jet aircraft - Russian book p 162 A86-17600
- The AV-8B fatigue test program p 165 A86-18443
- Unsteady three-dimensional simulations of a VTOL upwash fountain [AIAA PAPER 86-0212] p 200 A86-18753
- AV-8B design for maintainability p 225 A86-22378
- The helicopter and the other VTOL designs - An interview reader's manual p 287 A86-24989
- Characteristics of the effect of the powerplant jet streams on the design of VTOL aircraft p 354 A86-28320
- Major short-haul role seen for tilt-rotor aircraft p 420 A86-33427
- Correlation of stability test results and analysis for the 1/5 scale V-22 aeroelastic model p 490 A86-35603
- Modern developments in rotorcraft technology [MBB-UD-458-85-OE] p 805 A86-49509
- An investigation into the vertical axis control power requirements for landing VTOL type aircraft onboard nonaviation ships in various sea states [NASA-CR-176355] p 88 N86-13294
- Hot Gas Laboratory twin nozzle calibration [BAE-ARG-200] p 258 N86-17866
- Horizontal display for vertical flight: A direction of motion experiment [AD-A161113] p 299 N86-19321
- A trade-off study of tilt rotor aircraft versus helicopters using VASCOMP 2 and HESCOMP [AD-A167719] p 808 N86-31575
- Design of a vertical thrust stand for a remotely piloted model helicopter [AD-A167811] p 840 N86-31598
- VERY HIGH FREQUENCIES**
- VHF-FM communications antennas for project SINGARS (UH-1 tail whip and cabin roof bent whip evaluation) [AD-A163561] p 524 N86-24883
- VERY HIGH FREQUENCY RADIO EQUIPMENT**
- VHF-AM communications equipment selection and installation: practices for helicopters [DOT/FAA/PM-85/8] p 189 N86-15518
- Monopole element at the center of a circular groundplane of arbitrary radius. Volume 1: Theory and results [AD-A166991] p 744 N86-30906
- VERY LARGE SCALE INTEGRATION**
- The Impact of Very High Performance Integrated Circuits on Radar, Guidance and Avionics Systems [AGARD-CP-380] p 674 N86-28337
- MIL-DAP: Its architecture and role as a real time airborne digital signal processor p 681 N86-28359
- The impact of VHPIC on avionics system architecture, packaging and maintainability p 674 N86-28372
- VERY LOW FREQUENCIES**
- Comparison of calculated and measured height profiles of transverse electric VLF signals across the daytime earth-ionosphere waveguide p 250 A86-21513
- VLF radio navigation systems - Russian book p 703 A86-44279
- Minimum operational performance standards for airborne area navigation equipment using Omega/VLF inputs [RTCA/DO-190] p 705 N86-30711
- VHF OMNIRANGE NAVIGATION**
- Design considerations for Doppler VOR ground station antenna arrangement p 349 A86-28360
- Simulation of the algorithms of a navigation computer p 748 A86-46369
- VHSIC (CIRCUITS)**
- Possible impacts of VHSIC on MIL-STD-1553B data transmission management p 674 N86-28371
- The impact of very high performance integrated circuits on avionics system readiness p 674 N86-28373
- The impact of artificial intelligence on airborne maritime reconnaissance p 675 N86-28374
- VIBRATION**
- Development of a temperature-compensated hot-film anemometer system for boundary-layer transition detection on high-performance aircraft p 605 A86-38236
- Recent developments in the dynamics of advanced rotor systems. I p 586 A86-39597
- Rotorcraft Dynamics 1984 [NASA-CP-24001] p 167 N86-15280
- An examination of the relations between rotor vibratory loads and airframe vibrations p 177 N86-15299
- Coupled rotor-body vibrations with inplane degrees of freedom p 177 N86-15301
- Analysis of potential helicopter vibration reduction concepts p 178 N86-15302
- Effects of vibration-induced cavitation of physicochemical characteristics of aircraft fuel p 184 N86-15346
- The Shock and Vibration Bulletin 55, Part 2: Dynamic testing, flight vehicle dynamics, seismic loads and fluid-structure interaction [AD-A160264] p 257 N86-16646
- Triaxial vibration system p 257 N86-16647
- Ground vibration test results for Drones for Aerodynamic and Structural Testing (DAST)/Aeroelastic Research Wing (ARW-1R) aircraft [NASA-TM-85906] p 294 N86-19312
- Testing of YUH-61A helicopter transmission in NASA Lewis 2240-kW (3000-hp) facility [NASA-TP-2538] p 525 N86-24992
- Flight test guide for certification of transport category airplanes [FAA-AC-25-7] p 587 N86-26329
- The Shock and Vibration Digest, volume 18, no. 1 [AD-A165726] p 612 N86-27468
- The Shock and Vibration Digest, volume 17, no. 8 [AD-A165115] p 612 N86-27471
- Noise transmission into propeller aircraft p 619 N86-27473
- Experimental study using nearfield acoustic holography of sound transmission through fuselage sidewall structures [NASA-CR-177182] p 683 N86-28702
- Interaction of airborne and structureborne noise radiated by plates. Volume 1: Analytical study [NASA-TM-87746] p 683 N86-29633
- Study of new flight test techniques [NASA-CR-176952] p 714 N86-29812
- Structureborne noise in aircraft: Modal tests [NASA-TM-87739] p 757 N86-31339
- VIBRATION DAMPING**
- Prediction and measurement of damping of vibrations of structures by adhesives p 118 A86-13171
- Estimation of the fluctuation amplitude of the angle of attack of a flight vehicle with nonlinear damping characteristics in the presence of atmospheric turbulence p 114 A86-13386
- Dynamic response of a laminated plate with friction damping [ASME PAPER 85-DET-16] p 122 A86-16032
- Response of a rotorcraft model with damping non-linearities p 162 A86-17698
- Influence of nonlinear blade damping on helicopter ground resonance instability p 283 A86-23185
- Results of recent research on damped fan blades [ASME PAPER 85-DET-133] p 318 A86-24236

- Aeroelastic oscillations caused by transitional boundary layers and their attenuation  
[AIAA PAPER 86-0736] p 286 A86-24731
- Vibration problems of jet engine rotor systems  
p 304 A86-25219
- Equivalent stiffness and damping coefficients for squeeze film dampers  
p 319 A86-25751
- Application of modern structural optimization to vibration reduction in rotorcraft  
p 352 A86-26587
- Energy dissipation connected with vibrations of mechanical systems  
p 381 A86-27076
- The damping capacity of layered materials  
p 374 A86-27084
- Structural dynamic aspects of rotor antiresonant isolation  
p 353 A86-27863
- Free vibration characteristics of periodically stiffened panels with damped stringers  
p 456 A86-31773
- Influence of friction dampers on torsional blade flutter  
[ASME PAPER 85-GT-170] p 441 A86-32957
- A review of aeroelastic research at the flight dynamics laboratory  
p 433 A86-33242
- Development of a flutter suppression control law by use of Linear Quadratic Gaussian and constrained optimization design techniques  
p 444 A86-33248
- Higher harmonic control - Vibration reduction for reduced weight - for helicopters  
[SAWE PAPER 1679] p 489 A86-35220
- Adaptive flutter suppression in the presence of turbulence  
p 508 A86-35370
- Higher harmonic control - Wind tunnel demonstration of fully effective vibratory hub force suppression  
p 509 A86-35802
- Process development and test evaluation of cast, HIP and heat treated titanium UH-60A M.R. Damper Bracket  
p 516 A86-35841
- Calculation of the steady-state transverse vibrations of the system rotors-housing of a gas-turbine engine  
p 503 A86-36741
- A unified formulation of rotor load prediction methods  
p 576 A86-37774
- Passive control of aerodynamically forced vibrations of supersonic turbomachine rotors by splitter blades  
[AIAA PAPER 86-0844] p 590 A86-38892
- Stochastic flutter of nonlinear aeroelastic structures with parameter random fluctuations  
[AIAA PAPER 86-0962] p 609 A86-38934
- Effects of nonlinear damping on random response of beams to acoustic loading  
[AIAA PAPER 86-1004] p 609 A86-38945
- Frequency domain synthesis of a robust flutter suppression control law  
p 594 A86-39042
- The role of structural and aerodynamic damping on the aeroelastic behavior of wings  
p 708 A86-44894
- Response of symmetric rectangular composite laminates with nonlinear damping subjected to acoustic loading  
[AIAA PAPER 86-1933] p 738 A86-45422
- Eigensystem synthesis for active flutter suppression on an oblique-wing aircraft  
[AIAA PAPER 86-2243] p 824 A86-47491
- Coupled aeroelastic hub loads reduction  
p 799 A86-48665
- Research on active suppression technology for wing/aileron flutter  
p 835 A86-49096
- Nonlinear dynamics of a helicopter model in ground resonance  
p 177 A86-15284
- An investigation of adaptive controllers for helicopter vibration and the development of a new dual controller  
[NASA-CR-177377] p 239 A86-16228
- Limiting performance of nonlinear systems with applications to helicopter vibration control  
[AD-A161457] p 370 A86-21551
- Laminated damped fuselage structures  
p 389 A86-21916
- Beam dampers for skin vibration and noise reduction in the 747  
p 389 A86-21917
- Use of skin damping treatments to control airframe dynamic response for interior noise control  
p 389 A86-21919
- A design guide for damping of aerospace structures  
p 390 A86-21923
- Improved Y-7, Y-12 aircraft described  
p 436 A86-22572
- Aeroelastic control of oblique-wing aircraft  
[NASA-TM-86808] p 595 A86-26340
- Effects of blade-to-blade dissimilarities on rotor-body lead-lag dynamics  
[NASA-TM-86828] p 639 A86-28079
- Flutter prediction for a wing with active aileron control  
[NASA-CR-178994] p 655 A86-28959
- Active flutter suppression on a delta wing model structure  
[DFVLR-FB-86-01] p 727 A86-29870
- Structural dynamic aspects of rotor nodal isolation - helicopters  
p 715 A86-30665
- Flight test of passive wing/store flutter suppression  
[NASA-TM-87766] p 806 A86-31568
- Active control of helicopter vibrations. Flight evaluation of a vibration reduction system on a Gazelle SA 349 helicopter  
[SNIAS-861-210-108] p 836 A86-32444
- VIBRATION EFFECTS**  
Effect of vibration on the readability of color CRT displays  
[SAE PAPER 841466] p 327 A86-26009
- The role of vibration and rattle in human response to helicopter noise  
[AD-A162486] p 396 A86-22110
- VIBRATION ISOLATORS**  
Helicopter vibration flight testing - The rotortuner approach  
p 293 A86-26169
- Structural dynamic aspects of rotor nodal isolation  
p 434 A86-33267
- Transient test of suspension electronics for gyroscope  
[AD-D011853] p 123 A86-12585
- Segmented tubular cushion springs and spring assembly  
[NASA-CASE-ARC-11349-1] p 388 A86-20797
- Beam dampers for skin vibration and noise reduction in the 747  
p 389 A86-21917
- Ground vibration test of an F-16 airplane with modified decoupler pylons  
[NASA-TM-87634] p 496 A86-24685
- Six degree-of-freedom LIVE isolation systems, part 1  
[NASA-CR-177928] p 587 A86-26331
- Active control of helicopter vibrations. Flight evaluation of a vibration reduction system on a Gazelle SA 349 helicopter  
[SNIAS-861-210-108] p 836 A86-32444
- VIBRATION MEASUREMENT**  
A holographic study of the vibrational modes of aircraft engine rotors  
p 301 A86-23756
- Determination of natural vibration properties of a wing with winglet by experimental mode synthesis technique  
p 435 A86-33280
- Holographic mode shape investigation of aircraft engine impellers  
p 672 A86-43105
- New methods for in-flight vibration testing  
p 820 A86-47369
- VIBRATION MODE**  
A property of the elastic vibrations of nearly symmetric systems  
p 119 A86-13387
- Simulation of the vibration transmission path and the use of a mathematical model of vibration transmission for the vibrational diagnostics of an aircraft engine  
p 301 A86-23754
- A holographic study of the vibrational modes of aircraft engine rotors  
p 301 A86-23756
- Interactive model imaging process for vibrating structures  
[ASME PAPER 85-DET-110] p 318 A86-24231
- Static aeroelastic analysis using aircraft vibration modes  
p 432 A86-33241
- Comparison of some time domain methods for structural system identification  
p 457 A86-33279
- Determination of natural vibration properties of a wing with winglet by experimental mode synthesis technique  
p 435 A86-33280
- Rapid vibration mode analysis of aircraft with external stores  
p 435 A86-33281
- A wind tunnel study of active control technology on a high aspect ratio wing  
[AIAA PAPER 86-0956] p 594 A86-38930
- Structural modification by modal correction  
p 738 A86-44934
- Vibration analysis of a helicopter fuselage by means of mathematical models  
p 725 A86-48368
- Digital data acquisition system for modal testing - of aircraft  
p 731 A86-47083
- Multi shaker modal testing using a modified transient random excitation  
p 740 A86-47107
- Real-time flutter identification with close mode resolution  
[AIAA PAPER 86-2019] p 827 A86-47654
- Ground vibration test of an F-16 airplane with modified decoupler pylons  
[NASA-TM-87634] p 496 A86-24685
- NASTRAN supplemental documentation for modal forced vibration analysis of aerodynamically excited turbofans  
[NASA-CR-174967] p 875 A86-28463
- Static aeroelastic analysis using aircraft vibration modes  
p 743 A86-30641
- Rapid vibration mode analysis of aircraft with external stores  
p 716 A86-30679
- VIBRATION SIMULATORS**  
Helicopter vibration flight testing - The rotortuner approach  
p 293 A86-26169
- Rotating aerodynamic exciters for in-flight flutter testing  
p 353 A86-27820
- Multi shaker modal testing using a modified transient random excitation  
p 740 A86-47107
- VIBRATION TESTS**  
Some thoughts on the vibration testing of helicopter equipment in the UK  
p 283 A86-23022
- A survey of accelerated vibratory fatigue test method of aero-engine compressor blade  
[ASME PAPER 85-IGT-105] p 317 A86-23904
- Fatigue of structural materials at high-frequency cycle loading  
p 453 A86-30019
- Dynamic characteristics of an assembly of prop-fan blades  
[ASME PAPER 85-GT-134] p 441 A86-32956
- Vibration test and identification of modal parameter of aircraft wing model  
p 605 A86-37406
- Comparison of modal analysis methods on a light aircraft  
p 730 A86-44933
- Structural modification by modal correction  
p 738 A86-44934
- The methods implemented at ONERA to improve airplane ground vibration tests  
[ONERA, TP NO. 1986-8] p 713 A86-46153
- Digital data acquisition system for modal testing - of aircraft  
p 731 A86-47083
- A comparison of methods for aircraft ground vibration testing  
p 713 A86-47086
- Multi shaker modal testing using a modified transient random excitation  
p 740 A86-47107
- New methods for in-flight vibration testing  
p 820 A86-47369
- Identification of unsteady response in rudders at low velocities  
[AAAF PAPER NT 85-19] p 797 A86-48468
- Developments in helicopter ground vibration testing  
p 805 A86-48638
- Ground vibration test of the laminar flow control JStar airplane  
[NASA-TM-86396] p 100 A86-13321
- Triaxial vibration system  
p 257 A86-16647
- CID-720 aircraft Langley Research Center preflight hardware tests: Development, flight acceptance and qualification  
p 392 A86-21949
- Ground vibration test of an F-16 airplane with modified decoupler pylons  
[NASA-TM-87634] p 496 A86-24685
- Aeroelastic tests of OA 206 and OA 207 profiles  
[ONERA-RT-22/1841-RY-310-R] p 641 A86-28942
- Active flutter suppression on a delta wing model structure  
[DFVLR-FB-86-01] p 727 A86-29870
- Advances in ground vibration testing using a combination of phase resonance and phase separation methods - aircraft testing  
p 743 A86-30669
- Modified US Army U-8F ground vibration test  
[NASA-TM-86741] p 717 A86-30723
- Dynamic analysis: Correlation of theory with experiment - MSC/NASTRAN analysis of Westland 30 G-BGHF [RP661] p 851 A86-31917
- Active control of helicopter vibrations. Flight evaluation of a vibration reduction system on a Gazelle SA 349 helicopter  
[SNIAS-861-210-108] p 836 A86-32444
- VIBRATIONAL SPECTRA**  
Effects of blade-to-blade dissimilarities on rotor-body lead-lag dynamics  
[AD-A160497] p 283 A86-18317
- Correlation of results of an OH-58A helicopter composite tail boom test with a finite element model  
[AD-A161062] p 295 A86-19316
- VIBRATIONAL STRESS**  
Modeling realistic environmental stresses on external stores  
p 95 A86-13275
- Development of an unsteady aerodynamics model to improve correlation of computed blade stresses with test data  
p 156 A86-15288
- Crack growth in titanium alloys under the conjoint action of high and low cycle fatigue  
[AD-A166429] p 665 A86-29028
- VIBRATORY LOADS**  
Modal constraints on structural dynamic force determination  
p 161 A86-17070
- Aeroelastic considerations for torsionally soft rotors  
p 157 A86-15289
- Aeroelastic considerations for torsionally soft rotors  
[NASA-TM-87687] p 745 A86-31070
- VIDEO EQUIPMENT**  
Use of video cassette recorders for combined video and PCM data recording  
p 315 A86-23256
- Electronic display luminance and grey scale control - for military aircraft  
p 360 A86-28505
- 160 megapixels per second 2000 line display  
p 456 A86-32318
- VIDEO SIGNALS**  
A high bandwidth signal distribution system for aircraft Stores Management Systems (SMS)  
p 231 A86-20505



## VINYL COPOLYMERS

- Copolymers of vinyl styrylpyridines or vinyl stilbazoles with bismaleimide  
[NASA-CASE-ARC-11429-1-CU] p 378 N86-20560

## VISCOELASTIC DAMPING

- Prediction and measurement of damping of vibrations of structures by adhesives p 118 A86-13171  
Requirements for tailoring of material properties of viscoelastically damped bonded laminates in aircraft structures p 250 A86-21714  
The viscoelastic damping technology design guide for aerospace structures  
[ASME PAPER 85-DET-104] p 318 A86-24230  
Integrated damped fuselage structure p 389 N86-21918  
A design guide for damping of aerospace structures p 390 N86-21923

## VISCOELASTICITY

- Passive damping, sonic fatigue and the KC-135A p 256 N86-18625  
Heat transfer, friction, and rheological characteristics of antimisting kerosene p 734 N86-30013

## VISCOPLASTICITY

- La Recherche Aérospatiale, bimonthly bulletin, number 1985-1, 224/January-February  
[ESA-TT-915] p 458 N86-22729

## VISCOSITY

- Analytical applications in the Army oil analysis program p 845 A86-47595  
Calculation of axisymmetric laminar supersonic flows over blunt bodies p 148 N86-14234  
Heat transfer, friction, and rheological characteristics of antimisting kerosene p 734 N86-30013  
Jet fuel viscosity at low temperatures with notes on n-alkaline crystals  
[NASA-CR-174911] p 701 N86-30022

## VISCOUS DAMPING

- Effects of nonlinear damping on random response of beams to acoustic loading  
[AIAA PAPER 86-1004] p 609 A86-38945  
The Shock and Vibration Bulletin 55. Part 1: Welcome, keynote address, invited papers, isolation and damping and damping practices  
[AD-A180263] p 256 N86-18616

## VISCOUS DRAG

- The effect of a shock layer on the viscous resistance of star-shaped bodies with flat side faces p 140 A86-18691  
Aircraft viscous drag reduction technology p 204 A86-20124  
Analytical study of three-surface lifting systems  
[SAE PAPER 850866] p 552 A86-38507  
Aircraft drag reduction technology: A summary p 155 N86-15267  
Design and fabrication of large suction panels with perforated surfaces for laminar flow control testing in a transonic wind tunnel  
[NASA-TM-89011] p 715 N86-29815

## VISCOUS FLOW

- Performance evaluation of linear turbine cascades using three-dimensional viscous flow calculations  
[ASME PAPER 85-G-65] p 77 A86-13063  
Asymptotic solution of the fluid-flow problem in the core of a vortex sheet p 81 A86-13413  
Viscous flow results for the vortex-airfoil interaction problem  
[AIAA PAPER 85-4053] p 83 A86-14451  
The efficient simulation of separated three-dimensional viscous flows using the boundary-layer equations  
[AIAA PAPER 85-4064] p 84 A86-14452  
A viscous-inviscid coupling method for the design of low Reynolds number airfoil sections p 136 A86-16305  
Computational and theoretical studies of unsteady viscous aerodynamics p 137 A86-16307  
Computational study of flow over Milei and Wortmann airfoils p 138 A86-16317  
Experiments with several elements for viscous incompressible flows p 186 A86-16833  
On a weak solution for a transonic flow problem p 143 A86-17738  
Supersonic viscous-inviscid interaction of a swept compression ramp with a turbulent boundary layer  
[AIAA PAPER 85-1669] p 143 A86-17826  
Large-scale separation and hysteresis in cascades p 145 A86-18577  
Practical applications of new LU-ADI scheme for the three-dimensional Navier-Stokes computation of transonic viscous flows  
[AIAA PAPER 86-0513] p 203 A86-19922  
A three-dimensional viscous flow analysis for the helicopter tip vortex generation process about square and round tipped blades  
[AIAA PAPER 86-0560] p 203 A86-19949  
Computational methods in viscous flows p 250 A86-21026

The numerical solution of the compressible viscous flow field about a complete aircraft in flight

- p 205 A86-21033  
A class of airfoils having finite trailing-edge pressure gradients p 270 A86-23184  
A viscous-inviscid interaction model for transonic unsteady flow  
[ONERA, TP NO. 1985-152] p 272 A86-24630  
Future requirements of wind tunnels for CFD code verification  
[AIAA PAPER 86-0753] p 309 A86-24742  
Inviscid and viscous simulations of high angle of attack flows  
[SAE PAPER 851820] p 548 A86-38328  
Viscous effects on transonic airfoil stability and response p 623 A86-40110  
A nozzle design analysis technique  
[AIAA PAPER 86-1613] p 647 A86-42751  
Hypersonic viscous shock layer on a surface with an abrupt variation of catalytic activity p 737 A86-43994  
Viscous-inviscid interaction solvers and computation of highly separated flows  
[ONERA, TP NO. 1986-4] p 691 A86-46152  
Modeling three-dimensional flows in terms of viscous-inviscid interaction by means of the MSZ method  
[ONERA, TP NO. 1986-29] p 692 A86-46171  
GRUMFOIL: A computer code for the viscous transonic flow over airfoils  
[NASA-CR-3806] p 86 N86-12202  
Effect of surface waviness on a supercritical laminar-flow-control airfoil  
[NASA-TM-85705] p 86 N86-12206  
An improved viscid/inviscid interaction procedure for transonic flow over airfoils  
[NASA-CR-3805] p 87 N86-12208  
Numerical solutions of Navier-Stokes equations for a Butler wing  
[NASA-CR-174202] p 88 N86-13293  
Simulation of three-dimensional viscous transonic flows p 148 N86-14233  
Prediction of the drag of wings at subsonic speeds by viscous/inviscid interaction techniques p 156 N86-15274  
Numerical simulation of viscous supersonic flow over a generic fighter configuration  
[NASA-TM-86823] p 190 N86-15627  
Validation of viscous and inviscid computational methods for turbomachinery components  
[NASA-TM-87193] p 207 N86-16194  
Numerical simulation of the leading-edge separation vortex over delta wing p 209 N86-17271  
Numerical solution of viscous compressible flows past an airfoil using unconditionally stable explicit method p 210 N86-17290  
A viscous-inviscid interaction method to predict the aerodynamic performance of airfoils at transonic speed  
[NAL-TR-873] p 341 N86-21508  
ALESEP. Part 2: A computer program for the analysis of leading edge separation bubbles on infinite swept wings  
[NASA-CR-178015] p 479 N86-24664  
Analysis of transitional separation bubbles on infinite swept wings  
[NASA-CR-3956] p 555 N86-26288  
Computation of 3-dimensional viscous transonic flows using the LU-ADI factored scheme  
[NAL-TR-889T] p 553 N86-27184  
Vortex lift research: Early contributions and some current challenges p 556 N86-27191  
Viscous vortical flow calculations over delta wings p 558 N86-27202  
A critical look at dynamic simulation of viscous flow p 560 N86-27230  
Thermodynamic evaluation of transonic compressor rotors using the finite volume approach  
[NASA-CR-176847] p 722 N86-30731  
Numerical Techniques for Viscous Flow Calculations in Turbomachinery Bladings — conference  
[VKI-LS-1986-02] p 744 N86-30988  
High speed viscous flow calculations about complex configurations  
[NASA-TM-88237] p 850 N86-31827

## VISCOUS FLUIDS

- Recombination of vortex filaments and its role in aerodynamic noise p 408 A86-30213

## VISIBILITY

- AFOS (Automation of Field Operations and Services) montitory of terminal forecasts  
[PB85-236388] p 260 N86-18643  
Revised Uniform Summary of Surface Weather Observations (RUSSWO). Parts A-F: General Billy Mitchell Field, Wisconsin  
[AD-A159658] p 324 N86-18896

- Revised Uniform Summary of Surface Weather Observations (RUSSWO). Parts A-F: Aviano AB, Italy  
[AD-A159662] p 324 N86-18900

## VISION

- Wide-angle, low-altitude flight simulator vision system for cockpit research and aircrew training p 311 A86-26152  
The effects of vocal versus manual response modalities on multi-task performance  
[AD-A159830] p 321 N86-18588  
Selection of a man-modelling CAD (Computer-Aided Design)  
[AD-A161342] p 400 N86-22159

## VISUAL ACCOMMODATION

- Head-up display (HUD) utility. II - Runway to HUD transitions monitoring eye focus and decision times p 498 A86-33802

## VISUAL ACUITY

- Criteria for a state-of-the-art vision test system  
[AD-A157099] p 126 N86-12973

## VISUAL AIDS

- Visually coupled EO system developed for the RAE Sea King XV371 p 299 A86-26130  
Avionics system for future civil helicopters  
[BMFT-FB-W-85-005] p 160 N86-14266

## VISUAL FLIGHT RULES

- Civil helicopter handling qualities requirements for visual and instrument flight p 832 A86-48674  
Technical support of the Wall Street/Battery Park city heliport MLS (Microwave Landing System) project  
[AD-A165073] p 575 N86-27273

## VISUAL PERCEPTION

- Effect of vibration on the readability of color CRT displays  
[SAE PAPER 841486] p 327 A86-26009  
Criteria for a state-of-the-art vision test system  
[AD-A157099] p 126 N86-12973  
An analytical comparison of three visual approach slope indicators: VASIS, T-VASIS and PAPI  
[ARL/SYS-R-33] p 93 N86-13309  
Pilot-oriented performance measurement  
[AD-A158849] p 126 N86-13690  
Advanced simulator for pilot training: Effects of collimation on accommodation and vergence  
[AD-A159545] p 181 N86-14279  
Flight simulator: Comparison of resolution thresholds for two light valve video projectors  
[AD-A164577] p 598 N86-26344  
FLIR, NVG and HMS/D systems for helicopter operation: Review p 619 N86-26804

## VOICE COMMUNICATION

- U.S. Army helicopter voice technology applications  
[SAE PAPER 841609] p 328 A86-26028  
Comparison of voice types for helicopter voice warning systems  
[SAE PAPER 841611] p 328 A86-26030  
Advanced technology - New fixes or new problems? — for helicopter voice warning systems p 328 A86-26031  
Improving intelligibility in audio distribution systems p 395 A86-28513  
Assessing the intelligibility and acceptability of voice communication systems p 424 A86-32824  
Effects of noise and workload on a communication task  
[AD-A160743] p 321 N86-18599  
B-52G crew noise exposure study p 333 N86-20094  
Controlled impact demonstration flight data recorders/cockpit voice recorders p 391 N86-21944  
A comparison of voice and keyboard data entry for a helicopter navigation task  
[AD-A163245] p 610 N86-26501  
A modification of the H-133 ground communications headset for use in intense noise environments  
[AD-A166981] p 744 N86-30907

## VOICE CONTROL

- Understanding natural language commands p 263 A86-20667  
Talking to your aircraft p 239 A86-21900  
A novel voice activated switch (VOX) for high noise environments p 348 A86-28335  
Selecting cockpit functions for speech I/O technology p 395 A86-28446  
A speech processing system for an air traffic control radar simulator p 351 A86-28447  
New interfaces in the cockpit p 427 A86-31346  
The effects of vocal versus manual response modalities on multi-task performance  
[AD-A159830] p 321 N86-18588

## VOICE DATA PROCESSING

- Selecting cockpit functions for speech I/O technology p 395 A86-28446  
A speech processing system for an air traffic control radar simulator p 351 A86-28447

## VOLCANOES

- The hazards of ash clouds to civil air transport  
p 566 A86-37477
- Airborne lidar measurements of El Chichon stratospheric aerosols  
[NASA-RP-1166] p 616 N86-27835

## VOLCANOLOGY

- Meteorol-derived quantitative measurements on volcanic ash plumes for warning to aviation  
p 566 A86-37478

## VOLTAGE GENERATORS

- Implementation of a crowbar switch in a Marx generator/peaking capacitor lightning simulator system  
p 790 A86-47305

## VOLTAGE REGULATORS

- Digital simulation of regulated electrical power supplies for military applications  
p 669 A86-40775

## VOLT METERS

- China report: Science and technology  
[JPRS-CST-85-029] p 122 N86-12446

## VON KARMAN EQUATION

- Some solutions to the Karman equation describing flow past the salient points of a profile  
p 79 A86-13363

## VORTEX ALLEVIATION

- Wake hazard alleviation associated with roll oscillations of wake-generating aircraft  
p 624 A86-41693
- Vortex wake alleviation studies with a variable twist wing  
[NASA-TP-2442] p 197 N86-16187
- Vortex flow hysteresis  
p 558 N86-27201

## VORTEX BREAKDOWN

- The effect of compressibility on slender vortices  
p 317 A86-23944
- Turbulent boundary-layer wall pressure fluctuations downstream of a tandem LEBU --- Large-Eddy Breakup devices  
p 457 A86-32984
- Prospects for destructive self-induced interactions in a vortex pair due to sinusoidal disturbances --- of large transport aircraft wakes  
[AIAA PAPER 86-1791] p 543 A86-37821
- On slender vortices  
p 689 A86-44810
- An approximate model of vortex decay in the atmosphere  
p 689 A86-44889
- Effects of spanwise blowing on pressure distribution and leading-edge vortex stability  
p 774 A86-49046
- An experimental investigation of vortex breakdown on a delta wing  
p 557 N86-27196
- Investigation of empennage buffeting  
[NASA-CR-177164] p 654 N86-28951

## VORTEX FILAMENTS

- Recombination of vortex filaments and its role in aerodynamic noise  
p 408 A86-30213
- Surface pressure measurement during low speed two-dimensional blade-vortex interaction  
[AIAA PAPER 86-1856] p 753 A86-45478
- A study of the relationship between nonlinear changes in the lifting force and the vortex structure of flow around a low aspect ratio wing at large angles of attack  
p 767 A86-48762

## VORTEX FLAPS

- Comparison of computations and experimental data for leading edge vortices - Effects of yaw and vortex flaps  
[AIAA PAPER 86-0439] p 202 A86-19880
- A comparison of experimental and numerical results for delta wings with vortex flaps  
[AIAA PAPER 86-1840] p 546 A86-37848
- The behaviour and performance of leading edge vortex flaps  
[CAR-8601] p 479 N86-24666
- Experimental assessment of vortex retaining cavity flaps for maneuverability improvement on delta wing fighter aircraft  
[AD-A164104] p 497 N86-24690
- Vortex Flow Aerodynamics, volume 1  
[NASA-CP-2416-VOL-1] p 556 N86-27190
- Leading-edge vortex research: Some nonplanar concepts and current challenges  
p 556 N86-27192
- Towards an advanced vortex flap system: The cavity flap  
p 557 N86-27200
- Water tunnel results of leading-edge vortex flap tests on a delta wing vehicle  
p 558 N86-27208
- PAN AIR application to the F-106B  
[NASA-CR-178165] p 698 N86-30698

## VORTEX GENERATORS

- Vortices produced by air pulse injection from the surface of an oscillating airfoil  
[AIAA PAPER 86-0118] p 199 A86-19699
- An experimental study of a high performance canard airfoil with boundary layer trip and vortex generators  
[AIAA PAPER 86-0781] p 273 A86-24760
- An experimental investigation of the parallel blade-vortex interaction  
p 276 A86-26106
- Low-speed aerodynamics of apex fences on a tailless delta configuration  
[AIAA PAPER 86-1838] p 779 A86-49593

## Double-branched vortex generator

- [NASA-TM-88201] p 89 N86-13298
- New techniques for experimental generation of two-dimensional blade-vortex interaction at low Reynolds numbers  
[NASA-TP-2551] p 401 N86-21280
- Vortex boundary-layer interactions  
[NASA-CR-176701] p 415 N86-22556
- The flowfield of a side-dump combustor  
p 673 N86-28237
- Feasibility of generating an artificial burst in a turbulent boundary layer  
[NASA-CR-4003] p 675 N86-28377

## VORTEX RINGS

- A ring-vortex downburst model for flight simulations  
p 393 A86-28568
- Formal optimization of hovering performance using free wake lifting surface theory  
[NASA-CR-177103] p 640 N86-28935

## VORTEX SHEDDING

- Experiments on unsteady flows about wing sections  
p 138 A86-16318
- Vortices incident upon a leading edge - Instantaneous pressure fields  
p 141 A86-17060
- The vortex patterns of dynamic separation - A parametric and comparative study  
p 145 A86-18534
- Fluid dynamics of cylinder response to Karman vortex shedding  
[AIAA PAPER 86-0119] p 199 A86-19700
- Reflections regarding recent rotary rig results  
[AIAA PAPER 86-0123] p 241 A86-19703
- Application of the vortex-lattice method to high-angle-of-attack subsonic aerodynamics  
[SAE PAPER 851817] p 547 A86-38326
- Dynamic stall - The case of the vertical axis wind turbine  
p 746 A86-44150
- Application of unsteady aerodynamics to large-eddy breakup devices in a turbulent flow  
p 688 A86-44238
- Control of wake structure behind an oscillating airfoil  
[AIAA PAPER 86-2282] p 764 A86-47700
- Leading edge vortex flow over a 75 degree-swept delta wing  
Experimental and computational results  
[ONERA, TP NO. 1986-122] p 773 A86-49042
- Free-vortex flow simulation using a three-dimensional Euler aerodynamic method  
p 773 A86-49043
- Forebody vortex management for yaw control at high angles of attack  
p 833 A86-49047
- Vortices and pressure waves at trailing edges  
[ISL-CO-224/84] p 153 N86-15252
- A visualisation study of the vortex flow around double-delta wings  
[ARL-AERO-R-165] p 340 N86-20362
- Numerical simulation of vortices shed behind a rotating wing  
p 418 N86-23862
- A novel feedback concept for combustion instability in ramjets  
p 665 N86-28236

## VORTEX SHEETS

- Asymptotic solution of the fluid-flow problem in the core of a vortex sheet  
p 81 A86-13413
- Certain problems of fluid flow near the core of a spiral discontinuity  
p 120 A86-13424
- Model for analytically describing edge vortices  
p 140 A86-16867
- Determination of the intensity of a free vortex sheet in the context of airfoil theory  
p 146 A86-18904
- A study on the propulsive force of wings in non-steady motion by the theorem of momentum  
p 275 A86-25233
- Vortex flows in aerodynamics  
p 338 A86-29417
- The use of curved higher order panels for vortex sheet modeling  
[AIAA PAPER 86-1812] p 544 A86-37833
- Calculation of asymmetric vortex separation on slender delta wings with a vortex-sheet model  
[AIAA PAPER 86-1836] p 546 A86-37846
- The use of the magnetic aerohydrodynamic analogy method to simulate three-dimensional flow past aircraft, taking powerplant operation into account  
p 770 A86-48833
- Flow of an ideal fluid in the core of a vortex sheet  
p 770 A86-48839
- Analysis of strake-slender-wing configurations using slender-wing theory  
p 774 A86-49049
- A survey of numerical methods for the calculation of inviscid, possibly rotational Euler flows around aeronautical configurations  
[NLR-TR-83130-U] p 258 N86-17699
- Investigation of rolling-up and interaction of leading-edge and trailing-edge vortex sheets on a slender delta wing  
[AD-A163682] p 479 N86-24668
- Recent extensions to the free-vortex-sheet theory for expanded convergence capability  
p 556 N86-27194
- Analytical observations on the aerodynamics of a delta wing with leading edge flaps  
[NASA-CR-177022] p 630 N86-28913

- Wake shape and its effects on aerodynamic characteristics  
[NASA-CR-178118] p 631 N86-28918

- Formal optimization of hovering performance using free wake lifting surface theory  
[NASA-CR-177103] p 640 N86-28935
- Vortex sheet modeling with higher order curved panels  
[NASA-CR-176971] p 693 N86-29770

## VORTEX STREETS

- The development of laser speckle velocimetry for the measurement of vortical flow fields  
[AIAA PAPER 86-0768] p 523 A86-37091

## VORTICES

- The effect of a perforated wall on incompressible flow past a U-shaped vortex  
p 81 A86-13406
- Effect of cantilevers on the lift characteristics of a thin swept wing and vortex-wake stability  
p 81 A86-13422
- Formation of asymmetric separated flow past slender bodies of revolution at large angles of attack  
p 82 A86-13429
- Viscous flow results for the vortex-airfoil interaction problem  
[AIAA PAPER 85-4053] p 83 A86-14451
- Calculation of steady flow about propellers using a surface panel method  
p 85 A86-14559
- Microbursts - A hazard for aircraft --- small, intense thunderstorm outflow  
p 124 A86-14816
- Pressure fluctuations on rotor blades generated by blade-vortex interaction  
p 86 A86-16122
- Streamwise and spanwise vortical patterns visualized over airfoils in unsteady flow  
p 138 A86-16319
- Longitudinal vortices imbedded in turbulent boundary layers. I - Single vortex  
p 186 A86-17043
- Methods for rotor aerodynamic and dynamic analysis  
p 161 A86-17068
- Vortex-fitted potential and vortex-captured Euler solution for leading-edge vortex flow  
p 142 A86-17149
- Experimental investigation of three dimensional separation on an ellipsoid-cylinder body at incidence  
[AIAA PAPER 85-1686] p 143 A86-17636
- Experimental investigation of three dimensional separation on an ellipsoid-cylinder body at incidence  
[AIAA PAPER 85-1686] p 143 A86-17845
- The vortex patterns of dynamic separation - A parametric and comparative study  
p 145 A86-18534
- Noise generated by a stretching vortex  
p 193 A86-18689
- Visualization and flow surveys of the leading edge vortex structure on delta wing planforms  
[AIAA PAPER 86-0330] p 201 A86-19817
- Vortex-airfoil interaction tests  
[AIAA PAPER 86-0354] p 201 A86-19833
- Comparison of computations and experimental data for leading edge vortices - Effects of yaw and vortex flaps  
[AIAA PAPER 86-0439] p 202 A86-19880
- A three-dimensional viscous flow analysis for the helicopter tip vortex generation process about square and round tipped blades  
[AIAA PAPER 86-0560] p 203 A86-19949
- Vortex roll-up for an elliptically-loaded wing at moderately low Reynolds numbers  
[AIAA PAPER 86-0562] p 203 A86-19951
- Numerical simulation of leading-edge vortex flows  
p 270 A86-23133
- The effect of compressibility on slender vortices  
p 317 A86-23944
- Recent computational fluid dynamics works about high angle of attack aerodynamics with separation vortex  
p 274 A86-25206
- Review of theory of vortex separated from a leading edge of a delta wing  
p 275 A86-25207
- An experimental investigation of the parallel blade-vortex interaction  
p 276 A86-26106
- Nucleation of ice crystals in supercooled clouds caused by passage of an airplane  
p 323 A86-26175
- Helicopter model rotor-blade vortex interaction impulsive noise - Scalability and parametric variations  
p 400 A86-27658
- A wake model for high resolution airloads  
p 336 A86-27666
- Tail profile effects on unsteady large scale flow structure in the wing and plate junction  
p 387 A86-28666
- In-flight flow visualization of F-106B leading-edge vortex using the vapor-screen technique  
[AIAA PAPER 86-9785] p 431 A86-32118
- Investigation of vortex patterns on slender bodies at high angles of attack  
p 410 A86-32784
- Simulation of inviscid vortex-stretched turbulent shear-layer flow  
p 411 A86-32979
- A vortex lattice method for calculating nonlinear aerodynamic characteristics of interfering airfoils  
[DGLR PAPER 85-122] p 475 A86-35172
- Nonlinear lift control at high speed and high angle of attack using vortex flow technology  
p 478 A86-37050
- Vortex-induced bending oscillation of a swept wing  
[AIAA PAPER 86-1773] p 542 A86-37809

- Flow structure of lateral wing-tip blowing  
[AIAA PAPER 86-1810] p 544 A86-37831
- An implicit flux-difference splitting scheme for three-dimensional, incompressible Navier-Stokes solutions to leading edge vortex flows  
[AIAA PAPER 86-1839] p 546 A86-37847
- Navier-Stokes computations of lee-side flows over delta wings  
[AIAA PAPER 86-1049] p 548 A86-38420
- Experimental study of a turbulent horseshoe vortex using a three-component laser velocimeter  
[AIAA PAPER 86-1069] p 548 A86-38436
- The interaction between a strong longitudinal vortex and a turbulent boundary layer  
[AIAA PAPER 86-1071] p 549 A86-38437
- Influence of numerical dissipation in computing supersonic vortex-dominated flows  
[AIAA PAPER 86-1073] p 549 A86-38439
- Application of the unsteady vortex-lattice method to the nonlinear two-degree-of-freedom aeroelastic equations  
[AIAA PAPER 86-0867] p 585 A86-38902
- Interactions between acoustics and vortex structures in a central dump combustor  
[AIAA PAPER 86-1609] p 671 A86-42749
- Application of rotor induced velocity field of the vortex theory to the study of stability and controllability of helicopter with hingeless rotor  
p 705 A86-43477
- Flows past a rotating circular cylinder at high Reynolds number  
p 688 A86-43533
- On aerodynamic sound generation by airfoil-vortex interaction  
p 688 A86-44803
- Calculation of the potential flow around wing profiles with the aid of a continuously differentiable vortex distribution  
p 689 A86-44979
- Helicopter tail rotor noise  
[AIAA PAPER 86-1900] p 750 A86-45401
- Control of the discrete vortices from a delta wing  
[AIAA PAPER 86-1915] p 690 A86-45411
- Propeller noise caused by blade tip radial forces  
[AIAA PAPER 86-1892] p 721 A86-45504
- Spiral vortex flow over a swept-back wing  
p 691 A86-46004
- High resolution solutions of the Euler equations for vortex flows  
p 692 A86-46793
- Enhanced controllability through vortex manipulation on fighter aircraft at high angles of attack  
[AIAA PAPER 86-2277] p 830 A86-47695
- Vortex-induced effects on aircraft dynamics  
[AIAA PAPER 86-2279] p 830 A86-47697
- The dynamic response of helicopters to fixed wing aircraft wake encounters  
p 832 A86-48671
- A study of the characteristics of separated flow past wings and lifting systems  
p 770 A86-48842
- Disordered vortex flow computed around a cranked delta wing at subsonic speed and high incidence  
p 772 A86-49027
- Finite-volume and integral-equation techniques for transonic and supersonic vortex-dominated flows  
p 774 A86-49045
- Analysis of the vortical flow around a 60 degree delta wing with vortex flap  
p 774 A86-49050
- The prediction of lift inferred from downstream vorticity measurements  
p 775 A86-49102
- Vortex influence on oscillating airfoil at high angle-of-attack  
[AIAA PAPER 86-1837] p 779 A86-49592
- Implicit hybrid schemes for the flux-difference split, three-dimensional Navier-Stokes equations  
p 850 A86-50258
- Some recent advances in computational aerodynamics for helicopter applications  
[NASA-TM-86777] p 87 N86-12207
- Double-branched vortex generator  
[NASA-TM-88201] p 89 N86-13298
- Some design philosophy for reducing the community noise of advanced counter-rotation propellers  
[NASA-TM-87099] p 129 N86-14007
- Semiempirical method for predicting vortex-induced rolling moments  
[NASA-TM-87579] p 147 N86-14222
- Solutions of the Navier-Stokes equations for vortical flow  
p 148 N86-14231
- The properties of a row of trailing vortices generated in the uniform flow. The path of trailing vortex  
[REPT-1] p 151 N86-14422
- The properties of a row of trailing vortices generated in the uniform flow. Shape of trailing vortex and its streamwise variation  
[REPT-2] p 151 N86-14423
- Vortices and pressure waves at trailing edges  
[ISL-CC-224/84] p 153 N86-15252
- Vortex wake alleviation studies with a variable twist wing  
[NASA-TP-2442] p 197 N86-16187

- An experimental investigation of the entrainment into a leading-edge vortex  
[VTH-LR-332] p 208 N86-16203
- An experimental investigation of propeller wakes using a laser Doppler velocimeter  
p 277 N86-19283
- Aerodynamics of two-dimensional blade-vortex interaction  
[AD-A160662] p 295 N86-19315
- Side force characteristics of a 20 deg cone at high angles of attack  
[NAL-TM-AE-8503] p 340 N86-20356
- Subsonic flow investigations on a cranked wing designed for high maneuverability  
[NASA-CR-178046] p 340 N86-20361
- Vortex conception of rotor and mutual effect of screw/propellers  
[NASA-TM-77979] p 342 N86-21510
- Numerical simulation of vortices shed behind a rotating wing  
p 418 N86-23862
- Vapor-screen flow-visualization experiments in the NASA Langley 0.3-m transonic cryogenic tunnel  
[NASA-CR-3984] p 478 N86-24861
- Investigation of rolling-up and interaction of leading-edge and trailing-edge vortex sheets on a slender delta wing  
[AD-A163692] p 479 N86-24868
- Experimental study of apex fences for lift enhancement on a highly swept delta wing configuration  
[AD-A163877] p 512 N86-24705
- Review and evaluation of recent developments in metric inlet dynamic flow distortion prediction and computer program documentation and user's manual estimating maximum instantaneous inlet flow distortion from steady-state total pressure measurements with full, limited, or no dynamic data  
[NASA-CR-176785] p 525 N86-24955
- Helicopter tail rotor noise analyses  
[NASA-CR-176829] p 536 N86-26183
- Vortex Flow Aerodynamics, volume 1  
[NASA-CP-2416-VOL-1] p 556 N86-27190
- Vortex lift research: Early contributions and some current challenges  
p 556 N86-27191
- Leading-edge vortex research: Some nonplanar concepts and current challenges  
p 556 N86-27192
- Extensions of the concept of suction analogy to prediction of vortex lift effect  
p 556 N86-27193
- An experimental investigation of vortex breakdown on a delta wing  
p 557 N86-27196
- In-flight and wind tunnel leading-edge vortex study on the F-106B airplane  
p 557 N86-27198
- Basic studies on delta wing flow modifications by means of apex fences  
p 557 N86-27199
- Towards an advanced vortex flap system: The cavity flap  
p 557 N86-27200
- Vortex flow hysteresis  
p 558 N86-27201
- Viscous vortical flow calculations over delta wings  
p 558 N86-27202
- An Euler aerodynamic method for leading-edge vortex flow simulation  
p 558 N86-27203
- Computation of leading-edge vortex flows  
p 558 N86-27205
- An overview of the fundamental aerodynamics branch's research activities in wing leading-edge vortex flows at supersonic speeds  
p 558 N86-27207
- Analysis of wings with leading edge and/or trailing edge segmented (spanwise) flaps using planar horse shoe vortex lattice method  
[NAL-TM-AE-8507] p 559 N86-27212
- A vortex point method for calculating inviscid incompressible flows around rotary wings  
p 612 N86-27219
- Unsteady Aerodynamics-Fundamentals and Applications to Aircraft Dynamics  
[AGARD-CP-386] p 560 N86-27224
- Dynamic stall of swept and unswept oscillating wings  
p 560 N86-27226
- Velocity and turbulence measurements in dynamically stalled boundary layers on an oscillating airfoil  
p 560 N86-27228
- Wing profile in stalled position subject to a flow of alternating potential and strong vortex  
p 560 N86-27229
- Unsteady vortex airfoil interaction  
p 562 N86-27240
- Unsteady interactions of transonic airfoils with gusts and concentrated vortices  
p 565 N86-27261
- Modelling of the vortex-airfoil interaction  
p 565 N86-27262
- Experimental study of the effect of turbulence on dynamic stalling  
p 565 N86-27264
- The flowfield of a side-dump combustor  
p 673 N86-28237
- Acoustic-vortex interactions in an idealized ramjet combustor  
p 659 N86-28242
- Feasibility of generating an artificial burst in a turbulent boundary layer  
[NASA-CR-4003] p 675 N86-28377

- Wind-tunnel acoustic results of two rotor models with several tip designs  
[NASA-TM-87698] p 682 N86-28701
- An analysis of blade vortex interaction aerodynamics and acoustics  
[NASA-CR-177016] p 630 N86-28912
- A study of the factors affecting boundary layer two-dimensionality in wind tunnels  
[NASA-CR-177023] p 631 N86-28914
- Measurements on wing-tip blowing  
[NASA-CR-176930] p 632 N86-28922
- Formal optimization of hovering performance using free wake lifting surface theory  
[NASA-CR-177103] p 640 N86-28935
- Flow past a flat plate with a vortex/sink combination  
[NASA-CR-176908] p 676 N86-29159
- Motion and interaction of decaying trailing vortices in spanwise shear wind  
[NASA-TP-2599] p 687 N86-29762
- Analytical investigation of rotor wake formation and geometry  
[NASA-CR-177032] p 693 N86-29768
- Experimental results of the control of a vortical flow by tangential blowing  
[NASA-CR-176932] p 742 N86-30094
- VORTICITY**
- Application of continuous vorticity panels to general unsteady incompressible two-dimensional lifting flows  
p 624 A86-41690
- Summary report on the working group for conference 1: Solutions of the Navier-Stokes equations  
p 147 N86-14226
- VORTICITY EQUATIONS**
- Recombination of vortex filaments and its role in aerodynamic noise  
p 408 A86-30213
- VORTICITY TRANSPORT HYPOTHESES**
- Material contravariant components - Vorticity transport and vortex theorems  
p 387 A86-28553
- VULNERABILITY**
- Application of PRA to HEMP vulnerability analysis  
[DE86-001781] p 399 N86-21260
- Logistics engineering analysis techniques for fault-tolerant avionics systems  
[AD-A161981] p 439 N86-23596
- Aircraft nuclear survivability methods  
[AD-A163218] p 587 N86-26332
- Survivability considerations during aircraft conceptual design  
[AD-A168555] p 809 N86-32428
- W**
- WAKES**
- Calculation of steady flow about propellers using a surface panel method  
p 85 A86-14559
- Methods for rotor aerodynamic and dynamic analysis  
p 161 A86-17068
- A study on the propulsive force of wings in non-steady motion by the theorem of momentum  
p 275 A86-25233
- Three-dimensional interaction of wakes and boundary layers  
[AIAA PAPER 86-1820] p 545 A86-37838
- Wake imaging system applications at the Boeing Aerodynamics Laboratory  
[SAE PAPER 851895] p 606 A86-38358
- Wake induced unsteady aerodynamic interactions in a multi-stage compressor  
[AIAA PAPER 86-1455] p 625 A86-42653
- Experimental results of the noise radiation of propellers in non-uniform flows  
[AIAA PAPER 86-1928] p 751 A86-45419
- Wing loads induced by a propeller wake  
[AIAA PAPER 86-1967] p 711 A86-45450
- A study of the characteristics of separated flow past wings and lifting systems  
p 770 A86-48842
- The prediction of lift inferred from downstream vorticity measurements  
p 775 A86-49102
- Some design philosophy for reducing the community noise of advanced counter-rotation propellers  
[NASA-TM-87099] p 129 N86-14007
- Prediction of the drag of wings at subsonic speeds by viscous/inviscid interaction techniques  
p 156 N86-15274
- Spanwise redistribution of energy and loss in an axial flow compressor by wake centrifugation  
[AD-A159312] p 237 N86-16222
- Studies of the flow field near a NACA 4412 aerofoil at nearly maximum lift  
[RAE-TM-AERO-2026] p 211 N86-17307
- Unsteady heat transfer and direct comparison to steady-state measurements in a rotor-wake experiment  
[NASA-TM-87220] p 524 N86-24934

- The effects on rotor nonuniform inflow harmonic content of uneven circumferential distribution of jet engine inlet guide vanes  
[AD-A164629] p 555 N86-26291
- Motion and interaction of decaying trailing vortices in spanwise shear wind  
[NASA-TP-2599] p 687 N86-29762
- Wake-passing in a turbine rotor cascade  
p 741 N86-29830
- Unsteady design-point flow phenomena in transonic compressors  
[NASA-CR-176879] p 722 N86-30730
- WALL FLOW**
- The effect of a perforated wall on incompressible flow past a U-shaped vortex  
p 81 A86-13406
- Attached cavitation and the boundary layer - Experimental investigation and numerical treatment  
p 186 A86-17032
- Velocity distribution around a wing in a wind tunnel  
Verification of a calculation method by means of a laser anemometer  
p 476 A86-35925
- Investigation of heat transfer in separation regions in supersonic flow in a Laval nozzle  
p 477 A86-36458
- Characteristics of the interaction of interference and diffraction flows at supersonic velocities  
p 478 A86-36459
- The noise emitted by turbulent jets in close proximity to solid surfaces  
[AIAA PAPER 86-1869] p 755 A86-45489
- Wall-interference assessment in three-dimensional slotted-wall wind tunnels  
[NASA-CR-176320] p 113 N86-12240
- Parametric determination of lift interference for three-dimensional models in the Emmen (Switzerland) aircraft works wind tunnel  
[F+W-FO-1740] p 277 N86-18304
- Analysis of transitional separation bubbles on infinite swept wings  
[NASA-CR-3956] p 555 N86-26288
- Tables for correcting airfoil data obtained in the Langley 0.3-meter transonic cryogenic tunnel for sidewall boundary-layer effects  
[NASA-TM-87723] p 555 N86-26289
- Adaptive wall wind tunnels: A selected, annotated bibliography  
[NASA-TM-87639] p 731 N86-29871
- WALL JETS**
- An investigation of turbulence mechanisms in V/STOL upwash flow fields  
[AD-A166286] p 694 N86-29782
- WALL PRESSURE**
- An experimental study of the flow and wall pressure field around a wing-body junction  
p 337 A86-26837
- Turbulent boundary-layer wall pressure fluctuations downstream of a tandem LEBU - Large-Eddy BreakUp devices  
p 457 A86-32984
- Fluctuations of wall pressure in the interacting region of oblique shock wave and turbulent boundary layer  
p 688 A86-43514
- Derivation of jack movement influence coefficients as a basis for selecting wall contours giving reduced levels of interference in flexible walled test sections  
[NASA-CR-177992] p 86 N86-12204
- WALL TEMPERATURE**
- High-temperature thermocouple and heat flux gauge using a unique thin film hardware hot junction  
[ASME PAPER 85-GT-18] p 117 A86-13059
- Measurements of fluctuations of surface heat transfer rate in the interacting region of oblique shock wave and turbulent boundary layer  
p 688 A86-43512
- Development of new combustor technologies for application to alternative aeroengine fuels, phase 1  
[BMFT-FB-W-85-004] p 184 N86-14402
- WALLS**
- The effect on the transmission loss of a double wall panel of using helium gas in the gap  
p 855 A86-48590
- WARFARE**
- Modernizing tactical C3I  
p 159 A86-18551
- What USAF aircraft should be the Wild Weasel of the 1990's?: An assessment of the F-4G, the F-15WW, and F-16WW  
[AD-A164727] p 539 N86-26279
- Flight simulator: Comparison of resolution thresholds for two light valve video projectors  
[AD-A164577] p 598 N86-26344
- WARNING SYSTEMS**
- Comparison of voice types for helicopter voice warning systems  
[SAE PAPER 841611] p 328 A86-26030
- Advanced technology - New fixes or new problems? - for helicopter voice warning systems  
p 328 A86-26031
- Detection and isolation of control surface effectiveness failures in high performance aircraft  
p 367 A86-28392
- New CFAR-processor based on an ordered statistic  
p 457 A86-32618
- Low altitude wind-shear protection can be attained  
p 569 A86-39563
- Sniffing out trouble  
p 699 A86-45757
- LLWAS - An integral part of the U.S. wind-shear safety programme  
p 746 A86-46138
- Wind-shear detection - A report on the first such airborne warning device to be commercially certified  
p 718 A86-46139
- Ranging and azimuthal problems of an airborne crossed loop used as a single-station lightning locator  
p 809 A86-47325
- F-5E departure warning system algorithm development and validation  
[AIAA PAPER 86-2284] p 830 A86-47702
- Obstacle warning radar for helicopters - An anthropotechnical problem  
p 787 A86-47789
- Digital servocontroller system, Volume 2, Maintenance manual  
[AD-A159066] p 179 N86-15322
- Asymmetric thrust warning system for dual engine aircraft  
[AD-D011980] p 361 N86-20387
- The Stapleton microburst advisory service project: An operational viewpoint  
[AD-A161543] p 394 N86-21078
- Pilot evaluation of TCAS in the Long Ranger helicopter  
[FAA/PM-85/30] p 486 N86-25334
- Development of airborne electric field and lightning detection instrumentation for aviation safety  
[AD-A167342] p 701 N86-30705
- WARPAGE**
- Accurate dynamic theory for supermaneuverable aircraft wings  
[AIAA PAPER 86-1006] p 585 A86-38947
- Anisotropic wing aeroelastic theories with warping effects  
p 696 N86-30659
- WASTE ENERGY UTILIZATION**
- Method for improving the fuel efficiency of a gas turbine engine  
[NASA-CASE-LEW-13142-2] p 364 N86-20389
- WASTE TREATMENT**
- China report: Science and technology  
[JPRS-CST-86-004] p 458 N86-22735
- WATER**
- Quantitative determination of engine water ingestion  
[AIAA PAPER 86-0307] p 254 A86-22690
- Diffusion of water in carbon epoxy composites  
p 377 A86-27754
- Development of the portable water separator for the WSIM test  
[SAE PAPER 851870] p 608 A86-38537
- Direct and system effects of water ingestion into jet engine compressors  
p 644 A86-40739
- Aircraft accident report: Vieques Air Link, Inc., Britten-Norman BN-21-8 Islander, N589SA, Vieques, Puerto Rico, August 2, 1984  
[PB85-901408] p 159 N86-15276
- Variability of major organic components in aircraft fuels  
[AD-A159057] p 185 N86-15415
- WATER DEPTH**
- An evaluation of the capability of the surface condition analyzer (SCAN) sensors to measure runway water depth  
[AD-A164719] p 611 N86-26603
- WATER FLOW**
- Investigation of a tip clearance cascade in a water analogy ring  
[ASME PAPER 85-IGT-65] p 270 A86-22730
- WATER IMMERSION**
- How much inherent buoyancy is acceptable in a helicopter passenger immersion suit  
p 261 A86-19310
- The effect of water ingress on buoyancy and thermal quality of survival suits  
p 261 A86-19333
- Ship/rig personnel abandonment and helicopter crew/passenger immersion suits - The requirements in the North Atlantic  
p 396 A86-29100
- WATER INJECTION**
- Transient engine performance with water ingestion  
[AIAA PAPER 86-1621] p 647 A86-42755
- WATER LANDING**
- Emergency underwater escape from helicopters  
p 784 A86-47745
- WATER PRESSURE**
- Combustion gas properties. II - Prediction of partial pressures of CO<sub>2</sub> and H<sub>2</sub>O in combustion gases of aviation and diesel fuels  
[ASME PAPER 86-GT-163] p 843 A86-48216
- WATER TAKEOFF AND LANDING AIRCRAFT**
- A note on the prediction of flying boat take-off  
p 487 A86-34158
- Technology demonstration for investigation of the new possibilities of amphibious flying boats, phase 2  
[BMFT-FB-W-85-022] p 806 N86-31577
- WATER TUNNEL TESTS**
- The response of airfoils to periodic disturbances - The unsteady Kutta condition  
[AIAA PAPER 84-0050] p 270 A86-23126
- Enhanced controllability through vortex manipulation on fighter aircraft at high angles of attack  
[AIAA PAPER 86-2277] p 830 A86-47695
- Water tunnel results of leading-edge vortex flap tests on a delta wing vehicle  
p 558 N86-27206
- Feasibility of generating an artificial burst in a turbulent boundary layer  
[NASA-CR-4003] p 675 N86-28377
- WATER VAPOR**
- The calculation of the entropy distribution along cloud traverses using aircraft measurements  
p 678 A86-40555
- WATER WAVES**
- Elimination of directional wave spectrum contamination from noise in elevation measurements  
p 641 A86-40854
- WATERPROOFING**
- Simple technique moistureproofs ILS localizer antenna array  
p 282 A86-23379
- WAVE DRAG**
- Wave drag of a supersonic air intake at high subsonic velocities  
p 770 A86-48834
- Numerical solutions for three-dimensional cases: Delta wings  
p 155 N86-15264
- WAVE FRONT RECONSTRUCTION**
- Aerodynamic design methods for modern transport aircraft  
[ESA-TT-923] p 782 N86-31543
- WAVE FUNCTIONS**
- Monopole element at the center of a circular groundplane of arbitrary radius. Volume 1: Theory and results  
[AD-A166991] p 744 N86-30908
- WAVE PACKETS**
- A numerical analysis of the characteristics of a Tollmien-Schlichting wave packet in a boundary layer on a flat plate  
p 79 A86-13374
- WAVE PROPAGATION**
- Waves due to a steadily moving source on a floating ice plate - used as aircraft runway  
p 124 A86-13535
- A new method of analyzing wave propagation in periodic structures - Applications to periodic Timoshenko beams and stiffened plates  
p 249 A86-20792
- Experimental and theoretical study of the effect of wave propagation on the positional accuracy of Omega navigation in Germany - German thesis  
p 572 A86-38974
- An analysis of bending wave propagation on impact in a rotating fan blade  
p 736 A86-43534
- An experimental and theoretical investigation of the propagation of sound waves through a turbulent boundary layer  
[AIAA PAPER 86-1988] p 753 A86-45451
- Proceedings of the 1985 ONR/NAVAIR Wave Rotor Research and Technology Workshop  
[AD-A161539] p 389 N86-20813
- Ultraasonic characterization of microstructure in powder metal alloy  
p 469 N86-22964
- WAVE REFLECTION**
- Development of an impulsive noise source to study the acoustic reflection characteristics of hard-walled wind tunnels  
[AIAA PAPER 86-1887] p 755 A86-45500
- Acoustic reflection contamination measurements in the 16-foot NASA Langley Transonic Wind Tunnel  
[AIAA PAPER 86-1888] p 755 A86-45501
- WAVEFORMS**
- The 1982 direct strike lightning data  
[NASA-TM-84626] p 463 N86-24091
- Comparison of absorption and radiation boundary conditions using a time-domain three-dimensional finite difference electromagnetic computer code  
[AD-A163828] p 532 N86-25149
- Measurement and extraction of recurring waveforms: For applications to active transmissions, flow-noise, and helicopter-radiated noise problems  
[AD-A167400] p 856 N86-32249
- WAVEGUIDE ANTENNAS**
- Comparison of calculated and measured height profiles of transverse electric VLF signals across the daytime earth-ionosphere waveguide  
p 250 A86-21513
- Mechanical design and evaluation of a slotted CFRP waveguide antenna  
p 383 A86-27703
- WEAPON SYSTEM MANAGEMENT**
- Life cycle cost and availability in military aeronautics  
p 266 A86-21872
- A Modular Stress Management System (MSMS) with worldwide applications  
p 359 A86-28367

## WEAPON SYSTEMS

- Portable computerized tester improves flight-line maintenance p 121 A86-15528
- Operational testing experience on the AH-64A Apache p 164 A86-18418
- A predictive technique for determining store motion after release from a carrier vehicle at supersonic speeds [AIAA PAPER 86-0586] p 203 A86-19964
- Supersonic conventional weapon testing of the F/A-18A Hornet p 222 A86-21052
- Testing Canadian unique features of the CF-18 - The first year p 223 A86-21060
- The Air Force approach to environmental stress screening p 253 A86-22192
- Cockpit automation technology p 326 A86-23724
- The project for anti-tank helicopter p 290 A86-26124
- Safety aspects in stores management systems p 299 A86-26132
- Electromagnetic pulse test aircraft (EMPTAC) program p 335 A86-27145
- State estimation errors in digital Kalman filters caused by measurement delays and numerical integration p 397 A86-28368
- A case study in simulation vs. stimulation - The B-1 weapon system trainer p 398 A86-28456
- Low cost part task trainer for the GBU-15 guided bomb p 370 A86-28457
- Modular simulators - How to make it work - procurement and logistics for flight-weapon system trainer p 371 A86-28459
- Onboard simulation - A demonstrated technology breakthrough for cost effective testing and training p 360 A86-28464
- Cockpits for 2010 and beyond p 427 A86-31849
- Combined test force operations at the Air Force Flight Test Center [AIAA PAPER 86-9739] p 406 A86-32085
- The significance of advanced technology engines on V/STOL systems p 579 A86-38350
- [SAE PAPER 851882] p 579 A86-38350
- An overview of USAF engine diagnostic systems [AIAA PAPER 86-1679] p 649 A86-42790
- Expert systems for aviation maintenance [AIAA PAPER 86-1143] p 622 A86-43332
- Generic integrated maintenance diagnostics p 685 A86-44422
- Life cycle cost methodology for preliminary design evaluation [ASME PAPER 86-GT-37] p 812 A86-48124
- Durability and damage tolerance assessment of the TF34-100 engine [ASME PAPER 86-GT-38] p 812 A86-48125
- An analytical modularized treatment of autopiots for guided projectile simulations [AD-A159311] p 182 A86-14282
- A comparative evaluation of the reliability improvement in line replaceable units warranted under the F-16 reliability improvement warranty [AD-A160830] p 321 A86-18630
- Unsteady aerodynamics and dynamic aircraft maneuverability p 564 A86-27253
- The impact of artificial intelligence on airborne maritime reconnaissance p 675 A86-28374
- Aerialia: Avionics, optoelectronics research, ATR 42 p 642 A86-29080
- The search for an advanced fighter: A history from the XF-108 to the advanced tactical fighter [AD-A166724] p 687 A86-29764
- An analytical methodology for predicting repair time distributions of advanced technology aircraft [AD-A167149] p 763 A86-31529
- WEAPONS**
- Preliminary airworthiness evaluation of the AH-1S (modernized cobra) with the Hellfire, TOW, and Stinger missiles installed [AD-A160862] p 294 A86-18322
- WEAPONS DELIVERY**
- Automation and integration on AFTI/F-16 [AIAA PAPER 85-3089] p 103 A86-14433
- A simulation of an integrated flight control/air-ground cannon firing system [ONERA, TP NO. 1986-31] p 725 A86-46173
- WEAPONS DEVELOPMENT**
- Airborne infrared measurement systems and techniques [AIAA PAPER 86-9814] p 439 A86-32140
- WEAR**
- Coating requirements in gas turbine engines p 173 A86-17490
- Using wear products for assessing and predicting the condition of aircraft jet engines p 316 A86-23759
- X-ray fluorescence analysis of wear metals in used lubricating oils p 673 A86-43430

- Development of a portable wear metal analyzer for field use [AD-A166013] p 622 A86-28906
- WEAR INHIBITORS**
- The effect of the monoethers of dicarboxylic acids on the antiwear properties of jet fuels p 843 A86-49963
- Phosphorus anti-wear additives in helicopter transmissions [IC-TS015/85] p 452 A86-22710
- WEAR RESISTANCE**
- Carbon-carbon composites for braking p 661 A86-40364
- Nonskid coating formulations [AD-D012186] p 604 A86-27457
- WEAR TESTS**
- Phosphorus anti-wear additives in helicopter transmissions [IC-TS015/85] p 452 A86-22710
- WEATHER**
- Determining the effects of weather in aircraft accident investigations [AIAA PAPER 86-0323] p 213 A86-19813
- Weather-involved U.S. air carrier accidents 1962-1984 - A compendium and brief summary [AIAA PAPER 86-0327] p 214 A86-19815
- A first step for reducing helicopter IFR approach minima Agusta A109 IFR CAT II certification p 280 A86-26127
- Detection and recognition of hazardous weather conditions by primary surveillance radar p 457 A86-32614
- Evaluation of the ASR-9 weather reflectivity product - airport surveillance radar p 614 A86-37485
- CERR: An aviation verification program [PB85-204824] p 260 A86-16854
- Limited Surface Observations Climatic Summary (LSOCS). Parts A, C-F: Bremen International, West Germany [AD-A159656] p 323 A86-18894
- Revised Uniform Summary of Surface Weather Observations (RUSSWO). Parts A-F: General Billy Mitchell Field, Wisconsin [AD-A159658] p 324 A86-18896
- Revised Uniform Summary of Surface Weather Observations (RUSSWO). Parts A-F: Aviano AB, Italy [AD-A159662] p 324 A86-18900
- Catalog of air weather service technical documents [AD-A159881] p 324 A86-18912
- Weather radar studies [AD-A161622] p 394 A86-22061
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 3 of 1984 accidents [PB85-916922] p 570 A86-26303
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 4 of 1984 accidents [PB85-916923] p 570 A86-26304
- WEATHER FORECASTING**
- Forecasting for civil aviation. I p 393 A86-29002
- Tomorrow's weather - New accuracy in forecasting p 462 A86-32450
- International Conference on the Aviation Weather System, 2nd, Université du Québec, Montreal, Canada, June 19-21, 1985, Preprints p 613 A86-37451
- The crash of C-GTLA - The cumulative effects of small defects and a hint of a previously unrecognized major meteorological hazard p 567 A86-37489
- Categorization of atmospheric turbulence in terms of aircraft response for use in turbulence reports and forecasts p 615 A86-37497
- Use of computer technology in the operations of the national aviation weather advisory unit p 615 A86-37500
- The aviation weather forecasting task force - Assessing the current system p 616 A86-37504
- Forecasting for civil aviation. II p 746 A86-44380
- AFOS (Automation of Field Operations and Services) monitor of terminal forecasts [PB85-236388] p 260 A86-16843
- CERR: An aviation verification program [PB85-204824] p 260 A86-16854
- Catalog of air weather service technical documents [AD-A159881] p 324 A86-18912
- Aviation weather hazards: FAA (Federal Aviation Administration) system for disseminating severe weather warnings to pilots [PB86-195070] p 702 A86-30707
- WEATHER MODIFICATION**
- AN-30 photography airplane outfitted for cloud-seeding missions p 393 A86-20888
- WEATHER STATIONS**
- Evaluating the new automated weather observing system p 615 A86-37491
- WEBS (SHEETS)**
- Aircraft barricade [AD-D012194] p 656 A86-28102

## WEDGE FLOW

- Hypersonic flow past non-slender wedges, cones and ogives in oscillation p 76 A86-13047
- Transient motion of a hypersonic wedge, including time history effects p 443 A86-31662
- Experimental study of supersonic flow around a single-stage wedge with cheeks at sideslip angles p 628 A86-43404
- Unfolding of degenerate Hopf bifurcation for supersonic flow past a pitching wedge p 725 A86-46456
- WEDGES**
- A study of heat transfer on wedges with a swept leading edge and a sharply bent generatrix p 81 A86-13399
- Unified supersonic/hypersonic similitude for oscillating wedges and plane ogives p 689 A86-44880
- WEIBULL DENSITY FUNCTIONS**
- Weibull-distributed ground clutter in the frequency domain p 671 A86-41883
- WEIGHT (MASS)**
- The US Army's LHX (light helicopter family) program [AD-A161949] p 437 A86-23591
- WEIGHT ANALYSIS**
- The development of an advanced weight estimation technique for aircraft conceptual design [SAWE PAPER 1645] p 531 A86-35204
- Rapid sizing method for airplanes p 708 A86-44887
- Weight estimation techniques for composite airplanes in general aviation industry [NASA-CR-178163] p 781 A86-31531
- WEIGHT INDICATORS**
- Magnetic suspension and balance system advanced study [NASA-CR-3937] p 180 A86-14278
- WEIGHT MEASUREMENT**
- Requirements for second generation aircraft weighing systems [SAWE PAPER 1669] p 513 A86-35213
- Douglas Automated Weighing System p 597 A86-38069
- Studies for the application of a flexible weight and balance (W/B) measuring facility for commercial aircraft [BMFT-FB-W-85-029] p 840 A86-31604
- WEIGHT REDUCTION**
- Design of a minimum-weight gliding wing p 96 A86-13437
- Weight optimization of stiffened cylinders under axial compression p 120 A86-14348
- Ballistically deployed parachute systems for single and two place aircraft p 212 A86-19319
- Assessing cost-effective weight saving in aircraft operations p 220 A86-20039
- State of the art in aircraft gas turbine technology [ASME PAPER 85-IGT-87] p 302 A86-23888
- Structural optimisation programs and methods - computer aided aircraft design p 434 A86-33257
- Impact of advanced materials on aircraft design weights - The weight improvement factor [SAWE PAPER 1636] p 488 A86-35202
- Higher harmonic control - Vibration reduction for reduced weight - for helicopters p 489 A86-35220
- [SAWE PAPER 1679] p 489 A86-35220
- Straining for weight savings in advanced composites [SAWE PAPER 1685] p 516 A86-35226
- Avionics system architecture for Beechcraft Starship I [SAE PAPER 851851] p 589 A86-38346
- Lightweight hydraulic system technology - 8000 psi update - for military aircraft [SAE PAPER 851910] p 580 A86-38365
- Optimal design of antisymmetric laminated composite plates p 667 A86-40109
- Production of aluminium-lithium alloy with high specific properties p 659 A86-40255
- Weight minimization of orthotropic flat panels subjected to a flutter speed constraint p 671 A86-41715
- Method for the calculation and design of fuselage flaps made of composite materials p 847 A86-48830
- Automated structural optimisation at Warton - for aircraft p 854 A86-48987
- The material development, component manufacture, and post-service evaluation of RB211-524 cowling doors utilizing carbon fibre composite materials [PNR-90275] p 247 A86-16273
- The applications of composite materials in the aeronautical domain [SNIAS-852-551-103] p 247 A86-16279
- Design of hat-stiffened composite panels under uniaxial compression and shear. Minimum mass optimization based on a simplified theory [VTH-LR-312] p 259 A86-17806
- Crack growth in near-alpha titanium alloys p 526 A86-25371
- The design of composite structures - aircraft design [SNIAS-861-111-103] p 640 A86-28082
- Study of new flight test techniques [NASA-CR-176952] p 714 A86-29812

Structural optimization programs and methods — aircraft weight reduction p 715 N86-30855

Recent results on the weight minimization of panels with a flutter speed constraint p 715 N86-30860

**WEIGHTING FUNCTIONS**

Computationally simple adaptive tracking filters based on weighted averages p 457 N86-32642

Automated pole placement algorithm for multivariable optimal control synthesis [AIAA PAPER 86-2196] p 852 N86-47478

A new Euler algorithm based on characteristic flux extrapolation p 149 N86-14241

Development of multigrid algorithms for problems from fluid dynamics p 187 N86-14244

Performance of resonant radar target identification algorithms using intra-class weighting functions p 321 N86-19490

An evaluation of study design for estimating a time-of-day noise weighting [NASA-CR-178062] p 401 N86-22306

An evaluation of CPRA (Cost Performance Report Analysis) estimate at completion techniques based upon AFWAL (Air Force Wright Aeronautical Laboratories) cost/schedule control system criteria data [AD-A162282] p 470 N86-24584

**WELD TESTS**

Reliable nondestructive testing - The key to using weldments in critical fighter aircraft structure p 380 N86-26544

**WELDED JOINTS**

Fatigue-crack propagation through titanium welds p 375 N86-27264

Fatigue testing of tube to node butt welds envisaged for RAE Bedford flight simulator [REPT-23480/2/85] p 257 N86-16674

**WELDING**

Structural evaluation of superplastic aluminum. Part 1. Mechanical, corrosion, metallurgical data [AD-A161366] p 379 N86-21662

**WEST GERMANY**

Results of the expert study of accidents during operation of German aircraft in the homeland and abroad as well as of foreign aircraft in the homeland p 158 N86-14261

Results of the expert study of accidents during operation of German aircraft in the homeland and abroad as well as of foreign aircraft in the homeland p 159 N86-14262

Activities in air traffic control p 216 N86-17331

**WESTLAND AIRCRAFT**

The health and usage monitoring system of the Westland 30 series 300 helicopter p 299 N86-26153

The black box. Silence is silver, speech is golden [ETN-86-97394] p 702 N86-30706

**WETTING**

Surface wetting effects on a laminar flow airfoil in simulated heavy rain p 162 N86-17780

**WHEELS**

Aircraft wheel design and proving p 583 N86-38721

Comparative study of nondestructive pavement testing, WES (Waterways Experiment Station) NDT (nondestructive tests) methodologies [AD-A163379] p 610 N86-26480

**WHIP ANTENNAS**

VHF-FM communications antennas for project SINGGARS (UH-1 tail whip and cabin roof bent whip evaluation) [AD-A163561] p 524 N86-24883

VHF-FM communications antennas for project SINGGARS (UH-1 tail whip antenna evaluation) [AD-A165897] p 676 N86-29119

**WIDE ANGLE LENSES**

An improved optical viewing system for a flight simulator [MS-9025] p 840 N86-32448

**WIND (METEOROLOGY)**

An extreme clear air turbulence incidence associated with a strong downslope windstorm [AIAA PAPER 86-0329] p 259 N86-19816

Downburst: Microburst and macroburst [PB85-148880] p 191 N86-14826

AFOS (Automation of Field Operations and Services) monitoring of terminal forecasts p 260 N86-16843

**WIND DIRECTION**

The Australian implementation of AMDAR/ACARS and the use of derived equivalent gust velocity as a turbulence indicator [AR-004-51] p 420 N86-22560

Storm precipitation and wind structure during aircraft strike lightning events [AD-A162338] p 463 N86-24100

**WIND EFFECTS**

Dynamic response of wind turbine to yawed wind p 323 N86-26140

Terrain-induced wind shear - Potential cause of Jetstar accident p 566 N86-37482

The analysis of airline flight records for winds and performance with application to the Delta 191 accident [AIAA PAPER 86-2227] p 829 N86-47690

Flow stagnation as an advanced windblast protection technique — for ejection seat safety p 793 N86-47727

Wind influence on the range of jet or propeller aircraft p 801 N86-48990

Downburst: Microburst and macroburst [PB85-148880] p 191 N86-14826

Algorithms for the automatic four-dimensional guidance of aircraft, taking into account the current wind situation [ESA-TT-908] p 352 N86-21531

Simulation problem of controlling lateral movement of aircraft during landing approach p 534 N86-26160

Aircraft liftermeter [NASA-CASE-LAR-12518-1] p 590 N86-27280

**WIND MEASUREMENT**

Installation of a bleed air heated radome/air motion sensing system on a Beech King Air 200 aircraft [SAE PAPER 851811] p 589 N86-38322

Wind shear measurement on board a Morane 893 p 394 N86-21084

**WIND PRESSURE**

Acoustic and turbulence influence on low-Reynolds number wing pressure distributions p 139 N86-18323

Limited Surface Observations Climatic Summary (LISOCs). Parts A, C-F: Bremen International, West Germany [AD-A159656] p 323 N86-18894

Revised Uniform Summary of Surface Weather Observations (RUSSWO). Parts A-F: General Billy Mitchell Field, Wisconsin [AD-A159658] p 324 N86-18896

Revised Uniform Summary of Surface Weather Observations (RUSSWO). Parts A-F: Aviano AB, Italy [AD-A159662] p 324 N86-18900

Giebestadt ain Germany (West). Limited surface observations climatic summary (LISOCs): Parts A, C-F [AD-A159664] p 324 N86-18902

**WIND PROFILES**

The Australian implementation of AMDAR/ACARS and the use of derived equivalent gust velocity as a turbulence indicator [AR-004-51] p 420 N86-22560

**WIND SHEAR**

Microbursts - A hazard for aircraft — small, intense thunderstorm outflow p 124 N86-14816

Wind shear induced by solitary waves in the lower atmosphere [IAF PAPER 85-410] p 125 N86-15886

Wind shear characterization [AIAA PAPER 86-0180] p 213 N86-19737

Composite statistical method for modeling wind gusts p 308 N86-23189

Flight deck displays for managing wind shear encounters [SAE PAPER 841465] p 298 N86-26008

A ring-vortex downburst model for flight simulations p 393 N86-28568

An ill wind — wind shear p 461 N86-31225

Wind shear estimation by frequency-shaped optimal estimator p 464 N86-31856

Tomorrow's weather - New accuracy in forecasting p 462 N86-32450

Development of an authoritative aid to wind shear training [SAE PAPER 851919] p 482 N86-35449

United Airlines windshear training update [SAE PAPER 851920] p 482 N86-35450

A cold-season North American climatology of strong vertical wind shear p 614 N86-37466

Terrain-induced wind shear - Potential cause of Jetstar accident p 566 N86-37482

Windshear detection using a Doppler acoustic sounder (SODAR) p 614 N86-37484

The classify, locate, and avoid wind shear (CLAWS) project at Denver's Stapleton International Airport - Operational testing of terminal weather hazard warnings with an emphasis on microburst wind shear p 615 N86-37495

Wind shear studies and cockpit integration [SAE PAPER 851812] p 593 N86-38323

Low altitude wind-shear protection can be attained p 589 N86-39553

Taming the killer wind shear p 678 N86-41035

Optimal take-off trajectories in the presence of windshear p 708 N86-44386

LLWAS - An integral part of the U.S. wind-shear safety programme p 746 N86-46138

Wind-shear detection - A report on the first such airborne warning device to be commercially certified p 718 N86-46139

Evaluation of total energy-rate feedback for glidescope tracking in wind shear [AIAA PAPER 86-2035] p 822 N86-47424

Optimization and acceleration guidance of flight trajectories in a windshear [AIAA PAPER 86-2036] p 822 N86-47425

Take-off and landing in a downburst p 786 N86-49069

Optimization and gamma/theta guidance of flight trajectories in a windshear p 834 N86-49071

Microburst wind shear models from the Joint Airport Weather Studies (JAWS) [AD-A159758] p 324 N86-18910

Joint agency turbulence experiment [AD-A160420] p 325 N86-18924

Wind shear investigation program at the NLR [NLR-MP-84027-U] p 325 N86-19808

The Stapleton microburst advisory service project: An operational viewpoint [AD-A161543] p 394 N86-21078

Wind shear measurement on board a Morane 893 p 394 N86-21084

Weather radar studies [AD-A161622] p 394 N86-22061

Investigation of the dynamic response of aircraft to microburst (JAWS) wind shear p 445 N86-22578

Extensions to PIFCGT: Multirate output feedback and optimal disturbance suppression [NASA-CR-3968] p 446 N86-22581

Storm precipitation and wind structure during aircraft strike lightning events [AD-A162338] p 463 N86-24100

Aircraft liftermeter [NASA-CASE-LAR-12518-1] p 590 N86-27280

A simplified model of the turbulent microburst [NASA-CR-177106] p 679 N86-29466

The physical and empirical basis for a specific clear-air turbulence risk index [NASA-CR-3971] p 746 N86-30285

**WIND TUNNEL APPARATUS**

Subsonic thermal wind tunnel with an Eiffel chamber p 112 N86-13443

Improved drag element for wind tunnel sting balances p 112 N86-14532

Preliminary experiments in unsteady flow on airfoils at low Reynolds numbers p 138 N86-18320

Modification to the NASA Langley 4- by 7-meter tunnel for improved rotorcraft aerodynamics and acoustics p 179 N86-18414

The development and calibration of an acoustic wall transonic test section [AIAA PAPER 86-0759] p 514 N86-37090

Instrumentation and testing techniques in the T2 transonic cryogenic wind tunnel at the ONERA/CERT p 597 N86-38228

Wake imaging system applications at the Boeing Aerodynamics Laboratory [SAE PAPER 851895] p 606 N86-38358

Study of ice accretion on icing wind tunnel components [NASA-TM-87095] p 242 N86-16232

Subsonic wall interference corrections for half-model tests using sparse wall pressure data [LR-616] p 276 N86-16287

New dynamic testing techniques and related results at FFA p 562 N86-27244

Recent developments in techniques for dynamic simulation for the identification of stability parameters p 562 N86-27246

Generation of two-dimensional gust fields in subsonic wind-tunnels p 563 N86-27247

De-icing of the altitude wind tunnel turning vanes by electro-magnetic impulse [NASA-CR-177290] p 599 N86-27291

Feasibility study of optical boundary layer transition detection method [NASA-CR-178109] p 675 N86-28375

The effect of a splitter plate as boundary layer removal system in half-model testing — wings [DFVLR-FB-85-64] p 657 N86-28969

A numerical analysis for vertical gust field induced by gust generator p 727 N86-30837

**WIND TUNNEL CALIBRATION**

Evaluation of a correction for sound propagation through free-jet shear layers p 183 N86-17783

Wind tunnel calibration of a flow direction sensor and a pitot-static tube to high angles of attack and sideslip p 359 N86-28364

Aeracoustic calibration of the German-Dutch Wind Tunnel (DNW) open jet [DNW-TR-82-03] p 242 N86-18236

Acoustic evaluation of the German-Dutch Wind Tunnel (DNW) shear layer correction using a model jet [DNW-TR-82-04] p 242 N86-18237



- Aerodynamical calibration of the German-Dutch Wind Tunnel (DNW): A review of testing techniques and results  
[DNW-PA-82062] p 242 A86-16238
- Wind tunnel calibration of a PMS (Particle Measuring Systems) canister instrumented for airflow measurement  
[AD-A161124] p 278 A86-19292
- Verification and aerodynamic calibration of the tunnel 16T Captive Trajectory Support (CTS) system  
[AD-A165235] p 599 A86-27295
- Evaluation of a quartz bourdon pressure gage of wind tunnel Mach number control system application  
[NASA-TM-88991] p 677 A86-29196
- Correlation of transonic-cone preston-tube data and skin friction  
[NASA-CR-178902] p 693 A86-29771
- Air-on demonstration of the AEDC PWT tunnel 16T captive trajectory support system  
[AD-A166888] p 698 A86-30700
- ### WIND TUNNEL DRIVES
- Study of ice accretion on icing wind tunnel components  
[NASA-TM-87095] p 242 A86-16232
- Modifications to the 4x7 meter tunnel for acoustic research: Engineering feasibility study  
[NASA-CR-178079] p 470 A86-24394
- ### WIND TUNNEL MODELS
- Aeroelastic model helicopter rotor testing in the Langley TDT — Transonic Dynamics Tunnel p 183 A86-18402
- Simulation and analysis of natural rain in a wind tunnel via digital image processing techniques  
[AIAA PAPER 86-0291] p 241 A86-22687
- Avoiding probe to model collisions in wind tunnel testing  
p 397 A86-28413
- NLR experience in the application of active flutter suppression and gust load alleviation, applied to a wind-tunnel model  
p 444 A86-33250
- Determination of wing deformation in wind tunnel models using stress measurement section technology  
[DGLR PAPER 85-091] p 474 A86-35154
- Aerodynamic performance of a 27-percent-scale AH-64 wind-tunnel model with baseline/advanced rotor blades  
p 492 A86-35635
- Modeling wind tunnel effects on the radiation characteristics of acoustic sources  
p 682 A86-41689
- The estimation of the stability and control characteristics of a canard configured combat aircraft having a forward swept wing  
p 834 A86-49056
- The properties of a row of trailing vortices generated in the uniform flow. The path of trailing vortex  
[REPT-1] p 151 A86-14422
- The properties of a row of trailing vortices generated in the uniform flow. Shape of trailing vortex and its streamwise variation  
[REPT-2] p 151 A86-14423
- Pressure distributions from high Reynolds number tests of a Boeing BAC 1 airfoil in the Langley 0.3-meter transonic cryogenic tunnel  
[NASA-TM-87600] p 208 A86-16199
- Vapor-screen flow-visualization experiments in the NASA Langley 0.3-m transonic cryogenic tunnel  
[NASA-CR-3984] p 478 A86-24661
- New dynamic testing techniques and related results at FFA  
p 562 A86-27244
- Standard dynamics model experiments with the DFVLR/AVA transonic derivative balance  
p 562 A86-27245
- Verification and aerodynamic calibration of the tunnel 16T Captive Trajectory Support (CTS) system  
[AD-A165235] p 599 A86-27295
- Development, construction, and manufacturing of wind tunnel models for aerodynamic investigations  
[BMFT-FB-W-85-012] p 600 A86-27296
- A numerical study of the aerodynamic interference of a model support system used in the RAE 5 metre wind tunnel  
[AD-A165871] p 657 A86-28962
- Tests with three-dimensional adjustments in the rectangular working section of the French T2 wind tunnel with an AS 07-type swept-back wing model  
[NASA-TM-88442] p 657 A86-28964
- The effect of a splitter plate as boundary layer removal system in half-model testing — wings  
[DFVLR-FB-85-64] p 657 A86-28969
- Low-speed aerodynamic characteristics of a 1/8-scale X-29A airplane model at high angles of attack and sideslip  
[NASA-TM-87722] p 781 A86-31532
- A low speed tunnel semi-free dynamic flying study of the high angle of attack pitch derivatives of HF-24 using MLE procedure  
[NAL-TRM-SE-8603] p 782 A86-32393
- ### WIND TUNNEL NOZZLES
- Study of ice accretion on icing wind tunnel components  
[NASA-TM-87095] p 242 A86-16232
- ### WIND TUNNEL STABILITY TESTS
- Acoustic and turbulence influences on stall hysteresis  
[AIAA PAPER 86-0170] p 200 A86-19731
- The role of wind tunnel testing in future aircraft development  
[AIAA PAPER 86-0750] p 309 A86-24739
- Direct derivative measurements in the presence of sting plunging  
p 371 A86-28580
- Identification of unsteady response in rudders at low velocities  
[AAAF PAPER NT 85-19] p 797 A86-48468
- ### WIND TUNNEL TESTS
- Influence of unsteady flow effects on the length of operation of a hypersonic shock tunnel  
p 112 A86-13428
- Icing wind tunnel tests on the CSIRO liquid water probe  
p 102 A86-14220
- On the effects of boundary-layer transition on a cylindrical afterbody at incidence in low-speed flow  
p 135 A86-16250
- Propeller slipstream/wing boundary layer effects at low Reynolds numbers  
p 139 A86-16324
- Mean flow properties measured around an aerofol close to its maximum lift  
p 140 A86-16395
- Experimental investigation of three dimensional separation on an ellipsoid-cylinder body at incidence  
[AIAA PAPER 85-1688] p 143 A86-17636
- Surface wetting effects on a laminar flow airfoil in simulated heavy rain  
p 162 A86-17780
- National Specialists' Meeting on Helicopter Testing Technology, Williamsburg, VA, October 29-November 1, 1984, Proceedings  
p 163 A86-18401
- The wind tunnel as a design tool  
p 179 A86-18429
- Aircrew escape system models used in wind tunnel tests  
p 217 A86-19318
- Divergence study of a high-aspect ratio, forward-swept wing  
[AIAA PAPER 86-0009] p 219 A86-19632
- Oscillating hot-wire measurements above an FX83-137 airfoil  
[AIAA PAPER 86-0012] p 198 A86-19635
- Lift-curve characteristics for an airfoil pitching at constant rate  
[AIAA PAPER 86-0117] p 199 A86-19698
- Experimental study of effects of forebody geometry on high angle of attack static and dynamic stability  
[AIAA PAPER 86-0331] p 238 A86-19818
- Vortex-airfoil interaction tests  
[AIAA PAPER 86-0354] p 201 A86-19833
- Small scale wind tunnel testing of model propellers  
[AIAA PAPER 86-0392] p 233 A86-19853
- Aerodynamic measurements of an airfoil with simulated glaze ice  
[AIAA PAPER 86-0484] p 202 A86-19897
- Evaluation of an aerodynamic-load prediction method on a STOL fighter configuration  
[AIAA PAPER 86-0590] p 203 A86-19966
- Scaling of helicopter main rotor noise in hover  
[AIAA PAPER 86-0393] p 265 A86-22699
- Wind tunnel wall influence considering two-dimensional high-lift configurations  
p 308 A86-23187
- Post stall studies of untwisted varying aspect ratio blades with NACA 44XX series. II - Airfoil sections  
p 272 A86-24522
- Studies of the aerodynamics of flaps and spoilers in unsteady flow  
[ONERA, TP NO. 1985-149] p 272 A86-24627
- Optical fibers application to visualization of flow separation inside an aircraft intake in wind tunnel  
[ONERA, TP NO. 1985-158] p 309 A86-24638
- Aerodynamic Testing Conference, 14th, West Palm Beach, FL, March 5-7, 1986, Technical Papers  
p 309 A86-24726
- Aerodynamic performance of two fifteen-percent-scale wind-tunnel drive fan designs  
[AIAA PAPER 86-0734] p 273 A86-24729
- Aeroelastic oscillations caused by transitional boundary layers and their attenuation  
[AIAA PAPER 86-0736] p 286 A86-24731
- An estimation of the wall interference on a two-dimensional circulation control airfoil  
[AIAA PAPER 86-0738] p 273 A86-24732
- Future requirements of wind tunnels for aeronautical systems development  
[AIAA PAPER 86-0751] p 309 A86-24740
- Future requirements of wind tunnels for CFD code verification  
[AIAA PAPER 86-0753] p 309 A86-24742
- Some lessons learned with wind tunnels  
[AIAA PAPER 86-0777] p 310 A86-24756
- An experimental study of a high performance canard airfoil with boundary layer trip and vortex generators  
[AIAA PAPER 86-0781] p 273 A86-24760
- The accuracy problem of airplane development force testing in cryogenic wind tunnels  
[AIAA PAPER 86-0776] p 310 A86-24765
- Tests on a new dynamically scaled model rotor in the RAE 24 ft Wind Tunnel  
p 292 A86-26162
- Design and testing of a large scale helicopter fuselage model in the RAE 5 metre pressurized wind tunnel  
p 292 A86-26163
- Avoiding probe to model collisions in wind tunnel testing  
p 397 A86-28413
- Numerical simulation of a controlled-flow tunnel for V/STOL testing  
p 371 A86-28561
- An experimental study of the flow and wall pressure field around a wing-body junction  
p 337 A86-28637
- A correction of the angle of incidence for a two-dimensional wing model in the closed test section  
p 409 A86-31020
- The German-Dutch wind tunnel - An aerostatics experimenter's dream  
p 488 A86-31965
- A new rain/ice test capability to simulate flight  
[AIAA PAPER 86-0824] p 432 A86-32147
- Experimental analysis of a pitot-type air intake  
p 410 A86-32777
- Aerodynamic parameters estimated from flight and wind tunnel data  
p 410 A86-32782
- Recent transonic unsteady pressure measurements at the NASA Langley Research Center  
p 412 A86-33232
- Steady and unsteady pressure distributions on various profiles in separated subsonic and transonic flow  
p 413 A86-33233
- A review of aeroelastic research at the flight dynamics laboratory  
p 433 A86-33242
- Selected topics in experimental aeroelasticity at the NASA Langley Research Center  
p 433 A86-33243
- Aeroelastic wind tunnel similarity theory for anisotropic aircraft wings  
p 433 A86-33244
- The design and wind tunnel demonstration of an active control system for gust load alleviation and flutter suppression  
p 445 A86-33251
- Windtunnel test and laboratory simulation of a load alleviation system for a modern transport aircraft  
p 445 A86-33252
- From wind tunnel to large aircraft  
[DGLR PAPER 85-088] p 487 A86-35151
- Roll-damping measurements on two flight body configurations in the Goettingen DFVLR-AVA transonic wind tunnel  
[DGLR PAPER 85-090] p 508 A86-35153
- Simulation and measurement of engine influences in a two-jet aircraft model using model engines  
[DGLR PAPER 85-092] p 513 A86-35155
- Helicopter test installation RoTeSt in DNW - Application and results  
[DGLR PAPER 85-113] p 513 A86-35166
- Higher harmonic control - Wind tunnel demonstration of fully effective vibratory hub force suppression  
p 509 A86-35602
- The role of scale models in the design of 'low BVI noise' rotorcraft  
p 534 A86-35617
- Model helicopter blade slap at low tip speeds - Theoretical and experimental correlations  
p 535 A86-35621
- Free-tip-rotor wind-tunnel test results  
p 491 A86-35628
- Wind tunnel test of a model rotor with a free-tip  
[AIAA PAPER 86-1781] p 577 A86-37813
- Experimental investigation of rotorcraft hub and shaft fairing drag reduction  
[AIAA PAPER 86-1783] p 577 A86-37814
- Planform effects for low-finesse ratio multibody configurations at supersonic speeds  
[AIAA PAPER 86-1799] p 544 A86-37825
- Flow structure of lateral wing-tip blowing  
[AIAA PAPER 86-1810] p 544 A86-37831
- Three-dimensional interaction of wakes and boundary layers  
[AIAA PAPER 86-1820] p 545 A86-37838
- A comparison of experimental and numerical results for delta wings with vortex flaps  
[AIAA PAPER 86-1840] p 546 A86-37848
- Instrumentation and other issues in non-linear dynamic testing in wind tunnels  
p 587 A86-38248
- A hot air tunnel for base bleed experimentation  
p 587 A86-38252
- Wind tunnel free-flight test by a vertical drop technique at a hypersonic Mach number of 7  
p 598 A86-38253
- Pivotal strakes for high angle of attack control  
[SAE PAPER 851821] p 593 A86-38329
- A faster 'transition' to laminar flow  
[SAE PAPER 851855] p 548 A86-38347
- Effects of wind-tunnel noise on swept-cylinder transition at Mach 3.5  
[AIAA PAPER 86-1085] p 550 A86-38447
- Laminar boundary layer stability experiments on a cone at Mach 8. IV - On unit Reynolds number and environmental effects  
[AIAA PAPER 86-1087] p 550 A86-38449

- An experimental study of the aerodynamics of incoherent stall flutter  
[AIAA PAPER 88-0901] p 553 A88-38912
- Aerodynamic characteristics of an oscillating airfoil — for Vertical Axis Wind Turbine p 616 A88-39586
- Modeling wind tunnel effects on the radiation characteristics of acoustic sources p 682 A88-41689
- Experimental investigation of the turbulent boundary layer at high Reynolds numbers and a Mach number of 0.8 p 624 A88-42168
- S-duct inlet/diffusers for turboprop offset gearbox applications  
[AIAA PAPER 88-1482] p 625 A88-42655
- Theoretical and experimental analysis of high-speed propeller aerodynamics  
[AIAA PAPER 88-1549] p 626 A88-42706
- A report on the initial testing of the large scale advanced prop-fan  
[AIAA PAPER 88-1551] p 647 A88-42708
- Correlation of theory and experiment for propfan inlets  
[AIAA PAPER 88-1628] p 627 A88-42761
- Application of laser-dual-focus velocimetry in a counterflow p 628 A88-43110
- NASA's Langley Center making gains in advanced technology projects p 686 A88-45065
- An experimental investigation of wing tip turbulence with applications to aerosound  
[AIAA PAPER 88-1918] p 691 A88-45413
- Counter-rotating propeller noise directivity and trends  
[AIAA PAPER 88-1927] p 751 A88-45418
- Pusher propeller noise directivity and trends  
[AIAA PAPER 88-1929] p 751 A88-45420
- Effect of a wind tunnel on the acoustic field from various aeroacoustic sources  
[AIAA PAPER 88-1907] p 756 A88-45507
- Design of an integrated control system for flutter margin augmentation and gust load alleviation, tested on a dynamic windtunnel model  
[AIAA PAPER 88-2242] p 824 A88-47490
- Advanced icing wind tunnel for flight test development of icing rate systems p 838 A88-47792
- Tests on CAST 7 and CAST 10 profiles in the T2 adaptive-wall cryogenic wind tunnel - Study of the Reynolds-number effect in natural and triggered transitions  
[AAAF PAPER NT 85-06] p 838 A88-48457
- Measurement of the pressure coefficient at a square wing in transonic-supersonic flows and comparison with theoretical results — German theses p 767 A88-48568
- Selecting the shape of the middle surface of the pylons and the mounting angles of single nacelles under the wing of subsonic aircraft p 800 A88-48767
- Experimental investigation of a boundary layer on a schematic aircraft model p 769 A88-48824
- Thick supercritical airfoils with low drag and NLF capability p 771 A88-48961
- Experimental study of effects of forebody geometry on high angle of attack static and dynamic stability and control p 833 A88-49039
- Evaluation of pressure distributions on an aircraft by two different panel methods and comparison with experimental measurements p 774 A88-49044
- Analysis of the vortical flow around a 60 degree delta wing with vortex flap p 774 A88-49050
- Estimation of aerodynamic parameters from flight data of a high incidence research model p 834 A88-49057
- Advances at AEDC in treating transonic wind tunnel wall interference p 839 A88-49058
- Analysis of wind tunnel corrections for half-model tests of a transport aircraft using a doublet panel method p 839 A88-49060
- Aeroacoustics at the German-Dutch wind tunnel p 839 A88-49061
- The F2 wind tunnel of the Fuga-Mauzac Test Center [ONERA, TP NO. 1986-104] p 839 A88-49075
- The prediction of lift inferred from downstream vorticity measurements p 775 A88-49102
- Airfoil trailing-edge flow measurements p 780 A88-49803
- Air Force Academy Aeronautics Digest [AD-A157215] p 76 A88-12200
- The status of two-dimensional testing at high transonic speeds in the University of Southampton transonic self-streamlining wind tunnel [NASA-CR-3919] p 86 A88-12203
- Performance of an alpha-vane and pitot tube in simulated heavy rain environment [NASA-CR-176353] p 103 A88-12220
- User's guide to STIPPAN: A panel method program for slotted tunnel interference prediction [NASA-CR-178003] p 113 A88-12237
- BLR studies on conic model with LDA in FL-1 wind tunnel p 87 A88-12434
- Double-branched vortex generator [NASA-TM-88201] p 89 A88-13298
- Study of the influence of an oscillating spoiler on the surrounding aerodynamic field [IMFL-3119] p 90 A88-13303
- Algorithms for the reduction of wind-tunnel data derived from strain gauge force balances [ARL/AERO-R-164] p 113 A88-13337
- Preliminary measurement of the noise from the 2/9 scale model of the Large-scale Advanced Propfan (LAP) propeller, SR-7A [NASA-TM-87116] p 129 A88-14006
- The properties of a row of trailing vortices generated in the uniform flow. The path of trailing vortex [REPT-1] p 151 A88-14422
- The properties of a row of trailing vortices generated in the uniform flow. Shape of trailing vortex and its streamwise variation [REPT-2] p 151 A88-14423
- Configuration and longitudinal wind tunnel testing of forward-swept wings p 181 A88-14449
- The experimental determination of the subsonic aerodynamic characteristics of an Ogive-Cylinder body including a comparison with theoretical estimates, volume 1 [CAR-8509] p 151 A88-15242
- Investigation of a supersonic cruise fighter model flow field [NASA-TM-88361] p 152 A88-15248
- Test results from a dynamic model dynamometer rotor p 167 A88-15285
- Aeroelastic considerations for torsionally soft rotors p 157 A88-15289
- Prediction of wing aeroelastic effects on aircraft lift and pitching moment characteristics [NASA-TM-87631] p 178 A88-15319
- Use of hinged strakes for lateral control at high angles of attack [AD-A158005] p 178 A88-15321
- Vortex wake alleviation studies with a variable twist wing [NASA-TP-2442] p 197 A88-16187
- Aerodynamic characteristics of a high-wing transport configuration with a over-the-wing nacelle-pylon arrangement [NASA-TP-2497] p 207 A88-16193
- Mach number and flow-field calibration at the advanced design propeller location on the JetStar airplane [NASA-TM-84923] p 207 A88-16197
- Pressure distributions from high Reynolds number tests of a Boeing BAC 1 airfoil in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TM-87600] p 208 A88-16199
- Investigation of the aerodynamic forces on bluff bodies at high Reynolds numbers [ESA-TT-914] p 209 A88-16206
- Study of ice accretion on icing wind tunnel components [NASA-TM-87095] p 242 A88-16232
- Progress in the Lewis Research Center Altitude Wind Tunnel (AWT) Modeling Program [NASA-TM-87194] p 242 A88-16233
- German-Dutch wind tunnel (DNW). Present and future applications for industrial developments p 242 A88-16235
- Aerodynamical calibration of the German-Dutch Wind Tunnel (DNW): A review of testing techniques and results [DNW-PA-82062] p 242 A88-16236
- Image processing of aerodynamic data [NASA-TM-87629] p 255 A88-16553
- A wing design based on the three-dimensional transonic inverse method and the comparison with the wind tunnel testing data p 226 A88-17299
- Estimation of divergence and flutter boundaries on supersonic plate wing models from subcritical random responses due to air turbulence [NAL-TR-856] p 211 A88-17306
- Low speed aerodynamic characteristics of a two-dimensional sail wing with adjustable slack of the sail [VTH-LR-307] p 211 A88-17314
- Transonic wind tunnel tests of a swept supercritical wing-body model, PT 8 [FFA-TN-1982-24] p 211 A88-17316
- Hot Gas Laboratory twin nozzle calibration [BAE-ARG-200] p 258 A88-17666
- Sound excitation during vortex-airfoil interaction [SPIS-MITT-80] p 266 A88-18130
- Engineering Data Interactive Presentation and Analysis System (EDIPAS): A general approach to engineering data management and analysis applied to wind tunnel testing [NLR-MP-83057-U] p 267 A88-18252
- Subsonic wall interference corrections for half-model tests using sparse wall pressure data [LR-616] p 276 A88-18287
- Parametric determination of lift interference for three-dimensional models in the Emmen (Switzerland) aircraft works wind tunnel [F+W-FO-1740] p 277 A88-18304
- Current wind tunnel capability and planned improvements at Lewis Research Center [NASA-TM-87190] p 311 A88-18329
- Analysis of experimental data for a 21% thick natural laminar flow airfoil, NAE88-060-21:1 [NAE-AN-34] p 278 A88-18285
- Low-speed wind-tunnel investigation of the effect of strakes and nose machines on lateral-directional stability of a fighter configuration [NASA-TM-87641] p 278 A88-18287
- On the separated flow over a delta wing at high subsonic and transonic speeds [VTH-M-527] p 279 A88-18293
- Experimental and theoretical study of incompressible flow around a wing profile with a spoiler. Contributions of laser velocimetry and the Dvorak method [ISL-R-116/84] p 279 A88-18297
- Exploratory low-speed wind-tunnel study of concepts designed to improve aircraft stability and control at high angles of attack [NASA-CR-176615] p 338 A88-20344
- Integration effects of underwing forward- and rearward-mounted separate-flow, flow-through nacelles on a high-wing transport [NASA-TM-87627] p 342 A88-21514
- A new method for laminar boundary layer transition visualization in flight: Color changes in liquid crystal coatings [NASA-TM-87668] p 342 A88-21518
- Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987 [AD-A162782] p 402 A88-22443
- Low-speed wind-tunnel tests of single- and counter-rotation propellers [NASA-TM-87656] p 415 A88-22562
- Supersonic axial-force characteristics of a rectangular-box cavity with various length-to-depth ratios in a flat plate [NASA-TM-87659] p 415 A88-22564
- Wind tunnel tests of rotor blade sections with replications of ice formations accreted in hover [NASA-CR-175089] p 420 A88-22558
- Some lessons learned with wind tunnels [NASA-TM-87710] p 408 A88-23555
- Effects of upper-surface nacelles on longitudinal aerodynamic characteristics of high-wing transport configuration [NASA-TP-2579] p 416 A88-23562
- Geometric and structural properties of a rectangular supercritical wing oscillated in pitch for measurement of unsteady transonic pressure distributions [NASA-TM-85673] p 416 A88-23567
- Modifications to the 4x7 meter tunnel for acoustic research: Engineering feasibility study [NASA-CR-178079] p 470 A88-24394
- Rotor performance characteristics from an aeroacoustic helicopter wind-tunnel test program [NASA-TM-87661] p 479 A88-24665
- Lateral and longitudinal aerodynamic stability and control parameters of the basic vortex flap research aircraft as determined from flight test data [NASA-TM-87711] p 512 A88-24703
- An experimental investigation on location of boundary layer transition on the NACA 0012 using surface hot film gauges [NASA-TM-88285] p 524 A88-24936
- Flow around delta wings with broken-line leading edges p 481 A88-25560
- Langley aerospace test highlights, 1985 [NASA-TM-87703] p 537 A88-26276
- Wind tunnel test and analysis on gust load alleviation of a high-aspect-ratio wing [NAL-TR-890] p 556 A88-27185
- Vortex Flow Aerodynamics, volume 1 [NASA-CP-2416-VOL-1] p 556 A88-27180
- Laser velocimetry in highly three-dimensional and vortical flows p 557 A88-27197
- In-flight and wind tunnel leading-edge vortex study on the F-108B airplane p 557 A88-27198
- Basic studies on delta wing flow modifications by means of apex fences p 557 A88-27199
- Vortex flow hysteresis p 558 A88-27201
- Unsteady Aerodynamics-Fundamentals and Applications to Aircraft Dynamics [AGARD-CP-386] p 560 A88-27224
- Dynamic stall of swept and unswept oscillating wings p 560 A88-27226
- A critical look at dynamic simulation of viscous flow p 560 A88-27230
- Wind tunnel and flight test analysis and evaluation of the buffet phenomena for the alpha jet transonic wing p 561 A88-27239

- New rotary rig at RAE and experiments on HIRM p 562 N86-27243
- New dynamic testing techniques and related results at FFA p 562 N86-27244
- Extraction of aerodynamic parameters for aircraft at extreme flight conditions p 563 N86-27248
- Dynamic nonlinear airloads: Representation and measurement p 563 N86-27251
- Recent experiences of unsteady aerodynamic effects on aircraft flight dynamics at high angle of attack p 564 N86-27252
- Correlation of predicted and free-flight responses near departure conditions of a high incidence research model p 564 N86-27255
- Experimental study of the effect of turbulence on dynamic stalling p 565 N86-27264
- Divergence study of a high-aspect ratio, forward-swept wing [NASA-TM-87682] p 588 N86-27279
- Highly Maneuverable Aircraft Technology (HIMAT) flight-flutter test program [NASA-TM-84907] p 596 N86-27290
- Verification and aerodynamic calibration of the tunnel 16T Captive Trajectory Support (CTS) system [AD-A165235] p 599 N86-27295
- An investigation of the feasibility of active boundary layer thickening for aircraft drag reduction [NASA-CR-177133] p 630 N86-28064
- Transonic and supersonic wind tunnel tests on schematic missile configurations with two different nose lengths [FFA-TN-1984-82] p 630 N86-28066
- Wind-tunnel acoustic results of two rotor models with several tip designs [NASA-TM-87698] p 682 N86-28701
- A comparison of computer-generated lift and drag polars for a Wortmann airfoil to flight and wind tunnel results [NASA-CR-176963] p 631 N86-28919
- Experimental analyses of trailing edge flows [NASA-CR-176904] p 632 N86-28921
- Development of flight testing techniques [NASA-CR-176996] p 640 N86-28936
- Tests with three-dimensional adjustments in the rectangular working section of the French T2 wind tunnel with an AS 07-type swept-back wing model [NASA-TM-88442] p 657 N86-28964
- The effect of a splitter plate as boundary layer removal system in half-model testing — wings [DFVLR-FB-85-64] p 657 N86-28969
- An investigation of tip planform influence on the aerodynamic load characteristics of a semi-span, unswept wing and wing-tip [NASA-CR-177110] p 693 N86-29766
- Aerodynamic effect of coolant ejection in the rear part of transonic rotor blades p 742 N86-29861
- Flight determination of the aerodynamic stability and control characteristics of the NASA SGS 1-36 sailplane in the conventional and deep stall angles-of-attack of between -5 and 75 degrees [NASA-CR-176962] p 726 N86-29865
- Adaptive wall wind tunnels: A selected, annotated bibliography [NASA-TM-87639] p 731 N86-29871
- Computations and turbulent flow modeling in support of helicopter rotor technology [NASA-CR-177095] p 742 N86-30090
- Experimental results of the control of a vortical flow by tangential blowing [NASA-CR-176932] p 742 N86-30094
- Aeroelastic wind tunnel similarity theory for anisotropic aircraft wings p 728 N86-30643
- NLR experience in the application of active flutter suppression and gust load alleviation, applied to a wind tunnel model p 728 N86-30649
- Longitudinal stability and control derivatives obtained from flight data of a PA-30 aircraft [NASA-CR-176999] p 729 N86-30736
- Aeroelastic considerations for torsionally soft rotors [NASA-TM-87687] p 745 N86-31070
- Development of a data acquisition system to aid in the aerodynamic study of various helicopter configurations [AD-A167717] p 781 N86-31539
- Design of a basic profile for a slightly swept wing. Part 2: Experimental investigation on the airfoil DFVLR-W1 in the Brunswick Transonic Wind Tunnel (TWB) [ESA-TT-916-PT-2] p 782 N86-31542
- The A-320 aerodynamics. The turbofan inlet [NOTE-427.021/86] p 808 N86-31567
- Turbulent dispersion of the icing cloud from spray nozzles used in icing tunnels [NASA-TM-87316] p 820 N86-31588
- A low speed tunnel semi-free dynamic flying study of the high angle of attack pitch derivatives of HF-24 using MLE procedure [NAL-TM-SE-8603] p 782 N86-32393
- Microphone probe tests in the S3CH wind tunnel for transonic propeller measurements in S1MA [ONERA-RT-19/3463-AYP] p 841 N86-32451
- ### WIND TUNNEL WALLS
- A review of adaptive wall wind tunnels p 179 A86-17067
- Wind tunnel wall influence considering two-dimensional high-lift configurations p 308 A86-23187
- An estimation of the wall interference on a two-dimensional circulation control airfoil [AIAA PAPER 86-0738] p 273 A86-24732
- Modeling wind tunnel effects on the radiation characteristics of acoustic sources p 682 A86-41689
- Effect of a wind tunnel on the acoustic field from various aeroacoustic sources [AIAA PAPER 86-1897] p 756 A86-45507
- Advances at AEDC in treating transonic wind tunnel wall interference p 839 A86-49058
- Numerical design parameter study for slotted walls in transonic wind tunnels p 839 A86-49059
- Transonic airfoil calculations including wind tunnel wall-interference effects p 780 A86-49825
- The status of two-dimensional testing at high transonic speeds in the University of Southampton transonic self-streamlining wind tunnel [NASA-CR-3919] p 86 N86-12203
- Derivation of jack movement influence coefficients as a basis for selecting wall contours giving reduced levels of interference in flexible walled test sections [NASA-CR-177992] p 86 N86-12204
- Study of the influence of an oscillating spoiler on the surrounding aerodynamic field [IMFL-3119] p 90 N86-13303
- FLEXWAL: A computer program for predicting the wall modifications for two-dimensional, solid, adaptive-wall tunnels [NASA-TM-84848] p 150 N86-14250
- Subsonic wall interference corrections for half-model tests using sparse wall pressure data [LR-616] p 276 N86-18287
- Tables for correcting airfoil data obtained in the Langley 0.3-meter transonic cryogenic tunnel for sidewall boundary-layer effects [NASA-TM-87723] p 555 N86-26289
- Modeling the effects of wind tunnel wall absorption on the acoustic radiation characteristics of propellers [NASA-TM-87333] p 683 N86-29630
- Adaptive wall wind tunnels: A selected, annotated bibliography [NASA-TM-87639] p 731 N86-29871
- ### WIND TUNNELS
- The German-Dutch wind tunnel - An aeroacoustics experimenter's dream p 468 A86-31965
- Velocity distribution around a wing in a wind tunnel Verification of a calculation method by means of a laser anemometer p 476 A86-35825
- Current wind tunnel capability and planned improvements at the NASA Langley Research Center [AIAA PAPER 86-0727] p 514 A86-37087
- Real-time simulator for helicopter rotor wind-tunnel operations p 596 A86-37179
- Calculation of helicopter airfoil characteristics for high tip-speed applications p 541 A86-37769
- Aeroacoustics at the German-Dutch wind tunnel p 839 A86-49061
- Wind tunnels battle the number-crunchers p 840 A86-49683
- Wind tunnel turning vanes of modern design [NASA-TM-87146] p 113 N86-12239
- Heat transfer and pressure drop performance of a finned-tube heat exchanger proposed for use in the NASA Lewis Altitude Wind Tunnel [NASA-TM-87151] p 123 N86-13677
- German-Dutch wind tunnel (DNW). Present and future applications for industrial developments p 242 N86-16235
- Calculation of helicopter airfoil characteristics for high tip-speed applications [AD-A160694] p 277 N86-18294
- Wind tunnel technology for the development of future commercial aircraft [NASA-TM-88390] p 514 N86-24710
- Generation of two-dimensional gust fields in subsonic wind-tunnels p 563 N86-27247
- De-icing of the altitude wind tunnel turning vanes by electro-magnetic impulse [NASA-CR-177260] p 599 N86-27291
- Flow direction measurement criteria and techniques planned for the 40-/80- x 120-foot wind tunnel integrated systems tests [NASA-CR-176969] p 678 N86-29152
- Acoustic treatment of the NASA Langley 4- by 7-meter tunnel: A feasibility study [NASA-TP-2563] p 757 N86-31337
- ### WIND TURBINES
- Dynamic response of windturbine to yawed wind p 323 A86-26140
- The importance of dynamic stall in aerodynamic modeling of the Darrieus rotor p 528 A86-36448
- Aerodynamic characteristics of an oscillating airfoil — for Vertical Axis Wind Turbine p 616 A86-39566
- Dynamic stall - The case of the vertical axis wind turbine p 746 A86-44150
- Design method for the calculation of performances and flap movement of flexible wind turbine blades [VTH-M-453] p 323 N86-18795
- ### WIND VANES
- Performance of an alpha-vane and pitot tube in simulated heavy rain environment [NASA-CR-176353] p 103 N86-12220
- Study of ice accretion on icing wind tunnel components [NASA-TM-87095] p 242 N86-16232
- ### WIND VARIATIONS
- Studies of the aerodynamics of flaps and spoilers in unsteady flow [ONERA, TP NO. 1985-149] p 272 A86-24627
- ### WIND VELOCITY
- The Australian implementation of AMDAR/ACARS and the use of derived equivalent gust velocity as a turbulence indicator [AR-004-51] p 420 N86-22560
- Aircraft liftemeter [NASA-CASE-LAR-12518-1] p 590 N86-27280
- ### WIND VELOCITY MEASUREMENT
- Windshear detection using a Doppler acoustic sounder (SODAR) p 614 A86-37484
- Aircraft liftemeter [NASA-CASE-LAR-12518-1] p 590 N86-27280
- ### WINDOWS (APERTURES)
- Aircraft window clamping device [AD-D011999] p 435 N86-22564
- ### WINDPOWER UTILIZATION
- Aeroelastic research on wind turbines [VTH-M-474] p 459 N86-23012
- Aeroelastic research on wind turbines [VTH-M-501] p 459 N86-23014
- Aeroelastic research on wind turbines [VTH-M-517] p 459 N86-23016
- ### WINDS ALOFT
- The INS wind calibration in climb algorithm p 796 A86-47799
- ### WINDSHIELDS
- Bird impact testing at AEDC's range S-3 [AIAA PAPER 86-9818] p 432 A86-32143
- Failure analysis of aircraft windshields subjected to bird impact p 802 A86-49055
- Frameless transparencies for aircraft cockpit enclosures [AD-D012155] p 497 N86-24689
- Characterisation and influence of orientation and internal stress in acrylic aircraft materials — windows, canopies, PMMA [NPL-DMA(A)113] p 665 N86-28193
- New transparent solid material for helicopter windshields [SNPE-NT-37/85/CRB/NP] p 641 N86-28941
- ### WING CAMBER
- Means to increase the lift on aircraft wing profiles p 271 A86-23776
- Influence of airfoil camber on convected gust interaction noise [AIAA PAPER 86-1873] p 755 A86-45493
- ### WING FLAPS
- Flow past caret wings with flaps p 146 A86-18903
- Velocity and temperature decay characteristics of inverted-profile jets [AIAA PAPER 86-0312] p 206 A86-22693
- Flight control system development and flight test experience with the F-111 mission adaptive wing aircraft [AIAA PAPER 86-2237] p 824 A86-47489
- Flight testing a transonic wing with maneuver flaps and a direct side force control system for CAS aircraft p 794 A86-47782
- Velocity and temperature decay characteristics of inverted-profile jets [NASA-TM-87159] p 147 N86-14223
- MBB studies variable-camber wing for Airbus p 169 N86-15449
- Vortex wake alleviation studies with a variable twist wing [NASA-TP-2442] p 197 N86-16187
- An aerodynamic analysis computer program and design notes for low speed wing flap systems [NASA-CR-3675] p 408 N86-23554
- Analysis of wings with leading edge and/or trailing edge segmented (sparwise) flaps using planar horse shoe vortex lattice method [NAL-TM-AE-8507] p 559 N86-27212

WING FLOW METHOD TESTS

- Conference on Low Reynolds Number Airfoil Aerodynamics, Notre Dame, IN, June 16-18, 1985, Proceedings p 136 A86-18301
- An environmental aerodynamic test system for low-Reynolds-number applications p 138 A86-18315
- Acoustic and turbulence influence on low-Reynolds number wing pressure distributions p 139 A86-18323
- Divergence study of a high-aspect ratio, forward-swept wing [AIAA PAPER 86-0009] p 219 A86-19632
- A correction of the angle of incidence for a two-dimensional wing model in the closed test section p 409 A86-31020
- A three-dimensional boundary-layer method for flow over delta wings with leading-edge separation [SAE PAPER 851818] p 547 A86-38327
- Unsteady vortical flow around three-dimensional lifting surfaces p 553 A86-39052
- Spiral vortex flow over a swept-back wing p 691 A86-46004
- Comparisons in three-dimensionality in the unsteady flows elicited by straight and swept wings [AIAA PAPER 86-2280] p 764 A86-47698
- Measurement of the pressure coefficient at a square wing in transonic-supersonic flows and comparison with theoretical results — German thesis p 767 A86-48568
- Leading edge vortex flow over a 75 degree-swept delta wing Experimental and computational results [ONERA, TP NO. 1986-122] p 773 A86-49042
- The problem of flow past a plane delta wing with power-law injection at its surface p 776 A86-49174
- Airfoil trailing-edge flow measurements p 780 A86-49803

WING LOADING

- Doublet strip method for oscillating swept tapered wings in incompressible flow p 85 A86-14537
- Verification of static rotor-load measurement capabilities of the RSRA helicopter active-isolator system p 165 A86-18428
- Some calculations of tip vortex - Blade loadings p 276 A86-26107
- Comparison of discrete and continuous gust methods for airplane design loads determination p 356 A86-28567
- An optimization procedure for a redundant wing structure [SAWE PAPER 1684] p 521 A86-35225
- Inviscid vortex-stretched turbulent shear-layer flow computed around a cranked delta wing p 475 A86-35253
- A unified formulation of rotor load prediction methods p 576 A86-37774
- Transonic aeroelasticity of wings with tip stores [AIAA PAPER 86-1007] p 553 A86-38948
- The design of multi-functional flight controllers for structural load alleviation p 651 A86-40767
- Wing loads induced by a propeller wake [AIAA PAPER 86-1967] p 711 A86-45450
- Influence of airfoil camber on convected gust interaction noise [AIAA PAPER 86-1873] p 755 A86-45493
- Aerodynamics via acoustics - Application of acoustic formulas for aerodynamic calculations [AIAA PAPER 86-1877] p 691 A86-45494
- Determination of the required number of channels for controlling aircraft wing loading for several cases of calculation p 768 A86-48787
- Residual strength prediction for planked wing tension surfaces [AIAA PAPER 86-0941] p 849 A86-49572
- Buckling behavior of Rene 41 tubular panels for a hypersonic aircraft wing [NASA-TM-86798] p 611 N86-26653
- Mirage A3-002 strain responses to ground calibration loadings between 1978 and 1985 [AD-A165846] p 640 N86-28080
- Vortex sheet modeling with higher order curved panels [NASA-CR-176971] p 693 N86-29770
- Application of transonic unsteady methods for calculation of flutter airloads p 727 N86-30630

WING NACELLE CONFIGURATIONS

- Numerical simulation of the transonic flowfield for wing/nacelle configurations p 204 A86-20159
- VSAERO analysis of a wing/pylon/nacelle configuration [AIAA PAPER 86-1523] p 625 A86-42689
- Evaluation of propeller/nacelle interactions in the PTA program [AIAA PAPER 86-1552] p 626 A86-42709
- Determination of off-design flowrates according to the position of branching points on an under-the-wing (over-the-wing) air intake p 769 A86-48812
- On the computation of wing lift interference caused by high bypass engines p 778 A86-49109

Wing laminar boundary layer in the presence of a propeller slipstream p 776 A86-49122

WING OSCILLATIONS

- A combined method for the analysis of the aerodynamic forces acting on an oscillating flight vehicle in supersonic flow p 79 A86-13380
- A property of the elastic vibrations of nearly symmetric systems p 119 A86-13387
- Certain criteria and formulas for the analysis of flexural-torsional flutter p 109 A86-13394
- Doublet strip method for oscillating swept tapered wings in incompressible flow p 85 A86-14537
- On the teaching of the principles of wing flexure-torsion flutter p 185 A86-16248
- Application of NLR's calculation methods to transonic flow about oscillating wings p 143 A86-17778
- Computation of dynamic stall of NACA0012 airfoil by block pentadiagonal matrix scheme [AIAA PAPER 86-0116] p 199 A86-19697
- Vortices produced by air pulse injection from the surface of an oscillating airfoil [AIAA PAPER 86-0118] p 199 A86-19699
- Design of an active flutter suppression system p 239 A86-20236
- Comparative measurements of the unsteady pressures and the tip-vortex parameters on four oscillating wing tip models p 273 A86-24708
- Aeroelastic oscillations caused by transitional boundary layers and their attenuation [AIAA PAPER 86-0736] p 286 A86-24731
- Energetics and optimum motion of oscillating lifting surfaces of finite span p 274 A86-25084
- Effect of sweep angle on static aeroelasticity - Theory for physical meanings p 288 A86-25180
- Improved doublet lattice method for oscillating swept tapered wings in incompressible flow p 274 A86-25200
- A study on the propulsive force of wings in non-steady motion by the theorem of momentum p 275 A86-25233
- Two-dimensional scheme 'DLM-C' to examine subsonic unsteady lifting surface schemes for finite span p 275 A86-25239
- Comparative measurements of the unsteady pressures and the tip-vortex parameters of four oscillating wing tip models p 276 A86-26109
- Steady and unsteady transonic pressure distributions on NACA 0012 p 337 A86-28585
- Improved numerical method for lifting airfoils with oscillating control surfaces in subsonic flow p 409 A86-31021
- Flight test of a decoupler pylon for wing/store flutter suppression [AIAA PAPER 86-9730] p 428 A86-32077
- Calculation of 3-D unsteady transonic potential flows by a field panel method p 412 A86-33229
- An improved potential gradient method for the calculation of unsteady aerodynamic pressures on oscillating wings in supersonic flow p 413 A86-33234
- Application of unsteady wing collocation methods to cascades in subsonic flow p 413 A86-33236
- Aeroelastic wind tunnel similarity theory for anisotropic aircraft wings p 433 A86-33244
- Anisotropic wing aeroelastic theories with warping effects p 434 A86-33261
- Vortex-induced bending oscillation of a swept wing [AIAA PAPER 86-1773] p 542 A86-37809
- Three-dimensional unsteady flow fields elicited by a pitching forward swept wing [AIAA PAPER 86-1104] p 551 A86-38464
- A wind tunnel study of active control technology on a high aspect ratio wing [AIAA PAPER 86-0956] p 594 A86-38930
- Flutter of wings with leading edge control surfaces [AIAA PAPER 86-0897] p 585 A86-38950
- Transonic aeroelastic analysis of the B-1 wing [AIAA PAPER 85-0690] p 708 A86-44886
- The role of structural and aerodynamic damping on the aeroelastic behavior of wings p 708 A86-44884
- Control of wake structure behind an oscillating airfoil [AIAA PAPER 86-2282] p 784 A86-47700
- Oscillation equations for a helicopter rotor blade p 800 A86-48805
- Research on active suppression technology for wing/aileron flutter p 835 A86-49096
- Applications of potential theory computations to transonic aeroelasticity p 775 A86-49105
- Steady and unsteady investigations of spoiler and flap aerodynamics in two dimensional subsonic flows [ONERA, TP NO. 1986-101] p 776 A86-49106
- Oscillating wings and bodies with flexure in supersonic flow Applications of harmonic potential panel method p 776 A86-49108

Calculation of 2-D unsteady transonic full potential flow about oscillating airfoils by two complementary approaches [AIAA PAPER 86-1821] p 778 A86-49586

- Application of time-linearized methods of oscillating wings in transonic flow and flutter [NLR-MP-84077-U] p 208 N86-16204
- Aeroelastic control of oblique-wing aircraft [NASA-TM-86808] p 595 N86-26340
- Recent experiences of unsteady aerodynamic effects on aircraft flight dynamics at high angle of attack p 564 N86-27252
- Correlation of predicted and free-flight responses near departure conditions of a high incidence research model p 564 N86-27255
- Theoretical prediction of wing rocking p 564 N86-27256
- Calculation of three-dimensional transonic potential flows by a field panel method — oscillating wings p 695 N86-30629
- An improved potential gradient method for the calculation of unsteady aerodynamic pressures on oscillating wings in supersonic flow p 695 N86-30633
- A new look at arbitrary motion unsteady aerodynamics and its application to rotary-wing aeroelasticity p 696 N86-30638
- Anisotropic wing aeroelastic theories with warping effects p 696 N86-30659

WING PANELS

- Panel design for optimum strength and stability with allowance for the nonuniformity of heating p 119 A86-13357
- Buckling behavior of Rene 41 tubular panels for a hypersonic aircraft wing [AIAA PAPER 86-0978] p 609 A86-38857
- Design of a carbon-fiber reinforced wing for the Alpha-Jet major panel tests p 638 A86-41692
- The design and construction of a post buckled carbon fibre wing box structure p 848 A86-49001
- Analytical and experimental investigation on advanced composite wing box structures in bending including effects of initial imperfections and crushing pressure p 848 A86-49003
- Failure mechanisms of laminates transversely loaded by bolt push-through [NASA-TM-87603] p 184 N86-14314
- Buckling behavior of Rene 41 tubular panels for a hypersonic aircraft wing [NASA-TM-86798] p 611 N86-26653
- Recent results on the weight minimization of panels with a flutter speed constraint p 715 N86-30680

WING PLANFORMS

- Vortex roll-up for an elliptically-loaded wing at moderately low Reynolds numbers [AIAA PAPER 86-0562] p 203 A86-19951
- The joined wing - An overview — aircraft tandem wings in diamond configurations p 355 A86-28559
- An attached flow design of a noninterfering leading-edge extension to a thick delta wing p 337 A86-28569
- On the exact solution of the linearized lifting-surface problem of an elliptic wing p 409 A86-31132
- Optimum supersonic wings with subsonic leading edges p 410 A86-32785
- Planform effects for low-fineness ratio multibody configurations at supersonic speeds [AIAA PAPER 86-1799] p 544 A86-37825
- Equivalent plate analysis of aircraft wing box structures with general planform geometry [AIAA PAPER 86-0940] p 583 A86-38837
- Spiral vortex flow over a swept-back wing p 691 A86-46004
- Equivalent plate analysis of aircraft wing box structures with general planform geometry [NASA-TM-87697] p 392 N86-21954
- Effects of some geometric variations on missile aerodynamic characteristics at supersonic speeds [NASA-TM-87683] p 415 N86-22553
- Transonic equivalent strip method for aeroelastic applications p 695 N86-30628

WING PROFILES

- The linear theory of a profile in a compressible gas with additional jet flow p 78 A86-13351
- Wing structure design for maximum aileron efficiency p 95 A86-13368
- Certain characteristics of para-hute-wing aerodynamics p 80 A86-13369
- Construction of equivalent profiles and approximate calculation of transonic flow past the root section of a swept wing p 80 A86-13396
- Determination of the shape of a profile from a specified chord diagram of Mach numbers in transonic flow p 80 A86-13397
- Quasi-solutions of an inverse boundary value problem of hydroaerodynamics p 120 A86-13983
- A study of the flow around a wing equipped with a spoiler p 83 A86-14186

- Wing aspect ratio optimization related to payload and to fuel consumption of transport propeller airplanes [SAWE PAPER 1615] p 98 A86-14975
- Design of a natural laminar flow wing for a transonic corporate transport [AIAA PAPER 86-0314] p 200 A86-19807
- Investigation of chord ratio, stagger, decalage angle, and flap angle for dual wing configurations [AIAA PAPER 86-0317] p 201 A86-19810
- Means to increase the lift on aircraft wing profiles p 271 A86-23776
- Optimal lifting surfaces of wings of complex configurations at supersonic flight velocities p 288 A86-25423
- Numerical optimization design of advanced transonic wing configurations p 356 A86-28562
- Flow structure at the windward side of conical wings with an attached shock wave at the leading edge p 410 A86-32739
- Determination of natural vibration properties of a wing with winglet by experimental mode synthesis technique p 435 A86-33280
- Equivalent plate analysis of aircraft wing box structures with general planform geometry [AIAA PAPER 86-0840] p 583 A86-38837
- Aerodynamic investigations toward an adaptive airfoil for a transonic transport aircraft p 623 A86-40115
- Calculation of the potential flow around wing profiles with the aid of a continuously differentiable vortex distribution p 689 A86-44979
- Broad band noise from an isolated two dimensional airfoil [AIAA PAPER 86-1948] p 752 A86-45435
- Evaluation and reduction of drag [AAAF PAPER NT 85-01] p 766 A86-48452
- Tests on CAST 7 and CAST 10 profiles in the T2 adaptive-wall cryogenic wind tunnel - Study of the Reynolds-number effect in natural and triggered transitions [AAAF PAPER NT 85-06] p 838 A86-48457
- An analysis of flow of a nonviscous incompressible fluid past a wing of finite thickness in the presence of a screen p 770 A86-48841
- Calculation of flow over multielement airfoils at high lift p 772 A86-49011
- Studies on the interference of wings and propeller slipstreams p 151 N86-15241
- Image processing of aerodynamic data [NASA-TM-87629] p 255 N86-16553
- A wing design based on the three-dimensional transonic inverse method and the comparison with the wind tunnel testing data p 226 N86-17299
- Procedure for utilizing the lift and thrust forces of ornithopters [NASA-TM-77682] p 357 N86-21534
- Effects of wing modification on an aircraft's aerodynamic parameters as determined from flight data [NASA-TM-87591] p 370 N86-21550
- MEP: A program for cross section magnitudes of a multicell wing profile [VTH-M-487] p 459 N86-23013
- Wing profile in stalled position subject to a flow of alternating potential and strong vortex p 580 N86-27229
- Aeroelastic tests of OA 206 and OA 207 profiles [ONERA-RT-22/1841-RY-310-R] p 641 N86-28942
- Steady and unsteady pressure distribution on various profiles in separated subsonic and transonic flow p 695 N86-30632
- WING ROOTS**
- Construction of equivalent profiles and approximate calculation of transonic flow past the root section of a swept wing p 80 A86-13396
- Analysis of a three-dimensional stationary turbulent boundary layer on the root section of a wing without allowance for compressibility p 476 A86-35991
- Transonic flow past the root section of a wing with sweepback and sweepforward p 769 A86-48817
- WING SLOTS**
- Influence of wing tip configuration on lateral blowing efficiency [AIAA PAPER 86-0475] p 206 A86-22702
- WING SPAN**
- Two-dimensional scheme "DLM-C" to examine subsonic unsteady lifting surface schemes for finite span p 275 A86-25239
- Calculation of the aerodynamic characteristics of three-dimensional wings of finite span in a potential incompressible flow p 476 A86-35985
- Rotational-translational subsonic motion of a finite-span wing in an ideal gas p 628 A86-43384
- Hypothesis of two-dimensional cross sections for a wing of finite span at supersonic velocities p 767 A86-48769
- Vortex wake alleviation studies with a variable twist wing [NASA-TP-2442] p 197 N86-18187
- Effects of some geometric variations on missile aerodynamic characteristics at supersonic speeds [NASA-TM-87683] p 415 N86-22553
- WING TIP VORTICES**
- Experimental analysis of tip vortex by laser Doppler anemometry p 140 A86-16387
- Vortices incident upon a leading edge - Instantaneous pressure fields p 141 A86-17080
- Lift augmentation via spanwise tip blowing - A numerical study [AIAA PAPER 86-0474] p 202 A86-19893
- A vortex lattice method for jet wing performance with nonlinear wake and tip flow p 205 A86-22311
- Airfoil tip vortex formation noise p 331 A86-23134
- Comparative measurements of the unsteady pressures and the tip-vortex parameters on four oscillating wing tip models p 273 A86-24708
- Some calculations of tip vortex - Blade loadings p 276 A86-26107
- Comparative measurements of the unsteady pressures and the tip-vortex parameters of four oscillating wing tip models p 276 A86-26109
- Theoretical prediction of running-time measurements in unsteady flow --- for various shapes of rotor blade tips p 276 A86-26112
- Numerical simulation of tip vortices of wings in subsonic and transonic flows [AIAA PAPER 86-1095] p 550 A86-38456
- Visualization of wing tip vortices in unsteady and steady wind [AIAA PAPER 86-1096] p 551 A86-38457
- The wing tip vortex system in a starting flow p 690 A86-45190
- An experimental investigation of wing tip turbulence with applications to aerocloud [AIAA PAPER 86-1918] p 691 A86-45413
- Mid-field and far-field calculations of Blade-Vortex Interactions [AIAA PAPER 86-1854] p 753 A86-45476
- Concepts for reduction of blade-vortex interaction noise [AIAA PAPER 86-1855] p 753 A86-45477
- Rotor tip vortex geometry measurements using the wide-field shadowgraph technique [AIAA PAPER 86-1780] p 778 A86-49580
- Numerical solutions for three-dimensional cases: Delta wings p 155 N86-15264
- Sound excitation during vortex-airfoil interaction [MPIS-MITT-80] p 266 N86-18130
- WING TIPS**
- Unsteady transonics of a wing with tip store [AIAA PAPER 86-0010] p 198 A86-19833
- Influence of wing tip configuration on lateral blowing efficiency [AIAA PAPER 86-0475] p 206 A86-22702
- Wind tunnel test of a model rotor with a free-tip [AIAA PAPER 86-1781] p 577 A86-37813
- Aerodynamic effects of wingtip-mounted propellers and turbines [AIAA PAPER 86-1802] p 544 A86-37826
- Flow structure of lateral wing-tip blowing [AIAA PAPER 86-1810] p 544 A86-37831
- Drag-reduction characteristics of aft-swept wing tips [AIAA PAPER 86-1824] p 545 A86-37840
- Swept wing-tip shapes for low-speed airplanes [SAE PAPER 851770] p 546 A86-38305
- Transonic aeroelasticity of wings with tip stores [AIAA PAPER 86-1007] p 553 A86-38948
- China report: Science and technology [JPRS-CST-85-029] p 122 N86-12446
- Wingtip sails tested on Y-5 aircraft p 99 N86-12450
- Optimization of tip store modeling [AD-A162119] p 417 N86-23571
- Divergence study of a high-aspect ratio, forward-swept wing [NASA-TM-87682] p 588 N86-27279
- Measurements on wing-tip blowing [NASA-CR-176930] p 632 N86-28922
- A theory for lateral wing-tip blowing [NASA-CR-176931] p 632 N86-28923
- WING-FUSELAGE STORES**
- Control of a forward-swept-wing configuration dominated by flight dynamic/aeroelastic interactions p 239 A86-20237
- Numerical analysis of inviscid flows about wing-fuselage combinations. 2: Development of full potential flow code YOKUDO-P [NAL-TR-881] p 341 N86-20364
- WINGED VEHICLES**
- On hypersonic flow around winged-vehicles at high angles of attack p 275 A86-25227
- WINGLETS**
- Determination of natural vibration properties of a wing with winglet by experimental mode synthesis technique p 435 A86-33280
- Configuration and longitudinal wind tunnel testing [Jy] of forward-swept wings p 181 N86-14449
- Determination of natural vibration properties of a wing with winglet by experimental mode synthesis technique p 716 N86-30678
- International Aviation (selected articles) [AD-A168298] p 763 N86-31528
- WINGS**
- F/A 18 composite wing automated drilling system p 117 A86-13111
- Aerodynamic characteristics of a finite-aspect-ratio wing in hypersonic flow of a radiating gas p 78 A86-13359
- Design of a minimum-weight gliding wing p 96 A86-13437
- Optimization of structural load-bearing designs using anisotropic models according to aeroelasticity conditions p 96 A86-13438
- Supersonic gas flow past a V-shaped wing p 82 A86-13440
- Measurement of preferential moisture ingress in composite wing/spar joints p 116 A86-16100
- Propeller slipstream/wing boundary layer effects at low Reynolds numbers p 139 A86-16324
- Model for analytically describing edge vortices p 140 A86-16867
- A case study in fatigue life extension - The main spar of RAAF Mirage IIIO wings p 225 A86-22165
- A vortex lattice method for jet wing performance with nonlinear wake and tip flow p 205 A86-22311
- Calculation of misalignment error of multi-joint holes of wing to fuselage p 253 A86-22318
- The A320 wing - Designing for commercial success p 286 A86-23799
- Navier-Stokes solutions using finite volume procedures p 274 A86-25005
- The laminar wing - A way for improving the economy of commercial aircraft p 274 A86-25022
- Doublet strip method for oscillating rectangular wings in subsonic flow p 274 A86-25189
- Aerodynamic performances of fabric surface airfoils p 275 A86-25224
- An engineering approach to the inverse transonic wing design problem p 336 A86-26409
- Aerodynamics. Part 1 - Fundamentals of theory. Aerodynamics of an airfoil and a wing --- Book p 338 A86-29840
- Unsteady transonic flow calculations for two-dimensional canard-wing configurations p 410 A86-32780
- The induced downwash and lift on a wing of high aspect ratio in unsteady motion p 474 A86-34180
- Determination of wing deformation in wind tunnel models using stress measurement section technology [DGLR PAPER 85-091] p 474 A86-35154
- A comparison of solutions of the complete potential equation and the Euler equations for the transonic flow around the DFVLR-F4-wing p 475 A86-35171
- Wing aspect ratio optimization problems for transport turbojet airplanes [SAWE PAPER 1660] p 488 A86-35206
- A weight method for structural boxes [SAWE PAPER 1680] p 521 A86-35221
- Vibration test and identification of modal parameter of aircraft wing model p 605 A86-37406
- Euler calculation for flow over a wing in ground effect [AIAA PAPER 86-1765] p 542 A86-37803
- The use of curved higher order panels for vortex sheet modeling [AIAA PAPER 86-1812] p 544 A86-37833
- Optimization of a supersonic wing by combining linear and Euler methods [SAE PAPER 851791] p 547 A86-38315
- Process for adhesive bonding of metal skins to aircraft structures [SAE PAPER 851805] p 606 A86-38321
- Leading-edge design for improved spin resistance of wings incorporating conventional and advanced airfoils [SAE PAPER 851816] p 578 A86-38325
- Application of low temperature curing prepreps and vacuum bag molding techniques to the manufacturing of a composite wing [AIAA PAPER 86-1019] p 609 A86-38876
- Aeroelastic tailoring of composite wings with external stores [AIAA PAPER 86-1021] p 609 A86-38878
- An experimental investigation of reducing advanced turboprop cabin noise by wing shielding [AIAA PAPER 86-1966] p 711 A86-45449
- CFRP-wing for the Alpha Jet p 686 A86-46199
- Acoustic effect on stall hysteresis for low Reynolds number laminar flow p 855 A86-47971

Effect of cantilever sweep on the aerodynamic characteristics of a wing with a projection in separated flow p 768 A86-48779

Method for calculating pressure distribution on the surfaces of wings with slat mechanization p 768 A86-48806

Flow of an ideal fluid in the core of a vortex sheet p 770 A86-48839

Modeling the elasticity of a wing structure p 800 A86-48850

Boundary layer calculation and viscous-inviscid coupling p 773 A86-49031

The prediction of lift inferred from downstream vorticity measurements p 775 A86-49102

Simulation of the enhanced traffic alert and collision avoidance system (TCAS 2) [NASA-CR-176328] p 93 A86-12216

Procedure for solution of the full potential equation at Dornier GmbH p 150 A86-14249

The properties of a row of trailing vortices generated in the uniform flow. The path of trailing vortex [REPT-1] p 151 A86-14422

The properties of a row of trailing vortices generated in the uniform flow. Shape of trailing vortex and its streamwise variation [REPT-2] p 151 A86-14423

Studies on the interference of wings and propeller slipstreams p 151 A86-15241

Design considerations for application of laminar flow control systems to transport aircraft p 155 A86-15270

Prediction of the drag of wings at subsonic speeds by viscous/inviscid interaction techniques p 156 A86-15274

Design and fabrication of an advanced composite cellular wing box [VTH-LR-315] p 227 A86-17344

Application of mathematical optimization procedures to a structural model of a large finite-element wing [NASA-TM-87597] p 322 A86-19861

Strength of graphite/epoxy bolted wing-skin splice specimens subjected to outdoor exposure under constant load and yearly fatigue loading [NASA-TP-2542] p 378 A86-20508

Piezoelectric deicing device [NASA-CASE-LEW-13773-2] p 388 A86-20671

A preliminary note on the development of a three dimensional potential code in Cartesian Coordinates [NAL-TM-AE-8504] p 399 A86-21233

Comparison of measured and calculated temperatures for a Mach 8 hypersonic wing test structure [NASA-TM-85918] p 435 A86-22563

Numerical simulation of vortices shed behind a rotating wing p 418 A86-23682

An experimental investigation of reducing advanced turboprop cabin noise by wing shielding [NASA-TM-87112] p 536 A86-25218

Wind tunnel and flight test analysis and evaluation of the buffet phenomena for the alpha jet transonic wing p 561 A86-27239

A study of the factors affecting boundary layer two-dimensionality in wind tunnels [NASA-CR-177023] p 631 A86-28914

Flutter prediction for a wing with active aileron control [NASA-CR-176994] p 655 A86-28959

Transonic Navier-Stokes wing solution using a zonal approach. Part 1: Solution methodology and code validation [NASA-TM-88248-PT-1] p 692 A86-29765

An investigation of tip planform influence on the aerodynamic load characteristics of a semi-span, unswept wing and wing-tip [NASA-CR-177110] p 693 A86-29768

Analytical investigation of rotor wake formation and geometry [NASA-CR-177032] p 693 A86-29768

Flight control system development and flight test experience with the F-111 mission adaptive wing aircraft [NASA-TM-88285] p 714 A86-29813

Aeroelastic wind tunnel similarity theory for anisotropic aircraft wings p 728 A86-30643

Determination of natural vibration properties of a wing with winglet by experimental mode synthesis technique p 716 A86-30678

ATRAN3S: An unsteady transonic code for clean wings [NASA-TM-86783] p 781 A86-31535

In-flight photogrammetric measurement of wing ice accretions [NASA-TM-87191] p 806 A86-31562

Aspect ratio effects on wings at low Reynolds numbers p 782 A86-32390

Transonic Navier-Stokes wing solutions using a zonal approach. Part 2: High angle-of-attack simulation [NASA-TM-88248-PT-2] p 782 A86-32392

**WINTER**  
The aircraft icing environment in wintertime, low ceiling conditions [AD-A160578] p 280 A86-18307

**WIRE**  
Helicopter wire strike protection system qualification testing p 163 A86-18411

Injury pattern analysis of helicopter wire strike accidents (+Gz load) p 158 A86-18843

**WIRE WINDING**  
Study of new flight test techniques [NASA-CR-176952] p 714 A86-29812

**WIRING**  
The observation of high frequency B(dot) and D(dot) transients excited on a fuselage by an impulse generator p 790 A86-47306

**WORD PROCESSING**  
Real-time flight test PCM data acquisition monitor [AD-A184035] p 524 A86-24897

**WORK CAPACITY**  
Light helicopter family trade-off analysis. Volume 7: Appendix R [AD-A158078] p 168 A86-15307

**WORKLOADS (PSYCHOPHYSIOLOGY)**  
Analytical methods for LHX mission and task analysis p 157 A86-18452

Longitudinal flying qualities criteria for single-pilot instrument flight operations p 305 A86-23186

AI applications to military pilot decision aiding - A perspective on transition [SAE PAPER 841533] p 327 A86-26004

A review of pilot workload measurement techniques used on the A-10 single seat night attack test program [SAE PAPER 841492] p 327 A86-26016

Effects of digital altimetry on pilot workload [SAE PAPER 841489] p 327 A86-26019

U.S. Army helicopter voice technology applications [SAE PAPER 841609] p 328 A86-26028

Evaluation of 16 measures of mental workload using a simulated flight task emphasizing mediational activity p 395 A86-26864

Computer-aided cockpit workload analysis for all weather, multirole tactical aircraft [SAE PAPER 851876] p 490 A86-35439

Pilot-oriented performance measurement [AD-A158849] p 126 A86-13890

Effects of digital altimetry on pilot workload [NASA-TM-86424] p 126 A86-13892

Effects of noise and workload on a communication task [AD-A160743] p 321 A86-18599

Some quantitative methodology for cockpit design p 586 A86-26320

The integrated manual and automatic control of complex flight systems [NASA-CR-177086] p 654 A86-28952

Feasibility study for ergonomic analysis and design of future helicopter cockpit systems [NASA-CR-176942] p 714 A86-29811

**WORKSTATIONS**  
Instructor station for the ILLIMAC general aviation instrument training simulator p 371 A86-26482

**WRIST**  
Theoretical three-and four-axis gimbal robot wrists [NASA-TP-2564] p 533 A86-25168

**WROUGHT ALLOYS**  
Isothermal forging system for the production of large rotating components from titanium alloys or superalloys p 382 A86-27247

Superalloy component durability enhancements p 739 A86-46562

## X

**X RAY FLUORESCENCE**  
X-ray fluorescence analysis of wear metals in used lubricating oils p 673 A86-43430

**X RAY IMAGERY**  
Robotic nondestructive inspection of aerospace structures p 668 A86-40509

**X WING ROTORS**  
X-wing potential for Navy applications p 492 A86-35831

X-wing - A low disc-loading V/STOL for the Navy [SAE PAPER 851772] p 578 A86-38307

X-wing rotor systems test vehicle scheduled for flight in October p 707 A86-44001

Identification of linearized equations of motion for the fixed wing configuration of the rotor systems research aircraft [NASA-CR-176977] p 631 A86-28917

**X-15 AIRCRAFT**  
X-15 high temperature advanced structure p 268 A86-22137

**X-20 AIRCRAFT**  
X-20 structures overview p 268 A86-22138

**X-29 AIRCRAFT**  
X-29 flight testing p 96 A86-13213

Dynamics and controls flight testing of the X-29A airplane [AIAA PAPER 86-0167] p 237 A86-19728

Performance of a forward swept wing fighter utilizing thrust vectoring and reversing p 221 A86-20163

The role of the Flight Test Department in the development of new technology aircraft p 285 A86-23271

Development of hardware for X-29A flight control system p 366 A86-26379

Multivariable control law design for the X-29 aircraft p 369 A86-28510

Advancing flight control technology p 369 A86-29058

X-aircraft for world leadership in aeronautics p 405 A86-31330

X-29 revives the experimental aircraft p 426 A86-31331

Unusual aerodynamics of X-29 p 426 A86-31332

X-29 flight - Acid test for design predictions p 426 A86-31333

X-29 aims at applications p 426 A86-31334

X-29A advanced technology demonstrator program overview [AIAA PAPER 86-8727] p 428 A86-32076

X-29A flight flutter data analysis by advanced methods [AIAA PAPER 86-9737] p 429 A86-32083

Real-time open-loop frequency response analysis of flight test data [AIAA PAPER 86-9738] p 443 A86-32084

X-29 ground and flight subsystem testing [AIAA PAPER 86-9781] p 430 A86-32115

Management controls on the X-29 flight-control system software development [AIAA PAPER 86-9808] p 443 A86-32136

The application of practical optimization techniques in the preliminary structural design of a forward-swept wing p 433 A86-33256

The Grumman X-29 technology demonstrator - Technology interplay and weight evolution [SAE PAPER 1865] p 488 A86-35210

The X-29 - A unique and innovative aerodynamic concept [SAE PAPER 851771] p 546 A86-38306

Classical flight dynamics of a variable forward-swept-wing aircraft p 594 A86-39043

X-29 initial flight test results p 709 A86-44942

Sensitivity analysis of high-order digital flight control systems using singular-value concepts [AIAA PAPER 86-2084] p 822 A86-47437

Recursive real-time identification of step-response matrices of high-performance aircraft for adaptive digital flight control [AIAA PAPER 86-2017] p 826 A86-47662

Application of parameter estimation to highly unstable aircraft [AIAA PAPER 86-2020] p 827 A86-47655

X-29 Technology Demonstrator program status review p 786 A86-47795

Dynamics and controls flight testing of the X-29A airplane [NASA-TM-86803] p 295 A86-18913

Locally linearized longitudinal and lateral-directional aerodynamic stability and control derivatives for the X-29A aircraft [NASA-TM-84919] p 416 A86-23566

X-29A technology demonstrator flight test program overview [NASA-TM-86809] p 586 A86-26328

Low-speed aerodynamic characteristics of a 1/8-scale X-29A airplane model at high angles of attack and sideslip [NASA-TM-87722] p 781 A86-31532

**XV-15 AIRCRAFT**  
Ground-simulation investigation of VTOL airworthiness criteria for terminal area operations p 90 A86-14237

Damage tolerance analysis of components of rotor wing aircraft p 185 A86-18446

Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics p 353 A86-27661

Tiltrotor - 'Copter and plane in one p 490 A86-35565

Design aspects of the XV-15 advanced technology blade program p 492 A86-35630

Full-scale tilt-rotor hover performance p 576 A86-37770

The XV-15 Tilt-Rotor flight-test program p 709 A86-44938

Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics in cruising flight p 713 A86-48461



## YAG LASERS

## SUBJECT INDEX

- Performance and loads data from a hover test of a full-scale XV-15 rotor  
[NASA-TM-86833] p 152 N86-15243
- An experimental and analytical method for approximate determination of the tilt rotor research aircraft rotor/wing download  
[NASA-CR-176970] p 693 N86-29769

## Y

### YAG LASERS

- Interferometric holographic cinematography  
[ISL-CO-219/85] p 851 N86-31872

### YAW

- Yaw stabilization of an open ejection seat, fact or fantasy?  
p 217 A86-19305
- The computation of steady 3-D separated flows over aerodynamic bodies at incidence and yaw  
[AIAA PAPER 86-0108] p 199 A86-19683
- Exploratory investigation of deflectable forebody strakes for high angle of attack yaw control  
[AIAA PAPER 86-0333] p 238 A86-19819
- Comparison of computations and experimental data for leading edge vortices - Effects of yaw and vortex flaps  
[AIAA PAPER 86-0439] p 202 A86-19880
- Forebody vortex management for yaw control at high angles of attack  
p 833 A86-49047
- PN/S calculations for a fighter W/F at high-lift yaw conditions — parabolized Navier-Stokes computer code  
[AIAA PAPER 86-1829] p 779 A86-49588
- Validation of a full potential method for combined yaw and angle of attack  
[AIAA PAPER 86-1834] p 779 A86-49591
- Estimation of sideforce, yawing moment and rolling moment derivatives due to rate of yaw for complete aircraft at subsonic speeds  
[ESDU-84002] p 240 N86-17357
- An investigation of the use of bandwidth criteria for rotorcraft handling-qualities specifications  
[AD-A160664] p 294 N86-18319
- Use of state estimation to calculate angle-of-attack position error from flight test data  
[AD-A163962] p 480 N86-24670
- Multiaxis aircraft control power from thrust vectoring at high angles of attack  
[NASA-TM-87741] p 629 N86-28054

### YAWING MOMENTS

- Problems in rudder design for small transport aircraft  
p 306 A86-23781
- Estimation of sideforce, yawing moment and rolling moment derivatives due to rate of yaw for complete aircraft at subsonic speeds  
[ESDU-84002] p 240 N86-17357
- Validation of USAF stability and control Datcom methodologies for straight-tapered sweptforward wings  
[AD-A161876] p 417 N86-23570

### YF-12 AIRCRAFT

- SR-71 digital automatic flight and inlet control system  
[SAE PAPER 851977] p 509 A86-35457

### YIELD POINT

- Damage tolerant composite design development  
p 524 A86-37119
- Probabilistic damage tolerance analysis of aircraft structures  
[FFA-TN-1985-68] p 640 N86-28061

### YIELD STRENGTH


- Strength profile in Al-Li plate material  
p 374 A86-27198
- The influence of slow growth and net section yielding on the residual strength of stiffened structure  
p 737 A86-43793

## Z

### ZOOM LENSES

- Thermal zoom optics for R.P.V. sensors  
p 588 A86-37341

## Typical Personal Author Index Listing



Listings in this index are arranged alphabetically by personal author. The title of the document provides the user with a brief description of the subject matter. The report number helps to indicate the type of document listed (e.g., NASA report, translation, NASA contractor report). The page and accession numbers are located beneath and to the right of the title. Under any one author's name the accession numbers are arranged in sequence with the AIAA accession numbers appearing first.

## A

- AARON, K. M.**  
Simulation and analysis of natural rain in a wind tunnel via digital image processing techniques  
[AIAA PAPER 86-0291] p 241 A86-22687
- AARTMAN, L.**  
Development of an airborne CCD scanner for land and sea applications p 231 A86-21163
- ABARBANEL, S. S.**  
Impact of supercomputers on the next decade of computational fluid dynamics p 740 A86-46788
- ABBITT, J. D.**  
Separation bubble behavior for a NACA 23009 airfoil p 137 A86-16312
- ABBOTT, K. H.**  
An artificial intelligence approach to onboard fault monitoring and diagnosis for aircraft applications  
[AIAA PAPER 86-2093] p 853 A86-48577
- ABDEL KADER, A. A.**  
Control methodology for stochastic system characteristics modulation  
[AIAA PAPER 86-0335] p 262 A86-19821
- ABDELSALAM, M. K.**  
Magnetic suspension and balance system advanced study  
[NASA-CR-3937] p 180 N86-14278
- ABDELWAHAB, M.**  
NASA Lewis F100 engine testing  
[PAPER-4] p 504 N86-25346  
Uniform engine testing program phase 7: NASA Lewis Research Center second entry  
[NASA-TM-87272] p 650 N86-28085
- ABE, K.**  
A correction of the angle of incidence for a two-dimensional wing model in the closed test section p 409 A86-31020
- ABE, N.**  
Disturbance attenuation by a frequency-shaped linear-quadratic-regulator method p 725 A86-46453
- ABE, T.**  
Experimental study of the effects on the turbofan engine by the distortion p 304 A86-25192  
An analytical method of the characteristics of the turbofan engine components p 304 A86-25201

- The superposition distortion index p 500 A86-34279
- ABELKIS, P. R.**  
Continuing structural integrity program for transport aircraft p 736 A86-43789  
Supplemental inspections of aging aircraft p 845 A86-47525
- ABEYOUNIS, W. K.**  
Aerodynamic characteristics of a high-wing transport configuration with a over-the-wing nacelle-pylon arrangement  
[NASA-TP-2497] p 207 N86-16193  
Effect of underwing aft-mounted nacelles on the longitudinal aerodynamic characteristics of a high-wing transport airplane  
[NASA-TP-2447] p 339 N86-20345  
Integration effects of underwing forward- and rearward-mounted separate-flow, flow-through nacelles on a high-wing transport  
[NASA-TM-87627] p 342 N86-21514
- ABID, R.**  
Experimental study of a turbulent horseshoe vortex using a three-component laser velocimeter  
[AIAA PAPER 86-1069] p 548 A86-38436
- ABOLHASSANI, J. S.**  
Numerical solutions of Navier-Stokes equations for a Butler wing  
[NASA-CR-174202] p 88 N86-13293
- ABOUEL-SEUD, M. S.**  
An implicit finite-difference procedure for the numerical solution of unsteady supersonic flow over a blunt body p 148 N86-14229
- ABRAHAMSON, A. L.**  
A feasibility study on the numerical modeling of interior noise fields  
[AIAA PAPER 86-1862] p 754 A86-45482  
Acoustic treatment of the NASA Langley 4- by 7-meter tunnel: A feasibility study  
[NASA-TP-2563] p 757 N86-31337
- ABRAMSON, J. S.**  
Applied aerodynamics of circulation control airfoils and rotors p 475 A86-35634
- ABTAHI, A. A.**  
Aspect ratio effects on the aerodynamics of a Wortmann airfoil at low Reynolds number p 137 A86-18313  
Aspect ratio effects on wings at low Reynolds numbers p 782 N86-32390
- ABU-MOSTAFA, A. S.**  
Correlation of transonic-cone preston-tube data and skin friction  
[NASA-CR-176902] p 693 N86-29771
- ABULADZE, M. V.**  
Maximum-range passive flight p 535 A86-36467
- ACCARDO, L.**  
Experimental analysis of tip vortex by laser Doppler anemometry p 140 A86-16387
- ACETO, L. D.**  
Preliminary design of a supersonic cruise aircraft high-pressure turbine  
[NASA-CR-174878] p 174 N86-14272
- ACHACHE, M.**  
Active control of helicopter vibrations. Flight evaluation of a vibration reduction system on a Gazelle SA 349 helicopter  
[SNIAS-861-210-108] p 836 N86-32444
- ACHGILL, D. M.**  
Adaptive fuel control testing p 502 A86-35615
- ACHYUTHA RAO, A. R.**  
P T A - Design considerations for an airframe system and detailed design of fuel subsystem p 590 A86-37331
- ACKER, B. H.**  
Multivariable output control law design for the STOL (Short Takeoff and Landing) F-15 in landing configuration  
[AD-A164516] p 498 N86-25340
- ACKERMANN, J.**  
Multi-model approaches to robust control system design p 127 A86-14830
- ACKERSON, J. W.**  
Low cost part task trainer for the GBU-15 guided bomb p 370 A86-28457
- ACOSTA, W. A.**  
Small gas turbine combustor experimental study - Compliant metal/ceramic liner and performance evaluation  
[AIAA PAPER 86-1452] p 818 A86-49611  
Small gas turbine combustor experimental study: Compliant metal/ceramic liner and performance evaluation  
[NASA-TM-87304] p 819 N86-31582
- ACREE, C. W.**  
RSRA flight development test in the airplane configuration p 493 A86-35653
- ACREE, C. W., JR.**  
Verification of static rotor-load measurement capabilities of the RSRA helicopter active-isolator system p 165 A86-18428  
Preliminary report on in-flight measurement of rotor hub drag and lift using the RSRA  
[NASA-TM-86764] p 100 N86-13319
- ACURIO, J.**  
The T800 turbine engine solicitation - A new thrust in streamlining the acquisition process  
[AIAA PAPER 86-1669] p 684 A86-42782
- ADAMCZYK, J. H.**  
A numerical simulation of the inviscid flow through a counter-rotating propeller  
[NASA-TM-87200] p 207 N86-16195
- ADAMCZYK, J. J.**  
A model for closing the inviscid form of the average-passage equation system  
[NASA-TM-87199] p 147 N86-14224
- ADAMS, D. O.**  
Full scale fatigue testing of advanced fiber composite components p 183 A86-18437
- ADAMS, G.**  
Variability of major organic components in aircraft fuels  
[AD-A159057] p 185 N86-15415
- ADAMS, G. D.**  
Engineering performance evaluation of small community airport microwave landing system (TI-model) at Philadelphia International Airport Runway 17  
[FAA/PM-86/24] p 704 N86-29802
- ADAMS, K. A.**  
The interactive generation of alphanumeric and symbology with designs on the future  
[AD-A159218] p 192 N86-14982
- ADAMS, M. B.**  
A methodology for evaluating the operational performance of an aircraft in a tactical environment  
[AIAA PAPER 86-2095] p 759 A86-47444
- ADAMS, P. V.**  
A new generation advanced I.R. Linescan Sensor system p 229 A86-19585
- ADAMS, R. J.**  
Investigation of hazards of helicopter operations and root causes of helicopter accidents  
[FAA/PM-86/28] p 700 N86-29796
- ADAMS, R. M.**  
Response of an operational turbofan engine to a simulated nuclear blast p 643 A86-40728
- ADAMS, T.**  
Development of autonomous power system testbed p 311 A86-24841
- ADAMS, W. M.**  
Design of an active flutter suppression system p 239 A86-20236  
Development of a flutter suppression control law by use of linear quadratic Gaussian and constrained optimization design techniques p 728 N86-30647
- ADAMS, W. M., JR.**  
Development of a flutter suppression control law by use of Linear Quadratic Gaussian and constrained optimization design techniques p 444 A86-33248
- ADAMSE, P. H. C.**  
Engine condition monitoring at KLM Royal Dutch Airlines  
[ASME PAPER 86-GT-300] p 816 A86-48312
- ADAMSON, A.**  
Propulsion for advanced commercial transports  
[AIAA PAPER 85-3061] p 173 A86-17829

## ADAMSON, M.

The combined effects of stress and moisture on the structural integrity of composites p 667 A86-40344

## ADAMSON, M. J.

An internal variable assisted formulation of moisture sorption models for polymers and composites p 515 A86-34850

## ADAMSON, T. C., JR.

Three-dimensional flow in compressors and channels [AD-A161858] p 460 N86-23873

## ADCOCK, J. B.

Tables for correcting airfoil data obtained in the Langley 0.3-meter transonic cryogenic tunnel for sidewall boundary-layer effects [NASA-TM-87723] p 555 N86-26289

## ADDY, A. L.

Multiple ducted streams with a periodic or a steady supersonic driver flow p 142 A86-17129

## ADHYE, R. Y.

Secondary flows and losses downstream of a turbine cascade [ASME PAPER 85-GT-64] p 77 A86-13062

## ADINATHA, S.

A design approach to a performance seeking control [AIAA PAPER 86-1674] p 652 A86-42785

## ADREEVSKII, V. V.

The aeromechanics of aircraft: Flight dynamics (2nd revised and enlarged edition) p 442 A86-30925

## AFROSHIMOVA, V. N.

Small film-evaporation type combustion chamber for a low-power gas turbine engine p 650 A86-43395

## AGAPOV, V. P.

Allowance for initial conditions in static and dynamic calculations of structures by the finite element method p 119 A86-13419

## AGARWAL, N. K.

Flight simulator upgrades and modifications p 655 A86-40477

## AGARWAL, R. K.

Euler calculation for flow over a wing in ground effect [AIAA PAPER 86-1765] p 542 A86-37803

Euler calculations for flowfield of a helicopter rotor in hover [AIAA PAPER 86-1782] p 577 A86-37849

Euler solutions for airfoil/jet/ground-interaction flowfields p 823 A86-40112

## AGARWALA, V. S.

Multipurpose corrosion inhibitors for aerospace alloys in naval environments p 450 A86-33021

Electrochemical evaluation of corrosivity in turbine engine oils [SAE PAPER 851867] p 602 A86-38534

## AGGARWAL, B. B.

Knowledge-based systems for rotordynamic diagnostics [AIAA PAPER 86-1678] p 648 A86-42789

## AGGARWAL, H. R.

Helicopter linear noise p 193 A86-17776

## AGGARWAL, J. K.

Rectangular parallelepiped coding - A volumetric representation of three-dimensional objects p 747 A86-45473

## AGORPOULOS, D.

Wake/boundary-layer interactions in two and three dimensions p 773 A86-49032

## AGRAWAL, S. K.

High-speed braking of an aircraft tire on grooved surfaces p 182 A86-17787

Surface properties-vehicle interaction [PB85-242578] p 255 N86-16428

## AGRELL, N.

Numerical design parameter study for slotted walls in transonic wind tunnels p 839 A86-49059

## AGRESTI, W. W.

An approach to developing specification measures p 330 N86-19988

## AGUAS, M. P. N.

Heat exchangers in regenerative gas turbine cycles p 741 N86-29857

## AHAD, Y.

A method for computer aided design of transonic turbine cascade p 409 A86-30734

## AHLBERG, L. A.

Ultrasonic characterization of microstructure in powder metal alloy p 489 N86-22964

## AHMAD, M.

Coarsening of delta prime, T1, S prime phases and mechanical properties of two Al-Li-Cu-Mg alloys p 660 A86-40303

## AHMADI, A. R.

Energetics and optimum motion of oscillating lifting surfaces of finite span p 274 A86-25084

## AHMED, A.

Further results of natural laminar flow flight test experiments [SAE PAPER 850862] p 581 A86-38504

## AHOPELTO, E.

Application of low temperature curing prepregs and vacuum bag molding techniques to the manufacturing of a composite wing [AIAA PAPER 86-1019] p 609 A86-38876

## AHUJA, K. K.

Tone excited jets. I - Introduction p 193 A86-16486

Tone excited jets. IV - Acoustic measurements p 193 A86-16489

Coherent large-scale structures in high Reynolds number supersonic jet of Mach number 1.4 [AIAA PAPER 86-1941] p 891 A86-45428

High speed flight effects on shock associated noise [AIAA PAPER 86-1944] p 751 A86-45431

Development of an impulsive noise source to study the acoustic reflection characteristics of hard-walled wind tunnels [AIAA PAPER 86-1887] p 755 A86-45500

Acoustic reflection contamination measurements in the 16-foot NASA Langley Transonic Wind Tunnel [AIAA PAPER 86-1888] p 755 A86-45501

## AHARA, Y.

Configuration and trajectory of hypersonic transport with aerothermodynamic control p 804 A86-49124

## AIKEN, E. W.

Aircraft-aircraft integration - A summary of U.S. Army research programs and plans p 310 A86-26149

Effects of side-stick controllers on rotorcraft handling qualities for terrain flight p 386 A86-27659

## AKED, A.

Aspects of lightning protection schemes for radomes p 792 A86-47338

## AKER, S. C.

Process for adhesive bonding of metal skins to aircraft structures [SAE PAPER 851805] p 606 A86-38321

## AKHTER, M. M.

Robust detection, isolation, and accommodation for sensor failures p 501 A86-35402

Robust detection, isolation, and accommodation for sensor failures [NASA-CR-174825] p 722 N86-30732

## AKISHITA, S.

Tone-like noise from an isolated two dimensional airfoil [AIAA PAPER 86-1947] p 752 A86-45434

Broad band noise from an isolated two dimensional airfoil [AIAA PAPER 86-1948] p 752 A86-45435

## AKSENOV, L. N.

Thermophysics of decomposing materials p 451 A86-33323

## ALAG, G. S.

Development of control laws for a flight test maneuver autopilot p 725 A86-46460

Eigensystem synthesis for active flutter suppression on an oblique-wing aircraft [AIAA PAPER 86-2243] p 824 A86-47491

Model-following control for an oblique-wing aircraft [AIAA PAPER 86-2244] p 824 A86-47492

Development of a flight test maneuver autopilot for an F-15 aircraft [NASA-TM-86799] p 176 N86-14275

Decoupling control synthesis for an oblique-wing aircraft [NASA-TM-86801] p 595 N86-26339

Aeroelastic control of oblique-wing aircraft [NASA-TM-86808] p 595 N86-26340

Model-following control for an oblique-wing aircraft [NASA-TM-86269] p 726 N86-29867

Eigensystem synthesis for active flutter suppression on an oblique-wing aircraft [NASA-TM-86275] p 727 N86-29868

## ALBANES, W.

IV&V for the automatic test control system in the USAF Aeropropulsion Systems Test Facility p 398 A86-28430

## ALBER, H. J.

A dual channel high speed fiber optics multiplex data bus system p 386 A86-28344

## ALBERTY, W.

Development of an electro-pneumatic anti-G valve for high performance fighter aircraft p 218 A86-19317

## ALBION, N.

Higher harmonic control - Wind tunnel demonstration of fully effective vibratory hub force suppression p 509 A86-35602

## ALBRECHT, C.

Another look at generalized S-N curve shapes p 187 A86-18436

Transmission design using finite element method analysis techniques p 847 A86-48658

## ALBUGUES, F.

Nondestructive inspection: An efficient investment [SNIA-852-430-110] p 247 N86-16276

## ALCABIN, M.

Simulation of time-control procedures for terminal area flow management p 484 A86-35369

## ALCORTA, J. A.

Small engine propulsion readiness for the 21st century [AIAA PAPER 86-1624] p 647 A86-42758

## ALDEN, A.

SHARP (Stationary High Altitude Relay Platform) - Rectenna and low altitude tests p 519 A86-33944

## ALDEN, R.

Lockheed-Georgia and electric primary flight control systems p 368 A86-28396

## ALDRIDGE, J. P.

AIRID - An application of the KAS/Prospector expert system builder to airplane identification p 128 A86-15283

## ALEKSANDROV, A. IA.

Calculation of structural elements of aircraft: Sandwich plates and shells p 458 A86-33292

## ALEKSANDROVICH, E. V.

Wave drag of a supersonic air intake at high subsonic velocities p 770 A86-48834

## ALEXANDER, D. R.

Comparative study of nondestructive pavement testing, WES (Waterways Experiment Station) NDT (nondestructive tests) methodologies [AD-A163379] p 610 N86-26480

## ALESIN, V. I.

Parametric optimization of algorithm for estimating values of one class of unsteady random processes p 534 N86-26181

## ALEX, W. F.

SH-2F airframe fatigue test plan p 165 A86-18444

## ALEXANDER, H. R.

Design aspects of the XV-15 advanced technology blade program p 492 A86-35630

## ALEXANDER, J. J.

Helicopter customer support - Are we aware of how great it can be p 536 A86-35644

## ALFARO-BOU, E.

NASA experiments onboard the controlled impact demonstration [SAE PAPER 851885] p 568 A86-38352

NASA experiments on the B-720 structure and seats p 390 N86-21936

## ALGERMISSEN, J.

Investigation of the ignition characteristics of hydrogen/air mixtures in the case of combustion induced by oblique shocks p 732 A86-45185

## ALI, A. F.

Conical grid plate flame stabilizers - Stability and emissions for liquid fuels [ASME PAPER 86-GT-156] p 842 A86-48210

## ALIAGA, D.

A simple crack closure model for predicting fatigue crack growth under flight simulation loading p 737 A86-43796

## ALIMOV, A. L.

Digital correction of the readings of an aircraft fuel-measurement system p 500 A86-36725

## ALJABRI, A. S.

Evaluation of propeller/nacelle interactions in the PTA program [AIAA PAPER 86-1552] p 626 A86-42709

## ALLAND, S.

Effect of radar frequency on the detection of shaped (low RCS) targets p 456 A86-32803

## ALLBURN, J. N.

X-29 revives the experimental aircraft p 426 A86-31331

## ALLEE, E. G., JR.

Verification and aerodynamic calibration of the tunnel 16T Captive Trajectory Support (CTS) system [AD-A165235] p 589 N86-27295

## ALLEN, D. W.

High altitude unmanned aircraft for meteorological applications - HIMET p 575 A86-37329

## ALLEN, G. P.

Ribbon-burner simulation of T-700 turbine shroud for ceramic-lined seals research p 106 A86-15225

## ALLEN, H. W.

Modeling realistic environmental stresses on external stores p 95 A86-13275

## ALLEN, J. M.

Application of a supersonic Euler code (SWINT) to wing-body-tail geometries p 824 A86-41897

## ALLEN, M. G.

Use of the flight simulator in performing AFTI/F-16 airplane aeroservoelastic analysis [AIAA PAPER 86-0957] p 585 A86-38931

- ALLEN, M. M.**  
Transition of advanced materials and structures - Single crystal blades p 252 A86-22143
- ALLEN, R. J.**  
Turbine airfoil LCF life prediction verification [AIAA PAPER 86-1496] p 646 A86-42672
- ALLEN, R. M.**  
Aerodynamic calibration of the German-Dutch Wind Tunnel (DNW) open jet [DNW-TR-82-03] p 242 N86-16236
- ALLGAIER, H. J.**  
Activities report of the aerospace industry in West Germany [ISSN-0176-5086] p 403 N86-22450
- ALLISON, D. O.**  
Semiempirical method for predicting vortex-induced rolling moments [NASA-TM-87579] p 147 N86-14222
- ALTHOFF, S. L.**  
Effects of planform geometry on hover performance of a 2-meter-diameter model of a four-bladed rotor [AIAA PAPER 86-1807] p 340 N86-20358
- ALTOZ, F. E.**  
Dual mode heat exchanger [AD-A12156] p 524 N86-24944
- AMER, K. B.**  
Preliminary estimate of fatigue life for dynamic components of a new helicopter p 493 A86-35639
- AMICO, V.**  
All about simulators, 1984; Proceedings of the Simulators Conference, Norfolk, VA, April 18-20, 1984 p 464 A86-31252
- AMIET, R. K.**  
Rotor noise due to atmospheric turbulence ingestion. II - Aeroacoustic results [AIAA PAPER 86-1903] p 750 A86-45404  
Rotor noise due to atmospheric turbulence ingestion. I - Fluid mechanics [AIAA PAPER 86-1857] p 754 A86-45479  
Helicopter rotor noise due to ingestion of atmospheric turbulence [NASA-CR-3973] p 535 N86-25216
- AMINOV, A. B.**  
Lapunov function for studying the stability in the whole of nonlinear systems p 331 A86-23576
- AMMERMAN, H. L.**  
Operations concept for the TCCC (Tower Control Computer Complex) man-machine interface [AD-A166899] p 705 N86-30714
- AMORETTI, J. B.**  
New nose-in aircraft guidance/docking system developed p 308 A86-23380
- AMORUSO, M. J.**  
An analytical modularized treatment of autopilots for guided projectile simulations [AD-A159311] p 182 N86-14282
- AMORY, R. L.**  
State-of-the-art review on composite material fatigue/damage tolerance [FAA/CT-85-7] p 379 N86-21615
- AN, J.**  
The numerical computation of aircraft response to arbitrary vertical gust distributions p 110 A86-14534  
The dynamic response of a variable sweep aircraft in the course of changing geometry [AIAA PAPER 86-2234] p 829 A86-47694
- ANANTHASAYANAM, M. R.**  
Engine-out take-off climb - An old airworthiness problem reviewed p 161 A86-17061
- ANDEEN, G. B.**  
Physical distribution system for aircraft external fuel tanks-survey [AD-A158275] p 101 N86-13324
- ANDERLE, F.**  
Isothermal forging system for the production of large rotating components from titanium alloys or superalloys p 382 A86-27247
- ANDERS, G.**  
The effectiveness of various control surfaces in quasi-steady and unsteady flows - Applications [ONERA, TP NO. 1985-147] p 306 A86-24633
- ANDERS, W.**  
Aircraft/engine integration for an advanced fighter considering mission specifics [ASME PAPER 86-GT-295] p 797 A86-48308
- ANDERSH, D. J.**  
Comparison of published HEMP and natural lightning on the surface of an aircraft p 783 A86-47293
- ANDERSON, B. M.**  
Knowledge engineering for a flight management expert system p 368 A86-28498
- ANDERSON, B. W.**  
Factors affecting the design of military aircraft structures in carbon fibre reinforced composites p 449 A86-29972
- ANDERSON, C. L.**  
Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 3: On-Board Inert Gas Generator System (OBIGGS) studies. Part 2: Fuel scrubbing and oxygen evolution tests [AD-A167445] p 807 N86-31573
- ANDERSON, F. J.**  
Optical detection methods for testing of fuel tank lightning ignition hazards p 791 A86-47309
- ANDERSON, G. Y.**  
Survey of supersonic combustion ramjet research at Langley [AIAA PAPER 86-0159] p 503 A86-37079  
Study of hypersonic inlet flow fields with a three-dimensional Navier-Stokes code [AIAA PAPER 86-1426] p 624 A86-42635
- ANDERSON, I.**  
Resonance fatigue test of the empennage of a CT4 aircraft [AD-A160749] p 294 N86-18321
- ANDERSON, J. D., JR.**  
Computational study of flow over Miley and Wortmann airfoils p 138 A86-18317
- ANDERSON, J. R.**  
Evaluation of the ASR-9 weather reflectivity product p 614 A86-37485
- ANDERSON, K.**  
Smart Built-In-Test (BIT) p 747 A86-43889
- ANDERSON, L. C.**  
Application of system identification to aircraft flight test data processing p 638 A86-43002
- ANDERSON, R. E.**  
A shared satellite system would satisfy many future aviation needs p 249 A86-20921
- ANDERSON, R. J.**  
AV-8B design for maintainability p 225 A86-22376
- ANDERSON, R. K.**  
Tomorrow's fleet - The light helicopter family (LHX) p 98 A86-16097
- ANDERSON, R. L.**  
Small stone impact testing p 279 A86-23020
- ANDERSON, W. J.**  
Review and critical analysis: Rolling-element bearings for system life and reliability [NASA-CR-174710] p 525 N86-24991
- ANDES, W. S.**  
The HUD as a primary flight instrument [SAE PAPER 84-1463] p 298 A86-26006
- ANDO, S.**  
Effect of sweep angle on static aeroelasticity - Theory for physical meanings p 288 A86-25180  
Two-dimensional scheme 'DLM-C' to examine subsonic unsteady lifting surface schemes for finite span p 275 A86-25239  
Aerodynamic characteristics of slender wing-gap-body combinations. II p 275 A86-25240  
Investigations on efficient numerical method for subsonic lifting surfaces p 209 N86-17285
- ANDO, Y.**  
Estimation of divergence and flutter boundaries on supersonic plate wing models from subcritical random responses due to air turbulence [NAL-TR-856] p 211 N86-17308
- ANDRACCHIO, C. A.**  
High-temperature thermocouple and heat flux gauge using a unique thin film-hardware hot junction [ASME PAPER 85-GT-18] p 117 A86-13059
- ANDREADIS, D.**  
Altitude ignition/lean decel study [AD-A163052] p 518 N86-24781
- ANDREN, C. F.**  
Digital chirp demodulation p 385 A86-28332
- ANDRESON, G. K.**  
LHX targets dollars as well as bogeys p 686 A86-45704
- ANDREWS, D. M.**  
Development of a flight software testing methodology [NASA-CR-176391] p 128 N86-13922  
Dynamic assertion testing of flight control software [NASA-CR-176715] p 466 N86-23321  
Dynamic assertion testing of flight control software [NASA-CR-176712] p 466 N86-23322  
A methodology for testing fault-tolerant software [NASA-CR-176713] p 466 N86-23323  
Dynamic assertion testing of flight control software [NASA-CR-176716] p 466 N86-23325
- ANDREWS, G. E.**  
Full coverage discrete hole film cooling - The influence of hole size [ASME PAPER 85-GT-47] p 251 A86-22035  
Conical grid plate flame stabilizers - Stability and emissions for liquid fuels [ASME PAPER 86-GT-156] p 842 A86-48210
- ANDREWS, J. W.**  
Pilot evaluation of TCAS in the Long Ranger helicopter [FAA/PM-85/30] p 486 N86-25334
- ANDREWS, K. J.**  
The design of the EH101 for safety and performance p 491 A86-35629
- ANDREYEV, I.**  
Details of new Ka-126 helicopter p 435 N86-22569
- ANDRIANO, M.**  
Computer controlled variable pressure reducing/shut-off valve for aircraft ECS [SAE PAPER 851360] p 285 A86-23545
- ANDRISAN, D., II**  
New linear tracking filters p 508 A86-35342
- ANEX, R. P.**  
Integrated control - A decentralized approach p 681 A86-42996
- ANIBLE, F. R.**  
An electronic index of articles pertaining to Air Force transportation in the post-World War 2 era, with abstracts of selected articles [AD-A160637] p 281 N86-18306
- ANNIS, C. G., JR.**  
Evaluation of damage tolerance requirements using a probabilistic-based life approach [ASME PAPER 86-GT-266] p 847 A86-48288
- ANQUEZ, L.**  
A numerical analysis of singular stress fields at the free edge of layered composites [ONERA, TP NO. 1985-154] p 313 A86-24636
- ANTHONY, D. G.**  
Tail profile effects on unsteady large scale flow structure in the wing and plate junction p 387 A86-26666
- ANTONA, E.**  
Analytical and experimental investigation on advanced composite wing box structures in bending including effects of initial imperfections and crushing pressure p 848 A86-49003
- ANTONETS, A. V.**  
Simple approximations of functions with additional constraints p 192 A86-18918
- ANTONOVA, A. M.**  
The problem of flow past a plane delta wing with power-law injection at its surface p 776 A86-49174
- ANTROPIUS, K.**  
A holographic study of the vibrational modes of aircraft engine rotors p 301 A86-23756  
Holographic mode shape investigation of aircraft engine impellers p 672 A86-43105
- ANTSELOVICH, L. L.**  
Aircraft reliability, safety, and lifetime p 166 A86-18290
- AOKI, K.**  
Multispark flow visualization of lateral jet injection into a swirling cross flow p 85 A86-14561
- APPLIN, Z. T.**  
Modification to the NASA Langley 4- by 7-meter tunnel for improved rotorcraft aerodynamics and acoustics p 179 A86-18414  
Low-speed stability and control characteristics of a transport model with aft-fuselage-mounted advanced turboprops [NASA-TP-2535] p 445 N86-22580
- ARBITER, D.**  
Aerodynamic characteristics of a supersonic fighter aircraft model at Mach 0.40 to 2.47 [NASA-TP-2580] p 416 N86-23561
- ARCARI, C.**  
Manufacturing control over the reproduction of high integrity parts - A way to improve the safety of aeronautical products p 320 A86-26122
- ARCHAMBAUD, J. P.**  
Instrumentation and testing techniques in the T2 transonic cryogenic wind tunnel at the ONERA/CERT p 597 A86-38228
- ARCHER, H. S., III**  
Digital avionics for modern aircraft - A case study into the problems and promise of aircraft electronics p 358 A86-28346
- ARDASHEVA, M. M.**  
A method for measuring pressure distribution by means of indicating coatings p 140 A86-16687
- ARDEMA, M. D.**  
Interior transition layers in flight path optimization [AIAA PAPER 86-2037] p 797 A86-48576
- ARDONCEAU, P. L.**  
Computation of the potential flow over airfoils with cusped or thin trailing edges p 780 A86-49823
- AREND, H.**  
Analysis of the costs and weight effects of CFK on air transport structure p 842 A86-48097
- ARENDT, L. L.**  
Air-on demonstration of the AEDC PWT tunnel 16T captive trajectory support system [AD-A166888] p 698 N86-30700

- ARENDTS, F. J.**  
Comparison of Al alloys and carbon fiber composite materials in aircraft construction [DGLR PAPER 85-136] p 515 A86-35179
- ARENS, D. R. M.**  
A comparison of pod and tail mounted ramjets p 818 A86-49112
- ARETZ, A. J.**  
Cockpit automation technology p 326 A86-23724
- ARIELI, R.**  
Computation of transonic flow about helicopter rotor blades p 554 A86-39053
- ARINCHEV, S. V.**  
The problem of optimizing the final design modifications of stochastic oscillatory systems p 316 A86-23651  
A reliability concept in structural optimization of flight vehicles p 494 A86-35977
- ARKADOV, I. U. K.**  
Compact gas ejector of a high degree of compression with spiral arrangement of the nozzles p 82 A86-13433
- ARMEN, H.**  
Advanced topics in boundary element analysis; Proceedings of the Winter Annual Meeting, Miami Beach, FL, November 17-22, 1985 p 520 A86-34442
- ARMIAGOV, A. A.**  
Methods of constructing R-curves and application of these curves for evaluation of materials (Review) p 117 A86-13011
- ARMSTRONG, K. B.**  
Parts integration - Advantages and problems p 133 A86-16207
- ARMSTRONG, R. N.**  
Light helicopter family trade-off analysis. Volume 7: Appendix R [AD-A158078] p 168 N86-15307
- ARMY, D. E., JR.**  
On the methodology of an interactive computer-aided optimal design of a dual-valve linkage p 523 A86-36887
- ARNAL, D.**  
Transition to three-dimensional flow and laminarization of the boundary layer on a swept-back wing [AAAF PAPER NT 85-03] p 766 A86-48454
- ARNAUTOV, E. V.**  
Details of analysis of airplane structure acoustic loading in flight testing p 804 A86-49129
- ARNOT, S.**  
Evaluation of the crash environment and injury-causing hazards in U.S. Navy helicopters p 419 A86-32070
- ARNEY, A. M.**  
A mathematical model of the Sea King Mk.50 helicopter aerodynamics and kinematics [ARL-AERO-TM-379] p 808 N86-32425
- ARNOLD, P. B.**  
YF16CCV flight control system reconfiguration design using quantitative feedback theory p 368 A86-28395
- ARNOLD, R. J.**  
Store separation flight testing [AGARD-AG-300-VOL-5] p 717 N86-30727
- ARNOLD, R. T.**  
Mobile intercept of storms p 191 N86-15771
- ARORA, S. C.**  
Pressure drop and heat transfer characteristics of circular and oblong low aspect ratio pin fins p 741 N86-29827
- ARPASI, D. J.**  
Partitioning and packing mathematical simulation models for calculation on parallel computers [NASA-TM-87170] p 330 N86-19008
- ARROWSMITH, D. J.**  
Adhesive bonding of aluminium-lithium alloys p 660 A86-40267
- ARUTUNOV, I. U. A.**  
The use of reverse flow to calculate transonic flow past bodies p 81 A86-13412
- ASERE, A. A.**  
Full coverage discrete hole film cooling - The influence of hole size [ASME PAPER 85-GT-47] p 251 A86-22035
- ASGHAR-HESSARI-DINYAVARI, M.**  
Unsteady aerodynamics in time and frequency domains for finite-time arbitrary motion of helicopter rotor blades in hover and forward flight p 414 N86-22548
- ASH, R. L.**  
An investigation of the feasibility of active boundary layer thickening for aircraft drag reduction [NASA-CR-177133] p 630 N86-28064
- ASHBAUGH, N. E.**  
Advances in the study of the mechanical behavior of materials [AD-A164656] p 735 N86-30838
- ASHFORD, R.**  
Putting a price on safety p 567 A86-37940
- ASHILL, P. R.**  
Aeroelastic oscillations caused by transitional boundary layers and their attenuation [AIAA PAPER 86-0736] p 286 A86-24731
- ASHWORTH, J.**  
Three-dimensional unsteady flow fields elicited by a pitching forward swept wing [AIAA PAPER 86-1104] p 551 A86-38464  
Comparisons in three-dimensionality in the unsteady flows elicited by straight and swept wings [AIAA PAPER 86-2280] p 784 A86-47698
- ASLIN, P. P.**  
A real-time simulation of a non-linear RPV incorporating head-up type colour graphics p 593 A86-37335  
The design of a sliding mode controller for dutch roll damping in a non-linear aircraft system p 651 A86-40766
- ASO, S.**  
Measurements of fluctuations of surface heat transfer rate in the interacting region of oblique shock wave and turbulent boundary layer p 688 A86-43512  
Fluctuations of wall pressure in the interacting region of oblique shock wave and turbulent boundary layer p 688 A86-43514
- ASQUITH, G.**  
An analysis of rig test disc failures [PNR-90276] p 237 N86-16224  
An analysis of rig test disc failures p 527 N86-25381
- ASTANIN, L. I. U.**  
Radar characteristics of flight vehicles p 485 A86-35464
- ASTRIDGE, D. G.**  
The health and usage monitoring system of the Westland 30 series 300 helicopter p 299 A86-26153  
The health and usage monitoring of helicopter systems - The next generation p 491 A86-35613  
Health and usage monitoring techniques for greater safety in helicopter operations p 621 A86-40232
- ATENCIO, A., JR.**  
Effects of simulator variations on the fidelity of a UH-60 Black Hawk simulation p 596 A86-37178
- ATHANS, M.**  
Linear-quadratic Gaussian with loop-transfer recovery methodology for the F-100 engine p 233 A86-20233  
Gain-scheduled multivariable control for the GE-21 turbofan engine using the LQG/LTR methodology p 501 A86-35334  
Multivariable control of a twin lift helicopter system using the LQG/LTR design methodology [NASA-CR-177025] p 654 N86-28956  
Multivariable control systems with saturating actuators antireset windup strategies [NASA-CR-177100] p 682 N86-29580  
Multi-variable control of the GE T700 engine using the LQG/LTR design methodology [NASA-CR-177080] p 721 N86-29819
- ATIAS, M.**  
On the motion of spray drops in the wake of an agricultural aircraft p 777 A86-49441
- ATKINS, R. J.**  
Canadaair rotary wing, full scale engineering development. III p 575 A86-37330
- ATKINSON, D. E.**  
Instrumentation system for real time navigation system performance assessment [AIAA PAPER 86-9731] p 422 A86-32078
- ATLURI, S. M.**  
Constitutive modeling of cyclic plasticity and creep, using an internal time concept p 670 A86-41673
- ATTA, E.**  
Euler solutions for aircraft configurations employing upper surface blowing (USB) [AIAA PAPER 86-1767] p 542 A86-37805
- ATTA, E. H.**  
Numerical simulation of the transonic flowfield for wing/nacelle configurations p 204 A86-20159
- ATTWOOLL, V. W.**  
The economics of the North Atlantic air traffic system p 419 A86-31324
- ATWAL, M. S.**  
The effect on the transmission loss of a double wall panel of using helium gas in the gap p 855 A86-48590  
Investigation of the level difference between sound pressure and sound intensity in an aircraft cabin under different fuselage conditions p 799 A86-48738
- AUDONE, B.**  
Antenna siting on helicopters p 282 A86-26133
- AUGUSTYN, T.**  
KS-146A camera development and flight test results p 229 A86-19583
- AUSTIN, E. E.**  
Ground resonance analysis using a substructure modeling approach p 176 N86-15282
- AVDONIN, A. S.**  
Strength analysis of flight vehicles p 356 A86-29842
- AVDOSHKO, M. D.**  
Practical diagnostics of aircraft gas turbines p 502 A86-35472
- EVERY, L. G., JR.**  
Airborne telemetry - The advanced range instrumentation aircraft p 92 A86-13225
- AVRAAMOV, Y. S.**  
Materials technology for electrical appliances: Magnetic and electrical properties of metals and alloys [PB86-184314] p 665 N86-28186
- AWKER, R. W.**  
Evaluation of propfan propulsion applied to general aviation [NASA-CR-175020] p 503 N86-24695
- AYOUB, P.**  
A microprocessor sequencer for the advanced Navy ejection seat p 218 A86-19331
- AZAR, R. C.**  
On the methodology of an interactive computer-aided optimal design of a dual-valve linkage p 523 A86-36887
- AZUMA, A.**  
Dynamic response of windturbine to yawed wind p 323 A86-26140
- AZZAY, M.**  
Feasibility study of optical boundary layer transition detection method [NASA-CR-178109] p 675 N86-28375

## B

- BAARSLAG, J. F. W.**  
Noise assessment around Schiphol airport (the Netherlands) in 1981 [NLR-TR-82034-U] p 260 N86-17915
- BAARSFOL, M.**  
Flight simulation techniques with emphasis on the generation of high fidelity 6 DOF motion cues p 839 A86-49024
- BABAKOV, A. V.**  
The possibility of achieving high productivity with vector-pipeline processors in solving problems of mathematical physics p 531 A86-36574
- BABICH, O. A.**  
A combined optimal algorithm for filtering and calculating navigation coordinates p 348 A86-28311
- BACH, R. E., JR.**  
An extreme clear air turbulence incidence associated with a strong downslope windstorm [AIAA PAPER 86-0329] p 259 A86-19816  
The analysis of airline flight records for winds and performance with application to the Delta 191 accident [AIAA PAPER 86-2227] p 829 A86-47690  
Angle-of-attack estimation for analysis of CAT encounters p 831 A86-47798
- BACHALO, W. D.**  
Application of optical interferometry in compressible flows p 546 A86-38258
- BACHEV, N. L.**  
Calculation of the heating of a liquid component partially filling a container p 316 A86-23653
- BACK, L. H.**  
Sound generation by flow over relatively deep cylindrical cavities p 129 A86-16058  
Measurements of the response of transport aircraft ceiling panels to fuel fires p 343 A86-28564  
Fundamental study of flow field generated by rotorcraft blades using wide-field shadowgraph [NASA-CR-176443] p 152 N86-15249
- BACK, R. F.**  
The A320 wing - Designing for commercial success p 286 A86-23799
- BACK, W. E.**  
Design criteria upgrade for US Army Type 2 air traffic control towers [AD-A159115] p 94 N86-13314
- BACON, B. J.**  
A fundamental approach to equivalent systems analysis [AIAA PAPER 86-2128] p 828 A86-47674
- BADACH, A.**  
Performance evaluation of a linear recursive technique for aircraft altitude prediction in airborne collision avoidance systems p 811 A86-49085
- BADGETT, M. E.**  
Robust fault detection and isolation for a high performance aircraft on STOL approach [AIAA PAPER 86-2031] p 821 A86-47421
- BADIAGIN, A. A.**  
The optimal take-off run of an aircraft on an unpaved surface p 494 A86-35978

- BAEDER, J. D.**  
Calculation of helicopter airfoil characteristics for high tip-speed applications p 541 A86-37769  
Numerical simulation of tip vortices of wings in subsonic and transonic flows [AIAA PAPER 86-1095] p 550 A86-38456  
Some recent advances in computational aerodynamics for helicopter applications [NASA-TM-86777] p 87 N86-12207  
Calculation of helicopter airfoil characteristics for high tip-speed applications [AD-A160694] p 277 N86-18294  
Aerodynamics of two-dimensional blade-vortex interaction [AD-A160662] p 295 N86-19315
- BAER-RUEDHART, J. L.**  
Digital electronic engine control fault detection and accommodation flight evaluation [PAPER-7] p 505 N86-25349
- BAHRAMI, H.**  
Evaluation of a load cell model for dynamic calibration of the rotor systems research aircraft p 168 N86-15304
- BAILE, M. D.**  
Optically transparent silicone elastomers p 244 A86-21710
- BAILEY, A. R.**  
Application of digital/electric systems to advanced technology aircraft [SAWE PAPER 1639] p 488 A86-35203
- BAILEY, R. E.**  
Effect of head-up display dynamics on fighter flying qualities [AIAA PAPER 86-2206] p 792 A86-47485
- BAILEY, R. T.**  
Development of optical diaphragm deflection sensors [NASA-CR-175008] p 194 N86-15113
- BAILLIE, I. J.**  
Single heading climbs - An alternate technique for determining performance [AIAA PAPER 86-9757] p 429 A86-32098
- BAILLIE, S.**  
The effect of heave damping (ZW) on helicopter handling qualities [AIAA PAPER 86-2129] p 828 A86-47675
- BAIRD, C. A.**  
Design techniques for improved map-aided navigation p 348 A86-28357
- BAJCAR, R. C.**  
Application of magneto-optic modulators to advanced avionic displays p 360 A86-28506
- BAKER, A. A.**  
Compressive strength of impact damaged graphite epoxy laminates p 517 A86-37118
- BAKER, C.**  
Aluminium-lithium alloys III; Proceedings of the Third International Aluminium-Lithium Conference, Oxford University, England, July 8-11, 1985 p 659 A86-40251
- BAKER, C. B.**  
LLWAS - An integral part of the U.S. wind-shear safety programme p 746 A86-46138
- BAKER, J. L.**  
Mode-S beacon system to cover all U.S. upper airspace by 1991 p 281 A86-23376
- BAKER, L.**  
Comparison of published HEMP and natural lightning on the surface of an aircraft p 783 A86-47293
- BAKER, T. S.**  
Properties of diffusion bonded butt joints in Ti-6Al-4V and Ti-4Al-4Mo-2Sn-0.5Si (IMI 550) alloys p 375 A86-27260
- BAKHOV, O. P.**  
Aeroelasticity and dynamics of the helicopter structure p 166 A86-18733
- BAKKER, P. G.**  
On the separated flow over a delta wing at high subsonic and transonic speeds [VTH-M-527] p 279 N86-19293
- BAKUNIN, V. N.**  
Determination of the service life of aviation oils p 312 A86-23450  
An analysis of the quality of aviation lubricants by liquid and gas-liquid chromatography p 844 A86-49964
- BALABASKARAN, V.**  
Experimental and theoretical study of wings with blunt trailing edges p 410 A86-32789
- BALABUYEV, P. V.**  
General designer Balabuyev on An-124 Russian features p 623 N86-28910
- BALAKRISHNA, S.**  
A low speed tunnel semi-free dynamic flying study of the high angle of attack pitch derivatives of HF-24 using MLE procedure [NAL-TRM-SE-8603] p 782 N86-32393
- BALAKUMAR, P.**  
Application of unsteady aerodynamics to large-eddy breakup devices in a turbulent flow p 688 A86-44238
- BALALAEV, V. A.**  
A loss of dynamic stability of the torsional vibrations of blades due to cascade flutter p 364 A86-27543
- BALASUBRAMANIAM, R.**  
Modal analysis of a typical fighter aircraft using transient testing technique [NAL-TM-ST-8517] p 356 N86-20385
- BALAZS, A. J.**  
Embedded training avionics integration p 360 A86-28463
- BALL, C. N.**  
PAN AIR analysis of a transport high-lift configuration [AIAA PAPER 86-1811] p 544 A86-37832
- BALL, R. E.**  
The fundamentals of aircraft combat survivability analysis and design p 97 A86-14498
- BALL, W. H.**  
Effects of S-bends on diffuser internal performance and turbulence characteristics [AIAA PAPER 86-1459] p 625 A86-42654
- BALLHAUS, W. F., JR.**  
Emerging aerospace technologies [NASA-TM-86837] p 131 N86-14213
- BALOUGH, D. L.**  
Identification of linearized equations of motion for the fixed wing configuration of the rotor systems research aircraft [NASA-CR-176977] p 631 N86-28917
- BALTAS, N.**  
Some calculations of tip vortex - Blade loadings p 276 A86-26107
- BALVERS, H. S. M.**  
Corrosion protection of helicopters through organic coatings p 313 A86-26159
- BANAL, F.**  
A first step for reducing helicopter IFR approach minima Agusta A109 IFR CAT II certification p 280 A86-26127
- BANASZAK, D.**  
Digital data acquisition system for modal testing p 731 A86-47093
- BANDA, C. P.**  
A knowledge-based expert system for scheduling of airborne astronomical observations p 854 A86-49627
- BANDA, S. S.**  
A preliminary investigation of H (infinity) optimization [AIAA PAPER 86-2197] p 853 A86-47477  
Introduction to robust multivariable control [AD-A165891] p 727 N86-29869
- BANERJEE, D.**  
Implementation and verification of a comprehensive helicopter coupled rotor - Fuselage analysis p 799 A86-48667
- BANERJEE, P. K.**  
Stress analysis of gas turbine engine structures using the boundary element method p 520 A86-34444  
Developments in boundary element methods - 4 p 609 A86-38966
- BANEY-BARTON, E.**  
Description and initial flight experiments - Boeing ARTI test bed p 493 A86-35652
- BANICHUK, N. V.**  
Design of a minimum-weight gliding wing p 96 A86-13437
- BANISTER, R.**  
Continued airworthiness of damage tolerant aircraft p 707 A86-43788
- BANK, W.**  
Streamwise and spanwise vortical patterns visualized over airfoils in unsteady flow p 138 A86-18319  
Visualization of wing tip vortices in unsteady and steady wind [AIAA PAPER 86-1096] p 551 A86-38457  
The wing tip vortex system in a starting flow p 690 A86-45190
- BANKHEAD, H. R.**  
Subsonic/transonic stall flutter investigation of an advanced low pressure compressor [ASME PAPER 86-GT-90] p 813 A86-48156
- BANKS, B. A.**  
Piezoelectric deicing device [NASA-CASE-LEW-13773-2] p 388 N86-20671
- BANKS, W. M.**  
Assessing the effects of delaminations on the postbuckling strength of CRFP panels p 743 N86-30781
- BANKSTON, C. P.**  
Measurements of the response of transport aircraft ceiling panels to fuel fires p 343 A86-28564
- BANNINK, W. J.**  
On the separated flow over a delta wing at high subsonic and transonic speeds [VTH-M-527] p 279 N86-19293
- BANNISTER, W. W.**  
Amine-CO2 adducts as aviation fuel gelling agents p 701 N86-30020
- BANSBACH, H.**  
Omega - Commercial experiences with a mature system p 345 A86-26442
- BANSEMER, H.**  
Structural design and analysis aspects of composite helicopter components [MBB-UD-454-85-OE] p 806 A86-50256
- BAR-GILL, A.**  
Longitudinal flying qualities criteria for single-pilot instrument flight operations p 305 A86-23186
- BAR-ITZHACK, I. Y.**  
Frequency and time domain designs of a strapdown vertical determination system [AIAA PAPER 86-2148] p 810 A86-47457
- BAR-KANA, I.**  
Robust simplified adaptive control for a class of multivariable continuous-time systems p 680 A86-42860
- BAR-SHALOM, Y.**  
Dual control and prevention of the turn-off phenomenon in a class of mimo systems p 681 A86-43000  
An investigation of adaptive controllers for helicopter vibration and the development of a new dual controller [NASA-CR-177377] p 239 N86-16228
- BARANNIKOV, I. I.**  
Cosmic-ray dose characteristics on the flight paths of high-altitude aircraft p 758 A86-43672
- BARBARO, A.**  
Remote sensing of oil on sea: Lidar and passive IR experiments p 320 N86-18370
- BARBASH, G. I.**  
Airport preparedness for mass disaster - A proposed schematic plan p 214 A86-20411
- BARBER, R.**  
CID flight/impact p 390 N86-21935
- BARBER, T. J.**  
Three-dimensional inviscid flow in mixers. I - Mixer analysis using a Cartesian grid p 554 A86-39090  
Three-dimensional inviscid flow in mixers. II - Analysis of turbofan forced mixers p 692 A86-46316
- BARBI, C.**  
Vortex influence on oscillating airfoil at high angle-of-attack [AIAA PAPER 86-1837] p 779 A86-49592
- BARBIER, P.**  
Description of a nondestructive facility using holographic interferometry [SNIAS-852-430-105] p 258 N86-17726  
Holography: The nondestructive testing of composite structures p 458 N86-22611
- BARBOUR, S.**  
An extended phase-lock technique for aided acquisition p 93 A86-13227
- BARCHE, J.**  
German-Dutch wind tunnel (DNW). Present and future applications for industrial developments p 242 N86-16235
- BARDOU, J.**  
Anemobarometry: An essential element of flight control p 835 N86-31566
- BARE, E. A.**  
Investigation of a supersonic cruise fighter model flow field [NASA-TM-86361] p 152 N86-15248  
Aerodynamic characteristics of a supersonic fighter aircraft model at Mach 0.40 to 2.47 [NASA-TP-2580] p 416 N86-23561
- BARENYI, C. A.**  
Alpha Jet Training System single aircraft concept [SAE PAPER 851766] p 598 A86-38301
- BARFIELD, A. F.**  
Automation and integration on AFTI/F-16 [AIAA PAPER 85-3089] p 103 A86-14433
- BARIANI, P.**  
Fracture toughness characterization of light alloys for aeronautical use p 114 A86-12761
- BARILLOT-CREUZET, J.**  
Materials in thrust reversers p 373 A86-26332
- BARKER, J. C.**  
Some thoughts on the vibration testing of helicopter equipment in the UK p 283 A86-23022
- BARKER, L. K.**  
Theoretical three- and four-axis gimbal robot wrists [NASA-TP-2564] p 533 N86-25168
- BARLOW, A.**  
PLTTER user's guide [NASA-CR-177385] p 88 N86-13291
- BARNES, D.**  
F-20A Tigershark progress report p 222 A86-21057
- BARNETTE, J.**  
Decision aiding for tactical aircraft p 718 A86-46715



- BARON, A.**  
Three component hot-wire measurements in the wake of a rotor model p 320 A86-26111
- BARON, S.**  
An analysis of the application of AI to the development of intelligent aids for flight crew tasks [NASA-CR-3944] p 90 N86-12212
- BARRAU, J.-J.**  
A model for the equivalent bending characteristics of a composite beam p 667 A86-40361
- BARREAU, R.**  
The effectiveness of various control surfaces in quasi-steady and unsteady flows - Applications [ONERA, TP NO. 1985-147] p 306 A86-24633
- BARRIER, J. N.**  
Potential applications of multiple instrument approach concepts at 101 U.S. Airports [AD-A161155] p 283 N86-19306
- BARRETT, N. M.**  
An automatic redesign approach for restructurable control systems p 368 A86-28394
- BARRY, J., JR.**  
In-flight simulators p 356 A86-29299
- BARSOTTI, M. F.**  
Surface wetting effects on a laminar flow airfoil in simulated heavy rain p 162 A86-17780
- BARSUKOV, O. A.**  
Cosmic-ray dose characteristics on the flight paths of high-altitude aircraft p 758 A86-43672
- BARTEL, H. W.**  
Development of an impulsive noise source to study the acoustic reflection characteristics of hard-walled wind tunnels [AIAA PAPER 86-1887] p 755 A86-45500  
Acoustic reflection contamination measurements in the 16-foot NASA Langley Transonic Wind Tunnel [AIAA PAPER 86-1888] p 755 A86-45501
- BARTENWERFER, M.**  
On second propagation in radial fan casings [DFVLR-FB-85-32] p 194 N86-16053
- BARTH, T. J.**  
Navier-Stokes computations for circulation controlled airfoils [AIAA-85-1587] p 744 N86-30995  
Navier-Stokes computations for exotic airfoils [AIAA-85-0109] p 745 N86-30996
- BARTO, J. J., JR.**  
Robotics in aircraft manufacturing p 522 A86-35680
- BARTOLI, F.**  
Model-following control for an oblique-wing aircraft [AIAA PAPER 86-2244] p 824 A86-47492  
Model-following control for an oblique-wing aircraft [NASA-TM-88269] p 726 N86-29867
- BARTON, J. M.**  
Improved Euler analysis of advanced turboprop propeller flows [AIAA PAPER 86-1521] p 625 A86-42688
- BARTON, J. R.**  
Development of autonomous power system testbed p 311 A86-24841
- BARTUREN, O. M.**  
Behaviour of a rectangular wing in a supersonic flow - Dynamic pressure and normal force analysis in the range 1.3-4.0 Mach p 146 A86-19005
- BARTZ, W. J.**  
Synthetic lubricants and working fluids; International Colloquium, 4th, Esslingen, West Germany, January 10-12, 1984, Reports p 378 A86-28096
- BARZLOVICH, E. I.**  
Optimum maintenance of aircraft systems on the basis of their condition with allowance for measurement errors p 354 A86-28310
- BASIULIS, A.**  
Improved reliability of electronic circuits through the use of heat pipes p 386 A86-28479
- BASS, M. D.**  
Results of high angle-of-attack testing of the F-15 with conformal fuel tanks p 284 A86-23267  
First use of Ada in flight-critical avionics [AIAA PAPER 86-9822] p 443 A86-32146
- BASS, R. M.**  
Small scale wind tunnel testing of model propellers [AIAA PAPER 86-0392] p 233 A86-19853
- BASTEDO, W. G., JR.**  
Performance of finite wings at low Reynolds numbers p 138 A86-16314
- BASTON, A.**  
Evaluation of pressure distributions on an aircraft by two different panel methods and comparison with experimental measurements p 774 A86-49044
- BASU, P.**  
The effect of limiting aerodynamic and structural coupling in models of mistuned bladed disk vibration p 363 A86-26905
- BATES, C., JR.**  
Some quantitative methodology for cockpit design p 586 N86-26320
- BATHIAS, C.**  
Delamination threshold and loading effect in fiber glass epoxy composite p 244 A86-20636
- BATINA, J. T.**  
Unsteady transonic flow calculations for two-dimensional canard-wing configurations p 410 A86-32780  
Unsteady transonic flow calculations for wing-fuselage configurations [AIAA PAPER 86-0862] p 552 A86-38897  
A computational transonic flutter boundary tracking procedure [AIAA PAPER 86-0902] p 553 A86-38913  
Viscous effects on transonic airfoil stability and response p 623 A86-40110  
Unsteady transonic flow calculations for interfering lifting surface configurations p 623 A86-40118  
Unsteady transonic flow calculations for wing-fuselage configurations [NASA-TM-87707] p 478 N86-24657
- BATRA, N. N.**  
Use of simulation during preliminary design of the V-22 Osprey [AIAA PAPER 86-0491] p 238 A86-19902
- BATSUKOV, O. S.**  
The possibility of achieving high productivity with vector-pipeline processors in solving problems of mathematical physics p 531 A86-36574
- BATTERSON, J. G.**  
Aerodynamic parameters estimated from flight and wind tunnel data p 410 A86-32782  
Estimation of transport airplane aerodynamics using multiple stepwise regression p 489 A86-35385  
STEP and STEPSPL: Computer programs for aerodynamic model structure determination and parameter estimation [NASA-TM-86410] p 370 N86-21549  
Lateral and longitudinal aerodynamic stability and control parameters of the basic vortex flap research aircraft as determined from flight test data [NASA-TM-87711] p 512 N86-24703
- BAUCHSPIES, J. S.**  
Tradeoff analysis of technology needs for public service helicopters [NASA-CR-3927] p 100 N86-13317
- BAUCOM, C. M.**  
F-14A low altitude, low airspeed, high angle of attack asymmetric thrust flight test program p 222 A86-21053  
Navy departure/spin and air combat maneuvering evaluation of a National Aeronautics and Space Administration developed flight control system for the F-14 p 724 A86-44944
- BAUER, K. G.**  
Wide area real-time thunderstorm mapping using LPATS - The lightning position and tracking system p 614 A86-37487
- BAUGHN, T. V.**  
Finite element analysis of an ultralight aircraft p 221 A86-20185
- BAUM, C. E.**  
Comparison of published HEMP and natural lightning on the surface of an aircraft p 783 A86-47293
- BAUMAN, E. J.**  
State estimation errors in digital Kalman filters caused by measurement delays and numerical integration p 397 A86-28368
- BAUMBICK, R. J.**  
Fiber optics for propulsion control systems [ASME PAPER 84-GT-97] p 105 A86-13054
- BAUMEISTER, K. J.**  
Modeling wind tunnel effects on the radiation characteristics of acoustic sources p 682 A86-41689  
Modeling the effects of wind tunnel wall absorption on the acoustic radiation characteristics of propellers [NASA-TM-87333] p 683 N86-29630
- BAUMGARDNER, D.**  
Icing wind tunnel tests on the CSIRO liquid water probe p 102 A86-14220
- BAUMGARTNER, S. J.**  
Controllable ejection seat catapult program p 218 A86-19339
- BAXTER, S. L.**  
Olefin polymers as jet fuel antimist additives p 734 A86-30016
- BAYEV, V. K.**  
Experimental study of the combustion of gas-air mixtures in a channel and the diffusion combustion in a slipstream at high velocities [AD-A157495] p 116 N86-12271
- BAYLISS, A.**  
A fourth-order scheme for the unsteady compressible Navier-Stokes equations [NASA-CR-177994] p 147 N86-14221
- BAZHANOV, V. I.**  
Limiting values of the specific parameters of a ramjet engine p 502 A86-35992
- BEACH, A.**  
A review of the pilot backache problem in the CH113 Labrador helicopter [AD-A164011] p 530 N86-25113
- BEACHER, B. F.**  
Improved compressor performance using recessed clearance (trenches) over the rotor [AIAA PAPER 86-1745] p 649 A86-42623
- BEAL, J. M.**  
Knowledge engineering for a flight management expert system p 368 A86-28496
- BEANE, G. A., IV**  
Advanced lubricants for aircraft turbine engines [SAE PAPER 851834] p 602 A86-38532  
Military aircraft propulsion lubricants: Current and future trends p 666 N86-29249
- BEARD, K. W.**  
Maintenance strategies for aero engines p 253 A86-22384
- BEARDMORE, P.**  
Fiber-reinforced plastic composites for energy absorption purposes p 312 A86-23823
- BEATON, R. M.**  
A methodology for evaluating the operational performance of an aircraft in a tactical environment [AIAA PAPER 86-2095] p 759 A86-47444
- BEAUCHAMP, E. D.**  
Aircraft electrical power systems p 364 A86-28508
- BEAUCLAIR, N.**  
Forging in the aerospace industry p 121 A86-14424
- BEAUFRERE, H.**  
Limitations of statically unstable aircraft due to the effects of sensor noise, turbulence, and structural dynamics [AIAA PAPER 86-2203] p 824 A86-47483
- BECKER, A.**  
Integrated navigation, communication, and surveillance systems based on standard distance measuring equipment p 635 A86-40116  
Data analysis of airborne electromagnetic bathymetry [AD-A157132] p 125 N86-12744
- BECKER, B.**  
Premixing gas and air to reduce NOx emissions with existing proven gas turbine combustion chambers [ASME PAPER 86-GT-157] p 814 A86-48211
- BECKER, E. S.**  
Operations concept for the TCCC (Tower Control Computer Complex) man-machine interface [AD-A166899] p 705 N86-30714
- BECKER, F.**  
Reconstruction of a three-dimensional, transonic rotor flow field from holographic interferogram data [AIAA PAPER 85-0370] p 337 A86-27669  
Three-dimensional, transonic rotor flow field reconstructed from holographic interferogram data [NASA-TM-86816] p 188 N86-14555
- BECKER, J.**  
Gust alleviation on a transport airplane p 565 N86-27259  
Gust load prediction and alleviation on a fighter aircraft [AGARD-R-728] p 729 N86-30741
- BECKER, K.**  
Test and flight evaluation of precision distance measuring equipment p 788 A86-49017  
Development of multigrid algorithms for problems from fluid dynamics p 187 N86-14244
- BECKER, P.**  
Analysis of the noise emitted by a tail rotor p 266 N86-18129
- BECKWITH, G. T.**  
Electrodeposited primer scale-up and qualification p 245 A86-21735
- BECKWITH, I. E.**  
Comparison of hot-wire measurement techniques in a Mach 3 pilot quiet tunnel p 605 A86-38235  
Effects of wind-tunnel noise on swept-cylinder transition at Mach 3.5 [AIAA PAPER 86-1085] p 550 A86-38447
- BEDDOES, T. S.**  
A wake model for high resolution airloads p 336 A86-27666  
Unsteady aerodynamics application to helicopter noise and vibration sources p 562 N86-27241
- BEDFORD, T. L.**  
An overview of the intrasystem EMC analysis program with graphics p 381 A86-27157

- BEDIN, A. P.**  
Experimental study of gas flow around blunt objects  
p 85 A86-15980
- BEDRIK, B. G.**  
Effects of vibration-induced cavitation of physicochemical characteristics of aircraft fuel  
p 184 N86-15346
- BEEKS, K.**  
Non-rigid airship testing  
p 223 A86-21059
- BEELER, G. B.**  
Turbulent boundary-layer wall pressure fluctuations downstream of a tandem LEBU  
p 457 A86-32984
- BEERMAN, D. A.**  
Impact of flying qualities on mission effectiveness for helicopter air combat  
p 110 A86-14531
- BEQUER, C.**  
The importance of dynamic stall in aerodynamic modeling of the Darrieus rotor  
p 528 A86-36448
- BEHAR, S.**  
The flowfield of a side-dump combustor  
p 673 N86-28237
- BEHLKE, R. F.**  
The development of a second-generation of Controlled Diffusion Airfoils for multistage compressors [ASME PAPER 86-IGT-9]  
p 271 A86-23830  
The use of surface static pressure data as a diagnostic tool in multistage compressor development [ASME PAPER 86-GT-3]  
p 812 A86-48103
- BEINER, L.**  
Weight minimization of orthotropic flat panels subjected to a flutter speed constraint  
p 671 A86-41715  
Recent results on the weight minimization of panels with a flutter speed constraint  
p 715 N86-30660
- BEISSNER, F. L., JR.**  
Effect of emerging technology on a convertible, business/interceptor, supersonic-cruise jet [NASA-CR-178097]  
p 587 N86-27278
- BEISSNER, R. E.**  
Probability of detection of flaws in a gas turbine engine component using electric current perturbation  
p 669 A86-41574  
Application of a computer model to electric current perturbation probe design  
p 669 A86-41576
- BEITEL, G. R.**  
A new rain/ice test capability to simulate flight [AIAA PAPER 86-9624]  
p 432 A86-32147
- BEKEBREDE, G.**  
Aircraft noise - Different ways to monitor the noise load  
p 467 A86-31959
- BELCASTRO, C. M.**  
Evaluation of total energy-rate feedback for glidescope tracking in wind shear [AIAA PAPER 86-2035]  
p 822 A86-47424
- BELIAEV, V. P.**  
The accuracy of air-temperature and flight-altitude measurements aboard meteorological aircraft  
p 718 A86-45209
- BELIANOVSKII, E. S.**  
Calculation of flow around rotating circular cascades with allowance for circumferential flow nonuniformity induced by a perturbation at the inlet  
p 82 A86-13426
- BELIKOV, V.**  
AN-22 test bed for advanced propeller technology  
p 174 N86-14274  
Sukhoi design bureau builds sport plane made of plastic  
p 294 N86-18324
- BELKIN, B. L.**  
A demonstration expert system for implementing emergency procedures in a high-performance fighter aircraft [MAE-1749]  
p 569 N86-26295
- BELL, H. H.**  
Pilot-oriented performance measurement [AD-A158849]  
p 126 N86-13690  
Advanced simulator for pilot training: Effects of collimation on accommodation and vergence [AD-A159545]  
p 181 N86-14279  
Flight simulator: Comparison of resolution thresholds for two light valve video projectors [AD-A164577]  
p 598 N86-26344
- BELLAMY, R. A.**  
Developing concepts in the rotordynamic analysis of aero gas turbines [ASME PAPER 85-GT-230]  
p 236 A86-22126
- BELLOMY, D. C.**  
Theoretical and experimental investigation of test cell aerodynamics for turbopfan applications [AIAA PAPER 86-1732]  
p 656 A86-42819
- BELMONT, H. H.**  
Digital fault tolerant flight actuation systems  
p 354 A86-28400  
Digital fault-tolerant flight actuation systems [AFWAL-83-3041]  
p 382 N86-20408
- BELOTSEKOVSKI, O. M.**  
The possibility of achieving high productivity with vector-pipeline processors in solving problems of mathematical physics  
p 531 A86-36574
- BELOUSOV, A. I.**  
The temperature dependence of the electrical conductivity of jet fuels with antistatic additives  
p 183 A86-16750
- BELOV, V. E.**  
The drag of a pair of bodies at supersonic flight velocities  
p 788 A86-48802
- BELZ, R. A.**  
A turbine engine inlet viewing system [AIAA PAPER 86-1647]  
p 656 A86-42769
- BEMENT, L. J.**  
Approach for service life extension of explosive devices for aircraft escape systems  
p 243 A86-19349  
Advanced emergency openings for commercial aircraft [NASA-TM-87580]  
p 91 N86-13305
- BENATTI, G.**  
Alpha Jet Training System single aircraft concept [SAE PAPER 851766]  
p 598 A86-36301
- BENDA, J.**  
The measuring and control units of airborne recording systems  
p 297 A86-23763
- BENDIKSEN, O. O.**  
Aeroelastic tailoring of advanced composite compressor blades [AIAA PAPER 86-1006]  
p 591 A86-38949  
Role of shocks in transonic/supersonic compressor rotor flutter  
p 720 A86-44872  
Aeroelastic behavior of low aspect ratio metal and composite blades [ASME PAPER 86-GT-243]  
p 846 A86-48271
- BENEK, J. A.**  
On applications of chimera grid schemes to store separation [NASA-TM-86193]  
p 88 N86-13292
- BENGELINK, R. L.**  
The development and calibration of an acoustic wall transonic test section [AIAA PAPER 86-0759]  
p 514 A86-37090
- BENIGUEL, Y.**  
Induced current surface density after a direct lightning strike on an aircraft  
p 790 A86-47297
- BENITEZ, R.**  
Restrictions on the dispositions of navigation aids  
p 422 A86-31009
- BENITO, A.**  
Acoustical design economic tradeoff for transport aircraft  
p 468 A86-32783
- BENNETT, H. W.**  
Future trends in propulsion  
p 816 A86-48979
- BENNETT, J. E.**  
Aircraft terminal area guidance based on the discrete tracking problem of optimal control theory  
p 215 A86-20520
- BENNETT, R. M.**  
Calculation of transonic steady and oscillatory pressures on a low aspect ratio model and comparison with experiment  
p 412 A86-33227
- BENOIT, A.**  
A simulation facility for assessing the next generation of 4-D air traffic control procedures  
p 788 A86-49034
- BENSIMMON, V.**  
Off-design operation of turbomachines  
p 591 A86-38956
- BENSTEIN, E. H.**  
Variable cyclic turboshaft technology for rotorcraft of the '90s  
p 233 A86-20371
- BENT, R. B.**  
Wide area real-time thunderstorm mapping using LPATS - The lightning position and tracking system  
p 614 A86-37487
- BERAK, P.**  
Practical difficulties in the theoretical design of low-speed profiles  
p 271 A86-23775
- BERARDI, L.**  
Possible impacts of VHSIC on MIL-STD-1553B data transmission management  
p 674 N86-28371
- BERDAHL, C. H.**  
Utilization of computation and experiment for airframe propulsion integration development  
p 803 A86-49110
- BERENBRINK, P.**  
Premixing gas and air to reduce NOx emissions with existing proven gas turbine combustion chambers [ASME PAPER 86-GT-157]  
p 814 A86-48211
- BERENSHCHOT, G. H.**  
Calculation of the external nacelle surface for single and double stream jet engines for civil aircraft [VTH-M-445]  
p 277 N86-18301
- BERENYI, S. G.**  
Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 1 [NASA-CR-174923-VOL-1]  
p 108 N86-13328
- BERRY, D. T.**  
Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 2 [NASA-CR-174923-VOL-2]  
p 108 N86-13329  
Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 3 [NASA-CR-174923-VOL-3]  
p 108 N86-13330
- BERESTOV, L. M.**  
Frequency methods of aircraft identification  
p 306 A86-24148
- BERG, D. F.**  
A design approach to a performance seeking control [AIAA PAPER 86-1674]  
p 652 A86-42785
- BERG, M. C.**  
The design of multirate digital control systems [NASA-CR-177126]  
p 726 N86-29863
- BERG, R. E.**  
DOD overhaul maintenance  
p 758 A86-45703
- BERGEN, L. J.**  
Operations concept for the TCCC (Tower Control Computer Complex) man-machine interface [AD-A166899]  
p 705 N86-30714
- BERGENSTOFF, T.**  
A radar analysis program for evaluating and monitoring primary and secondary radar systems  
p 423 A86-32601
- BERGER, J. H.**  
Wind tunnel tests of rotor blade sections with replications of ice formations accreted in hover [NASA-CR-175089]  
p 420 N86-22558
- BERGER, P.**  
Inverse design of supercritical nozzles and cascades  
p 477 A86-36207
- BERGGREEN, J.**  
Requirements for recycling of valuable chips from and for aircraft manufacturing  
p 374 A86-27209
- BERGTHOLD, F. M., JR.**  
Laser beam duct pressure controller system [AD-D012017]  
p 525 N86-24964
- BERINGER, D. B.**  
A peripheral integrated system status display - Figural goodness or proximity effects?  
p 453 A86-29870
- BERKOVITS, A.**  
Fatigue behaviour of advanced aluminum alloy lugs of 7475-T761 with and without initial cracks  
p 450 A86-30030
- BERKUT, V. D.**  
Measurement of the heterogeneous recombination probability of oxygen atoms in the course of supersonic dissociated gas flow interaction with solid body surfaces  
p 85 A86-14743
- BERLIAND, A. T.**  
Hypothesis of two-dimensional cross sections for a wing of finite span at supersonic velocities  
p 767 A86-48769
- BERMAN, A.**  
Ground resonance analysis using a substructure modeling approach  
p 176 N86-15282
- BERMAN, H.**  
Advancing flight control technology  
p 369 A86-29058
- BERMAN, J. H.**  
Anisotropic wing aeroelastic theories with warping effects  
p 434 A86-33261  
Anisotropic wing aeroelastic theories with warping effects  
p 696 N86-30859
- BERNARD, J.-P.**  
The French air traffic control system today - A paradox  
p 635 A86-40230
- BERNER, C.**  
L.D.A. measurements in the turbulent near-wake of blunt bodies  
p 139 A86-18371
- BERNHARD, R. J.**  
Prediction of sound fields in cavities using boundary element methods [AIAA PAPER 86-1864]  
p 754 A86-45484  
A study of methods to predict and measure the transmission of sound through the walls of light aircraft [NASA-CR-177147]  
p 757 N86-31335
- BERNHART, W. D.**  
Analyses and tests for design of an electro-impulse de-icing system [NASA-CR-174919]  
p 571 N86-27268
- BERNS, H. J.**  
Aeroelastic problems and structural design of a tailless CFC-sailplane  
p 434 A86-33264  
Aeroelastic problems and structural design of a tailless Carbon Fiber Composite (CFC) sailplane  
p 715 N86-30662
- BERNSTEIN, S.**  
Expert system applications to the cockpit of the '90s  
p 399 A86-28487
- BERRY, D. T.**  
A flightpath overshoot flying qualities metric for the landing task [AIAA PAPER 86-0334]  
p 238 A86-19820

- Validation of a new flying quality criterion for the landing task  
[AIAA PAPER 86-2126] p 828 A86-47672
- A flightpath overshoot flying qualities metric for the landing task  
[NASA-TM-86795] p 176 N86-14276
- Comparison of pilot effective time delay for cockpit controllers used on space shuttle and conventional aircraft  
[NASA-TM-86030] p 307 N86-19324
- Validation of a new flying quality criterion for the landing task  
[NASA-TM-88261] p 595 N86-26341
- BERRY, H. M.**  
Viscous effects on transonic airfoil stability and response p 623 A86-40110
- BERTA, E. M.**  
Light helicopter family trade-off analysis. Volume 8: Appendices S and T  
[AD-A158077] p 169 N86-15308
- BERTELUD, A.**  
Method of analysing data on a swept wing aircraft in flight p 775 A86-49103
- BERTHE, C. J.**  
Effects of time delay and pitch control sensitivity in the flared landing  
[AIAA PAPER 86-2075] p 831 A86-47706
- BERTHEAU, F.**  
Transonic blade to blade calculations in an axial, radial or mixed flow cascade equipped with splitter blades  
[ASME PAPER 85-GT-86] p 205 A86-22057
- BERTHOLD, J. W.**  
Development of optical diaphragm deflection sensors  
[NASA-CR-175008] p 194 N86-15113
- BERTKE, R. S.**  
Response determination of propeller to bird strike using high speed photography p 90 A86-15308
- Propeller FOD qualification using modal analysis, artificial birds, and a static impact facility p 731 A86-47127
- BERTLING, S. J.**  
A study of programmable switch symbology p 329 A86-23708
- BERTOLOTTI, F. P.**  
Effect of pressure gradients on the growth of subharmonic disturbances in boundary layers p 136 A86-16306
- BESCH, M.**  
Influence of FBW - Control laws on structural design of modern transport aircraft  
[AIAA PAPER 86-0953] p 584 A86-38846
- Influence of EFCS-control laws on structural design of modern transport aircraft p 800 A86-48984
- BESER, J.**  
Helicopter flight test demonstration of differential GPS p 345 A86-26438
- BESPALOV, A. M.**  
Subsonic thermal wind tunnel with an Eiffel chamber p 112 A86-13443
- BESSLER, W.**  
The development of a system for the study of fatigue crack growth up to 2000 Hz p 520 A86-34641
- BEST, M. R.**  
Three-dimensional flight-path reconstruction by means of spline approximation  
[NLR-TR-83091-U] p 228 N86-17347
- BESTER, C. J.**  
Surface properties-vehicle interaction  
[PB85-242576] p 255 N86-16428
- BETZINA, M. D.**  
Full-scale tilt-rotor hover performance p 576 A86-37770
- Performance and loads data from a hover test of a full-scale XV-15 rotor  
[NASA-TM-86833] p 152 N86-15243
- BEUCK, G.**  
Windtunnel test and laboratory simulation of a load alleviation system for a modern transport aircraft p 445 A86-33252
- BEVAN, D.**  
The wind tunnel as a design tool p 179 A86-18429
- BEVILACQUA, L. A.**  
Advanced concepts in small helicopter engine air-cooled turbine design p 819 A86-50075
- BEYERS, M. E.**  
Direct derivative measurements in the presence of sting plunging p 371 A86-28560
- BEZARD, C.**  
Procedure for utilizing the lift and thrust forces of ornithopters  
[NASA-TM-77682] p 357 N86-21534
- BHAGAWAN, B. S.**  
Six degree of freedom simulation software  
[NAL-PD-SE-8614] p 854 N86-33042
- BHARADVAJ, B.**  
Two methods for viscous and inviscid free-wake analysis of helicopter rotors  
[AD-A161513] p 342 N86-21521
- BIANCHINI, J. C.**  
Computing codes for development of helicopter crashworthy structures and test substantiation p 798 A86-48657
- Computing codes for development of helicopter crashworthy structures and test substantiation  
[SNIAS-861-210-106] p 640 N86-28084
- BICKEL, W. N.**  
Lightweight hydraulic system technology - 8000 psi update  
[SAE PAPER 851910] p 580 A86-38365
- BICKNELL, J. A.**  
The energy requirements of an aircraft triggered discharge p 844 A86-47315
- BIDDLE, A. P.**  
An integrated development facility for the calibration of low-energy charged particle flight instrumentation  
[NASA-TM-86526] p 458 N86-22914
- BIEL, W.**  
Effect of engine technology on advanced fighter design and cost p 644 A86-41691
- BIELAK, J.**  
The forced response of shrouded fan stages  
[ASME PAPER 85-DET-19] p 303 A86-24226
- BIENER, A.**  
Computer controlled operation of reconnaissance cameras p 229 A86-19587
- BIESIADNY, T. J.**  
Experimental study of ceramic-coated tip seals for turbojet engines p 121 A86-15227
- Uniform engine testing program phase 7: NASA Lewis Research Center second entry  
[NASA-TM-87272] p 650 N86-28085
- BIEZAD, D. J.**  
Performance characteristics of transponder-aided versus GPS-aided inertial navigation systems  
[AIAA PAPER 86-9817] p 422 A86-32142
- BIGGERS, J. C.**  
X-wing potential for Navy applications p 492 A86-35631
- X-wing - A low disc-loading V/STOL for the Navy  
[SAE PAPER 851772] p 578 A86-38307
- BIGLER, R. A.**  
AV-8B High Angle of Attack/departure resistance system flight test program  
[AIAA PAPER 86-9729] p 496 A86-37082
- BIGLIETTO, C.**  
Manufacturing control over the reproduction of high integrity parts - A way to improve the safety of aeronautical products p 320 A86-26122
- BIL, C.**  
Applications of computer-aided engineering to subsonic aircraft design in a university environment p 801 A86-48986
- An introduction to the application of Computer Aided Design (CAD) to the predesign of aircraft and the design of aircraft structures at the Aerospace Section  
[VTH-M-512] p 330 N86-19045
- BILGER, J.**  
Correlation of stability test results and analysis for the 1/5 scale V-22 aeroelastic model p 490 A86-35603
- BILL, R. C.**  
Multiaxial and thermomechanical fatigue considerations in damage tolerant design p 526 N86-25375
- BILLET, G.**  
Experimental and numerical study of the response of an axial compressor to distorted inlet flow  
[ONERA, TP NO. 1986-38] p 644 A86-40736
- BILLIAS, M. G.**  
Electrically conductive structural adhesive p 115 A86-13170
- BILLINGSLEY, B.**  
Flight testing on customer aircraft with a portable airborne digital data system p 810 A86-47788
- BILLMANN, B. R.**  
Technical support of the Wall Street/Battery Park city heliport MLS (Microwave Landing System) project  
[AD-A165073] p 575 N86-27273
- BINFORD, R. S.**  
Instrumentation of a light twin aircraft for flow energizer flight tests  
[AIAA PAPER 86-9759] p 438 A86-32099
- BINGHAM, W. W.**  
Transport aircraft crashworthiness requirements - An industry view  
[SAE PAPER 851888] p 580 A86-38355
- BINNENKADE, P.**  
Development of an airborne CCD scanner for land and sea applications p 231 A86-21163
- BINNS, K. E.**  
Nonflammable fluid and 8,000 psi technology for future aircraft hydraulic systems (22 CFR 125.4 /b/ /13/ applicable)  
[SAE PAPER 851909] p 580 A86-38364
- BION, J.-B.**  
Optical fibers application to visualization of flow separation inside an aircraft intake in wind tunnel  
[ONERA, TP NO. 1985-158] p 309 A86-24638
- BIPPES, H.**  
The effect of a splitter plate as boundary layer removal system in half-model testing  
[DFVLR-FB-85-64] p 657 N86-28969
- BIR, G. S.**  
Gust response of hingeless rotors p 576 A86-37772
- BIRCKELBAW, L.**  
Euler solutions for aircraft configurations employing upper surface blowing (USB)  
[AIAA PAPER 86-1767] p 542 A86-37805
- BIRIUK, V. I.**  
Design of a minimum-weight gliding wing p 96 A86-13437
- Optimization of structural load-bearing designs using anisotropic models according to aeroelasticity conditions p 96 A86-13438
- BIRX, D. L.**  
Manufacturing technology for nondestructive evaluation (NDE) system to implement Retirement For Cause (RFC) procedures for gas turbine engine components p 507 N86-25368
- BISHOP, E. F.**  
Advanced structural casting applications for a gas turbine engine p 521 A86-35658
- BISHOP, G. M.**  
Limited Airworthiness and Flight Characteristics (A and FC) test of the quick fix configuration  
[AD-A157716] p 101 N86-13323
- BISHOP, J.**  
Aspects of lightning protection schemes for radomes p 792 A86-47338
- BIVENS, C. C.**  
Impact of flying qualities on mission effectiveness for helicopter air combat p 110 A86-14531
- Directional handling qualities requirements for nap-of-the-earth tasks p 442 A86-30499
- Directional handling qualities requirements for nap of the earth (NOE) tasks p 510 A86-35622
- An investigation of the use of bandwidth criteria for rotorcraft handling-qualities specifications  
[AD-A160664] p 294 N86-18319
- BIZZARRI, B.**  
Meteosat-derived quantitative measurements on volcanic ash plumes for warning to aviation p 566 A86-37478
- BJORKMAN, E. A.**  
Flight test evaluation of techniques to predict longitudinal pilot induced oscillations  
[AIAA PAPER 86-2253] p 826 A86-47509
- BLACK, J. D.**  
Fatigue life analysis of a turboprop reduction gearbox  
[ASME PAPER 85-DET-10] p 738 A86-45256
- BLACKBURN, A. W.**  
Canard canard p 763 A86-49682
- BLACKWELDER, R. F.**  
Control of the discrete vortices from a delta wing  
[AIAA PAPER 86-1915] p 690 A86-45411
- BLACKWELL, E. G.**  
The RAJPO GPS range equipment family p 92 A86-13216
- Correlation of GPS receiver channel track continuity with aircraft structural masking p 92 A86-13217
- BLAETZ, J.**  
Facility for closed loop testing of aircraft control systems p 241 A86-22188
- BLAGOVESHCHENSKII, N. A.**  
The effect of equilibrium air properties and Mach number on the aerodynamic characteristics of a flight vehicle p 770 A86-48843
- BLAIR, A. B., JR.**  
Supersonic axial-force characteristics of a rectangular-box cavity with various length-to-depth ratios in a flat plate  
[NASA-TM-87659] p 415 N86-22554
- BLAIR, J.**  
The US Army's LHX (light helicopter family) program  
[AD-A161949] p 437 N86-23591
- BLAJER, W.**  
A study of aircraft motion stability in steady spin p 176 A86-19070
- BLAKE, N. A.**  
Radionavigation planning in the FAA p 402 A86-26427
- Controlled impact demonstration review  
[SAE PAPER 851884] p 567 A86-38351

- BLAKNEY, D. F.**  
Tone excited jets. IV - Acoustic measurements  
p 193 A86-16469
- BLANCHARD, A.**  
Instrumentation and testing techniques in the T2 transonic cryogenic wind tunnel at the ONERA/CERT  
p 597 A86-38228  
Tests on CAST 7 and CAST 10 profiles in the T2 adaptive-wall cryogenic wind tunnel - Study of the Reynolds-number effect in natural and triggered transitions  
[AAAF PAPER NT 85-06] p 838 A86-48457  
Tests with three-dimensional adjustments in the rectangular working section of the French T2 wind tunnel with an AS 07-type swept-back wing model  
[NASA-TM-88442] p 657 N86-28964
- BLANKEN, C. L.**  
An investigation of the use of bandwidth criteria for rotorcraft handling-qualities specifications  
[AD-A160864] p 294 N86-18319
- BLASZCZYK, J.**  
Solid-beam model of a deformable aircraft for natural-vibration studies  
p 804 A86-49444
- BLATCHLEY, C. C.**  
Surface layer activation technique for monitoring and in situ wear measurement of turbine components  
p 591 A86-39086
- BLAVETTE, D.**  
Atom-probe microanalysis of a nickel-base superalloy  
p 114 A86-12989
- BLEAU, R. O.**  
Developing a maintenance concept for future electronic systems  
[AIAA PAPER 86-1145] p 684 A86-43333
- BLEDSE, M. R.**  
The method of complex characteristics for design of transonic blade sections  
[NASA-CR-176978] p 696 N86-30691
- BLENKINSOP, P. A.**  
Developments in high temperature alloys  
p 376 A86-27388
- BLEVINS, E. G.**  
Advanced turbine engine simulation technique development and applications to testing  
[AIAA PAPER 86-1731] p 649 A86-42818
- BLISS, D. B.**  
A new approach to the free wake problem for hovering rotors  
p 475 A86-35633
- BLOCH, S.**  
Experimental and theoretical study of the effect of wave propagation on the positional accuracy of Omega navigation in Germany  
p 572 A86-38974
- BLOCK, J.**  
The impact of private meteorology on private aviation  
p 616 A86-37511
- BLOCK, P. J. W.**  
Counter-rotating propeller noise directivity and trends  
[AIAA PAPER 86-1927] p 751 A86-45418  
Pusher propeller noise directivity and trends  
[AIAA PAPER 86-1929] p 751 A86-45420  
Experimental study of the effects of installation on single and counter-rotation propeller noise  
[NASA-TP-2541] p 536 N86-26182  
Directivity and trends of noise generated by a propeller in a wake  
[NASA-TP-2609] p 757 N86-31341
- BLOKHIN, V. I.**  
Fundamentals of aviation technology and airport equipment  
p 685 A86-44291
- BLOM, A. F.**  
Probabilistic damage tolerance analysis of aircraft structures  
[FFA-TN-1985-68] p 640 N86-28081
- BLOM, G.**  
PN/S calculations for a fighter W/F at high-lift yaw conditions  
[AIAA PAPER 86-1829] p 779 A86-49588  
Viscous vortical flow calculations over delta wings  
p 558 N86-27202
- BLOM, H. A. P.**  
Markov jump-diffusion models and decision-making free filtering  
[NLR-MP-83067-U] p 264 N86-17046  
A sophisticated tracking algorithm for Air Traffic Control (ATC) surveillance radar data  
[NLR-MP-84004-U] p 216 N86-17334  
Comparison of a jump-diffusion tracker with a Kalman tracker: An evaluation with emphasis on air traffic control  
[NLR-TR-83063-U] p 216 N86-17335  
An efficient filter for abruptly changing systems  
[NLR-MP-84071-U] p 264 N86-18056  
An efficient decision-making-free filter for processes with abrupt changes  
[NLR-MP-84080-U] p 618 N86-27018
- BLOM, J. J. H.**  
The conformal representation of the NACA 642A015 profile  
[VTH-M-502] p 277 N86-18296  
On the longest chord of the first Muller profile  
[VTH-M-486] p 277 N86-18303
- BLUESTEIN, H. B.**  
Analysis of airborne Doppler lidar, Doppler radar and tall tower measurements of atmospheric flows in quiescent and stormy weather  
[NASA-CR-3980] p 462 N86-23159
- BLUM, G.**  
Numerical simulation of viscous supersonic flow over a generic fighter configuration  
[NASA-TM-86823] p 190 N86-15627
- BLUNDELL, J. K.**  
Maintenance strategies for aero engines  
p 253 A86-22384
- BLTYHE, A.**  
Potential application of advanced propulsion systems to civil aircraft  
p 802 A86-49093
- BOBBITT, P. J.**  
Pivotal strakes for high angle of attack control  
[SAE PAPER 851821] p 593 A86-38329  
A faster 'transition' to laminar flow  
[SAE PAPER 851855] p 548 A86-38347  
Semiempirical method for predicting vortex-induced rolling moments  
[NASA-TM-87579] p 147 N86-14222
- BOBER, L. J.**  
Numerical evaluation of propeller noise including nonlinear effects  
p 645 A86-41726  
Improved Euler analysis of advanced turboprop propeller flows  
[AIAA PAPER 86-1521] p 625 A86-42688  
An approach to the calculation of the pressure field produced by rigid wide chord dual rotation propellers of high solidity in compressible flow  
[AIAA PAPER 86-0467] p 856 A86-49586
- BOBO, S.**  
Development of an operating profile for aircraft tires  
[FAA/CT-85-32] p 677 N86-29218
- BOBO, S. N.**  
Long taxi rolls can lead to catastrophic blow-outs  
p 157 A86-17063
- BOBRONNIKOV, V. T.**  
Statistical dynamics and control optimization of flight vehicles  
p 449 A86-33299
- BOBULA, G. A.**  
The application of LQR synthesis techniques to the turbofan engine control problem  
p 502 A86-35614
- BOCHARTZ, W.**  
Carbon residue studies with a microcarbon residue tester  
[ASLE PREPRINT 86-AM-7A-1] p 732 A86-45395
- BOCHKAREV, A. F.**  
The aeromechanics of aircraft: Flight dynamics (2nd revised and enlarged edition)  
p 442 A86-30925
- BODUNOV, M. N.**  
Heat transfer in cooled parts of aircraft gas-turbine engines  
p 174 A86-18745
- BOEHM, H. D. V.**  
FLIR, NVG and HMS/D systems for helicopter operation: Review  
p 619 N86-26804
- BOEHM, H.-D. V.**  
Applications of thermal imager devices incl. modelling aspects  
[MBB-UD-462-85-OE] p 850 A86-50254
- BOELKOW, L.**  
Air and space flight. Dream and facts  
[MBB-FILM-382] p 198 N86-16188
- BOERMANS, L. M. M.**  
Research on laminar separation bubbles at Delft University of Technology in relation to low Reynolds number airfoil aerodynamics  
p 137 A86-16306
- BOERSTOEL, J. W.**  
Inverse method with geometric constraints for transonic aerofoil design  
p 477 A86-36202  
Optimization in design processes - An informatics point of view  
p 531 A86-36208  
Numerical methods  
p 154 N86-15259  
Optimization in design processes: An informatics point of view  
[NLR-MP-84074-U] p 228 N86-17349  
A survey of numerical methods for the calculation of inviscid, possibly rotational Euler flows around aeronautical configurations  
[NLR-TR-83130-U] p 258 N86-17699  
Design of transonic airfoils with given pressure, subject to geometric constraints  
[NLR-TR-84064-U] p 633 N86-28928
- BOES, G.**  
Lightning stroke tests at the CFRP horizontal stabilizer of alpha jet  
p 792 A86-47331
- BOETTCHER, W.**  
Aircraft protection against lightning strikes  
p 806 A86-50347
- BOGDONOFF, S. M.**  
Comment on 'Conical similarity of shock/boundary-layer interactions generated by swept and unswept wings'  
p 337 A86-28558  
Three-dimensional shock wave and turbulent boundary layer interactions  
[AD-A167086] p 745 N86-31010
- BOGUE, R.**  
Analogue signal conditioning for flight test instrumentation  
[AGARD-AG-160-VOL-17] p 719 N86-29816
- BOGUE, R. K.**  
Store separation flight testing  
[AGARD-AG-300-VOL-5] p 717 N86-30727
- BOHANAN, E. L., JR.**  
F/A 18 composite wing automated drilling system  
p 117 A86-13111
- BOHLMANN, R. E.**  
Bolted composite repairs subjected to biaxial or shear loads  
p 662 A86-41052
- BOHN, C. A.**  
Too little time - Too little money  
[SAE PAPER 851904] p 532 A86-36943
- BOHNE, A. R.**  
In-flight turbulence detection  
[AD-A160380] p 325 N86-18923  
Joint agency turbulence experiment  
[AD-A160420] p 325 N86-18924  
Storm precipitation and wind structure during aircraft strike lightning events  
[AD-A162338] p 463 N86-24100
- BOHON, H. L.**  
Composites in today's and tomorrow's U.S. airliners  
p 841 A86-47603
- BOIKO, A. N.**  
The effect of the deflector type on internal heat transfer in blades with transverse coolant flow  
p 120 A86-13673
- BOIS, J.-M.**  
Analysis and simulation of the MLS landing signal - Echo separation  
p 788 A86-48564
- BOISSEAU, J.-F.**  
New methods for in-flight vibration testing  
p 820 A86-47369
- BOITNOTT, R. L.**  
Drop testing and analysis of six-foot diameter graphite-epoxy frames  
p 517 A86-37068
- BOITSOV, B. V.**  
Prediction of the life of stressed structures - A comprehensive study of the aircraft landing gear  
p 804 A86-49288
- BOJANOWSKI, J.**  
Comparative analysis of two methods for evaluating the loads acting on the tail plane during a symmetric manoeuvre  
p 287 A86-25095
- BOLDAK, R.**  
Numerical modelling of the dynamics of aerobatic manoeuvres  
p 724 A86-45144
- BOLETIS, E.**  
Effects of tip endwall contouring on the three-dimensional flow field in an annular turbine nozzle guide vane. I - Experimental investigation  
[ASME PAPER 85-GT-71] p 77 A86-13065
- BOLEY, L. E.**  
Analytical applications in the Army oil analysis program  
p 845 A86-47595
- BOLOGNA, G.**  
The project for anti-tank helicopter  
p 290 A86-26124
- BOLOSHIN, S. B.**  
VLF radio navigation systems  
p 703 A86-44279
- BOLTON, J. S.**  
Sound transmission through double panel constructions lined with elastic porous materials  
[AIAA PAPER 86-1907] p 750 A86-45408  
A study of methods to predict and measure the transmission of sound through the walls of light aircraft  
[NASA-CR-177147] p 757 N86-31335
- BOLZ, E. H.**  
VHF-AM communications equipment selection and installation practices for helicopters  
[DOT/FAA/PM-85/8] p 189 N86-15518
- BOMMARITO, J. J.**  
Design, development and integrate/install an airborne remote instrumentation system (AIREYE)  
[AD-A166755] p 719 N86-30728
- BONAITA, G.**  
Optimum helicopter in the flight spectrum  
p 290 A86-26123
- BONDI, M.**  
Tiltrotor - 'Copter and plane in one  
p 490 A86-35585

- BONGRAIN, H.**  
The disturbance of aircraft navigation and communication systems by atmospheric static electricity  
[NASA-CR-177983] p 160 A86-18695
- BONNET, J. L.**  
Theoretical and experimental study of low Reynolds number transitional separation bubbles  
p 137 A86-18310
- BONNICE, W.**  
The evaluation of failure detection and isolation algorithms for restructurable control  
[NASA-CR-177983] p 93 A86-13310
- BONNICE, W. F.**  
Aircraft control surface failure detection and isolation using the OSLR test  
[AIAA PAPER 86-2028] p 821 A86-47419  
The evaluation of the OSLR algorithm for restructurable controls  
[NASA-CR-178083] p 485 A86-24678
- BOOM, R. W.**  
Magnetic suspension and balance system advanced study  
[NASA-CR-3937] p 180 A86-14278
- BOORIA, R.**  
Damage tolerance analysis of components of rotor wing aircraft  
p 185 A86-18446
- BOOTH, E. R., JR.**  
Surface pressure measurement during low speed two-dimensional blade-vortex interaction  
[AIAA PAPER 86-1856] p 753 A86-45478
- BOOTH, E., JR.**  
New techniques for experimental generation of two-dimensional blade-vortex interaction at low Reynolds numbers  
[NASA-TP-2551] p 401 A86-21280
- BOOTHE, E. M.**  
Simulator upgrade - Regulations and benefits  
p 821 A86-40478
- BOPPE, C. W.**  
Future requirements of wind tunnels for CFD code verification  
[AIAA PAPER 86-0753] p 309 A86-24742  
Computation of prop-fan engine installation aerodynamics  
p 410 A86-32781  
Computational aerodynamic design - X-29, the Gulfstream series and a tactical fighter  
[SAE PAPER 851789] p 547 A86-38313
- BORCHERS, I.**  
New technology propulsion (ANT) for general aviation aircraft, phase 1  
[BMFT-FB-W-85-031] p 820 A86-31589
- BORCHERS, I. U.**  
Experimental results of the noise radiation of propellers in non-uniform flows  
[AIAA PAPER 86-1928] p 751 A86-45419
- BORDERS, M. E.**  
Electrically conductive structural adhesive  
p 115 A86-13170
- BORETTI, A.**  
Development of an experimental correlation for transonic turbine flow  
[ASME PAPER 86-GT-106] p 785 A86-48170
- BORIS, J.**  
Interactions between acoustics and vortex structures in a central dump combustor  
[AIAA PAPER 86-1609] p 671 A86-42749  
Acoustic-vortex interactions in an idealized ramjet combustor  
p 659 A86-28242
- BORISOV, S. I.**  
Using suction for increasing Mach numbers in a perforated test section with a subsonic nozzle  
p 112 A86-13405
- BORLAND, C. J.**  
Numerical computation of unsteady transonic flow about wings with flaps  
[AIAA PAPER 85-1712] p 144 A86-17849
- BORMAN, T. L.**  
A new approach to automated gas turbine engine testing  
p 597 A86-38070
- BORN, M.**  
A large displacement formulation for anisotropic beam analysis  
p 671 A86-42075
- BORRIS, J. A.**  
Missile guidance based on Kalman filter estimation of target maneuver  
p 102 A86-12683
- BORST, H. V.**  
Aerodynamic performance of two fifteen-percent-scale wind-tunnel drive fan designs  
[AIAA PAPER 86-0734] p 273 A86-24729
- BOS, H. J.**  
Optimum supersonic wings with subsonic leading edges  
p 410 A86-32785
- BOSCH, L. R.**  
A hot air tunnel for base bleed experimentation  
p 597 A86-38252
- BOSE, D.**  
High strength nickel-palladium-chromium brazing alloys  
p 244 A86-20579
- BOSNIACK, D. S.**  
Performance advantages of high load aviation lubricants  
[SAE PAPER 851798] p 607 A86-38528
- BOSNIAKOV, S. M.**  
Calculation of supersonic inviscid flow past a plane air intake element with an isolated head wave  
p 79 A86-13384
- BOSSI, J. A.**  
Wind shear estimation by frequency-shaped optimal estimator  
p 464 A86-31656
- BOSTEL, A.**  
Atom-probe microanalysis of a nickel-base superalloy  
p 114 A86-12989
- BOSWORTH, J. T.**  
Real-time open-loop frequency response analysis of flight test data  
[AIAA PAPER 86-9738] p 443 A86-32084
- BOTELLA, J. N.**  
Synthetic real-time relief display all-weather airborne missions  
p 589 A86-26321
- BOTHE, H.**  
The telemetry system of the DFVLR experimental aircraft ATLAS  
p 281 A86-22729  
Determination of antennae patterns and radar reflection characteristics of aircraft  
[AGARD-AG-300-VOL-4] p 744 A86-30931
- BOTKIN, N. D.**  
Simulation problem of controlling lateral movement of aircraft during landing approach  
p 534 A86-26160
- BOTTEN, L. C.**  
Proposed control of compressor stall by pressure perturbation and blade design  
p 816 A86-49064
- BOUCEK, G. P., JR.**  
The consideration of pilot factors in development of future collision avoidance systems  
[SAE PAPER 851807] p 484 A86-35437
- BOUCHARD, E. D.**  
Superplastically-formed/diffusion-bonded titanium technology transition case study  
p 252 A86-22142
- BOUCHARD, E. E.**  
Optimization of a supersonic wing by combining linear and Euler methods  
[SAE PAPER 851791] p 547 A86-38315
- BOUCHARD, M. P.**  
Passive damping, sonic fatigue and the KC-135A  
p 256 A86-16625
- BOUDIGUES, S.**  
Ceramic heat exchangers for gas turbines or turbojet engines  
p 742 A86-29858
- BOUGHTON, W. G.**  
Electrical connections and antenna performance of a large composite fuselage module in the high frequency range  
p 292 A86-26157
- BOUKIS, G.**  
A novel voice activated switch (VOX) for high noise environments  
p 348 A86-28335
- BOULAY, J. L.**  
Recent in-flight data and electromagnetic response of an aircraft structure struck by lightning  
p 804 A86-49132
- BOUSQUET, J. M.**  
Feasibility study of a device to control aircraft electromagnetic protection  
[ONERA-RS-10/3466-PY] p 257 A86-17637
- BOULET, J.**  
28 years of flight testing helicopters  
p 161 A86-17381
- BOURNE, S. M.**  
Helicopter handling requirements based on analysis of flight maneuvers  
p 510 A86-35825
- BOUSHEY, H. A.**  
A brief history of the first U.S. JATO flight tests of August 1941  
[IAF PAPER 85-453] p 131 A86-15913
- BOUSMAN, W. G.**  
Experimentally determined flutter from two- and three-bladed model bearingless rotors in hover  
p 177 A86-15286
- BOUSQUET, J. M.**  
Theoretical and experimental analysis of highspeed propeller aerodynamics  
[AIAA PAPER 86-1549] p 626 A86-42708
- BOUTIER, A.**  
Measurements accuracy with 3D laser velocimetry  
[ONERA, TP NO. 1985-171] p 318 A86-24646
- BOUWER, G.**  
DFVLR helicopter in-flight simulator for flying quality research  
p 310 A86-26148
- BOWDEN, T. T.**  
The effect of fuel composition upon combustion performance in a Rolls Royce Tyne combustor  
[ASME PAPER 85-GT-39] p 234 A86-22028
- BOWDITCH, D. N.**  
Current wind tunnel capability and planned improvements at Lewis Research Center  
[NASA-TM-87190] p 311 A86-18329
- BOWER, J. N.**  
The F-16XL flight test program  
p 284 A86-23260
- BOWER, R. E.**  
Current wind tunnel capability and planned improvements at the NASA Langley Research Center  
[AIAA PAPER 86-0727] p 514 A86-37087
- BOWERS, A. H.**  
A comparison of computer-generated lift and drag polars for a Wortmann airfoil to flight and wind tunnel results  
[NASA-CR-176983] p 631 A86-28919
- BOWERS, D. L.**  
Utilization of computation and experiment for airframe propulsion integration development  
p 803 A86-49110  
Throttle dependent forces: A primer  
[AD-A182939] p 442 A86-23599
- BOWER, A. J.**  
Recent improvements to the NAE 5 ft x 5 ft blowdown wind tunnel  
[AD-A162034] p 449 A86-23608
- BOWLES, J. V.**  
Helicopter rotor and engine sizing for preliminary performance estimation  
[AIAA PAPER 86-1756] p 638 A86-42629
- BOWLES, S. J.**  
An analysis of acoustic emission detected during fatigue testing of an aircraft  
p 670 A86-41596
- BOWMAN, L. M.**  
Effect of measured material properties on the finite element analysis of an OH-58 composite tail boom  
[NASA-TM-86430] p 116 A86-12259
- BOXWELL, D. A.**  
Helicopter model rotor-blade vortex interaction impulsive noise - Scalability and parametric variations  
p 400 A86-27658
- BOYCE, W. C.**  
Assessment of structural damage in composites utilizing acoustic emission technology  
p 521 A86-35651
- BOYD, D. I.**  
Development of a new technology small fan jet engine  
[ASME PAPER 85-IGT-139] p 303 A86-23931
- BOYER, R. R.**  
Current and potential usage of titanium castings for airframe applications  
p 246 A86-21753  
Fatigue properties of Ti-10V-2Fe-03Al  
p 375 A86-27274
- BOYLE, D.**  
Secondary radar leads - Monopulse points the way  
p 787 A86-48372
- BOZZOLA, R.**  
Computation of flowfields in high solidity and high turning angle cascades using Euler equations  
[AIAA PAPER 85-1705] p 144 A86-17847
- BRADLAUGH-DREDE, T.**  
Propan test assessment (PTA) quick engine change (QEC) nacelle  
[AIAA PAPER 86-1626] p 648 A86-42759
- BRADLEY, A. J.**  
A study of the rotor/rotor interaction tones from a contra-rotating propeller driven aircraft  
[AIAA PAPER 86-1894] p 756 A86-45505
- BRADLEY, J. T.**  
Evaluating the new automated weather observing system  
p 615 A86-37491
- BRADLEY, J. W.**  
Radionavigation planning in the FAA  
p 402 A86-26427
- BRADLEY, K.**  
Design, development and operation of a high simultaneous capacity digital telemetry system  
p 613 A86-27632
- BRADSHAW, A.**  
The design of multi-functional flight controllers for structural load alleviation  
p 651 A86-40787  
Active flutter suppression  
p 632 A86-49004
- BRADSHAW, P.**  
Measurements in the turbulent boundary layer on an 'infinite' swept wing  
p 86 A86-16102  
Longitudinal vortices imbedded in turbulent boundary layers. I - Single vortex  
p 186 A86-17043  
The interaction between a strong longitudinal vortex and a turbulent boundary layer  
p 549 A86-38437  
Vortex boundary-layer interactions  
[NASA-CR-176701] p 415 A86-22556
- BRADSHAW, W.**  
Certification of advanced experimental aircraft  
p 785 A86-49036
- BRADY, B. J.**  
The basics of on-board simulation and embedded training  
[AIAA PAPER 86-0493] p 219 A86-19904

- Onboard simulation - A demonstrated technology breakthrough for cost effective testing and training p 380 A86-28464
- BRADY, J. B.**  
Strain isolated ceramic coatings for gas turbine engines [ASME PAPER 85-GT-96] p 247 A86-22062
- BRADY, L. D.**  
Investigations for improving operational reliability and maintainability of ILS components. Volume 2: Figures and illustrations [FAA/PM-86/7.11-VOL-2] p 636 N86-28932  
Investigations for improving operational reliability and maintainability of instrument landing system components. Volume 1: Text and appendices [DOT/FAA/PM-86/7.1-VOL-1] p 704 N86-29801
- BRADY, R. F.**  
Nonskid coating formulations [AD-D012186] p 604 N86-27457
- BRAGG, M. B.**  
Aerodynamic measurements of an airfoil with simulated glaze ice [AIAA PAPER 86-0484] p 202 A86-19897  
Airfoil aerodynamics in icing conditions p 204 A86-20164
- BRAGG, M. G.**  
An experimental study of a high performance canard airfoil with boundary layer trip and vortex generators [AIAA PAPER 86-0781] p 273 A86-24780
- BRAHNEY, J. H.**  
4 x S = S(ATF) p 98 A86-15598  
LANTIRN - Turning night into day p 103 A86-15599  
Damaged runway options explored p 75 A86-15600  
Old fighters - New targets p 225 A86-22262  
Exploring the unknown with unmanned aircraft p 225 A86-22263  
Propan engine designs examined p 363 A86-26371  
CAD/CAM supports flight test modifications p 356 A86-29823  
Solar powered vehicle may fly year-long missions p 356 A86-29824  
Flying hands off to a hover p 507 A86-34193  
Guidance, navigation, and control for 21st century aircraft p 508 A86-34194  
Evolving 8000 psi hydraulic systems p 487 A86-34196  
Composite repair techniques examined p 662 A86-41684  
Landing gear test facilities examined p 730 A86-44458  
Pumps for 8000 psi hydraulic systems examined p 846 A86-48042
- BRAITHWAITE, W. M.**  
Uniform engine testing program phase 7: NASA Lewis Research Center second entry [NASA-TM-87272] p 650 N86-28085
- BRANA, T.**  
Computer aided engineering in structural design and optimization p 736 A86-43759
- BRANDNER, H.**  
Premixing gas and air to reduce NOx emissions with existing proven gas turbine combustion chambers [ASME PAPER 86-GT-157] p 614 A86-48211
- BRANDON, J. K.**  
Synchronizing characteristics of a large variable frequency starting system p 249 A86-20516
- BRANDON, J. M.**  
Experimental study of effects of forebody geometry on high angle of attack static and dynamic stability [AIAA PAPER 86-0331] p 238 A86-19818  
Experimental study of effects of forebody geometry on high angle of attack static and dynamic stability and control p 833 A86-49039  
Low-speed wind-tunnel investigation of the effect of strakes and nose machines on lateral-directional stability of a fighter configuration [NASA-TM-87641] p 278 N86-19287  
Recent experiences of unsteady aerodynamic effects on aircraft flight dynamics at high angle of attack p 564 N86-27252
- BRANDT, J.**  
Metals and plastics - State of the art and perspectives [MBB-Z-49-85-OE] p 116 A86-14474  
Computer aided engineering in structural design and optimization p 736 A86-43759
- BRANDT, W. P.**  
Pulsed laser light sheet flow visualization p 605 A86-38237
- BRANSTETTER, J. R.**  
Use of flight simulation to develop terminal instrument procedures for transport category aircraft [AIAA PAPER 86-2072] p 837 A86-47682
- BRASIER, C. W.**  
A turbine engine inlet viewing system [AIAA PAPER 86-1647] p 656 A86-42769
- BRASLOW, A. L.**  
Design considerations for application of laminar flow control systems to transport aircraft p 155 N86-15270
- BRAUN, G.**  
Helicopter test installation RoTeSt in DNW - Application and results [DGLR PAPER 85-113] p 513 A86-35166
- BRAUSCH, J. F.**  
Free jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual flow. Comprehensive data report. Volume 1: Test nozzles and acoustic data [NASA-CR-174817] p 469 N86-23371  
Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and supersonic. Base pressure data [NASA-CR-174818] p 469 N86-23372
- BRAYBROOK, R.**  
The Soviet fighter - Four decades of development p 486 A86-33989  
Sukhoi frogfoot p 495 A86-36333  
A come-back in canards p 712 A86-46125
- BRAZEE, M.**  
An engineering approach to the use of expert systems technology in avionics applications [NASA-TM-86263] p 497 N86-24687
- BRAZHKO, V. N.**  
A study of heat transfer on wedges with a swept leading edge and a sharply bent generatrix p 81 A86-13399
- BREEDLOVE, P. M.**  
Real-time telemetry of complete 1553 data buses p 347 A86-27789
- BREEMAN, J. H.**  
Determination of performance and stability characteristics from dynamic maneuvers with a transport aircraft using parameter identification techniques [NLR-MP-84024-U] p 308 N86-19326  
Method for determining the time delay of the pitot-static tubing system of aircraft [NLR-TR-83075-U] p 589 N86-26335
- BREEVOORT, C. M.**  
A speech recognition research tool for the C-130 Hercules p 350 A86-28443
- BREGLIA, D. R.**  
Design considerations for on-board simulation p 360 A86-28465
- BREIL, J. F.**  
Tests with three-dimensional adjustments in the rectangular working section of the French T2 wind tunnel with an AS 07-type swept-back wing model [NASA-TM-88442] p 857 N86-28964
- BREINER, C. A.**  
Weights assessment for orbit-on-demand vehicles [SAWE PAPER 1874] p 515 A86-35217
- BRENDEL, M.**  
Preliminary experiments in unsteady flow on airfoils at low Reynolds numbers p 138 A86-16320
- BRENNAN, J. E.**  
Aerodynamic effects of wingtip-mounted propellers and turbines [AIAA PAPER 86-1802] p 544 A86-37826
- BRENNOM, T. R.**  
Unscreened part reliability rivals that of screened parts in new digital avionics p 315 A86-23015
- BRESINA, J. J.**  
Model-following control for an oblique-wing aircraft [AIAA PAPER 86-2244] p 824 A86-47492  
Model-following control for an oblique-wing aircraft [NASA-TM-88269] p 726 N86-29667
- BRETZ, P. E.**  
Spectrum fatigue crack growth behavior of aluminum alloys 'Althalite' alloys - Progress, products and properties p 450 A86-30006 p 660 A86-40256
- BREUSOVA, R. A.**  
Hypothesis of two-dimensional cross sections for a wing of finite span at supersonic velocities p 767 A86-48769
- BREZZI, F.**  
Numerical methods in fluid dynamics p 388 A86-28471
- BRIANTSEV, B. D.**  
A study of flutter on the basis of frequency tests at subcritical regimes p 109 A86-13370
- BRICK, R. O.**  
Multipath lightning protection for composite structure integral fuel tank design p 790 A86-47308
- BRIDEL, G.**  
Performance computation of turbofan and turbojet engines in off-design conditions [F+W-FO-1746] p 305 N86-19323
- BRIDGEMAN, J. O.**  
Calculation of helicopter airfoil characteristics for high tip-speed applications p 541 A86-37789  
Calculation of helicopter airfoil characteristics for high tip-speed applications [AD-A160694] p 277 N86-16294
- BRIDSON, D. W.**  
Features of discrete tones generated by jet flows over Coanda surfaces [AIAA PAPER 86-1665] p 691 A86-45485
- BRIGGS, H. C.**  
The application of systolic array processor technology to real-time control p 532 A86-36894
- BRIGGS, P.**  
An integrated flight control system for a STOL transport aircraft p 367 A86-26384
- BRIGGS, S. M.**  
Unified EM transient protection requirements for aircraft avionics line replaceable units p 355 A86-28485
- BRIGHAM, P. B.**  
Simulating the total system, warts and all p 164 A86-18422
- BRIKMANIS, C. K.**  
System life and reliability modeling for helicopter transmissions [NASA-CR-3967] p 525 N86-24990
- BRILEY, R. P.**  
Effects of structural nonlinearities on limit cycle response of aerodynamic surfaces [AIAA PAPER 86-0899] p 585 A86-36910
- BRINES, G. L.**  
Design approach for an optimum prop-fan propulsion system [ASME PAPER 85-IGT-57] p 301 A86-23861  
Heat management in advanced aircraft gas turbine engines [ASME PAPER 86-GT-76] p 813 A86-48144
- BRINKLEY, J. W.**  
Effect of seat cushions of human response to +Gz impact p 326 A86-25662  
Evaluation of a pre-ejection upper torso retraction device p 793 A86-47728
- BRISTEAU, M. O.**  
On the numerical solution of nonlinear problems in fluid dynamics by least squares and finite element methods. II - Applications to transonic flow simulations p 144 A86-17886
- BRISTOW, J. W.**  
Helicopter fatigue - The changing scene p 165 A86-18445  
Structural airworthiness - A decade of developments p 288 A86-25625  
Airworthiness aspects of fatigue in helicopters p 280 A86-26128  
Ageing aircraft as seen by an authority p 783 A86-47611
- BROADLEY, B. P.**  
Structural certification and in-service flight experience of the RB 211-524 fan cow doors utilizing carbon fibre composite materials p 496 A86-37108
- BROADWELL, M.**  
Decision aiding for tactical aircraft p 718 A86-46715
- BROCK, G. L.**  
An overview of the intrasystem EMC analysis program with graphics p 381 A86-27157
- BROCK, M. P.**  
X-29A flight flutter data analysis by advanced methods [AIAA PAPER 86-9737] p 429 A86-32083
- BROCKHAUS, R.**  
Proposal for the choice of state variables for equations of motion of aircraft in moving air p 306 A86-24588  
Flight path reconstruction - A powerful tool for data compatibility check p 833 A86-49041
- BROCKMAN, R. A.**  
Finite element analysis of soft-body impact [AD-A158438] p 158 N86-14259
- BRODETSKII, M. D.**  
A method for measuring the direction and the Mach number of a three-dimensional supersonic nozzle p 80 A86-13392  
Characteristics of the interaction of interference and diffraction flows at supersonic velocities p 478 A86-36459
- BROOKE, D.**  
Initial performance evaluation of 2DCD ejector exhaust systems [AIAA PAPER 86-1615] p 626 A86-42753
- BROOKS, C. J.**  
How much inherent buoyancy is acceptable in a helicopter passenger immersion suit p 261 A86-19310  
Ship/rig personnel abandonment and helicopter crew/passenger immersion suits - The requirements in the North Atlantic p 396 A86-29100



- BROOKS, T. F.**  
Airfoil tip vortex formation noise p 331 A86-23134  
Airfoil trailing-edge flow measurements p 780 A86-49803
- BROOKS, W. G.**  
The design and construction of a post buckled carbon fibre wing box structure p 848 A86-49001
- BROOM, I.**  
STOLport London - A design for safety p 655 A86-40226
- BROQUERE, B.**  
Carbon-carbon composites for braking p 661 A86-40364
- BROSZEIT, E.**  
The fretting fatigue behaviour of the titanium alloy Ti-6Al-4V p 376 A86-27370  
Fretting fatigue testing with a fretting bridge equipment  
Stress analysis, amplitudes of slip, reliability p 383 A86-27371
- BROUSSARD, J. R.**  
PIFCGT: A PIF autopilot design program for general aviation aircraft [NASA-CR-166123] p 178 N86-15320  
Extensions to PIFCGT: Multirate output feedback and optimal disturbance suppression [NASA-CR-3968] p 446 N86-22581
- BROUWERS, A. P.**  
Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 1 [NASA-CR-174923-VOL-1] p 108 N86-13328  
Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 2 [NASA-CR-174923-VOL-2] p 108 N86-13329  
Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 3 [NASA-CR-174923-VOL-3] p 108 N86-13330
- BROWN, A. K.**  
Commercial aviation GPS Navigation Set flight test results p 346 A86-26507
- BROWN, C. M.**  
Analytical applications in the Army oil analysis program p 845 A86-47595
- BROWN, D.**  
Recent improvements to the NAE 5 ft. x 5 ft. blowdown wind tunnel [AD-A162034] p 449 N86-23608
- BROWN, D. A.**  
British experimental aircraft program providing insight into new technology p 710 A86-45064
- BROWN, D. M.**  
Requirements for future RALS/STOVL operating concepts [SAE PAPER 851840] p 578 A86-38337
- BROWN, E. M.**  
Improved temperature resistant sealants for composite & adhesive bonded fuel-tank structures p 246 A86-21736  
Fuel resistant coatings for applications in integral tanks & bladder fuel cells p 246 A86-21737  
An overview of civil helicopter operations - Past, present and future p 279 A86-23800
- BROWN, E. N.**  
Pilot interaction with automated airborne decision making systems [NASA-CR-177002] p 679 N86-29508
- BROWN, F. S.**  
T-46A - The USAF next generation trainer p 796 A86-47796
- BROWN, H.**  
Composite repairs p 115 A86-13103
- BROWN, J. A.**  
Probe and drogue refuelling large receiver aircraft p 223 A86-21062
- BROWN, J. A., JR.**  
NMC plans for improved aviation guidance p 613 A86-37456
- BROWN, J. J.**  
A nozzle design analysis technique [AIAA PAPER 86-1613] p 647 A86-42751
- BROWN, K. W.**  
Structural tailoring of engine blades (STAEBL) theoretical manual [NASA-CR-175112] p 592 N86-27283  
Structural tailoring of engine blades (STAEBL) user's manual [NASA-CR-175113] p 592 N86-27284
- BROWN, P. E.**  
The T800 turbine engine solicitation - A new thrust in streamlining the acquisition process [AIAA PAPER 86-1669] p 684 A86-42782
- BROWN, P. W.**  
Description of and results from camera systems for recording daytime lightning strikes to an airplane in flight [AIAA PAPER 86-0020] p 230 A86-19636
- In-flight flow visualization of F-106B leading-edge vortex using the vapor-screen technique [AIAA PAPER 86-9785] p 431 A86-32118  
Development of spin resistance criteria for light general aviation airplanes [AIAA PAPER 86-9812] p 443 A86-32139  
NASA storm hazards research in lightning strikes to aircraft p 566 A86-37479  
Research in lightning swept-stroke attachment patterns and flight conditions with the NASA F-106B airplane p 791 A86-47318
- BROWN, W. H.**  
Coherent large-scale structures in high Reynolds number supersonic jet of Mach number 1.4 [AIAA PAPER 86-1941] p 691 A86-45428  
High speed flight effects on shock associated noise [AIAA PAPER 86-1944] p 751 A86-45431
- BROWNE, J. T.**  
The MIL-prime standard for aircraft flying qualities [AIAA PAPER 86-2131] p 828 A86-47677
- BROWNE, N. M.**  
Development and evaluation of a microburst test apparatus for use as a minimum destructive test for parachute material [AD-A158110] p 123 N86-12620
- BRUCE, K. R.**  
NASA B737 flight test results of the Total Energy Control System [AIAA PAPER 86-2143] p 826 A86-47516
- BRUCE, R. A.**  
In-flight flow visualization of F-106B leading-edge vortex using the vapor-screen technique [AIAA PAPER 86-9785] p 431 A86-32118
- BRUENS, H. D.**  
Electromagnetic interaction of external impulse fields with aircraft p 790 A86-47295
- BRUER, C.**  
A study of methods to predict and measure the transmission of sound through the walls of light aircraft [NASA-CR-177147] p 757 N86-31335
- BRUMBAUGH, R. W.**  
An engineering approach to the use of expert systems technology in avionics applications [NASA-TM-88263] p 497 N86-24687
- BRUNDERMAN, J.**  
Pilot-oriented performance measurement [AD-A158849] p 126 N86-13890
- BRUNS, A.**  
Low cost thermal control for flight test laser radar [SAE PAPER 851321] p 285 A86-23511
- BRUNSCH, K.**  
Autoclave, compression moulding p 668 A86-40495  
Experiences in FRG in aerospace application p 661 A86-40498
- BRUNZELL, S.**  
Mechanical design and evaluation of a slotted CFRP waveguide antenna p 383 A86-27703
- BRUSHWOOD, D. L. J.**  
Transient model of a pneumatic ejector - Application to the simulation of aircraft bleed air temperature control systems p 489 A86-35405
- BRUSSAT, T. R.**  
Damage tolerance assessment of aircraft attachment lugs p 672 A86-43084
- BRYAN, C. F., JR.**  
Lightning discharge protection rod [NASA-CASE-LAR-13470-1] p 569 N86-26296
- BRYAN, S. K.**  
A methodology for analyzing laser-induced structural damage p 186 A86-17791
- BRYAN, T.**  
An Orbital Maneuvering Vehicle simulator p 658 A86-40515
- BRYANT, W. H.**  
Development of a takeoff performance monitoring system [NASA-TM-89001] p 835 N86-31591
- BRYANT, W. R., JR.**  
Tradeoff analysis of technology needs for public service helicopters [NASA-CR-3927] p 100 N86-13317
- BRYCE, J. D.**  
The design, performance and analysis of a high work capacity transonic turbine [ASME PAPER 85-GT-15] p 105 A86-13058
- BRYNIS, N. V.**  
Determination of the required number of channels for controlling aircraft wing loading for several cases of calculation p 768 A86-48787
- BRYSON, A. E., JR.**  
Optimal landing of a helicopter in autorotation [AIAA PAPER 86-2287] p 793 A86-47705  
Dynamics of a helicopter with a sling load [AIAA PAPER 86-2288] p 831 A86-47709
- BRYSOV, O. P.**  
Certain characteristics of parachute-wing aerodynamics p 80 A86-13389
- BU, S.**  
Improved Y-7, Y-12 aircraft described p 436 N86-22572
- BUCH, A.**  
Fatigue behaviour of advanced aluminium alloy lugs of 7475-T761 with and without initial cracks p 450 A86-30030
- BUCHARLES, A.**  
Eigenvalues assignment method: An application to designing an autopilot [SNIAS-861-111-106] p 653 N86-28095
- BUCHS, W.**  
Structural design and analysis aspects of composite helicopter components [MBB-UD-454-85-OE] p 806 A86-50256
- BUCK, M. L.**  
Future requirements of wind tunnels for aeronautical systems development [AIAA PAPER 86-0751] p 309 A86-24740
- BUCK, V.**  
Tribology in aircraft systems: Basic principles and applications p 677 N86-29240
- BUCK, W. H.**  
Development of a high temperature jet engine oil - Laboratory and field evaluation [SAE PAPER 851797] p 607 A86-38527
- BUCKLEY, J. J.**  
Modular air shut-off valve [AD-D011935] p 321 N86-18728
- BUCKNER, R. L.**  
US Army Flight Condition Monitoring p 170 A86-18435
- BUDD, G. D.**  
Locally linearized longitudinal and lateral-directional aerodynamic stability and control derivatives for the X-29A aircraft [NASA-TM-84919] p 416 N86-23566
- BUDDINE, P. J.**  
Weight control of aircraft modification projects [SAWE PAPER 1683] p 489 A86-35224
- BUERS, H.**  
Flight testing a transonic wing with maneuver flaps and a direct side force control system for CAS aircraft p 794 A86-47782  
Wind tunnel and flight test analysis and evaluation of the buffet phenomena for the alpha jet transonic wing p 561 N86-27239
- BUETEFISCH, K. A.**  
Flow field study on a supercritical airfoil using a pressure probe and a two-component Laser-Doppler-Anemometer p 775 A86-49074
- BUITKAMP, H.**  
Improvement of strapdown system performance by means of numerical methods [BMFT-FB-W-85-011] p 575 N86-27275
- BUIVOL, V. N.**  
Free-surface flows p 458 A86-33293
- BULETZA, P. G.**  
Development of a computer-managed readiness assessment system [AD-A162931] p 463 N86-24215
- BULL, G. C.**  
Night vision by NVG with FLIR p 619 N86-26811
- BULL, M. J.**  
Textures developed in Al-Li-Cu-Mg alloy p 660 A86-40291
- BULLINGTON, J. B.**  
Plastic media blast best for stripping p 269 A86-26274
- BULLMORE, A. J.**  
Active minimisation of acoustic potential energy in harmonically excited cylindrical enclosed sound fields [AIAA PAPER 86-1958] p 752 A86-45443
- BULLOCK, B. L.**  
A Synthetic Aperture Radar (SAR) for commercial applications p 250 A86-21246
- BULYCHEV, G. A.**  
Certain criteria and formulas for the analysis of flexural-torsional flutter p 109 A86-13394
- BULYCHEV, V. A.**  
Calculation of the balancing efficiency of flexible rotors of compressor units on low-cycle balancing machines p 673 A86-43379
- BUNDAS, E. J.**  
Design, safety, and maintainability aspects for hydrazine use in emergency secondary power systems [SAE PAPER 851972] p 568 A86-38382
- BUNDICK, W. T.**  
A preliminary evaluation of the generalized likelihood ratio for detecting and identifying control element failures in a transport aircraft [NASA-TM-87620] p 111 N86-13332

- BUNIN, B. L.**  
Optimized bolted joint  
[NASA-CASE-LAR-13250-1] p 612 N86-27630
- BUNING, P. G.**  
Navier-Stokes computations for exotic airfoils  
[AIAA-85-0109] p 745 N86-30996
- BUNK, W.**  
Titanium: Science and technology; Proceedings of the Fifth International Conference on Titanium, Munich, West Germany, September 10-14, 1984. Volumes 1-4  
p 374 A86-27201
- BUNKOV, V. G.**  
A combined method for the analysis of the aerodynamic forces acting on an oscillating flight vehicle in supersonic flow  
p 79 A86-13380
- BUNNIK, N. J. J.**  
Development of an airborne CCD scanner for land and sea applications  
p 231 A86-21163
- BUONTEMPO, V.**  
An example of integrated logistic support applied also to production testing  
p 744 N86-30898
- BURCHAM, F. W.**  
Flight evaluation of a hydromechanical backup control for the digital electronic engine control system in an F100 engine  
[PAPER-9] p 505 N86-25351
- BURCHAM, F. W., JR.**  
Flight evaluation of a digital electronic engine control in an F-15 airplane  
p 173 A86-17784  
Summary of results of NASA F-15 flight research program  
[AIAA PAPER 86-9761] p 496 A86-37064  
Minimum time and fuel flight profiles for an F-15 airplane with a Highly Integrated Digital Electronic Control (HIDEC) system  
[NASA-TM-86042] p 436 N86-23587  
Airstart performance of a digital electronic engine control system on an F100 engine  
[PAPER-8] p 505 N86-25350  
Augmentor transient capability of an F100 engine equipped with a digital electronic engine control  
[PAPER-11] p 505 N86-25353  
Investigation of a nozzle instability on an F100 engine equipped with a digital electronic engine control  
[PAPER-12] p 506 N86-25354  
Summary of results of NASA F-15 flight research program  
[NASA-TM-86811] p 539 N86-26277
- BURGE, S. E.**  
The design of multi-functional flight controllers for structural load alleviation  
p 651 A86-40767
- BURGER, K.-H.**  
Economical in-flight calibration of air data sensors using inertial navigation units as reference  
p 284 A86-23270  
The MBB flight test centre and its facilities  
[AIAA PAPER 86-9746] p 447 A86-32090
- BURGESS, G. E.**  
Integration test facility for P3 aircraft purpose and uses  
[AIAA PAPER 86-9807] p 448 A86-32135
- BURGESS, S. M.**  
Application of closed-loop machining in the manufacture of gas turbines  
p 521 A86-35659
- BURGIN, G. H.**  
The Adaptive Maneuvering Logic program in support of the pilot's associate program - A heuristic approach to missile evasion  
[AIAA PAPER 86-0423] p 263 A86-19865
- BURGMEIJER, J. W.**  
Application of pulsed reflection holography to material testing  
p 122 A86-16090
- BURGSMEUILLER, W.**  
Simulation and measurement of engine influences in a two-jet aircraft model using model engines  
[DGLR PAPER 85-092] p 513 A86-35155
- BURKARDT, L. A.**  
Uniform engine testing program phase 7: NASA Lewis Research Center second entry  
[NASA-TM-87272] p 650 N86-28085
- BURKE, R.**  
An evaluation of four methods of numerical analysis for two-dimensional airfoil flows. Revision  
[AD-A157248] p 87 N86-12209
- BURKEN, J. J.**  
Eigensystem synthesis for active flutter suppression on an oblique-wing aircraft  
[AIAA PAPER 86-2243] p 824 A86-47491  
Aeroelastic control of oblique-wing aircraft  
[NASA-TM-86808] p 595 N86-26340  
Eigensystem synthesis for active flutter suppression on an oblique-wing aircraft  
[NASA-TM-88275] p 727 N86-29868
- BURKHALTER, J. E.**  
Pressure loading on curved leading edge wings in supersonic flow  
p 689 A86-44890
- BURKHARD, A.**  
CERT: Where we have been, where we are going  
p 256 N86-16620
- BURKHARD, A. H.**  
Evolution of emerging environmental testing and evaluation techniques  
p 315 A86-23011
- BURKHARDT, G. L.**  
Probability of detection of flaws in a gas turbine engine component using electric current perturbation  
p 869 A86-41574  
Application of a computer model to electric current perturbation probe design  
p 669 A86-41576
- BURLEY, J. R., II**  
Static investigation of two STOL nozzle concepts with pitch thrust-vectoring capability  
[NASA-TP-2559] p 415 N86-23559  
Comparison of experimental surface pressures with theoretical predictions on twin two-dimensional convergent-divergent nozzles  
[NASA-TM-87757] p 697 N86-30694  
Experimental and numerical results for a generic axisymmetric single-engine afterbody with tails at transonic speeds  
[NASA-TM-87755] p 697 N86-30695
- BURLEY, R. R.**  
Progress in the Lewis Research Center Altitude Wind Tunnel (AWT) Modeling Program  
[NASA-TM-87194] p 242 N86-16233
- BURNER, A. W.**  
Improvement in the quality of flow visualization in the Langley 0.3-meter transonic cryogenic tunnel  
[NASA-TM-87730] p 675 N86-28389
- BURNETT, J.**  
Safety recommendation  
[NTSB-A-86-22] p 699 N86-29790
- BURNETTE, K. T.**  
Electronic display luminance and grey scale control  
p 360 A86-28505
- BURNS, B. R. A.**  
The laminar airliner - Prospects and problems  
p 98 A86-14822
- BURNSIDE, O. H.**  
Advances in aerospace structural analysis; Proceedings of the Winter Annual Meeting, Miami Beach, FL, November 17-22, 1985  
p 387 A86-28651
- BURNSIDE, W. D.**  
Simulation and analysis of antennas radiating in a complex environment  
p 572 A86-39535  
Simulation of the enhanced traffic alert and collision avoidance system (TCAS 2)  
[NASA-CR-176328] p 93 N86-12216  
A study of a collision avoidance system mounted on a curved ground plane  
[NASA-CR-176771] p 485 N86-24677
- BURRIN, R. H.**  
Coherent large-scale structures in high Reynolds number supersonic jet of Mach number 1.4  
[AIAA PAPER 86-1941] p 691 A86-45428  
An experimental and theoretical investigation of the propagation of sound waves through a turbulent boundary layer  
[AIAA PAPER 86-1968] p 753 A86-45451  
Development of an impulsive noise source to study the acoustic reflection characteristics of hard-walled wind tunnels  
[AIAA PAPER 86-1887] p 755 A86-45500  
Acoustic reflection contamination measurements in the 16-foot NASA Langley Transonic Wind Tunnel  
[AIAA PAPER 86-1888] p 755 A86-45501
- BURROWS, L. T.**  
Helicopter wire strike protection system qualification testing  
p 163 A86-18411
- BURYGIN, O. A.**  
A study of the relationship between nonlinear changes in the lifting force and the vortex structure of flow around a low aspect ratio wing at large angles of attack  
p 767 A86-48762  
A study of the characteristics of separated flow past wings and lifting systems  
p 770 A86-48842
- BUSCARELLO, F. L.**  
The new environmental control system for the B-52 G/H aircraft  
[SAE PAPER 851320] p 285 A86-23510
- BUSCH, A. C.**  
Setting acceptable levels of safety for the National Airspace System  
p 481 A86-33780
- BUSHNELL, D. M.**  
Turbulent drag reduction for external flows  
p 156 N86-15271
- BUSHUEVA, E. M.**  
The temperature dependence of the electrical conductivity of jet fuels with antistatic additives  
p 183 A86-16750
- BUSKELL, N.**  
Postbuckling failure of composite panels  
p 523 A86-37112
- BUSSE, D. W.**  
High stability pressure transducers for air data systems and test sets  
p 359 A86-28362
- BUSSOLETTI, J. E.**  
A transonic rectangular grid embedded panel method  
p 204 A86-20953
- BUTER, T. A.**  
Steady supersonic Navier-Stokes solutions of a 75 deg delta wing  
p 558 N86-27206
- BUTLER, M. C., JR.**  
A philosophical basis for the use of high-performance, gliding parachutes in ejection seat aircraft  
p 213 A86-19352
- BUTLER, T. L.**  
Redistribution of an inlet temperature distortion in an axial flow turbine stage  
[AIAA PAPER 86-1468] p 671 A86-42658  
Predictions of endwall losses and secondary flows in axial flow turbine cascades  
[ASME PAPER 86-GT-228] p 766 A86-48262
- BUTZEL, L. M.**  
Integrated damped fuselage structure  
p 389 N86-21918
- BUZZARD, R. J.**  
Mode II fatigue crack growth specimen development  
p 736 A86-43566
- BYERS, J. M.**  
Advancements in inertia reels for fixed seating aircraft  
p 784 A86-47744
- BYRAM, K. V.**  
Mode-S beacon system to cover all U.S. upper airspace by 1991  
p 281 A86-23376
- BYRD, F.**  
Using Derivative engine technology to achieve maturity goals  
[AIAA PAPER 86-1752] p 649 A86-42826
- BYRD, J. C.**  
Airborne navigation remote map reader evaluation  
[AD-A166976] p 719 N86-30729
- BYRNE, F.**  
Video processor for air traffic control beacon system  
[NASA-CASE-KSC-11155-1] p 283 N86-18304
- BYSTROV, V. V.**  
The problem of optimizing the final design modifications of stochastic oscillatory systems  
p 316 A86-23651  
A reliability concept in structural optimization of flight vehicles  
p 494 A86-35977

## C

- CAAP, P.**  
Calculation of static elastic effects on a modern high performance fighter aircraft  
[AIAA PAPER 86-1771] p 777 A86-49577
- CAARLS, J. J. C.**  
Principles and applications of the Fokker bond tester  
[ETN-86-96960] p 612 N86-27624
- CAFARELLI, I.**  
Preliminary instrumentation for aeroelastic tests at the compressor level  
[ONERA-RT-95/7108-RY-054-R] p 743 N86-30219
- CAGLAYAN, A. K.**  
Design considerations for flight test of a fault inferring nonlinear detection system algorithm for avionics sensors  
[AIAA PAPER 86-2030] p 810 A86-47511  
A fault tolerant system for an integrated avionics sensor configuration  
[NASA-CR-3834] p 160 N86-15278  
A preliminary design for flight testing the FINDS algorithm  
[NASA-CR-178043] p 439 N86-22574  
Design considerations for flight test of a fault inferring nonlinear detection system algorithm for avionics sensors  
[NASA-TM-88998] p 637 N86-28933
- CAHILL, J. E.**  
Evaluation of capillary reinforced composites  
[NASA-CR-175061] p 517 N86-24760
- CAI, M.**  
A cold-season North American climatology of strong vertical wind shear  
p 614 A86-37466
- CAI, R.**  
An improved simple method for designing optimum annular diffusers  
[ASME PAPER 85-GT-126] p 235 A86-22075
- CAI, Z.**  
Power thyristor starter for aircraft engine  
p 386 A86-28373
- CAIAFA, C.**  
FAA structural crash dynamics program update - Transport category aircraft  
[SAE PAPER 851887] p 568 A86-38354

- CAIME, W. J.**  
Space based radar application to air traffic control  
p 423 A86-32626
- CALANDRA, J.**  
Unusual aerodynamics of X-29 p 426 A86-31332
- CALAPODAS, M.**  
Correlation of results of an OH-58A helicopter composite tail boom test with a finite element model  
[AD-A161082] p 295 N86-19316
- CALDARELLI, C.**  
Guest alleviation on a transport airplane  
p 565 N86-27259
- CALDERBANK, J. C.**  
Preliminary design of a supersonic cruise aircraft high-pressure turbine  
[NASA-CR-174878] p 174 N86-14272
- CALDWELL, A. E.**  
A computer based study of helicopter agility, including the influence of an active tailplane p 291 A86-26146
- CALE, R. E.**  
Meteorological factors in selected aircraft accident investigations  
[AIAA PAPER 86-0324] p 213 A86-19614
- CALICO, R. A.**  
Flight test evaluation of techniques to predict longitudinal pilot induced oscillations  
[AIAA PAPER 86-2253] p 826 A86-47509  
Modelling of rigid-body and elastic aircraft dynamics for flight control development  
[AIAA PAPER 86-2232] p 829 A86-47693
- CALISE, A. J.**  
An analysis of a four state model for pursuit-evasion games p 680 A86-42957
- CALLOWAY, R. S.**  
Crash response data system for the controlled impact demonstration (CID) of a full-scale transport aircraft  
p 500 A86-37045  
CID-720 aircraft high-environment flight instrumentation system p 392 N86-21947
- CALMON, L. C.**  
Prediction and measurement of near fields for antennas on structures p 316 A86-23403
- CALVO, W. C.**  
Solid fuel gas generator air  
[AIAA PAPER 86-1682] p 649 A86-42792
- CAMACHO, P. P.**  
Airfoil design at low Reynolds number with constrained pitching moment p 136 A86-16304
- CAMARATTA, F. A.**  
Use of a Service Life Assessment Program (SLAP) for identifying Service Life Extension Program (SLEP) procedures for fatigue sensitive airframe components p 134 A86-18442
- CAMBA, J. III**  
Aerodynamic data banks for Clark-Y, NACA 4-digit and NACA 16-series airfoil families  
[NASA-CR-176883] p 697 N86-30693
- CAMBERLIN, L.**  
A redundant strapdown reference for advanced aircraft flight control systems p 239 A86-21840
- CAMEO, R.**  
Materials in thrust reversers p 373 A86-26332
- CAMMAROTA, G. P.**  
Fracture toughness characterization of light alloys for aeronautical use p 114 A86-12761
- CAMP, D. W.**  
Wind shear characterization  
[AIAA PAPER 86-0180] p 213 A86-19737  
Spanwise turbulence effects on aircraft response  
[AIAA PAPER 86-0255] p 200 A86-19774
- CAMPANELLA, A. J.**  
Measurements and computer modelling of engine exhaust noise in the cabin of single-engine aircraft p 796 A86-48594
- CAMPBELL, A. F.**  
Evaluation of a method for analyzing the aperture region of two-dimensional external compression inlets  
[AIAA PAPER 85-3072] p 83 A86-14432  
Effects of S-bends on diffuser internal performance and turbulence characteristics  
[AIAA PAPER 86-1459] p 625 A86-42654
- CAMPBELL, C. I.**  
A new compressed air launching system p 596 A86-37337
- CAMPBELL, C. W.**  
Recent advances in Monte Carlo turbulence simulation p 792 A86-47636
- CAMPBELL, D. R.**  
Software position and velocity limiting for a synergistic six degree-of-freedom motion system p 655 A86-42170
- CAMPBELL, F. J.**  
Dynamic thermal analysis characterizations of electron-beam cured adhesives p 182 A86-16234
- CAMPBELL, J. F.**  
Vortex Flow Aerodynamics, volume 1  
[NASA-CP-2416-VOL-1] p 556 N86-27190  
Leading-edge vortex research: Some nonplanar concepts and current challenges p 558 N86-27192
- CAMPBELL, P. N.**  
A stress intensity factor solution due to holes ahead of growing cracks in thin sheet material p 454 A86-31123
- CAMPBELL, R. L.**  
Design of a natural laminar flow wing for a transonic corporate transport  
[AIAA PAPER 86-0314] p 200 A86-19807
- CAMPBELL, W. B.**  
Nonflammable fluid and 8,000 psi technology for future aircraft hydraulic systems (22 CFR 125.4 /b/ /13/ applicable)  
[SAE PAPER 851909] p 580 A86-38364
- CAN, M. H.**  
Research on active suppression technology for wing/airfoil flutter p 835 A86-49096
- CANAN, J. W.**  
Mastering the transatmosphere p 658 A86-41274
- CANATLOUBE, B.**  
A vortex point method for calculating inviscid incompressible flows around rotary wings p 612 N86-27219
- CANFIELD, R. A.**  
Optimum design of large structures with multiple constraints  
[AIAA PAPER 86-0952] p 600 A86-38845
- CANNON, M. R.**  
Preliminary floor, seat, and dummy data p 391 N86-21942  
Seat experiment results of full-scale transport aircraft controlled impact demonstration  
[DOT/FAA/CT-85/25] p 701 N86-30702
- CANSDALE, J. T.**  
Tests on a new dynamically scaled model rotor in the RAE 24 ft Wind Tunnel p 292 A86-26162
- CANSLER, F.**  
VHF-FM communications antennas for project SINGGARS (UH-1 tail whip and cabin roof bent whip evaluation)  
[AD-A163561] p 524 N86-24883  
VHF-FM communications antennas for project SINGGARS (UH-1 tail whip antenna evaluation)  
[AD-A165897] p 676 N86-29119
- CANTRELL, G. W.**  
Applications of digital terrain data in flight operations p 573 N86-26324
- CANTWELL, B. J.**  
Numerical simulation of transonic separated flows over low-aspect ratio wings  
[AIAA PAPER 86-0506] p 206 A86-22704
- CANTWELL, E. R.**  
Double-branched vortex generator  
[NASA-TM-88201] p 89 N86-13298
- CAPACE, V. R.**  
Wake induced unsteady aerodynamic interactions in a multi-stage compressor  
[AIAA PAPER 86-1455] p 625 A86-42653
- CAPODEVILLE, J.-M.**  
Analysis of gamma ray families and jets up to 10 to the 7th GeV obtained during 1000 hours exposure of emulsion chambers on the Concorde p 333 A86-22863
- CAPECE, V.**  
Stator row unsteady aerodynamics due to wake excitations p 273 A86-24703
- CAPITANE, G.**  
Parametric determination of lift interference for three-dimensional models in the Emmen (Switzerland) aircraft works wind tunnel  
[F+W-FO-1740] p 277 N86-18304
- CAPONE, F. J.**  
Aerodynamic characteristics of a supersonic fighter aircraft model at Mach 0.40 to 2.47  
[NASA-TP-2580] p 416 N86-23561  
Multistage aircraft control power from thrust vectoring at high angles of attack  
[NASA-TM-87741] p 629 N86-28054
- CARADONNA, F. X.**  
Numerical modeling of rotor flows with a conservative form of the full-potential equations  
[AIAA PAPER 86-0079] p 196 A86-19676  
An experimental investigation of the parallel blade-vortex interaction p 276 A86-26106
- CARALYUS, J.**  
VHF-FM communications antennas for project SINGGARS (UH-1 tail whip and cabin roof bent whip evaluation)  
[AD-A163561] p 524 N86-24883  
VHF-FM communications antennas for project SINGGARS (UH-1 tail whip antenna evaluation)  
[AD-A165897] p 676 N86-29119
- CARBONE, A.**  
Control of interior noise in advanced turbopropeller aircraft p 802 A86-49100
- CARCAILLET, R.**  
Leading edge vortex flow over a 75 degree-swept delta wing Experimental and computational results  
[ONERA, TP NO. 1986-122] p 773 A86-49042
- CARDEN, H. D.**  
Drop testing and analysis of six-foot diameter graphite-epoxy frames p 517 A86-37058
- CARDON, A.**  
The combined effects of stress and moisture on the structural integrity of composites p 667 A86-40344
- CARDRICK, A.**  
The application of fatigue damage tolerance concepts to helicopters - The approach proposed by the UK military airworthiness authorities p 165 A86-18447
- CARDRICK, A. W.**  
The certification of airframes and components in metals and composites p 737 A86-43798
- CARESTIA, R. A.**  
Technology research for strapdown inertial experiment and digital flight control and guidance  
[NASA-CR-176907] p 703 N86-29800
- CAREW-JONES, R.**  
Evolution of real time airborne reconnaissance p 229 A86-19586
- CAREY, R. S.**  
Fatigue properties of Ti-10V-2Fe-03Al p 375 A86-27274
- CARICO, D.**  
Dynamic interface - Conventional flight testing plus a new analytical approach p 163 A86-18405
- CARLSON, H. W.**  
An aerodynamic analysis computer program and design notes for low speed wing flap systems  
[NASA-CR-3675] p 408 N86-23554
- CARLSON, J. H.**  
Onboard simulation - A demonstrated technology breakthrough for cost effective testing and training p 360 A86-28464
- CARLSON, J. R.**  
Evaluation of 3 numerical methods for propulsion integration studies on transonic transport configurations  
[NASA-TM-87727] p 559 N86-27209  
Comparison of experimental surface pressures with theoretical predictions on twin two-dimensional convergent-divergent nozzles  
[NASA-TM-87757] p 697 N86-30694  
Experimental and numerical results for a generic axisymmetric single-engine afterbody with tails at transonic speeds  
[NASA-TM-87755] p 697 N86-30695
- CARLSON, K. D.**  
A direct-inverse method for transonic and separated flows about airfoils  
[NASA-CR-176403] p 89 N86-13300
- CARMICHAEL, R. M.**  
Stability and control of aircraft with manual all-moving tailplanes  
[AIAA PAPER 86-2231] p 829 A86-47692
- CARNELL, B. L.**  
The design and development of new crashworthy seats for Navy helicopters p 494 A86-35662
- CARON, P.**  
Single crystal superalloys for turbine blades in advanced aircraft engines  
[ONERA, TP NO. 1986-102] p 843 A86-49077
- CARPENTER, P. W.**  
A linearized theory for swirling supersonic jets and its application to shock-cell noise p 186 A86-17137  
Features of discrete tones generated by jet flows over Coanda surfaces  
[AIAA PAPER 86-1865] p 691 A86-45485  
The noise emitted by turbulent jets in close proximity to solid surfaces  
[AIAA PAPER 86-1869] p 755 A86-45489
- CARPENTER, T.**  
In-flight thrust determination on a real-time basis  
[NASA-CR-176997] p 641 N86-28937
- CARPER, D. M.**  
Response of composite material shallow arch to concentrated load p 670 A86-41699
- CARR, E.**  
Further applications of the Lucas fan spray fuel injection combustion system  
[ASME PAPER 85-IGT-116] p 302 A86-23912
- CARR, J. E.**  
Blended blown flaps and vectored thrust for low-speed flight  
[AIAA PAPER 84-2199] p 221 A86-20157
- CARR, K. R.**  
Navy aircraft support data systems study: ECAMS/NALCOMIS integration feasibility and procedure  
[DE85-016977] p 192 N86-15003

- CARR, L. A.**  
Presentation of radar altitude information on the HUD  
[SAE PAPER 84-1484] p 298 A86-26007
- CARR, L. W.**  
Computational aspects of unsteady flows  
p 561 N86-27232
- CARR, M. I.**  
Excitation of blade vibration by flow induced acoustic resonances in axial-flow compressors  
p 303 A86-24712
- CARRAWAY, D. L.**  
Advanced boundary layer transition measurement methods for flight applications  
[AIAA PAPER 86-0786] p 500 A86-37083
- CARROLL, J. V.**  
Vectored thrust digital control of ejection seats  
p 218 A86-19318  
Vectored thrust digital flight control for crew escape, volume 1  
[AD-A186580] p 700 N86-29798  
Vectored thrust digital flight control for crew escape, volume 2  
[AD-A186596] p 700 N86-29799
- CARSTENS, V.**  
Theoretical flutter investigations on a plane cascade in incompressible flow  
p 727 N86-30635
- CARTA, F. O.**  
An experimental study of the aerodynamics of incipient torsional stall flutter  
[AIAA PAPER 86-0901] p 553 A86-38912  
Dynamic stall of swept and unswept oscillating wings  
p 560 N86-27226
- CARTER, J. E.**  
Analysis of transitional separation bubbles on infinite swept wings  
[NASA-CR-3956] p 555 N86-26288
- CARTER, W. D., JR.**  
Recent developments in aviation case law  
p 194 A86-18848
- CARTWRIGHT, D. J.**  
Fracture diagrams for stiffened aircraft structures - Effects of material non-linearity  
p 737 A86-43794
- CARUSO, R. J.**  
Real-time circle generation for raster displays  
p 361 A86-28511
- CARVALHO, P.**  
Large-Scale Advanced Prop-Fan (LAP) pitch change actuator and control design report  
[NASA-CR-174788] p 592 N86-27282
- CASALI, J. G.**  
Evaluation of 16 measures of mental workload using a simulated flight task emphasizing mediational activity  
p 395 A86-28864
- CASARELLA, M. J.**  
An experimental study of the flow and wall pressure field around a wing-body junction  
p 337 A86-28637
- CASE, R. I.**  
The design of the EH101 for safety and performance  
p 491 A86-35629
- CASLER, J. G.**  
Testing helicopters for the air-to-air combat role  
p 164 A86-18424
- CASSARINO, S. J.**  
Effects of analytical modeling assumptions on the predicted stability of a model hingeless rotor  
p 490 A86-35805
- CASTAGNOLI, F.**  
Remote sensing of oil on sea: Lidar and passive IR experiments  
p 320 N86-18370
- CASTELLS, O. T.**  
F-14 re-engineing with the F110 engine  
[ASME PAPER 85-GT-184] p 224 A86-22098
- CASTEX, A.**  
Vortex influence on oscillating airfoil at high angle-of-attack  
[AIAA PAPER 86-1837] p 779 A86-49592
- CASTIES, J.**  
The evolution of the cockpit displays in commercial airlines  
p 172 A86-18694
- CASTONA, T. C.**  
A new look at inflight loads on existing transport aircraft  
p 798 A86-47794
- CASTOR, J. G.**  
Preliminary evaluation of a compound cycle engine for shipboard gensets  
[NASA-CR-179451] p 611 N86-26629
- CATHEY, J. J.**  
Control of a high-speed, brushless dc motor driven through a cycloconverter line  
p 386 A86-28372
- CAUGHEY, D. A.**  
Computation of transonic flow about helicopter rotor blades  
p 554 A86-39053  
Aerodynamics of engine-airframe interaction  
[NASA-CR-179657] p 697 N86-30697
- CAUSSIE, S. M.**  
Buckling and final failure of graphite/PEEK stiffener sections  
[AIAA PAPER 86-0921] p 606 A86-38831
- CAVALLINI, A.**  
Stripping and painting a plane - Technological and economic aspects  
p 760 A86-47614
- CAVALLINI, G.**  
Durability and damage tolerance in aircraft design; Proceedings of the Thirteenth Symposium, Pisa, Italy, May 22-24, 1985  
p 706 A86-43778  
Damage tolerance and durability in the design of a short-haul turboprop aircraft  
p 707 A86-43790
- CAVATORTA, E.**  
Gust alleviation on a transport airplane  
p 565 N86-27259
- CAVE, J.**  
Depot maintenance of aviation components: Contractor versus organic repair  
[AD-A182071] p 406 N86-23556
- CAWTHORNE, M.**  
Free-tip-rotor wind-tunnel test results  
p 491 A86-35628
- CAZIER, F. W., JR.**  
Flight test of a decoupler pylon for wing/store flutter suppression  
[AIAA PAPER 86-0730] p 428 A86-32077  
Ground vibration test of the laminar flow control JStar airplane  
[NASA-TM-86398] p 100 N86-13321  
Flight test of a decoupler pylon for wing/store flutter suppression  
[NASA-TM-87787] p 714 N86-29614  
Flight test of passive wing/store flutter suppression  
[NASA-TM-87766] p 806 N86-31566
- CAZIER, F. W., JR.**  
Ground vibration test of an F-16 airplane with modified decoupler pylons  
[NASA-TM-87634] p 496 N86-24685
- CEBECE, T.**  
Calculation of flow over multielement airfoils at high lift  
p 772 A86-49011  
Relative advantages of thin-layer Navier-Stokes and interactive boundary-layer procedures  
[NASA-TM-86778] p 152 N86-15244  
Computational aspects of unsteady flows  
p 561 N86-27232
- CECCHI, G.**  
Remote sensing of oil on sea: Lidar and passive IR experiments  
p 320 N86-18370
- CECCHINI, P.**  
The MRCA automatic test system  
p 407 N86-22538
- CELESTINA, M. L.**  
A model for closing the inviscid form of the average-passage equation system  
[NASA-TM-87199] p 147 N86-14224  
A numerical simulation of the inviscid flow through a counter-rotating propeller  
[NASA-TM-87200] p 207 N86-16195
- CENEDESE, A.**  
Experimental analysis of tip vortex by laser Doppler anemometry  
p 140 A86-16387
- CENKO, A.**  
Evaluation of methods for predicting complex aircraft flowfields  
[AIAA PAPER 86-0396] p 201 A86-19855
- CENTONZE, V.**  
Bird impact testing at AEDC's range S-3  
[AIAA PAPER 86-0818] p 432 A86-32143  
Aircraft transparency testing: Artificial birds  
[AD-A168832] p 701 N86-30704
- CERIOTTI, A.**  
Analytical and experimental results of the ground resonance phenomenon for A.129  
p 291 A86-26142
- CERONI, P.**  
10 years of rotor flows studies at ONERA - State of the art and future studies  
[ONERA, TP NO. 1986-49] p 692 A86-46185
- CERRA, J. J., II**  
Modelling of rigid-body and elastic aircraft dynamics for flight control development  
[AIAA PAPER 86-2232] p 829 A86-47693
- CERRO, J. A.**  
Weights assessment for orbit-on-demand vehicles  
[SAE PAPER 1674] p 515 A86-35217
- CHACON, C. V.**  
Experience with synchronous and asynchronous digital control systems  
[NASA-TM-88271] p 728 N86-29866
- CHADERJIAN, N. M.**  
Computational aspects of zonal algorithms for solving the compressible Navier-Stokes equations in three dimensions  
[NASA-TM-86774] p 88 N86-13296
- Transonic Navier-Stokes wing solutions using a zonal approach. Part 2: High angle-of-attack simulation  
[NASA-TM-88248-PT-2] p 782 N86-32392
- CHAI, G. B.**  
Assessing the effects of delaminations on the postbuckling strength of CRFP panels  
p 743 N86-30781
- CHAKRAVARTHY, S. R.**  
Numerical issues in computing inviscid supersonic flow over conical delta wings  
[AIAA PAPER 86-0440] p 206 A86-22701  
Inviscid and viscous simulations of high angle of attack flows  
[SAE PAPER 861820] p 548 A86-38328
- CHAKRAVARTY, A.**  
Selection of an optimal cost index for airline hub operation  
p 130 A86-14239  
Adaptive flutter suppression in the presence of turbulence  
p 508 A86-35370
- CHALK, C. R.**  
Effects of time delay and pitch control sensitivity in the flared landing  
[AIAA PAPER 86-2075] p 831 A86-47706
- CHAMBERLIN, R.**  
Subscale-model and full-scale engine mixed-flow exhaust system performance comparison  
p 106 A86-14528
- CHAMBERS, J. R.**  
High-angle-of-attack aerodynamics - Lessons learned  
[AIAA PAPER 86-1774] p 777 A86-49578  
Unsteady aerodynamics-fundamentals and applications to aircraft dynamics  
[NASA-TM-86768] p 555 N86-27182
- CHAMIS, C. C.**  
NASA Lewis Research Center/university graduate research program on engine structures  
[ASME PAPER 85-GT-159] p 252 A86-22064  
Computational engine structural analysis  
[ASME PAPER 86-GT-70] p 813 A86-48141
- CHAN, D. C.-L.**  
Model helicopter blade slap at low tip speeds - Theoretical and experimental correlations  
p 535 A86-35621
- CHAN, Y. K.**  
Real time optimal flight path generation by storage of massive data bases  
p 397 A86-26386
- CHANANI, G. R.**  
Spectrum fatigue crack growth behavior of aluminum alloys  
p 450 A86-30006
- CHAND, S.**  
Variation of effective stress range ratio under simple variable amplitude loading  
p 453 A86-30014
- CHANDE, A.**  
Expert systems for real time applications  
p 396 A86-28486
- CHANDHOK, V. K.**  
Advances in P/M titanium shape technology using the ceramic mold process  
p 248 A86-21741
- CHANDLER, R. F.**  
Human injury criteria relative to civil aircraft seat and restraint systems  
[SAE PAPER 851847] p 567 A86-38343  
Upper torso restraint systems  
[SAE PAPER 851848] p 567 A86-38344  
Data for the development of criteria for general aviation seat and restraint system performance  
[SAE PAPER 850851] p 568 A86-38511
- CHANDRA MOULY, M. C.**  
Design considerations for Doppler VOR ground station antenna arrangement  
p 349 A86-26360
- CHANDRA, R.**  
Fatigue crack growth in patched plates under constant amplitude and flight simulation loadings  
p 454 A86-30092
- CHANDRASEKARAN, B.**  
Method for the prediction of the installation aerodynamics of a propfan at subsonic speeds: User manual  
[NASA-CR-178057] p 340 N86-20360  
Evaluation of 3 numerical methods for propulsion integration studies on transonic transport configurations  
[NASA-TM-87727] p 559 N86-27209
- CHANDRASHEKHAR, S.**  
On the methodology of an interactive computer-aided optimal design of a dual-valve linkage  
p 523 A86-36887
- CHANETZ, B. P. G.**  
Experimental investigation of three dimensional separation on an ellipsoid-cylinder body at incidence  
[AIAA PAPER 85-1686] p 143 A86-17636  
Experimental investigation of three dimensional separation on an ellipsoid-cylinder body at incidence  
[AIAA PAPER 85-1686] p 143 A86-17645

- CHANG, H. P.**  
Microburst wind shear models from the Joint Airport Weather Studies (JAWS)  
[AD-A159758] p 324 N86-18910  
Investigation of the dynamic response of aircraft to microburst (JAWS) wind shear p 445 N86-22578  
Analysis of data from NASA B-57B gust gradient program  
[NASA-CR-178736] p 446 N86-23604
- CHANG, H.-P.**  
Wind shear characterization  
[AIAA PAPER 86-0180] p 213 A86-18737
- CHANG, I.-C.**  
The critical role of computational fluid dynamics in rotary-wing aerodynamics  
[AIAA PAPER 86-0336] p 204 A86-19971
- CHANG, J.**  
Gust alleviation using combined control laws  
p 239 A86-22317  
Control law synthesis for gust load alleviation using linear quadratic Gaussian theory p 445 A86-33253  
Control law synthesis for gust load alleviation using linear quadratic Gaussian theory p 728 N86-30651
- CHANG, J. B.**  
Durability and damage-tolerance design and analysis of titanium airframe structures p 454 A86-30091
- CHANG, J. F.**  
Transonic airfoil analysis and design in nonuniform flow  
[NASA-CR-3991] p 480 N86-25328
- CHANG, J.-H.**  
Identification of aeroelastic phenomenon employing bispectral analysis techniques p 740 A86-47124
- CHANG, K. C.**  
Calculation of flow over multielement airfoils at high lift  
p 772 A86-49011  
Relative advantages of thin-layer Navier-Stokes and interactive boundary-layer procedures  
[NASA-TM-86778] p 152 N86-15244
- CHANG, N.**  
Techniques for sortie generation analysis  
[SAE PAPER 851950] p 618 A86-38376
- CHANG, N. N.**  
Support effectiveness evaluation model  
p 263 A86-22398
- CHANG, O.**  
The solution of the thermal elastic-plastic problem of turbine disk by the incremental finite element method  
[ASME PAPER 85-IGT-112] p 317 A86-23909
- CHANRETET, P. Y.**  
Quasi nonstretching hypervelocity jets  
[ISL-CO-236/84] p 153 N86-15254
- CHAPELET, A.**  
First tests of an onboard MLS receiver  
p 484 A86-33988
- CHAPIN, W. G.**  
Evaluation of a quartz bourdon pressure gage of wind tunnel Mach number control system application  
[NASA-TM-88991] p 677 N86-29198
- CHAPMAN, G. T.**  
Nonlinear problems in flight dynamics involving aerodynamic bifurcations p 563 N86-27249
- CHAPPELL, M. A.**  
Advanced turbine engine simulation technique development and applications to testing  
[AIAA PAPER 86-1731] p 649 A86-42818
- CHAPPELL, S. L.**  
Advanced concepts flight simulation facility  
p 446 A86-29916  
Advanced concepts transport aircraft of 1995  
[SAE PAPER 851808] p 490 A86-35438
- CHARLES, J. G.**  
A quiet STOLport? Convincing the public  
p 462 A86-31963
- CHAUMETTE, D.**  
What does the future hold for 1990's new airframe materials  
p 373 A86-26328
- CHAUSSEE, D.**  
PN/S calculations for a fighter W/F at high-lift yaw conditions  
[AIAA PAPER 86-1829] p 779 A86-49588
- CHAUSSEE, D. S.**  
A comparative study of the parabolized Navier-Stokes code using various grid-generation techniques  
p 143 A86-17654  
Numerical simulation of viscous supersonic flow over a generic fighter configuration  
[NASA-TM-86823] p 190 N86-15627  
High speed viscous flow calculations about complex configurations  
[NASA-TM-88237] p 850 N86-31827
- CHAUVEAU, Y.**  
Prediction of the stability performance of a turboreactor combustion chamber  
[SNECMA-YKC-3269/85] p 651 N86-28949
- CHEATWOOD, F. M.**  
Geometrical description for a proposed aeroassist flight experiment vehicle  
[NASA-TM-87714] p 749 N86-31237
- CHEGINI, H.**  
Feasibility of a nuclear gauge for fuel quantity measurement aboard aircraft  
[NASA-TM-87706] p 675 N86-28385
- CHELLMAN, D. J.**  
Ingot metallurgy aluminum - Lithium alloys for aircraft structure  
[AIAA PAPER 86-0890] p 603 A86-38822
- CHEN, C.-L.**  
Trapping of a free vortex by airfoils with surface suction p 780 A86-49801
- CHEN, D. C.**  
An expert planner for the dynamic flight environment  
p 368 A86-28490
- CHEN, F.**  
An experimental investigation of response of a turbojet engine to inlet distortion  
[ASME PAPER 85-IGT-12] p 301 A86-23832  
Experimental investigation on frequency response of a turbojet engine to turbulence-type dynamic distortion  
p 440 A86-30740
- CHEN, F.-J.**  
Comparison of hot-wire measurement techniques in a Mach 3 pilot quiet tunnel p 605 A86-38235  
Effects of wind-tunnel noise on swept-cylinder transition at Mach 3.5  
[AIAA PAPER 86-1085] p 550 A86-38447  
Effects of cone surface waviness and freestream noise on transition in supersonic flow  
[AIAA PAPER 86-1086] p 550 A86-38448
- CHEN, G.-S.**  
Experimental aeroelastic behavior of forward swept graphite/epoxy wings with rigid body freedoms  
[AIAA PAPER 86-0971] p 584 A86-38851
- CHEN, H. P.**  
A study of the static post buckling behavior of composite sandwich plates p 383 A86-27653
- CHEN, J. S.**  
Comparison of two target classification techniques  
p 318 A86-23951
- CHEN, L. T.**  
A transonic wing-body flowfield calculation with improved grid topology p 142 A86-17134
- CHEN, P. C.**  
Oscillating wings and bodies with flexure in supersonic flow Applications of harmonic potential panel method  
p 776 A86-49108
- CHEN, R. T. N.**  
Influence of high-order dynamics on helicopter flight-control system bandwidth p 442 A86-31660
- CHEN, S. S.**  
Fluid forces on two circular cylinders in crossflow  
[DE85-014294] p 124 N86-13704
- CHEN, S. Y.**  
Ground resonance analysis using a substructure modeling approach p 176 N86-15282
- CHEN, T.**  
Some problems in the finite-difference computation of three-dimensional transonic flows p 687 A86-43501
- CHEN, T. K.**  
Frequency domain synthesis of a robust flutter suppression control law p 594 A86-39042
- CHEN, T. S.**  
Sensitivity, noise and optical crosstalk in heterodyne acousto-optical signal processors p 740 A86-46701  
Copolymers of vinyl styrylpyridines or vinyl stilbazoles with bismaleimide  
[NASA-CASE-ARC-11429-1-CU] p 378 N86-20560
- CHEN, Z.**  
A vortex lattice method for jet wing performance with nonlinear wake and tip flow p 205 A86-22311  
Application of adaptive control to aircraft systems  
p 746 A86-43476  
Numerical calculations of inviscid transonic flows over wings p 692 A86-46415
- CHEN, Z. F.**  
Research on active suppression technology for wing/aileron flutter p 835 A86-49096
- CHENG, H.**  
Measurement of turbine blade temperature using pyrometer  
[ASME PAPER 85-IGT-78] p 317 A86-23879
- CHENG, H. K.**  
Symmetry breaking and lift hysteresis arising from massive laminar separation - A study of multiple steady-state solutions p 138 A86-16316
- CHENG, K.**  
Active flutter suppression on a delta wing model structure  
[DFVLR-FB-86-01] p 727 N86-29870
- CHENG, Y. P.**  
Rotorcraft structural dynamic design modifications  
p 289 A86-26117
- CHENOWETH, C. C.**  
Microprocessor controlled and managed fly-by-wire hydraulic actuator p 368 A86-28401
- CHERKASOV, I. D.**  
Stability of a nonlinear stochastic system under periodic excitation p 444 A86-32657
- CHERKASOV, O. I.**  
Stability of the steady-state gliding of a flight vehicle  
p 175 A86-16787
- CHERMAHINI, R. G.**  
Three-dimensional elastic-plastic finite-element analysis of fatigue crack propagation  
[NASA-CR-176415] p 189 N86-14687
- CHERN, E. J.**  
Ultrasonic direct backscattering technique for material surface inspection p 740 A86-47133
- CHERNIAK, A. IA.**  
Some characteristics of structure formation in forged semifinished products of V93pch aluminum alloy  
p 522 A86-35999
- CHERNOV, L.**  
Data on Mi-26 helicopter p 498 N86-25602
- CHERNYTSHOV, V. G.**  
Spatial orientation of an aircraft during the execution of lateral maneuvers p 175 A86-18987
- CHERTOK, V. B.**  
The oxygen equipment of passenger aircraft  
p 166 A86-18740
- CHEVALIER, P.**  
Experimental and numerical study of the response of an axial compressor to distorted inlet flow  
[ONERA, TP NO. 1986-38] p 644 A86-40736
- CHEVET, F.**  
The thermo-mechanical processing during closed die forging - A method of improving aeronautical materials  
p 380 A86-26336
- CHI, R. M.**  
Separated flow unsteady aerodynamic theory  
p 85 A86-14529
- CHIAO, S.**  
Finite element analysis and optimum design of semi-monocoque airframe structures. I - Finite element analysis p 847 A86-48656
- CHIEN, L. C.**  
Wind shear induced by solitary waves in the lower atmosphere  
[IAF PAPER 85-410] p 125 A86-15886
- CHIKINA, O. K.**  
The effect of a perforated wall on incompressible flow past a U-shaped vortex p 81 A86-13406
- CHILDERS, S.**  
Evaluation of the effects of a plastic bead paint removal process on properties of aircraft structural materials  
[AD-A165289] p 603 N86-26384
- CHILDS, R. E.**  
Unsteady three-dimensional simulations of a VTOL upwash fountain  
[AIAA PAPER 86-0212] p 200 A86-19753  
Lift augmentation via spanwise tip blowing - A numerical study  
[AIAA PAPER 86-0474] p 202 A86-19893
- CHILES, H. R.**  
Development of a temperature-compensated hot-film anemometer system for boundary-layer transition detection on high-performance aircraft  
p 605 A86-38236
- CHIMENTI, D. E.**  
Advanced quantitative methods for nondestructive evaluation p 519 N86-25376
- CHIN, H. H.**  
Understanding natural language commands  
p 263 A86-20667
- CHIN, J.**  
Unusual aerodynamics of X-29 p 426 A86-31332
- CHINADURAI, R.**  
Fatigue crack propagation from an inclined crack under combined mode loading p 450 A86-30013
- CHINZEI, N.**  
Spreading of two-stream supersonic turbulent mixing layers p 546 A86-37901
- CHIOCCHIA, G.**  
Exact solutions to transonic and supersonic flows  
p 154 N86-15260
- CHIPMAN, R.**  
Control of a forward-swept-wing configuration dominated by flight dynamic/aeroelastic interactions  
p 239 A86-20237
- CHISHOLM, J. P.**  
Development and flight test of a helicopter, X-band, portable precision landing system concept  
p 485 A86-35608

- CHISTIAKOVA, M. V.**  
Experimental study of gas flow around blunt objects  
p 85 A86-15980
- CHITSOMBOON, T.**  
Investigation of chemically-reacting supersonic internal flows  
[NASA-CR-176363] p 188 N86-14532
- CHMELA, A. C.**  
Storm precipitation and wind structure during aircraft strike lightning events  
[AD-A162338] p 463 N86-24100
- CHMIELEWSKI, G. E.**  
Three-dimensional transonic flow computations on simple skewed grids  
[AIAA PAPER 86-1794] p 778 A86-49581
- CHO, T.**  
Computation of three dimensional potential flow around a finite wing with a leading-edge discontinuity at high angle of attack  
p 341 N86-21504
- CHO, Y. I.**  
Sound generation by flow over relatively deep cylindrical cavities p 129 A86-16058  
Fundamental study of flow field generated by rotorcraft blades using wide-field shadowgraph  
[NASA-CR-176443] p 152 N86-15249
- CHOATE, W. C.**  
New class of features for pattern recognition and image analysis p 465 A86-32371
- CHOI, D.**  
Identification of aeroelastic phenomenon employing bispectral analysis techniques p 740 A86-47124
- CHOPRA, I.**  
Dynamic stability of hingeless and bearingless rotors in forward flight p 366 A86-27662  
Gust response of hingeless rotors p 576 A86-37772  
Flap-lag-torsion stability in forward flight p 177 N86-15296  
Dynamic stability of a bearingless circulation control rotor blade in hover p 177 N86-15297
- CHORY, A.**  
Transmission acoustic vibration testing  
[AD-A159022] p 101 N86-13326
- CHORY, A. G.**  
Drive train simulation requirements for development of helicopter overrunning clutches p 186 A86-17071
- CHOU, J.-G.**  
Finite element analysis and optimum design of semi-monocoque airframe structures. I - Finite element analysis p 847 A86-48656
- CHOU, S. T.**  
Helicopter tail rotor noise analyses  
[NASA-CR-176829] p 536 N86-26163
- CHOU, S.-T.**  
A comparative study of tail rotor noise mechanisms p 534 A86-35618  
Helicopter tail rotor noise p 750 A86-45401  
Broadband noise of propellers and rotors p 855 A86-48596
- CHOU, T.-W.**  
Analytical and experimental studies of textile structural composites p 377 A86-27652
- CHOUDHURY, P. R.**  
A novel feedback concept for combustion instability in ramjets p 665 N86-28236
- CHOW, C. Y.**  
Numerical studies of porous airfoils in transonic flow  
[NASA-CR-179655] p 697 N86-30696
- CHOW, C.-Y.**  
Trapping of a free vortex by airfoils with surface suction p 780 A86-49801
- CHOW, R. R.**  
An improved viscid/inviscid interaction procedure for transonic flow over airfoils  
[NASA-CR-3805] p 87 N86-12208
- CHOW, W. K.**  
Automated pole placement algorithm for multivariable optimal control synthesis  
[AIAA PAPER 86-2196] p 852 A86-47476
- CHOY, F. K.**  
Nonlinear dynamics or rotor/blade/casing rub interactions  
[ASME PAPER 86-DE-6] p 818 A86-49620
- CHRIST, K. A.**  
A comparison of voice and keyboard data entry for a helicopter navigation task  
[AD-A163245] p 610 N86-26501
- CHRISTENSEN, K. L.**  
Solid fuel gas generator air  
[AIAA PAPER 86-1682] p 649 A86-42792
- CHRISTENSEN, W. D.**  
The F-16 aircraft and hydrazine - An industrial hygiene perspective  
[SAE PAPER 851971] p 568 A86-38381
- CHRISTIAN, T. F., JR.**  
Impact of loads recording methodology on crack-growth-based individual aircraft tracking p 162 A86-17790  
Operational experience of U.S. Air Force with structural composites  
[AIAA PAPER 86-0946] p 583 A86-38840  
A study of cracking in the pressure bulkhead of a military transport aircraft  
[AIAA PAPER 86-0983] p 584 A86-38861
- CHRISTIANSEN, R. H.**  
The FAA Automated Weather Observing System (AWOS) p 613 A86-37459
- CHRISTIANSEN, R. S.**  
Estimation of lift losses of hovering vehicles using a single jet  
[SAE PAPER 851842] p 579 A86-38339
- CHRISTIE, T. J.**  
Design for engine supportability  
[AIAA PAPER 86-1671] p 648 A86-42784
- CHRISTODOULOU, T.**  
Endurance increase by cyclic control p 221 A86-20235  
Reducing fuel consumption by cyclic control p 832 A86-48991
- CHRISTOPHE, J. M.**  
The F2 wind tunnel of the Fauga-Mauzac Test Center  
[ONERA, TP NO. 1986-104] p 839 A86-49075
- CHU, J.**  
Summary of a high subsonic force/pressure experiment for 58 deg cambered/twisted thick delta wings  
[AIAA PAPER 86-0169] p 200 A86-19730
- CHU, L.-C.**  
Finite-volume and integral-equation techniques for transonic and supersonic vortex-dominated flows p 774 A86-49045
- CHU, T. X.**  
A method for numerical analysis of the aerodynamic characteristics of an aeroplane wing in the subcritical range of the flying velocity p 83 A86-13933
- CHUANG, A.**  
Influence of numerical dissipation in computing supersonic vortex-dominated flows  
[AIAA PAPER 86-1073] p 549 A86-38439  
Finite-volume and integral-equation techniques for transonic and supersonic vortex-dominated flows p 774 A86-49045
- CHUGUNOV, V. L.**  
The oxygen equipment of passenger aircraft p 166 A86-18740
- CHUN, W. X.**  
The development of Z-2 Remotely Piloted Helicopter p 575 A86-37328
- CHUNG, S. Y.**  
Formal optimization of hovering performance using free wake lifting surface theory  
[NASA-CR-177103] p 640 N86-28935
- CHUVASHEV, S. N.**  
Radiative gasdynamic processes in imploding discharges in a plasmodynamic magnetoplasma compressor p 129 A86-13031
- CHYLA, A.**  
Statistical analysis of the influence of service parameters on the aeroacoustic effects p 712 A86-45750
- CHYU, M. K.**  
Clearance effects on heat transfer at the tips of plain and grooved turbine airfoils p 644 A86-40737
- CIELO, P.**  
A fiber optic damage monitor p 670 A86-41805
- CIEPLUCH, C. C.**  
Progress in the Lewis Research Center Altitude Wind Tunnel (AWT) Modeling Program  
[NASA-TM-87194] p 242 N86-16233
- CIOFFI, F.**  
Experimental analysis of tip vortex by laser Doppler anemometry p 140 A86-16387
- CIPRANDI, M.**  
Fracture toughness characterization of light alloys for aeronautical use p 114 A86-12761
- CIUFFREDA, K. J.**  
Advanced simulator for pilot training: Effects of collimation on accommodation and vergence  
[AD-A159545] p 181 N86-14279
- CLAPP, R. E.**  
Piloting of unmanned air vehicles p 726 A86-46716  
Problems of the visual display in flight simulation p 731 A86-46719
- CLAPP, W. M.**  
Dirigible airships for Martian surface exploration  
[AAS 84-176] p 372 A86-28802
- CLARK, B. J.**  
Preliminary results of unsteady blade surface pressure measurements for the SR-3 propeller  
[AIAA PAPER 86-1893] p 780 A86-49625
- Preliminary results of unsteady blade surface pressure measurements for the SR-3 propeller  
[NASA-TM-87352] p 559 N86-27213
- CLARK, C.**  
F-14A low altitude, low airspeed, high angle of attack asymmetric thrust flight test program p 222 A86-21053  
Navy departure/spin and air combat maneuvering evaluation of a National Aeronautics and Space Administration developed flight control system for the F-14 p 724 A86-44944
- CLARK, D. R.**  
Analysis of the wing/rotor and rotor/rotor interactions present in tilt-rotor aircraft p 353 A86-27657  
Application of CFD design technology in development of the JVX engine inlet p 502 A86-35612
- CLARK, J.**  
Potential of composite materials to replace chromium, cobalt and manganese in critical applications  
[PB86-123965] p 451 N86-22651
- CLARK, J. W., JR.**  
Results of piloted simulation of Grumman Design 698  
[SAE PAPER 851846] p 579 A86-38342  
CTOL ski jump - Analysis, simulation, and flight test p 637 A86-40113
- CLARK, M.**  
Multi shaker modal testing using a modified transient random excitation p 740 A86-47107
- CLARK, R.**  
Mean flow properties measured around an aerofoil close to its maximum lift p 140 A86-16395
- CLARK, R. W.**  
Calculation of flow over multielement airfoils at high lift p 772 A86-49011
- CLARK, S. K.**  
Development of an operating profile for aircraft tires  
[FAA/CT-85-32] p 677 N86-29218
- CLARK, T. M.**  
Improved temperature resistant sealants for composite & adhesive bonded fuel-tank structures p 248 A86-21736
- CLARK, W. H.**  
Identification of longitudinal acoustic modes associated with pressure oscillations in ramjets p 591 A86-39079
- CLARKE, J.**  
Airborne radar. I - Air-to-surface p 296 A86-23293
- CLARY, G. R.**  
Development and flight test of a helicopter, X-band, portable precision landing system concept p 485 A86-35608
- CLAUDE, D.**  
Decoupling of nonlinear systems, noncommutative generatrix series, and Lie algebras p 618 A86-37395
- CLAUSEN, P. R.**  
A radar analysis program for evaluating and monitoring primary and secondary radar systems p 423 A86-32601
- CLEEK, N. H.**  
Light helicopter family trade-off analysis. Volume 4: Appendix N  
[AD-A158075] p 168 N86-15306  
Light helicopter family trade-off analysis. Volume 7: Appendix R  
[AD-A158076] p 168 N86-15307  
Light helicopter family trade-off analysis. Volume 8: Appendices S and T  
[AD-A158077] p 169 N86-15308  
Light helicopter family trade-off analysis. Volume 10: Appendices V, W, X, and Z  
[AD-A158079] p 169 N86-15309
- CLEMA, J. K.**  
Expert systems for real time applications p 398 A86-28486
- CLEMENT, W. F.**  
Realtime piloted simulation investigation of helicopter flying qualities during approach and landing on nonaviation ships  
[AIAA PAPER 86-0490] p 365 A86-26642
- CLER, A.**  
Recent advances in helicopter aerodynamics  
[ONERA, TP NO. 1985-166] p 273 A86-24642  
Theoretical and experimental analysis of separations on helicopter fuselages  
[AAAF PAPER NT 85-08] p 766 A86-48458
- CLEVELAND, W. B.**  
Effects of simulator variations on the fidelity of a UH-60 Black Hawk simulation p 596 A86-37178
- CLEVENSON, S. A.**  
Structureborne noise in aircraft: Modal tests  
[NASA-TM-87739] p 757 N86-31339
- CLEVER, W. C.**  
Nonlinear potential analysis techniques for supersonic-hypersonic aerodynamic design  
[NASA-CR-172299] p 417 N86-23569



- CLIFFORD, A. W.**  
Adhesive bonding of aluminium-lithium alloys p 680 A86-40287
- CLIFFORD, W. M.**  
Automating knowledge acquisition in a flightline robot [AD-A163629] p 525 N86-24997
- CLINE, P. A.**  
Airport noise control strategies [AD-A167977] p 840 N86-31602
- CLODFELTER, R. G.**  
Aircraft mishap fire pattern investigations [AD-A161094] p 344 N86-21528
- CLYMER, A. B.**  
All about simulators, 1984: Proceedings of the Simulators Conference, Norfolk, VA, April 18-20, 1984 p 484 A86-31252
- COCKING, H.**  
The design of an advanced engineering gearbox The gearbox configuration analysis p 320 A86-26155 p 521 A86-35611
- COCKING, J. L.**  
Protecting gas turbine components - The relative durability of a conventional and a platinum-modified aluminide coating p 114 A86-13005
- CODY, W. J.**  
Manned simulation studies of aircrew workload in the F-15 dual role fighter p 158 A86-18454
- COE, H. H.**  
Lubrication and performance of high-speed rolling-element bearings p 248 A86-19375
- COE, P. L., JR.**  
Low-speed wind-tunnel tests of single- and counter-rotation propellers [NASA-TM-87656] p 415 N86-22552  
Low-speed stability and control characteristics of a transport model with aft-fuselage-mounted advanced turboprops [NASA-TP-2535] p 445 N86-22580
- COEN, P. G.**  
Computer sizing of fighter aircraft [AIAA PAPER 85-0212] p 637 A86-40106
- COENE, R.**  
Elements of the aerodynamic theory of cyclogyro wing systems with concentrator effects [VTH-LR-338] p 279 N86-19294
- COFFEY, T. F.**  
Space-based bistatic radar - Opportunity for future tactical air surveillance p 423 A86-32627
- COFFINBERRY, G. A.**  
Method for improving the fuel efficiency of a gas turbine engine [NASA-CASE-LEW-13142-2] p 364 N86-20389
- COGGESHALL, R. L.**  
Composite material service experience on Boeing commercial airplanes [AIAA PAPER 86-0947] p 603 A86-38841  
The 737 graphite composite flight spoiler flight service evaluation [NASA-CR-172600] p 314 N86-18448  
Environmental exposure effects on composite materials for commercial aircraft [NASA-CR-177929] p 314 N86-18449
- COHEN, I. D.**  
Some microphysical processes affecting aircraft icing [AD-A160375] p 325 N86-18921
- COHEN, R.**  
Helicopter cockpit avionics development or the advanced transport and next generation aircraft p 171 A86-18461
- COHEN, S.**  
Fuel deposit characteristics at low velocity [ASME PAPER 85-IGT-130] p 313 A86-23922
- COHEN, V.**  
The risk to third party personnel from RPV operations p 566 A86-37327
- COWIER, W. J.**  
Aerodynamic measurements of an airfoil with simulated glaze ice [AIAA PAPER 86-0484] p 202 A86-19897
- COLAMOSCA, B. F.**  
Setting acceptable levels of safety for the National Airspace System p 481 A86-33780
- COLE, J. D.**  
Transonic wave drag estimation and optimization using the nonlinear area rule [AIAA PAPER 86-1798] p 778 A86-49582  
Early transonic ideas in the light of later developments [AD-A159101] p 153 N86-15250
- COLE, J. E., III**  
Structureborne noise investigations of a twin engine aircraft [AIAA PAPER 86-1905] p 710 A86-45406
- COLE, P. E.**  
Interactive graphics for geometry generation - A program with a contemporary design p 192 A86-17781
- COLE, S. R.**  
Divergence study of a high-aspect ratio, forward-swept wing [AIAA PAPER 86-0009] p 219 A86-19632  
Divergence study of a high-aspect ratio, forward-swept wing [NASA-TM-87682] p 588 N86-27279
- COLLEY, R. H.**  
Engineer's Guide to Titanium Castings p 382 A86-27203
- COLLINS, D. J.**  
Multi-input multi-output automatic design synthesis for performance and robustness p 618 A86-39034  
Automated pole placement algorithm for multivariable optimal control synthesis [AIAA PAPER 86-2198] p 852 A86-47476  
Application of eigenstructure assignment to design of robust decoupling controllers in MIMO systems [AIAA PAPER 86-2248] p 825 A86-47493
- COLLINS, W. R.**  
A high-order language for a system of closely coupled processing elements [NASA-CR-177280] p 619 N86-27930
- COLTMAN, J. W.**  
Evaluation of the crash environment and injury-causing hazards in U.S. Navy helicopters p 419 A86-32070  
Crash-resistant crewseat limit-load optimization through dynamic testing with cadavers [AD-A164828] p 569 N86-26298
- COLTON, R. F.**  
Thin film electroluminescent (TFEL) display optimized for cockpit applications p 456 A86-32321
- COMBLEY, J. R.**  
Experience with flight testing integrated avionics systems [AIAA PAPER 86-9804] p 431 A86-32133
- CONDAMINAS, A.**  
The A-320 aerodynamics. The turboreactor air inlet [NOTE-427.021/86] p 806 N86-31587
- CONDON, P.**  
What technologies await the future airliner? p 405 A86-31038  
Fighter power for the 1990s p 816 A86-48369
- CONG, M.**  
An experimental investigation of response of a turbojet engine to inlet distortion [ASME PAPER 85-IGT-12] p 301 A86-23832  
Experimental investigation on frequency response of a turbojet engine to turbulence-type dynamic distortion p 440 A86-30740
- CONIGLIARO, P.**  
F-14A low-altitude asymmetric thrust simulation and flight test program p 795 A86-47785
- CONIGLIARO, P. E.**  
F-14A low altitude high angle of attack simulation and flight test program [AIAA PAPER 86-9774] p 430 A86-32109
- CONNERS, S. P.**  
Aircrew dose and engine dust ingestion from nuclear cloud penetration [AD-A159246] p 101 N86-13327
- CONNOR, A. B.**  
Wind-tunnel acoustic results of two rotor models with several tip designs [NASA-TM-87698] p 682 N86-28701
- CONNOR, T. L.**  
Area equivalent method (AEM) on VISICALC and LOTUS 1-2-3 - The Federal Aviation Administration's spreadsheet programs for predicting noise exposure contour areas around an airport p 853 A86-48595
- CONNOR, W. K.**  
Characteristics of back-radiated departure noise at San Francisco International Airport p 467 A86-31960
- CONNORS, M. P.**  
Evaluation of a pre-ejection upper torso retraction device p 793 A86-47728
- CONVERSE, G. L.**  
Extended parametric representation of compressor fans and turbines. Volume 1: CMGEN user's manual [NASA-CR-174645] p 480 N86-23938  
Extended parametric representation of compressor fans and turbines. Volume 3: MODFAN user's manual (parametric modulating flow fan) [NASA-CR-174647] p 461 N86-23938
- COOK, A. M.**  
Simulation world moves up to V/STOL p 112 A86-14248
- COOK, C. E.**  
A technique to evaluate the accessibility of airborne receivers to interfering signals p 572 A86-37555  
A computer model to evaluate airborne receiver performance in interference environments p 703 A86-43862
- COOK, G.**  
Comparison of performance characteristics of DDC algorithms implemented on a microprocessor p 263 A86-20618
- COOK, M. V.**  
The estimation of the stability and control characteristics of a canard configured combat aircraft having a forward swept wing p 834 A86-49056  
A programme of research into the aerodynamics, stability and control characteristics of a combat aircraft having a forward swept wing p 357 N86-21533
- COOLEY, W. W.**  
Atmospheric electricity hazards threat environment definition [AD-A159739] p 324 N86-18909
- COOPER, E. D.**  
Design of a twin-engine short-haul commuter aircraft for the 1990s [AIAA PAPER 86-0077] p 219 A86-19674
- COOPER, G. K.**  
A computational fluid dynamics evaluation of test cell recirculation effects on high-bypass turbofan engine surface pressure distributions [AIAA PAPER 86-1384] p 655 A86-42606
- COOPER, J.**  
Digital control loading and motion - The final word? p 732 A86-46149
- COOPER, J. E.**  
Comparison of some time domain methods for structural system identification p 457 A86-33279
- COOPER, M.**  
An environmental aerodynamic test system for low-Reynolds-number applications p 138 A86-18315
- COOPER, R. S.**  
X-aircraft for world leadership in aeronautics p 405 A86-31330
- COORENS, J. J.**  
Flight data recorders (FDR) and/or cockpit Voice Recorders (CVR) in the Lockheed Orion P-3C Update 2 [ETN-86-97395] p 811 N86-31581
- COPENHAVER, W. W.**  
Compressor research facility F100 high pressure compressor inlet total pressure and swirl profile simulation [AD-A157108] p 107 N86-12229
- COPLEY, J. C.**  
The design and wind tunnel demonstration of an active control system for gust load alleviation and flutter suppression p 445 A86-33251  
The design and wind tunnel demonstration of an active control system for gust load alleviation and flutter suppression p 728 N86-30650
- CORMERY, G.**  
Tomorrow ... Concorde's successor? p 293 A86-26299
- CORNELIUS, K. C.**  
Laser velocimetry in highly three-dimensional and vortical flows p 557 N86-27197
- CORNELL, C. C.**  
Experimental and theoretical study of propeller spinner/shank interference [NASA-CR-176954] p 894 N86-29773
- CORNISH, A. J.**  
The development of aluminum-lithium alloys for aerospace applications p 451 N86-22816
- CORPS, S. G.**  
A320 flight controls p 724 A86-44946
- CORSE, C.**  
A comparison of the effects of two traffic alert and collision avoidance systems (TCAS 3 and TCAS 2) on the performance of the Air Traffic Control Radar Beacon System [DOT/FAA/PM-86/8] p 636 N86-28930
- CORSENTINO, D. L.**  
A flight evaluation of a digital electronic engine control p 299 A86-23273
- CORSO, J. J.**  
Drive train simulation requirements for development of helicopter overrunning clutches p 186 A86-17071
- CORT, A.**  
Wide-angle, low-altitude flight simulator vision system for cockpit research and aircrew training p 180 A86-18453  
Wide-angle, low-altitude flight simulator vision system for cockpit research and aircrew training p 311 A86-26152
- COSENTINO, G. B.**  
Numerical optimization design of advanced transonic wing configurations p 356 A86-28562
- COSTES, B.**  
Requirements and recommendations for the development of theoretical codes and experimental facilities in the near future [ONERA, TP NO. 1986-10] p 731 A86-46155

- COSTES, C.**  
Unsteady stall modelling in three-dimensional flow  
p 409 A86-32154
- COSTES, J. J.**  
Unsteady stall modelling in three-dimensional flow  
p 409 A86-32154
- COSTES, M.**  
Studies of the aerodynamics of flaps and spoilers in unsteady flow  
[ONERA, TP NO. 1985-149] p 272 A86-24627  
Steady and unsteady investigations of spoiler and flap aerodynamics in two dimensional subsonic flows  
[ONERA, TP NO. 1986-101] p 776 A86-49106
- COTE, J.**  
Experimental study of the effect of turbulence on dynamic stalling  
p 565 N86-27264
- COTNER, D. L.**  
Computer program for performance prediction of tandem-rotor helicopters  
[AD-A159193] p 167 N86-14266
- COTTRELL, D.**  
Investigation of an advanced fault tolerant integrated avionics system  
[NASA-CR-176980] p 642 N86-28945
- COTTRELL, D. E.**  
Technology research for strapdown inertial experiment and digital flight control and guidance  
[NASA-CR-176907] p 703 N86-29600
- COUAILLIER, V.**  
Solution of the Euler equations - Explicit schemes acceleration by a multigrid method  
[ONERA, TP NO. 1985-129] p 142 A86-17627
- COUCH, P. R.**  
High speed fiber optic data bus for avionics integration  
p 385 A86-28342
- COUCHMAN, D. A.**  
Faulty cockpit communication as a factor in the failure of flight 90  
[SAE PAPER 851859] p 482 A86-35452
- COUCOULES, J. S.**  
Study of the effects of discretizing quantitative feedback theory analog control system designs  
[AD-A164209] p 533 N86-25174
- COUEDOR, C.**  
Identification of unsteady response in rudders at low velocities  
[AAAF PAPER NT 85-19] p 797 A86-48466
- COUGHERTY, F. C.**  
On applications of chimera grid schemes to store separation  
[NASA-TM-88193] p 88 N86-13292
- COUNTS, R. L.**  
Long range planning for flight test support  
[AIAA PAPER 86-9744] p 406 A86-32086
- COUPRY, G.**  
Progress in the analysis of atmospheric turbulence  
[ONERA, TP NO. 1985-164] p 323 A86-24631  
Aeroelasticity today and tomorrow  
[ONERA, TP NO. 1986-105] p 800 A86-48976  
Critical analysis of turbulence restitution from acceleration measurements  
[ONERA-RT-3/3567-RY-C40-R] p 227 N86-17340
- COURTHEYN, T. L.**  
Multivariable control law design for the X-29 aircraft  
p 369 A86-28510
- COUSTEIX, J.**  
Theoretical and experimental study of low Reynolds number transitional separation bubbles  
p 137 A86-16310  
Three-dimensional and unsteady boundary-layer computations  
p 336 A86-29415  
Reduction of turbulent drag - Turbulence manipulators  
[AAAF PAPER NT 85-04] p 766 A86-48455
- COUSTOLS, E.**  
Transition to three-dimensional flow and laminarization of the boundary layer on a swept-back wing  
[AAAF PAPER NT 85-03] p 766 A86-48454  
Reduction of turbulent drag - Turbulence manipulators  
[AAAF PAPER NT 85-04] p 766 A86-48455
- COUTOR, S.**  
Cooling techniques for turbojet pre-heater channels  
p 741 N86-29847
- COVELL, P. F.**  
An evaluation of leading-edge flap performance on delta and double-delta wings at supersonic speeds  
[AIAA PAPER 86-0315] p 201 A86-19808  
An overview of the fundamental aerodynamics branch's research activities in wing leading-edge vortex flows at supersonic speeds  
p 558 N86-27207
- COVERSE, G. L.**  
Extended parametric representation of compressor fans and turbines. Volume 2: Part user's manual (parametric turbine)  
[NASA-CR-174846] p 461 N86-23937
- COVERT, E. E.**  
Thrust and drag: Its prediction and verification  
p 96 A86-14161
- COWLES, B. A.**  
Fracture mechanics of multiple crack initiations. An application for fracture mechanics analysis of gas turbine engine disks  
[AD-A162996] p 442 N86-23601
- COX, B. H.**  
Jet engine operating and support cost estimating relationship development  
[AD-A161683] p 364 N86-21547
- COX, C. R.**  
FAA/HAI helicopter flight operations noise tests and initial results  
p 535 A86-35619
- COX, T. H.**  
Ground vibration test results for Drones for Aerodynamic and Structural Testing (DAST)/Aeroelastic Research Wing (ARW-1R) aircraft  
[NASA-TM-85906] p 294 N86-19312
- COY, J. J.**  
Fatigue life analysis of a turboprop reduction gearbox  
[ASME PAPER 85-DET-10] p 738 A86-45256  
Generation of spiral bevel gears with zero kinematical errors and computer aided tooth contact analysis  
[NASA-TM-87273] p 527 N86-25793
- COYLE, R. A.**  
An analysis of acoustic emission detected during fatigue testing of an aircraft  
p 670 A86-41596
- COYNE, J. P.**  
Bringing on the B-1B  
p 621 A86-41276
- COZAR, R.**  
The development of high strength stainless steels for the aeronautical industry  
p 373 A86-26337  
Properties and potential aerospace applications of E Z 3 CNDA 13-06 steel. II  
p 374 A86-26336
- CRAIG, D. K.**  
The airline engineering role in the management of safety  
p 762 A86-49084
- CRAIG, H. M.**  
Cold flow and combustion experiments with a new burner air distribution concept  
[ASME PAPER 85-GT-40] p 235 A86-22029
- CRAIG, J. I.**  
Rotorcraft structural dynamic design modifications  
p 289 A86-26117  
Crashworthy design of rotorcraft - A basic research approach  
p 494 A86-35665
- CRAIG, T. J.**  
The vibration and stability of symmetrically-laminated composite rectangular plates subjected to in-plane stresses  
p 739 A86-45694
- CRAMER, B. M.**  
Axial-flow fan stalling behavior with circumferential inlet sectoring  
[AIAA PAPER 86-1622] p 626 A86-42756
- CRAMER, R. G., JR.**  
Aeroelastic model helicopter rotor testing in the Langley TDT  
p 163 A86-18402
- CRANE, P. M.**  
Flight training simulators. Effects of terrain accuracy on simulated radar image quality  
[AD-A160905] p 311 N86-18333  
Flight simulator: Comparison of resolution thresholds for two light valve video projectors  
[AD-A164577] p 596 N86-26344
- CRAWFORD, G. M.**  
Direction of R and D and current status of understanding of advanced gear steels  
p 666 N86-29245
- CRAWFORD, J. T.**  
Detection and isolation of control surface effectiveness failures in high performance aircraft  
p 367 A86-28392  
Robust detection-isolation-accommodation for sensor failures  
[NASA-CR-174797] p 255 N86-16486
- CRAWFORD, P. J.**  
Managing airworthiness  
p 785 A86-49035
- CRAWLEY, E. F.**  
Analytical and experimental investigation of the coupled bladed disk/shaft whirl of a cantilevered turbofan  
[ASME PAPER 86-GT-98] p 813 A86-48163
- CRAYFORD, T. E.**  
A solid-state map display for rapid response operation  
p 589 N86-26323
- CREBER, D.**  
Deformation and fracture in Al-Li base alloys  
p 661 A86-40312
- CREDEUR, L.**  
Advanced ATC - An aircraft perspective  
p 788 A86-49637
- CREEL, T. R., JR.**  
Effects of wind-tunnel noise on swept-cylinder transition at Mach 3.5  
[AIAA PAPER 86-1085] p 550 A86-38447
- Effects of cone surface waviness and freestream noise on transition in supersonic flow  
[AIAA PAPER 86-1086] p 550 A86-38448
- CRESPIN, M.**  
Optimum helicopter in the flight spectrum  
p 290 A86-26123
- CRISPODASHVA, M. R. M.**  
Flap-lag-torsional dynamics of helicopter rotor blades in forward flight  
[NASA-CR-176976] p 714 N86-29810
- CREWS, J. H., JR.**  
Strength of graphite/epoxy bolted wing-skin splice specimens subjected to outdoor exposure under constant load and yearly fatigue loading  
[NASA-TP-2542] p 378 N86-20506
- CRIGHTON, D. G.**  
Theoretical prediction of single rotation propeller noise  
[AIAA PAPER 86-1891] p 756 A86-45503
- CRISPOLTI, F.**  
Safety aspects in stores management systems  
p 290 A86-26132
- CRITES, C. D.**  
A review of pilot workload measurement techniques used on the A-10 single seat night attack test program  
[SAE PAPER 841492] p 327 A86-26016  
Computer-aided cockpit workload analysis for all weather, multirole tactical aircraft  
[SAE PAPER 851876] p 499 A86-35439
- CROASDALE, J. R.**  
Real-time flight test PCM data acquisition monitor  
[AD-A164035] p 524 N86-24897
- CROCKER, M. J.**  
The effect on the transmission loss of a double wall panel of using helium gas in the gap  
p 855 A86-48590  
Investigation of the level difference between sound pressure and sound intensity in an aircraft cabin under different fuselage conditions  
p 799 A86-48738
- CROMER, O. M.**  
A distributed, fault-tolerant implementation of the airborne digital map using VLSI common programmable modules  
p 349 A86-26337
- CRONKHITE, J. D.**  
Tilt rotor crashworthiness  
p 493 A86-35661
- CROOM, C. C.**  
Advanced boundary layer transition measurement methods for flight applications  
[AIAA PAPER 86-9786] p 500 A86-37063  
A new method for laminar boundary layer transition visualization in flight: Color changes in liquid crystal coatings  
[NASA-TM-87686] p 342 N86-21516
- CROSSY, J. K.**  
Factors relating to deterioration based on Rolle-Royce RB 211 in service performance  
p 643 A86-40730
- CROSS, A. G. T.**  
Boundary layer calculation and viscous-inviscid coupling  
p 773 A86-49031
- CROSS, J. L.**  
The NASA modern technology rotors program  
[AIAA PAPER 86-9788] p 440 A86-32120  
RSRA flight development test in the airplane configuration  
p 493 A86-35653
- CROWELL, T. H.**  
Aircraft avionics suitable for advanced approach applications. Volume 1: Aircraft fleet equipage  
[DOT/FAA/PM-86/25.1] p 642 N86-26944
- CROUCH, J. D.**  
Oscillating hot-wire measurements above an FX83-137 airfoil  
[AIAA PAPER 86-0012] p 196 A86-19635
- CROWDER, O. P.**  
Wake imaging system applications at the Boeing Aerodynamics Laboratory  
[SAE PAPER 851895] p 606 A86-38358
- CRUES, Z.**  
An explicit adaptive flight control system based on the modified gain extended Kalman filter  
[AIAA PAPER 86-2158] p 823 A86-47465
- CRUMP, J. E.**  
Longitudinal combustion instabilities in ramjet engines  
Identification of acoustic modes  
p 440 A86-31586
- CRUSE, T. A.**  
Advanced topics in boundary element analysis; Proceedings of the Winter Annual Meeting, Miami Beach, FL, November 17-22, 1985  
p 520 A86-34442
- CRUZ, R. E.**  
An application of adaptive learning to malfunction recovery  
[NASA-CR-166820] p 533 N86-25169
- CRUZE, S. P.**  
Monopole element at the center of a circular groundplane of arbitrary radius. Volume 1: Theory and results  
[AD-A166991] p 744 N86-30906

## CUESTA, M.

Maneuvers for aircraft noise reduction in takeoff, climb, and landing approach operations p 487 A86-31010

## CUI, Z.

Calculation of misalignment error of multi-joint holes of wing to fuselage p 253 A86-22318

## CULICK, F. E. C.

Nonlinear analysis of pressure oscillations in ramjet engines [AIAA PAPER 86-0001] p 363 A86-26601

Longitudinal combustion instabilities in ramjet engines Identification of acoustic modes p 440 A86-31586

Nonlinear analysis of pressure oscillations in ramjet engines p 659 N86-28240

## CULLYER, W. J.

Hardware integrity p 126 A86-13049

## CULOTTA, A. J.

A predictive technique for determining store motion after release from a carrier vehicle at supersonic speeds [AIAA PAPER 86-0586] p 203 A86-19964

## CUNNINGHAM, A. M., JR.

Vortex flow hysteresis p 558 N86-27201

## CUNNINGHAM, R. E.

Passive eddy-current damping as a means of vibration control in cryogenic turbomachinery [NASA-TP-2562] p 515 N86-24722

## CURREY, N. S.

Aircraft flotation analysis - Current methods and perspective [SAE PAPER 851936] p 580 A86-38369

## CURTIS, R.

HC-Mk1 (Chinook) heated rotor blade icing test. I - Test vehicle, test site, approach and summary of testing p 293 A86-26167

## CURTISS, H. C., JR.

Stability and control of VTOL capable airships in hovering flight p 109 A86-14236

Studies of rotorcraft agility and maneuverability p 291 A86-26145

Aerodynamic characteristics of a flexible membrane wing [AIAA PAPER 84-2168] p 410 A86-32959

Assessment of rotorcraft agility and maneuverability with a pilot-in-the-loop simulation p 510 A86-35623

The dynamic response of helicopters to fixed wing aircraft wake encounters p 832 A86-48671

## CUTLER, A. D.

The interaction between a strong longitudinal vortex and a turbulent boundary layer [AIAA PAPER 86-1071] p 549 A86-38437

## CUTLER, M. J.

Large-Scale Advanced Prop-Fan (LAP) pitch change actuator and control design report [NASA-CR-174788] p 592 N86-27282

## CUTLER, W.

X-29 advanced technology demonstrator program overview [AIAA PAPER 86-9727] p 428 A86-32076

X-29 Technology Demonstrator program status review p 796 A86-47795

## CYRUS, J. D.

Re-engineering the Harrier [ASME PAPER 85-GT-175] p 235 A86-22091

Engine component life prediction methodology for conceptual design investigations [ASME PAPER 86-GT-24] p 812 A86-48116

## CZICHOWSKY, W.

A study of the flow around a wing equipped with a spoiler p 83 A86-14186

## D

## DADONE, A.

A perturbative lambda formulation p 337 A86-28535

## DADONE, L.

Performance degradation of helicopters due to icing - A review p 494 A86-35668

## DAGENHART, J. R.

A faster 'transition' to laminar flow [SAE PAPER 851855] p 548 A86-38347

## DAHL, G.

Digital engine control units for an fighter engine and an auxiliary power unit - A comparison p 817 A86-49089

## DAI, H.

Numerical analysis of aeroelastic stability problem of helicopter rotor blade p 798 A86-48662

## DALAN, G. A.

Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 3: On-Board Inert Gas Generator System (OBIGGS) studies. Part 2: Fuel scrubbing and oxygen evolution tests [AD-A187445] p 807 N86-31573

## DALEY, D. H.

Performance estimation of the mixed flow, afterburning, cooled, two-spool turbofan engine with bleed and power extraction [AIAA PAPER 86-1757] p 649 A86-42830

## DAMASKIN, V. G.

The effect of deposits on the cooling efficiency of gas-turbine engine blades p 720 A86-44697

## DAMBRA, F. M.

Helicopter internal noise treatment. Recent methodologies and practical applications [SNIA-852-210-102] p 266 N86-18133

## DAMICO, W. P., JR.

Parametric study of low Reynolds number precessing/spinning incompressible flows [AIAA PAPER 86-2027] p 827 A86-47661

## DAMODARA RAO, C.

Design considerations for Doppler VOR ground station antenna arrangement p 349 A86-28360

## DAMOUKAKIS, J.

A speech processing system for an air traffic control radar simulator p 351 A86-28447

## DANEK, V.

Experience with laboratory LDA by measuring flow fields in rotating turbomachinery p 672 A86-43109

## DANESI, A.

Helicopter active control with blade stall alleviation modal capability p 307 A86-26136

Helicopter active control with blade stall alleviation modal capability p 307 A86-26136

## DANFORD, M. D.

New vistas in the determination of hydrogen in aerospace engine metal alloys [AIAA PAPER 86-1479] p 663 A86-42665

## DANG VU, B.

A simulation of an integrated flight control/air-ground cannon firing system [ONERA, TP NO. 1986-31] p 725 A86-46173

## DANIEL, B. R.

Flame driving of longitudinal instabilities in dump type ramjet combustors p 658 N86-28239

## DANIELS, H. A. M.

Optimization in design processes - An informatics point of view p 531 A86-36208

Optimization in design processes: An informatics point of view [NLR-MP-84074-U] p 228 N86-17349

## DANNENHOFFER, J.

Development of hardware for X-29A flight control system p 366 A86-28379

## DARAGAN, M. A.

Group studies of equations of the laminar boundary layer on a rotating wing p 476 A86-35994

## DARLOW, M. S.

Optimal design of composite power transmission shafting p 353 A86-27654

Optimal sizing of composite power transmission shafting p 454 A86-30500

## DARRAH, M. I.

The future of advanced crew escape capsule technology p 217 A86-19306

## DARTEYRE, G.

Digitalization of avionics in today's and tomorrow's aircraft and implications on aircraft maintenance p 760 A86-47609

## DARTS, J.

Standardised fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation [RAE-TR-84084] p 226 N86-17336

Standardised fatigue loading sequences for helicopter rotors (Helix and Felix). Part 2: Final definition of Helix and Felix [RAE-TR-84085] p 226 N86-17337

Standardised fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation. Part 2: Final definition of Helix and Felix [LBF-FB-167] p 436 N86-23585

## DAS, A.

Summary report on the working group on conference 2: Solutions of the Euler equations p 148 N86-14227

Review of research in numerical aerodynamics at the DFVLR in Brunswick p 150 N86-14248

## DAS, D.

Hypersonic flow past non-slender wedges, cones and ogives in oscillation p 76 A86-13047

## DAS, I. S.

Aeroacoustics of contoured plug-nozzle supersonic jet flows [AIAA PAPER 86-1946] p 752 A86-45433

## DASH, R.

Flight effects on noise from coaxial dual flow. I - Unheated jets p 619 A86-39058

Flight effects on noise from coaxial dual flow. II - Heated jets p 644 A86-41708

High speed rotor noise due to blade loading [AIAA PAPER 86-1902] p 750 A86-45403

## DASH, S. M.

Progress in the development of parabolized Navier-Stokes (PNS) methodology for analyzing propulsive jet mixing problems [AIAA PAPER 86-1115] p 551 A86-38473

Computational models for the analysis/design of hypersonic scramjet components. I - Combustor and nozzle models [AIAA PAPER 86-1595] p 647 A86-42737

Parabolized Navier-Stokes analysis of three-dimensional supersonic and subsonic jet mixing problems p 780 A86-49804

## DASKE, G.

Standardized fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation. Part 2: Final definition of Helix and Felix [LBF-FB-167] p 436 N86-23585

## DAT, R.

The methods implemented at ONERA to improve airplane ground vibration tests [ONERA, TP NO. 1986-8] p 713 A86-46153

## DATSCHEFSKI, G.

Evaluation of JFTOT tube deposits by carbon burnoff [SAE PAPER 851994] p 602 A86-38539

## DATTA, A.

High strength nickel-palladium-chromium brazing alloys p 244 A86-20579

## DAUGHERTY, R. H.

The generation of tire cornering forces in aircraft with a free-swiveling nose gear [SAE PAPER 851939] p 581 A86-38372

## DAUGHMER, M. D.

A class of airfoils having finite trailing-edge pressure gradients p 270 A86-23184

## DAULERIO, L. A.

Development of a generalized escape system simulation computer program p 240 A86-19340

## DAUTOV, E. A.

A quick method for estimating heat transfer to a coolant p 316 A86-23666

## DAVID, J. W.

Linear dynamic coupling in geared rotor systems [ASME PAPER 85-DET-11] p 608 A86-38617

## DAVIDSON, J. B.

Flight control synthesis for flexible aircraft using Eigenspace assignment [NASA-CR-178164] p 835 N86-31590

## DAVIDSON, R. C.

Feasibility study of a device to control aircraft electromagnetic protection [ONERA-RS-10/3466-PY] p 257 N86-17637

## DAVIES, D. K.

Operations concept for the TCCC (Tower Control Computer Complex) man-machine interface [AD-A166899] p 705 N86-30714

## DAVIES, G. A. O.

Structural impact and crashworthiness; Proceedings of the International Conference, Imperial College of Science and Technology, London, England, July 16-20, 1984. Volume 1 Keynote Lectures. Volume 2 - Conference Papers p 383 A86-28276

Postbuckling failure of composite panels p 523 A86-37112

## DAVIES, R. J.

Adhesive bonding of aluminium-lithium alloys p 660 A86-40267

## DAVIES, W. J.

Engine control reliability and durability improvement through accelerated mission environmental testing [ASME PAPER 86-GT-52] p 813 A86-48132

## DAVIS, B. S.

Pressure measurements in a liquid-filled cylinder using a three-degree-of-freedom flight simulator [AIAA PAPER 86-2026] p 827 A86-47660

## DAVIS, C. W.

Data reduction, management, and analysis software for CID p 399 N86-21938

## DAVIS, D. J.

Preliminary control law and hardware designs for a ride quality augmentation system for commuter aircraft. Phase 2 [NASA-CR-4014] p 836 N86-32440

## DAVIS, G. D.

Environmental and adhesive durability of aluminium-polymer systems protected with organic corrosion inhibitors p 601 A86-37708

## DAVIS, M. W.

Analysis of potential helicopter vibration reduction concepts p 178 N86-15302

Adaptation of a modern medium helicopter (Sikorsky S-76) to higher harmonic control p 178 N86-15303

- DAVIS, P. A.**  
Aircraft Landing Dynamics Facility - A unique facility with new capabilities  
[SAE PAPER 851938] p 598 A86-38371
- DAVIS, R.**  
Effect of precipitation on mechanical properties of Al-Li-Cu-Mg-Zr alloy p 661 A86-40306
- DAVIS, R. A.**  
747 modernization p 800 A86-48965
- DAVIS, R. C.**  
Development of a reusable, flight-weight cryogenic foam insulation system  
[AIAA PAPER 86-1189] p 658 A86-40612
- DAVIS, R. E.**  
Cloud particle effects on laminar flow in the NASA LEFT program - Preliminary results  
[AIAA PAPER 86-9811] p 432 A86-32138
- DAVIS, R. L.**  
ALESEP, Part 2: A computer program for the analysis of leading edge separation bubbles on infinite swept wings  
[NASA-CR-178015] p 479 N86-24664  
Analysis of transitional separation bubbles on infinite swept wings  
[NASA-CR-3956] p 555 N86-26288
- DAVIS, R. W.**  
The automated, advanced matrix FMEA technique  
p 253 A86-22382
- DAVIS, S. S.**  
The critical role of computational fluid dynamics in rotary-wing aerodynamics  
[AIAA PAPER 86-0336] p 204 A86-19971
- DAVIS, T. D.**  
A turbine engine inlet viewing system  
[AIAA PAPER 86-1647] p 656 A86-42769
- DAVIS, T. J.**  
Development and flight test of a helicopter, X-band, portable precision landing system concept  
p 485 A86-35608  
Ferromagnetic resonance probe liftoff suppression apparatus  
[AD-D011913] p 190 N86-15647
- DAVISON, J. W.**  
Autonomous landing guidance systems  
p 350 A86-28365
- DAVY, A.**  
A simple crack closure model for predicting fatigue crack growth under flight simulation loading  
p 737 A86-43796
- DAVYS, J. W.**  
Waves due to a steadily moving source on a floating ice plate  
p 124 A86-13535
- DAWE, D. J.**  
The vibration and stability of symmetrically-laminated composite rectangular plates subjected to in-plane stresses  
p 739 A86-45694
- DAWSON, J.**  
Remarks on the development of a multiblock three-dimensional Euler code for out of core and multiprocessor calculations  
p 748 A86-46791
- DAWSON, S.**  
Experimentally determined flutter from two- and three-bladed model bearingless rotors in hover  
p 177 N86-15286
- DAY, A.**  
High velocity gas jet noise control  
p 331 N86-19123
- DAZZO, J. J.**  
Multivariable control law design for the AFTI/F-16 with a failed control surface  
p 367 A86-28380  
Multivariable control law design for the X-29 aircraft  
p 369 A86-28510
- DE CRISTOFARO, N. J.**  
High strength nickel-palladium-chromium brazing alloys  
p 244 A86-20579
- DE GROOT, W. A.**  
Solid fuel ramjet simulator results - Experiment and analysis in cold flow  
p 106 A86-14562
- DE LOS REYES, G.**  
The application of LQR synthesis techniques to the turboshaft engine control problem  
p 502 A86-35614
- DE PONTE, S.**  
Three component hot-wire measurements in the wake of a rotor model  
p 320 A86-26111
- DE, G.**  
Acta aeronautica et astronautica sinica (selected articles)  
[AD-A158454] p 135 N86-14216
- DEAM, D.**  
Study of new flight test techniques  
[NASA-CR-176952] p 714 N86-29812
- DEAN, G. D.**  
Characterisation and influence of orientation and internal stress in acrylic aircraft materials  
[NPL-DMA(A)113] p 665 N86-28193
- DEBBELER, F.-J.**  
Take-off prediction for the Airbus A300-800 and the A310 compared with flight test results  
p 804 A86-49121
- DEBES, R.**  
Isothermal forging system for the production of large rotating components from titanium alloys or superalloys  
p 382 A86-27247
- DEBRUIN, A. C.**  
Boundary layer calculations on the leeward surface of a slender delta wing at incidence  
[NLR-TR-84001-U] p 258 N86-17700  
Laminar and turbulent boundary-layer calculations on the leeward surface of a slender delta wing at incidence  
[NLR-MP-84040-U] p 555 N86-26293
- DEBUSE, A. W.**  
Helicopter manoeuvre stability - A new twist  
p 307 A86-26160
- DECKER, G. F.**  
The US Army's LHX (light helicopter family) program  
[AD-A161949] p 437 N86-23591
- DECKER, W. H.**  
B-52G crew noise exposure study  
[AD-A161112] p 333 N86-20094
- DECKER, W. L.**  
Application of artificial intelligence to improve aircraft survivability  
[AD-A164172] p 483 N86-24674
- DECKERT, W. H.**  
Powered-lift technology on the threshold  
p 96 A86-14245
- DEESE, J. E.**  
Euler calculation for flow over a wing in ground effect  
[AIAA PAPER 86-1765] p 542 A86-37803  
Euler calculations for flowfield of a helicopter rotor in hover  
[AIAA PAPER 86-1782] p 577 A86-37849  
Euler solutions for airfoil/jet/ground-interaction flowfields  
p 623 A86-40112
- DEETS, D. A.**  
Flight test of a resident backup software system  
[NASA-TM-86807] p 307 N86-19325
- DEGEORGE, C. L.**  
A report on the initial testing of the large scale advanced prop-fan  
[AIAA PAPER 86-1551] p 647 A86-42708
- DEGREY, R. P.**  
SR-71 digital automatic flight and inlet control system  
[SAE PAPER 851977] p 509 A86-35457
- DEGTIAREV, G. L.**  
Locally optimal control in systems with delay  
p 510 A86-35964
- DEHM, S.**  
On the fast repair of aircraft panel components  
p 762 A86-49066
- DEHN, C.**  
The use of microcomputers in inertial navigation systems with strapdown sensors and for measurement systems of average accuracy  
p 347 A86-27849
- DEHONDT, D.**  
Compressors study: Improving the efficiency of a high performance multistage compressor  
[ETN-86-97192] p 651 N86-28948
- DEJARNETTE, F. J.**  
Geometrical description for a proposed aerocassist flight experiment vehicle  
[NASA-TM-87714] p 749 N86-31237
- DEJARNETTE, F. R.**  
A three-dimensional boundary-layer method for flow over delta wings with leading-edge separation  
[SAE PAPER 851818] p 547 A86-38327  
A direct and inverse boundary layer method for subsonic flow over delta wings  
p 557 N86-27195
- DEJONGE, J. B.**  
Fatigue life monitoring of aircraft  
[NLR-MP-83069-U] p 226 N86-16211  
Standardized fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation. Part 2: Final definition of Helix and Felix  
[LBF-FB-167] p 436 N86-23585  
An introductory course on aircraft loading  
[NLR-MP-84090-U] p 641 N86-28943  
Review of aeronautical fatigue investigations in the Netherlands during the period March 1983 - February 1985  
[NLR-MP-85025-U] p 651 N86-32779
- DEJONGH, J. E.**  
Air Force Academy Aeronautics Digest  
[AD-A157215] p 76 N86-12200
- DEKKER, G. J.**  
Reliability aspects of software for digital avionics  
[NLR-TR-82126-U] p 232 N86-17354
- DEL CORE, A.**  
Damage tolerance and durability in the design of a short-haul turboprop aircraft  
p 707 A86-43790
- DELAAT, J. C.**  
A real-time simulation evaluation of an advanced detection, isolation and accommodation algorithm for sensor failures in turbine engines  
[NASA-TM-87289] p 504 N86-24697
- DELANEY, C. L.**  
Test and evaluation of shale derived jet fuel by the United States Air Force  
[ASME PAPER 85-IGT-115] p 313 A86-23911
- DELANEY, R. A.**  
Reduced Navier-Stokes (RNS) relaxation procedure for internal flows with interaction  
[SAE PAPER 851790] p 547 A86-38314
- DELARBOULAS, M.**  
The development of high strength stainless steels for the aeronautical industry  
p 373 A86-26337  
Properties and potential aerospace applications of E Z 3 CND4 13-08 steel. II  
p 374 A86-26338
- DELASI, R. J.**  
Measurement of preferential moisture ingress in composite wing/spar joints  
p 116 A86-16100
- DELAURIER, J.**  
Research on the technology of an airplane concept for a Stationary High-Altitude Relay Platform (SHARP)  
p 586 A86-39584
- DELEO, R. V.**  
Wind tunnel calibration of a flow direction sensor and a pitot-static tube to high angles of attack and sideslip  
p 359 A86-26364
- DELERY, J.**  
Shock-wave boundary layer interactions  
[AGARD-AG-280] p 676 N86-29173
- DELEY, J. M.**  
Shock wave/turbulent boundary layer interaction and its control  
[ONERA, TP NO. 1985-165] p 145 A86-18535
- DELEUTERIO, G.**  
Comment on 'Aerodynamic estimation techniques for aerostats and airships'  
p 85 A86-14541
- DELFRATE, J. H.**  
Water tunnel results of leading-edge vortex flap tests on a delta wing vehicle  
p 558 N86-27206
- DELGADO, R. C.**  
1985 USAF ejection summary  
p 698 A86-44777
- DELLUS, S.**  
Study of composite material curing molds  
[DGT-26.817] p 248 N86-17486
- DELOACH, R.**  
Pilot evaluation of experimental flight trajectories in the near-terminal area  
[AIAA PAPER 86-2074] p 838 A86-47664  
Airport-Noise Levels and Annoyance Model (ALAMO) user's guide  
[NASA-TM-87695] p 401 N86-22304  
Airport-Noise Levels and Annoyance Model (ALAMO) system's reference manual  
[NASA-TM-87694] p 401 N86-22305
- DEMAIO, J.**  
Pilot-oriented performance measurement  
[AD-A156849] p 126 N86-13690
- DEMARÉE, J. E.**  
Halon extinguisher agent behavior in a ventilated small aircraft  
[DOT/FAA/CT-86/5] p 699 N86-29794
- DEMASI, J. N.**  
The role of flight simulation in helicopter crew station design  
[SAE PAPER 851900] p 530 A86-36940
- DEMASI, J. T.**  
Thermal barrier coating life prediction model development  
[NASA-CR-175087] p 452 N86-22713
- DEMEIS, R.**  
Reserve generator for over-ocean twins  
p 108 A86-14244  
Designing an airlifter - McDonnell Douglas's C-17  
p 224 A86-21897  
Soviet aircraft close technology gap  
p 427 A86-31336  
Sweden's Gripen - A tough bird to tangle with  
p 427 A86-31341  
Rotary grows up  
p 720 A86-44007  
Sounding a happy note for lift  
p 780 A86-49676  
Wind tunnels battle the number-crunchers  
p 840 A86-49683
- DEMENT, A. C.**  
Operational suitability evaluation of a tactical fighter system  
[AIAA PAPER 86-9753] p 406 A86-32094
- DEMETRIADES, A.**  
Mean-flow measurements in a supersonic three-dimensional turbulent boundary layer  
p 141 A86-17059  
Boundary layer stability measurements over a flat plate at mach 3  
[AD-A166188] p 694 N86-29778

- DEMIROZ, M. Y.**  
Flight test planning and parameter extraction for rotorcraft system identification  
[AIAA PAPER 86-9772] p 430 A86-32107
- DEMKO, P. S.**  
Precision IMC approaches to heliports using collocated MLS p 485 A86-35610
- DEMME, J.**  
Results of icing flights in winter 1983/84: Ice accretion thickness in correlation with cloud physical parameters, object and cloud parameters  
[DFVLR-FB-85-39] p 191 N86-15838  
The icing research aircraft DO28, D-IFMP of DFVLR, and its measuring equipment  
[DFVLR-MITT-85-12] p 394 N86-22064
- DEMO, B.**  
The NDS 2000 Flight Test Instrumentation System in the F-20 Tigershark  
[AIAA PAPER 86-9797] p 438 A86-32126
- DEMOMENT, A.**  
Life cycle cost and availability in military aeronautics p 266 A86-21872
- DEMPSEY, C. A.**  
The Wright Brothers experience in the evolution of aircraft design, structures, and materials p 267 A86-22129
- DEMPSTER, A. J.**  
A VME bus microcomputer system for experiment control and analysis on board an aircraft p 297 A86-23313
- DEMUREN, A. O.**  
False diffusion in three-dimensional flow calculations p 143 A86-17653
- DEMUTS, E.**  
Damage tolerant composite design development p 524 A86-37119
- DENARO, R. P.**  
Helicopter flight test demonstration of differential GPS p 345 A86-26438
- DENBOER, R. G.**  
Low speed aerodynamic characteristics of a two-dimensional sail wing with adjustable slack of the sail  
[VTH-LR-307] p 211 N86-17314
- DENG, G.**  
Investigation of rolling-up and interaction of leading-edge and trailing-edge vortex sheets on a slender delta wing  
[AD-A163892] p 479 N86-24668
- DENNIS, J.**  
Investigations for improving operational reliability and maintainability of ILS components. Volume 2: Figures and illustrations  
[FAA/PM-86/7.1-VOL-2] p 636 N86-28932  
Investigations for improving operational reliability and maintainability of instrument landing system components. Volume 1: Text and appendices  
[DOT/FAA/PM-86/7.1-VOL-1] p 704 N86-29801
- DENNON, S. R.**  
Review and evaluation of recent developments in melt inlet dynamic flow distortion prediction and computer program documentation and user's manual estimating maximum instantaneous inlet flow distortion from steady-state total pressure measurements with full, limited, or no dynamic data  
[NASA-CR-176765] p 525 N86-24955
- DENT, L.**  
Forecasting for civil aviation. I p 393 A86-29002  
Forecasting for civil aviation. II p 746 A86-44380
- DENTON, R. V.**  
Demonstration of an innovative technique for Terrain Following/Terrain Avoidance - The Dynapath Algorithm p 350 A86-28389  
A new technique for terrain following/terrain avoidance guidance command generation p 574 N86-26325
- DEOMIS, J. H.**  
Aircraft window clamping device  
[AD-D011999] p 435 N86-22564
- DEPASQUALE, A. J.**  
Single heading climbs - An alternate technique for determining performance  
[AIAA PAPER 86-9757] p 429 A86-32098
- DEQUIN, A. M.**  
Recent advances in helicopter aerodynamics  
[ONERA, TP NO. 1985-166] p 273 A86-24642
- DERBENEV, S. A.**  
Group studies of equations of the laminar boundary layer on a rotating wing p 476 A86-35994
- DERCOLE, S.**  
Complex systems integrated logistic support: Automatic Test Equipment (ATE) and test oriented languages role p 407 N86-22539  
Implicit activities in the post development phase p 407 N86-22542
- DEREVIANKO, A. V.**  
The effect of the curvature of the external contours of turbine blade profiles on their aerodynamic characteristics p 144 A86-18152
- DERMARKAR, S.**  
The new aluminium alloys for the aeronautical industry p 373 A86-26334
- DERNER, W. J.**  
Review and critical analysis: Rolling-element bearings for system life and reliability  
[NASA-CR-174710] p 525 N86-24991
- DERON, R.**  
Optical fibers application to visualization of flow separation inside an aircraft intake in wind tunnel  
[ONERA, TP NO. 1985-158] p 309 A86-24638
- DERUYCK, J.**  
Velocity and turbulence measurements in dynamically stalled boundary layers on an oscillating airfoil p 560 N86-27228
- DESAI, S. S.**  
A preliminary note on the development of a three dimensional potential code in Cartesian Coordinates  
[NAL-TM-AE-8504] p 399 N86-21233
- DESAULTY, M.**  
Prediction of the stability performance of a turboreactor combustion chamber  
[SNECMA-YKC-3269/85] p 651 N86-28949  
Cooling techniques for turbojet pre-heater channels p 741 N86-29847
- DESBRISSAY, G. A.**  
Airborne communications reconstitution experiments p 251 A86-21891
- DESIMONE, D. N.**  
U.S. Navy ALLS corporate report 1984 p 261 A86-19309
- DESMARIS, L. A.**  
Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 2: Aircraft engine nacelle fire test programs. Part 2: Small scale testing of dry chemical fire extinguishants  
[AD-A167444] p 807 N86-31572
- DESOPPER, A.**  
10 years of rotor flows studies at ONERA - State of the art and future studies  
[ONERA, TP NO. 1986-49] p 692 A86-46185
- DESSE, J. M.**  
Study of the influence of an oscillating spoiler on the surrounding aerodynamic field  
[IMFL-3119] p 90 N86-13303
- DESTAFNEY, T. M.**  
CBR (California Bearing Ratio) design of flexible airfield pavements with case study  
[AD-A158101] p 113 N86-12242
- DESTUYNDER, R.**  
The effectiveness of various control surfaces in quasi-steady and unsteady flows - Applications  
[ONERA, TP NO. 1985-147] p 306 A86-24633  
New methods for in-flight vibration testing p 820 A86-47369  
Influence of the angle of attack and flutter on the lift of a supercritical wing. Comparison between theory and experiment  
[ONERA-RT-24/3064-RY-044-R] p 695 N86-29786
- DEVEAUX, G. D.**  
Fatigue test of the Apache AH-64 airframe p 180 A86-18441
- DEWOLF, W. B.**  
Aerodynamic research in the Netherlands related to aircraft development  
[NLR-MP-84049-U] p 265 N86-17081  
Recent developments in propulsion aerodynamics  
[NLR-MP-85031-U] p 820 N86-32437
- DHINGRA, A. K.**  
Aramid fiber composites for general engineering p 517 A86-37137
- DI DOMENICO, S. G.**  
F-16 radar data acquisition and analysis  
[AIAA PAPER 86-9798] p 422 A86-32127
- DIBARTOLO, J.**  
TCAS Experimental Unit (TEU) hardware description  
[FAA/PM-85/2] p 574 N86-27272
- DIBENEDETTO, M. F.**  
Siting criteria for Microwave Landing Systems (MLS)  
[FAA/PM-86/18] p 636 N86-28073
- DICARLO, D. J.**  
Development of spin resistance criteria for light general aviation airplanes  
[AIAA PAPER 86-9812] p 443 A86-32139  
Leading-edge design for improved spin resistance of wings incorporating conventional and advanced airfoils  
[SAE PAPER 851816] p 578 A86-38325
- DICARLO, J. A.**  
Polymer, metal and ceramic matrix composites for advanced aircraft engine applications  
[NASA-TM-87132] p 117 N86-13407
- DICK, E.**  
Steady transonic flow p 413 A86-33408
- DICK, H. G.**  
The golden age of the great passenger airships: Graf Zeppelin and Hindenburg p 403 A86-27648
- DICKERSON, L.**  
Protective respirator for the AAH-64 Advanced Attack Helicopter p 261 A86-19336
- DIDENKO, I. I.**  
Application of the state-space method to analyze the stability of digital systems p 127 A86-13418
- DIESPEROV, V. N.**  
Some solutions to the Karman equation describing flow past the salient points of a profile p 79 A86-13363
- DIETZ, D. C.**  
An analytical methodology for predicting repair time distributions of advanced technology aircraft  
[AD-A167149] p 763 N86-31529
- DIGIOVANNIANTONIO, P. R.**  
Aircraft barricade  
[AD-D012194] p 656 N86-28102
- DIGNEY, J. R.**  
Analysis of wind tunnel corrections for half-model tests of a transport aircraft using a doublet panel method p 839 A86-49060
- DILLARD, M. W.**  
Fireproof hydraulic brake system  
[AD-A167774] p 786 N86-31549
- DILLON, D. L.**  
Signal processing in the airborne receiver of the Interscan microwave landing system p 282 N86-19303
- DIMMICK, R. L.**  
Lift-curve characteristics for an airfoil pitching at constant rate  
[AIAA PAPER 86-0117] p 199 A86-19698  
Pitch-location effects on dynamic stall  
[AD-A164322] p 480 N86-25329
- DING, K.**  
Test of jet engine turbine blades by thermography p 106 A86-15410
- DINI, D.**  
Investigation on a small scale model of ducted composite counterrotating rotor p 289 A86-26119
- DINYAVARI, M. A. H.**  
Implementation and verification of a comprehensive helicopter coupled rotor - Fuselage analysis p 799 A86-48667
- DIPADUA, M. A.**  
Improving the interpretability of an aircraft attitude indicator  
[AD-A166329] p 719 N86-29817
- DIRUSSO, E.**  
Dynamic response of film thickness in spiral-groove face seals  
[NASA-TP-2544] p 174 N86-15313
- DISBROW, J. D.**  
Development of a knowledge acquisition tool for an expert system flight status monitor  
[AIAA PAPER 86-0240] p 230 A86-19764  
Development of a knowledge acquisition tool for an expert system flight status monitor  
[NASA-TM-86802] p 263 N86-16944
- DISKIN, G. S.**  
Effect of silane concentration on the supersonic combustion of a silane/methane mixture  
[AIAA PAPER 86-1396] p 663 A86-42610
- DITTMAR, J. H.**  
An experimental investigation of reducing advanced turboprop cabin noise by wing shielding  
[AIAA PAPER 86-1966] p 711 A86-45449  
Preliminary measurement of the noise from the 2/9 scale model of the Large-scale Advanced Propfan (LAP) propeller, SR-7A  
[NASA-TM-87116] p 129 N86-14006  
Some design philosophy for reducing the community noise of advanced counter-rotation propellers  
[NASA-TM-87099] p 129 N86-14007  
Laboratory experiments on active suppression of advanced turboprop noise  
[NASA-TM-87129] p 331 N86-19125  
An estimate of the enroute noise of an advanced turboprop airplane NASA-TM-87302 E-3020 NAS 1.15:87302 HC A02/MF A01 p 535 N86-25217  
An experimental investigation of reducing advanced turboprop cabin noise by wing shielding  
[NASA-TM-87112] p 536 N86-25218
- DITTO, W. J.**  
Cost estimating relationships for fixed wing aircraft: List price versus empty weight  
[AD-A164196] p 537 N86-25300
- DIX, D. M.**  
Derivative engines versus new engines - What determines the choice?  
[ASME PAPER 85-GT-190] p 104 A86-13051
- DIXON, S. C.**  
Loads and aeroelasticity division research and technology accomplishments for FY 1985 and plans for FY 1986  
[NASA-TM-87676] p 278 N86-19288

- DMITRIYEV, V. K.**  
A system for introducing mutual corrections into the airborne temperature and air-speed meters p 738 A86-45208
- DOSNEY, D. G.**  
The 'minifit' surface flow visualisation method - Experience of use in the RAE 5m pressurised low-speed wind tunnel p 447 A86-31124
- DOBRYNSKI, W.**  
The German-Dutch wind tunnel - An aerodynamics experimenter's dream p 466 A86-31965
- DOBRYNSKI, W. M.**  
The effect on radiated noise of non-zero propeller rotational plane attitude [AIAA PAPER 86-1926] p 750 A86-45417  
Aerodynamics at the German-Dutch wind tunnel p 639 A86-49061
- DODDLE, S. S.**  
Shaping of airplane fuselages for minimum drag [AIAA PAPER 86-0316] p 201 A86-19809  
Flight research on natural laminar flow nacelles - A progress report [AIAA PAPER 86-1629] p 627 A86-42762  
Design of fuselage shapes for natural laminar flow [NASA-CR-3970] p 460 A86-23852
- DODD, A. G.**  
Mechanical design of gas turbine blading in cast superalloys p 721 A86-45819  
The mechanical design of gas turbine blading in cast superalloys [PNR-90247] p 237 A86-16223
- DODDS, W. J.**  
Evaluation of fuel preparation systems for lean preburning-prevaporizing combustors [ASME PAPER 85-GT-137] p 235 A86-22081
- DODGE, F. T.**  
Energy dissipation of liquids in rotating spherical tanks measured by a forced motion-spin table [AD-A161864] p 460 A86-23874
- DOELLNER, O. L.**  
Jet-engine combustor spectral radiation measurements using fiberoptic instrumentation system. Radiant energy power source for jet aircraft [DE86-007289] p 723 A86-30735
- DOERZBACHER, R. P.**  
The development and calibration of an acoustic wall transonic test section [AIAA PAPER 86-0759] p 514 A86-37090
- DOITTAU, F.-X.**  
Fast motion simulation p 454 A86-30359
- DOLE, G. R., JR.**  
A review of computer simulations for aircraft-surface dynamics p 432 A86-32776
- DOLL, T. J.**  
Auditory signals in military aircraft - Ergonomic principles versus practice p 395 A86-28442
- DOLLING, D. S.**  
Experimental study of the supersonic turbulent boundary layer on a blunt axisymmetric body [AD-A163736] p 479 A86-24669
- DOLLYHIGH, S. M.**  
The impact of technology on fighter aircraft requirements [SAE PAPER 851841] p 579 A86-38338
- DOMBKOVSKIY, N.**  
Tupolev bureau developing TU-204 passenger jet: Tupolev on features p 435 A86-22568  
Information on new AN-124 giant cargo plane p 498 A86-25601
- DOMINIC, R. J.**  
Passive damping, sonic fatigue and the KC-135A p 256 A86-16625
- DOMZALSKI, L.**  
Evaluation of the crash environment and injury-causing hazards in U.S. Navy helicopters p 419 A86-32070
- DONALD, C. D.**  
A fundamental study of drag and an assessment of conventional drag-reduction devices [NASA-CR-4004] p 745 A86-30999
- DONALDSON, J. C.**  
Laminar boundary layer stability experiments on a cone at Mach 8. IV - On unit Reynolds number and environmental effects [AIAA PAPER 86-1087] p 550 A86-38449  
Investigation of the development of laminar boundary-layer instabilities along a sharp cone [AD-A159370] p 255 A86-16521
- DONALDSON, J. L.**  
Airport-Noise Levels and Annoyance Model (ALAMO) user's guide [NASA-TM-87895] p 401 A86-22304  
Airport-Noise Levels and Annoyance Model (ALAMO) system's reference manual [NASA-TM-87894] p 401 A86-22305
- DONALDSON, K. E.**  
Study on using a digital ride quality augmentation system to trim an engine-out in a Cessna 402B [NASA-CR-177272] p 595 A86-26342
- DONATH, M.**  
Dynamic systems: Modeling and control; Proceedings of the Winter Annual Meeting, Miami Beach, FL, November 17-22, 1985 p 329 A86-23343
- DONDOSHANSKII, V. K.**  
A method for the analytical determination of accelerated test schedules for compressor blades working in a corrosive medium p 673 A86-43411
- DONE, G. T. S.**  
Experience with a new approach to rotor aerelasticity p 99 A86-16125
- DONELSON, J. E.**  
UHB technology flight validation program [AIAA PAPER 86-1473] p 656 A86-42661
- DONER, M.**  
Effects of section thickness and orientation on creep-rupture properties of two advanced single crystal alloys [SAE PAPER 851785] p 601 A86-38309
- DONG, L.**  
Fuzzy inference system to diagnose aircraft hydraulic faults p 407 A86-22775
- DONLAN, P. V.**  
A verification of propulsion and airplane performance models generated from flight [SAE PAPER 851899] p 580 A86-38362
- DONLEY, S. T.**  
Results of piloted simulation of Grumman Design 696 [SAE PAPER 851846] p 579 A86-38342
- DONZELLI, G.**  
Fracture toughness characterization of light alloys for aeronautical use p 114 A86-12761
- DOOLEY, L. W.**  
Use of simulation during preliminary design of the V-22 Osprey [AIAA PAPER 86-0491] p 238 A86-19902
- DOOLIN, D. G.**  
Manufacturing technology for nondestructive evaluation (NDE) system to implement Retirement For Cause (RFC) procedures for gas turbine engine components p 507 A86-25368
- DOORLY, D. J.**  
Simulation of the effects of shock wave passing on a turbine rotor blade [ASME PAPER 85-GT-112] p 77 A86-13067  
Wake-passing in a turbine rotor cascade p 741 A86-29830
- DOR, J. B.**  
Tests on CAST 7 and CAST 10 profiles in the T2 adaptive-wall cryogenic wind tunnel - Study of the Reynolds-number effect in natural and triggered transitions [AAAF PAPER NT 85-06] p 838 A86-48457
- DORLING, C. M.**  
The design and implementation of multivariable variable structure control systems p 679 A86-40762  
The design of a sliding mode controller for Dutch roll damping in a non-linear aircraft system p 651 A86-40766  
Two approaches to hyperplane design in multivariable variable structure control systems p 680 A86-41934
- DORN, H. C.**  
Development of LC-13C NMR [NASA-CR-176656] p 379 A86-21704
- DORNHEIM, M. A.**  
Crew situational awareness drives avionics developments p 718 A86-45067
- DORR, D. W.**  
Rotary-wing aircraft terrain-following/terrain-avoidance system development [AIAA PAPER 86-2147] p 823 A86-47456
- DOSANJH, D. S.**  
Aerodynamics of contoured plug-nose supersonic jet flows [AIAA PAPER 86-1946] p 752 A86-45433
- DOTEN, F. S.**  
Northrop's surrogate trainer p 709 A86-44941
- DOUGLAS, G. D.**  
Pulsed laser light sheet flow visualization p 805 A86-38237
- DOUGLASS, B. P.**  
An avionics software test and evaluation technique p 499 A86-35650
- DOVGAL, A. V.**  
Method for the visualization of subsonic gas flows p 769 A86-48808
- DOVIK, R. J.**  
Analysis of airborne Doppler lidar, Doppler radar and tall tower measurements of atmospheric flows in quiescent and stormy weather [NASA-CR-3960] p 462 A86-23159
- DOWELL, E. H.**  
Influence of nonlinear blade damping on helicopter ground resonance instability p 283 A86-23185  
Nonlinear dynamics of a helicopter model in ground resonance p 177 A86-15264
- DOWLING, D.**  
Remote aircraft maintenance monitoring using telemetry p 347 A86-27613
- DOWNER, G. R.**  
Influences of two landing gear designs on helicopter crashworthiness and weights p 492 A86-35632
- DOWNEY, W. P., JR.**  
Composite fabrics in a thermal protection application p 245 A86-21734
- DOWNING, D. R.**  
Sensitivity analysis of high-order digital flight control systems using singular-value concepts [AIAA PAPER 86-2084] p 822 A86-47437  
Development of a sensitivity analysis technique for multiloop flight control systems [NASA-CR-166619] p 240 A86-17358  
Development of a takeoff performance monitoring system [NASA-TM-89001] p 835 A86-31591
- DOWNS, G. T.**  
Preliminary airworthiness evaluation of the AH-1S (modernized cobra) with the Hellfire, TOW, and Stinger missiles installed [AD-A160862] p 294 A86-18322
- DOWSE, D. G.**  
Deposition in gas turbine oil systems. I - Analysis and classification [SAE PAPER 851869] p 602 A86-36536
- DOZORNOV, V. I.**  
Calculation of the characteristics of a multistage gas turbine with allowance for the circumferential nonuniformity of inlet temperature p 649 A86-43361
- DRAGO, R. J.**  
Gear tooth surface fatigue testing with full size test specimens p 187 A86-18409  
A study of the potential benefits associated with the development of a dedicated helicopter transmission lubricant [SAE PAPER 851832] p 607 A86-38530  
A study of the potential benefits associated with the development of a dedicated helicopter transmission lubricant p 666 A86-29242
- DRAGOS, L.**  
The method of fundamental solutions in aerodynamics. II - Applications to the theory of lifting surfaces in supersonic flow p 477 A86-36285
- DRAKE, M. L.**  
The viscoelastic damping technology design guide for aerospace structures [ASME PAPER 85-DET-104] p 318 A86-24230  
Propeller FOD qualification using modal analysis, artificial birds, and a static impact facility p 731 A86-47127  
Passive damping, sonic fatigue and the KC-135A p 256 A86-16625  
A different approach to designed in passive damping p 256 A86-16627  
A design guide for damping of aerospace structures p 390 A86-21923
- DRAHLER, K.**  
Locating and demagnetizing magnetized aircraft components following a lightning stroke p 266 A86-23767
- DRELA, M.**  
A two-dimensional transonic aerodynamic design method [AIAA PAPER 86-1793] p 543 A86-37823
- DREXLER, J.**  
Short crack development in mechanical structures p 453 A86-30027  
Short crack problems in gas turbine disks p 440 A86-30093  
A contribution to airworthiness certification of gas turbine disks p 849 A86-49136
- DREYER, C. A.**  
F-16 flutter testing at Eglin Air Force Base [AIAA PAPER 86-9819] p 439 A86-32144
- DRING, R. P.**  
Redistribution of an inlet temperature distortion in an axial flow turbine stage [AIAA PAPER 86-1468] p 671 A86-42658  
Multi-stage compressor airfoil aerodynamics. I - Airfoil potential flow analysis [AIAA PAPER 86-1744] p 627 A86-42822
- DRISCOLL, W. C.**  
Development of an algorithm to model an aircraft equipped with a generic CDTI display [NASA-TM-87732] p 748 A86-30349
- DRIVER, C.**  
The impact of emerging technologies on an advanced supersonic transport p 761 A86-48997



- DROBIK, J. S.**  
Stability and control of aircraft with manual all-moving tailplanes [AIAA PAPER 86-2231] p 829 A86-47692
- DROZDZ, L.**  
Gas and erosion corrosion of the combustion chambers of aircraft engines p 592 A86-39725
- DRUEZ, P. M.**  
Counter-rotating propeller noise directivity and trends [AIAA PAPER 86-1927] p 751 A86-45418
- DRUMM, D.**  
An optimisation method for reconstruction of flight path trajectories from non-synchronous time-sampled observations by two cine cameras [ARL-SYS-R-34] p 167 N86-15279
- DRUMMOND, A. M.**  
Aircraft flow effects on cloud drop images and concentrations measured by the NAE Twin Otter p 322 A86-23289
- DRUMMOND, J. P.**  
Evolution and status of CFD techniques for scramjet applications [AIAA PAPER 86-0180] p 248 A86-19970  
A detailed numerical model of a supersonic reacting mixing layer [AIAA PAPER 86-1427] p 671 A86-42636
- DU PERRON, A. E.**  
Liability of air traffic control agencies and airport operators in civil law jurisdictions p 130 A86-14372
- DU, C.**  
Measurement of turbine blade temperature using pyrometer [ASME PAPER 85-IGT-78] p 317 A86-23879
- DUBININ, G. N.**  
Materials technology for electrical appliances: Magnetic and electrical properties of metals and alloys [PB86-184314] p 685 N86-28186
- DUBOST, B.**  
Production of aluminium-lithium alloy with high specific properties p 659 A86-40255
- DUBOV, I. U. B.**  
A study of the normal of a delta-wing aircraft at large angles of attack during unsteady motion p 79 A86-13379
- DUCHARME, E. H.**  
Analytical and experimental investigation of the coupled bladed disk/shaft whirl of a cantilevered turbofan [ASME PAPER 86-GT-98] p 813 A86-48163
- DUDKO, A. S.**  
Free-surface flows p 458 A86-33293
- DUDLEY, M. R.**  
Hover in-ground-effect testing of a full-scale, tilt-nacelle V/STOL model [AIAA PAPER 86-0780] p 286 A86-24759  
Hover in-ground-effect testing of a full-scale, tilt-nacelle V/STOL model [NASA-TM-88218] p 629 N86-28056
- DUELL, M. R.**  
CRT displays in modern helicopter data presentation p 299 A86-26129
- DUFFY, K. S.**  
Boeing control law for CREST demonstration ejection seat p 794 A86-47758
- DUGAN, D. C.**  
Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics p 353 A86-27661  
The XV-15 Tilt-Rotor flight-test program p 709 A86-44938  
Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics in cruising flight p 713 A86-46461
- DUGANOV, V. V.**  
Experimental study of supersonic flow around a single-stage wedge with cheeks at sideslip angles p 628 A86-43404
- DUGUNDJI, J.**  
Experimental aeroelastic behavior of forward swept graphite/epoxy wings with rigid body freedoms [AIAA PAPER 86-0971] p 584 A86-38851
- DUKE, D. B.**  
A new generation advanced I.R. Linescan Sensor system p 229 A86-19585
- DUKE, E. L.**  
Development of a knowledge acquisition tool for an expert system flight status monitor [AIAA PAPER 86-0240] p 230 A86-19764  
Flight test maneuver modeling and control [AIAA PAPER 86-0426] p 219 A86-19868  
Flight test trajectory controller synthesis with constrained eigenstructure assignment p 509 A86-35404  
Development of control laws for a flight test maneuver autopilot p 725 A86-46460  
Development of a flight test maneuver autopilot for an F-15 aircraft [NASA-TM-86799] p 176 N86-14275
- Development of a knowledge acquisition tool for an expert system flight status monitor [NASA-TM-86802] p 263 N86-16944  
An engineering approach to the use of expert systems technology in avionics applications [NASA-TM-88263] p 497 N86-24887  
Multi-input, multi-output system control for experimental aircraft [NASA-CR-177017] p 654 N86-28955
- DUKE, M. B.**  
The 1983 NASA/ASEE Summer Faculty Fellowship Research Program research reports [NASA-CR-171904] p 130 N86-14078
- DUKEK, W. G.**  
Development of the portable water separator for the WSIM test [SAE PAPER 851870] p 608 A86-38537
- DULENCIN, J.**  
Determination of diagnostic parameters for the in situ diagnostics of the air-gas path of the AI-25TL engine p 300 A86-23752
- DULIKRACH, G. S.**  
Inverse design of coolant flow passage shapes with partially fixed internal geometries [ASME PAPER 85-GT-118] p 252 A86-22071
- DUMAS, B.**  
The presence of the Trident III on Antarctica p 573 A86-39562
- DUNBRIDGE, B.**  
The future of bipolar technology for avionics p 674 N86-28341
- DUNCAN, J. C.**  
Characterisation and influence of orientation and internal stress in acrylic aircraft materials [NPL-DMA(A)113] p 665 N86-28193
- DUNFORD, P.**  
HC-Mk1 (Chinook) heated rotor blade icing test. II - Analysis of atmospheric conditions, aircraft and systems characteristics p 293 A86-26168
- DUNFORD, P. J.**  
New techniques for optimization and certification of helicopters in icing conditions p 164 A86-18416
- DUNHAM, D. M.**  
Vortex wake alleviation studies with a variable twist wing [NASA-TP-2442] p 197 N86-16187  
Low-speed wind-tunnel tests of single- and counter-rotation propellers [NASA-TM-877656] p 415 N86-22552
- DUNHAM, J.**  
The role of flow field computation in improving turbomachinery p 775 A86-49080
- DUNHAM, J. R.**  
An empirical study of flight control software reliability [NASA-CR-178058] p 532 N86-25145  
An experiment in software reliability [NASA-CR-172553] p 682 N86-29547
- DUNKLEY, V. P.**  
The observation of high frequency B(dot) and D(dot) transients excited on a fuselage by an impulse generator p 790 A86-47306
- DUNN, J. L.**  
Principal site testing concept within the Navy [AIAA PAPER 86-9740] p 406 A86-32086
- DUNN, M. G.**  
Response of an operational turbofan engine to a simulated nuclear blast p 643 A86-40728
- DUNN, M. H.**  
Advanced turboprop noise prediction: Development of a code at NASA Langley based on recent theoretical results [NASA-TM-88993] p 757 N86-31338
- DUNN, R.**  
A high bandwidth signal distribution system for aircraft Stores Management Systems (SMS) p 231 A86-20505
- DUNN, T. C.**  
Theoretical and experimental investigation of test cell aerodynamics for turbofan applications [AIAA PAPER 86-1732] p 656 A86-42819
- DUNN, W. E.**  
An integrated solution for flight test data handling p 93 A86-13226
- DUNN, W. R.**  
Investigation of an advanced fault tolerant integrated avionics system [NASA-CR-176980] p 642 N86-28945
- DUNPHY, J. R.**  
Composite integral response sensing [AD-A163136] p 470 N86-24457
- DUPUIS, P. B.**  
A novel primary air data quality pressure transducer p 359 A86-28363
- DURAND, G.**  
Unsteady aerodynamics - Fundamental aspects and applications to aircraft dynamics [AAAF PAPER NT 85-16] p 767 A86-48485
- DURAND, S.**  
Strategies for dynamic modeling of a helicopter structure [SNIAS-852-210-101] p 226 N86-17350
- DURANDEAU, M.**  
Main flight controls [SNIAS-861-111-111] p 653 N86-28086
- DURCHLAUB, E.**  
Developmental testing for composite frames p 163 A86-18403
- DURIEUX, J.-L.**  
Comparison of angular and metric guidance laws for tactical missiles p 726 A86-46469
- DUROURE, C.**  
Location of lightning strokes on aircraft in storm field with measured electrical, microphysical and dynamical properties p 783 A86-47299
- DURUP, P.**  
Development of an operating profile for aircraft tires [FAA/CT-85-32] p 677 N86-29218
- DUSA, D. J.**  
Initial performance evaluation of 2DCD ejector exhaust systems [AIAA PAPER 86-1615] p 626 A86-42753
- DUTT, H. N. V.**  
Parametric Bi-cubic surface patch for computer aided geometric design of aircraft and/or other three-dimensional geometries [NAL-TM-AE-8505] p 399 N86-21168  
Analysis of wings with leading edge and/or trailing edge segmented (spanwise) flaps using planar horse shoe vortex lattice method [NAL-TM-AE-8507] p 559 N86-27212
- DUTTA, S. K.**  
Dynamic response characteristics of a circulation control rotor model pneumatic system p 157 N86-15298
- DUTTON, J. C.**  
Multiple ducted streams with a periodic or a steady supersonic driver flow p 142 A86-17129
- DUVAL, R. W.**  
Evaluation of a load cell model for dynamic calibration of the rotor systems research aircraft p 168 N86-15304
- DUVALL, D. S.**  
The use of lasers in gas turbine manufacturing [ASME PAPER 85-IGT-141] p 317 A86-23933  
Properties of aircraft fuels and related materials [AD-A164532] p 604 N86-27461
- DVORAK, F. A.**  
Investigation to advance prediction techniques of the low-speed aerodynamics of V/STOL aircraft [NASA-CR-166479] p 416 N86-23568
- DVORNYCHENKO, V. N.**  
Upsilon invariants - A uniform set of moment invariants p 262 A86-19608
- DWIVEDI, S. N.**  
A computer controlled autopilot and an annunciation system for light aircraft p 511 A86-36871
- DWYER, K.**  
Progress report - F-16 C&D testing p 222 A86-21056
- DWYER, R. F.**  
Measurement and extraction of recurring waveforms: For applications to active transmissions, flow-noise, and helicopter-radiated noise problems [AD-A167400] p 856 N86-32249
- DYBBS, A.**  
International Symposium on Laser Anemometry, 2nd, Miami Beach, FL, November 17-22, 1985, Proceedings p 519 A86-34407
- DYE, J. E.**  
Icing wind tunnel tests on the CSIRO liquid water probe p 102 A86-14220
- DYER, C. L.**  
Integrated braking and ground directional control for tactical aircraft [SAE PAPER 851941] p 581 A86-38374
- DYMITRUK, D.**  
Ground resonance of a helicopter during the take-off and landing run p 712 A86-45749
- DZVONIK, L. I.**  
The problem of flow past a plane delta wing with power-law injection at its surface p 776 A86-49174
- DZYGADLO, Z.**  
Dynamics of non-autonomous spatial motion of an aeroplane with deformable control systems p 109 A86-13931  
A method for numerical analysis of the aerodynamic characteristics of an aeroplane wing in the subcritical range of the flying velocity p 83 A86-13933  
Numerical modelling of the dynamics of aerobatic manoeuvres p 724 A86-45144

## E

- EAGLE, K. H.**  
R&M test data management during helicopter system development p 164 A86-18419
- EARLY, W. E., JR.**  
A scientific method for determining the useful life of explosive devices in aircraft p 243 A86-19312  
The use of TLX energy transfer lines on the F-16 aircraft p 243 A86-19313
- EASLEY, W. C.**  
Interface of the transport systems research vehicle monochrome display system to the digital autonomous terminal access communication data bus [NASA-TM-87728] p 656 N86-28961
- EAST, R. A.**  
Static and dynamic pitch stability of a blunted cone with forward facing aerodynamic spikes in hypersonic flow p 135 A86-16249
- EBBS, R.**  
Is the traditional 150 hour endurance test outdated? [PNR-90288] p 237 N86-16226
- EBERLE, A.**  
Summary report on the working group on conference 2: Solutions of the Euler equations p 148 N86-14227  
A new Euler algorithm based on characteristic flux extrapolation p 149 N86-14241
- EBERT, F. J.**  
Application of helicopter air-to-air combat test (AACT) data to current LHX concerns p 491 A86-35627
- EBERT, H. J.**  
Air and space flight. Dream and facts [MBB-FILM-382] p 196 N86-16188
- ECER, A.**  
Block-structured solution of Euler equations for transonic flows [AIAA PAPER 86-1080] p 549 A86-38443  
A zonal approach to the design of finite element grids for 3-D transonic flows with complex geometries [AD-A162168] p 417 N86-23572
- ECHIN, A. I.**  
Determination of the service life of aviation oils p 312 A86-23450
- ECK, R.**  
Life cycle cost and availability in military aeronautics p 266 A86-21872
- ECKARDT, D.**  
Turbofan and propfan as basis for future economic propulsion concepts [AIAA PAPER 86-1474] p 645 A86-42662  
Propfan and turbofan - Antagonism or synthesis p 817 A86-49092
- ECKERT, D.**  
Simulation and measurement of engine influences in a two-jet aircraft model using model engines [DGLR PAPER 85-092] p 513 A86-35155
- ECKSTROM, C. V.**  
Prediction of wing aeroelastic effects on aircraft lift and pitching moment characteristics [NASA-TM-87631] p 178 N86-15319  
Flight measurements of surface pressures on a flexible supercritical research wing [NASA-TP-2501] p 339 N86-20350  
Loads calibrations of strain gage bridges on the DAST project Aeroelastic Research Wing (ARW-2) [NASA-TM-87677] p 639 N86-28075
- EDINGER, R. L.**  
Response determination of propeller to bird strike using high speed photography p 90 A86-15308
- EDMONDSON, F. R.**  
Development of the portable water separator for the WSIM test [SAE PAPER 851870] p 608 A86-38537
- EDWARDS, A. C.**  
Flight tests and preliminary aerodynamic parameter extraction of an externally piloted vehicle aircraft model p 796 A86-47800
- EDWARDS, F. G.**  
Civil helicopter flight operations using differential GPS p 346 A86-26509
- EDWARDS, G. F.**  
Correlation of predicted and free-flight responses near departure conditions of a high incidence research model p 564 N86-27255
- EDWARDS, J. A.**  
Some aspects of supersonic flow over a cavity cascade [AIAA PAPER 86-2025] p 764 A86-47659
- EDWARDS, J. J.**  
Operating experience in the Jeff (A) in the Arctic [ASME PAPER 85-GT-127] p 266 A86-22076
- EDWARDS, J. M.**  
Current and potential usage of titanium castings for airframe applications p 246 A86-21753
- EDWARDS, J. W.**  
Applications of potential theory computations to transonic aeroelasticity p 775 A86-49105
- EDWARDS, K. C.**  
Software management for integrated avionics systems p 402 A86-28425
- EDWARDS, P. R.**  
Standardized fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation [RAE-TR-84084] p 226 N86-17336  
Standardized fatigue loading sequences for helicopter rotors (Helix and Felix). Part 2: Final definition of Helix and Felix [RAE-TR-84085] p 226 N86-17337  
Standardized fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation. Part 2: Final definition of Helix and Felix [LBF-FB-167] p 436 N86-23585
- EDWARDS, T. A.**  
Definition and verification of a complex aircraft for aerodynamic calculations [AIAA PAPER 86-0431] p 202 A86-19673  
Numerical simulation of tip vortices of wings in subsonic and transonic flows [AIAA PAPER 86-1095] p 550 A86-38456  
Geometry definition and grid generation for a complete fighter aircraft [NASA-TM-88242] p 822 N86-28050
- EFIMENKO, S. V.**  
An algorithm for calculating the coupling between matrices of elastic influence coefficients for two systems of computational points p 119 A86-13362
- EFREMOV, N. L.**  
A joint analysis of the boundary layer and inviscid flow around the axisymmetric rear section of a fuselage p 79 A86-13373
- EGAN, G. P.**  
Ultrasonic direct backscattering technique for material surface inspection p 740 A86-47133
- EGAWA, K.**  
Strain measurement of the USB-flap structures of NAL STOL aircraft p 95 A86-13315
- EGGLESTON, B.**  
Thick supercritical airfoils with low drag and NLF capability p 771 A86-48981
- EGGLESTONE, G. T.**  
Development and evaluation of a microburst test apparatus for use as a minimum destructive test for parachute material [AD-A158110] p 123 N86-12620
- EGGWERTZ, S.**  
Probabilistic damage tolerance analysis of aircraft structures [FFA-TN-1985-68] p 640 N86-28061
- EGOLF, T. A.**  
Hovering rotor airload prediction using a full potential flow analysis with realistic wake geometry p 475 A86-35636
- EGOROV, V. V.**  
Using isoperimetric inequalities for the two-sided estimation of the torsional stiffness of a prismatic bar p 119 A86-13410
- EHERNBERGER, L. J.**  
A constant altitude flight survey method for mapping atmospheric ambient pressures and systematic radar errors p 380 A86-28507
- EHLERS, F. E.**  
Coupling linearized far-field boundary conditions with nonlinear near-field solutions in transonic flow [AD-A162334] p 417 N86-23573
- EHRESMAN, C. M.**  
Direct and system effects of water ingestion into jet engine compressors p 644 A86-40739
- EHRHARDT, G.**  
Experiments on unsteady flows about wing sections p 138 A86-16318
- EILTS, M. D.**  
Analysis of airborne Doppler lidar, Doppler radar and tall tower measurements of atmospheric flows in quiescent and stormy weather [NASA-CR-3980] p 462 N86-23159
- EISENHAURE, D.**  
Design and development of an inertial power supply unit for carrier-based aircraft p 304 A86-24861
- EISLER, G. R.**  
Optimal descending, hypersonic turn to heading [AIAA PAPER 86-2134] p 841 A86-47679
- EJIRI, H.**  
Estimation of divergence and flutter boundaries on supersonic plate wing models from subcritical random responses due to air turbulence [NAL-TR-856] p 211 N86-17308
- EKLUND, T. I.**  
Aircraft interior panel test criteria derived from full-scale fire tests [FAA/CT-85/23] p 91 N86-12214  
Aircraft interior panel test criteria derived from full-scale fire tests [AD-A161637] p 345 N86-21529
- EKSTEDT, E. E.**  
Evaluation of fuel preparation systems for lean preblending-prevaporizing combustors [ASME PAPER 85-GT-137] p 235 A86-22081
- EKVALL, J. C.**  
Ingot metallurgy aluminum - Lithium alloys for aircraft structure [AIAA PAPER 86-0690] p 603 A86-38822
- EL-AMI, Y. M.**  
Subsonic/transonic stall flutter investigation of an advanced low pressure compressor [ASME PAPER 86-GT-90] p 813 A86-48156
- ELANCHENNY, V.**  
Turbine fuels from tar sands bitumen and heavy oil. Phase 1: Preliminary process analysis [AD-A161300] p 452 N86-22724
- ELANGOYAN, R.**  
Transient model of a pneumatic ejector - Application to the simulation of aircraft bleed air temperature control systems p 489 A86-35405
- ELASKAR, J. F.**  
Wind influence on the range of jet or propeller aircraft p 801 A86-48990
- ELCHURI, V.**  
Dynamic and aeroelastic analyses of turbo systems in NASTRAN p 527 N86-25826  
NASTRAN supplemental documentation for modal forced vibration analysis of aerodynamically excited turbo systems [NASA-CR-174967] p 675 N86-28463
- ELDERING, H. G.**  
Application of biocular viewers to airborne reconnaissance p 229 A86-19560
- ELEMELAND, L.**  
Calculation of static elastic effects on a modern high performance fighter aircraft [AIAA PAPER 86-1771] p 777 A86-49577
- ELFEKI, S.**  
Particulate flow solutions through centrifugal impeller with two splitters [ASME PAPER 86-GT-130] p 765 A86-48188
- ELGUDINA, B. A.**  
The effect of equilibrium air properties and Mach number on the aerodynamic characteristics of a flight vehicle p 770 A86-48843
- ELIAS, A. L.**  
Aircraft approach guidance using relative Loran-C navigation p 282 A86-24533
- ELIZAROV, A. M.**  
Quasi-solutions of an inverse boundary value problem of hydroaerodynamics p 120 A86-13863
- ELKOW, R. M.**  
Composite integral response sensing [AD-A163136] p 470 N86-24457
- ELLERSICK, S. D.**  
Methodology for determination of circuit safety margins for MIL-E-8051 EMC system test p 381 A86-27151
- ELLIOTT, G. R.**  
New passive helicopter detector [DE85-015180] p 123 N86-12595
- ELLIOTT, J. W.**  
Rotor performance characteristics from an aeroacoustic helicopter wind-tunnel test program [NASA-TM-87661] p 479 N86-24665
- ELLIOTT, S. J.**  
Active minimisation of acoustic potential energy in harmonically excited cylindrical enclosed sound fields [AIAA PAPER 86-1958] p 752 A86-45443
- ELLIS, D. G.**  
The behaviour and performance of leading edge vortex flaps [CAR-8601] p 479 N86-24666
- ELLIS, F. A.**  
Recent improvements to the NAE 5 ft. x 5 ft. blowdown wind tunnel [AD-A162034] p 449 N86-23608
- ELLIS, J. R.**  
A new approach to ensuring deterministic processing in an integrated avionics software system p 396 A86-28419
- ELLISON, J. F.**  
Ground vibration test of the laminar flow control JStar airplane [NASA-TM-86398] p 100 N86-13321
- ELMORE, D. L.**  
Further development of the dynamic gas temperature measurement system [AIAA PAPER 86-1648] p 672 A86-42770

- ELMORE, K. L.**  
Microburst wind shear models from the Joint Airport Weather Studies (JAWS)  
[AD-A159758] p 324 N86-18910
- ELROD, W. C.**  
Propulsion education at the Air Force Institute of Technology  
[AIAA PAPER 86-1754] p 684 A86-42827
- ELY, R. A.**  
Prediction and measurement of damping of vibrations of structures by adhesives p 118 A86-13171  
Laminated damped fuselage structures p 389 N86-21916
- EMAMI-NAEINI, A.**  
Robust detection, isolation, and accommodation for sensor failures p 501 A86-35402  
Integrated control - A decentralized approach p 661 A86-42996  
Robust detection, isolation and accommodation for sensor failures [NASA-CR-174825] p 722 N86-30732
- EMBRY, L. B.**  
Depot maintenance of aviation components: Contractor versus organic repair [AD-A162071] p 408 N86-23556
- EMDAD, H.**  
Wake shape and its effects on aerodynamic characteristics [NASA-CR-178118] p 631 N86-28918
- EMERY, J.**  
Display formats and information transfer requirements as they relate to mission, aircrew and aircraft type p 171 A86-18464
- EMMER, D. S.**  
Investigations of transonic trailing edge flows p 541 A86-37192  
Experimental analyses of trailing edge flows [NASA-CR-176904] p 632 N86-28921
- ENDERLEIN, K.**  
Improvement of strapdown system performance by means of numerical methods [BMFT-FB-W-85-011] p 575 N86-27275
- ENENKOV, V. G.**  
Environment protection in connection with air transportation p 124 A86-13467
- ENGLAR, R. J.**  
Development of pneumatic thrust-deflecting powered-lift systems [AIAA PAPER 86-0476] p 219 A86-19894
- ENGLE, R. M., JR.**  
Impact of loads recording methodology on crack-growth-based individual aircraft tracking p 182 A86-17790  
Effect of crack growth rate variations on life predictions [AIAA PAPER 86-0981] p 603 A86-38859
- ENGLISH, D. M.**  
Protective respirator for the AAH-64 Advanced Attack Helicopter p 261 A86-19336
- ENIAS, J. H.**  
Precision IMC approaches to heliports using collocated MLS p 485 A86-35610  
Technical support of the Wall Street/Battery Park city heliport MLS (Microwave Landing System) project [AD-A165073] p 575 N86-27273
- ENNS, D.**  
Proceedings of the 12th Biennial Guidance Test Symposium held at Holloman AFB, New Mexico on 22-24 October 1985, volume 1 [AD-A161996] p 425 N86-23583
- ENRIGHT, J. J.**  
Laboratory simulation of landing gear pitch-plane dynamics [SAE PAPER 851837] p 598 A86-38370
- ENSIGN, C. R.**  
Toward improved durability in advanced combustors and turbines - Progress in prediction of thermomechanical loads [ASME PAPER 86-GT-172] p 815 A86-48224
- ENTZ, D. P.**  
Preliminary control law and hardware designs for a ride quality augmentation system for commuter aircraft. Phase 2 [NASA-CR-4014] p 836 N86-32440
- ENVIA, E.**  
Noise generated by convected gusts interacting with swept airfoil cascades [AIAA PAPER 86-1872] p 755 A86-45492
- EOSS, D.**  
Computation of the transonic flow about a swept wing in the presence of an engine nacelle [NASA-CR-177113] p 630 N86-28911
- EPIFANOV, V. M.**  
Critical permeability parameter in supersonic gradient flow p 146 A86-19148
- EPPEL, J. C.**  
Development of pneumatic thrust-deflecting powered-lift systems [AIAA PAPER 86-0476] p 219 A86-19894
- EPSTEIN, K.**  
Aircraft compartment preheating device LUVU 100 p 180 A86-18722
- EPPLER, R.**  
Airfoil design for Reynolds numbers between 50,000 and 500,000 p 136 A86-16302
- EPSTEIN, A. H.**  
'Smart' engine components - A micro in every blade? p 234 A86-21896  
Active suppression of compressor instabilities [AIAA PAPER 86-1914] p 690 A86-45410  
Unsteady design-point flow phenomena in transonic compressors [NASA-CR-176879] p 722 N86-30730
- EPSTEIN, C. S.**  
Store separation flight testing [AGARD-AG-300-VOL-5] p 717 N86-30727
- EPTON, I.**  
Fokker 50 - Replacing a legend p 487 A86-34475
- ER-EL, J.**  
Ground effect on slender wings at moderate and high angles of attack p 623 A86-40108  
Effects of spanwise blowing on pressure distribution and leading-edge vortex stability p 774 A86-49046
- ERB, R. E.**  
Use of hinged strakes for lateral control at high angles of attack [AIAA PAPER 86-2278] p 630 A86-47696  
Use of hinged strakes for lateral control at high angles of attack [AD-A158005] p 178 N86-15321
- ERCOLINE, W. R.**  
The history of instrument flight p 405 A86-29868
- EREMITSEV, I. G.**  
Heat transfer and drag of a body in the far supersonic wake p 554 A86-39657
- ERICKSON, E. D.**  
Analysis of particulates in the exhaust plume of a J52-P3 turbojet engine at military power [AD-A157840] p 107 N86-12231
- ERICKSON, L. L.**  
A theoretical basis for extending surface-paneling methods to transonic flow p 142 A86-17131  
Application of the TranAir full-potential code to complete configurations p 772 A86-49009
- ERICKSON, R. E.**  
RSRA flight development test in the airplane configuration p 493 A86-35653
- ERICSSON, L. E.**  
Fluid dynamics of cylinder response to Karman vortex shedding [AIAA PAPER 86-0119] p 199 A86-19700  
Reflections regarding recent rotary rig results [AIAA PAPER 86-0123] p 241 A86-19703  
Dynamic support interference in high alpha testing [AIAA PAPER 86-0780] p 309 A86-24746  
Vortex-induced bending oscillation of a swept wing [AIAA PAPER 86-1773] p 542 A86-37809  
Vortex-induced effects on aircraft dynamics [AIAA PAPER 86-2279] p 630 A86-47697  
A critical look at dynamic simulation of viscous flow p 580 N86-27230
- ERICSSON, T.**  
Coarsening of delta prime, T1, S prime phases and mechanical properties of two Al-Li-Cu-Mg alloys p 660 A86-40303
- ERKELENS, L. J. J.**  
Flight simulation of MLS interception procedures applicable to laterally segmented approach paths [AIAA PAPER 86-2073] p 837 A86-47663  
Determination of performance and stability characteristics from dynamic maneuvers with a transport aircraft using parameter identification techniques [NLR-MP-84024-U] p 308 N86-19326
- ERMAK, I. U. N.**  
Heat transfer at the lateral surface of a blunt cone during the absorption of the entropy layer by a laminar or a turbulent boundary layer p 187 A86-18907
- ERMOLAEVA, N. A.**  
Critical values of the Mach number of a radial airfoil cascade p 105 A86-13408
- ERMOLENKO, S. D.**  
Calculation of the aerodynamic characteristics of three-dimensional wings of finite span in a potential incompressible flow p 476 A86-35985
- EROFEEV, A. I.**  
Flow of a diatomic rarefied gas around a cone p 78 A86-13360
- ERSHOV, B. A.**  
Fatigue life in a coupled problem concerning the motion of a flexible wing p 474 A86-35082
- ERWIN, R. L., JR.**  
Time navigation benefits in en route metered ATC p 482 A86-35368
- ERZBERGER, H.**  
Simulation of time-control procedures for terminal area flow management p 484 A86-35369  
A time-based concept for terminal-area traffic management [NASA-TM-88243] p 622 N86-28049
- ESCHWEILER, J.**  
Strength profile in Al-Li plate material p 374 A86-27196
- ESHELBY, M. E.**  
Pressure based separation in the upper airspace [CAR-8614] p 486 N86-24679
- ESHLEMAN, J.**  
Ground effects on V/STOL and STOL aircraft: A survey [NASA-TM-88625] p 89 N86-13299
- ESHLEMAN, J. E.**  
Hover in-ground-effect testing of a full-scale, tilt-nacelle V/STOL model [AIAA PAPER 86-0780] p 286 A86-24759  
Estimation of lift losses of hovering vehicles using a single jet [SAE PAPER 851842] p 579 A86-38339  
Hover in-ground-effect testing of a full-scale, tilt-nacelle V/STOL model [NASA-TM-88218] p 629 N86-28056
- ESKEY, M. A.**  
Expert systems and their use in augmenting design optimization [AIAA PAPER 85-3095] p 127 A86-14434
- ESLINGER, R. A.**  
Multivariable control law design for the AFTI/F-16 with a failed control surface p 367 A86-28380  
Control reconfigurable combat aircraft flight control system development [AIAA PAPER 86-2236] p 824 A86-47488
- ESPING, B. J. D.**  
The OASIS structural optimization system p 672 A86-43090
- ESTEP, H.**  
ELT antenna gain distributions under simulated crash conditions p 92 A86-12698
- ETERNO, J. S.**  
An automatic redesign approach for restructurable control systems p 368 A86-28394  
Application of FDI metrics to detection and isolation of sensor failures in turbine engines p 501 A86-35400  
Design issues for fault tolerant-restructurable aircraft control p 652 A86-42937  
Simulation results of automatic restructurable flight control system concepts [AIAA PAPER 86-2032] p 821 A86-47422  
Robust detection-isolation-accommodation for sensor failures [NASA-CR-174797] p 255 N86-16486  
Initial design and evaluation of automatic restructurable flight control system concepts [NASA-CR-178064] p 652 N86-28090
- ETEROVIC, J. E.**  
Behaviour of a rectangular wing in a supersonic flow - Dynamic pressure and normal force analysis in the range 1.3-4.0 Mach p 146 A86-19005
- ETHEL, J. L.**  
NASA and general aviation [NASA-SP-485] p 716 N86-30720
- ETKIN, B.**  
Comment on 'Aerodynamic estimation techniques for aerostats and airships' p 85 A86-14541
- EVANS, B.**  
Development of properties within high-strength aluminum-lithium alloys p 660 A86-40304
- EVANS, C.**  
A self-organising control system for non-linear aircraft dynamics p 564 A86-27258
- EVANS, G. B.**  
Design against corrosion p 161 A86-17382
- EVANS, J. E.**  
The FAA/M.I.T. Lincoln Laboratory Doppler Weather Radar program p 614 A86-37461  
Weather radar studies [AD-A161622] p 394 N86-22061
- EVANS, R. J.**  
Sinusoidal disturbance rejection with application to helicopter flight data estimation p 747 A86-44505
- EVANS, R. W.**  
The development of dichromated gelatin for holographic optical element applications p 468 A86-32312
- EVANS, T. E.**  
Microwave Landing System p 349 A86-28358
- EVANS, T. M.**  
Is there life after 10,000 flight hours? p 254 A86-22402

- EVANS, W. J.  
TURBISTAN: A standard load sequence for aircraft engine data p 526 N86-25380  
TURBISTAN: A standard load sequence for aircraft engine data [NLR-MP-85033-U] p 820 N86-32438
- EVERETT, G.  
Improvement of strapdown system performance by means of numerical methods [BMFT-FB-W-85-011] p 575 N86-27275
- EVERETT, R. A., JR.  
Repeatability of mixed-mode adhesive debonding p 249 A86-20638
- EVERETT, W. D.  
Triaxial vibration system p 257 N86-18647
- EVERHART, J. L.  
FLEXWAL: A computer program for predicting the wall modifications for two-dimensional, solid, adaptive-wall tunnels [NASA-TM-84648] p 150 N86-14250
- EVERSMAN, W.  
A numerical model of acoustic choking. II - Shocked solutions p 265 A86-20795  
Finite element modeling of acoustic singularities with application to propeller noise p 468 A86-32778  
Wave envelope and finite element approximations for turbulent noise radiation in flight p 619 A86-39057  
Modeling wind tunnel effects on the radiation characteristics of acoustic sources p 682 A86-41689  
Modeling of acoustic radiation problems associated with turbomachinery and rotating blades p 749 A86-44805  
A comparison of the structureborne and airborne paths for propfan interior noise [AIAA PAPER 86-1863] p 711 A86-45483  
Modeling of acoustic radiation problems associated with turbomachinery and rotating blades p 855 A86-48597  
Modeling the effects of wind tunnel wall absorption on the acoustic radiation characteristics of propellers [NASA-TM-87333] p 683 N86-29630
- EWALD, B.  
The accuracy problem of airplane development force testing in cryogenic wind tunnels [AIAA PAPER 86-0776] p 310 A86-24765
- EWINS, D. J.  
Model test requirements for coupled structure analysis using experimentally-derived component models p 380 A86-26878
- EYLLON, D.  
Fatigue behavior of Ti-6Al-4V powder metallurgy compacts p 603 A86-39617
- EYMAN, C.  
Flightpath reconstruction and systematic radar error estimation from multi-radar range-azimuth measurements p 636 A86-42966
- EYSSA, Y. M.  
Magnetic suspension and balance system advanced study [NASA-CR-3837] p 180 N86-14278
- EYTH, J., JR.  
Evaluation of pilot performance and aircrew protective devices in a simulated F-14 flat spin environment p 262 A86-19351
- EZEYVA, E. P.  
Certain characteristics of parachute-wing aerodynamics p 80 A86-13389
- F**
- FABRI, J.  
Ceramic heat exchangers for gas turbines or turbojet engines p 742 N86-29658
- FABUNMI, J. A.  
Model constraints on structural dynamic force determination p 161 A86-17070  
Developments in helicopter ground vibration testing p 805 A86-49638
- FAGE, J. M.  
Windhear detection using a Doppler acoustic sounder (SODAR) p 614 A86-37484
- FAGOT, H.  
Interferometric holographic cinematography [ISL-CO-219/85] p 851 N86-31872
- FAIR, B. C.  
Airborne communications reconstitution experiments p 251 A86-21891
- FAIRLIE, B. D.  
Algorithms for the reduction of wind-tunnel data derived from strain gauge force balances [ARL/AERO-R-164] p 113 N86-13337
- FALENI, J.-P.  
Optical fibers application to visualization of flow separation inside an aircraft intake in wind tunnel [ONERA, TP NO. 1985-158] p 309 A86-24638
- FALTUS, M.  
Design of a nonlinear lever-type mechanism for aircraft control systems p 835 A86-49139
- FAN, D.  
Discussion about dynamic simulation test of an aero-engine control system [ASME PAPER 85-IGT-30] p 308 A86-23845
- FAN, F.-D.  
Numerical modeling of transonic flows over airfoils and cascades p 414 A86-33409
- FANG, J.-Y.  
The solution of the thermal elastic-plastic problem of turbine disk by the incremental finite element method [ASME PAPER 85-IGT-112] p 317 A86-23909
- FANG, R.  
Determination of limitations for helicopter ship-borne operations p 280 A86-26151  
Helicopter-ship qualification testing [NLR-MP-84082-U] p 227 N86-17343  
Determination of limitations for helicopter ship-borne operations [NLR-MP-84072-U] p 295 N86-19319
- FANNING, A. E.  
The next hot fighter engine p 720 A86-44005
- FANUS, D.  
Telemetry processing system [AIAA PAPER 86-5825] p 465 A86-32148
- FARADZHEV, R. G.  
Controllability theory of discrete dynamic systems p 748 A86-46401
- FARASAT, F.  
Prediction of advanced propeller noise in the time domain p 469 A86-32963  
Aerodynamics via acoustics - Application of acoustic formulas for aerodynamic calculations [AIAA PAPER 86-1877] p 691 A86-45494  
Advanced turboprop noise prediction: Development of a code at NASA Langley based on recent theoretical results [NASA-TM-88993] p 757 N86-31338
- FARELL, C.  
Vortex roll-up for an elliptically-loaded wing at moderately low Reynolds numbers [AIAA PAPER 86-0562] p 203 A86-19951
- FARINA, A.  
Radar data processing. Volume 2 - Advanced topics and applications p 605 A86-38224
- FARLEY, G. L.  
Effect of fiber and matrix maximum strain on the energy absorption of composite materials p 516 A86-35640  
Crash energy absorbing composite sub-floor structure [AIAA PAPER 86-0944] p 585 A86-38952
- FARM, J. A.  
Design of a multivariable flutter control/gust load alleviation system [AIAA PAPER 86-2247] p 825 A86-47494
- FARNELL, G. W.  
A fiber optic damage monitor p 670 A86-41605
- FARR, W. D.  
Injury pattern analysis of helicopter wire strike accidents (+Gz load) p 158 A86-18843
- FARRIS, R. L.  
Development of mechanical components for advanced aircrew seating systems p 217 A86-19307  
Advancements in inertia reels for fixed seating aircraft p 784 A86-47744
- FARRY, K. A.  
The application of systolic array processor technology to real-time control p 532 A86-36894
- FARSON, K. E.  
Integrated avionics suite as implemented on the Agusta A-129 p 500 A86-35886
- FARTHING, T. G. R.  
Evaluation of JFTOT tube deposits by carbon burnoff [SAE PAPER 851994] p 602 A86-38539
- FARTHING, T. W.  
Applications of titanium and titanium alloys p 374 A86-27202
- FASANELLA, E. L.  
NASA experiments onboard the controlled impact demonstration [SAE PAPER 851885] p 568 A86-38352  
Structural analysis of the controlled impact demonstration of a jet transport airplane [AIAA PAPER 86-0939] p 583 A86-38836  
NASA seat experiment and occupant responses p 390 N86-21839  
Impact data from a transport aircraft during a controlled impact demonstration [NASA-TP-2589] p 718 N86-30721
- FASOLD, J.  
Structural bonding with polysulfide adhesive on B-1B aircraft p 94 A86-13106
- FAULCON, N. D.  
Image processing of aerodynamic data [NASA-TM-87829] p 255 N86-18553
- FAULKNER, A.  
Handling qualities and flight performance - implication of the operational envelope p 799 A86-48672
- FAULMANN, D.  
Cryogenic wind tunnels: Problems of continuous operation at low temperatures [NASA-TM-88446] p 656 N86-28099
- FAVIER, D.  
Radial distribution circulation of a rotor in hover measured by laser velocimeter p 276 A86-26110  
Vortex influence on oscillating airfoil at high angle-of-attack [AIAA PAPER 86-1837] p 779 A86-49592  
Wing profile in stalled position subject to a flow of alternating potential and strong vortex p 560 N86-27229
- FAVREAU, C.  
Prediction of the stability performance of a turboreactor combustion chamber [SNECMA-YKC-3269/85] p 651 N86-28949
- FEATHER, F.  
Fault-free validation of a fault-tolerant multiprocessor: Baseline experiments and workload implementation [NASA-CR-178075] p 486 N86-24277
- FEATHER, J. B.  
Guidance studies for curved, descending approaches using the Microwave Landing System (MLS) [NASA-CR-178030] p 486 N86-25335
- FEDOROV, A. V.  
The possibility of using ion implantation for increasing the life of the compressor blades of gas-turbine aircraft engines p 522 A86-35698
- FEDOTOV, S. V.  
Probabilistic modeling of fields of atmospheric turbulence and sea roughness with reference to the study of complex systems p 528 A86-36480
- FEDUN, M. H.  
Solid fuel gas generator air [AIAA PAPER 86-1682] p 649 A86-42792
- FEENRER, C.  
An analysis of the application of AI to the development of intelligent aids for flight crew tasks [NASA-CR-3944] p 90 N86-12212
- FEENER, A. D.  
Characteristics of back-radiated departure noise at San Francisco International Airport p 467 A86-31960
- FEHLING, M. R.  
The Crew Station Information Manager - An avionics expert system p 361 A86-28515
- FEIK, R. A.  
Sinusoidal disturbance rejection with application to helicopter flight data estimation p 747 A86-44505
- FEINBERG, F.  
Development of a high temperature jet engine oil - Laboratory and field evaluation [SAE PAPER 851797] p 607 A86-38627
- FENSTEL, T. W.  
Interdependence of parameters important to the design of subsonic canard-configured aircraft [SAE PAPER 850865] p 581 A86-38506
- FELDMANN, R. E.  
Expert System Pilot Aid p 361 A86-28516
- FELKER, F. F.  
Full-scale tilt-rotor hover performance p 576 A86-37770  
Performance and loads data from a hover test of a full-scale XV-15 rotor [NASA-TM-86833] p 152 N86-15243  
Rotor/wing aerodynamic interactions in hover [NASA-TM-86255] p 629 N86-28080
- FELKER, F. F., III  
Hovering model helicopter rotor testing p 179 A86-18412
- FELLOWS, M. S.  
Aircraft performance optimization with thrust vector control [AD-A185388] p 587 N86-26334
- FELT, L. R.  
Flight flutter testing at Ames-Dryden p 797 A86-47802
- FENDER, D. A.  
Development of a generalized escape system simulation computer program p 240 A86-19340
- FENG, P.  
Measurement of elastic-plastic strain field at the curve surface crack tip p 249 A86-20175
- FENG, S.  
Fuzzy inference system to diagnose aircraft hydraulic faults p 407 N86-22775
- FENG, T.  
Buckling and initial post buckling analysis of composite panels under axial compression p 735 A86-43496
- FENSKE, W.  
A computer-augmented procedure for commercial aircraft configuration development and optimization p 637 A86-40114

- FENTON, B. C.**  
AMK full-scale transport aircraft validation phase summary p 733 N86-30009
- FENWICK, C. A.**  
Avionics system architecture for Beechcraft Starship 1 [SAE PAPER 851851] p 589 A86-38346
- FE0 PALACIOS, A.**  
Effects of intense rainfall on the aerodynamics of an airfoil profile p 409 A86-31013
- FERGUSON, S. D.**  
Experiments on supersonic turbulent flow development in a square duct [AIAA PAPER 86-1038] p 548 A86-38412
- FERGUSON, W. W.**  
Counter-rotation prop-fan optimization [AIAA PAPER 86-1470] p 645 A86-42659
- FERMAN, M. A.**  
Durability prediction of parallel fuel tank skins with fluid-structure interaction dynamics [AIAA PAPER 86-0935] p 591 A86-38927  
A new approach to durability prediction for fuel tank skins p 642 A86-40119
- FERNANDEZ-RUIZ, P.**  
The damage tolerance approach in the type approval process p 220 A86-20036
- FERNANDEZ, R.**  
The private enterprise factor in regional airlines p 421 A86-31004
- FERRELLI, G. B.**  
Multiscale flow visualization of lateral jet injection into a swirling cross flow p 85 A86-14561
- FERRERI, A. L.**  
Titanium Near Net Shape components for demanding airframe applications p 245 A86-21726  
Titanium near net shape components for demanding airframe applications p 380 A86-26717
- FERRIS, K. D.**  
High speed fiber optic data bus for avionics integration p 385 A86-28342
- FERTIG, K.**  
Ultrasonic characterization of microstructure in powder metal alloy p 489 N86-22964
- FERTIS, D. G.**  
NASA LeRC/Akron University Graduate Cooperative Fellowship Program and Graduate Student Researchers Program [NASA-CR-174826] p 130 N86-13219
- FESHCHENKO, S. A.**  
Self-similar supersonic gas flows through a permeable screen p 140 A86-16784
- FEUILLEBOIS, F.**  
Sampling of solid particles in clouds p 688 A86-40720
- FEYOCK, S.**  
A high-order language for a system of closely coupled processing elements [NASA-CR-177280] p 619 N86-27930
- FFOWCS WILLIAMS, J. E.**  
Active suppression of compressor instabilities [AIAA PAPER 86-1914] p 890 A86-45410  
The aerodynamic potential of anti-sound p 855 A86-48977
- FIALA, J.**  
Experience with stress analysis during airframe fatigue tests p 840 A86-49143
- FICHTL, G. H.**  
Recent advances in Monte Carlo turbulence simulation p 792 A86-47636
- FICKAS, E. T.**  
Correlation of GPS receiver channel track continuity with aircraft structural masking p 92 A86-13217
- FICO, R.**  
Light helicopter family trade-off analysis. Volume 4: Appendix N [AD-A158075] p 168 N86-15306
- FIDDES, S. P.**  
The 'minituft' surface flow visualisation method - Experience of use in the RAE 5m pressurised low-speed wind tunnel p 447 A86-31124  
A rapid method for estimating equivalent parabolic polars from wind-tunnel tests [AD-A159599] p 153 N86-15251
- FIELD, A.**  
Plessey displays in air traffic control p 216 A86-21808
- FIELD, E. C., JR.**  
Comparison of calculated and measured height profiles of transverse electric VLF signals across the daytime earth-ionosphere waveguide p 250 A86-21513
- FIELDS, J. M.**  
An evaluation of study design for estimating a time-of-day noise weighting [NASA-CR-178062] p 401 N86-22306  
The relative effect of noise at different times of day: An analysis of existing survey data [NASA-CR-3985] p 469 N86-24392
- FIELDS, R. A.**  
Buckling behavior of Rene 41 tubular panels for a hypersonic aircraft wing [AIAA PAPER 86-0978] p 609 A86-38857  
Comparison of measured and calculated temperatures for a Mach 8 hypersonic wing test structure [NASA-TM-85918] p 435 N86-22563  
Buckling behavior of Rene 41 tubular panels for a hypersonic aircraft wing [NASA-TM-86798] p 611 N86-28653
- FIGUROVSKII, V. I.**  
Strength analysis of flight vehicles p 356 A86-29842
- FILATOV, A. P.**  
Diffuser parameter optimization for low Reynolds numbers using experimental data p 111 A86-13400
- FILATOV, I. V.**  
Information-measurement complexes of flight vehicles p 172 A86-18743
- FILIPPOV, V. V.**  
Reliability and maintenance of aircraft p 384 A86-28309
- FINAISH, F.**  
Streamwise and spanwise vortical patterns visualized over airfoils in unsteady flow p 138 A86-16319  
Visualization of wing tip vortices in unsteady and steady wind [AIAA PAPER 86-1096] p 551 A86-38457  
The wing tip vortex system in a starting flow p 690 A86-45190
- FINCH, J. R.**  
Data systems for logistics evaluation during operational test p 396 A86-28483
- FINCH, R.**  
HC-Mk1 (Chinook) heated rotor blade icing test. II - Analysis of atmospheric conditions, aircraft and systems characteristics p 293 A86-26168
- FINELLI, G. B.**  
F-106 data summary and model results relative to threat criteria and protection design analysis p 786 A86-50259  
Statistical analysis of direct-strike lightning data (1980 to 1982) [NASA-TP-2252] p 463 N86-24090
- FINGER, S. N.**  
Self-retained platform cooling plate for turbine vane [AD-D012218] p 721 N86-29822
- FINKE, R. C.**  
Piezoelectric deicing device [NASA-CASE-LEW-13773-2] p 388 N86-20671
- FINLAY, W. M.**  
Infrared flight simulation using computer generated imagery p 103 A86-15378
- FINNEY, J. M.**  
Modelling for fatigue crack growth prediction in aircraft p 161 A86-17011
- FIOR, R.**  
SPF aluminum - A first for the S-76B helicopter p 250 A86-21709
- FIORENTIN, S. R.**  
Small defect characterization in powder metallurgy materials p 526 N86-25373
- FISCHER, H. W.**  
Studies for the application of a flexible weight and balance (W/B) measuring facility for commercial aircraft [BMFT-FB-W-85-029] p 840 N86-31604
- FISCHER, M. C.**  
Cloud particle effects on laminar flow in the NASA LEFT program - Preliminary results [AIAA PAPER 86-9811] p 432 A86-32138  
Design considerations for application of laminar flow control systems to transport aircraft p 155 N86-15270
- FISCHER, R. L.**  
Evaluation of less toxic fuels for aircraft emergency power systems [SAE PAPER 851974] p 601 A86-38384
- FISCUS, I. B.**  
Performance of an alpha-vane and pitot tube in simulated heavy rain environment [NASA-CR-176353] p 103 N86-12220
- FISHER, B. D.**  
Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes [AIAA PAPER 86-0021] p 213 A86-19837  
NASA storm hazards research in lightning strikes to aircraft p 566 A86-37479  
Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes p 634 A86-41895  
Research in lightning swept-stroke attachment patterns and flight conditions with the NASA F-108B airplane p 791 A86-47318
- FISHER, D. F.**  
Cloud particle effects on laminar flow in the NASA LEFT program - Preliminary results [AIAA PAPER 86-9811] p 432 A86-32138
- Summary of results of NASA F-15 flight research program [AIAA PAPER 86-0761] p 496 A86-37064
- Summary of results of NASA F-15 flight research program [NASA-TM-86811] p 539 N86-26277
- FISHER, S. S.**  
Separation bubble behavior for a NACA 23009 airfoil p 137 A86-16312
- FISHER, V. A.**  
Certification of aeroengines fitted with full authority digital control [PNR-90287] p 237 N86-16225
- FISTER, B. J.**  
Flight test data acquisition and processing system p 329 A86-23263
- FITZER, E.**  
Carbon fibres and their composites p 661 A86-40487  
Technical status and future prospects of carbon fibres and their application in composites with polymer matrix (CFRPs) p 661 A86-40488
- FITZGERALD, P. E., JR.**  
FAA Air Traffic Control program management technology applications p 424 A86-32925
- FLADISCHER, J.**  
Recycling of titanium scrap for the production of high-duty aerospace components p 382 A86-27211
- FLAHERTY, T. C.**  
Air turbine test results for three turbine stages with varying radial distribution of camber [AIAA PAPER 86-1487] p 645 A86-42657
- FLANDERS, J.**  
Investigation of an advanced fault tolerant integrated avionics system [NASA-CR-176980] p 642 N86-26945
- FLECK, J. N.**  
Advanced structural casting applications for a gas turbine engine p 521 A86-35658
- FLEETER, S.**  
Aerodynamic detuning analysis of an unstalled supersonic turbofan cascade [ASME PAPER 86-GT-192] p 270 A86-22732  
Stator row unsteady aerodynamics due to wake excitations p 273 A86-24703  
Forced response analysis of an aerodynamically detuned supersonic turbomachine rotor p 363 A86-26902  
Aerodynamic and structural detuning of supersonic turbomachine rotors p 440 A86-31595  
Passive control of aerodynamically forced vibrations of supersonic turbomachine rotors by splitter blades [AIAA PAPER 86-0844] p 590 A86-38892  
Wake induced unsteady aerodynamic interactions in a multi-stage compressor [AIAA PAPER 86-1455] p 625 A86-42653  
Splitter blades as an aeroelastic detuning mechanism for unstalled supersonic flutter of turbomachine rotors [ASME PAPER 86-GT-99] p 813 A86-48164
- FLEMING, P. J.**  
Computer aided control system design using a multiobjective optimization approach p 679 A86-40760
- FLEMING, R. J.**  
The performance characteristics of simulated ice on rotorcraft airfoils p 482 A86-35656
- FLETCHER, L. S.**  
Contact heat transfer - The last decade p 387 A86-28551
- FLIPPO, R. V.**  
8000 psi hydraulic system seals and materials test program - A progress report [SAE PAPER 851913] p 580 A86-38367
- FLORES, J.**  
Computational aspects of zonal algorithms for solving the compressible Navier-Stokes equations in three dimensions [NASA-TM-86774] p 88 N86-13296  
Transonic Navier-Stokes wing solution using a zonal approach. Part 1: Solution methodology and code validation [NASA-TM-86248-PT-1] p 692 N86-29765
- FLORSCHUETZ, L. W.**  
Heat transfer characteristics within an array of impinging jets. Effects of crossflow temperature relative to jet temperature [NASA-CR-3936] p 190 N86-15625
- FLOYD, M. A.**  
MATRIX Plus with HYPER-BUILD - Accelerating control design, analysis, and simulation [AIAA PAPER 86-2085] p 853 A86-47505
- FLOYD, M. D.**  
Engine/airframe health and usage monitoring an alternate approach via advanced vibration monitoring systems p 296 A86-23255

- FLYNN, R.**  
Light helicopter family trade-off analysis. Volume 8: Appendices S and T  
[AD-A158077] p 189 N86-15308
- PODDY, M.**  
Real time optimal flight path generation by storage of massive data bases p 397 A86-28388
- FOERSCHING, H.**  
An improved potential gradient method for the calculation of unsteady aerodynamic pressures on oscillating wings in supersonic flow p 413 A86-33234  
An improved potential gradient method for the calculation of unsteady aerodynamic pressures on oscillating wings in supersonic flow p 695 N86-30633
- FOHLEN, G. M.**  
Aminophenoxycyclophosphazene cured epoxy resins and the composites, laminates and structures thereof [NASA-CASE-ARC-11548-1] p 379 N86-21686
- FOLDS, D. J.**  
Auditory signals in military aircraft - Ergonomic principles versus practice p 395 A86-28442
- FOPIANO, P. J.**  
Direction of R and D and current status of understanding of advanced gear steels p 686 N86-29245
- FORD, M.**  
Statistical sampling of aircraft operations at non-towered airports  
[AD-A157095] p 128 N86-13051
- FORD, R. L.**  
The protected volume of airspace generated by an airborne collision avoidance system p 703 A86-46146
- FORD, T.**  
Rotorcraft trends. II - Requirements and monitoring p 287 A86-25089
- FOREST, A. E.**  
Heat transfer measurements with film cooling on a turbine blade profile in cascade  
[ASME PAPER 85-GT-117] p 251 A86-22070
- FORESTER, C. K.**  
Evaluation of a method for analyzing the aperture region of two-dimensional external compression inlets  
[AIAA PAPER 85-3072] p 83 A86-14432  
CFD for engine-airframe integration  
[ASME PAPER 85-GT-125] p 797 A86-48184
- FORGROVER, J.**  
A design approach to a performance seeking control  
[AIAA PAPER 86-1674] p 652 A86-42785
- FORM, P.**  
Performance evaluation of a linear recursive technique for aircraft altitude prediction in airborne collision avoidance systems p 811 A86-49065
- FORMICA, B.**  
Avionics system for future civil helicopters  
[BMFT-FB-W-85-005] p 160 N86-14266
- FORNEY, R. C.**  
Advanced composites - The structural revolution p 517 A86-37136
- FORSYTH, G. F.**  
Comparison of airborne data acquisition systems at ARL (Aeronautical Research Laboratories)  
[AD-A161864] p 357 N86-21537
- FORTIN, A.**  
Experiments with several elements for viscous incompressible flows p 186 A86-18633
- FORTIN, M.**  
Experiments with several elements for viscous incompressible flows p 186 A86-18633
- FOSHA, C. E.**  
State estimation errors in digital Kalman filters caused by measurement delays and numerical integration p 397 A86-28388
- FOSS, W. E., JR.**  
The impact of technology on fighter aircraft requirements  
[SAE PAPER 851841] p 579 A86-38338  
Computer sizing of fighter aircraft  
[AIAA PAPER 85-0212] p 637 A86-40106
- FOTTNER, L.**  
Evaluation of the blade-to-blade flow from a high speed compressor rotor  
[ASME PAPER 86-GT-117] p 765 A86-48178
- FOUGHNIER, J. T., JR.**  
Pivotal strakes for high angle of attack control  
[SAE PAPER 851821] p 593 A86-38329  
Vortex Flow Aerodynamics, volume 1  
[NASA-CP-2416-VOL-1] p 556 N86-27190
- FOURNIER, F.**  
Analysis of the noise emitted by a tail rotor p 286 N86-18129
- FOURNIER, J.**  
Errare humanum est... sed perseverare diabolicum or navigation errors of the 747 and the 'heading' position p 348 A86-27900
- FOWLER, H. S.**  
'But not with the greatest of ease' - A feasibility study of a human-powered ACV p 121 A86-14355
- FOX, J. H.**  
Counterflow sonic nozzle into a supersonic stream  
[AIAA PAPER 86-1808] p 544 A86-37830
- FOXWORTHY, P. T.**  
Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements  
[AD-A158004] p 181 N86-15324  
Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements  
[AD-A165055] p 599 N86-27294
- FRANC, J. P.**  
Attached cavitation and the boundary layer - Experimental investigation and numerical treatment p 186 A86-17032
- FRANCIS, M. S.**  
Unsteady aerodynamics and dynamic aircraft maneuverability p 564 N86-27253
- FRANK, C.**  
General aviation pilot and aircraft activity survey  
[AD-A161865] p 345 N86-21530
- FRANKE, M. E.**  
Propulsion education at the Air Force Institute of Technology  
[AIAA PAPER 86-1754] p 684 A86-42827
- FRANKEL, M. S.**  
Airborne communications reconstitution experiments p 251 A86-21891
- FRANKLIN, J. A.**  
Powered-lift technology on the threshold p 98 A86-14245  
Control of V/STOL aircraft p 724 A86-48002
- FRANKOVICH, K.**  
Expert system applications to the cockpit of the '90s p 399 A86-26487
- FRASER, T. L.**  
Engineering flight simulation - A revolution of change  
[SAE PAPER 851901] p 513 A86-36941
- FRASSINELLI, M. C.**  
Low-speed aerodynamics of apex fences on a tailless delta configuration  
[AIAA PAPER 86-1838] p 779 A86-49593  
Basic studies on delta wing flow modifications by means of apex fences p 557 N86-27199
- FRAUNIE, P.**  
The importance of dynamic stall in aerodynamic modeling of the Darrieus rotor p 528 A86-36448
- FRAY, J. M.**  
Inverse method with geometric constraints for transonic aerofoil design p 477 A86-36202
- FRAY, J. M. J.**  
Design of transonic airfoils with given pressure, subject to geometric constraints  
[NLR-TR-84084-U] p 633 N86-26928
- FRAZIER, J. W.**  
Development of an electro-pneumatic anti-G valve for high performance fighter aircraft p 218 A86-19317
- FREDA, M. S.**  
Aeronautical facilities catalogue. Volume 2: Airbreathing propulsion and flight simulators  
[NASA-RP-1133] p 311 N86-18328
- FREDERICK, R.**  
Improved temperature detection system for use on film cooled turbine airfoils  
[AD-D011782] p 107 N86-12226
- FREDERICKSON, B.**  
Computer aided engineering in structural design and optimization p 736 A86-43759
- FREDRICKSON, H. J.**  
PC-1638 standoff imaging system p 229 A86-19578
- FREEDMAN, R.**  
In-flight measurements of wing ice shapes and wing section drag increases caused by natural icing conditions  
[NASA-TM-87301] p 479 N86-24667
- FREEMAN, G.**  
F-14A inlet icing p 709 A86-44937
- FREEN, P. D.**  
Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 1  
[NASA-CR-174923-VOL-1] p 108 N86-13328  
Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 2  
[NASA-CR-174923-VOL-2] p 108 N86-13329  
Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 3  
[NASA-CR-174923-VOL-3] p 108 N86-13330
- FREER, D. W.**  
Applications of satellite communications technologies to International Civil Aviation p 702 A86-43708
- FREI, D.**  
The X-29 - A unique and innovative aerodynamic concept  
[SAE PAPER 851771] p 548 A86-38306
- FRIER, G. D.**  
Optical detection methods for testing of fuel tank lightning ignition hazards p 791 A86-47309
- FRENCH**  
Resonant cavities for stall recovery in gas turbine engines  
[AD-D011891] p 175 N86-15317
- FREULER, R. J.**  
Engine simulator techniques for scaled test cell studies  
[AIAA PAPER 85-1282] p 112 A86-14480
- FREYMANN, R.**  
Simulation of aircraft taxi testing on the AGILE shaker test facility p 448 A86-33265  
Dynamic interactions between active control systems and a flexible aircraft structure  
[AIAA PAPER 86-0860] p 594 A86-38632  
Active flutter suppression on a delta wing model structure  
[DFVLR-FB-86-01] p 727 N86-29670  
Simulation of aircraft taxi testing on the AGILE shaker test facility p 731 N86-30663
- FREYMUTH, P.**  
Streamwise and spanwise vortical patterns visualized over airfoils in unsteady flow p 138 A86-16319  
The vortex patterns of dynamic separation - A parametric and comparative study p 145 A86-18534  
Visualization of wing tip vortices in unsteady and steady wind  
[AIAA PAPER 86-1096] p 551 A86-38457  
The wing tip vortex system in a starting flow p 690 A86-45190
- FRIDAY, E. C.**  
Mellin-Fourier correlation  
[AD-A159885] p 330 N86-20006
- FRIDDELL, K. D.**  
Application of medical computed tomography (CT) scanners to advanced aerospace composites p 670 A86-41631
- FRIED, J. J.**  
Development and evaluation of math library routines for a 1750A airborne microcomputer  
[AD-A164050] p 533 N86-26030
- FRIEDBERG, R. A.**  
Designing an electro-impulse de-icing system  
[AIAA PAPER 86-0545] p 220 A86-19940  
Analyses and tests for design of an electro-impulse de-icing system  
[NASA-CR-174919] p 571 N86-27268
- FRIEDMAN, E. M.**  
An analytical modularized treatment of autopilots for guided projectile simulations  
[AD-A159311] p 182 N86-14282
- FRIEDMANN, P.**  
Application of modern structural optimization to vibration reduction in rotorcraft p 352 A86-26587
- FRIEDMANN, P. P.**  
Aeromechanical stability analysis of a hybrid heavy lift multirotor vehicle in hover p 110 A86-14530  
Aeromechanical stability analysis of a multirotor vehicle with application to hybrid heavy lift helicopter dynamics p 290 A86-26141  
A new look at arbitrary motion unsteady aerodynamics and its application to rotary-wing aeroelasticity p 413 A86-33238  
A new approach to finite state modelling of unsteady aerodynamics  
[AIAA PAPER 86-0865] p 552 A86-38900  
Influence of various unsteady aerodynamic models on the aeromechanical stability of a helicopter in ground resonance p 177 N86-15294  
A new look at arbitrary motion unsteady aerodynamics and its application to rotary-wing aeroelasticity p 696 N86-30638
- FRIENE, C.**  
Aircraft measurements and coordination in FASINEX  
[AD-A160789] p 321 N86-18699
- FRIESEN, S. J.**  
Superalloy component durability enhancements p 739 A86-48562
- FRISCH, B.**  
How to not eat your own dust p 440 A86-31328
- FRISCH, G. D.**  
High speed ejection tests of a modified Hybrid III Manikin p 784 A86-47736
- FRISCH, H. L.**  
Starship - A weight control challenge  
[SAE PAPER 1982] p 489 A86-35223
- FRITH, D.**  
The General Electric F404 - engine of the RAAF's new fighter  
[AD-A164562] p 592 N86-26338
- FRITSVOLD, J. D.**  
Computer tools and techniques for analysis of discrete data from aircrew automated escape systems (AAES) p 280 A86-19302



- The risk of collision in a two seat aircraft ejection  
p 783 A86-47730
- FROEBERG, P. L.**  
Demonstration of an innovative technique for Terrain Following/Terrain Avoidance - The Dynapath Algorithm  
p 350 A86-28389  
A new technique for terrain following/terrain avoidance guidance command generation  
p 574 N86-26325
- FROES, F. H.**  
Fatigue behavior of Ti-6Al-4V powder metallurgy compacts  
p 803 A86-39617
- FROLOV, V. M.**  
Determination of the required stiffness characteristics for a large aspect ratio wing from the conditions of static strength and aileron efficiency  
p 800 A86-48845
- FRORIE, R.**  
A contribution to the digital compensation of periodic disturbances with frequencies in bounded intervals [DFVLR-FB-85-55]  
p 370 N86-21553
- FROST, W.**  
Wind shear characterization  
[AIAA PAPER 86-0180]  
p 213 A86-19737  
Spanwise turbulence effects on aircraft response  
[AIAA PAPER 86-0255]  
p 200 A86-19774  
Terrain-induced wind shear - Potential cause of Jetstar accident  
p 566 A86-37482  
Microburst wind shear models from the Joint Airport Weather Studies (JAWS)  
[AD-A159758]  
p 324 N86-18910  
Analysis of aerodynamic coefficients using gradient data: Spanwise turbulence effects on airplane response  
[NASA-CR-3961]  
p 393 N86-21069  
Analysis of data from NASA B-57B gust gradient program  
[NASA-CR-178736]  
p 446 N86-23604
- FROUSTEY, C.**  
Fatigue resistance of high quality steels under multiaxial load  
[ETN-86-97878]  
p 851 N86-32785
- FRY, C. A.**  
Army 21 - Aviation  
p 355 A86-28454
- FU, D.**  
Eigenstructure assignment and its application in design of flight control systems  
[NASA-TM-88411]  
p 511 N86-24701
- FUCHS, H.-G.**  
Roll-damping measurements on two flight body configurations in the Goettingen DFVLR-AVA transonic wind tunnel  
[DGLR PAPER 85-090]  
p 508 A86-35153
- FUCHS, W.**  
Calculation of ice accretion on cylindrical rods according to Bain's model, and comparison with experimental results  
[DFVLR-FB-85-46]  
p 325 N86-18933
- FUJII, K.**  
Practical applications of new LU-ADI scheme for the three-dimensional Navier-Stokes computation of transonic viscous flows  
[AIAA PAPER 86-0513]  
p 203 A86-19922  
Recent computational fluid dynamics works about high angle of attack aerodynamics with separation vortex  
p 274 A86-25206  
Navier-Stokes simulation of transonic flow over wing-fuselage combinations  
[AIAA PAPER 86-1831]  
p 779 A86-49589  
Numerical simulation of the leading-edge separation vortex over delta wing  
p 209 N86-17271  
Computation of 3-dimensional viscous transonic flows using the LU-ADI factored scheme  
[NAL-TR-8897]  
p 555 N86-27184
- FUJII, S.**  
Aerocoustics of an advanced propeller design under takeoff and landing conditions  
p 284 A86-23190
- FUJISAWA, K.**  
Manufacturing advance towards high strain fibers  
p 182 A86-16203
- FUJISHIRO, S.**  
Studies on crack growth rate of high temperature titanium alloys  
p 376 A86-27384
- FUJITA, T. T.**  
Downburst: Microburst and macroburst  
[PB85-148880]  
p 191 N86-14826  
DFW (Dallas-Ft. Worth) microburst on August 2, 1985  
[NASA-CR-178794]  
p 529 N86-25956
- FUJIWARA, G.**  
Reliability and structural inspection program for transport aeroplanes  
p 269 A86-25176
- FUJIWARA, T.**  
Turbulent transonic flow for NACA 0012/RAE 2822 airfoils under Baldwin-Lomax model  
p 776 A86-49245  
Numerical analysis of transonic flow around two-dimensional airfoil by solving Navier-Stokes equations  
p 210 N86-17292
- FUKUDA, N.**  
On hypersonic flow around winged-vehicles at high angles of attack  
p 275 A86-25227
- FULLER, C. R.**  
A propeller model for studying trace velocity effects on interior noise  
p 284 A86-23191  
The influence of source location on the structural-acoustic interaction of cylinders  
p 638 A86-41710  
Noise control characteristics of synchrophasing. I - Analytical investigation  
p 708 A86-44853  
Effects of an internal floor on low frequency sound transmission into aircraft cabins - An experimental investigation  
[AIAA PAPER 86-1939]  
p 711 A86-45426  
Structural influence of cabin floor on sound transmission into propeller aircraft - Analytical investigations  
[AIAA PAPER 86-1940]  
p 711 A86-45427  
Active control of propeller induced noise fields inside a flexible cylinder  
[AIAA PAPER 86-1957]  
p 711 A86-45442  
Noise control characteristics of synchrophasing. II - Experimental investigation  
p 805 A86-49808
- FUN, W.-P.**  
An explicit adaptive flight control system based on the modified gain extended Kalman filter  
[AIAA PAPER 86-2158]  
p 823 A86-47465
- FUNAKI, K.**  
A study of ramjet engine. III - Air inlet performance as the engine component  
p 304 A86-25234
- FUNG, K. Y.**  
Transonic Equivalent Strip method for aeroelastic applications  
p 412 A86-33228  
Transonic equivalent strip method for aeroelastic applications  
p 695 N86-30628
- FURCOLO, B.**  
Multitrader tracking in the new ATC system at Mazatlan (Mexico) area control center  
p 424 A86-32640
- FUREV, R. J.**  
Lift distribution on a high aspect ratio circulation control wing with root lift cutout  
[AD-A157024]  
p 341 N86-20368
- FURIA, N. J.**  
Management controls on the X-29 flight-control system software development  
[AIAA PAPER 86-9808]  
p 443 A86-32136
- FURMAN, D. R.**  
USAF Test Pilot School use of DIGITAC in systems testing  
[SAE PAPER 851827]  
p 594 A86-38333
- FURNESS, T. A., III**  
Putting humans into virtual space  
p 588 A86-37193
- FURRU, J. A.**  
Avionics standardization: Perceptions and recommendations  
[AD-A161709]  
p 361 N86-20368
- FURUHASHI, T.**  
Development of 'CADEGA' CAD system for aero engine design  
p 645 A86-42425

## G

- Flow of an ideal fluid in the core of a vortex sheet  
p 770 A86-48839
- GAIL, P. D.**  
Advanced boundary layer transition measurement methods for flight applications  
[AIAA PAPER 86-9786]  
p 500 A86-37083
- GAINES, M.**  
Naces - Today's ultimate seat  
p 637 A86-40472
- GAINUTDINOV, V. G.**  
A theory of large and finite displacements of bars  
p 316 A86-23662
- GAIRC, Z.**  
Numerical fixed-point solution for near-optimum regulators of linear quadratic Gaussian control problems for singularly perturbed systems  
p 396 A86-26577
- GALAEV, V. A.**  
Critical values of the Mach number of a radial airfoil cascade  
p 105 A86-13408
- GALASSO, A.**  
Damage tolerance and durability in the design of a short-haul turboprop aircraft  
p 707 A86-43790
- GALBRAITH, R. A. MCD.**  
On the duration of low speed dynamic stall  
p 773 A86-49033
- GALDA, K. H.**  
Maintenance system by means of damage tolerance principle  
p 736 A86-43791  
Early corrosion detection and prevention measures  
p 760 A86-47612
- GALEA, S.**  
Flutter clearance tests on a Transavia PL-12/T-400 Skylander  
[AD-A157212]  
p 110 N86-12234
- GALKIN, M. N.**  
The effect of the deflector type on internal heat transfer in blades with transverse coolant flow  
p 120 A86-13673
- GALL, P. D.**  
A new method for laminar boundary layer transition visualization in flight: Color changes in liquid crystal coatings  
[NASA-TM-87666]  
p 342 N86-21518
- GALLAGHER, J. A.**  
An experimental and theoretical investigation of the propagation of sound waves through a turbulent boundary layer  
[AIAA PAPER 86-1868]  
p 753 A86-45451
- GALLAWAY, C. R.**  
Free-falling autorotating plate - A coupled fluid and flight mechanics problem  
p 110 A86-14533
- GALLMAN, J. W.**  
A computational transonic flutter boundary tracking procedure  
[AIAA PAPER 86-0902]  
p 553 A86-38913
- GALLO, L.**  
Use of video cassette recorders for combined video and PCM data recording  
p 315 A86-23256
- GALLO, R. L.**  
CAD/CAM designer - Jack of all trades  
p 251 A86-21895
- GALMICHE, P.**  
The M53 turbofan control system - A strong basis for the development of the future digital control systems  
p 817 A86-49088
- GAMACHE, R. N.**  
Reverse flow in multistage axial compressors  
[AIAA PAPER 86-1747]  
p 827 A86-42825
- GAMBARO, F.**  
Composites in the development of Agusta helicopters  
p 320 A86-26121
- GAMBLE, G. R.**  
The Canadian forces twin Otter aircraft operations in the Arctic - A thermal assessment  
p 212 A86-19334
- GAMBLE, R. A.**  
Crushing strength of aluminum oxide agglomerates  
[AD-A159051]  
p 124 N86-13756
- GAMBLE, W. L.**  
Counterrotating intershaft seals for advanced engines  
p 121 A86-14554
- GAMON, M.**  
Development of an operating profile for aircraft tests [FAA/CT-85-32]  
p 677 N86-29218
- GAMON, M. A.**  
KRASH85 user's guide: Input/output format  
[DOT/FAA/CT-85/10-REV]  
p 618 N86-27926  
KRASH 85 user's guide: Input/output format, revision [AD-A168848]  
p 787 N86-32416
- GAN, H.**  
An optimal parameter estimation method compatible with stable parameter prediction in time domain  
p 746 A86-43482
- GANDERT, R.**  
A programmable data acquisition system with integrated test and calibration facilities  
p 102 A86-13215

- GANDOU, R.**  
The SIGMA cadcam software  
[SNIA-861-111-110] p 840 N86-28083
- GANESAN, N.**  
Free vibration characteristics of periodically stiffened panels with damped stringers p 456 A86-31773
- GANESH, CH. L.**  
Vibration characteristics of aircraft engine-bladed-disk assembly p 502 A86-35885
- GANGSAAS, D.**  
Adaptive flutter suppression in the presence of turbulence p 508 A86-35370
- GANGWANI, S. T.**  
Development of an unsteady aerodynamics model to improve correlation of computed blade stresses with test data p 156 N86-15288
- GANY, A.**  
Theoretical considerations of the specific impulse of ramjet engines p 817 A86-49111
- GANZER, U.**  
A review of adaptive wall wind tunnels p 179 A86-17087
- GAO, F.**  
Sensitivity analysis of parameters in solving inverse problem of structural dynamics p 738 A86-43502
- GAO, M.**  
Multi-knot Boolean sum interpolating surface interactive design of aircraft configuration p 283 A86-22305
- GAO, Z.**  
Experimental transonic pressure distributions of a flexible wing-aileron model and comparisons with results of several theoretical methods p 432 A86-33239  
A study of the rotor wake in nap-of-the-earth p 787 A86-48653  
Experimental transonic pressure distributions of a flexible wing-aileron model and comparisons with results of several theoretical methods p 696 N86-30639
- GAONKAR, G. H.**  
Feasibility of simplifying coupled lag-flap-torsional models for rotor blade stability in forward flight p 98 A86-16123  
Feasibility of simplifying coupled lag-flap-torsional models for rotor blade stability in forward flight p 290 A86-26138  
Effectiveness of current dynamic-inflow models in hover and forward flight p 578 A86-37773  
Review of dynamic inflow modeling for rotorcraft flight dynamics [AIAA PAPER 86-0845] p 584 A86-38893  
A review of dynamic inflow and its effect on experimental correlations p 157 N86-15293  
An experimental and analytical investigation of isolated rotor flap-lag stability in forward flight [NASA-CR-177028] p 654 N86-28957
- GARAGNANI, G.**  
Fracture toughness characterization of light alloys for aeronautical use p 114 A86-12761
- GARATE, E.**  
Chemical control for Airbus composites. HPLC standardization [I-104/84] p 664 N86-26133
- GARBELL, M. A.**  
Anatomy of a noise-abatement climb p 419 A86-31956
- GARBO, S. P.**  
Effects of variations in crashworthiness criteria on Sikorsky S-75 ACAP landing gear weights p 492 A86-35638  
Strength evaluation of helicopter composite bolted joints [AIAA PAPER 86-0973] p 608 A86-38853
- GARCIA CRUZADO, M.**  
The extension of the Madeira airport runway - A unique task p 447 A86-31012
- GARCIA-FOGEDA, P.**  
Oscillating wings and bodies with flexure in supersonic flow Applications of harmonic potential panel method p 776 A86-49108
- GARCON-DUFOUR, B.**  
A minimum route time (MRT) program for microcomputers p 572 A86-39561
- GARDAYSKY, J.**  
Experience with laboratory LDA by measuring flow fields in rotating turbomachinery p 672 A86-43109
- GARDNER, B.**  
Field observations of aircraft charging in convective clouds p 783 A86-47332
- GARDNER, B.**  
A study of methods to predict and measure the transmission of sound through the walls of light aircraft [NASA-CR-177147] p 757 N86-31335
- GARDNER, B. K.**  
Prediction of sound fields in cavities using boundary element methods [AIAA PAPER 86-1864] p 754 A86-45484
- GARDNER, C. L.**  
Supersonic interface instabilities of accelerated surfaces and jets p 455 A86-31356
- GARDNER, J.**  
Interactions between acoustics and vortex structures in a central dump combustor [AIAA PAPER 86-1609] p 671 A86-42749  
Acoustic-vortex interactions in an idealized ramjet combustor p 659 N86-28242
- GARDNER, J. E.**  
Loads and aeroelasticity division research and technology accomplishments for FY 1985 and plans for FY 1986 [NASA-TM-87676] p 278 N86-18288
- GARDNER, L.**  
An integrated flight control system for a STOL transport aircraft p 367 A86-28384
- GARDNER, R. L.**  
Comparison of published HEMP and natural lightning on the surface of an aircraft p 783 A86-47293
- GARG, S.**  
Cooperative synthesis of control and display augmentation [AIAA PAPER 86-2204] p 653 A86-47484  
Optimal cooperative control synthesis of active displays [NASA-CR-177102] p 683 N86-29651
- GARG, S. S. L.**  
Variation of effective stress range ratio under simple variable amplitude loading p 453 A86-30014
- GARGOZ, L. J.**  
Controlled impact demonstration flight data recorders/cockpit voice recorders p 391 N86-21944
- GARRARD, W. L.**  
Design of an active flutter suppression system p 239 A86-20236  
Application of eigenspace techniques to design of aircraft control systems p 508 A86-35360  
Design of a multivariable flutter control/gust load alleviation system [AIAA PAPER 86-2247] p 825 A86-47494
- GARRELICK, J. M.**  
Structureborne noise investigations of a twin engine aircraft [AIAA PAPER 86-1905] p 710 A86-45406
- GARRETSOHN, H. C., III**  
Radar cross section testing [AIAA PAPER 86-9828] p 448 A86-32150
- GARRETT, R. A.**  
Effect of manufacturing defects and service-induced damage on the strength of aircraft composite structures p 245 A86-21729
- GARRISON, P.**  
Microcomputers and aviation p 567 A86-37625
- GARTRELL, H. E.**  
FAA Air Traffic Control program management technology applications p 424 A86-32925
- GASAWAY, D. C.**  
Noise levels in cockpits of aircraft during normal cruise and considerations of auditory risk p 326 A86-25651
- GATES, T. S.**  
Photogrammetry as a means of mapping postbuckled composite surfaces p 520 A86-34639
- GAUDET, L.**  
Experimental investigation of the turbulent boundary layer at high Reynolds numbers and a Mach number of 0.8 p 624 A86-42168
- GAUGH, W. J.**  
Single-state observer design considerations for aircraft application [AIAA PAPER 86-1996] p 852 A86-47418
- GAUGLER, R. E.**  
A review and analysis of boundary layer transition data for turbine application [ASME PAPER 85-GT-83] p 251 A86-22054
- GAVART, A.**  
The thermo-mechanical processing during closed die forging - A method of improving aeronautical materials p 380 A86-26336
- GAVITO, V. F.**  
Application of eigenstructure assignment to design of robust decoupling controllers in MIMO systems [AIAA PAPER 86-2246] p 825 A86-47493
- GAVRILOV, A. N.**  
Processes for the manufacture of aviation instrument components (2nd revised and enlarged edition) p 610 A86-39979
- GAVRILOV, P. F.**  
Cosmic-ray dose characteristics on the flight paths of high-altitude aircraft p 758 A86-43672
- GAWRON, V.**  
A preliminary flight evaluation of the peripheral vision display using the NT-33A aircraft p 297 A86-23729
- GAY, D.**  
A model for the equivalent bending characteristics of a composite beam p 687 A86-40361
- GAYET, J. F.**  
Location of lightning strokes on aircraft in storm field with measured electrical, microphysical and dynamical properties p 783 A86-47299
- GAZZERA, R. W.**  
Pneumatic actuator device [AD-D011794] p 99 N86-12217
- GEELS, D.**  
Flight test evaluation of the Netherlands flight inspection aircraft [NLR-MP-84052-U] p 295 N86-19318
- GEHLHAR, B. W.**  
Experimental results of the noise radiation of propellers in non-uniform flows [AIAA PAPER 86-1928] p 751 A86-45419
- GEISSLER, W.**  
Unsteady boundary-layer separation on airfoils performing large-amplitude oscillations: Dynamic stall p 561 N86-27231
- GELDER, T. F.**  
Wind tunnel turning vanes of modern design [NASA-TM-87148] p 113 N86-12239
- GELLER, E. W.**  
An environmental aerodynamic test system for low-Reynolds-number applications p 138 A86-16315
- GENAW, E. F.**  
Development of a raster/stroke full-color TV projector for simulation p 456 A86-32320
- GENCO, L. V.**  
Criteria for a state-of-the-art vision test system [AD-A157099] p 126 N86-12973
- GENDRON, R. F.**  
Vectored thrust digital flight control for crew escape, volume 1 [AD-A166580] p 700 N86-29798  
Vectored thrust digital flight control for crew escape, volume 2 [AD-A166596] p 700 N86-29799
- GENELLO, G.**  
Aircraft coupling model evaluations at SHF/EHF p 346 A86-27128
- GENG, Z.**  
Eigenstructure assignment and its application in design of flight control systems [NASA-TM-88411] p 511 N86-24701
- GENNETTI, M. G.**  
Applicability of using the CAR-II model in design and evaluation of multioperator workstations with shared controls p 529 A86-33805
- GENTRY, C. L., JR.**  
Directivity and trends of noise generated by a propeller in a wake [NASA-TP-2609] p 757 N86-31341
- GENTRY, G. L., JR.**  
Low-speed wind-tunnel tests of single- and counter-rotation propellers [NASA-TM-87656] p 415 N86-22552
- GEOFFROY, P.**  
Aircraft crashing. Analysis and identification methods. Presentation of a solution method [IMFL-4116] p 91 N86-13308
- GEORGE, A. R.**  
A comparative study of tail rotor noise mechanisms [AIAA PAPER 86-1900] p 750 A86-45401  
Mid-field and far-field calculations of Blade-Vortex Interactions [AIAA PAPER 86-1854] p 753 A86-45476  
Broadband noise of propellers and rotors p 855 A86-48596  
Helicopter tail rotor noise analyses [NASA-CR-176829] p 536 N86-26163
- GERA, J.**  
Dynamics and controls flight testing of the X-29A airplane [AIAA PAPER 86-0167] p 237 A86-19728  
Dynamics and controls flight testing of the X-29A airplane [NASA-TM-86803] p 295 N86-19313
- GERADIN, M.**  
Dynamic analysis of structures with flexible rotors p 441 A86-33266  
Dynamic analysis of structures with flexible rotors p 722 N86-30664
- GERLACH, J. C.**  
Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes [AIAA PAPER 86-0021] p 213 A86-19637  
Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes p 634 A86-41695
- GERLICHER, J. P.**  
Flight simulator: Comparison of resolution thresholds for two light valve video projectors [AD-A164577] p 598 N86-26344

- GERRITY, J. P., JR.  
NMAC plans for improved aviation guidance p 613 A86-37456
- GERSHENIN, E. A.  
Hypersonic viscous shock layer on a surface with an abrupt variation of catalytic activity p 737 A86-43994
- GERSHOHN, G. R.  
Presentation of information on multimode displays - Abnormal and emergency aircraft operations [SAE PAPER 841494] p 298 A86-26012
- GERSTEIN, M.  
A novel feedback concept for combustion instability in ramjets p 665 N86-28236
- GERTZ, J. B.  
Unsteady design-point flow phenomena in transonic compressors [NASA-CR-176879] p 722 N86-30730
- GESSNER, F. B.  
Experiments on supersonic turbulent flow development in a square duct [AIAA PAPER 86-1038] p 548 A86-38412
- GESSOW, A.  
Understanding and predicting helicopter behavior - Then and now (Lecture) [AD-A164419] p 425 A86-30498
- GETSOV, L. B.  
Thermal stability of gas turbine blades with protective coatings p 673 A86-43410  
A method for the analytical determination of accelerated test schedules for compressor blades working in a corrosive medium p 673 A86-43411
- GEVARTER, W. B.  
A knowledge-based expert system for scheduling of airborne astronomical observations p 854 A86-48627
- GHAFFARI, F.  
An attached flow design of a noninterfering leading-edge extension to a thick delta wing p 337 A86-28569  
PAN AIR application to the F-106B [NASA-CR-178165] p 698 N86-30698
- GHARIB, M.  
Simulation and analysis of natural rain in a wind tunnel via digital image processing techniques [AIAA PAPER 86-0291] p 241 A86-22687
- GHERING, W. L.  
Development of optical diaphragm deflection sensors [NASA-CR-175008] p 194 N86-15113
- GHOSE, K.  
Hypersonic flow past non-slender wedges, cones and ogives in oscillation p 78 A86-13047  
Unified supersonic/hypersonic similitude for oscillating wedges and plane ogives p 689 A86-44880
- GLAUSANTE, N.  
Combining analysis and test for rotor blade development p 493 A86-35648
- GIBBONS, M. D.  
Nonisentropic unsteady three dimensional small disturbance potential theory [AIAA PAPER 86-0863] p 552 A86-38898  
Nonisentropic unsteady three dimensional small disturbance potential theory [NASA-TM-87726] p 479 N86-24863
- GIBBS, G.  
Omega - Commercial experiences with a mature system p 345 A86-26442
- GIBBS, K. P.  
Use of a stored topographic data base in the modern military helicopter p 171 A86-18459
- GIBSON, D. C.  
Design and certification of a composite control surface [SAE PAPER 850888] p 582 A86-38518
- GIBSON, J. C.  
Handling qualities for unstable combat aircraft p 833 A86-49025
- GIBSON, K. J.  
An improved optical viewing system for a flight simulator [MS-8025] p 840 N86-32448
- GIBSON, M. W.  
Avionics digital data acquisition system p 810 A86-47790
- GIEBLER, J.  
A study of optimizing cutting tool performance in high tensile strength materials p 688 A86-40527
- GIELEN, H.  
Take-off prediction for the Airbus A300-600 and the A310 compared with flight test results p 804 A86-49121
- GIESSELER, H. G.  
Windtunnel test and laboratory simulation of a load alleviation system for a modern transport aircraft p 445 A86-33252
- GIFFIN, R. G.  
Extended parametric representation of compressor fans and turbines. Volume 1: CMGEN user's manual [NASA-CR-174645] p 480 N86-23936
- GIKADI, T.  
On second propagation in radial fan casings [DFVLR-FB-85-32] p 194 N86-18053
- GILBERT, B.  
An investigation of turbulence mechanisms in V-STOL upwash flow fields [AD-A166286] p 694 N86-29782
- GILBERT, J. L.  
Comparison of published HEMP and natural lightning on the surface of an aircraft p 783 A86-47293
- GILBERT, M. G.  
Integrated structure/control design - Present methodology and future opportunities p 854 A86-48094
- GILSON, A. A.  
Investigation of the structure of a supersonic jet issuing from a free-vortex nozzle by means of pulsed holographic interferometry p 628 A86-43403
- GILES, G. L.  
Combined, nonlinear aerodynamic and structural method for the aeroelastic design of a three-dimensional wing in supersonic flow [AIAA PAPER 86-1789] p 542 A86-37806  
Equivalent plate analysis of aircraft wing box structures with general planform geometry [AIAA PAPER 86-0940] p 583 A86-36837  
Equivalent plate analysis of aircraft wing box structures with general planform geometry [NASA-TM-87697] p 392 N86-21954
- GILES, M.  
A two-dimensional transonic aerodynamic design method [AIAA PAPER 86-1793] p 543 A86-37823
- GILL, P. A.  
Wing aspect ratio optimization related to payload and to fuel consumption of transport propeller airplanes [SAE PAPER 1615] p 98 A86-14975  
Wing aspect ratio optimization problems for transport turbojet airplanes [SAE PAPER 1680] p 488 A86-35206
- GILK, F. E.  
The FAA Automated Weather Observing System (AWOS) p 613 A86-37459
- GILL, F. R.  
Variable control policies for future aerospace vehicles p 367 A86-28386
- GILL, R. J.  
Fuel effects on soot formation in turbojet engines [AD-A158073] p 185 N86-15418
- GILLESPIE, G.  
Emergency underwater escape from helicopters p 784 A86-47745
- GILLETTE, F. C.  
Design for engine supportability [AIAA PAPER 86-1671] p 648 A86-42784
- GILMAN, R. J.  
Survivability considerations during aircraft conceptual design [AD-A168555] p 809 N86-32428
- GILMORE, D. W.  
LLWAS - An integral part of the U.S. wind-shear safety programme p 746 A86-46138
- GILMORE, J. F.  
Applications of artificial intelligence; Proceedings of the Meeting, Arlington, VA, May 3, 4, 1984 [SPIE-485] p 127 A86-15278  
The Autonomous Helicopter System p 75 A86-15285  
Air targeting of the third kind - Airborne vehicles p 230 A86-19617  
Knowledge-based approach toward developing an autonomous helicopter system p 421 A86-30488  
Applications of artificial intelligence II; Proceedings of the Meeting, Arlington, VA, April 9-11, 1985 [SPIE-548] p 748 A86-46706  
Experts system control of autonomous airborne vehicle p 835 A86-49476
- GILMOUR, J. D.  
Pilot vehicle interfaces with smart avionics systems [SAE PAPER 851923] p 529 A86-35432
- GILSON, C.  
Fighter power for the 1990s p 816 A86-48369
- GILYARD, G. B.  
Eigenystem synthesis for active flutter suppression on an oblique-wing aircraft [AIAA PAPER 86-2243] p 824 A86-47491  
Real-time flutter identification with close mode resolution [AIAA PAPER 86-2019] p 827 A86-47854  
Ground vibration test results for Drones for Aerodynamic and Structural Testing (DAST)/Aeroelastic Research Wing (ARW-1R) aircraft [NASA-TM-85906] p 294 N86-19312  
Aeroelastic control of oblique-wing aircraft [NASA-TM-86806] p 595 N86-26340
- Eigenystem synthesis for active flutter suppression on an oblique-wing aircraft [NASA-TM-88275] p 727 N86-28968
- GINDELBERGER, B. E.  
A comparison of digital terrain models and terrain masking algorithms p 350 A86-28391
- GINTOLI, P. J.  
Helicopter cabin noise - Actual vs. statistical energy predictions p 491 A86-35620
- GINZBURG, I. N.  
The dynamics of elastic bars under conditions of arbitrary kinematic excitation p 185 A86-16761
- GIORDANO, J. C.  
Knowledge-based systems for rotordynamic diagnostics [AIAA PAPER 86-1678] p 648 A86-42769
- GIOVANETTI, A. J.  
Long term deposit formation in aviation turbine fuel at elevated temperature [AIAA PAPER 86-0525] p 243 A86-19929  
Fuel deposit characteristics at low velocity [ASME PAPER 85-IGT-130] p 313 A86-23922
- GIOVANNINI, A.  
The project for anti-tank helicopter p 290 A86-26124
- GIRARD, R.  
Boundary layer model to compute the edge effects in stratified composite plates [ONERA-RT-7/3542-RV-041-R] p 678 N86-29279
- GIRAUD, M.  
Power level influence on architecture of small helicopter turboshaft engines [ASME PAPER 86-GT-191] p 815 A86-48241  
Damping of the rolling motion of full caliber fin-stabilized projectiles in supersonic flight [ISL-CO-233/84] p 153 N86-15253
- GIRI, D. V.  
Analysis of direct and nearby lightning strike data for aircraft [NASA-CR-172127] p 617 N86-27855
- GIRLING, S. P.  
A smoke generator for the absolute calibration of gas turbine engine smoke sampling and measuring systems [RAE-TM-P-1044] p 258 N86-17702
- GIROUDROUX-LAVIGNE, P.  
A viscous-inviscid interaction model for transonic unsteady flow [ONERA, TP NO. 1985-152] p 272 A86-24630
- GISENDANNER, D. A.  
Derivative engines versus new engines - What determines the choice? [ASME PAPER 85-GT-190] p 104 A86-13051
- GLADKOV, A. A.  
Characteristics of the lifting properties of aircraft with sweptforward wings at supersonic velocities p 96 A86-13371
- GLADKOV, E. P.  
An experimental study of a vacuum water-air ejector with a multichannel liquid-supply nozzle ensuring jet-pair collision p 119 A86-13382
- GLASER, H.  
Reconstruction of forcing functions based on measured structural responses p 732 N86-30684
- GLASS, T. E.  
Development of LC-13C NMR [NASA-CR-176656] p 379 N86-21704
- GLEGG, S. A. L.  
Broadband propeller noise prediction in the plane of the rotor [AIAA PAPER 86-1964] p 753 A86-45448
- GLEISNER, D. P.  
Evaluation of pilot performance and aircrew protective devices in a simulated F-14 flat spin environment p 262 A86-19351
- GLEITER, D. P.  
Folding titrotor technology demonstrator - The next step for titrotor technology [SAE PAPER 851844] p 579 A86-38341
- GLEIZER, A. I.  
Calculation of the balancing efficiency of flexible rotors of compressor units on low-cycle balancing machines p 673 A86-43379
- GLENESEK, L. B.  
Canadian forces PCM telemetry processing and display system p 111 A86-13248
- GLEYZES, C.  
Theoretical and experimental study of low Reynolds number transitional separation bubbles p 137 A86-18310
- GLINECKI, G.  
High-temperature composite ducts [SME PAPER MF85-501] p 319 A86-24663
- GLOECKL, H.  
Flight path measurement of helicopters using a strap-down navigation system [AIAA PAPER 86-9733] p 422 A86-32080

- GLOVER, B. J.**  
Effects of digital altimetry on pilot workload  
[SAE PAPER 841489] p 327 A86-26019  
Effects of digital altimetry on pilot workload  
[NASA-TM-86424] p 126 N86-13892
- GLOVER, K. E.**  
Development of spin resistance criteria for light general aviation airplanes  
[AIAA PAPER 86-9812] p 443 A86-32139  
Leading-edge design for improved spin resistance of wings incorporating conventional and advanced airfoils  
[SAE PAPER 851816] p 578 A86-38325
- GLOWINSKI, R.**  
On the numerical solution of nonlinear problems in fluid dynamics by least squares and finite element methods. II - Applications to transonic flow simulations  
p 144 A86-17886
- GMELIN, B.**  
DFVLR helicopter in-flight simulator for flying quality research  
p 310 A86-26148
- GMELLIN, B.**  
Future helicopter developments  
p 269 A86-25023
- GNOFFO, P. A.**  
Measured and predicted heating distributions for biconics at Mach 10  
p 624 A86-41734
- GOAD, W. K.**  
Improvement in the quality of flow visualization in the Langley 0.3-meter transonic cryogenic tunnel  
[NASA-TM-87730] p 675 N86-28389
- GOODARD, D.**  
Advanced rotary engine components utilizing fiber reinforced Mg castings  
[AIAA PAPER 86-1559] p 683 A86-42712
- GOODARD, P. L.**  
The automated, advanced matrix FMEA technique  
p 253 A86-22382
- GOODYKOONTZ, J.**  
Velocity and temperature decay characteristics of inverted-profile jets  
[NASA-TM-87159] p 147 N86-14223
- GODIO, G.**  
Tests on whole A129 engine bay simulating the inertia and aerodynamic loads  
p 292 A86-26164
- GODIWALA, P. M.**  
Design considerations for flight test of a fault inferring nonlinear detection system algorithm for avionics sensors  
[AIAA PAPER 86-2030] p 810 A86-47511  
A preliminary design for flight testing the FINDS algorithm  
[NASA-CR-178043] p 439 N86-22574  
Design considerations for flight test of a fault inferring nonlinear detection system algorithm for avionics sensors  
[NASA-TM-88998] p 637 N86-28933
- GODSTON, J.**  
Propulsion system integration configurations for future prop-fan powered aircraft  
p 173 A86-17777
- GOEL, A. K.**  
Frequency-domain application of Gauss-Newton method to extract aircraft longitudinal parameters  
p 442 A86-31125
- GOERANSON, P.**  
A comparison between acoustic mode measurements and acoustic finite element analysis performed for SAAB SF 340  
[FFA-TN-1986-22] p 856 N86-33125
- GOFFENEY, F.**  
Arenyl: A soluble mold technology  
[SNIA-852-430-111] p 247 N86-16277
- GOGGINS, W. B.**  
Efficient, closed-form computation of airborne pulse-Doppler radar clutter  
p 423 A86-32579
- GOGLIA, G. L.**  
Three-dimensional elastic-plastic finite-element analysis of fatigue crack propagation  
[NASA-CR-176415] p 189 N86-14687
- GOGOLIN, V. P.**  
The effect of the admissible centering misalignment of a transport aircraft on its mass  
p 495 A86-35981  
Influence of structural changes on the fuel-consumption efficiency of a transport aircraft  
p 638 A86-43380
- GOKA, T.**  
Design of an advanced flight planning system  
p 481 A86-35365
- GOLDBERG, H.**  
Some thoughts on the vibration testing of helicopter equipment in the UK  
p 283 A86-23022
- GOLDBERG, M. S.**  
The relationship between material failures and flight hours: Statistical considerations  
[AD-A159571] p 169 N86-15311
- GOLDFELD, M. A.**  
Structure of a supersonic turbulent boundary layer during its interaction with a shock wave  
p 141 A86-17096
- GOLDMAN, A.**  
Flutter clearance tests on a Transavia PL-12/T-400 Skytamer  
[AD-A157212] p 110 N86-12234
- GOLDSMITH, E. L.**  
Intake aerodynamics  
p 145 A86-18450
- GOLDSTEIN, K. W.**  
Use of simulation during preliminary design of the V-22 Osprey  
[AIAA PAPER 86-0491] p 238 A86-19902
- GOLOVATENKO-ABRAMOV, V. I.**  
Estimation of the state parameters of nonlinear dynamic systems  
p 465 A86-33047
- GOLOVCSENKO, I. V.**  
Embedded training avionics integration  
p 360 A86-28463
- GOLOVIN, V. V.**  
Apparatus for the preparation of air  
[AD-A155803] p 673 N86-28266
- GOLOVUSHKIN, G. V.**  
VLF radio navigation systems  
p 703 A86-44279
- GOLUB, R. A.**  
Application of the Baseline Rotonet system to the prediction of helicopter tone noise  
[AIAA PAPER 86-1904] p 750 A86-45405
- GOLUBEVA, M.**  
Scientists on aircraft development trends  
p 407 N86-22545
- GOLUSKIN, V. N.**  
Aerodynamic characteristics of a finite-aspect-ratio wing in hypersonic flow of a radiating gas  
p 78 A86-13359  
Numerical analysis of nonequilibrium flow about airfoil in thin shock layer approximation  
p 343 N86-22258  
Hypersonic flow around a wing at large angles of attack with detached compression jump  
p 480 N86-25534
- GOMAN, M. G.**  
Formation of asymmetric separated flow past slender bodies of revolution at large angles of attack  
p 82 A86-13429  
Self-oscillatory regimes of aircraft motion during spin-roll coupling  
p 832 A86-48775  
Symmetric and nonsymmetric separated flow past a low aspect ratio wing with a fuselage  
p 770 A86-48838
- GOMINHO, A. C.**  
Air turbine test results for three turbine stages with varying radial distribution of camber  
[AIAA PAPER 86-1467] p 645 A86-42657
- GONCHAR, A. G.**  
A study of the characteristics of separated flow past wings and lifting systems  
p 770 A86-48842
- GONCHARENKO, V. I.**  
A certain type of self-oscillation of aircraft landing-gear wheels  
p 800 A86-48829
- GONG, Y.**  
Incremental and iterative methods for solving fluid/structure interaction problems  
p 740 A86-47011
- GOOD, D.**  
U.S. Army/Sikorsky ACAP airframe test techniques/methodology  
p 185 A86-18427
- GOODELL, F. S.**  
RBM 2000 - A look to the future  
[AIAA PAPER 86-1668] p 672 A86-42781
- GOODGER, E.**  
Aviation fuels technology  
p 801 A86-38286
- GOODMAN, M. P.**  
The KC-135/CFM56 Re-Engine Program  
[ASME PAPER 85-GT-211] p 224 A86-22112
- GOODMAN, R. C.**  
Advances in the study of the mechanical behavior of materials  
[AD-A164856] p 735 N86-30638
- GOODMAN, R. J.**  
F-14A low altitude high angle of attack simulation and flight test program  
[AIAA PAPER 86-9774] p 430 A86-32109
- GOODMAN, R. K.**  
Test results from a dynamic model dynaflex rotor  
p 167 N86-15285
- GOODMAN, W. H.**  
The V2500 engine  
p 173 A86-17750
- GOODWIN, G. C.**  
Sinusoidal disturbance rejection with application to helicopter flight data estimation  
p 747 A86-44505
- GOODYEAR, C.**  
Development of an electro-pneumatic anti-G valve for high performance fighter aircraft  
p 218 A86-19317
- GOODYER, M. J.**  
Derivation of jack movement influence coefficients as a basis for selecting wall contours giving reduced levels of interference in flexible walled test sections  
[NASA-CR-177982] p 86 N86-12204  
Introduction to cryogenic wind tunnels  
[NASA-CR-177986] p 113 N86-12238
- GOODYKOONTZ, J.**  
Velocity and temperature decay characteristics of inverted-profile jets  
[AIAA PAPER 86-0312] p 206 A86-22893
- GOODYKOONTZ, J. H.**  
Plume characteristics of single-stream and dual-flow conventional and inverted-profile nozzles at equal thrust  
[AIAA PAPER 86-1808] p 778 A86-49585  
Plume characteristics of single-stream and dual-flow conventional and inverted-profile nozzles at equal thrust  
[NASA-TM-87323] p 554 N86-26285
- GOOLSBAY, C. M.**  
Adhesive system for high temperature destructive testing of composite structures  
p 115 A86-13101
- GOORJIAN, P. M.**  
Unsteady transonics of a wing with tip store  
[AIAA PAPER 86-0010] p 198 A86-19633  
Transonic aeroelasticity of wings with tip stores  
[AIAA PAPER 86-1007] p 553 A86-38948  
Transonic aeroelastic analysis of the B-1 wing  
[AIAA PAPER 85-0690] p 708 A86-44886  
Transonic aerodynamic and aeroelastic characteristics of a variable sweep wing  
p 561 N86-27237  
ATRANS3: An unsteady transonic code for clean wings  
[NASA-TM-86783] p 781 N86-31535
- GORADIA, S.**  
A new, improved method for separating turbulent boundary layer for aerodynamic performance prediction of trailing edge stall airfoils  
[AIAA PAPER 86-1832] p 779 A86-49590
- GORANSON, U. G.**  
Residual strength characterization of jet transport structures  
p 707 A86-43795
- GORDON, F. W.**  
Use of the flight simulator in performing AFTI/F-16 airplane aeroservoelastic analysis  
[AIAA PAPER 86-0957] p 585 A86-38931
- GORDON, V. C.**  
Multi-input multi-output automatic design synthesis for performance and robustness  
p 618 A86-39034
- GORELOV, S. L.**  
Flow of a diatomic rarefied gas around a cone  
p 78 A86-13360
- GORIACHKIN, V. P.**  
Layout of electrical equipment on an aircraft with allowance for equipment size constraints in the framework of computer-aided design  
p 639 A86-43389
- GOROWARA, K. K.**  
Avoiding probe to model collisions in wind tunnel testing  
p 397 A86-28413
- GORSHKOVA, G. A.**  
An experimental study of a vacuum water-air ejector with a multichannel liquid-supply nozzle ensuring jet-pair collision  
p 119 A86-13362
- GORSKI, J. J.**  
Inviscid and viscous simulations of high angle of attack flows  
[SAE PAPER 851820] p 548 A86-38328
- GORYACHEV, V.**  
Improving commercial aircraft training simulators  
p 295 N86-19836
- GOSTELOW, C. R.**  
Crack growth in near-alpha titanium alloys  
p 526 N86-25371
- GOSTELOW, J. P.**  
Proposed control of compressor stall by pressure perturbation and blade design  
p 818 A86-49064
- GOTO, N.**  
On a method for pilot dynamics identification reflecting feedback structures  
p 747 A86-43511  
Identification of pilot dynamics in a system with a choice of feedback structures  
[AIAA PAPER 86-2250] p 825 A86-47496
- GOTTESDIENER, L.**  
Numerical study of the trailing edge region in slip flow regime  
p 624 A86-42548
- GOTTLEB, J. J.**  
Random-choice-method solutions for two-dimensional planar and axisymmetric steady supersonic flows  
[UTIAS-297] p 415 N86-22555
- GOUNET, H.**  
Prediction of single-rotation prop-fan noise by a frequency domain scheme  
[ONERA, TP NO. 1986-100] p 818 A86-49125  
Microphone probe tests in the S3CH wind tunnel for transonic propeller measurements in S1MA  
[ONERA-RT-19/3463-APP] p 841 N86-32451
- GOVINDARAJ, K. S.**  
Six degree of freedom simulation software  
[NAL-PD-SE-8614] p 854 N86-33042
- GOZDEK, V. S.**  
Equations of rolling for a wheel with an elastic tire  
p 96 A86-13369

- GRABER, A.**  
Free wake model of hovering rotors having straight or curved blades p 337 A86-27667
- GRABIAS, M.**  
An analysis of the influence of the duration and sharpness of a symmetric manoeuvre on the load acting on the tail plane p 287 A86-25096
- GRACIA, J. A.**  
Use of a stored topographic data base in the modern military helicopter p 171 A86-18459  
System partitioning to provide for automatic mission and vehicle management p 175 A86-18465  
Stored terrain data base aided pilotage for helicopters p 499 A86-35606
- GRADLE, R.**  
Description and initial flight experiments - Boeing ARTI test bed p 493 A86-35652
- GRAEBNER, K. E.**  
Boeing Military Airplane Company's robotic ultrasonic inspection system p 118 A86-13180
- GRAETER, R.**  
Fatigue behaviour of titanium materials in aircraft engines p 375 A86-27275
- GRAF, H. R.**  
Flexible manufacturing system for the fabrication of precision components with real time simulation [SAE PAPER 851804] p 606 A86-38320
- GRAF, P. A.**  
Passive damping, sonic fatigue and the KC-135A p 256 A86-16625
- GRAF, U.**  
Application of a dynamic grid adaptation in the ASWR procedure p 149 A86-14243
- GRAFF, G.**  
Tomorrow's weather - New accuracy in forecasting p 462 A86-32450
- GRAFFUNDER, K.**  
Dynamic retraining approaches for an airborne speech recognition system p 395 A86-28444
- GRAGG, D.**  
Escape systems testing p 223 A86-21063
- GRAHAM, D. K.**  
Electronic display of powerplant parameters [SAE PAPER 841467] p 298 A86-26010
- GRAHAM, D. R.**  
Real-time simulator for helicopter rotor wind-tunnel operations p 596 A86-37179  
Experimental investigation of rotorcraft hub and shaft fairing drag reduction [AIAA PAPER 86-1783] p 577 A86-37814
- GRAHAM, G. M.**  
An experimental investigation of an airfoil pitching at moderate to high rates to large angles of attack [AIAA PAPER 86-0008] p 198 A86-19631  
Dynamic stall inception correlation for airfoils undergoing constant pitch rate motions p 411 A86-32978
- GRAHAM, J. A. H.**  
Investigation of a tip clearance cascade in a water analogy ring [ASME PAPER 85-IGT-65] p 270 A86-22730
- GRAHAM, M. S.**  
Flight tests of the helicopter pneumatic deicing system p 163 A86-18408
- GRANDAGE, J. M.**  
A rationale for the safe operation of an aircraft fleet having known cracks in primary structure p 737 A86-43792
- GRANDCHAMP, B.**  
Simulation of the enhanced traffic alert and collision avoidance system (TCAS 2) [NASA-CR-176328] p 93 A86-12216
- GRANDHI, R. V.**  
Efficient identification of critical stresses in structures subject to dynamic loads p 380 A86-26682  
Optimum design of large structures with multiple constraints [AIAA PAPER 86-0952] p 600 A86-38845
- GRANGAARD, J. L.**  
Radiometric characterization methods for Infrared Countermeasures Systems p 103 A86-15314
- GRANGE, G. M.**  
An overview of the intrasystem EMC analysis program with graphics p 381 A86-27157
- GRANGER, G., JR.**  
A rig for the fatigue testing of rotor hubs p 180 A86-18440
- GRANGIER, M.**  
The 7J7 - Boeing's answer to the Airbus A320 p 426 A86-31039  
Avanti to fly soon p 713 A86-46405
- GRANT, A.**  
An intercomparison of turbulence data obtained by two aircraft during KonTur p 528 A86-36308
- GRANTHAM, W.**  
The interpretation of flying qualities requirements for flight control design [AIAA PAPER 86-2249] p 826 A86-47523  
Effects of time delay and pitch control sensitivity in the flared landing [AIAA PAPER 86-2075] p 831 A86-47706
- GRANTZ, A. C.**  
Recent extensions to the free-vortex-sheet theory for expanded convergence capability p 556 A86-27194
- GRASHOF, J.**  
Summary report on the working group on conference 2: Solutions of the Euler equations p 148 A86-14227  
Procedure for solution of the Euler equations at Dornier GmbH p 149 A86-14242
- GRATACOS, C.**  
VHF-FM communications antennas for project SINGARS (UH-1 tail whip and cabin roof bent whip evaluation) [AD-A163581] p 524 A86-24883
- GRATTON, M.**  
Fuel property effects upon exhaust smoke and the weak extinction characteristics of the Pratt and Whitney PT8A-85 engine [ASME PAPER 85-GT-27] p 234 A86-22018
- GRATZER, L. R.**  
The test loads sequences applied to the CT4 full scale fatigue test [AD-A160736] p 294 A86-18320
- GRAUL, R. A.**  
Rubber removal specification development [FAA/PM-85/33] p 371 A86-21555  
Runway rubber removal specification development [DOT/FAA/PN-85/33] p 372 A86-21556  
Runway rubber removal specification development: Field evaluation results and data analysis [FAA/PM-85/32] p 448 A86-23607
- GRAVELLE, A.**  
Steady and unsteady investigations of spoiler and flap aerodynamics in two dimensional subsonic flows [ONERA, TP NO. 1986-101] p 776 A86-49106  
Influence of the angle of attack and flutter on the lift of a supercritical wing. Comparison between theory and experiment [ONERA-RT-24/3064-RY-044-R] p 695 A86-29786
- GRAVES, D. A.**  
A new approach to automated gas turbine engine testing p 597 A86-38070
- GRAY, A.**  
The development of aluminum-lithium alloys for aerospace applications p 451 A86-22616
- GRAY, D. E.**  
Heat management in advanced aircraft gas turbine engines [ASME PAPER 86-GT-76] p 813 A86-48144
- GRAY, G. A. C.**  
Airlines and the new technology aircraft - A discussion paper p 419 A86-31325
- GRAY, J. A.**  
Comparison of corrosion behaviour of lithium-containing aluminium alloys and conventional aerospace alloys p 660 A86-40280
- GRAY, R. B.**  
Velocity measurements in the near field of a rotor blade in hover [AIAA PAPER 85-5013] p 84 A86-14457  
The prediction of flow around blade tips p 337 A86-27668
- GRAYSON, M. A.**  
Diffusion of water in carbon epoxy composites p 377 A86-27754
- GRECO, P. J.**  
Improving intelligibility in audio distribution systems p 395 A86-28513
- GREEN, E. R.**  
Sound transmission through double panel constructions lined with elastic porous materials [AIAA PAPER 86-1907] p 750 A86-45408
- GREEN, I.**  
A comparison between acoustic mode measurements and acoustic finite element analysis performed for SAAB SF 340 [FFA-TN-1986-22] p 856 A86-33125
- GREEN, J. A.**  
Aeroelastic tailoring of composite wings with external stores [AIAA PAPER 86-1021] p 609 A86-38878  
Aeroelastic tailoring of aft-swept high aspect ratio composite wings p 802 A86-49097
- GREEN, K. C.**  
On the handling qualities of flight vehicles through variable flight conditions [AD-A167727] p 836 A86-31592
- GREEN, L. M.**  
Low altitude wind-shear protection can be attained p 569 A86-39553
- GREEN, P. N.**  
Features of discrete tones generated by jet flows over Coanda surfaces [AIAA PAPER 86-1865] p 691 A86-45485
- GREEN, W. L.**  
Aircraft hydraulic systems: An introduction to the analysis of systems and components p 713 A86-46850
- GREENE, G. C.**  
An approximate model of vortex decay in the atmosphere p 689 A86-44889  
Vortex wake alleviation studies with a variable twist wing [NASA-TP-2442] p 197 A86-16187
- GREENHALGH, S.**  
Aerodynamic characteristics of a flexible membrane wing [AIAA PAPER 84-2168] p 410 A86-32959
- GREENSPAN, L.**  
Advanced avionics computer architecture. Volume 1. Executive summary [AD-A158119] p 104 A86-12222  
Advanced avionics computer architecture. Volume 2. Instruction set architecture specification [AD-A158120] p 104 A86-12223
- GREENWELL, R.**  
Fiber optic aircraft systems electromagnetic pulse (EMP) survivability p 103 A86-15342
- GREENWELL, R. A.**  
Fiber optics in adverse environments II; Proceedings of the Meeting, San Diego, CA, August 22-24, 1984 [SPIE-506] p 129 A86-15340
- GREFF, E.**  
An engineering approach to the inverse transonic wing design problem p 336 A86-26409
- GREGOIRE, J. D.**  
Full-Scale Transport Controlled Impact Demonstration Program photographic/video coverage [DOT/FAA/CT-85/35] p 700 A86-29795
- GREGOREK, G. M.**  
Airfoil aerodynamics in icing conditions p 204 A86-20164  
An experimental study of a high performance canard airfoil with boundary layer trip and vortex generators [AIAA PAPER 86-0781] p 273 A86-24760
- GREGSON, P. J.**  
Aluminum-lithium alloys III; Proceedings of the Third International Aluminium-Lithium Conference, Oxford University, England, July 8-11, 1985 p 659 A86-40251  
Development of properties within high-strength aluminium-lithium alloys p 660 A86-40304
- GRIEQ, J. R.**  
Electrostatic charging of the CH-53E helicopter [AD-A161936] p 437 A86-23590
- GREINER, W. L.**  
High performance, stratified charge rotary engines for general aviation [AIAA PAPER 86-1553] p 647 A86-42710
- GREISSING, J.**  
In-flight measurements of wing ice shapes and wing section drag increases caused by natural icing conditions [NASA-TM-87301] p 479 A86-24667
- GREITZER, E. M.**  
Reverse flow in multistage axial compressors [AIAA PAPER 86-1747] p 827 A86-42825  
Active suppression of compressor instabilities [AIAA PAPER 86-1914] p 690 A86-45410  
Rotor noise due to atmospheric turbulence ingestion. I - Fluid mechanics [AIAA PAPER 86-1857] p 754 A86-45479  
Helicopter rotor noise due to ingestion of atmospheric turbulence [NASA-CR-3973] p 535 A86-25216
- GRENICH, A. F.**  
Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 2: Aircraft engine nacelle fire test programs. Part 1: Fire detection, fire extinguishment and surface ignition studies [AD-A167356] p 807 A86-31570  
Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 1: Executive summary [AD-A167443] p 807 A86-31571
- GRENZDOERFER, J.**  
Aspects of current interest concerning the development of world air traffic. II p 135 A86-18724
- GREYING, G.**  
New developments in antennas of classical radio navigational and landing systems p 484 A86-33741
- GREWE, H.**  
PM techniques for making near-net-shape titanium alloy components p 246 A86-21756
- GRIEB, H.**  
Turbofan and propfan as basis for future economic propulsion concepts [AIAA PAPER 86-1474] p 645 A86-42662

- Propfan and turbofan - Antagonism or synthesis  
p 817 A86-49092
- GRIFFIN, D.  
A flywheel powered RPV launcher - Putting theory into practice  
p 580 A86-37344
- GRIFFIN, G. R.  
The effects of vocal versus manual response modalities on multi-task performance  
[AD-A159830] p 321 N86-18588
- GRIFFIN, J. H.  
Stability of limit cycles in frictionally damped and aerodynamically unstable rotor stages  
p 174 A86-19198  
The forced response of shrouded fan stages  
[ASME PAPER 85-DET-19] p 303 A86-24226  
The effect of limiting aerodynamic and structural coupling in models of mistuned bladed disk vibration  
p 363 A86-26905  
Influence of friction dampers on torsional blade flutter  
[ASME PAPER 85-GT-170] p 441 A86-32957
- GRIFFIN, P.  
Analysis of the F/A-18 Hornet flight control computer field mean time between failure  
p 231 A86-22386
- GRIFFITHS, J.  
Lizzy - The first British liquid propellant rocket motor  
p 195 A86-18481
- GRIGAT, J.  
A feasibility study for the use of electronic flight strips in Air Traffic Control (ATC) controller workstations  
[ESA-TT-928] p 789 N86-31558
- GRIGOLIUK, E. I.  
Applying I. G. Bubnov's method to the solution of the natural vibration problem for a conical sandwich panel  
p 384 A86-28315
- GRIGORENKO, V. L.  
Influence of unsteady flow effects on the length of operation of a hypersonic shock tunnel  
p 112 A86-13428
- GRIMES, G. C.  
Characterization of T300/V-378A graphite/bismaleimide for structural applications  
p 662 A86-41053
- GRIMES, R. E.  
AV-8B initial sea trials  
p 222 A86-21054
- GRIMM, W.  
Periodic control for minimum-fuel aircraft trajectories  
p 427 A86-31657
- GRINBERG, Y.  
Portable computerized tester improves flight-line maintenance  
p 121 A86-15528
- GRISHIN, V. I.  
Shape optimization of aircraft structural elements with stress raisers  
p 848 A86-48846
- GROBBINK, K.  
Magnetic tape recording under severe environmental conditions  
p 314 A86-22716
- GROCE, J. L.  
Local flow management/profile descent algorithm. Fuel-efficient, time-controlled profiles for the NASA TSRV airplane  
[NASA-CR-172593] p 638 N86-28074  
Design requirements and development of an airborne descent path definition algorithm for time navigation  
[NASA-CR-178037] p 641 N86-28939  
An investigation of TNAV equipped aircraft in a simulated en route metering environment  
[NASA-CR-178031] p 641 N86-28940
- GRODZOVSKI, G. L.  
Statistical formulation of the objectives of the aerodynamic experiment  
p 80 A86-13361
- GROESBECK, D. E.  
Progress in the Lewis Research Center Altitude Wind Tunnel (AWT) Modeling Program  
[NASA-TM-87194] p 242 N86-16233
- GRORUD, E.  
Induced surface currents and fields on a conducting body by a lightning strike (frequency domain)  
p 844 A86-47296
- GROSHEV, G. P.  
Panel design for optimum strength and stability with allowance for the nonuniformity of heating  
p 119 A86-13357
- GROSS, B.  
Mode II fatigue crack growth specimen development  
p 736 A86-43566
- GROSS, D.  
Data sources for parameters used in predictive modeling of fire growth and smoke spread  
[PB86-130986] p 518 N86-24788
- GROSS, G. L.  
LGS/LTR design of a robust flight controller for the STOL F-15  
[AD-A164111] p 512 N86-24708
- GROSS, H. N.  
Control reconfigurable combat aircraft flight control system development  
[AIAA PAPER 86-2236] p 824 A86-47488
- GROSS, L.  
Turbine blade thermal fatigue testing Pratt and Whitney aircraft hollow core blades  
[NASA-TM-86528] p 174 N86-14271
- GROTHAUS, M. G.  
Interpretation of F-106B in-flight lightning signatures  
[NASA-CR-176387] p 100 N86-13320
- GROUAS, J.  
Dynamic response of the A.310 in flight to control-surface loading  
[AAAF PAPER NT 85-18] p 797 A86-48467
- GROVE, R. D.  
The mission oriented terminal area simulation facility  
[NASA-TM-87621] p 128 N86-13944
- GRUCHALSKI, R.  
Gas and erosion corrosion of the combustion chambers of aircraft engines  
p 592 A86-39725
- GRUEBEL, G.  
Uncertainty and control - Some activities at DFVLR  
p 127 A86-14827
- GRUENEWALD, A.  
Flight path measurement of helicopters using a strap-down navigation system  
[AIAA PAPER 86-9733] p 422 A86-32080
- GRUNBERG, D. B.  
Initial design and evaluation of automatic restructurable flight control system concepts  
[NASA-CR-178064] p 652 N86-28090
- GRUNWALD, A.  
Adaptive filtering of biodynamic stick feedthrough in manipulation tasks on board moving platforms  
[AIAA PAPER 86-2248] p 825 A86-47495
- GSCHWENDER, L. J.  
Advanced lubricants for aircraft turbine engines  
[SAE PAPER 851834] p 602 A86-38532  
Military aircraft propulsion lubricants: Current and future trends  
p 666 N86-29249
- GU, J. Q.  
Aerodynamic research on straight wall annular diffuser for turbofan augmentor  
[ASME PAPER 85-IGT-16] p 271 A86-23834
- GU, M.  
A simplified residual stress model for predicting fatigue crack growth behavior at coldworked fastener holes  
p 662 A86-40575
- GU, S. N.  
Determination of natural vibration properties of a wing with winglet by experimental mode synthesis technique  
p 435 A86-33280  
Determination of natural vibration properties of a wing with winglet by experimental mode synthesis technique  
p 716 N86-30678
- GU, Y.  
A mathematical model for calculation of effects of air humidity fuel composition and gas dissociation on engine performance and its actual application  
p 591 A86-38994
- GU, Z. Q.  
Research on active suppression technology for wing/aileron flutter  
p 835 A86-49096
- GUAN, D.  
Experimental transonic pressure distributions of a flexible wing-aileron model and comparisons with results of several theoretical methods  
p 432 A86-33239  
Experimental transonic pressure distributions of a flexible wing-aileron model and comparisons with results of several theoretical methods  
p 696 N86-30639
- GUAN, Y.  
A linear multivariable dynamical model of a supersonic inlet-engine combination  
p 85 A86-14560
- GUAN, Y.-S.  
Method of spare parts - Digital simulation of aircraft turbine engine control system  
[ASME PAPER 85-IGT-52] p 301 A86-23858  
Optimal control change of state of aircraft turbine engine  
[ASME PAPER 85-IGT-53] p 301 A86-23859
- GUSSER, J. L.  
Effects of structural nonlinearities on limit cycle response of aerodynamic surfaces  
[AIAA PAPER 86-0899] p 585 A86-38910
- GUDMUNDSON, S. E.  
Transonic and supersonic wind tunnel tests on schematic missile configurations with two different nose lengths  
[FFA-TN-1984-62] p 630 N86-28066
- GUELDER, O. E. L.  
Combustion gas properties. II - Prediction of partial pressures of CO<sub>2</sub> and H<sub>2</sub>O in combustion gases of aviation and diesel fuels  
[ASME PAPER 86-GT-163] p 843 A86-48216
- GUENTHER, G.  
Ten years of front-fan blade forging  
p 382 A86-27227
- GUICHAROUSSE  
Air traffic control (ATC) and vessel traffic systems (VTS)  
p 572 A86-39558
- GUICHETEAU, P.  
Study of the transition behavior of an airplane in the vicinity of bifurcation points  
p 566 N86-27266
- GUILLAUMON, J. C.  
New space paints  
p 451 N86-22621
- GULDER, O. L.  
Flame temperature estimation of conventional and future jet fuels  
[ASME PAPER 85-GT-31] p 246 A86-22020
- GUNDY, K.  
Transonic Navier-Stokes wing solution using a zonal approach. Part 1: Solution methodology and code validation  
[NASA-TM-88248-PT-1] p 692 N86-29785
- GUNDY, K. L.  
Computational aspects of zonal algorithms for solving the compressible Navier-Stokes equations in three dimensions  
[NASA-TM-86774] p 88 N86-13296
- GUNNINK, J. W.  
ARALL - A light weight structural material for impact and fatigue sensitive structures  
p 313 A86-26158
- GUNTHER, C. K.  
Residual strength characterization of jet transport structures  
p 707 A86-43795
- GUO, S.  
Controllability of redundant flight control system and pressure equalization of redundant servo actuators  
p 723 A86-43497
- GUPTA, A.  
Altitude and acceleration protection system for high performance aircraft  
p 217 A86-19314
- GUPTA, B. P.  
Higher harmonic control - Vibration reduction for reduced weight  
[SAWE PAPER 1679] p 489 A86-35220
- GUPTA, B. V. R.  
Free vibration characteristics of periodically stiffened panels with damped stringers  
p 456 A86-31773
- GUPTA, M. L.  
Full coverage discrete hole film cooling - The influence of hole size  
[ASME PAPER 85-GT-47] p 251 A86-22035
- GUPTA, M. M.  
On the development of equiobservable forms with application to adaptive control  
p 485 A86-33134  
Adaptive flight control of unstable helicopters during transition  
p 444 A86-33178
- GURIANOV, M. A.  
Classification of flight vehicles according to the type of propulsion - Determination of the type and number of lift solutions  
p 473 A86-35683
- GURUSWAMY, G. P.  
Unsteady transonics of a wing with tip store  
[AIAA PAPER 86-0010] p 198 A86-19633  
Transonic aeroelasticity of wings with tip stores  
[AIAA PAPER 86-1007] p 553 A86-38948  
Transonic aeroelastic analysis of the B-1 wing  
[AIAA PAPER 85-0690] p 708 A86-44886  
Transonic aerodynamic and aeroelastic characteristics of a variable sweep wing  
p 561 N86-27237  
ATRAN3S: An unsteady transonic code for clean wings  
[NASA-TM-86783] p 781 N86-31535
- GUSTAVSSON, A. I.  
Measurements of landing gear loads of a commuter airliner  
p 803 A86-49119
- GUSTIN, T.  
Limb Restraint Evaluator (LRE)  
p 261 A86-19329
- GUTTMAN, N. B.  
The aircraft icing environment in wintertime, low ceiling conditions  
[AD-A160578] p 280 N86-18307
- GUVERNIUK, S. V.  
Self-similar supersonic gas flows through a permeable screen  
p 140 A86-16784
- GUVERNYUK, S. V.  
Supersonic flow around blunt perforated shields  
p 480 N86-25558
- GUY, C. R.  
Flight testing of an ASW helicopter  
p 352 A86-26585
- GUYOT, G.  
Airbus A 320 - New concept of aircraft control  
p 796 A86-47787
- GUZMAN, A. S.  
VLF radio navigation systems  
p 703 A86-44279



## GVOZDENOVIC, S.

Noise of the general aviation airplanes influence on environment of the airport, airfields and on crews p 461 A86-31955

## GYAKUM, J. R.

A cold-season North American climatology of strong vertical wind shear p 614 A86-37486

## H

## HAASE, W.

Summary report on the working group for conference 1: Solutions of the Navier-Stokes equations p 147 N86-14226  
 Procedure for solution of the Navier-Stokes equations at Dornier GmbH p 149 N86-14236

## HABASHI, W. G.

Computational methods in viscous flows p 250 A86-21026  
 Modular application of a shock/boundary layer interaction solution to supercritical viscous-inviscid flow field analysis p 338 N86-20343

## HABER, R. N.

Flight simulation p 730 A86-45137

## HABERLAND, C.

A computer-augmented procedure for commercial aircraft configuration development and optimization p 637 A86-40114  
 On the computation of wing lift interference caused by high bypass engines p 776 A86-49109

## HACKER, J. M.

Processing and meteorological evaluation of research flights with DFVLR motor gliders using the software package RAMF [DFVLR-FB-85-57] p 678 N86-28588

## HACKER, T.

Preliminary design of low authority SAS. I p 510 A86-36772  
 Preliminary design of low authority SAS. II p 724 A86-45058

## HACKETT, J. E.

Recent developments in three-dimensional wake analysis p 156 N86-15273

## HACKMAN, M.

Designing into the unknown p 398 A86-28420

## HADAD, D. K.

Chemical analysis for control p 842 A86-47720

## HADY, W. F.

Stratified charge rotary engine for general aviation [ASME PAPER 86-GT-181] p 815 A86-48231

## HAENEL, D.

Summary report on the working group for conference 1: Solutions of the Navier-Stokes equations p 147 N86-14226  
 Solutions of the Navier-Stokes equations for vortical flow p 148 N86-14231

## HAERING, E. A., JR.

Minimum time and fuel flight profiles for an F-15 airplane with a Highly Integrated Digital Electronic Control (HIDEC) system [NASA-TM-86042] p 436 N86-23587

## HAERTIG, J.

Experimental study of the acoustic fields far and near a Microturbo TRS 18 turbo-reactor [ISL-R-113/84] p 333 N86-20095

## HAFEZ, M. M.

An entropy correction method for unsteady full potential flows with strong shocks [AIAA PAPER 86-1768] p 777 A86-49576  
 An entropy correction method for unsteady full potential flows with strong shocks [NASA-TM-87769] p 694 N86-29777

## HAFTKA, R. T.

Efficient identification of critical stresses in structures subject to dynamic loads p 380 A86-26682

## HAFTMANN, B.

Details on the optimization of cruising drag of the Airbus A320 [DGLR PAPER 85-089] p 487 A86-35152  
 Take-off prediction for the Airbus A300-600 and the A310 compared with flight test results p 804 A86-49121

## HAGEMAIER, D. J.

Supplemental inspections of aging aircraft p 845 A86-47525

## HAGEN, F. W.

Wind tunnel calibration of a flow direction sensor and a pitot-static tube to high angles of attack and sideslip p 359 A86-28364

## HAGENAUER, J.

Communication with land vehicles and aircraft via satellite p 319 A86-25016

## HAGISAWA, T.

Weibull-distributed ground clutter in the frequency domain p 671 A86-41883

## HAQUE, D. O.

Data-driven operating concepts for real-time simulation systems p 397 A86-28348

## HAHN, A. S.

Effects of jet flap on AV8-B 'Harrier' performance [SAE PAPER 851843] p 579 A86-38340

## HAHN, E. J.

Equivalent stiffness and damping coefficients for squeeze film dampers p 319 A86-25761

## HAHN, K.-U.

Take-off and landing in a downburst p 786 A86-49069

## HAHNE, D. E.

Exploratory low-speed wind-tunnel study of concepts designed to improve aircraft stability and control at high angles of attack [NASA-CR-176615] p 338 N86-20344

## HAIGES, K. R.

Robust fault detection and isolation for a high performance aircraft on STOL approach [AIAA PAPER 86-2031] p 821 A86-47421

## HAINES, G. H.

Influence of rough runways on undercarriage design p 166 A86-19277

## HAINES, J. F.

Developments in airworthiness control for Canadian airlines [SAE PAPER 851784] p 620 A86-38308

## HAINES, R. F.

The utility of Head-Up Displays - Eye-focus vs decision times p 297 A86-23728  
 Head-up display (HUD) utility. II - Runway to HUD transitions monitoring eye focus and decision times p 498 A86-33802

## HAIR, K. A.

Displacement thresholds in central and peripheral vision during tracking p 679 A86-41782  
 Simulator scene display evaluation device [NASA-CASE-ARC-11504-1] p 840 N86-32447

## HAIR, K. A.

Electromechanical actuation reliability and survivability p 354 A86-28397

## HAJELA, P.

Optimal airframe synthesis for gust loads [NASA-CR-178047] p 357 N86-20386

## HALASE, J. F.

Evaluation of capillary reinforced composites [NASA-CR-175061] p 517 N86-24760

## HALAT, J. A.

Hydraulic pumps for high pressure non-flammable fluids [SAE PAPER 851911] p 580 A86-38366

## HALL, M.

Air Force Academy Aeronautics Digest [AD-A157215] p 78 N86-12200  
 Air Force Academy Aeronautics Digest [AD-A164940] p 540 N86-26281

## HALFPAP, D. S.

Transition of advanced materials and structures - Single crystal blades p 252 A86-22143

## HALL, C. K.

Materials in aerospace - Can the emerging thermoplastics meet the challenge? p 843 A86-49020

## HALL, G. W.

Flight testing the fixed wing configuration of the Rotor Systems Research Aircraft (RSRA) p 223 A86-21064

## HALL, I. M.

Test cases for the plane potential flow past multi-element aerofoils p 275 A86-25670

## HALL, J. W.

Comparative study of nondestructive pavement testing, WES (Waterways Experiment Station) NDT (nondestructive tests) methodologies [AD-A163379] p 610 N86-26480

## HALL, S.

The evaluation of failure detection and isolation algorithms for restructurable control [NASA-CR-177983] p 93 N86-13310

## HALL, S. R.

Aircraft control surface failure detection and isolation using the OSGLR test [AIAA PAPER 86-2028] p 821 A86-47419

## HALL, T.

The evaluation of the OSGLR algorithm for restructurable controls [NASA-CR-178063] p 485 N86-24678

## HALL, T.

EAP - Fighter blueprint p 577 A86-37939

## HALLER, K. A.

Smart Built-In-Test (BIT) p 747 A86-43889

## HALLETT, J.

Field observations of aircraft charging in convective clouds p 783 A86-47332

## HALLION, R. P.

Aircraft design - From the myth of make-do to Mach 3 p 267 A86-22130

## HALLOCK, B. L.

Composite repair at the Naval Air Rework Facility, North Island [AIAA PAPER 86-1140] p 664 A86-43329

## HALLOCK, D. W.

Development and application of a time-history analysis for rotorcraft dynamics based on a component approach p 168 N86-15291

## HALPIN, J. C.

AVIP Air Force thrust for reliability p 315 A86-23003  
 AVIP Air Force thrust for reliability p 256 N86-16617

## HALBEY, N. D.

Conformal mapping as an aid in grid generation for complex three-dimensional configurations [AIAA PAPER 86-0497] p 203 A86-19908  
 Calculation of flow over multielement airfoils at high lift p 772 A86-49011

## HALWES, D. R.

Six degree-of-freedom LIVE isolation systems, part 1 [NASA-CR-177928] p 587 N86-26331

## HAM, N. D.

Helicopter attitude stabilization using individual-blade-control p 307 A86-28170  
 Helicopter gust alleviation, attitude stabilization, and vibration alleviation using individual-blade-control through a conventional swash plate p 510 A86-35604  
 Individual-blade-control research in the MIT VTOL Technology Laboratory 1977-1985 [NASA-CR-177121] p 654 N86-28954

## HAMBRICK, D. M.

Age creep forming in an autoclave p 118 A86-13135

## HAMED, A.

Effect of particle characteristics on trajectories and blade impact patterns p 643 A86-40731

## HAMEL, P.

Future helicopter developments p 269 A86-25023

## HAMILTON, B. E.

Analytical methods for LHX mission and task analysis p 157 A86-18452

## HAMILTON, H. H., II

Geometrical description for a proposed aerocassett flight experiment vehicle [NASA-TM-87714] p 749 N86-31237

## HAMILTON, P. L.

A microcomputer pollution model for civilian airports and Air Force bases [AD-A163232] p 616 N86-28714

## HAMMER, J. M.

Pilot interaction with automated airborne decision making systems [NASA-CR-177002] p 679 N86-29508

## HAMMERLE, K. J.

Raid count by autocorrelation p 424 A86-32631

## HAMMOND, C. L.

Airbus Industrie A310 and A300-600 experience with practical applications of damage tolerance design in fuselage primary structure p 707 A86-43787

## HAMMOND, D. O., JR.

A study of cracking in the pressure bulkhead of a military transport aircraft [AIAA PAPER 86-0983] p 584 A86-38861

## HAMOUDA, M.-N. H.

Aeroelastic model helicopter rotor testing in the Langley TDT p 163 A86-18402

## HAN-SENG, L.

Experimental investigation of electrostatic fire and explosion accidents after aircraft landing and preventive design p 786 A86-49083

## HAN, S. Z.

Dynamic response of a laminated plate with friction damping [ASME PAPER 85-DET-16] p 122 A86-18032

## HAN, Y.

A second-order theory for three-dimensional unsteady flows and its application to thin wings with angle of attack at supersonic and hypersonic speeds p 687 A86-43485

## HANAGUD, S.

A study of the static post buckling behavior of composite sandwich plates p 383 A86-27653  
 Crashworthy design of rotorcraft - A basic research approach p 494 A86-35665

## HANAGUD, S. V.

Rotorcraft structural dynamic design modifications p 289 A86-26117

## HANAI, T.

Deep stall characteristics of the MU-300 p 306 A86-25203

## HANCOCK, D. W., III

Elimination of directional wave spectrum contamination from noise in elevation measurements p 641 A86-40854

- HANCOCK, G. J.**  
Aerodynamics - The role of the computer  
p 78 A86-13050  
On the teaching of the principles of wing flexure-torsion flutter  
p 185 A86-16248  
Some calculations of tip vortex - Blade loadings  
p 276 A86-26107  
On the interface between unsteady aerodynamics, dynamics and control  
p 564 A86-27254
- HANCOCK, J. K.**  
Spare parts pricing - Impact on logistics support  
p 537 A86-35647
- HANCOCK, J. P.**  
Correlation of theory and experiment for propfan inlets  
[AIAA PAPER 86-1628]  
p 627 A86-42761
- HANCOCK, R. N.**  
A decade of reliability testing progress  
p 256 N86-16619
- HANDELMAN, D. A.**  
A theory for fault-tolerant flight control combining expert system and analytical redundancy concepts  
[AIAA PAPER 86-2092]  
p 822 A86-47442
- HANEY, J. L.**  
The McDonnell aircraft telemetry tracking system at Edwards Air Force Base, CA  
p 346 A86-27784
- HANFF, E. S.**  
Instrumentation and other issues in non-linear dynamic testing in wind tunnels  
p 597 A86-38248  
Dynamic nonlinear airloads: Representation and measurement  
p 563 N86-27251
- HANKE, D.**  
The flying simulator and technology carrier ATTAS from DFVLR  
p 490 A86-35520
- HANKER, E. J., JR.**  
Higher harmonic control - Wind tunnel demonstration of fully effective vibratory hub force suppression  
p 509 A86-35602
- HANKEY, W. L.**  
Free-falling autorotating plate - A coupled fluid and flight mechanics problem  
p 110 A86-14533
- HANREITER, O.**  
Weight assessment of electronic boxes  
[SAE PAPER 1661]  
p 499 A86-35207
- HANS, V.**  
Noise of military aircraft in the range of airports and at low level flights  
p 468 A86-31961
- HANSEN, E. P.**  
T-33 (Silver Star MK 3) pitot-static system calibration  
[AD-A157854]  
p 104 N86-12221
- HANSFORD, R. E.**  
A unified formulation of rotor load prediction methods  
p 576 A86-37774
- HANSLI, W.**  
Properties, applications, future of European gyro sensors  
p 676 N86-29062
- HANSMAN, R. J., JR.**  
Surface wetting effects on a laminar flow airfoil in simulated heavy rain  
p 162 A86-17780  
Real-time measurement of ice growth during simulated and natural icing conditions using ultrasonic pulse-echo techniques  
[AIAA PAPER 86-0410]  
p 214 A86-19860  
Experimental measurements of heat transfer from an iced surface during artificial and natural cloud icing conditions  
[AIAA PAPER 86-1352]  
p 598 A86-39948  
Measurement of ice growth during simulated and natural icing conditions using ultrasonic pulse-echo techniques  
p 634 A86-41694
- HANSON, D. B.**  
Noise of counter-rotation propellers with nonsynchronous rotors  
p 193 A86-17788  
Propeller noise caused by blade tip radial forces  
[AIAA PAPER 86-1892]  
p 721 A86-45504
- HANSON, M. K.**  
Documentation of ice shapes accreted on the main rotor of a UH-1H helicopter in level flight  
[NASA-CR-175068]  
p 420 N86-22559
- HANSON, P.**  
The 'mintuft' surface flow visualisation method - Experience of use in the RAE 5m pressurised low-speed wind tunnel  
p 447 A86-31124
- HANSON, P. W.**  
Aeroelasticity at the NASA Langley Research Center Recent progress, new challenges  
[NASA-TM-87660]  
p 336 N86-20342
- HANSON, S. L.**  
An analysis of S-3 SDLM (Standard Depot Level Maintenance) corrosion documentation procedures  
[AD-A165588]  
p 540 N86-26282
- HARDERSEN, C. P.**  
Torsional low cycle fatigue of spline-ended drive components  
p 187 A86-18431
- HARDIN, J. C.**  
Concepts for reduction of blade-vortex interaction noise  
[AIAA PAPER 86-1855]  
p 753 A86-45477
- HARDRATH, W. T.**  
Residual strength characterization of jet transport structures  
p 707 A86-43795
- HARDWICK, C. J.**  
The observation of high frequency B(dot) and D(dot) transients excited on a fuselage by an impulse generator  
p 790 A86-47306
- HARDY, B. C.**  
A numerical study of the aerodynamic interference of a model support system used in the RAE 5 metre wind tunnel  
[AD-A165671]  
p 657 N86-28962
- HARDY, G.**  
Development and validation of the crew-station system-integration research facility  
[NASA-TM-86841]  
p 622 N86-28051
- HARDY, G. H.**  
Flight evaluation of a precision landing task for a powered-lift STOL aircraft  
[AIAA PAPER 86-2130]  
p 828 A86-47676
- HARGRAVES, C. R.**  
Direct trajectory optimization using nonlinear programming and collocation  
[AIAA PAPER 86-2000]  
p 841 A86-47902
- HARMAN, W. H.**  
TCAS Experimental Unit (TEU) hardware description  
[FAA/PM-85/2]  
p 574 N86-27272
- HARMON, A.**  
A survivable fly-by-wire spoiler actuation system featuring nonflammable fluid, 8,000 PSI hydraulics and direct drive valves  
p 355 A86-28402
- HARMON, M. B.**  
Continuing structural integrity program for transport aircraft  
p 736 A86-43789  
Supplemental inspections of aging aircraft  
p 645 A86-47525
- HARPER, H. P.**  
Analytical methods for LHX mission and task analysis  
p 157 A86-18452  
The role of flight simulation in helicopter crew station design  
[SAE PAPER 851900]  
p 530 A86-36940
- HARPER, P. J. G.**  
Certification flight testing of civilian helicopters in the United Kingdom  
p 710 A86-44947
- HARR, H. K.**  
Flight investigation of Bell model 206 ring fin  
p 491 A86-35624
- HARRIMAN, D. W.**  
Gravity-induced errors in airborne inertial navigation  
p 703 A86-46457
- HARRINGTON, R. F.**  
An airborne multiple-beam 1.4 GHz pushbroom microwave radiometer  
p 496 A86-33583
- HARRIS, A.**  
Compressibility corrections for multifoil sections  
p 270 A86-23193
- HARRIS, F. R.**  
Adapter pallet system  
[AD-D011858]  
p 191 N86-15671
- HARRIS, M. J.**  
Development of pneumatic thrust-deflecting powered-lift systems  
[AIAA PAPER 86-0476]  
p 219 A86-19894
- HARRIS, R. L., SR.**  
Effects of digital altimetry on pilot workload  
[SAE PAPER 841489]  
p 327 A86-26019  
Effects of digital altimetry on pilot workload  
[NASA-TM-86424]  
p 126 N86-13892
- HARRIS, S. J.**  
Aluminium-lithium alloys III; Proceedings of the Third International Aluminium-Lithium Conference, Oxford University, England, July 8-11, 1985  
p 659 A86-40251
- HARRIS, T. M.**  
Impact of flying qualities on mission effectiveness for helicopter air combat  
p 110 A86-14531  
A review of aeroelastic research at the flight dynamics laboratory  
p 433 A86-33242  
A review of aeroelastic research at the Flight Dynamics Laboratory  
p 727 N86-30642
- HARRIS, W. L.**  
A theoretical analysis of the effect of thrust-related turbulence distortion on helicopter rotor low-frequency broadband noise  
p 289 A86-26113  
A spectral hodograph method for shockless transonic two-dimensional flow  
[AIAA PAPER 86-1796]  
p 543 A86-37824  
The US Army's LHX (light helicopter family) program  
[AD-A161949]  
p 437 N86-23561
- HARRISON, J. C.**  
Gravity-induced errors in airborne inertial navigation  
p 703 A86-46457
- HARRISON, R. P.**  
Comparison of calculated and measured height profiles of transverse electric VLF signals across the daytime earth-ionosphere waveguide  
p 250 A86-21513
- HARRISON, W. A.**  
A new application of adaptive noise cancellation  
p 262 A86-22626
- HARRITS, P.**  
Measurements on wing-tip blowing  
[NASA-CR-176930]  
p 632 N86-28922
- HART-SMITH, L. J.**  
The design of repairable advanced composite structures  
[SAE PAPER 851830]  
p 606 A86-38335  
Structural analysis of adhesive-bonded joints  
p 846 A86-47722  
Optimized bolted joint  
[NASA-CASE-LAR-13250-1]  
p 612 N86-27630
- HART, R. E.**  
Re-engine KC-135R/CFM56 flight test program - An overview  
p 795 A86-47793
- HARTLEY, L. A.**  
Weight assessment of electronic boxes  
[SAE PAPER 1661]  
p 499 A86-35207
- HARTMAN, G. A.**  
Advances in the study of the mechanical behavior of materials  
[AD-A164656]  
p 735 N86-30636
- HARTMAN, R. D.**  
Operational suitability evaluation of a tactical fighter system  
[AIAA PAPER 86-9753]  
p 406 A86-32094
- HARTMANN, G. L.**  
Introduction to Lecture Series No. 143: Fault tolerant hardware/software architectures for flight critical functions  
p 369 N86-20400  
Design validation of fly-by-wire flight control systems  
p 362 N86-20409
- HARTMANN, J.**  
Requirements on lubrication oil from the view of a helicopter manufacturer  
p 666 N86-29244
- HARTMANN, M. J.**  
Fluid machines: Expanding the limits, past and future  
[NASA-TM-87161]  
p 107 N86-12227
- HARTWICH, P. M.**  
Numerical calculation of leading-edge vortices on a flat delta wing  
p 148 N86-14232
- HARTWICH, P.-M.**  
Implicit, vectorizable schemes for the flux-difference split, three-dimensional Navier-Stokes equations  
p 523 A86-37067  
An implicit flux-difference splitting scheme for three-dimensional, incompressible Navier-Stokes solutions to leading edge vortex flows  
[AIAA PAPER 86-1839]  
p 546 A86-37847  
Implicit hybrid schemes for the flux-difference split, three-dimensional Navier-Stokes equations  
p 850 A86-50256
- HARTWIG, J.**  
PM techniques for making near-net-shape titanium alloy components  
p 246 A86-21756
- HARVEY, C. A.**  
A modeling structure for computer aided design  
p 397 A86-28403
- HARVEY, W. D.**  
Juncture flow control using leading-edge fillets  
[AIAA PAPER 85-4097]  
p 84 A86-14454  
A faster 'transition' to laminar flow  
[SAE PAPER 851856]  
p 548 A86-38347
- HARWOOD, J. J.**  
Fiber-reinforced plastic composites for energy absorption purposes  
p 312 A86-23823
- HASAN, M. A. Z.**  
An experimental study of the flow and wall pressure field around a wing-body junction  
p 337 A86-28637
- HASHIMOTO, T.**  
Failure detection in a flight control system by the modified sequential probability ratio test  
p 854 A86-49507
- HASLIM, L. A.**  
Segmented tubular cushion, springs and spring assembly  
[NASA-CASE-ARC-11349-1]  
p 388 N86-20797
- HASS, D. C.**  
Compensating-slit canopy design - A new low-speed/high-speed parachute  
p 213 A86-19353
- HASSAN, A. A.**  
A viscous-inviscid coupling method for the design of low Reynolds number airfoil sections  
p 136 A86-16305  
A method for the design of shock-free slender bodies of revolution  
p 554 A86-39054
- HASSAN, H. A.**  
Unsteady transonic flows past airfoils using the Euler equations  
[AIAA PAPER 86-1764]  
p 541 A86-37802

- HASTINGS, E. C.**  
Natural laminar flow flight experiments on a turbine engine nacelle fairing [AIAA PAPER 86-9756] p 429 A86-32097
- HASTINGS, E. C., JR.**  
Flight research on natural laminar flow nacelles - A progress report [AIAA PAPER 86-1629] p 627 A86-42762
- HASTINGS, R. C.**  
Mean flow properties measured around an aerofoil close to its maximum lift p 140 A86-16395  
Studies of the flow field near a NACA 4412 aerofoil at nearly maximum lift [RAE-TM-AERO-2026] p 211 N86-17307
- HATFIELD, J. V.**  
A real-time simulation of a non-linear RPV incorporating head-up type colour graphics p 593 A86-37335
- HATHAWAY, M. D.**  
Multistage compressor stator/rotor interaction p 85 A86-14556
- HATTINGH, H. V.**  
A hot air tunnel for base bleed experimentation p 597 A86-38252  
A comparison of pod and tail mounted ramjets p 818 A86-49112
- HATTORI, T.**  
Optimum design technique for rotating wheels [ASME PAPER 86-GT-255] p 846 A86-48281
- HAUENSTEIN, A. J.**  
Effects of structural nonlinearities on limit cycle response of aerodynamic surfaces [AIAA PAPER 86-0899] p 585 A86-38910
- HAUF, TH.**  
The calculation of the entropy distribution along cloud traverses using aircraft measurements p 678 A86-40555
- HAUG, E.**  
Aircraft crashing. Analysis and identification methods. Presentation of a solution method [IMFL-4116] p 91 N86-13308
- HAUPTMAN, A.**  
On the exact solution of the linearized lifting-surface problem of an elliptic wing p 409 A86-31132
- HAVERDINGS, H.**  
Wind shear investigation program at the NLR [NLR-MP-84027-U] p 325 N86-19808
- HAWKINS, H. L.**  
Feasibility study for ergonomic analysis and design of future helicopter cockpit systems [NASA-CR-176942] p 714 N86-29811
- HAWKINS, J. S.**  
A study of programmable switch symbology p 329 A86-23708
- HAWORTH, L. A.**  
Flight tests of the helicopter pneumatic deicing system p 163 A86-18408
- HAWTIN, R.**  
Wide-angle, low-altitude flight simulator vision system for cockpit research and aircrew training p 180 A86-18453  
Wide-angle, low-altitude flight simulator vision system for cockpit research and aircrew training p 311 A86-26152
- HAYASHI, M.**  
Measurements of fluctuations of surface heat transfer rate in the interacting region of oblique shock wave and turbulent boundary layer p 688 A86-43512  
Fluctuations of wall pressure in the interacting region of oblique shock wave and turbulent boundary layer p 688 A86-43514
- HAYASHI, T.**  
Some recent research and development of composites in Japan p 377 A86-27765
- HAYBALL, C.**  
Research on the technology of an airplane concept for a Stationary High-Altitude Relay Platform (SHARP) p 586 A86-39564
- HAYDUK, R. J.**  
NASA experiments onboard the controlled impact demonstration [SAE PAPER 851885] p 588 A86-38352  
Structural dynamics research in a full-scale transport aircraft crash test p 785 A86-49053  
Full-Scale Transport controlled Impact Demonstration [NASA-CP-2395] p 390 N86-21933  
CID overview p 390 N86-21934  
Impact data from a transport aircraft during a controlled impact demonstration [NASA-TP-2589] p 716 N86-30721
- HAYES, B. J.**  
Experiences in UK and France in aerospace application p 621 A86-40499
- HAYKIN, T.**  
Direct and system effects of water ingestion into jet engine compressors p 644 A86-40739
- Transient engine performance with water ingestion [AIAA PAPER 86-1621] p 647 A86-42755
- HAYNES, L.**  
A survivable fly-by-wire spoiler actuation system featuring nonflammable fluid, 8,000 PSI hydraulics and direct drive valves p 355 A86-28402
- HE, C.**  
A study of the rotor wake in nap-of-the-earth p 787 A86-48653
- HE, L.**  
A second-order theory for three-dimensional unsteady flows and its application to thin wings with angle of attack at supersonic and hypersonic speeds p 687 A86-43485
- HEALEY, M. D.**  
Durability prediction of parallel fuel tank skins with fluid-structure interaction dynamics [AIAA PAPER 86-0935] p 591 A86-38927
- HEALY, M. P.**  
X-29A flight flutter data analysis by advanced methods [AIAA PAPER 86-9737] p 429 A86-32083
- HEARON, B. F.**  
Effect of seat cushions of human response to +Gz impact p 326 A86-25652
- HEBERT, J. L.**  
Lightning measurements of an aircraft flying at low altitude p 567 A86-37490  
Design of a fast risetime lightning generator p 837 A86-47304
- Lightning simulation tests on FAA CV-580 lightning research aircraft p 790 A86-47307
- HEBSCH, F.**  
On control concept for in-flight simulation including actuator nonlinearities and time delays [ESA-TT-948] p 836 N86-31593
- HECKER, M.-E.**  
Modular simulators - How to make it work p 371 A86-28459
- HECKLER, J. A.**  
Effects of section thickness and orientation on creep-rupture properties of two advanced single crystal alloys [SAE PAPER 851785] p 601 A86-38309
- HEDGE, U. G.**  
Flame driving of longitudinal instabilities in dump type ramjet combustors p 658 N86-28239
- HEDMAN, S. G.**  
Airfoil optimization p 623 A86-40107
- HEEREMA, F. J.**  
Engineering Data Interactive Presentation and Analysis System (EDIPAS): A general approach to engineering data management and analysis applied to wind tunnel testing [NLR-MP-83057-U] p 267 N86-18252
- HEFELE, R.**  
Comparison of methods for lifetime calculations of highly loaded aero-engine discs [ASME PAPER 86-GT-102] p 814 A86-48165
- HEFFLEY, R. K.**  
Helicopter handling requirements based on analysis of flight maneuvers p 510 A86-35625  
Terminal control factors for the carrier landing task [AIAA PAPER 86-2251] p 825 A86-47497
- HEFNER, J. N.**  
Laminar flow research applicable to subsonic aircraft p 781 A86-50269
- HEIDA, J. H.**  
Quadrinomial distribution for the characterization of nondestructive inspection (NDI) reliability [NLR-MP-84064-U] p 258 N86-17774
- HEIDELBERG, L. J.**  
Preliminary results of unsteady blade surface pressure measurements for the SR-3 propeller [AIAA PAPER 86-1893] p 780 A86-49625  
Preliminary results of unsteady blade surface pressure measurements for the SR-3 propeller [NASA-TM-87352] p 559 N86-27213
- HEIDENREICH, R.**  
Fracture mechanics and LCF-properties of engine discs of Ti 6Al-4V, Inconel 718 and Udmet 700 P/M-HIP p 507 N86-25378
- HEILMANN, K. H.**  
Development trends in the case of high-performance aircraft [DGLR PAPER 85-106] p 473 A86-35163
- HEIMBUCH, A. H.**  
Copolymers of vinyl styrylpyridines or vinyl stilbazoles with biacrylamide [NASA-CASE-ARC-11429-1-CU] p 378 N86-20560
- HEIMES, F.-J.**  
Computer-controlled navigation for aeromagnetic survey flights during the GANOVEX IV Antarctic expedition during the southern summer of 1984/85 p 484 A86-35293
- HEINE, C.**  
Generation of spiral bevel gears with zero kinematical errors and computer aided tooth contact analysis [NASA-TM-87273] p 527 N86-25793
- HEINEMANN, E. H.**  
Aircraft design p 161 A86-16213
- HEISER, W. H.**  
Performance estimation of the mixed flow, afterburning, cooled, two-spool turbofan engine with bleed and power extraction [AIAA PAPER 86-1757] p 649 A86-42830  
Air Force Academy Aeronautics Digest [AD-A157215] p 76 N86-12200
- HEITMAN, K. E.**  
Laboratory study of the effects of sidewall treatment, source directivity and temperature on the interior noise of a light aircraft fuselage [AIAA PAPER 86-0390] p 219 A86-19851  
Laboratory study of cabin acoustic treatments installed in an aircraft fuselage p 221 A86-20158  
Predicted and measured strain response of rectangular panels due to acoustic loading [AIAA PAPER 86-1931] p 751 A86-45421  
Investigation of the level difference between sound pressure and sound intensity in an aircraft cabin under different fuselage conditions p 799 A86-48738
- HELDOT, P. H.**  
Control systems for the Airbus design and functional experience [ETN-86-96936] p 653 N86-28094
- HELFRICH, T. H.**  
Triaxial vibration system p 257 N86-16647
- HELIN, H. E.**  
Visualization of dynamic stall controlled by large amplitude interrupted pitching motions [AIAA PAPER 86-2281] p 784 A86-47699  
Control of wake structure behind an oscillating airfoil [AIAA PAPER 86-2282] p 764 A86-47700
- HELLARD, G.**  
The applications of composite materials in the aeronautical domain [SNIA-852-551-103] p 247 N86-16279  
The design of composite structures [SNIA-861-111-103] p 640 N86-28082
- HELLER, H.**  
The German-Dutch wind tunnel - An aerodynamics experimenter's dream p 468 A86-31965
- HELLER, H. H.**  
Aerodynamics at the German-Dutch wind tunnel p 839 A86-49061
- HELM, J. D.**  
The history and development of the repeatable release catapult holdback bar [SAE PAPER 851942] p 581 A86-38375
- HENAU, G.**  
Development of materials used in landing gear p 373 A86-26329
- HENDERSON, E.**  
Electric power management and distribution for air and space applications p 319 A86-24828
- HENDERSON, I.**  
Crack growth in titanium alloys under the conjoint action of high and low cycle fatigue [AD-A166429] p 665 N86-29028
- HENDERSON, M. R.**  
The aircraft icing environment in wintertime, low ceiling conditions [AD-A160578] p 280 N86-18307
- HENDERSON, W. P.**  
Aerodynamic characteristics of a high-wing transport configuration with a over-the-wing nacelle-pylon arrangement [NASA-TP-2497] p 207 N86-16183  
Experimental and numerical results for a generic axisymmetric single-engine afterbody with tails at transonic speeds [NASA-TM-87755] p 697 N86-30695
- HENDRICK, R. C.**  
Application of analytical redundancy [SAE PAPER 851825] p 593 A86-38331  
DIGITAC multimode control laws [SAE PAPER 851826] p 594 A86-38332
- HENDRICKS, R. C.**  
Ribbon-burner simulation of T-700 turbine shroud for ceramic-lined seals research p 108 A86-15225  
Experimental study of ceramic-coated tip seals for turbojet engines p 121 A86-15227
- HENKEL, P.**  
Airborne reconnaissance VIII; Proceedings of the Meeting, San Diego, CA, August 21, 22, 1984 [SPIE-496] p 228 A86-19576
- HENN, A.**  
Isothermal forging system for the production of large rotating components from titanium alloys or superalloys p 382 A86-27247
- HENNECKE, D. K.**  
Heat transfer problems in aero-engines p 272 A86-24470

- Transient thermal behaviour of a compressor rotor with ventilation: Test results under simulated engine conditions p 741 N86-28856
- HENNING, R. P.  
The development of microcomputer codes for studying the flight dynamics and performance of helicopters p 366 A86-27660
- HENRIOT, F.  
Evaluation of the Ciba-Geigy R6376 IM6 prepreg [DGT-26.649] p 248 N86-17485
- HENRY, G. R.  
Fuel pump vent drain system [AD-D011993] p 459 N86-22947
- HENRY, J.  
Properties of aircraft fuels and related materials [AD-A164532] p 604 N86-27461
- HENZE, E.  
Design of a carbon-fiber reinforced wing for the Alpha-Jet major panel tests p 638 A86-41692
- HEO, H.  
Autoparametric vibration of coupled beams under random support motion [ASME PAPER 85-DET-184] p 318 A86-24246  
Stochastic flutter of nonlinear aeroelastic structures with parameter random fluctuations [AIAA PAPER 86-0962] p 609 A86-38934
- HEPLER, A. K.  
X-20 structures overview p 268 A86-22138
- HEPNER, D. J.  
Pressure measurements in a liquid-filled cylinder using a three-degree-of-freedom flight simulator [AIAA PAPER 86-2026] p 827 A86-47660
- HEPPENHEIMER, T. A.  
Launching the aerospace plane p 688 A86-44442
- HEPPLEWHITE, H. L.  
Development of a high temperature jet engine oil - Laboratory and field evaluation [SAE PAPER 851797] p 607 A86-38527
- HER, I.  
Surface properties-vehicle interaction [PB85-242578] p 255 N86-18428
- HERAIL, O.  
Eigenvalues assignment method: An application to designing an autopilot [SNIAS-861-111-106] p 653 N86-28095
- HERAUD, L.  
Carbon-carbon composites for braking p 661 A86-40364
- HERBERT, R. A.  
Further development in stores separation data acquisition and reduction p 315 A86-23262
- HERBERT, T.  
Effect of pressure gradients on the growth of subharmonic disturbances in boundary layers p 136 A86-16306
- HERBST, M. K.  
Aerial refueling evaluation of the CH-47D helicopter [AD-A167575] p 808 N86-31574
- HERENDEEN, D. L.  
ASTROS - An advanced software environment for automated design [AIAA PAPER 86-0656] p 618 A86-38807
- HERKES, W. H.  
Evaluation of a correction for sound propagation through free-jet shear layers p 193 A86-17783  
Acoustic evaluation of the German-Dutch Wind Tunnel (DNW) shear layer correction using a model jet [DNW-TR-82-04] p 242 N86-16237
- HERNSTAD, D.  
PLTTER user's guide [NASA-CR-177385] p 88 N86-13291
- HERRMAN, M.  
Simulation and analysis of natural rain in a wind tunnel via digital image processing techniques [AIAA PAPER 86-0291] p 241 A86-22687  
Quantitative determination of engine water ingestion [AIAA PAPER 86-0307] p 254 A86-22690
- HERNANDEZ, F.  
Development testing of the H-60 composite main rotor blade p 163 A86-18404
- HERNDON, C. F.  
CAD/CAM designer - Jack of all trades p 251 A86-21895
- HERRING, B. E.  
Applicability of using the CAR-II model in design and evaluation of multioperator workstations with shared controls p 529 A86-33805
- HERRMANN, O.  
Effect of engine technology on advanced fighter design and cost p 644 A86-41691
- HERTEMAN, J.-P.  
The evolution of turbine blade materials p 373 A86-26330
- HERTING, D. N.  
A general purpose, multi-stage, component modal synthesis method p 186 A86-18124
- HERTZ, T. J.  
Aeroelastic tailoring - Theory, practice, and promise [AIAA PAPER 84-0062] p 220 A86-20155  
A review of aeroelastic research at the flight dynamics laboratory p 433 A86-33242  
The development of aeroelastic tailoring in the United States p 805 A86-50111  
A review of aeroelastic research at the Flight Dynamics Laboratory p 727 N86-30642
- HESELTINE, M. J.  
Electrical connections and antenna performance of a large composite fuselage module in the high frequency range p 292 A86-26157
- HESS, C. F.  
Optical technique to study the impact of heavy rain on aircraft performance [NASA-CR-177869] p 123 N86-12580
- HESS, J. L.  
Calculation of steady flow about propellers using a surface panel method p 85 A86-14559  
Time-averaged subsonic propeller flowfield calculations [AIAA PAPER 86-1807] p 778 A86-49584
- HESS, R.  
Implications associated with the operation of digital data processing in the presence of the relatively harsh EMP environments produced by lightning p 809 A86-47319
- HESS, R. A.  
Automation effects in a multiloop manual control system p 329 A86-25035  
Identification of pilot-vehicle dynamics from in-flight tracking data p 725 A86-48459  
Effects of wing modification on an aircraft's aerodynamic parameters as determined from flight data [NASA-TM-87591] p 370 N86-21550
- HESS, R. W.  
Recent transonic unsteady pressure measurements at the NASA Langley Research Center p 412 A86-33232
- HESEL, T. R.  
Mechanical interface devices for automatic test equipment [SAE PAPER 851795] p 606 A86-38318
- HESENHUS, K. A.  
Three-dimensional, conservative, Euler computations using patched grid systems and explicit methods [AIAA PAPER 86-1081] p 549 A86-38444
- HEUNG, L. K.  
Multistage metal hydride compressor [CE86-001965] p 604 N86-27465
- HEWITT, B. L.  
The indirect boundary integral formulation for elliptic, hyperbolic and non-linear fluid flows p 553 A86-38971
- HEWITT, M.  
The external drag of a simple axisymmetric body of revolution in subsonic and supersonic flow with variable mass flowthrough ratios [AIAA PAPER 86-1828] p 545 A86-37842
- HEWITT, R. L.  
A weak beam transmission electron microscopy study of a fatigue crack tip in a 2024 aluminum alloy p 450 A86-30033
- HEYDARI, F.  
The estimation of the stability and control characteristics of a canard configured combat aircraft having a forward swept wing p 834 A86-49056  
A programme of research into the aerodynamics, stability and control characteristics of a combat aircraft having a forward swept wing p 357 N86-21533
- HICKMAN, P.  
Light helicopter family trade-off analysis. Volume 10: Appendices V, W, X, and Z [AD-A158079] p 169 N86-15309
- HICKMAN, P. W.  
Light helicopter family trade-off analysis. Volume 7: Appendix R [AD-A158078] p 168 N86-15307
- HIDESHIMA, T.  
Studies on turning errors of the magnetic compass in flight experiments p 499 A86-34276
- HIEL, C.  
The combined effects of stress and moisture on the structural integrity of composites p 667 A86-40344
- HIEL, C. C.  
An internal variable assisted formulation of moisture sorption models for polymers and composites p 515 A86-34650
- HIGGINS, C. R.  
Development of an authoritative aid to wind shear training [SAE PAPER 851919] p 482 A86-35449  
Wind shear studies and cockpit integration [SAE PAPER 851812] p 593 A86-38323
- HIGGINSON, R.  
Noise emission from jet aircraft during take-off roll with respect to noise exposure calculations p 467 A86-31957
- HIGGINSON, R. F.  
Progress towards international standardisation of aircraft noise contour calculations p 468 A86-31986
- HIGGS, M. G. J.  
Mirage A3-002 strain responses to ground calibration loadings between 1978 and 1985 [AD-A165846] p 640 N86-28080
- HIGHLANDS, W. H.  
Wide area real-time thunderstorm mapping using LPATS - The lightning position and tracking system p 614 A86-37487
- HIGHTOWER, C. H.  
Feasibility study for a static aircraft flight [AD-A163129] p 486 N86-24233
- HIGUCHI, H.  
Vortex roll-up for an elliptically-loaded wing at moderately low Reynolds numbers [AIAA PAPER 86-0562] p 203 A86-19951
- HILAIRE, G.  
Problems found when introducing new materials [SNIAS-852-551-101] p 196 N86-16190  
The applications of composite materials in the aeronautical domain [SNIAS-852-551-103] p 247 N86-16279
- HILBERT, K. B.  
Flight investigation of a multivariable model-following control system for rotorcraft [AIAA PAPER 86-9779] p 443 A86-32114
- HILBIG, R.  
From wind tunnel to large aircraft [DGLR PAPER 85-088] p 487 A86-36151  
Aerodynamic design trends for commercial aircraft [NASA-TM-77976] p 227 N86-17336
- HILDEBRAND, J. R.  
Multiple thermocouple testing device [AD-D012276] p 650 N86-31860
- HILDEBRAND, P.  
Terrain-induced wind shear - Potential cause of Jetstar accident p 566 A86-37482
- HILDEBRAND, P. H.  
Evaluation of meteorological airborne Doppler radar. I - Dual-Doppler analyses of air motions. II - Triple-Doppler analyses of air motions p 103 A86-14223
- HILGARTH, C. O.  
The McDonnell aircraft telemetry tracking system at Edwards Air Force Base, CA p 346 A86-27784
- HILL, A. S.  
Pressure distributions from high Reynolds number tests of a Boeing BAC 1 airfoil in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TM-87600] p 206 N86-16190
- HILL, G.  
Fiber optic high speed data bus p 385 A86-28336
- HILL, R. G.  
Aircraft interior panel test criteria derived from full-scale fire tests [FAA/CT-85/23] p 91 N86-12214  
Aircraft interior panel test criteria derived from full-scale fire tests [AD-A161637] p 345 N86-21529
- HILL, R. J.  
The next hot fighter engine p 720 A86-44005
- HILLMAN, D. J.  
Thermographic inspection of carbon epoxy structures p 249 A86-20649
- HILLMAN, F. H.  
Fireproof hydraulic brake system [AD-A163542] p 497 N86-24686
- HILLMAN, R. L.  
Thermographic inspection of carbon epoxy structures p 249 A86-20649
- HILLMAN, T. C.  
Electrostatic hazards of urethane packed fuel tanks [AD-A166803] p 717 N86-30725
- HILLS, A. D.  
Digital fly-by-wire experience p 361 N86-20401
- HINDSON, W. S.  
Influence of high-order dynamics on helicopter flight-control system bandwidth p 442 A86-31680  
Flight investigation of a multivariable model-following control system for rotorcraft [AIAA PAPER 86-9779] p 443 A86-32114  
Optimal landing of a helicopter in autorotation [AIAA PAPER 86-2287] p 793 A86-47706  
Dynamics of a helicopter with a sling load [AIAA PAPER 86-2288] p 831 A86-47709
- HINES, D. E.  
Elimination of directional wave spectrum contamination from noise in elevation measurements p 641 A86-40654

- HINKELMAN, J. W., JR.**  
The safety and economic impact of improved aviation weather services p 613 A86-37454
- HINSMAN, M. R.**  
The effects on rotor nonuniform inflow harmonic content of uneven circumferential distribution of jet engine inlet guide vanes [AD-A164629] p 555 N86-26291
- HIPPENSTEELE, S. A.**  
High-temperature thermocouple and heat flux gauge using a unique thin film-hardware hot junction [ASME PAPER 85-GT-18] p 117 A86-13059  
Local heat-transfer measurements on a large scale-model turbine blade airfoil using a composite of a heater element and liquid crystals [ASME PAPER 85-GT-59] p 117 A86-13061
- HIRANO, S.**  
Aerodynamic characteristics of general aviation at high angle of attack with the propeller slip stream p 306 A86-25204
- HIRANO, Y.**  
Aeroelastic tailoring study in aircraft design p 383 A86-27741
- HIRAKA, K.**  
Research on sonic inlet p 331 A86-25217
- HIRATA, M.**  
Recent developments in carbon fibre composites p 244 A86-21296
- HRAYAMA, M.**  
A theoretical solution of three-dimensional flows in subsonic, transonic and supersonic turbomachines - An exact solution and its numerical method [ASME PAPER 86-GT-111] p 785 A86-48173
- HIROSE, H.**  
Comparison of computational results of a few representative three-dimensional transonic potential flow analysis programs [NASA-TM-77963] p 341 N86-21509
- HIROSE, N.**  
Analysis of high Reynolds number transonic flow around an airfoil p 210 N86-17293  
Validation and comparison with experiment of a high Reynolds number transonic flow airfoil analysis code NSFOIL p 210 N86-17294  
The comparison of the transonic airfoil calculation by NSFOIL with the wind tunnel test data at high Reynolds number p 210 N86-17295  
The analysis of practical transonic swept wings with and without boundary layer effects p 211 N86-17300
- HIRSCH, C.**  
Velocity and turbulence measurements in dynamically stalled boundary layers on an oscillating airfoil p 560 N86-27228
- HIRSCHEL, E. H.**  
Trailing edge flow with transonic profiles p 149 N86-14240
- HIRSCHKRON, R.**  
Small turboshaft/turboprop engine technology study [AIAA PAPER 86-1623] p 647 A86-42757
- HIRST, M.**  
Avionics update 1986 p 170 A86-17524  
The little turbine business p 236 A86-22200
- HITANI, M.**  
Introduction to operational ASDAR system p 125 N86-12915
- HITCH, H. P. Y.**  
Active control technology for civil transport p 832 A86-49005
- HITZEL, S. M.**  
Aerodynamics and radar-signature - A theoretical approach to estimate the radar-signature of complex aircraft configurations compatible with aerodynamic panel-methods [AIAA PAPER 86-1770] p 577 A86-37807
- HO, C.-M.**  
Unsteady vortical flow around three-dimensional lifting surfaces p 553 A86-39052
- HO, J. K.**  
Performance of a commercial transport under typical MLS noise environment [NASA-CR-178032] p 352 N86-20384
- HOAD, D. R.**  
Rotor performance characteristics from an aeroacoustic helicopter wind-tunnel test program [NASA-TM-87661] p 479 N86-24685
- HOAGLAND, M. R.**  
Winging it in the 1980's - Why guidelines are needed for cockpit automation [SAE PAPER 841634] p 328 A86-26022
- HOCKNEY, R. SR.**  
Design and development of an inertial power supply unit for carrier-based aircraft p 304 A86-24861
- HOEDEL, A. S.**  
Instructor station for the ILLIMAC general aviation instrument training simulator p 371 A86-28462
- HODGES, G. S.**  
Turboprop and open rotor propulsion for the future [AIAA PAPER 86-1472] p 645 A86-42680
- HODGES, H. N.**  
EC-135 fibre optic technology review p 75 A86-15341
- HODGES, R. V.**  
Stress analysis of 27% scale model of AH-64 main rotor hub [NASA-TM-87625] p 256 N86-16613
- HODGSON, F. N.**  
Properties of aircraft fuels and related materials [AD-A164532] p 604 N86-27461
- HODR, J.**  
Experience with stress analysis during airframe fatigue tests p 840 A86-49143
- HODSON, K. G.**  
Hawk - The British fighting trainer [SAE PAPER 851768] p 578 A86-38303
- HOEIJMAKERS, H. W. M.**  
Vortex-fitted potential and vortex-captured Euler solution for leading-edge vortex flow p 142 A86-17149
- HOEKBOOG, S.-O.**  
How Sweden decided to build the Gripen p 405 A86-31340
- HOEKSTRA, T. J.**  
Helicopter-ship qualification testing [NLR-MP-84082-U] p 227 N86-17343
- HOEPFNER, D. W.**  
AGARD Corrosion Handbook. Volume 1: Corrosion, causes and case histories [AGARD-AG-278-VOL-1] p 248 N86-16374
- HOERMANN, A.**  
A procedure for the evaluation and analysis of the operational practicability and effectiveness of automated traffic flow control procedures for the near terminal area p 347 A86-27829
- HOESLY, R. L.**  
ASTROS - An advanced software environment for automated design [AIAA PAPER 86-0656] p 618 A86-38807
- HOF, H. J.**  
Future Aeronautical Communication System (FACS): Report [ETN-86-96959] p 673 N86-28309
- HOFER, B.**  
Fibre optic damage detection in composite structures p 848 A86-48968
- HOFF, K.**  
Correlation of results of an OH-58A helicopter composite tail boom test with a finite element model [AD-A161082] p 295 N86-19316
- HOFFLER, K. D.**  
Low-speed aerodynamics of apex fences on a tailless delta configuration [AIAA PAPER 86-1838] p 779 A86-49593  
Recent extensions to the free-vortex-sheet theory for expanded convergence capability p 556 N86-27194  
Basic studies on delta wing flow modifications by means of apex fences p 557 N86-27199
- HOFFMAN, G. L.**  
Environmental control system simulation using EASY5, as applied to the F-14 [SAE PAPER 851318] p 285 A86-23508
- HOFFMAN, J. D.**  
An analytical investigation of the effects of swirler design on the performance of annular propulsive nozzles [AIAA PAPER 86-0587] p 233 A86-19965  
Calculation of annular nozzle triconic flowfields by the method of characteristics [AIAA PAPER 86-1519] p 625 A86-42686
- HOFFMANN-HEYDEN, A. E.**  
Tracking radars at flight test ranges [AIAA PAPER 86-9747] p 447 A86-32091
- HOFFMANN, H. E.**  
Results of icing flights in winter 1983/84: Ice accretion thickness in correlation with cloud physical parameters, object and cloud parameters [DFVLR-FB-85-39] p 191 N86-15838  
The icing research aircraft DO28, D-IFMP of DFVLR, and its measuring equipment [DFVLR-MITT-85-12] p 394 N86-22064
- HOFFMANN, J.**  
Flow direction measurement criteria and techniques planned for the 40- by 80-/80- x 120-foot wind tunnel integrated systems tests [NASA-CR-178969] p 676 N86-29152
- HOFFMANN, P. H.**  
A study of the factors affecting boundary layer two-dimensionality in wind tunnels [NASA-CR-177023] p 631 N86-28914
- HOFFMAN, C. F. G. M.**  
Helicopter-ship qualification testing [NLR-MP-84082-U] p 227 N86-17343
- Determination of limitations for helicopter ship-borne operations [NLR-MP-84072-U] p 295 N86-19319
- HOFFMANN, C. F. G. M.**  
Determination of limitations for helicopter ship-borne operations p 280 A86-26151
- HOH, R.**  
The effect of heave damping (ZW) on helicopter handling qualities [AIAA PAPER 86-2129] p 828 A86-47675
- HOLANDA, R.**  
High-temperature thermocouple and heat flux gauge using a unique thin film-hardware hot junction [ASME PAPER 85-GT-18] p 117 A86-13059
- HOLBEIN, R.**  
Producibility of aircraft structural parts by superplastic forming and diffusion bonding p 382 A86-27272
- HOLBOURN, P. E.**  
Performance analysis of airborne pulse Doppler radar p 423 A86-32578
- HOLBROOK, G. T.**  
Vortex wake alleviation studies with a variable twist wing [NASA-TP-2442] p 197 N86-16187
- HOLDAWAY, D.**  
High speed ejection tests of a modified Hybrid III Manikin p 784 A86-47738
- HOLDEMAN, J. D.**  
Perspectives on dilution jet mixing [AIAA PAPER 86-1611] p 818 A86-49614
- HOLDREN, M. W.**  
Composition and photochemical reactivity of turbine engine exhaust [AD-A157843] p 107 N86-12230
- HOLEMAN, D. L.**  
The RAJPO GPS range equipment family p 92 A86-13216
- HOLLAND, M. J.**  
Advances in turbine technology p 817 A86-49079
- HOLLANDERS, H.**  
Solution of the Navier-Stokes equations in a compressible fluid by an implicit method [ONERA, TP NO. 1985-148] p 272 A86-24634
- HOLLIFIELD, P. J.**  
Flight investigation of Bell model 206 ring fin p 491 A86-35624
- HOLMER, C. I.**  
Use of skin damping treatments to control airframe dynamic response for interior noise control p 389 N86-21919
- HOLMES, A. T.**  
Aerodynamic effect of coolant ejection in the rear part of transonic rotor blades p 742 N86-29661
- HOLMES, B. J.**  
Propeller slipstream/wing boundary layer effects at low Reynolds numbers p 139 A86-16324  
Shaping of airplane fuselages for minimum drag [AIAA PAPER 86-0316] p 201 A86-19609  
Natural laminar flow flight experiments on a turbine engine nacelle fairing [AIAA PAPER 86-9756] p 429 A86-32097  
Advanced boundary layer transition measurement methods for flight applications [AIAA PAPER 86-9768] p 500 A86-37083  
An investigation of the effects of the propeller slipstream of a laminar wing boundary layer [SAE PAPER 850859] p 551 A86-38502  
Boundary-layer transition effects on airplane stability and control [AIAA PAPER 86-2229] p 631 A86-47706  
Wing laminar boundary layer in the presence of a propeller slipstream p 776 A86-49122  
A new method for laminar boundary layer transition visualization in flight: Color changes in liquid crystal coatings [NASA-TM-87666] p 342 N86-21518
- HOLMES, H. K.**  
The National Transonic Facility p 447 A86-31847
- HOLST, T. L.**  
Numerical simulation of transonic separated flows over low-aspect ratio wings [AIAA PAPER 86-0506] p 206 A86-22704  
Numerical optimization design of advanced transonic wing configurations p 356 A86-28562  
Computational aspects of zonal algorithms for solving the compressible Navier-Stokes equations in three dimensions [NASA-TM-86774] p 88 N86-13296  
A consistent spatial differencing scheme for the transonic full-potential equation in three dimensions [NASA-TM-86716] p 152 N86-15246  
Transonic Navier-Stokes wing solution using a zonal approach. Part 1: Solution methodology and code validation [NASA-TM-88248-PT-1] p 692 N86-29765

- HOLT, D. J.  
Will 1990s aircraft be powered by propan or advanced turbofan? p 363 A86-26370  
Can we develop the 1.5 million pound aerospace plane? p 515 A86-34195  
Thermoplastic composites - Design material of the 1990s? p 663 A86-41685
- HOLT, I. T.  
Application of Kevlar to parachute system design p 214 A86-20166
- HOLT, R. L.  
Reliability development testing of SH-60B helicopter mechanical systems p 164 A86-18420
- HOLT, S. H.  
Flight testing of general electric high bypass engines evolution and revolution p 812 A86-47786
- HOLZDEPPE, D.  
Reconstruction of forcing functions based on measured structural responses p 732 N86-30684
- HOMMEL, M. J.  
Development of a numerical procedure to map a general 3-d body onto a near-circle p 749 N86-31420
- HONG, S. W.  
Strength evaluation of helicopter composite bolted joints [AIAA PAPER 86-0973] p 608 A86-38853
- HOOKER, F. H.  
A survey of aeronautical structural research in Australia [AD-A157211] p 76 N86-12199
- HOOPER, E. H.  
Starship 1 p 225 A86-22133
- HOOPER, W. E.  
Parametric study of the aeroelastic stability of a bearingless rotor p 176 N86-15283
- HOOTEN, B. R.  
The C-17: We need it yesterday [AD-A157147] p 99 N86-12219
- HOPKINS, H.  
Strength in adversity p 335 A86-27020  
Sniffing out trouble p 699 A86-45757
- HOPKINS, H. A.  
The market price for air safety p 633 A86-40228
- HOPP, T. H.  
A controller for robust asymptotic tracking in systems with time-varying uncertainties [AIAA PAPER 86-2199] p 853 A86-47479
- HOPPE, W.  
Automatic eddy current inspection of antirotation windows in F100 engine compressor air seals p 669 A86-41581  
Automatic eddy current hole centering for aircraft engine components p 670 A86-41582
- HOPPING, C. R.  
Long range planning for flight test support [AIAA PAPER 86-9744] p 406 A86-32088
- HORAK, K.  
Airborne diagnostic equipment p 297 A86-23762
- HORI, N.  
A stable discrete-time adaptive observer applied to multivariable aircraft p 305 A86-23346  
A discrete adaptive observer for a multi-output aircraft control system p 444 A86-33180  
A discrete-time multivariable model-following method applied to decoupled flight control [AIAA PAPER 85-1978] p 725 A86-46454  
Synthesis of an adaptive flight controller under unknown deterministic disturbances [AIAA PAPER 86-2157] p 823 A86-47464
- HORIKAWA, H.  
A wind tunnel study of active control technology on a high aspect ratio wing [AIAA PAPER 86-0956] p 594 A86-38930
- HORLEBEN, A.  
Development of the BO 105 LS p 487 A86-34920  
Development of the BO 105 LS [MBB-UD-456-85-OE] p 806 A86-50255
- HORN, W. J.  
The 1983 NASA/ASEE Summer Faculty Fellowship Research Program research reports [NASA-CR-171804] p 130 N86-14078  
Weight estimation techniques for composite airplanes in general aviation industry [NASA-CR-178163] p 781 N86-31531
- HORNER, G.  
Designing compact electromechanical actuators for flight control p 593 A86-37332
- HORNUNG, G.  
Variation of anisotropic behaviour in structural optimization p 434 A86-33258  
Variation of anisotropic behavior in structural optimization p 715 N86-30656
- HOROWITZ, I.  
YF16CCV flight control system reconfiguration design using quantitative feedback theory p 368 A86-28395
- The singular-G method for unstable non-minimum-phase plants p 747 A86-45736
- HOROWITZ, S. J.  
An iterative finite element-integral technique for predicting sound radiation from turbofan inlets in steady flight p 856 A86-49806
- HORSTMANN, K. H.  
Improvement of two blade sections for helicopter rotors p 288 A86-26103  
Investigations on high Reynolds number laminar flow airfoils p 771 A86-48963
- HORSTMANN, K.-H.  
The laminar wing - A way for improving the economy of commercial aircraft p 274 A86-25022
- HORTON, F. G.  
Heat transfer measurements with film cooling on a turbine blade profile in cascade [ASME PAPER 85-GT-117] p 251 A86-22070
- HORTON, H. P.  
An experimental study of turbulent wake/boundary layer mixing flows p 772 A86-49014
- HORTON, R. E.  
Damage tolerant composite design development p 524 A86-37119  
Adhesive-bonded aluminum structure repair p 846 A86-47725
- HORTON, T. W.  
Flight test experience and controlled impact of a large, four-engine remotely piloted airplane p 794 A86-47781
- HORVATH, R. L.  
One-piece HFTR blade squealer tip [AD-D012003] p 504 N86-24896
- HOSKING, R. J.  
Waves due to a steadily moving source on a floating ice plate p 124 A86-13535
- HOTOP, H. J.  
Construction of a measuring method using fiber optics and an LTN-80 laser gyro strapdown system for BO-195 helicopters [DFVLR-MITT-85-10] p 216 N86-17333
- HOTOP, H.-J.  
Flight test of a velocity augmented strapdown navigation system LHN-81 p 421 A86-30314
- HOTTMAN, S. B.  
Concept flying - A method for deriving unique system requirements p 326 A86-23736
- HOTZ, A. F.  
A covariance control theory p 680 A86-42699
- HOUCHE, J. A.  
Use of flight simulation to develop terminal instrument procedures for transport category aircraft [AIAA PAPER 86-2072] p 837 A86-47662  
Pilot evaluation of experimental flight trajectories in the near-terminal area [AIAA PAPER 86-2074] p 836 A86-47664  
The mission oriented terminal area simulation facility [NASA-TM-87621] p 128 N86-13944  
Theoretical three-and four-axis gimbal robot wrists [NASA-TP-2564] p 533 N86-25168  
Development of an algorithm to model an aircraft equipped with a generic CDTI display [NASA-TM-87732] p 746 N86-30349
- HOULE, J. L.  
A graphic terminal for air traffic control of Canadian military airports p 703 A86-44399
- HOUNJET, M. H. L.  
Application of NLR's calculation methods to transonic flow about oscillating wings p 143 A86-17778  
Calculation of 2-D unsteady transonic full potential flow about oscillating airfoils by two complementary approaches [AIAA PAPER 86-1821] p 778 A86-49586  
Application of time-linearized methods of oscillating wings in transonic flow and flutter [NLR-MP-84077-U] p 206 N86-16204
- HOUPIS, C. H.  
YF16CCV flight control system reconfiguration design using quantitative feedback theory p 368 A86-28395
- HOUMMOUZIADIS, J.  
3-D design of turbine airfoils [ASME PAPER 85-GT-188] p 236 A86-22101
- HOUSTON, R. A.  
An LQG up-and away flight control design for the STOL F-15 aircraft [AD-A164108] p 512 N86-24707  
An LQG up-and away flight control design for the STOL F-15 aircraft [AD-A164108] p 512 N86-25384
- HOUSTON, S.  
A computer based study of helicopter agility, including the influence of an active tailplane p 291 A86-26146
- HOUTCHENS, S. P.  
RT-BUILD - Automatic generation of Ada code for flight control applications [AIAA PAPER 86-2088] p 852 A86-47439
- HOUWINK, R.  
Unsteady airload computations for airfoil oscillating in attached and separated compressible flow p 561 N86-27238  
Computations of separated subsonic and transonic flow about airfoils in unsteady motion [NLR-MP-84094-U] p 782 N86-31541
- HOVANEISSIAN, S. A.  
Detection of non-moving targets by airborne mm-wave radars p 351 A86-29783
- HOVENAC, E. C.  
Calibration of droplet sizing and liquid water content instruments: Survey and analysis [NASA-CR-175099] p 611 N86-26596
- HOWARD, A.  
Life prediction for aromatic polyamide reinforcements p 377 A86-27681
- HOWARD, J. C.  
The influence of sampling rate on the dynamics and control of aeronautical systems p 511 A86-37081
- HOWARD, J. E.  
Support effectiveness evaluation model p 263 A86-22396
- HOWARD, R. J.  
High resolution millimeter-wave imaging sensor p 496 A86-33590
- HOWARD, R. M.  
Propeller slipstream/wing boundary layer effects at low Reynolds numbers p 139 A86-16324  
An investigation of the effects of the propeller slipstream of a laminar wing boundary layer [SAE PAPER 850859] p 551 A86-38502  
Wing laminar boundary layer in the presence of a propeller slipstream p 776 A86-49122
- HOWARTH, G. F.  
High-temperature composite ducts [SME PAPER MF85-501] p 319 A86-24663
- HOWE, D.  
A note on the prediction of flying boat take-off p 487 A86-34158  
Simulation of aircraft components for training purposes [SAE PAPER 851965] p 496 A86-39946
- HOWE, R. M.  
Techniques for optimizing computer performance in real-time flight simulation p 617 A86-37177
- HOWELL, G. P.  
Truncated Taylor series solutions to a generalized Burgers' equation p 866 A86-48716
- HOWELL, J.  
Twin-engine transport extended range operations [SAE PAPER 851980] p 482 A86-35466
- HOWELL, W. E.  
Advanced ATC - An aircraft perspective p 788 A86-49637
- HOWLETT, J. J.  
Ground based helicopter simulation p 636 A86-48673
- HOYNIK, D.  
Aerodynamic detuning analysis of an unstalled supersonic turbofan cascade [ASME PAPER 85-GT-192] p 270 A86-22732  
Forced response analysis of an aerodynamically detuned supersonic turbomachine rotor p 363 A86-26902  
Aerodynamic and structural detuning of supersonic turbomachine rotors p 440 A86-31595  
Passive control of aerodynamically forced vibrations of supersonic turbomachine rotors by splitter blades [AIAA PAPER 86-0844] p 590 A86-38892
- HOZUMI, K.  
Wind tunnel free-flight test by a vertical drop technique at a hypersonic Mach number of 7 p 596 A86-38253
- HRABAK, J.  
Locating and demagnetizing magnetized aircraft components following a lightning stroke p 286 A86-23767
- HSIEH, T.  
Generation of the starting plane flowfield for supersonic flow over a spherically capped body [AD-A161117] p 278 N86-19291
- HSU, C.-H.  
Implicit, vectorizable schemes for the flux-difference split, three-dimensional Navier-Stokes equations p 523 A86-37067  
An implicit flux-difference splitting scheme for three-dimensional, incompressible Navier-Stokes solutions to leading edge vortex flows [AIAA PAPER 86-1839] p 546 A86-37847  
Implicit hybrid schemes for the flux-difference split, three-dimensional Navier-Stokes equations p 850 A86-50258
- HSU, K. M.  
International Aviation (selected articles) [AD-A166748] p 687 N86-30860

- HSU, M. T. S.**  
Copolymers of vinyl styrylpyridines or vinyl stilbazoles with bi-maleimide  
[NASA-CASE-ARC-11429-1-CU] p 378 N86-20580  
Light weight fire resistant graphite composites  
[NASA-CASE-ARC-11615-1SB] p 664 N86-28131
- HSU, T. M.**  
Viscous flow results for the vortex-airfoil interaction problem  
[AIAA PAPER 85-4053] p 83 A86-14451
- HU, R.**  
Chinese space and aviation industries score major breakthroughs  
[NASA-TM-87973] p 459 N86-23749
- HUA, Y.**  
Numerical solution of transonic stream function equation on S1 stream surface in cascade  
[ASME PAPER 86-GT-110] p 765 A86-48172
- HUANG, C.**  
International Aviation (selected articles)  
[AD-A166748] p 687 N86-30690
- HUANG, K. H.**  
Terrain-induced wind shear - Potential cause of Jetstar accident  
p 566 A86-37482
- HUANG, M.-K.**  
Trapping of a free vortex by airfoils with surface suction  
p 780 A86-49801
- HUANG, S. L.**  
Particle trajectories in full 3D flow field of turbomachinery  
p 669 A86-40734
- HUARD, J.**  
Experimental and numerical study of the response of an axial compressor to distorted inlet flow  
[ONERA, TP NO. 1986-38] p 644 A86-40736
- HUBBARD, H. H.**  
Sonic-boom research: Selected bibliography with annotation  
[NASA-TM-87685] p 756 N86-30470
- HUBBARD, J. E., JR.**  
Model helicopter blade slap at low tip speeds - Theoretical and experimental correlations  
p 535 A86-35621
- HUBBARTT, J. E.**  
Studies of rotor-airframe interactions in forward flight  
[AIAA PAPER 85-5015] p 97 A86-14458  
Solid fuel ramjet simulator results - Experiment and analysis in cold flow  
p 106 A86-14562
- HUBER, A. F., II**  
The effect of trip wire roughness on the performance of the Wortmann FX 63-137 airfoil at low Reynolds numbers  
p 139 A86-16322
- HUBER, H.**  
Dynamic aspects in the design of advanced rotor systems  
p 796 A86-48663
- HUBER, R. R.**  
Detection and isolation of control surface effectiveness failures in high performance aircraft  
p 367 A86-28392
- HUBERSON, S.**  
A vortex point method for calculating inviscid incompressible flows around rotary wings  
p 612 N86-27219
- HUBERT, J. A.**  
Development of a controllable catapult for ejection seats  
p 793 A86-47733  
Concept development of a canopy escape module  
p 784 A86-47759
- HUBLEY, K. J.**  
Quantifying a propeller/engine power response rate mismatch  
p 796 A86-47801
- HUDDLESTON, D. H.**  
A computational fluid dynamics evaluation of test cell recirculation effects on high-bypass turbofan engine surface pressure distributions  
[AIAA PAPER 86-1384] p 655 A86-42606
- HUDSON, C. M.**  
References and conference proceedings towards the understanding of fracture mechanics  
p 388 A86-29011
- HUDSON, N. R.**  
Automation in the cockpit - Who's in charge?  
[SAE PAPER 841534] p 327 A86-28005
- HUEBNER, N.**  
3-D design of turbine airfoils  
[ASME PAPER 85-GT-188] p 236 A86-22101
- HUECK, M.**  
Standardized fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation. Part 2: Final definition of Helix and Felix [LBF-FB-167] p 436 N86-23585
- HUESCHEN, R. M.**  
Implementation and flight tests for the Digital Integrated Automatic Landing System (DIALS). Part 2: Complete set of flight data  
[NASA-TM-87632-PT-2] p 653 N86-28093
- Implementation and flight tests for the Digital Integrated Automatic Landing System (DIALS). Part 1: Flight software equations, flight test description and selected flight test data  
[NASA-TM-87632-PT-1] p 653 N86-28950
- HUFF, H.**  
Fatigue behaviour of titanium materials in aircraft engines  
p 375 A86-27275  
Evaluation of cyclic spin pit tests for the damage tolerance of disks  
p 507 N86-25379
- HUFF, R. G.**  
The effect of acoustic reflections on combustor noise measurements  
p 265 A86-20364
- HUFFMAN, D.**  
Icing wind tunnel tests on the CSIRO liquid water probe  
p 102 A86-14220
- HUFT, D. L.**  
Surface properties-vehicle interaction  
[PB85-242576] p 255 N86-16428
- HUGHES, D. L.**  
Effects of inlet distortion on a static pressure probe mounted on the engine hub in an F-15 airplane  
[PAPER-5] p 505 N86-25347
- HUGHES, R. G.**  
Onboard simulation - A demonstrated technology breakthrough for cost effective testing and training  
p 360 A86-28464
- HUGO, F.**  
Isothermal forging system for the production of large rotating components from titanium alloys or superalloys  
p 382 A86-27247
- HUGUET, P.**  
Windshear detection using a Doppler acoustic sounder (SODAR)  
p 614 A86-37484
- HUI, W. H.**  
Transient motion of a hypersonic wedge, including time history effects  
p 443 A86-31662  
Bifurcation theory applied to aircraft motions  
p 563 N86-27250  
Critical evaluation of the unsteady aerodynamics approach to dynamic stability at high angles of attack  
[NASA-CR-177104] p 632 N86-28924
- HUIE, C. R.**  
Laser velocimetry in highly three-dimensional and vortical flows  
p 557 N86-27197
- HULING, D. W.**  
Fireproof hydraulic brake system  
[AD-A163542] p 497 N86-24688
- HULL, D. G.**  
Optimal descending, hypersonic turn to heading  
[AIAA PAPER 86-2134] p 841 A86-47679
- HUMES, R. L.**  
In-flight photogrammetric measurement of wing ice accretions  
[NASA-TM-87191] p 806 N86-31562
- HUMMEL, W. R.**  
Telemetry system prototype development  
p 281 A86-23268
- HUMMES, D.**  
DFVLR helicopter in-flight simulator for flying quality research  
p 310 A86-26148
- HUMPHREY, J. W.**  
Identification of longitudinal acoustic modes associated with pressure oscillations in ramjets  
p 591 A86-39079
- HUNT, B.**  
The indirect boundary integral formulation for elliptic, hyperbolic and non-linear fluid flows  
p 553 A86-38971
- HUNT, D. L.**  
A comparison of methods for aircraft ground vibration testing  
p 713 A86-47096
- HUNT, L. R.**  
Nonlinear control of aircraft  
[NASA-TM-89225] p 655 N86-28958  
A canonical form for nonlinear systems  
[NASA-CR-176974] p 748 N86-30371
- HUNTER, A.**  
Application of computerized data acquisition and data processing to the surface contouring of large structures  
p 118 A86-13342
- HUNTER, D. T.**  
A completely integrated system for the treatment of crack growth test data  
p 531 A86-34635  
Evaluation of damage tolerance requirements using a probabilistic-based life approach  
[ASME PAPER 86-GT-266] p 847 A86-48288
- HUNTER, L.**  
Lockheed-Georgia and electric primary flight control systems  
p 368 A86-28396
- HUNTER, R. W.**  
The new 'dual stage' test procedure for low cost measurement of parachute performance  
p 240 A86-19324
- HUNTHAUSEN, R. J.**  
Expert systems for aviation maintenance  
[AIAA PAPER 86-1143] p 622 A86-43332
- HUNTLEY, S.**  
Air transport pilot involvement in general aviation accidents  
p 418 A86-29936
- HUOT, J. P.**  
The effect of a downstream rotor on the measured performance of a transonic turbine nozzle  
[ASME PAPER 86-GT-103] p 814 A86-48166
- HURD, W. J.**  
High dynamic GPS receiver validation demonstration  
[NASA-CR-176530] p 283 N86-19306
- HURIET, J. R.**  
Fast motion simulation  
p 454 A86-30359
- HURLEY, C. D.**  
A smoke generator for the absolute calibration of gas turbine engine smoke sampling and measuring systems  
[RAE-TM-P-1044] p 258 N86-17702
- HURRASS, K. H.**  
Test and flight evaluation of precision distance measuring equipment  
p 788 A86-49017
- HURSH, J. W.**  
A laser-inertial airborne surveying system  
p 438 A86-30315
- HURWITZ, M. M.**  
Experiences with NASTRAN in a multidisciplinary optimization environment  
p 527 N86-25831
- HUSSAIN, A. K. M. F.**  
Recombination of vortex filaments and its role in aerodynamic noise  
p 408 A86-30213
- HUSSAINI, M. Y.**  
A detailed numerical model of a supersonic reacting mixing layer  
[AIAA PAPER 86-1427] p 671 A86-42636
- HUTCHINSON, C.**  
Description and initial flight experiments - Boeing ARTI test bed  
p 493 A86-35852
- HUTH, B. P.**  
System design and integration of the large-scale advanced prop-fan  
[NASA-CR-174789] p 781 N86-31536
- HUTIN, C.**  
New modal identification methods applied to aeronautical structures  
[ONERA, TP NO. 1986-35] p 713 A86-46177
- HUTT, G. R.**  
Static and dynamic pitch stability of a blunted cone with forward facing aerodynamic spike in hypersonic flow  
p 135 A86-16249
- HUTZLER, B.**  
High voltage laboratory tests and lightning phenomena  
p 844 A86-47312
- HWANG, C.**  
Use of block-pulse functions in the optimal control of deterministic systems  
p 747 A86-45728
- HWANG, C.-C.**  
Three dimensional unsteady aerodynamics and aeroelastic response of advanced turboprops  
[AIAA PAPER 86-0846] p 591 A86-38894
- HWANG, D. P.**  
A numerical analysis applied to high angle of attack three-dimensional inlets  
[AIAA PAPER 86-1527] p 627 A86-42760  
A numerical analysis applied to high angle of attack three-dimensional inlets  
[NASA-TM-87298] p 478 N86-24658
- HYER, M. W.**  
Response of composite material shallow arch to concentrated load  
p 670 A86-41699
- HYMAN, F. C.**  
Instructor station for the ILLIMAC general aviation instrument training simulator  
p 371 A86-28462
- HYVARINEN, W. E.**  
Multivoltage high power electrical power system  
p 386 A86-28376  
Two-hundred to 300 KVA conditioned power system - development, phase 1  
[AD-A158820] p 125 N86-13832
- IANKOVSKII, V. M.**  
Modeling the combustion zone of gas-turbine-engine combustion chambers  
p 850 A86-43393
- IAREMCHUK, I. U. F.**  
Wing structure design for maximum aileron efficiency  
p 95 A86-13368  
Modeling the elasticity of a wing structure  
p 800 A86-48850
- IARLYKOV, M. S.**  
Optimum maintenance of aircraft systems on the basis of their condition with allowance for measurement errors  
p 354 A86-28310
- IAROSHEVSKII, V. A.**  
Estimation of the deviation limits of the aircraft path parameters during automatic landing  
p 108 A86-13365



- Estimation of the fluctuation amplitude of the angle of attack of a flight vehicle with nonlinear damping characteristics in the presence of atmospheric turbulence p 114 A86-13386
- IBRAHIM, R. A.**  
Autoparametric vibration of coupled beams under random support motion [ASME PAPER 85-DET-184] p 318 A86-24246  
Linear and nonlinear modal analysis of aeroelastic structural systems p 387 A86-28742  
Stochastic flutter of nonlinear aeroelastic structures with parameter random fluctuations [AIAA PAPER 86-0962] p 609 A86-38934
- ICHIKAWA, A.**  
Doublet strip method for oscillating swept tapered wings in incompressible flow p 85 A86-14537  
Doublet strip method for oscillating rectangular wings in subsonic flow p 274 A86-25189  
Improved doublet lattice method for oscillating swept tapered wings in incompressible flow p 274 A86-25200  
Two-dimensional scheme "DLM-C" to examine subsonic unsteady lifting surface schemes for finite span p 275 A86-25239  
Improved numerical method for lifting airfoils with oscillating control surfaces in subsonic flow p 409 A86-31021
- ICHIKAWA, T.**  
A study on the propulsive force of wings in non-steady motion by the theorem of momentum p 275 A86-25233
- IDE, H.**  
Transonic aeroelastic analysis of the B-1 wing [AIAA PAPER 85-0690] p 708 A86-44886  
Transonic aerodynamic and aeroelastic characteristics of a variable sweep wing p 561 N86-27237
- IDE, R. F.**  
The measurement of aircraft performance and stability and control after flight through natural icing conditions [AIAA PAPER 86-8758] p 651 A86-40681  
The measurement of aircraft performance and stability and control after flight through natural icing conditions [NASA-TM-87265] p 446 N86-22582
- IGUCHI, N.**  
Changes of flying skills during non-flight periods p 125 A86-13944
- IIDA, E.**  
The analysis of practical transonic swept wings with and without boundary layer effects p 211 N86-17300
- IKEDA, T.**  
Fundamental investigation on the impact strength of hollow fan blades [NAL-TR-879] p 322 N86-19657
- ILICHEV, V. D.**  
Allowance for initial conditions in static and dynamic calculations of structures by the finite element method p 119 A86-13419
- ILIFF, K. W.**  
Extraction of aerodynamic parameters for aircraft at extreme flight conditions p 563 N86-27248
- ILINSKII, N. B.**  
Quasi-solutions of an inverse boundary value problem of hydroaerodynamics p 120 A86-13663
- ILLARIONOV, V. F.**  
Minimization of aircraft flight time for a given distance with return to the original point p 109 A86-13417
- ILMARINEN, R.**  
The effect of water ingress on buoyancy and thermal quality of survival suits p 261 A86-19333
- ILVER, G. J.**  
Mechanistic methodology for airport pavement design with engineering fabrics. Volume 2: Advanced concepts, validation and criteria [DOT/FAA/PM-84/9, II-VOL-2] p 657 N86-28963
- IMAL, H.**  
An application of self-tuning regulator to GLA system of an aircraft p 508 A86-34826  
Disturbance attenuation by a frequency-shaped linear-quadratic-regulator method p 725 A86-46453
- IMLAY, S.**  
Numerical solution of 2-D thrust reversing and thrust vectoring nozzle [AIAA PAPER 86-0203] p 254 A86-22681
- INAGAKI, T.**  
Calibration of an on-ground aircraft tracking radar by aerial photogrammetry [NAL-TR-861] p 282 N86-18311
- INGERS, R. D.**  
Formation and characterization of simulated small droplet icing clouds [AIAA PAPER 86-0409] p 254 A86-22700  
Formation and characterization of simulated small droplet icing clouds [NASA-TM-87180] p 188 N86-14554
- INGELS, F.**  
A high bandwidth signal distribution system for aircraft Stores Management Systems (SMS) p 231 A86-20505
- INGEN, C. V.**  
Crash-resistant crewseat limit-load optimization through dynamic testing with cadavers [AD-A164828] p 569 N86-26298
- INGER, G. R.**  
Supersonic viscous-inviscid interaction of a swept compression ramp with a turbulent boundary layer [AIAA PAPER 85-1669] p 143 A86-17826  
Modular application of a shock/boundary layer interaction solution to supercritical viscous-inviscid flow field analysis p 338 N86-20343
- INGRAM, J.**  
Turbine blade thermal fatigue testing Pratt and Whitney aircraft hollow core blades [NASA-TM-86528] p 174 N86-14271
- INGUANTI, P. C.**  
Cast aluminum fatigue property/microstructure relationships p 244 A86-21707
- INMAN, E. E.**  
Operations concept for the TCCC (Tower Control Computer Complex) man-machine interface [AD-A168899] p 705 N86-30714
- INNIS, R. C.**  
Flight evaluation of a precision landing task for a powered-lift STOL aircraft [AIAA PAPER 86-2130] p 828 A86-47676
- INOZEMTSEV, V.**  
More on new IL-96, IL-114 aircraft p 435 N86-22567
- IRAKLIONOV, V. S.**  
Method for calculating pressure distribution on the surfaces of wings with slit mechanization p 768 A86-48806
- IRULAPPAN, S. M.**  
Simple technique moistureproofs ILS localizer antenna array p 282 A86-23379
- IRWIN, A. S.**  
Review and critical analysis: Rolling-element bearings for system life and reliability [NASA-CR-174710] p 525 N86-24991
- ISHIGURO, T.**  
A method for calculating flow fields around moving bodies [NAL-TR-859T] p 88 N86-13288  
Numerical simulation of unsteady flow around an airfoil by finite difference solution of Navier-Stokes equations p 209 N86-17273  
Numerical analysis of inviscid flows about wing-fuselage combinations. 2: Development of full potential flow code YOKUDO-P [NAL-TR-881] p 341 N86-20364  
Three-dimensional boundary layer analysis program Blay and its application [NASA-TM-77962] p 342 N86-21516  
Numerical analysis of inviscid flows about wing-fuselage combinations. Part 1: Development of grid generation code YOKUDO-G [NAL-TR-884] p 414 N86-22551
- ISHIKAWA, Y.**  
Development of 'CADEGA' CAD system for aero engine design p 645 A86-42425
- ISHMAEL, S. D.**  
X-29 flight - Acid test for design predictions p 426 A86-31333  
X-29 initial flight test results p 709 A86-44942
- ISOMURA, K.**  
Rotor-strut interaction noise of a model fan [AIAA PAPER 86-1871] p 755 A86-45491
- ITO, P. H.**  
Transient test of suspension electronics for gyroscope [AD-D011853] p 123 N86-12585
- ITOH, T.**  
A study on NOx emissions from gas turbine combustor [ASME PAPER 86-GT-166] p 814 A86-48220
- ITSUKHOKI, Y. S.**  
Basic characteristics of radar antenna with synthesized aperture tracking arbitrary motion of aircraft p 189 N86-15575
- ITSKOVICH, Y. M.**  
Apparatus for the preparation of air [AD-A165803] p 673 N86-28266
- IUMASHEV, V. L.**  
A method for arranging nodes along the lines of a computational grid during the numerical solution of problems in mathematical physics p 127 A86-13409
- IUSHIN, A. IA.**  
Heat transfer at the lateral surface of a blunt cone during the absorption of the entropy layer by a laminar or a turbulent boundary layer p 187 A86-18907
- IVAN, M.**  
A ring-vortex downburst model for flight simulations p 393 A86-28566
- IVANOV, A. R.**  
The effect of the bluntness and the half-angle of a cone on the turbulent transition of a boundary layer at free-stream Mach 6 p 80 A86-13391
- IVANOV, IU. P.**  
Information-measurement complexes of flight vehicles p 172 A86-18743
- IVANOV, M. IA.**  
Calculation of flows in two- and three-dimensional nozzles by an approximate factorization method p 77 A86-13294
- IVANOV, O. K.**  
Experimental study of supersonic flow around a single-stage wedge with cheeks at sideslip angles p 628 A86-43404
- IVANOV, O. N.**  
Flow past caret wings with flaps p 146 A86-18803
- IVANTEVA, L. G.**  
Linear theory of an equivalent profile in the problem concerning the influence of porous flow boundaries p 81 A86-13411
- IVERSEN, J. D.**  
The use of curved higher order panels for vortex sheet modeling [AIAA PAPER 86-1812] p 544 A86-37833
- IVEY, L.**  
Effect of vibration on the readability of color CRT displays [SAE PAPER 841486] p 327 A86-26009
- IWASYK, J. M.**  
Olefin polymers as jet fuel antimist additives p 734 A86-30016
- IYENGAR, N. G. R.**  
Optimal design of antisymmetric laminated composite plates p 667 A86-40109
- IYER, R. K.**  
Error propagation in a digital avionic processor: A simulation-based study [NASA-CR-178601] p 232 N86-17351
- IZUKA, Y.**  
Manufacturing advance towards high strain fibers p 182 A86-16203
- IZUMI, K. H.**  
Local flow management/profile descent algorithm. Fuel-efficient, time-controlled profiles for the NASA TSRV airplane [NASA-CR-172593] p 636 N86-28074  
Design requirements and development of an airborne descent path definition algorithm for time navigation [NASA-CR-178037] p 641 N86-28939  
An investigation of TNAV equipped aircraft in a simulated en route metering environment [NASA-CR-178031] p 641 N86-28940
- IZUTSU, M.**  
Numerical simulation of vortices shed behind a rotating wing p 418 N86-23662
- J**
- JABLONSKI, D. G.**  
An apparatus for a method of determining compass headings [AD-D012051] p 425 N86-23564
- JACK, J. W.**  
Applications of sensor payloads p 588 A86-37343
- JACK, R. H.**  
Ultralight aircraft - A need for better regulation than 14 C.F.R. Section 103 p 343 A86-28000
- JACKLIN, S. A.**  
High-speed, automatic controller design considerations for integrating array processor, multi-microprocessor, and host computer system architectures p 531 A86-35409
- JACKSON, J.**  
Development of the Boeing 767 thrust reverser [AIAA PAPER 86-1536] p 646 A86-42696
- JACKSON, J. C.**  
Structural demonstration of the AV-8B Harrier II p 223 A86-21061
- JACKSON, K. E.**  
Abrasion behavior of aluminum and composite skin coupons, stiffened skins and stiffened panels representative of transport airplane structures [NASA-TP-2520] p 100 N86-13316
- JACKSON, R. G.**  
Reliability and maintainability - A look at the Rolle-Royce RB.211 [SAE PAPER 851829] p 590 A86-38334
- JACOBS, F. A.**  
Some tests to assess the effect of crack stoppers on the fatigue life of center-notched specimens [NLR-TR-84051-U] p 611 N86-26662

- Constant amplitude and flight simulation of fatigue tests on adhesive bonded lap joint specimens of 2024-T3 sheet material [NLR-TR-84090-U] p 612 N86-26663
- JAEGER, H.**  
Recycling of titanium scrap for the production of high-duty aerospace components p 382 A86-27211  
Calculation of the potential flow around wing profiles with the aid of a continuously differentiable vortex distribution p 689 A86-44979
- JAEQGY, B. C.**  
A study of the flow around a wing equipped with a spoiler p 83 A86-14186
- JAENSSON, B.**  
The control and use of residual stresses in aircraft structural parts p 849 A86-49114
- JAERGER, E. L.**  
Upper torso restraint systems [SAE PAPER 851848] p 567 A86-38344
- JAGGER, D.**  
Natural selection in transport aircraft propulsion p 174 A86-19278
- JAGODA, J. I.**  
Solid fuel ramjet simulator results - Experiment and analysis in cold flow p 106 A86-14562
- JAKUBOWSKI, A. K.**  
Dual rectangular jets from a flat plate in a crossflow [AIAA PAPER 86-0477] p 255 A86-22703
- JAKUBOWSKI, A. L.**  
Effects of velocity profile and inclination on dual-jet-induced pressures on a flat plate in a crosswind [NASA-CR-177361] p 87 N86-13287
- JAMES, M. N.**  
Aspects of small crack growth p 518 N86-25370
- JAMES, W. G.**  
AI applications to military pilot decision aiding - A perspective on transition [SAE PAPER 841533] p 327 A86-26004
- JAMESON, A.**  
Some recent developments in numerical methods for transonic flows p 144 A86-17889  
Euler solvers as an analysis tool for aircraft aerodynamics p 204 A86-20939  
Transonic flow calculations for aircraft p 338 A86-29474  
Transonic potential flow calculations by two artificial density methods [AIAA PAPER 86-1084] p 549 A86-38446  
An LU implicit scheme for high speed inlet analysis [AIAA PAPER 86-1520] p 625 A86-42687  
Remarks on the development of a multiblock three-dimensional Euler code for out of core and multiprocessor calculations p 748 A86-46791  
An improved viscid/inviscid interaction procedure for transonic flow over airfoils [NASA-CR-3805] p 87 N86-12208
- JAMET, F.**  
Quasi nonstretching hypervelocity jets [ISL-CO-236/84] p 153 N86-15254
- JANARDAN, B. A.**  
Free jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual flow. Comprehensive data report. Volume 1: Test nozzles and acoustic data [NASA-CR-174817] p 469 N86-23371  
Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and supersonic. Base pressure data [NASA-CR-174818] p 469 N86-23372
- JANG, S. K.**  
Optimization of tip store modeling [AD-A162119] p 417 N86-23571
- JANISSE, T.**  
Experimental/analytic comparisons considering composite panels with a cutout p 118 A86-13338
- JANSA, K.**  
Application of mechanics to flight-simulator problems p 179 A86-16853
- JANSSENS, L. G.**  
How to make simulators fly like airplanes [AIAA PAPER 86-9777] p 430 A86-32112
- JANSSON, T.**  
New dynamic testing techniques and related results at FFA p 562 N86-27244
- JANSTEN, E.**  
Deposition in gas turbine oil systems. I - Analysis and classification [SAE PAPER 851869] p 602 A86-38536
- JANTZEN, E.**  
Tribology in aircraft systems: Basic principles and applications p 677 N86-29240
- JAO, J. K.**  
Efficient, closed-form computation of airborne pulse-Doppler radar clutter p 423 A86-32579
- JARFALL, L.**  
Fatigue and damage tolerance work during the aircraft design process p 706 A86-43777
- JARMARK, B.**  
A differential dynamic programming method with an abrupt penalty integrand for solving tolerance problems p 680 A86-42877  
Near-optimal feedback control for three-dimensional interceptions p 854 A86-48992
- JARRABET, G. P.**  
Strain isolated ceramic coatings for gas turbine engines [ASME PAPER 85-GT-96] p 247 A86-22062
- JARRETT, J. S.**  
An all-weather multimode landing system for tactical fighter aircraft [AIAA PAPER 86-2146] p 787 A86-47517
- JAVORNIK, A.**  
Investigation of an advanced fault tolerant integrated avionics system [NASA-CR-178980] p 642 N86-28945
- JEAL, R. H.**  
Damage tolerance concepts for critical engine components p 506 N86-25361
- JECK, R. K.**  
The aircraft icing environment in wintertime, low ceiling conditions [AD-A160578] p 280 N86-18307  
An assessment of data quality and quantity from airborne cloud physics projects from 1974 through 1984 [DOT/FAA/CT-85/37] p 528 N86-25079
- JEFFERS, L. A.**  
Development of optical diaphragm deflection sensors [NASA-CR-175008] p 194 N86-15113
- JELINEK, M.**  
Using diagnostic systems to collect data on the reliability of aircraft p 133 A86-16861
- JELLI, M.**  
Transition to three-dimensional flow and laminarization of the boundary layer on a swept-back wing [AAAF PAPER NT 85-03] p 766 A86-48454
- JEN, C. K.**  
A fiber optic damage monitor p 670 A86-41605
- JENDRZEJCZYK, J. A.**  
Fluid forces on two circular cylinders in crossflow [DE85-014294] p 124 N86-13704
- JENKINS, R. V.**  
Tables for correcting airfoil data obtained in the Langley 0.3-meter transonic cryogenic tunnel for sidewall boundary-layer effects [NASA-TM-87723] p 555 N86-26289
- JENKINS, S.**  
Instrumentation and other issues in non-linear dynamic testing in wind tunnels p 597 A86-38248
- JENNINGS, T. J.**  
Development of an electro-pneumatic anti-G valve for high performance fighter aircraft p 218 A86-19317
- JEPSKY, J.**  
Laser systems for use with airborne platforms p 228 A86-19571
- JESPERSEN, D. C.**  
Navier-Stokes computations for circulation controlled airfoils [AIAA-85-1587] p 744 N86-30995
- JEWELL, W. F.**  
Realtime piloted simulation investigation of helicopter flying qualities during approach and landing on nonaviation ships [AIAA PAPER 86-0490] p 365 A86-26642
- JI, M.**  
Calculation of external and internal transonic flow field of a three-dimensional shielded S-shaped inlet p 205 A86-22303  
An terrain-aided guidance system with high convergence speed p 573 A86-39766
- JI, W.**  
Acta aeronautica et astronautica sinica (selected articles) [AD-A158454] p 135 N86-14216
- JIAN, Z.**  
Calculation of the load distribution, aerodynamic derivatives and dynamic characteristics of quasi-static elastic aircraft p 413 A86-33240  
Calculation of the load distribution, aerodynamic derivatives and dynamic characteristics of quasi-static elastic aircraft p 696 N86-30640
- JIANG, H.**  
An improved simple method for designing optimum annular diffusers [ASME PAPER 85-GT-126] p 235 A86-22075
- JIANG, J. S.**  
Determination of natural vibration properties of a wing with winglet by experimental mode synthesis technique p 435 A86-33280
- Determination of natural vibration properties of a wing with winglet by experimental mode synthesis technique p 716 N86-30878
- JIANG, Z.**  
An improvement to the numerical method for calculations of aircraft configuration longitudinal aerodynamic characteristics p 411 A86-32994
- JOAG, R.**  
Effects of velocity profile and inclination on dual-jet-induced pressures on a flat plate in a crosswind [NASA-CR-177361] p 87 N86-13287
- JOANNIC, Y.**  
Robustness of discrete-time dynamical systems: Application to the multivariable digital control of combat aircraft [ESA-TT-906] p 446 N86-22583
- JOHANSEN, G.**  
Interaction between controlling, planning, and fault managing in complex man-machine systems p 463 A86-33184
- JOHANSON, D. C.**  
Biodynamics of personnel parachute landings - A fresh look at parachute descent rates p 419 A86-32068
- JOHE, C.**  
Experimental study of the acoustic fields far and near a Microturbo TRS 18 turboreactor [ISL-R-113/84] p 333 N86-20095
- JOHNER, G.**  
Thermal barrier coatings for jet engine improvement p 183 A86-16278  
Flame rig testing of thermal barrier coatings and correlation with engine results p 173 A86-17491
- JOHNS, J. B.**  
Realtime piloted simulation investigation of helicopter flying qualities during approach and landing on nonaviation ships [AIAA PAPER 86-0490] p 365 A86-26642  
Results of piloted simulation of Grumman Design 698 [SAE PAPER 851846] p 579 A86-38342
- JOHNS, P. B.**  
New symmetrical condensed node for three-dimensional solution of electromagnetic-wave problems by TLM p 455 A86-31187
- JOHNS, R. H.**  
Computational engine structural analysis [ASME PAPER 86-GT-70] p 813 A86-48141
- JOHNSON, A. M.**  
Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 2: Aircraft engine nacelle fire test programs. Part 1: Fire detection, fire extinguishment and surface ignition studies [AD-A167356] p 807 N86-31570
- JOHNSON, B.**  
Design and development of an inertial power supply unit for carrier-based aircraft p 304 A86-24861
- JOHNSON, B. J.**  
Cold flow and combustion experiments with a new burner air distribution concept [ASME PAPER 85-GT-40] p 235 A86-22029
- JOHNSON, D.**  
Galley and overhead compartment experiment results: Full-scale transport controlled impact demonstration [DOT/FAA/CT-85/33] p 343 N86-20378
- JOHNSON, D. A.**  
Transonic airfoil calculations including wind tunnel wall-interference effects p 780 A86-49825  
Separated transonic airfoil flow calculations with a nonequilibrium turbulence model [NASA-TM-86830] p 152 N86-15247
- JOHNSON, D. L.**  
Helicopter drive system bench testing p 187 A86-18410
- JOHNSON, D. P.**  
A modeling structure for computer aided design p 397 A86-28403
- JOHNSON, D. W.**  
Application of Kevlar to parachute system design p 214 A86-20166
- JOHNSON, E. H.**  
ASTROS - An advanced software environment for automated design [AIAA PAPER 86-0856] p 618 A86-38807
- JOHNSON, E. R.**  
Response of composite material shallow arch to concentrated load p 670 A86-41699
- JOHNSON, E. T.**  
Developments in new gas turbine engine demonstrator programs [ASME PAPER 86-GT-80] p 813 A86-48148
- JOHNSON, F. T.**  
A transonic rectangular grid embedded panel method p 204 A86-20953

- JOHNSON, J. B.**  
Development of a temperature-compensated hot-film anemometer system for boundary-layer transition detection on high-performance aircraft  
p 605 A86-38236
- Backup control airstart performance on a digital electronic engine control-equipped F100-engine [PAPER-10]  
p 505 N86-25352
- Comparison of theoretical and flight-measured local flow aerodynamics for a low-aspect-ratio fin [NASA-CR-176995]  
p 632 N86-28920
- JOHNSON, J. H.**  
Analysis of particulates in the exhaust plume of a J52-P3 turbojet engine at military power [AD-A157840]  
p 107 N86-12231
- JOHNSON, J. W.**  
Measurements of ocean wave spectra and modulation transfer function with the airborne two-frequency scatterometer  
p 393 A86-28618
- JOHNSON, M. J.**  
Airport-Noise Levels and Annoyance Model (ALAMO) user's guide [NASA-TM-87695]  
p 401 N86-22304
- Airport-Noise Levels and Annoyance Model (ALAMO) system's reference manual [NASA-TM-87894]  
p 401 N86-22305
- JOHNSON, R. A.**  
Controlled impact demonstration seat/cabin restraint systems: FAA  
p 390 N86-21937
- JOHNSON, W.**  
Applications of an analysis of axisymmetric body effects on rotor performance and loads  
p 289 A86-26105
- Recent developments in the dynamics of advanced rotor systems. I  
p 586 A86-39597
- Recent developments in rotary-wing aerodynamic theory  
p 780 A86-49602
- Assessment of aerodynamic and dynamic models in a comprehensive analysis [NASA-TM-86835]  
p 76 N86-13286
- JOHNSON, W. G., JR.**  
Pressure distributions from high Reynolds number tests of a Boeing BAC 1 airfoil in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TM-87600]  
p 206 N86-18199
- JOHNSON, W. P.**  
Simulation of aircraft taxi testing on the AGILE shaker test facility  
p 448 A86-33265
- Simulation of aircraft taxi testing on the AGILE shaker test facility  
p 731 N86-30663
- JOHNSON, W. S.**  
Repeatability of mixed-mode adhesive debonding  
p 249 A86-20638
- JOHNSTON, B. C.**  
Wind-shear detection - A report on the first such airborne warning device to be commercially certified  
p 718 A86-46139
- JOHNSTON, C. E.**  
Engineering applications of an advanced low-order panel method [SAE PAPER 851793]  
p 547 A86-38316
- JOHNSTON, D. L.**  
Modular simulators - is a local area network sufficient?  
p 371 A86-28480
- JOHNSTON, G. R.**  
Protecting gas turbine components - The relative durability of a conventional and a platinum-modified aluminate coating  
p 114 A86-13005
- JOHNSTON, L. J.**  
An experimental study of turbulent wake/boundary layer mixing flows  
p 772 A86-49014
- JOHNSTON, M. B.**  
Integrating the pilot into the cockpit [AIAA PAPER 86-9765]  
p 429 A86-32102
- JOHNSTON, R.**  
Helicopter cockpit avionics development or the advanced transport and next generation aircraft  
p 171 A86-18461
- JONAS, K.**  
New technology propulsion (ANT) for general aviation aircraft, phase 1 [BMFT-FB-W-85-031]  
p 820 N86-31589
- JONDA, W.**  
Requirements on lubrication oil from the view of a helicopter manufacturer  
p 666 N86-29244
- JONES, D. J.**  
A new fast solver procedure applied to the BGK computer program for transonic flow past an airfoil  
p 83 A86-14360
- Thick supercritical airfoils with low drag and NLF capability  
p 771 A86-48981
- Reference test cases and contributors  
p 154 N86-15261
- Analysis of experimental data for a 21% thick natural laminar flow airfoil, NAE68-060-21:1 [NAE-AN-34]  
p 278 N86-18285
- JONES, J.**  
Stealth comes stealthily  
p 495 A86-36334
- JONES, J. A.**  
Oxygen chemisorption cryogenic refrigerator [NASA-CASE-NPO-16734-1-CU]  
p 612 N86-27487
- JONES, J. D.**  
Effects of an internal floor on low frequency sound transmission into aircraft cabins - An experimental investigation [AIAA PAPER 86-1939]  
p 711 A86-45426
- Noise control characteristics of synchrophasing. II - Experimental investigation  
p 805 A86-49808
- JONES, J. E.**  
Demonstration of an innovative technique for Terrain Following/Terrain Avoidance - The Dynapath Algorithm  
p 350 A86-28389
- A new technique for terrain following/terrain avoidance guidance command generation  
p 574 N86-26325
- JONES, J. G.**  
A unified procedure for meeting power-spectral-density and statistical-discrete-gust requirements for flight in turbulence [AIAA PAPER 86-1011]  
p 584 A86-38869
- JONES, P. J.**  
Elastomeric rod end bearings - A solution for improving reliability and maintainability  
p 320 A86-26125
- JONES, R.**  
Combining analysis and test for rotor blade development  
p 493 A86-35648
- Compressive strength of impact damaged graphite epoxy laminates  
p 517 A86-37118
- Optimal design application on the advanced aeroelastic rotor blade  
p 187 N86-15290
- JONES, S.**  
Ground control station for RPVs  
p 571 A86-37336
- JONGEBREUR, A. A.**  
Damage tolerance test program of the Fokker 100  
p 708 A86-43786
- JONSON, C. P.**  
Developing concepts in the rotordynamic analysis of aero gas turbines [ASME PAPER 85-GT-230]  
p 238 A86-22126
- JOOSSE, P. A.**  
MEP: A program for cross section magnitudes of a multi-cell wing profile [VTH-M-487]  
p 459 N86-23013
- JOPPA, R. G.**  
Flight deck displays for managing wind shear encounters [SAE PAPER 841465]  
p 298 A86-26008
- Numerical simulation of a controlled-flow tunnel for V/STOL testing  
p 371 A86-28561
- JORDAN, F. L., JR.**  
Leading-edge design for improved spin resistance of wings incorporating conventional and advanced airfoils [SAE PAPER 851816]  
p 578 A86-38325
- JORDAN, J. L.**  
Verification of the thrust and airflow model obtained from the performance modelling process [AIAA PAPER 86-8790]  
p 441 A86-32121
- The measurement of aircraft performance and stability and control after flight through natural icing conditions [NASA-TM-87265]  
p 446 N86-22582
- JORDON, D. E.**  
An experimental and analytical method for approximate determination of the tilt rotor research aircraft rotor/wing download [NASA-CR-176970]  
p 693 N86-29769
- JORGENSEN, P. A.**  
Radars in air traffic control - A status report  
p 216 A86-21607
- JOSHI, B. K.**  
Fatigue crack propagation from an inclined crack under combined mode loading  
p 450 A86-30013
- JOSHI, S. P.**  
Optimal design of antisymmetric laminated composite plates  
p 667 A86-40109
- JOSIFOVIC, M. J.**  
Various approaches in solving stability problems for symmetric angle-ply laminates under combined loading  
p 848 A86-49040
- JOSLYN, H. D.**  
Redistribution of an inlet temperature distortion in an axial flow turbine stage [AIAA PAPER 86-1468]  
p 671 A86-42658
- Multi-stage compressor airfoil aerodynamics. I - Airfoil potential flow analysis [AIAA PAPER 86-1744]  
p 627 A86-42822
- JOU, W. H.**  
Large eddy simulations of flow in a ramjet combustor  
p 659 N86-28241
- JOU, W.-H.**  
Propeller design by optimization [AIAA PAPER 86-0081]  
p 232 A86-19678
- JUBERT, P.**  
The SIGMA cadcam software [SNIAS-861-111-110]  
p 640 N86-28083
- JUHASZ, N.**  
In-flight measurements of wing ice shapes and wing section drag increases caused by natural icing conditions [NASA-TM-87301]  
p 479 N86-24667
- JULIER, A. G.**  
Principles and applications of the Fokker bond tester [ETN-86-96960]  
p 612 N86-27624
- JULL, G. W.**  
SHARP (Stationary High Altitude Relay Platform) Telecommunications missions and systems  
p 519 A86-33943
- JUMPER, E. J.**  
Lift-curve characteristics for an airfoil pitching at constant rate [AIAA PAPER 86-0117]  
p 199 A86-19698
- Propulsion education at the Air Force Institute of Technology [AIAA PAPER 86-1754]  
p 684 A86-42827
- JUNKER, B.**  
Helicopter test installation RoTeSt in DNW - Application and results [DGLR PAPER 85-113]  
p 513 A86-35166
- JUPP, W. R.**  
Low airspeed envelope determination of the CH-139 Jet Ranger helicopter  
p 586 A86-39565
- JURGENSEN, J. R.**  
Expert System Pilot Aid  
p 361 A86-28516
- JYONOUCHI, T.**  
The role of computational fluid dynamics in aeronautical engineering [REPT-2]  
p 257 N86-17296

## K

- KADER, A. A. A.**  
A stochastic decentralized flight control system [AIAA PAPER 86-1994]  
p 821 A86-47416
- KADOO, A.**  
Changes of flying skills during non-flight periods  
p 125 A86-13944
- KAHLER, H.**  
Small engine technology payoffs for future commuter aircraft [AIAA PAPER 86-1544]  
p 646 A86-42703
- KAGE, K.**  
Investigations of transonic Ludwig tubes. III - Effects of plenum exhaust system on starting process of tunnel test section  
p 140 A86-16838
- KAGEYAMA, Y.**  
The properties of a row of trailing vortices generated in the uniform flow. The path of trailing vortex [REPT-1]  
p 151 N86-14422
- The properties of a row of trailing vortices generated in the uniform flow. Shape of trailing vortex and its streamwise variation [REPT-2]  
p 151 N86-14423
- KAHANEK, V.**  
A study of the service life of fail-safe airframe structures on the basis of routine inspections and crack size assessment  
p 286 A86-23769
- Selection of fatigue S-N curves within the framework of new aircraft development  
p 804 A86-49137
- KAHLBAUM, W. M., JR.**  
Techniques for increasing the update rate of real-time dynamic computer graphic displays  
p 523 A86-37072
- KAILASANATH, K.**  
Interactions between acoustics and vortex structures in a central dump combustor [AIAA PAPER 86-1809]  
p 671 A86-42749
- Acoustic-vortex interactions in an idealized ramjet combustor  
p 659 N86-28242
- KALITA, D.**  
The use of ellipsoidal solids to display human body dynamic response  
p 530 A86-36852
- KALLERGIS, M.**  
Measurements regarding the emission angle dependence of propeller-acoustic pressure/time signals, taking into account passing flight conditions [DGLR PAPER 85-112]  
p 534 A86-35165
- KALUZA, J.**  
Calculation of ice accretion on cylindrical rods according to Bain's model, and comparison with experimental results [DFVLR-FB-85-46]  
p 325 N86-18933
- KALVISTE, J.**  
Spherical mapping and analysis of aircraft angles for maneuvering flight [AIAA PAPER 86-2283]  
p 830 A86-47701

- KAMIN, R. A.**  
Impact of higher freeze point fuels on naval aircraft operations  
[ASME PAPER 86-GT-262] p 843 A86-48285
- KAMINER, A. A.**  
A loss of dynamic stability of the torsional vibrations of blades due to cascade flutter p 364 A86-27543
- KAMIYA, N.**  
Numerical analysis of inviscid flows About wing-fuselage combinations. Part 1: Development of grid generation code YOKUDO-G [NAL-TR-864] p 414 N86-22551
- KAMRUKOV, A. S.**  
Radiative gaseodynamic processes in imploding discharges in a plasmodynamic magnetoplasma compressor p 129 A86-13031
- KANAI, K.**  
A stable discrete-time adaptive observer applied to multivariable aircraft p 305 A86-23346  
Trends of active control technology p 307 A86-25213  
A discrete adaptive observer for a multi-output aircraft control system p 444 A86-33180  
An adaptive flight control system design for CCV with an unknown interactor matrix p 723 A86-43536  
A discrete-time multivariable model-following method applied to decoupled flight control [AIAA PAPER 85-1976] p 725 A86-46454  
Synthesis of an adaptive flight controller under unknown deterministic disturbances [AIAA PAPER 86-2157] p 823 A86-47464
- KANAKIA, M. D.**  
High-temperature lubrication systems for ring/liner applications in advanced heat engines [AD-A164955] p 604 N86-26446
- KANAVOS, J. N.**  
The effects of atmospheric turbulence on an air-to-air optical communication link p 351 A86-28470
- KANDA, H.**  
Numerical simulation of vortices shed behind a rotating wing p 418 N86-23862
- KANDACHAR, P. V.**  
AGARD Corrosion Handbook. Volume 1: Corrosion, causes and case histories [AGARD-AG-278-VOL-1] p 248 N86-16374
- KANDEBO, S. W.**  
X-wing rotor systems test vehicle scheduled for flight in October p 707 A86-44001  
Manufacturers seek reduced costs through new fabrication techniques p 762 A86-49448
- KANDIL, O. A.**  
Influence of numerical dissipation in computing supersonic vortex-dominated flows [AIAA PAPER 86-1073] p 549 A86-38439  
Finite-volume and integral-equation techniques for transonic and supersonic vortex-dominated flows p 774 A86-49045
- KANNAMUELLER, G.**  
Configuration aspects of modern high-performance aircraft [DGLR PAPER 85-130] p 488 A86-35176
- KANNO, H.**  
Development and flight testing of the T-2 control configured vehicle [AIAA PAPER 86-9763] p 429 A86-32101
- KANTOR, A. J.**  
Profiles of temperature and density based on extremes at 5, 10, 20, 30 and 40 km p 616 N86-27727
- KAO, Y. F.**  
Transonic Equivalent Strip method for aeroelastic applications p 412 A86-33228  
Transonic equivalent strip method for aeroelastic applications p 695 N86-30628
- KAPASOURIS, P.**  
Linear-quadratic Gaussian with loop-transfer recovery methodology for the F-100 engine p 233 A86-20233  
Gain-scheduled multivariable control for the GE-21 turbofan engine using the LQG/LTR methodology p 501 A86-35334  
Multivariable control systems with saturating actuators antireset windup strategies [NASA-CR-177100] p 682 N86-29580
- KAPPLER, G.**  
Comparison of methods for lifetime calculations of highly loaded aero-engine discs [ASME PAPER 86-GT-102] p 814 A86-48165
- KAPPOS, E.**  
Linear-quadratic Gaussian with loop-transfer recovery methodology for the F-100 engine p 233 A86-20233
- KAPURCH, S. J.**  
A systems engineering methodology for the advanced tactical aircraft [AD-A162049] p 437 N86-23593
- KARAKOZOVA, A. G.**  
Some characteristics of structure formation in forged semifinished products of V93pch aluminum alloy p 522 A86-35999
- KARAMANLIS, A. I.**  
Theoretical and experimental investigation of test cell aerodynamics for turbofan applications [AIAA PAPER 86-1732] p 656 A86-42819
- KARAMCHETI, K.**  
The influence of forward flight on thrust augmenting ejectors [AIAA PAPER 85-1589] p 173 A86-17843
- KARIMOV, A. KH.**  
The effect of the electrode gap geometry on current distribution during electrochemical rounding of edges p 522 A86-35980
- KARLING, K.**  
Aerodynamics of the Viggen 37 aircraft. Part 1: General characteristics at low speed [NASA-TM-88403] p 632 N86-28925
- KARMISHIN, A. V.**  
Problems in the dynamics of aircraft structures exposed to intensive acoustic loading p 384 A86-28316
- KARPEL, M.**  
Static aeroelastic analysis using aircraft vibration modes p 432 A86-33241  
Rapid vibration mode analysis of aircraft with external stores p 435 A86-33281  
Static aeroelastic analysis using aircraft vibration modes p 743 N86-30641  
Rapid vibration mode analysis of aircraft with external stores p 716 N86-30679
- KARPOVICH, P. A.**  
Thermal stability concerns of Navy aviation fuel [ASME PAPER 86-GT-94] p 842 A86-48159
- KARR, M. E.**  
An analysis of S-3 SDLM (Standard Depot Level Maintenance) corrosion documentation procedures [AD-A165588] p 540 N86-26282
- KARTASHOV, G. G.**  
The damping capacity of layered materials p 374 A86-27084
- KASEMIR, H. W.**  
Ranging and azimuthal problems of an airborne crossed loop used as a single-station lightning locator p 809 A86-47325
- KASHIN, G. M.**  
Role of optimization methods in improvement of flight control for airplanes p 513 N86-25603
- KASSIES, A.**  
Inverse method with geometric constraints for transonic aerofoil design p 477 A86-36202  
Design of transonic airfoils with given pressure, subject to geometric constraints [NLR-TR-84-064-U] p 633 N86-28928
- KASZEMEIK, K.**  
Development, construction, and manufacturing of wind tunnel models for aerodynamic investigations [BMFT-FB-W-85-012] p 600 N86-27296
- KATAEV, I. U. P.**  
Plastic torsion of hollow elements of aircraft p 455 A86-31374
- KATANO, T.**  
Flight tests of MLS elevation guidance p 348 A86-27899
- KATHIRESAN, K.**  
Damage tolerance assessment of aircraft attachment lugs p 672 A86-43084
- KATO, K.**  
On the vertical turns sustaining corner velocity p 507 A86-33979
- KATO, M.**  
Two-dimensional scheme 'DLM-C' to examine subsonic unsteady lifting surface schemes for finite span p 275 A86-25239
- KATO, O.**  
An interpretation of airplane general motion and control as inverse problem p 443 A86-31661
- KATO, Y.**  
Nonlinear analysis for dynamic behaviours of a coupled rotational vibration system near its critical speed p 291 A86-26143
- KATOH, Z.**  
Changes of flying skills during non-flight periods p 125 A86-13944
- KATSUMATA, I.**  
Development of 'CADEGA' CAD system for aero engine design p 645 A86-42425
- KATZ, D.**  
A comparison of the effects of two traffic alert and collision avoidance systems (TCAS 3 and TCAS 2) on the performance of the Air Traffic Control Radar Beacon System [DOT/FAA/PM-86/8] p 636 N86-28930
- KATZ, J.**  
Evaluation of an aerodynamic-load prediction method on a STOL fighter configuration [AIAA PAPER 86-0590] p 203 A86-19966  
Modeling aerodynamic responses to aircraft maneuvers - A numerical validation p 204 A86-20156  
Transient induced drag p 689 A86-44879  
Unsteady low-speed aerodynamic model for complete aircraft configurations [AIAA PAPER 86-2180] p 829 A86-47683  
Application of CFD techniques toward the validation of nonlinear aerodynamic models p 565 N86-27265
- KATZ, S. R.**  
Reliability and failure prevention through ESA in the 80's And beyond p 381 A86-26937
- KATZER, E.**  
Navier-Stokes solutions using finite volume procedures p 274 A86-25005  
Solutions of the Navier-Stokes equations with the finite volume method p 148 N86-14235
- KAUFFMANN, R.**  
A study of the flow around a wing equipped with a spoiler p 83 A86-14186  
Experimental and theoretical study of incompressible flow around a wing profile with a spoiler. Contributions of laser velocimetry and the Dvorak method [ISL-R-116/84] p 279 N86-19297
- KAUFMAN, H.**  
Robust simplified adaptive control for a class of multivariable continuous-time systems p 680 A86-42960
- KAUFMAN, K. C.**  
Numerical approximation of the total drag of a body in a tube [AD-A159548] p 188 N86-14538
- KAUL, U. K.**  
A comparative study of the parabolized Navier-Stokes code using various grid-generation techniques p 143 A86-17654
- KAVSAOGLU, M.**  
Dual rectangular jets from a flat plate in a crossflow [AIAA PAPER 86-0477] p 255 A86-22703
- KAWAGOE, S.**  
Investigations of transonic Ludwig tubes. III - Effects of plenum exhaust system on starting process of tunnel test section p 140 A86-16838
- KAWAI, N.**  
Analysis of high Reynolds number transonic flow around an airfoil p 210 N86-17293  
Validation and comparison with experiment of a high Reynolds number transonic flow airfoil analysis code NSFOIL p 210 N86-17294
- KAWAMOTO, I.**  
Research on the aerodynamic characteristics of vehicles by free flight testing at supersonic speeds [NAL-TR-876] p 339 N86-20353
- KAWAMURA, R.**  
The analysis of practical transonic swept wings with and without boundary layer effects p 211 N86-17300
- KAYKAYOGLU, R.**  
Vortices incident upon a leading edge - instantaneous pressure fields p 141 A86-17060
- KAYLOR, J. T.**  
The mission oriented terminal area simulation facility [NASA-TM-87621] p 128 N86-13944
- KAYNAK, U.**  
Numerical simulation of transonic separated flows over low-aspect ratio wings [AIAA PAPER 86-0508] p 206 A86-22704  
Computational aspects of zonal algorithms for solving the compressible Navier-Stokes equations in three dimensions [NASA-TM-86774] p 88 N86-13296  
Transonic Navier-Stokes wing solution using a zonal approach. Part 1: Solution methodology and code validation [NASA-TM-88248-PT-1] p 692 N86-29765
- KAYNES, I. W.**  
The design and wind tunnel demonstration of an active control system for gust load alleviation and flutter suppression p 445 A86-33251  
The design and wind tunnel demonstration of an active control system for gust load alleviation and flutter suppression p 728 N86-30650
- KAZA, K. R. V.**  
Vibration analysis of rotating turbomachinery blades by an improved finite difference method p 106 A86-14338  
Experimental classical flutter results of a composite advanced turboprop model [NASA-TM-88792] p 678 N86-29271
- KAZAKOV, V. IU.**  
Hypersonic viscous shock layer on a surface with an abrupt variation of catalytic activity p 737 A86-43994

- KAZANSKIY, I.**  
Aeroflot officials roundtable on section's technical progress p 623 N86-28909
- KEARNEY, H. L.**  
U.S. Army/Sikorsky ACAP airframe test techniques/methodology p 185 A86-18427  
Full scale fatigue testing of advanced fiber composite components p 183 A86-18437
- KEARNS, M. W.**  
An evaluation of centrifugally cast Ti-4Al-4Mo-2Sn-0.5Si (IMI 550) alloy p 374 A86-27207
- KEEN, J. M.**  
Free-vortex flow simulation using a three-dimensional Euler aerodynamic method p 773 A86-49043
- KEENER, E. R.**  
Pressure-distribution measurements on a transonic low-aspect ratio wing [NASA-TM-86683] p 90 N86-13304
- KEFALJOTIS, J.**  
The Federal Aviation Administration future aviation weather system p 613 A86-37458
- KEGELMAN, J. T.**  
Influence of excitation on coherent structures in reattaching turbulent shear layers [AIAA PAPER 86-0112] p 199 A86-19996
- KEHOE, M. W.**  
Flight test of a decoupler pylon for wing/store flutter suppression [AIAA PAPER 86-9730] p 428 A86-32077  
Flight flutter testing at Ames-Dryden p 797 A86-47802  
Ground vibration test of the laminar flow control JStar airplane [NASA-TM-86398] p 100 N86-13321  
Ground vibration test of an F-16 airplane with modified decoupler pylons [NASA-TM-87634] p 496 N86-24685  
Highly Maneuverable Aircraft Technology (HMAT) flight-flutter test program [NASA-TM-84907] p 596 N86-27290  
Flight test of a decoupler pylon for wing/store flutter suppression [NASA-TM-87787] p 714 N86-29614  
Modified US Army U-8F ground vibration test [NASA-TM-86741] p 717 N86-30723  
Flight test of passive wing/store flutter suppression [NASA-TM-87786] p 806 N86-31566
- KEITH, J. S.**  
Spanwise redistribution of energy and loss in an axial flow compressor by wake centrifugation [AD-A159312] p 237 N86-16222
- KELDYSH, V. V.**  
A study of flow near a shock wave intersection line p 78 A86-13353  
Hypothesis of two-dimensional cross sections for a wing of finite span at supersonic velocities p 767 A86-48769
- KELLER, J. L.**  
Development of CAT detection and forecasting techniques for the PROFS Central Weather Processor p 615 A86-37496  
The physical and empirical basis for a specific clear-air turbulence risk index [NASA-CR-3971] p 746 N86-30285
- KELLERER, H.**  
Metals and plastics - State of the art and perspectives [MBB-Z-49-85-OE] p 116 A86-14474
- KELLEY, A. L.**  
Advanced medium scale real-time system p 296 A86-22720
- KELLEY, H. L.**  
Aerodynamic performance of a 27-percent-scale AH-64 wind-tunnel model with baseline/advanced rotor blades p 492 A86-35635  
Aerodynamic characteristics of several current helicopter tail boom cross sections including the effect of spoilers [NASA-TP-2506] p 339 N86-20349
- KELLEY, J.**  
F-16 radar flight test - A lesson in software development [AIAA PAPER 86-9827] p 406 A86-32149
- KELLIHER, W. C.**  
X-ray fluorescence analysis of wear metals in used lubricating oils p 673 A86-43430  
A new method for laminar boundary layer transition visualization in flight: Color changes in liquid crystal coatings [NASA-TM-87686] p 342 N86-21516
- KELLY, J. J.**  
The influence of source location on the structural-acoustic interaction of cylinders p 636 A86-41710
- KELLY, J. R.**  
NASA B737 flight test results of the Total Energy Control System [AIAA PAPER 86-2143] p 826 A86-47516
- KELLY, S. R.**  
Failure analysis of composite angle structures p 667 A86-40353
- KEMP, J. K.**  
A microcomputer pollution model for civilian airports and Air Force bases [AD-A163232] p 616 N86-26714
- KEMP, W. B., JR.**  
User's guide to STIPPAN: A panel method program for slotted tunnel interference prediction [NASA-CR-178003] p 113 N86-12237  
Wall-interference assessment in three-dimensional slotted-wall wind tunnels [NASA-CR-176320] p 113 N86-12240
- KEMPEL, R. W.**  
Model-following control for an oblique-wing aircraft [AIAA PAPER 86-2244] p 824 A86-47492  
Flight test experience and controlled impact of a large, four-engine remotely piloted airplane p 794 A86-47781  
Decoupling control synthesis for an oblique-wing aircraft [NASA-TM-86801] p 595 N86-26339  
Model-following control for an oblique-wing aircraft [NASA-TM-86289] p 726 N86-29687
- KENDALL, D. R.**  
The quantification and improvement of the thermal stability of aviation turbine fuel [ASME PAPER 85-GT-33] p 247 A86-22022  
The influence of JFTOT operating parameters on the assessment of fuel thermal stability [SAE PAPER 851871] p 602 A86-38538
- KENDALL, T. M.**  
Pressure measurements in a liquid-filled cylinder using a three-degree-of-freedom flight simulator [AIAA PAPER 86-2026] p 827 A86-47660
- KENNEDY, J. B.**  
Characterization of fuel sprays using a high-resolution patternator [AIAA PAPER 86-1726] p 656 A86-42814
- KENNEDY, K. J.**  
A case study in fatigue life extension - The main spar of RAAF Mirage IIO wings p 225 A86-22185
- KENNEDY, P.**  
Electrochemical evaluation of corrosivity in turbine engine oils [SAE PAPER 851867] p 602 A86-38534
- KENNEDY, P. D.**  
Combined test force operations at the Air Force Flight Test Center [AIAA PAPER 86-9739] p 406 A86-32085
- KENNETT, M. J.**  
The development of a fibre optic data bus for helicopters p 811 A86-49131
- KENNON, S. R.**  
Inverse design of coolant flow passage shapes with partially fixed internal geometries [ASME PAPER 85-GT-118] p 252 A86-22071
- KENNY, M. A.**  
Pilot report - B-1B p 634 A86-41275
- KERELUK, S.**  
The in-flight simulation program at the NAE Flight Research Laboratory p 96 A86-14356
- KERN, F. A.**  
National transonic facility Mach number system p 597 A86-38076
- KERNER, H.**  
Investigation of main landing gear tire temperatures during taxi-out at heavy take-off masses [AIAA PAPER 86-9778] p 430 A86-32113
- KERR, P. A.**  
Users guide: Steady-state aerodynamic-loads program for shuttle TPS tiles [NASA-TM-85724] p 600 N86-27406
- KERR, R. I.**  
Automated structural optimisation at Warton p 854 A86-48987
- KERR, T.**  
Decentralization filtering and redundancy management/failure detection for multisensor integrated navigation systems p 346 A86-26443
- KERSCHEN, E. J.**  
Noise generated by convected gusts interacting with swept airfoil cascades [AIAA PAPER 86-1872] p 755 A86-45492  
Influence of airfoil camber on convected gust interaction noise [AIAA PAPER 86-1873] p 755 A86-45493
- KESACK, W.**  
Planning, creating and documenting a NASTRAN finite element model of a modern helicopter p 189 N86-15300
- KESKAR, D. A.**  
Estimation of transport airplane aerodynamics using multiple stepwise regression p 489 A86-35385
- KESSLER, K. M.**  
Transfer of alignment and calibration of multiple sensors in flexible systems p 681 A86-43003
- KETTERLING, G. W.**  
Unified EM transient protection requirements for aircraft avionics line replaceable units p 355 A86-28485
- KEY, D. L.**  
Aircrew-aircraft integration - A summary of U.S. Army research programs and plans p 310 A86-26149
- KEYN, V. M.**  
Simulation problem of controlling lateral movement of aircraft during landing approach p 534 N86-26160
- KEYS, C.**  
Free-tip-rotor wind-tunnel test results p 491 A86-35626  
Wind tunnel test of a model rotor with a free-tip [AIAA PAPER 86-1781] p 577 A86-37813
- KHALID, M.**  
Thick supercritical airfoils with low drag and NLF capability p 771 A86-49981  
Analysis of experimental data for a 21% thick natural laminar flow airfoil, NAE88-060-21:1 [NAE-AN-34] p 278 N86-19286
- KHAN, T.**  
Single crystal superalloys for turbine blades in advanced aircraft engines [ONERA, TP NO. 1986-102] p 843 A86-49077
- KHARIN, E. G.**  
Flight testing of the navigation and flight control complexes of aircraft and helicopters p 706 A86-44283
- KHARITONOV, A. M.**  
A method for measuring the direction and the Mach number of a three-dimensional supersonic nozzle p 60 A86-13392  
Characteristics of the interaction of interference and diffraction flows at supersonic velocities p 478 A86-36456
- KHARLAMOV, H. M.**  
Analytical estimation of the variance of error in determining geographic-meridian direction by the gyrocompass method with random oscillation of the base p 160 A86-18990
- KHARUN, N. M.**  
A mathematical model for structures consisting of elastic shell sections connected by open girders p 456 A86-31420
- KHATTAB, A. A.**  
Computational aspects of unsteady flows p 561 N86-27232
- KHLEBNIKOV, V. S.**  
The drag of a pair of bodies at supersonic flight velocities p 768 A86-48902
- KHLEBNIKOVA, I. G.**  
Consideration of the multiplicity of critical spots in a structure in estimating the durability and the service life p 119 A86-13367
- KHOBAIS, M.**  
Advances in the study of the mechanical behavior of materials [AD-A164656] p 735 N86-30836
- KHOLOSTOVA, G. G.**  
An analysis of the quality of aviation lubricants by liquid and gas-liquid chromatography p 844 A86-49964
- KHRABROV, A. N.**  
Formation of asymmetric separated flow past slender bodies of revolution at large angles of attack p 82 A86-13429  
A study of the relationship between nonlinear changes in the lifting force and the vortex structure of flow around a low aspect ratio wing at large angles of attack p 767 A86-48762  
Nonuniqueness of laminar separated flow around an airfoil at angle of attack in the Kirchhoff scheme p 769 A86-48822  
Symmetric and nonsymmetric separated flow past a low aspect ratio wing with a fuselage p 770 A86-48838
- KHVOSTOV, N. I.**  
Influence of unsteady flow effects on the length of operation of a hypersonic shock tunnel p 112 A86-13428
- KHVOSTOVA, I. G.**  
Estimation of the probability of a flight parameter exceeding a specified value under conditions of atmospheric turbulence p 108 A86-13355
- KIAGUZOV, E. A.**  
Calculation of the aerodynamic characteristics of three-dimensional wings of finite span in a potential incompressible flow p 476 A86-35985
- KIBENS, V.**  
Passive control of jets with indeterminate origins p 780 A86-49807

- KIDWELL, G. H.**  
Expert systems and their use in augmenting design optimization  
[AIAA PAPER 85-3095] p 127 A86-14434
- KIEKEBUSCH, B.**  
Details on the optimization of cruising drag of the Airbus A320  
[DGLR PAPER 85-089] p 487 A86-35152
- KIELB, R. E.**  
Dynamic characteristics of an assembly of prop-fan blades  
[ASME PAPER 85-GT-134] p 441 A86-32956  
Influence of friction dampers on torsional blade flutter  
[ASME PAPER 85-GT-170] p 441 A86-32957  
Mass balancing of hollow fan blades  
[NASA-TM-87197] p 255 N86-18611
- KIERAS, J.**  
Development testing of the H-60 composite main rotor blade  
p 163 A86-18404
- KIERS, R. F. C.**  
On the way to extended noise reductions in propeller aircraft  
[B8573697] p 857 N86-33126
- KIESLING, J. D.**  
A shared satellite system would satisfy many future aviation needs  
p 249 A86-20921
- KIKUCHI, T.**  
Estimation of divergence and flutter boundaries on supersonic plate wing models from subcritical random responses due to air turbulence  
[NAL-TR-856] p 211 N86-17308
- KIKUKAWA, H.**  
Aeroelastic tailoring study in aircraft design  
p 383 A86-27741
- KILDEEV, R. A.**  
Calculation of the characteristics of a multistage gas turbine with allowance for the circumferential nonuniformity of inlet temperature  
p 649 A86-43381
- KILDISEKOV, I. G.**  
Problems in the dynamics of aircraft structures exposed to intensive acoustic loading  
p 384 A86-28316
- KILGORE, R. A.**  
Cryogenic wind tunnels for high Reynolds number testing  
[NASA-TM-87743] p 731 N86-29872
- KILL, N.**  
Dynamic analysis of structures with flexible rotors  
p 441 A86-33266  
Dynamic analysis of structures with flexible rotors  
p 722 N86-30664
- KILMER, F. G.**  
Simulation evaluation of display/FLIR concepts for low-altitude, terrain-following helicopter operations  
[NASA-TM-86779] p 789 N86-31551
- KILMER, R. L.**  
Simulation evaluation of display/FLIR concepts for low-altitude, terrain-following helicopter operations  
[NASA-TM-86779] p 789 N86-31551
- KIM, B. K.**  
Wind shear estimation by frequency-shaped optimal estimator  
p 464 A86-31656
- KIM, J. J.**  
Simulation and analysis of antennas radiating in a complex environment  
p 572 A86-39535  
Particle trajectory computation on a 3-dimensional engine inlet  
[NASA-CR-175023] p 344 N86-20379
- KIM, M. J.**  
Application of continuous vorticity panels to general unsteady incompressible two-dimensional lifting flows  
p 624 A86-41690
- KIM, O. K.**  
Conductive heterocyclic ladder polymers  
[AD-D011915] p 378 N86-20569
- KIM, W.**  
Strength evaluation of helicopter composite bolted joints  
[AIAA PAPER 86-0973] p 608 A86-38853
- KIM, Y. C.**  
Rectangular parallelepiped coding - A volumetric representation of three-dimensional objects  
p 747 A86-45473
- KIMURA, H.**  
Energy saving in aircraft  
p 288 A86-25188  
Failure detection in a flight control system by the modified sequential probability ratio test  
p 854 A86-49507
- KIMURA, T.**  
Flows past a rotating circular cylinder at high Reynolds number  
p 688 A86-43533
- KING, C.**  
Lightning-induced transient test on a transport aircraft  
p 791 A86-47327
- KING, E. H.**  
Aviation maintenance management  
p 197 A86-21055
- KING, G. E.**  
Fracture mechanics of multiple crack initiations. An application for fracture mechanics analysis of gas turbine engine disks  
[AD-A162998] p 442 N86-23601
- KING, L. D.**  
VHF-AM communications equipment selection and installation practices for helicopters  
[DOT/FAA/PM-85/8] p 189 N86-15518
- KING, L. S.**  
Transonic airfoil calculations including wind tunnel wall-interference effects  
p 780 A86-49825  
Separated transonic airfoil flow calculations with a nonequilibrium turbulence model  
[NASA-TM-86830] p 152 N86-15247
- KING, M.**  
Helicopter flight control with one hand  
p 529 A86-34923
- KING, R. W. P.**  
The parallel-plate and rhombic EMP simulators - A summarizing review  
p 381 A86-27146
- KING, W. D.**  
Icing wind tunnel tests on the CSIRO liquid water probe  
p 102 A86-14220  
Air flow and particle trajectories around aircraft fuselages. III - Extensions to particles of arbitrary shape  
p 316 A86-23281
- KINGHORN, A. M.**  
Performance analysis of airborne pulse Doppler radar  
p 423 A86-32578
- KINNEY, C.**  
A study of helicopter main rotor noise in hover  
[AIAA PAPER 86-1858] p 856 A86-49575
- KIPP, C. R.**  
Prediction of sound fields in cavities using boundary element methods  
[AIAA PAPER 86-1864] p 754 A86-45484
- KIRBY, M. S.**  
Real-time measurement of ice growth during simulated and natural icing conditions using ultrasonic pulse-echo techniques  
[AIAA PAPER 86-0410] p 214 A86-19860  
Experimental measurements of heat transfer from an iced surface during artificial and natural cloud icing conditions  
[AIAA PAPER 86-1352] p 598 A86-39948  
Measurement of ice growth during simulated and natural icing conditions using ultrasonic pulse-echo techniques  
p 634 A86-41694
- KIRCHGESSNER, T. A.**  
Uniform engine testing program phase 7: NASA Lewis Research Center second entry  
[NASA-TM-87272] p 650 N86-28085
- KIRCHHOFF, U.**  
Improvement of strapdown system performance by means of numerical methods  
[BMFT-FB-W-85-011] p 575 N86-27275
- KIREEV, V. I.**  
Profiling of supersonic ducts with specified nonisentropic parameters at the exit  
p 79 N86-13375
- KIRKLIN, P. W.**  
Development of the portable water separator for the WSIM test  
[SAE PAPER 851870] p 608 A86-38537
- KIRTLEY, K. R.**  
A comparison of computational methods for three-dimensional, turbulent turbomachinery flow fields  
[AIAA PAPER 86-1599] p 626 A86-42740
- KISLENKO, A. S.**  
The effect of the monoethers of dicarboxylic acids on the antiwear properties of jet fuels  
p 843 A86-49963
- KITAPLIOGLU, C.**  
Scaling of helicopter main rotor noise in hover  
[AIAA PAPER 86-0393] p 265 A86-22699  
A study of helicopter main rotor noise in hover  
[AIAA PAPER 86-1858] p 856 A86-49575  
Hover and forward flight acoustics and performance of a small-scale helicopter rotor system  
[NASA-TM-86584] p 295 N86-19314
- KITCHEN, R. A.**  
Air Force Flight Test Instrumentation System - An introduction for flight test engineers and managers  
p 296 A86-23275
- KITTLESON, J. K.**  
Transonic rotor flow-measurement technique using holographic interferometry  
p 141 A86-17069  
Reconstruction of a three-dimensional, transonic rotor flow field from holographic interferogram data  
[AIAA PAPER 85-0370] p 337 A86-27689  
Three-dimensional, transonic rotor flow field reconstructed from holographic interferogram data  
[NASA-TM-86816] p 188 N86-14555
- KIUCHI, E.**  
Weibull-distributed ground clutter in the frequency domain  
p 671 A86-41883
- KJELGAARD, S. O.**  
Flowfield survey over a 75 deg swept delta wing at an angle of attack of 20.5 deg  
[AIAA PAPER 86-1775] p 777 A86-49579
- KLADRUSSKY, M.**  
Development of numerical methods of external high-speed aerodynamics  
p 271 A86-23777
- KLASSEN, J. W.**  
Determining component loads and stresses with improved system modeling techniques  
p 740 A86-47122
- KLANN, G. A.**  
Experimental study of ceramic-coated tip seals for turbojet engines  
p 121 A86-15227
- KLASSEN, D. D.**  
Developments in new gas turbine engine demonstrator programs  
[ASME PAPER 86-GT-80] p 813 A86-48148
- KLATTE, R. J.**  
Counter-rotating propeller noise directivity and trends  
[AIAA PAPER 86-1927] p 751 A86-45418
- KLEIN, V.**  
Aerodynamic parameters estimated from flight and wind tunnel data  
p 410 A86-32782  
Estimation of transport airplane aerodynamics using multiple stepwise regression  
p 489 A86-35385  
Estimation of aerodynamic parameters from flight data of a high incidence research model  
p 834 A86-49057
- KLEINSCHMIDT, M.**  
Flight test of a velocity augmented strapdown navigation system LHN-81  
p 421 A86-30314  
Improvement of strapdown system performance by means of numerical methods  
[BMFT-FB-W-85-011] p 575 N86-27275
- KLEMBOWSKI, W.**  
Detection and recognition of hazardous weather conditions by primary surveillance radar  
p 457 A86-32614
- KLEVENHUSEN, K. D.**  
Contribution to the potential calculation of anisotropic compression shocks in a plane case  
p 150 N86-14245
- KLEWE, H.-J.**  
Telemetry from experimental rescue- and recovery systems  
p 95 A86-13219  
Flight Test Instrumentation System FTIS for type-certification of the Indonesian aircraft CN 235  
p 358 A86-27818
- KLOOS, K. H.**  
The fretting fatigue behaviour of the titanium alloy Ti-6Al-4V  
p 376 A86-27370  
Fretting fatigue testing with a fretting bridge equipment  
Stress analysis, amplitudes of slip, reliability  
p 383 A86-27371
- KLOSE, A.**  
Application of unsteady wing collocation methods to cascades in subsonic flow  
p 413 A86-33236  
Application of unsteady wing collocation methods to cascades in subsonic flow  
p 696 N86-30636
- KLUEG, E. P.**  
Antimisting fuel technology for transport category aircraft  
[SAE PAPER 851886] p 568 A86-38353  
Antimisting fuel technology for transport category aircraft  
p 733 N86-30008
- KLUESENER, M. F.**  
Results of recent research on damped fan blades  
[ASME PAPER 85-DET-133] p 318 A86-24236
- KLUKIS, M. K.**  
Vectored thrust digital control of ejection seats  
p 218 A86-19318
- KNACKE, T. W.**  
Parachute recovery systems design manual, chapters 1 through 4 offprint  
[AD-A157839] p 87 N86-12210
- KNAEUPER, A. E.**  
Pilot interaction with automated airborne decision making systems  
[NASA-CR-177002] p 679 N86-29508
- KNEZOVIC, M.**  
The possibility of using the on-board computer for in-flight diagnostics  
p 297 A86-23785
- KNIGHT, C. W.**  
National transonic facility Mach number system  
p 597 A86-38076
- KNIGHT, D. D.**  
Calculation of three-dimensional shock/turbulent boundary-layer interaction generated by sharp fin  
p 142 A86-17135  
Modelling of three-dimensional shock wave turbulent boundary layer interactions  
p 669 A86-41261
- KNIGHT, D. J.**  
Analysis of particulates in the exhaust plume of a J52-P3 turbojet engine at military power  
[AD-A157840] p 107 N86-12231

- KNIGHT, T. C.**  
Hughes helicopters AH-64A electroluminescent lighting p 171 A86-18463
- KNIGHT, V. H., JR.**  
Crash response data system for the controlled impact demonstration (CID) of a full-scale transport aircraft p 500 A86-37045
- KNOTT, J. F.**  
Aspects of small crack growth p 518 N86-25370
- KNOTTS, L.**  
A preliminary flight evaluation of the peripheral vision display using the NT-33A aircraft p 297 A86-23729
- KNOTTS, L. H.**  
Turbulence response matching in the NT-33A in-flight simulator [AIAA PAPER 86-2076] p 827 A86-47665
- KNOWLES, K.**  
Broadband noise - Its prediction and likely importance for advanced propfans [AIAA PAPER 86-1963] p 753 A86-45447
- KNUTSSON, L.**  
Mechanical design and evaluation of a slotted CFRP waveguide antenna p 383 A86-27703
- KO, J. S.**  
Analysis of dynamic stability derivatives for high angle of attack aircraft p 414 N86-22546
- KO, W. L.**  
Buckling behavior of Rene 41 tubular panels for a hypersonic aircraft wing [AIAA PAPER 86-0978] p 609 A86-38857  
Stress concentration around a small circular hole in the HIMAT composite plate [NASA-TM-86038] p 184 N86-15350  
Buckling behavior of Rene 41 tubular panels for a hypersonic aircraft wing [NASA-TM-86798] p 611 N86-26653
- KOAN, N.**  
Cockpit and cabin crew coordination and communication [SAE PAPER 851918] p 473 A86-35448
- KOANDE, I. I.**  
Design of a minimum-weight gliding wing p 96 A86-13437
- KOBAYAKAWA, M.**  
Aerodynamic performances of fabric surface airfoils p 275 A86-25224  
An application of self-tuning regulator to GLA system of an aircraft p 508 A86-34926  
Disturbance attenuation by a frequency-shaped linear-quadratic-regulator method p 725 A86-46453  
Calculations of high speed propeller performances using finite difference methods p 818 A86-49126
- KOBAYASHI, H.**  
Experimental study of flight effect on fan noise. I - A study of inflow control device for simulating in-flight fan noise in static test p 721 A86-46024
- KOBELEV, V. V.**  
Divergence of an anisotropic sweptforward wing p 768 A86-48788
- KOBTSEV, A. N.**  
Mathematical models for studying aircraft vibrations with allowance for structural hysteresis p 365 A86-27061
- KOCH, P. G.**  
Aircraft flight performance methods. Revision 2 [AD-A158227] p 169 N86-15310
- KOCI, R.**  
Application of strain gauge amplifiers and computer technology to the strength testing of aircraft p 849 A86-49144
- KOCIAN, D. F.**  
Putting humans into virtual space p 588 A86-37193
- KOCK, B.**  
Digital electronic engine control F-15 overview [PAPER-1] p 504 N86-25343
- KOCKA, V.**  
Validation on nonstationary aerodynamics models for longitudinal aeroplane motion on the basis of flight measurements p 833 A86-49026
- KODAMA, H.**  
Rotor-structure interaction noise of a model fan [AIAA PAPER 86-1871] p 755 A86-45491
- KODERA, T.**  
Validation and comparison with experiment of a high Reynolds number transonic flow airfoil analysis code NSFOIL p 210 N86-17294
- KOEBER, H. J.**  
Design and calculation of high speed engine bearings p 677 N86-29241
- KOEBLER, H. G.**  
Standardized fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation. Part 2: Final definition of Helix and Felix [LBF-FB-167] p 436 N86-23585
- KOELLEN, O.**  
Effect of film cooling on the aerodynamic performance of a turbine cascade p 742 N86-29859
- KOENEKE, A.**  
L.D.A. measurements in the turbulent near-wake of blunt bodies p 139 A86-16371
- KOENIG, G. W.**  
Evaluation of cyclic spin pit tests for the damage tolerance of disks p 507 N86-25379
- KOENIG, K.**  
An experimental study of geometrical effects on the drag and flow field of two bluff bodies separated by a gap p 141 A86-17055
- KOERBER, G.**  
A study of the flow around a wing equipped with a spoiler p 83 A86-14186  
Experimental and theoretical study of incompressible flow around a wing profile with a spoiler. Contributions of laser velocimetry and the Dvorak method [ISL-R-116/84] p 279 N86-18297
- KOERNER, H.**  
Aerodynamic design trends for commercial aircraft [NASA-TM-77976] p 227 N86-17338
- KOESTER, D. P.**  
A technique to evaluate the accessibility of airborne receivers to interfering signals p 572 A86-37555  
A computer model to evaluate airborne receiver performance in interference environments p 703 A86-43862
- KOESTER, H.**  
The laminar wing - A way for improving the economy of commercial aircraft p 274 A86-25022  
Improvement of two blade sections for helicopter rotors p 288 A86-26103  
Investigations on high Reynolds number laminar flow airfoils p 771 A86-48963
- KOGAN, M. N.**  
Similarity criteria for a circulation control airfoil p 769 A86-48815
- KOHAYAGAWA, Y.**  
Research on sonic inlet p 331 A86-25217
- KOHN, S. D.**  
Evaluation of the FAA design procedures for high traffic volume pavements [DOT/FAA/PM-84/14] p 352 N86-20383
- KOLESHNIKOV, A. V.**  
Experimental investigation of a boundary layer on a schematic aircraft model p 769 A86-48824
- KOLESHNIKOV, Y.**  
Aviarmori's efforts to introduce laser technology p 320 N86-18286
- KOLINA, N. P.**  
Heat transfer at the lateral surface of a blunt cone during the absorption of the entropy layer by a laminar or a turbulent boundary layer p 187 A86-18907
- KOLKAILAH, F.**  
A survey of handling qualities criteria and their applications to high performance aircraft [NASA-CR-179654] p 729 N86-30738
- KOLKMAN, H. J.**  
Fatigue failure of jet engine drive shafts p 500 A86-33970
- KOLLEY, A.**  
EB repair welding of a critical aircraft part made from the nonweldable titanium alloy 3.7184.7 (Ti-44-Mo4-Sn2-Si) p 382 A86-27278
- KOLOMIETS, V. G.**  
The effect of random forces on nonlinear oscillating systems p 535 A86-36710
- KOMARA, M. A.**  
Digital chirp demodulation p 385 A86-28332
- KOMATSU, K.**  
The analysis of practical transonic swept wings with and without boundary layer effects p 211 N86-17300
- KOMERATH, N. M.**  
Velocity measurements in the near field of a rotor blade in hover [AIAA PAPER 85-5013] p 84 A86-14457  
Studies of rotor-airframe interactions in forward flight [AIAA PAPER 85-5015] p 97 A86-14458
- KOMURO, T.**  
Spreading of two-stream supersonic turbulent mixing layers p 546 A86-37901
- KONCSEK, J. L.**  
Application of CFD design technology in development of the J7X engine inlet p 502 A86-35612
- KONDO, Y.**  
Aerodynamic performances of fabric surface airfoils p 275 A86-25224
- KONDRASHOV, N. S.**  
The damping capacity of layered materials p 374 A86-27064
- KONG, S. J.**  
Characterization of T300/V-378A graphite/bismaleimide for structural applications p 662 A86-41053
- KONG, Z.-K.**  
Impaction efficiencies of evaporating kerosene droplets on vee-gutter flame stabilizer [ASME PAPER 86-GT-174] p 815 A86-48225
- KONIECZKA, J.**  
Velocity distribution around a wing in a wind tunnel. Verification of a calculation method by means of a laser anemometer p 476 A86-35925
- KOODALATTUPURAM, C.**  
An investigation of the feasibility of active boundary layer thickening for aircraft drag reduction [NASA-CR-177133] p 630 N86-28064
- KOOMAN, J. L.**  
Design method for the calculation of performances and flap movement of flexible wind turbine blades [VTH-M-453] p 323 N86-18795
- KOPCHIK, J.**  
Process development and test evaluation of cast, HIP and heat treated titanium UH-60A M.R. Damper Bracket p 516 A86-35641
- KOPECKY, F.**  
Sound generation by an energetically inhomogeneous gas flow in a gas-turbine aircraft engine p 300 A86-23753
- KOPELEV, S. Z.**  
Design of the flow path of aircraft gas-turbine engines p 105 A86-13447  
The effect of the deflector type on internal heat transfer in blades with transverse coolant flow p 120 A86-13673  
The effect of the curvature of the external contours of turbine blade profiles on their aerodynamic characteristics p 144 A86-18152  
The effect of deposits on the cooling efficiency of gas-turbine engine blades p 720 A86-44697
- KOPP, F. J.**  
Deduction of vertical motion in the atmosphere from aircraft measurements p 323 A86-23292
- KOPPENS, W. P.**  
Aeroelastic research on wind turbines [VTH-M-474] p 459 N86-23012  
Aeroelastic research on wind turbines [VTH-M-501] p 459 N86-23014  
Aeroelastic research on wind turbines [VTH-M-517] p 459 N86-23016
- KORDULLA, W.**  
Summary report on the working group for conference 1: Solutions of the Navier-Stokes equations p 147 N86-14226  
Simulation of three-dimensional viscous transonic flows p 148 N86-14233
- KOREMURA, K.**  
Flight tests of MLS elevation guidance p 348 A86-27899
- KORETSKII, V. V.**  
Calculation of flows in two- and three-dimensional nozzles by an approximate factorization method p 77 A86-13294
- KORKAN, K. D.**  
A numerical method for the design and analysis of counter-rotating propellers [AIAA PAPER 84-1205] p 233 A86-20369  
Performance degradation of helicopters due to icing - A review p 494 A86-35668  
Numerical evaluation of propeller noise including nonlinear effects p 845 A86-41726  
Aerodynamic data banks for Clark-Y, NACA 4-digit and NACA 16-series airfoil families [NASA-CR-176883] p 697 N86-30693
- KORKOSZ, G. J.**  
Methods of full scale fatigue testing the Apache helicopter rotor systems p 180 A86-18439
- KORNBLUH, R. D.**  
Physical distribution system for aircraft external fuel tanks-survey [AD-A158275] p 101 N86-13324
- KOROMZAY, T.**  
Quality assurance in the reconditioning of gas turbine and compressor blading components [ASME PAPER 86-GT-299] p 847 A86-48311
- KOROTKOV, V. A.**  
Allowance for initial conditions in static and dynamic calculations of structures by the finite element method p 119 A86-13419
- KOSCHEL, W.**  
Effect of film cooling on the aerodynamic performance of a turbine cascade p 742 N86-29859
- KOSHELEV, N. V.**  
A study of the effect of certain factors on the fatigue strength of structural irregularities in the airframe of aircraft p 427 A86-31413
- KOSHORST, J.**  
How one A/C manufacturer transits to composites p 759 A86-47604



- Advanced composite structures in commercial transport aircraft  
[AI/TE3-384/82-ISSUE-2] p 451 N86-22648
- KOSORUKOV, A. L.**  
Effect of the nonequilibrium character of the flow around a blunt plate with a bend on its aerodynamic characteristics p 788 A86-48783  
The effect of a kinetic air model on the aerodynamic characteristics of airfoils with flaps p 771 A86-48849
- KOSSEY, P. A.**  
Comparison of calculated and measured height profiles of transverse electric VLF signals across the daytime earth-ionosphere waveguide p 250 A86-21513
- KOST, F. H.**  
Aerodynamic effect of coolant ejection in the rear part of transonic rotor blades p 742 N86-29881
- KOSTYLEV, A. A.**  
Radar characteristics of flight vehicles p 485 A86-35464
- KOSTYRKO, O. S.**  
Influence of molybdenum, tungsten, and cobalt on the corrosion of high-temperature strength nickel alloys in molten salts p 663 A86-41988
- KOSYKH, A. P.**  
A study of heat transfer on wedges with a swept leading edge and a sharply bent generatrix p 81 A86-13399  
The effect of equilibrium air properties and Mach number on the aerodynamic characteristics of a flight vehicle p 770 A86-48843
- KOTAKE, S.**  
Numerical analysis of fully three-dimensional periodic flows through a turbine stage  
[ASME PAPER 85-GT-57] p 76 A86-13060
- KOTANSKY, D. R.**  
Aero-propulsion technology for STOL and maneuver  
[AIAA PAPER 85-4013] p 97 A86-14436
- KOTH, B. W.**  
System partitioning to provide for automatic mission and vehicle management p 175 A86-18465
- KOTHARI, A. P.**  
Computational study of flow over Miley and Wortmann airfoils p 136 A86-16317
- KOTTAPALLI, S. B. R.**  
Adaptation of a modern medium helicopter (Sikorsky S-76) to higher harmonic control p 178 N86-15303
- KOURTIDES, D. A.**  
Fire-retardant decorative inks for aircraft interiors  
[NASA-TM-88198] p 313 N86-18441  
The 1-(diorganooxophosphonyl)methyl-2, 4- and -2, 6-dinitro and diamino benzenes and their derivatives  
[NASA-CASE-ARC-11425-2] p 378 N86-20499  
Light weight fire resistant graphite composites  
[NASA-CASE-ARC-11615-15B] p 664 N86-28131
- KOVAL, L. R.**  
Application of the finite element method in the calculation of transmission loss of flat and curved panels p 400 A86-26888  
A comparison of the structureborne and airborne paths for propfan interior noise  
[AIAA PAPER 86-1663] p 711 A86-45483
- KOVALENKO, V. V.**  
Calculation of supersonic inviscid flow past a plane air intake element with an isolated head wave p 79 A86-13364
- KOVTUN, V. V.**  
Measurement of the heterogeneous recombination probability of oxygen atoms in the course of supersonic dissociated gas flow interaction with solid body surfaces p 85 A86-14743
- KOWALSKI, S.**  
Aircraft avionics suitable for advanced approach applications. Volume 1: Aircraft fleet equipage  
[DOT/FAA/PM-86/25.1] p 642 N86-28944
- KOWALSKI, W.**  
An analysis of the motion of an aircraft on the ground p 725 A86-48367
- KOYA, M.**  
Numerical analysis of fully three-dimensional periodic flows through a turbine stage  
[ASME PAPER 85-GT-57] p 76 A86-13060
- KOZAK, J.**  
The past, the present, and the future of aircraft test and diagnostic technology p 179 A86-16854
- KOZEL, K.**  
Mathematical solution for unsteady subsonic flow past a thin profile in a channel p 140 A86-16851  
Development of numerical methods of external high-speed aerodynamics p 271 A86-23777
- KOZEL, P. A.**  
Effectiveness of fatigue life enhancing fasteners in the design and rework of aircraft structures  
[AD-A159676] p 293 N86-18316
- KOZELSKII, E. I.**  
Small film-evaporation type combustion chamber for a low-power gas turbine engine p 650 A86-43395
- KOZHURO, L. A.**  
Separated flow past a sharp edge according to a reverse-jet scheme p 120 A86-13430
- KOZLOV, A. A.**  
Calculation of the heating of a liquid component partially filling a container p 316 A86-23653
- KOZLOV, I. U. A.**  
A general criterion in design p 455 A86-31412
- KOZLOV, L. F.**  
The drag of a thermally insulated plate in a stream of a compressible gas under mixed flow conditions p 120 A86-13671
- KOZLOV, N. P.**  
Radiative gasdynamic processes in imploding discharges in a plasmodynamic magnetoplasma compressor p 129 A86-13031
- KOZLOV, V. V.**  
Method for the visualization of subsonic gas flows p 769 A86-48808
- KOZMA, A.**  
A Synthetic Aperture Radar (SAR) for commercial applications p 250 A86-21246
- KRAFT, E. M.**  
Advances at AEDC in treating transonic wind tunnel wall interference p 839 A86-49058
- KRAFT, L. W.**  
Nonskid coating formulations  
[AD-D012186] p 604 N86-27457
- KRAG, S.**  
Generation of two-dimensional gust fields in subsonic wind-tunnels p 563 N86-27247
- KRAJIN, H.**  
Interdependence of centrifugal compressor blade geometry and relative flow field  
[ASME PAPER 85-GT-85] p 251 A86-22056
- KRAMENBURG, C. G.**  
STALINS method for takeoff and landing trajectory measurements p 356 A86-28566  
Operational application of the STALINS method for measuring take-off and landing trajectories  
[NLR-TR-83010-U] p 227 N86-17346
- KRANTZ, P.**  
Airfoil optimization p 623 A86-40107
- KRANZ, O.**  
Comparative investigation of optimization procedures in aircraft preliminary design  
[DGLR PAPER 85-119] p 487 A86-35170
- KRASILSHCHIKOV, M. N.**  
Statistical dynamics and control optimization of flight vehicles p 449 A86-33299
- KRASNOV, N. F.**  
Aerodynamics. Part 1 - Fundamentals of theory. Aerodynamics of an airfoil and a wing p 338 A86-29840  
Aerodynamics. Part 2 - Methods of aerodynamic calculations p 338 A86-29841
- KRASOVSKII, A. A.**  
Reliability of aircraft navigation p 348 A86-28312
- KRAUSE, E.**  
Experiments on unsteady flows about wing sections p 138 A86-16318  
The effect of compressibility on slender vortices p 317 A86-23944  
On slender vortices p 689 A86-44810
- KRAYETS, V. V.**  
Matrix equations of the spatial flight of an asymmetrical rigid body p 365 A86-27446
- KRENEK, D.**  
Simulation of the vibration transmission path and the use of a mathematical model of vibration transmission for the vibrational diagnostics of an aircraft engine p 301 A86-23754
- KRENTZ, G.**  
The accuracy problem of airplane development force testing in cryogenic wind tunnels  
[AIAA PAPER 86-0776] p 310 A86-24765
- KRETSCHMER, D.**  
Fuel property effects upon exhaust smoke and the weak extinction characteristics of the Pratt and Whitney PT6A-65 engine  
[ASME PAPER 85-GT-27] p 234 A86-22018  
Gas turbine fuels and their influence on combustion p 312 A86-23274
- KRIECHBAUM, G.**  
Technology demonstration for investigation of the new possibilities of amphibious flying boats, phase 2  
[BMFT-FB-W-85-022] p 808 N86-31577
- KRIEGER, R. B., JR.**  
Interleaf technology for carbon composite aircraft primary structure p 182 A86-16208
- KRIENS, R. F. C.**  
Recent experiences in the analysis of aircraft cabin noise p 401 N86-21267
- KRIESER, U. R.**  
Report on interest expressed in some Australian Defence Establishment products displayed at the 1985 Paris Air Show  
[AD-A160807] p 496 N86-25341
- KRISHNAMURTHY, H. N.**  
Advances in simulation, control and guidance and other systems for manned and unmanned aircraft p 269 A86-26072
- KRISHNAN, R. V.**  
Investigation of an aircraft accident by fractographic analysis p 418 A86-30087
- KRISPIN, J.**  
Analysis of strake-slender-wing configurations using slender-wing theory p 774 A86-49049
- KROGMANN, F.**  
Transonic drag rise and drag reduction by active/passive boundary layer control p 156 N86-15275
- KROGMANN, U. K.**  
Concept and performance analysis of a strapdown northfinder p 349 A86-28361
- KROH, G.**  
Anthropometric conditions for the construction of a helicopter cockpit p 794 A86-47768
- KROHN, K.**  
Computer-aided 'somatography' for the ergonomic design of the ATTAS experimental cockpit p 287 A86-25024
- KROJER, H.**  
New technology propulsion (ANT) for general aviation aircraft, phase 1  
[BMFT-FB-W-85-031] p 820 N86-31589
- KROKHIN, A. S.**  
Subsonic thermal wind tunnel with an Eiffel chamber p 112 A86-13443
- KROLL, N.**  
Review of research in numerical aerodynamics at the DFVLR in Brunswick p 150 N86-14248
- KRONE, N. J.**  
X-29 revives the experimental aircraft p 426 A86-31331
- KROTHAPALLI, A.**  
Discrete tones generated by an impinging underexpanded rectangular jet p 193 A86-17138  
The influence of forward flight on thrust augmenting ejectors  
[AIAA PAPER 85-1589] p 173 A86-17843  
The development of laser speckle velocimetry for the measurement of vortical flow fields  
[AIAA PAPER 86-0768] p 523 A86-37091
- KRUK, R. V.**  
Helicopter flight control with one hand p 529 A86-34923
- KRYLOV, I. F.**  
The effect of the monoethers of dicarboxylic acids on the antiwear properties of jet fuels p 843 A86-49963
- KRYNYTZKY, A. J.**  
The development and calibration of an acoustic wall transonic test section  
[AIAA PAPER 86-0759] p 514 A86-37090
- KRYSIN, V. N.**  
Technological support for aircraft production p 75 A86-13446
- KRYZHANOVSKIY, G. A.**  
Parametric optimization of algorithm for estimating values of one class of unsteady random processes p 534 N86-26161
- KRZANOWSKI, J. E.**  
Direction of R and D and current status of understanding of advanced gear steels p 666 N86-29245
- KRZYANOWSKI, A.**  
Dynamics of non-autonomous spatial motion of an aeroplane with deformable control systems p 109 A86-13931
- KUBENDRAN, L. R.**  
Juncture flow control using leading-edge fillets  
[AIAA PAPER 85-4097] p 84 A86-14454
- KUBO, S.**  
Review of theory of vortex separated from a leading edge of a delta wing p 275 A86-25207
- KUCERA, E.**  
Contactless measurement of the torque of an aircraft engine p 849 A86-49145
- KUCHAR, A. P.**  
Subscale-model and full-scale engine mixed-flow exhaust system performance comparison p 106 A86-14528  
Initial performance evaluation of 2DCD ejector exhaust systems  
[AIAA PAPER 86-1615] p 626 A86-42753
- KUCHTA, J. M.**  
Aircraft mishap fire pattern investigations  
[AD-A161094] p 344 N86-21528
- KUDOU, K.**  
Spreading of two-stream supersonic turbulent mixing layers p 546 A86-37901

- KUDRIASHOV, A. B.**  
Method for the calculation and design of fuselage flaps made of composite materials p 847 A86-48830
- KUDRIAYTSEV, N. N.**  
Measurement of the heterogeneous recombination probability of oxygen atoms in the course of supersonic dissociated gas flow interaction with solid body surfaces p 85 A86-14743
- KUDRIAYTSEVA, G. D.**  
Methods of constructing R-curves and application of these curves for evaluation of materials (Review) p 117 A86-13011
- KUFELD, R. M.**  
RSRA flight development test in the airplane configuration p 493 A86-35653
- KUHN, R. E.**  
A method for estimating jet reaction control effectiveness [AIAA PAPER 86-1805] p 593 A86-37828  
Ground effects on V/STOL and STOL aircraft: A survey [NASA-TM-86825] p 89 A86-13299
- KUIK, W.**  
Aeroelastic research on wind turbines [VTH-M-474] p 459 A86-23012  
Aeroelastic research on wind turbines [VTH-M-501] p 459 A86-23014  
Aeroelastic research on wind turbines [VTH-M-517] p 459 A86-23016
- KUKACKA, L. E.**  
Furfuryl alcohol polymer concretes for use in all-weather repairs of concrete and asphalt surfaces [DE85-014825] p 184 A86-14391
- KUKINOV, A. G.**  
The adjustment of a turbojet engine compressor by the rotation of the guide vanes with the objective of reducing fuel consumption during throttle operation p 816 A86-48757
- KULESHOV, V. V.**  
A unified method for evaluating the strength and reliability of the blades of the axial-flow compressors and gas turbines of aircraft engines p 364 A86-28317
- KULLER, W. G.**  
Airborne infrared measurement systems and techniques [AIAA PAPER 86-9814] p 439 A86-32140
- KUMAGAI, H.**  
Wind tunnel test of a model rotor with a free-tip [AIAA PAPER 86-1781] p 577 A86-37813
- KUMAR, A.**  
Evolution and status of CFD techniques for scramjet applications [AIAA PAPER 86-0160] p 248 A86-19970  
Mach reflection and aerodynamic choking in two-dimensional ducted flow p 411 A86-32987  
Study of hypersonic inlet flow fields with a three-dimensional Navier-Stokes code [AIAA PAPER 86-1426] p 624 A86-42635  
User's guide for NASCRIN: A vectorized code for calculating two-dimensional supersonic internal flow fields [NASA-TM-85708] p 416 A86-23565
- KUMAR, D.**  
Aminophenoxycyclophosphazene cured epoxy resins and the composites, laminates and structures thereof [NASA-CASE-ARC-11548-1] p 379 A86-21686
- KUMAR, V. R.**  
Mechanistic methodology for airport pavement design with engineering fabrics. Volume 2: Advanced concepts, validation and criteria [DOT/FAA/PM-84/9, II-VOL-2] p 657 A86-28963
- KUNG, F.-C.**  
Optimal control of deterministic systems via shifted Legendre polynomials p 530 A86-34140  
Use of block-pulse functions in the optimal control of deterministic systems p 747 A86-45728
- KUNZ, J.**  
Fractographic study of fatigue crack kinetics in bodies and structures p 454 A86-30034
- KUO, I. T.**  
International Aviation (selected articles) [AD-A166748] p 687 A86-30690
- KUO, S.**  
A cementitious tooling/molding material - Room temperature castable, high temperature capable [SAE PAPER 850904] p 607 A86-38522
- KUO, S. C.**  
Fabrication of high-alumina ceramic fixtures for jet engine repair applications [ASME PAPER 86-GT-46] p 846 A86-48130
- KUPERMAN, M. H.**  
Adhesive-bonded aluminum structure repair p 846 A86-47725
- KURZIN, V. B.**  
Calculation of flow around rotating circular cascades with allowance for circumferential flow nonuniformity induced by a perturbation at the inlet p 82 A86-13426
- KUSCHEL, H.**  
Detectability of low flying targets in real terrain using a diffraction model p 457 A86-32805
- KUSHNIR, P. V.**  
Application of the state-space method to analyze the stability of digital systems p 127 A86-13418
- KUTINOV, V. F.**  
Method for the calculation and design of fuselage flaps made of composite materials p 847 A86-48830
- KUTLER, P.**  
A perspective of computational fluid dynamics [NASA-TM-88246] p 829 A86-28057
- KUWAHARA, K.**  
Aerodynamic characteristics of a circulation controlled symmetrical airfoil with dual jet p 541 A86-37196
- KUWAHARA, K.**  
Computation of dynamic stall of NACA0012 airfoil by block pentadiagonal matrix scheme [AIAA PAPER 86-0116] p 199 A86-19697
- KUZMENKO, V. A.**  
Fatigue of structural materials at high-frequency cycle loading p 453 A86-30019
- KUZMIN, V. P.**  
Estimation of the deviation limits of the aircraft path parameters during automatic landing p 108 A86-13385  
Determination of the statistical characteristics of aircraft motion during an automatic approach p 832 A86-48844
- KUZNETSOV, A. V.**  
Mathematical model of the interaction of a single unsteady supersonic jet with a moving barrier of finite size p 628 A86-43401
- KUZNETSOV, I. A.**  
Calculation of the dynamic response of a flight vehicle using a discrete-continuous model p 476 A86-35979
- KUZNETSOV, N. D.**  
The performance of composite structures p 121 A86-14680
- KUZNETSOV, V. G.**  
Determination of the service life of aviation oils p 312 A86-23450
- KUZNETSOVA, T.**  
AN-30 photography airplane outfitted for cloud-seeding missions p 393 A86-20888  
AN-124 airplane's cargo-handling and automation equipment p 527 A86-25600
- KWAKERNAAK, H.**  
Minimax frequency domain optimization of multivariable linear feedback systems p 485 A86-33127
- L**
- LA BURTIE, C.**  
A simulation of an integrated flight control/air-ground cannon firing system [ONERA, TP NO. 1986-31] p 725 A86-46173
- LAANANEN, D. H.**  
The use of ellipsoidal solids to display human body dynamic response p 530 A86-36852  
Simulation of aircraft seat response to a crash environment p 530 A86-36879
- LABARGE, B.**  
KRASH dynamics analysis modeling: Transport airplane controlled impact demonstration test [DOT/FAA/CT-85/9-REV] p 483 A86-25331
- LABARGE, B. L.**  
KRASH 85 user's guide: input/output format, revision [AD-A168846] p 787 A86-32416
- LABARGE, W. L.**  
KRASH85 user's guide: input/output format [DOT/FAA/CT-85/10-REV] p 618 A86-27926
- LABOZZETTA, W. F.**  
Interactive graphics for geometry generation - A program with a contemporary design p 192 A86-17781
- LABRIJERE, T. E.**  
Wind tunnel wall influence considering two-dimensional high-lift configurations p 308 A86-23187  
Application of a constrained inverse method in the aerodynamic design of a low speed wing-slat configuration [NLR-TR-83123-U] p 211 A86-17320  
A system for computer aided analysis and design of multielement airfoils: MAD [NLR-TR-83136-U] p 212 A86-17321
- LABRUNE, F.**  
Depot maintenance of aviation components: Contractor versus organic repair [AD-A162071] p 408 A86-23556
- LACEY, I. N.**  
Phosphorus anti-wear additives in helicopter transmissions [IC-TS015/85] p 452 A86-22710
- LACHAUD, B.**  
Stress intensity factor in an integral or bonded stiffened panel using an analytical method [SNIAS-861-111-104] p 676 A86-28481  
Computation of the stress intensity factor in stiffened panels (built in or adhesive bonded stiffeners) [SNIAS-436.021/85] p 851 A86-32784
- LACKMAN, L. M.**  
XB-70 structures and materials advancements p 224 A86-22131
- LACOSS, R. T.**  
Distributed sensor networks [AD-A160596] p 332 A86-19196
- LACROIX, G. M.**  
Testing Canadian unique features of the CF-16 - The first year p 223 A86-21060
- LACY, J.**  
Developmental testing for composite frames p 163 A86-18403
- LADERMAN, A. J.**  
Laser beam duct pressure controller system [AD-D012017] p 525 A86-24964
- LADOUX, G.**  
Materials in thrust reversers p 373 A86-26332
- LAFON, P.**  
10 years of rotor flows studies at ONERA - State of the art and future studies [ONERA, TP NO. 1986-49] p 692 A86-46185
- LAFREY, R. R.**  
TCAS Experimental Unit (TEU) hardware description [FAA/PM-85/2] p 574 A86-27272
- LAGACE, P. A.**  
Buckling and final failure of graphite/PEEK stiffener sections [AIAA PAPER 86-0921] p 606 A86-36831
- LAGESSE, F. R.**  
Airborne reconnaissance VIII: Proceedings of the Meeting, San Diego, CA, August 21, 22, 1984 [SPIE-496] p 228 A86-19576
- LAGOSZ, M.**  
Influence of turbine-engine design on flight safety p 720 A86-43939
- LAGRAFF, J. E.**  
Unsteady heat transfer and direct comparison to steady-state measurements in a rotor-wake experiment [NASA-TM-87220] p 524 A86-24934
- LAGUTINA, G. E.**  
Environment protection in connection with air transportation p 124 A86-13467
- LAI, E.**  
Boundary-layer development on the afterbody of an engine nacelle p 82 A86-13532
- LAKIN, W. D.**  
A combined integrating and differentiating matrix formulation for boundary value problems on rectangular domains [NASA-CR-178074] p 406 A86-23350
- LAKSHMINARASIMHA, A. M.**  
Prediction of fouled compressor performance using stage stacking techniques p 643 A86-40732
- LAKSHMINARAYANA, B.**  
A comparison of computational methods for three-dimensional, turbulent turbomachinery flow fields [AIAA PAPER 86-1569] p 626 A86-42740
- LAKSHMI, A.**  
Delamination threshold and loading effect in fiber glass epoxy composite p 244 A86-20636
- LALLEMAND, C.**  
Shape optimization of axisymmetric structures p 458 A86-33453
- LALLEMAND, E.**  
Considerations on the influence of positioning on the quality of GP ILS information p 421 A86-31007
- LAMALLE, J.**  
Design of nonaxisymmetric structures (turbojet engine nacelle element) [SNIAS-852-430-119] p 248 A86-17498
- LAMAR, J. E.**  
Summary of a high subsonic force/pressure experiment for 58 deg cambered/twisted thick delta wings [AIAA PAPER 86-0169] p 200 A86-19730  
An attached flow design of a noninterfering leading-edge extension to a thick delta wing p 337 A86-28589  
In-flight flow visualization of F-106B leading-edge vortex using the vapor-screen technique [AIAA PAPER 86-9785] p 431 A86-32118  
Nonlinear lift control at high speed and high angle of attack using vortex flow technology p 478 A86-37050  
In-flight and wind tunnel leading-edge vortex study on the F-106B airplane p 557 A86-27198

**LAMAR, W. E.**

X-29 revives the experimental aircraft p 426 A86-31331

**LAMB, M.**

Integration effects of underwing forward- and rearward-mounted separate-flow, flow-through nacelles on a high-wing transport [NASA-TM-87627] p 342 N86-21514

**LAMBERT, M.**

One man and 3,000 million operations a second - Preparing for the LHX cockpit p 286 A86-24968  
What technologies await the future airliner? p 405 A86-31038  
Aerospatiale AS.350 B1 - The mountain squirrel p 427 A86-31345  
New interfaces in the cockpit p 427 A86-31348  
Can Europe meet the challenge of LHX? p 797 A86-48370

**LAMBERT, R. E.**

The basics of on-board simulation and embedded training [AIAA PAPER 86-0493] p 219 A86-19904

**LAMBOURION, J.**

Microphone probe tests in the S3CH wind tunnel for transonic propeller measurements in S1MA [ONERA-RT-19/3463-APP] p 841 N86-32451

**LAMKIN, S. L.**

Concepts for reduction of blade-vortex interaction noise [AIAA PAPER 86-1855] p 753 A86-45477

**LAMPARSKI, J.**

An analysis of the influence of the duration and sharpness of a symmetric manoeuvre on the load acting on the tail plane p 287 A86-25096

**LAMPER, R. E.**

An introduction to the theory of nonlinear vibrations of aircraft structures p 187 A86-18739  
Calculation of structural elements of aircraft: Sandwich plates and shells p 458 A86-33292

**LAMY, M. F.**

Air Force flight test instrumentation system p 102 A86-13202

AFTIS - What now? [AIAA PAPER 86-9799] p 439 A86-32128

**LAN, C. E.**

Calculation of asymmetric vortex separation on slender aircraft wings with a vortex-sheet model [AIAA PAPER 86-1836] p 546 A86-37846

Transonic airfoil analysis and design in nonuniform flow [NASA-CR-3991] p 480 N86-25328

Extensions of the concept of suction analogy to prediction of vortex lift effect p 556 N86-27193  
Theoretical prediction of wing rocking p 564 N86-27256

Wake shape and its effects on aerodynamic characteristics [NASA-CR-178118] p 631 N86-28918

Investigation of empennage buffeting [NASA-CR-177164] p 654 N86-28951

An investigation of empennage buffeting [NASA-CR-176973] p 726 N86-29864

**LAN, T.**

Development in PM HHDH-Ti6Al4V technology for aircraft application p 375 A86-27224

**LANCASTER, R.**

Evaluation of alternatives for an Army precision landing system [AD-A167780] p 789 N86-31554

**LANCASTER, R. A.**

Remote aircraft maintenance monitoring using telemetry p 347 A86-27813

**LANCIOTTI, A.**

Damage tolerance and durability in the design of a short-haul turboprop aircraft p 707 A86-43790

**LANCRAFT, R. E.**

A fault tolerant system for an integrated avionics sensor configuration [NASA-CR-3834] p 160 N86-15278

FINDS: A fault inferring nonlinear detection system programmers manual, version 3.0 [NASA-CR-177986] p 231 N86-16212

**LANDER, H. R., JR.**

The production of jet fuel from alternate sources [ASME PAPER 85-IGT-67] p 312 A86-23868

**LANDFIELD, J. P.**

Canard/tail comparison for an advanced variable-sweep-wing fighter p 637 A86-41688

**LANDGREBE, A. J.**

Overview of helicopter wake and airloads technology p 787 A86-48654  
Analysis of potential helicopter vibration reduction concepts p 178 N86-15302

**LANDMANN, A. E.**

Prediction of structure-borne noise, based on the finite element method [AIAA PAPER 86-1861] p 754 A86-45481

**LANDY, R. J.**

Development of HIDECA adaptive engine control systems [ASME PAPER 86-GT-252] p 818 A86-48278

**LANE, P. L.**

Comparison of corrosion behaviour of lithium-containing aluminium alloys and conventional aerospace alloys p 660 A86-40280

**LANEVILLE, A.**

Dynamic stall - The case of the vertical axis wind turbine p 746 A86-44150  
Experimental study of the effect of turbulence on dynamic stalling p 565 N86-27264

**LANG, J.**

Flight testing a transonic wing with maneuver flaps and a direct side force control system for CAS aircraft p 794 A86-47782

**LANG, J. D.**

Unsteady aerodynamics and dynamic aircraft maneuverability p 564 N86-27253

**LANG, R. H.**

A review of unconventional aircraft design concepts p 801 A86-48995

**LANGER, H.-J.**

Helicopter test installation RoTeSt in DNW - Application and results [DGLR PAPER 85-113] p 513 A86-35166

**LANGEREUX, P.**

Rafale will keep tricolor flying p 707 A86-44003

**LANGHOUT, G.**

Application of active noise reduction for hearing protection and speech intelligibility improvement [IZF-1985-7] p 266 N86-18131

**LANGSTON, C. W.**

Aeroelastic model helicopter rotor testing in the Langley TDT p 163 A86-18402

**LANGSTON, P. R.**

Design and use of Kevlar in aircraft structures [SAE PAPER 850893] p 583 A86-38520

**LAPATI, A. J.**

Development of a composite tail rotor blade for the MH-53E p 493 A86-35649

**LAPLACA, B. J.**

Precise control surface position measurements for hysteresis and twist testing p 795 A86-47789

**LAPORTE, C. Y.**

A graphic terminal for air traffic control of Canadian military airports p 703 A86-44399

**LAPPOS, N.**

The helicopter and the other VTOL designs - An interavia reader's manual p 287 A86-24989

**LAPPOS, N. D.**

Application of helicopter air-to-air combat test (AACT) data to current LHX concerns p 491 A86-35627

**LAPSHOV, V. F.**

Practical diagnostics of aircraft gas turbines p 502 A86-35472

Substantiation of regimes for accelerated equivalent tests of gas-turbine aeroengines p 644 A86-41549

**LARGENT, J. R.**

Principles of flight test [AIAA PAPER 86-9742] p 406 A86-32087

**LARKIN, T. R.**

Rotorcraft propulsion for year 2000 plus [AIAA PAPER 86-1543] p 646 A86-42702

**LAROCHE, P.**

Location of lightning strokes on aircraft in storm field with measured electrical, microphysical and dynamical properties p 783 A86-47299

**LARSEN, J. M.**

Cumulative-damage modeling of fatigue crack growth in turbine engine materials p 105 A86-13599

**LARSON, G. L.**

Eigenstructure synthesis of an oblique wing flight control system p 652 A86-42913

**LARSON, G. W.**

F-111 escape systems - Today's module technology p 217 A86-19311

**LARSON, R. R.**

Flight control system development and flight test experience with the F-111 mission adaptive wing aircraft [AIAA PAPER 86-2237] p 824 A86-47489

Flight control system development and flight test experience with the F-111 mission adaptive wing aircraft [NASA-TM-88265] p 714 N86-29813

**LARSON, T. J.**

A constant altitude flight survey method for mapping atmospheric ambient pressures and systematic radar errors p 360 A86-28507

**LARSSON, S.-E.**

The control and use of residual stresses in aircraft structural parts p 849 A86-49114

**LARUSSA, J.**

The wide field helmet mounted display p 589 N86-26322

**LASCHKA, B.**

Application of unsteady wing collocation methods to cascades in subsonic flow p 413 A86-33236  
Design of a supercritical airfoil p 771 A86-48982  
Application of unsteady wing collocation methods to cascades in subsonic flow p 696 N86-30636

**LASEK, A.**

Sampling of solid particles in clouds p 668 A86-40720

**LASSOW, E. S.**

Experimental study of ceramic-coated tip seals for turbojet engines p 121 A86-15227

**LASTER, M. L.**

Advances at AEDC in treating transonic wind tunnel wall interference p 839 A86-49058

**LASTOVETSKII, L. E.**

Calculation of the steady-state transverse vibrations of the system rotors-housing of a gas-turbine engine p 503 A86-36741

**LAUB, G. H.**

An experimental investigation of the parallel blade-vortex interaction p 276 A86-26106

Swashplate control system [NASA-CASE-ARC-11633-1] p 511 N86-24700

**LAUER, J. L.**

Emission FTIR analyses of thin microscopic patches of jet fuel residues deposited on heated metal surfaces [NASA-CR-176786] p 519 N86-25502

**LAUGHLIN, T. P.**

T56 derivative engine in the improved E-2C [ASME PAPER 85-GT-176] p 236 A86-22092

**LAURENSEN, R. M.**

Effects of structural nonlinearities on limit cycle response of aerodynamic surfaces [AIAA PAPER 86-0899] p 585 A86-38910

**LAUVER, P. E.**

Small propulsion engine LCC considerations p 267 A86-22399

**LAUX, P.**

ILS goal - Automatic landings, safety p 703 A86-46142

**LAVAL, P.**

Experimental and numerical study of the response of an axial compressor to distorted inlet flow [ONERA, TP NO. 1986-38] p 644 A86-40736

**LAVEDRINE, P.**

Systems safety: Phantom or reality [SNIAS-852-422-103] p 215 N86-17330

**LAVERS, B. F.**

Ageing aircraft as seen by an authority p 783 A86-47611

**LAW, G. E.**

The impact of accommodating defects on the efficiency of aircraft design [SAWE PAPER 1635] p 488 A86-35201

**LAW, P.**

Simulation of the enhanced traffic alert and collision avoidance system (TCAS 2) [NASA-CR-176328] p 93 N86-12216

**LAW, P. H.**

A study of a collision avoidance system mounted on a curved ground plane [NASA-CR-176771] p 485 N86-24677

**LAWING, P. L.**

Cryogenic wind tunnels for high Reynolds number testing [NASA-TM-87743] p 731 N86-29872

**LAWRENCE, C.**

Dynamic characteristics of an assembly of prop-fan blades [ASME PAPER 85-GT-134] p 441 A86-32956

**LAWRENCE, J. S.**

Preliminary airworthiness evaluation of the AH-1S (modernized cobra) with the Hellfire, TOW, and Stinger missiles installed [AD-A160862] p 294 N86-18322

**LAWRENCE, R. W.**

An airborne multiple-beam 1.4 GHz pushbroom microwave radiometer p 498 A86-33583

**LAWRY, D. I.**

Electromagnetic pulse test aircraft (EMPTAC) program p 335 A86-27145

**LAWSON, R.**

A speech processing system for an air traffic control radar simulator p 351 A86-28447

**LAWTON, H. M.**

A computerized automatic control system for structural testing p 192 A86-18438

**LAYTON, C.**

Ada for Simulators [SAE PAPER 851964] p 532 A86-36945

**LAYTON, D. M.**

Helicopter performance p 161 A86-16210

- Constant altitude helicopter flight testing  
[AIAA PAPER 86-9787] p 431 A86-32119  
Helicopter performance computer programs for HP-41  
hand-held computer  
[AD-A182794] p 358 N86-21539
- LAZAREFF, M.  
Modeling three-dimensional flows in terms of  
viscous-inviscid interaction by means of the MSZ  
method  
[ONERA, TP NO. 1986-29] p 692 A86-46171
- LAZAREV, A. M.  
Effect of different hydrogen-injection techniques on its  
burnup in a supersonic air flow p 664 A86-43420
- LAZARUS, K.  
Tip leakage reduction through tip injection in  
turbomachines  
[AIAA PAPER 86-1746] p 627 A86-42824
- LE BALLEUR, J. C.  
Viscous-inviscid interaction solvers and computation of  
highly separated flows  
[ONERA, TP NO. 1986-4] p 691 A86-46152  
Modeling three-dimensional flows in terms of  
viscous-inviscid interaction by means of the MSZ  
method  
[ONERA, TP NO. 1986-29] p 692 A86-46171
- LE BALLEUR, J. L.  
A viscous-inviscid interaction model for transonic  
unsteady flow  
[ONERA, TP NO. 1985-152] p 272 A86-24630
- LEADER, J. C.  
Speckle effects on coherent laser radar detection  
efficiency p 668 A86-40403
- LEAL, R. L.  
Sinusoidal disturbance rejection with application to  
helicopter flight data estimation p 747 A86-44505
- LEAN, D. E.  
A rapid method for estimating equivalent parabolic polars  
from wind-tunnel tests  
[AD-A159559] p 153 N86-15251
- LEARMOUNT, D.  
1985 - A turning point for safety? p 280 A86-25849  
ATRA42 - First of a family p 353 A86-28060  
Fokker 50 - Replacing a legend p 487 A86-34475
- LEATHERWOOD, J. D.  
Advanced turboprop aircraft noise annoyance - A review  
of recent NASA research  
[AIAA PAPER 86-1959] p 752 A86-45444
- LEBACQZ, J. V.  
Ground-simulation investigation of VTOL airworthiness  
criteria for terminal area operations p 90 A86-14237  
Flight investigation of a multivariable model-following  
control system for rotorcraft  
[AIAA PAPER 86-9779] p 443 A86-32114
- LEBEDEV, A. A.  
Statistical dynamics and control optimization of flight  
vehicles p 449 A86-33299
- LEBEDEVA, O. V.  
Acoustic characteristics of models of ejector  
suppressors of jet noise p 129 A86-13416
- LECCE, L.  
Control of interior noise in advanced turbopropeller  
aircraft p 802 A86-49100
- LECHNER, W.  
Algorithms for the automatic four-dimensional guidance  
of aircraft, taking into account the current wind situation  
[ESA-TT-908] p 352 N86-21531
- LECOMTE, P.  
The race for speed from the beginning of aviation to  
the present day p 761 A86-48960
- LECUYER, M. R.  
A model for correlating flat plate film cooling  
effectiveness for rows of round holes p 741 N86-29840
- LEDBETTER, G. E.  
The influence of advanced propulsion on short- to  
medium-range transport design p 95 A86-13264
- LEE, A. Y.  
Optimal landing of a helicopter in autorotation  
[AIAA PAPER 86-2287] p 793 A86-47705
- LEE, A. Y. N.  
Optimal landing of a helicopter in autorotation  
[NASA-CR-177082] p 714 N86-29809
- LEE, B. L.  
Effects of variations in crashworthiness criteria on  
Sikorsky S-75 ACAP landing gear weights p 492 A86-35638
- LEE, C. S.  
Influence of wing tip configuration on lateral blowing  
efficiency  
[AIAA PAPER 86-0475] p 206 A86-22702  
Flow structure of lateral wing-tip blowing  
[AIAA PAPER 86-1810] p 544 A86-37831
- LEE, C. Y.  
Wind shear induced by solitary waves in the lower  
atmosphere  
[IAF PAPER 85-410] p 125 A86-15886
- LEE, C.-M.  
Advanced rotary engine components utilizing fiber  
reinforced Mg castings  
[AIAA PAPER 86-1559] p 663 A86-42712
- LEE, D. J.  
An analysis of blade vortex interaction aerodynamics  
and acoustics  
[NASA-CR-177016] p 630 N86-28912
- LEE, E.  
A novel voice activated switch (VOX) for high noise  
environments p 348 A86-28335
- LEE, E. E., JRL  
Installation effects of long-duct pylon-mounted nacelles  
on a twin-jet transport model with swept supercritical  
wing  
[NASA-TP-2457] p 339 N86-20346
- LEE, G.  
Methodology for determination of circuit safety margins  
for MIL-E-6051 EMC system test p 381 A86-27151  
A tomographic technique for aerodynamics at transonic  
speeds  
[NASA-TM-86766] p 89 N86-13297
- LEE, H. C.  
Helicopter rotor and engine sizing for preliminary  
performance estimation  
[AIAA PAPER 86-1756] p 638 A86-42829
- LEE, I. G.  
Investigation of empennage buffeting  
[NASA-CR-177184] p 654 N86-28951  
An investigation of empennage buffeting  
[NASA-CR-178973] p 726 N86-29864
- LEE, J. D.  
Engine simulator techniques for scaled test cell  
studies  
[AIAA PAPER 85-1282] p 112 A86-14480  
Airfoil aerodynamics in icing conditions p 204 A86-20184  
The aerodynamics of rotor blades with ice shapes  
accreted in hover and in level flight p 476 A86-35655  
The performance characteristics of simulated ice on  
rotorcraft airfoils p 482 A86-35656  
Wind tunnel tests of rotor blade sections with replications  
of ice formations accreted in hover  
[NASA-CR-175089] p 420 N86-22558  
Documentation of ice shapes accreted on the main rotor  
of a UH-1H helicopter in level flight  
[NASA-CR-175088] p 420 N86-22559
- LEE, L. D.  
Statistical analysis of direct-strike lightning data (1980  
to 1982)  
[NASA-TP-2252] p 463 N86-24090
- LEE, P. K.  
Space-based bistatic radar - Opportunity for future  
tactical air surveillance p 423 A86-32627
- LEE, S. H.  
Progress in the development of parabolized  
Navier-Stokes (PNS) methodology for analyzing propulsive  
jet mixing problems  
[AIAA PAPER 86-1115] p 551 A86-38473
- LEE, T. S.  
Optical detection methods for testing of fuel tank  
lightning ignition hazards p 791 A86-47309  
Ring discharge on the backsurface of a composite skin  
with ohmic anisotropy in response to frontal high current  
injection p 845 A86-47329
- LEE, T.-C.  
Method of spare parts - Digital simulation of aircraft  
turbine engine control system  
[ASME PAPER 85-IGT-82] p 301 A86-23858  
Optimal control change of state of aircraft turbine  
engine  
[ASME PAPER 85-IGT-53] p 301 A86-23859
- LEE, Y. L.  
Wind shear induced by solitary waves in the lower  
atmosphere  
[IAF PAPER 85-410] p 125 A86-15886
- LEE, Y.-J.  
The dynamic instability of plate structures p 605 A86-37348
- LEESE, G. E.  
Multiaxial and thermomechanical fatigue considerations  
in damage tolerant design p 526 N86-25375
- LEFAS, C. C.  
Using roll-angle measurements to track aircraft  
maneuvers p 92 A86-12677
- LEFEBVRE, A. H.  
Fuel effects on aircraft combustor emissions  
[ASME PAPER 86-GT-212] p 815 A86-48252
- LEFFEL, K. L.  
A numerical and experimental investigation of  
electrochemical aircraft deicing  
[NASA-CR-175024] p 344 N86-20380
- LEFLOCH, C.  
Description of a nondestructive facility using holographic  
interferometry  
[SNIAS-852-430-105] p 258 N86-17726
- Holography: The nondestructive testing of composite  
structures p 458 N86-22611
- LEGENORE, R.  
Noise generated by a stretching vortex p 193 A86-18689  
Helicopter noise p 560 N86-27223
- LEHMANN, L. L.  
A parallel quasi-linearization algorithm for air vehicle  
trajectory optimization  
[AIAA PAPER 85-0498] p 243 A86-20244  
RT-BUILD - Automatic generation of Ada code for flight  
control applications  
[AIAA PAPER 86-2088] p 852 A86-47439
- LEHMANN, G.  
The effect of higher harmonic control (HHC) on a  
four-bladed hingeless model rotor p 99 A86-18124
- LEHTINEN, B.  
Control technology for future aircraft propulsion  
systems  
[PAPER-14] p 506 N86-25356
- LEICHER, S.  
A comparison of solutions of the complete potential  
equation and the Euler equations for the transonic flow  
around the DFVLR-F4-wing  
[DGLR PAPER 85-121] p 475 A86-35171  
Remarks on the development of a multiblock  
three-dimensional Euler code for out of core and  
multiprocessor calculations p 748 A86-48791  
Procedure for solution of the full potential equation at  
Dornier GmbH p 150 N86-14249
- LEIDEN, B. J.  
Too little time - Too little money  
[SAE PAPER 851904] p 532 A86-36943
- LEIKER, L. A.  
Evaluation of formats for aircraft control/display units p 438 A86-29864
- LEISER, D. B.  
Characterization of the thermal conductivity for fibrous  
refractory composite insulations p 118 A86-15220
- LEISS, U.  
A consistent mathematical model to simulate steady and  
unsteady rotor-blade aerodynamics p 276 A86-26108  
Semi-empirical simulation of steady and unsteady rotor  
blade aerodynamic loading p 336 A86-27656  
Analytic representation of steady and unsteady  
aerodynamic coefficients of modern helicopter rotors  
[DGLR PAPER 85-114] p 474 A86-35187
- LEKAREV, A. V.  
Method of calculating angular dimensions of flight  
vehicle cockpit canopy casings p 191 N86-15886
- LEKOUDIS, S. G.  
Computation of rotor blade flows using the Euler  
equations  
[AIAA PAPER 85-5010] p 84 A86-14455  
The prediction of flow around blade tips p 337 A86-27668  
Solution of the unsteady Euler equations for fixed and  
rotor wing configurations p 410 A86-32779  
Computation of rotor blade flows using the Euler  
equations p 688 A86-44891
- LEMKKE, S. J.  
A comparative evaluation of the reliability improvement  
in line replaceable units warranted under the F-16 reliability  
improvement warranty  
[AD-A180830] p 321 N86-18630
- LEMMIN, J.  
An approach to an integrated control system for a  
modern fighter aircraft engine  
[ASME PAPER 86-GT-277] p 816 A86-48296
- LEMPRIERE, B. M.  
Application of medical computed tomography (CT)  
scanners to advanced aerospace composites p 670 A86-41631
- LEN, A. D.  
A loss of dynamic stability of the torsional vibrations of  
blades due to cascade flutter p 364 A86-27543
- LENKE, L. R.  
Rubber removal specification development  
[FAA/PM-85/33] p 371 N86-21555  
Runway rubber removal specification development  
[DOT/FAA/PN-85/33] p 372 N86-21556  
Runway rubber removal specification development:  
Field evaluation results and data analysis  
[FAA/PM-85/32] p 448 N86-23607
- LENOROVITZ, J. M.  
Airbus Industrie stresses technology, availability of  
A320 p 98 A86-16000
- LENZ, R. W.  
From mainframe to micro - Structures and flutter testing  
at the Air Force Flight Test Center p 838 A86-47791
- LEONARD, R. S.  
Very large stationary aerial platforms p 218 A86-19573

## LEONG, G.

Development and validation of the crew-station system-integration research facility [NASA-TM-86841] p 622 N86-28051

## LEONG, P. J.

Efficiently meeting electric power needs for future aircraft p 319 A86-24829

## LEONTEV, A. I.

Critical permeability parameter in supersonic gradient flow p 146 A86-19148

## LEONTEV, R. G.

Air traffic prediction and optimal control of air transportation system p 90 A86-13452

## LEPICOVSKY, J.

Coherent large-scale structures in high Reynolds number supersonic jet of Mach number 1.4 [AIAA PAPER 86-1941] p 691 A86-45428

## LEPILKIN, A. M.

Vortex conception of rotor and mutual effect of screw/propellers [NASA-TM-77979] p 342 N86-21510

## LERNER, E.

The application of practical optimization techniques in the preliminary structural design of a forward-swept wing p 433 A86-33256

The application of practical optimization techniques in the preliminary structural design of a forward-swept wing p 715 N86-30654

## LERNER, E. J.

A self-repairing aircraft? p 110 A86-14243  
Talking to your aircraft p 239 A86-21900  
Protecting electronics against lightning gets harder p 633 A86-41034  
Taming the killer wind shear p 678 A86-41035  
More accurate simulations of whole aircraft p 691 A86-45702

## LESIEUTRE, D. J.

Unsteady forces on counter-rotating propeller blades [AIAA PAPER 86-1804] p 590 A86-37827  
Prediction of the aerodynamic characteristics of flight vehicles in large unsteady maneuvers p 834 A86-49048

## LESLIE, F.

Measurements of rotating bubble shapes in low-gravity environment p 251 A86-21996

## LESNIEWSKI, W.

Comparative analysis of two methods for evaluating the loads acting on the tail plane during a symmetric manoeuvre p 287 A86-25095

## LESTER, H. C.

Active control of propeller induced noise fields inside a flexible cylinder [AIAA PAPER 86-1957] p 711 A86-45442

## LESTER, P. F.

An extreme clear air turbulence incidence associated with a strong downslope windstorm [AIAA PAPER 86-0329] p 259 A86-19816

## LEBUEUR, F.

Life cycle cost and availability in military aeronautics p 266 A86-21872

## LEUNG, J. G. M.

Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics p 353 A86-27861

Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics in cruising flight p 713 A86-46461

## LEVANDUSKI, D. A.

Analysis of helicopter noise data using international helicopter noise certification procedures [PB86-186533] p 620 N86-27972

## LEVERSUCH, N. P.

The design, performance and analysis of a high work capacity transonic turbine [ASME PAPER 85-GT-15] p 105 A86-13058

## LEVESON, L. F.

Language problems in air traffic control p 635 A86-40570

## LEVESQUE, J.

Evaluation of the Ciba-Geigy R6376 IM6 prepreg [DGT-26.649] p 248 N86-17485

## LEVIN, D.

Improved drag element for wind tunnel sting balances p 112 A86-14532

## LEVIN, M. A.

Enhanced mission versatility of the Aquila RPV system p 575 A86-37338

## LEVINE, L. S.

Assessment of rotorcraft agility and maneuverability with a pilot-in-the-loop simulation p 510 A86-35623

## LEVINE, M. E.

How is airline deregulation working? p 194 A86-18537

## LEVINGE, R. W.

Flutter generator control and force computer [AEL-0242-TM] p 178 N86-15318

## LEVISON, W. H.

Application of the Optimal Control Model to the design of flight simulation experiments [SAE PAPER 851903] p 532 A86-36942

## LEVY, R.

A three-dimensional viscous flow analysis for the helicopter tip vortex generation process about square and round tipped blades [AIAA PAPER 86-0560] p 203 A86-19949

## LEWERENZ, W. T.

UHB technology flight validation program [AIAA PAPER 86-1473] p 656 A86-42661

## LEWICKI, D. G.

Fatigue life analysis of a turboprop reduction gearbox [ASME PAPER 85-DET-10] p 738 A86-45256

## LEWIS, C. M.

Pilot interaction with automated airborne decision making systems [NASA-CR-177002] p 679 N86-29508

## LEWIS, D. J.

Properties of aircraft fuels and related materials [AD-A164532] p 604 N86-27461

## LEWIS, E. A.

Comparison of calculated and measured height profiles of transverse electric VLF signals across the daytime earth-ionosphere waveguide p 250 A86-21513

## LEWIS, G.

The CA-810 - A modern tri-lens camera p 228 A86-19577

## LEWIS, G. J.

The electrodynamic operation of electro-impulse deicing systems [AIAA PAPER 86-0547] p 220 A86-19941

## LEWIS, J. W., JR.

Damage tolerance analysis of the H-53 helicopter p 166 A86-18449

## LEWIS, M. C.

The status of two-dimensional testing at high transonic speeds in the University of Southampton transonic self-streamlining wind tunnel [NASA-CR-3919] p 86 N86-12203

## LEWIS, R. B., II

Army VTOL research and development - The first century p 75 A86-16096  
Going where no man has gone before p 762 A86-49443

## LEWIS, R. E.

The need for rapidly solidified powder metallurgy aluminum alloys for aerospace applications p 732 A86-46827

## LEWSEN, R.

Evaluation of alternatives for an Army precision landing system [AD-A167780] p 789 N86-31554

## LEWY, S.

Prediction of single-rotation prop-fan noise by a frequency domain scheme [ONERA, TP NO. 1986-100] p 818 A86-49125

## LEYLAND, J. A.

High-speed, automatic controller design considerations for integrating array processor, multi-microprocessor, and host computer system architectures p 531 A86-35409

## LI, C. C.

Monopole element at the center of a circular groundplane of arbitrary radius. Volume 1: Theory and results [AD-A166991] p 744 N86-30908

## LI, F.

Optical technique to study the impact of heavy rain on aircraft performance [NASA-CR-177989] p 123 N86-12580

## LI, S.

Buckling and initial post buckling analysis of composite panels under axial compression p 735 A86-43496

## LI, W.

An experimental investigation of response of a turbojet engine to inlet distortion [ASME PAPER 85-IGT-12] p 301 A86-23832

Experimental investigation on frequency response of a turbojet engine to turbulence-type dynamic distortion p 440 A86-30740

Six-force-factor identification of helicopters p 586 A86-39763

Optimization of stiffened panels under compression p 739 A86-45762

## LI, X.

Aerospace knowledge magazine (selected articles) [AD-A164720] p 539 N86-26278

## LI, Z.

Recursive instrumental variable algorithms for modal parameter estimation of structural system p 263 A86-22306

Vibration test and identification of modal parameter of aircraft wing model p 605 A86-37406

An inertial navigation system with single-axis stabilization p 702 A86-43484

## LIAPUNOV, S. V.

Acceleration of the convergence of methods for calculating two- and three-dimensional transonic flow past bodies in an unbounded stream p 769 A86-48609

## LIARD, B.

What is the choice for primary aircraft structures - Composite or aluminum materials? p 516 A86-36750

## LIBRESCU, L.

An exact formulation of the unsteady aerodynamic theory of lifting surfaces undergoing arbitrary small motions in a supersonic flow field p 413 A86-33235

Weight minimization of orthotropic flat panels subjected to a flutter speed constraint p 671 A86-41715

A general formulation for the aeroelastic divergence of composite sweptforward wing structures p 802 A86-49095

An exact formulation of the unsteady aerodynamic theory of lifting surfaces undergoing arbitrary small motions in a supersonic flow field p 696 A86-30634

Recent results on the weight minimization of panels with a flutter speed constraint p 715 N86-30660

## LICHTENSTEIN, T.

Development and validation of the crew-station system-integration research facility [NASA-TM-86841] p 622 N86-28051

## LIDEN, S.

Practical considerations in optimal flight management computations p 481 A86-35367

Practical considerations in optimal flight management computations p 713 A86-46458

## LIEBECK, R. H.

Airfoil design at low Reynolds number with constrained pitching moment p 136 A86-16304

## LIEBERT, C. H.

High-temperature thermocouple and heat flux gauge using a unique thin film hardware hot junction [ASME PAPER 85-GT-18] p 117 A86-13059

## LIEBST, B. S.

Design of an active flutter suppression system p 239 A86-20236

Application of eigenspace techniques to design of aircraft control systems p 508 A86-35360

Design of a multivariable flutter control/gust load alleviation system [AIAA PAPER 86-2247] p 825 A86-47494

## LIESNER, CH.

Titanium investment casting - Production, properties and applications p 382 A86-27204

## LIFFRING, M. E.

Development of autonomous power system testbed p 311 A86-24841

## LIFSHTS, I. B.

Symmetric transonic flow past wings of large aspect ratios p 78 A86-13352

## LIGHT, A. E.

The evolution of reciprocating engines at Lycoming p 267 A86-22135

## LIGHT, J. S.

Rotor tip vortex geometry measurements using the wide-field shadowgraph technique [AIAA PAPER 86-1780] p 778 A86-49580

Rotor/wing aerodynamic interactions in hover [NASA-TM-88255] p 629 N86-28060

## LIGHTFOOT, W. E.

Advanced concepts in small helicopter engine air-cooled turbine design p 819 A86-50075

## LIJEWSKI, L. E.

Transonic flow solutions on a blunt, finned body of revolution using the Euler equations [AIAA PAPER 86-1082] p 549 A86-38445

## LIJOWSKI, M.

Simulation of the algorithms of a navigation computer p 748 A86-46369

## LILJEMARK, A.

SHARP (Stationary High Altitude Relay Platform) Telecommunications missions and systems p 519 A86-33943

## LILLEY, D. G.

Multipass flow visualization of lateral jet injection into a swirling cross flow p 85 A86-14561

## LIM, J. S.

A new application of adaptive noise cancellation p 262 A86-28266

## LIM, J. W.

Optimal design of composite power transmission shafting p 353 A86-27654

Optimal sizing of composite power transmission shafting p 454 A86-30500

## LIM, W.

A FORTRAN algorithm for terrain perspective and plan view display p 398 A86-28421

## LIMONAD, I. G.

Certain characteristics of parachute-wing aerodynamics p 80 A86-13389

- LIN, C.-F.  
Coordinated bank-to-turn autopilot design  
p 509 A86-35384
- LIN, F.  
Some aspects of the reliability analysis of aircraft structures  
p 849 A86-49127
- LIN, H.-J.  
The dynamic instability of plate structures  
p 805 A86-37348
- LIN, M. C.  
Analysis of data from NASA B-57B gust gradient program [NASA-CR-178736]  
p 446 N86-23904
- LIN, S.-J.  
A three-dimensional viscous flow analysis for the helicopter tip vortex generation process about square and round tipped blades [AIAA PAPER 86-0560]  
p 203 A86-19849
- LINASK, I.  
Life prediction and constitutive models for engine hot section anisotropic materials program [NASA-CR-174952]  
p 526 N86-25003
- LINCOLN, J. W.  
Damage tolerance - USAF experience  
p 736 A86-43784
- LINDAHL, J.  
Development of hardware for X-29A flight control system  
p 366 A86-28379
- LINDE, M.  
Measurement of noise from airplanes traveling at heights 3500 to 6000m [FFA-TI-AU-2166]  
p 401 N86-22312
- LINDEGREN, J.  
JTIDS RELNAV performance evaluation  
p 350 A86-28369
- LINDEN, A. W.  
X-wing potential for Navy applications  
p 492 A86-35631  
X-wing - A low disc-loading V/STOL for the Navy [SAE PAPER 851772]  
p 578 A86-38307
- LINDEN, P. F.  
Microbursts - A hazard for aircraft  
p 124 A86-14816
- LING, B.  
Airfoil design at sonic velocity  
p 411 A86-32989
- LING, G.  
Acta Aerodynamica Sinica (selected articles) [AD-A162993]  
p 417 N86-23575
- LING, Z. G.  
Particle trajectories in full 3D flow field of turbomachinery  
p 699 A86-40734
- LINK, C.  
Radiometric characterization methods for infrared Countermeasures Systems  
p 103 A86-15314
- LINNER, L. J.  
Straining for weight savings in advanced composites [SAWE PAPER 1685]  
p 516 A86-35226
- LINSE, D. J.  
Preliminary control law and hardware designs for a ride quality augmentation system for commuter aircraft. Phase 2 [NASA-CR-4014]  
p 836 N86-32440
- LINTERN, G.  
Simulator design features for helicopter landing on small ships  
p 308 A86-23750
- LIPERA, L. D.  
The performance evaluation of a jet flap on an advanced supersonic harrier [NASA-CR-179653]  
p 716 N86-30722
- LIPIN, E. K.  
Panel design for optimum strength and stability with allowance for the nonuniformity of heating  
p 119 A86-13357  
Method for determining the efficiency of utilization of the material in a thin-wall aircraft structure according to the strength conditions  
p 847 A86-48776
- LIPKE, D. W.  
A satellite system for aeronautical data communications [AIAA PAPER 86-0802]  
p 351 A86-29578
- LIPPAY, A. L.  
Helicopter flight control with one hand  
p 529 A86-34923
- LIPSUS, H. C.  
Structural evaluation of superplastic aluminum. Part 1. Mechanical, corrosion, metallurgical data [AD-A161366]  
p 379 N86-21662
- LISEITSEV, N. K.  
Characteristics of the design of VTOL jet aircraft  
p 162 A86-17800
- LISSARAGUE, P.  
The race for speed from the beginning of aviation to the present day  
p 761 A86-48980
- LITCHFIELD, M. R.  
The design, performance and analysis of a high work capacity transonic turbine [ASME PAPER 85-GT-15]  
p 105 A86-13058
- LITTLE, D.  
Overview  
p 659 A86-40252
- LITTLE, J. K.  
Ribbon-burner simulation of T-700 turbine shroud for ceramic-lined seals research  
p 106 A86-15225
- LITTLE, W. L.  
Emergency underwater escape from helicopters  
p 784 A86-47745
- LITVIN, F. L.  
Generation of spiral bevel gears with zero kinematical errors and computer aided tooth contact analysis [NASA-TM-87273]  
p 527 N86-25793
- LIU, B.  
Design features of automatic control system of D-4 RPV  
p 593 A86-37407
- LIU, C. H.  
Implicit, vectorizable schemes for the flux-difference split, three-dimensional Navier-Stokes equations  
p 523 A86-37087  
Motion and interaction of decaying trailing vortices in spanwise shear wind [NASA-TP-2599]  
p 687 N86-29782
- LIU, C.-H.  
Implicit hybrid schemes for the flux-difference split, three-dimensional Navier-Stokes equations  
p 850 A86-50258
- LIU, D.  
Life prediction for the main shaft of aircraft turbine engine [ASME PAPER 85-IGT-136]  
p 303 A86-23928
- LIU, D. D.  
Transonic Equivalent Strip method for aeroelastic applications  
p 412 A86-33228  
Oscillating wings and bodies with flexure in supersonic flow Applications of harmonic potential panel method  
p 776 A86-49108  
Transonic equivalent strip method for aeroelastic applications  
p 695 N86-30628
- LIU, F.  
Fabrication of ceramic components for advanced gas turbine engines [SAE PAPER 851786]  
p 606 A86-38310
- LIU, H.  
Dilute gas-particle flow in a centrifugal compressor impeller  
p 698 A86-40733
- LIU, H.-T.  
An environmental aerodynamic test system for low-Reynolds-number applications  
p 138 A86-16315
- LIU, Q.  
Calculation of the load distribution, aerodynamic derivatives and dynamic characteristics of quasi-static elastic aircraft  
p 413 A86-33240  
Calculation of the load distribution, aerodynamic derivatives and dynamic characteristics of quasi-static elastic aircraft  
p 696 N86-30640
- LIU, S.  
Experimental investigation on frequency response of a turbojet engine to turbulence-type dynamic distortion  
p 440 A86-30740
- LIU, S.-L.  
Numerical modeling of transonic flows over airfoils and cascades  
p 414 A86-33409
- LIU, W.  
Experimental transonic pressure distributions of a flexible wing-aileron model and comparisons with results of several theoretical methods  
p 432 A86-33239  
Experimental transonic pressure distributions of a flexible wing-aileron model and comparisons with results of several theoretical methods  
p 698 N86-30639
- LIU, X.  
Recursive instrumental variable algorithms for modal parameter estimation of structural system  
p 263 A86-22306
- LIU, X.-S.  
Finite element analysis and optimum design of semi-monocoque airframe structures. I - Finite element analysis  
p 847 A86-48666
- LIU, Y.  
Aircraft maintenance in China - Approaches to modernization  
p 760 A86-47615
- LIUBIMOV, A. N.  
Method for calculating subsonic ideal-gas flow past an aircraft  
p 768 A86-48807
- LIZZA, C. S.  
Path-finder - An heuristic approach to aircraft routing  
p 368 A86-28499
- LIZZA, G.  
Path-finder - An heuristic approach to aircraft routing  
p 368 A86-28499
- LLEWELYN-DAVIES, D. I. T. P.  
The experimental determination of the subsonic aerodynamic characteristics of an Ogive-Cylinder body including a comparison with theoretical estimates, volume 1 [CAR-8509]  
p 151 N86-15242
- LLOYD, D. J.  
Textures developed in Al-Li-Cu-Mg alloy  
p 660 A86-40291  
Deformation and fracture in Al-Li base alloys  
p 661 A86-40312
- LLOYD, R. M.  
Galley and overhead compartment experiment results: Full-scale transport controlled impact demonstration [DOT/FAA/CT-85/33]  
p 343 N86-20378
- LO, C. H.  
Experiments on supersonic turbulent flow development in a square duct [AIAA PAPER 86-1036]  
p 548 A86-38412
- LOC, T. P.  
A parallel processing method for solving the unsteady Navier-Stokes equations at high Reynolds numbers  
p 847 A86-48647
- LOCHBAUM, J.  
Impact of Reliability/Maintainability (R/M) on logistics costs for USAF aircraft [AD-A162204]  
p 470 N86-24579
- LOCK, R. C.  
Prediction of the drag of wings at subsonic speeds by viscous/inviscid interaction techniques  
p 156 N86-15274
- LOCK, W. P.  
Flight test of a resident backup software system [NASA-TM-86807]  
p 307 N86-19325  
Experience with synchronous and asynchronous digital control systems [NASA-TM-86271]  
p 726 N86-29866
- LOCKE, M.  
International Civil Aviation Organization Helicopter Noise Measurement Repeatability Program: US test report, Bell 206L-1, noise measurement flight test [AD-A159998]  
p 333 N86-20090
- LOCKETT, C. B.  
The anatomy of sea SKAD (Survival Kit Air Droppable) - A Canadian Forces/Industry development program  
p 213 A86-19335
- LOEVE, W.  
Computer Aided Design (CAD) at the National Aerospace Laboratory (Netherlands) with the accent on aircraft flight control systems [NLR-MP-84032-U]  
p 264 N86-18030  
An infrastructure for information processing for computer aided design [NLR-MP-85038-U]  
p 854 N86-33054
- LOGAN, A. H.  
The Hughes integrated approach to helicopter crashworthiness Past, present, and future  
p 494 A86-35663
- LOGAN, M. J.  
The development of an advanced weight estimation technique for aircraft conceptual design [SAWE PAPER 1645]  
p 531 A86-35204
- LOGVIN, A. I.  
Noise immunity of signals with: minimum FSK  
p 383 A86-27492
- LOGVINOVICH, G. V.  
Free-surface flows  
p 458 A86-33293
- LOKAI, V. I.  
Heat transfer in cooled parts of aircraft gas-turbine engines  
p 174 A86-18745  
Generalization of experimental data on the internal hydraulic resistance of laminated porous materials  
p 650 A86-43363
- LOMBARDI, G.  
Evaluation of pressure distributions on an aircraft by two different panel methods and comparison with experimental measurements  
p 774 A86-49044
- LOMELINO, D.  
Error propagation in a digital avionic processor: A simulation-based study [NASA-CR-176501]  
p 232 N86-17351
- LONG, D. W.  
Evolution of the seawater activated release system (SEAWARS)  
p 784 A86-47756
- LONG, L. N.  
An Euler aerodynamic method for leading-edge vortex flow simulation  
p 558 N86-27203
- LONG, M.  
New levels of realism achieved in visuals for flight simulation  
p 739 A86-48148
- LONGWORTH, J. D.  
Investigations for improving operational reliability and maintainability of ILS components. Volume 2: Figures and illustrations [FAA/PM-86/7.11-VOL-2]  
p 636 N86-26932  
Investigations for improving operational reliability and maintainability of instrument landing system components. Volume 1: Text and appendices [DOT/FAA/PM-86/7.1-VOL-1]  
p 704 N86-29801
- LOOMIS, P. V. W.  
Civil helicopter flight operations using differential GPS  
p 346 A86-26509

- LOOZE, D. P.**  
Detection and isolation of control surface effectiveness failures in high performance aircraft p 367 A86-28392  
An automatic redesign approach for restructurable control systems p 388 A86-28394  
Design issues for fault tolerant-restructurable aircraft control p 652 A86-42937  
Simulation results of automatic restructurable flight control system concepts [AIAA PAPER 86-2032] p 821 A86-47422  
Initial design and evaluation of automatic restructurable flight control system concepts [NASA-CR-178064] p 852 N86-28090
- LOPANITSYN, E. A.**  
Applying I. G. Bubnov's method to the solution of the natural vibration problem for a conical sandwich panel p 384 A86-28315
- LOPEZ, J.**  
Digital servocontroller system. Volume 4. Results and conclusions [AD-A159068] p 111 N86-13335  
Digital servocontroller system. Volume 1: Operations manual [AD-A158392] p 192 N86-14960  
Digital servocontroller system. Volume 2. Maintenance manual [AD-A159066] p 179 N86-15322
- LORBER, P. F.**  
An experimental study of the aerodynamics of incipient torsional stall flutter [AIAA PAPER 86-0901] p 553 A86-38912
- LORD, R. J.**  
Reliable nondestructive testing - The key to using weldments in critical fighter aircraft structure p 380 A86-26544
- LORD, W. K.**  
VSAERO analysis of a wing/pylon/nacelle configuration [AIAA PAPER 86-1523] p 625 A86-42689
- LORGE, F.**  
Loran C 1984 spring-summer stability [AD-A167867] p 789 N86-31555
- LOROESCH, H. K.**  
Effects of unfavorable environmental conditions on the service life of jet engine and helicopter bearings p 677 N86-29238
- LOSCOS, J.-M.**  
Interference with aeronautical aids to navigation (frequencies of 108-118 MHz) by high power FM radio broadcasts (88-108 MHz) p 160 A86-18696
- LOTH, E.**  
A numerical solution of the downwash associated with a blown-flap system [AIAA PAPER 86-0473] p 202 A86-19892
- LOTTATI, I.**  
Flutter and divergence aeroelastic characteristics for composite forward swept cantilevered wing p 97 A86-14536  
Nonplanar, subsonic, three-dimensional oscillatory piecewise continuous kernel function method p 162 A86-17779  
The role of structural and aerodynamic damping on the aeroelastic behavior of wings p 708 A86-44894
- LOUIS, J. F.**  
Axial flow contra-rotating turbines [ASME PAPER 85-GT-218] p 236 A86-22116
- LOURENCO, L. M. M.**  
The development of laser speckle velocimetry for the measurement of vortical flow fields [AIAA PAPER 86-0768] p 523 A86-37091
- LOUTON, S. E.**  
Simulation support software in a real-time environment at the U.S. Air Force Flight Test Center p 617 A86-37180
- LOUWAARD, E. P.**  
Damage tolerance test program of the Fokker 100 p 706 A86-43786
- LOVELL, W. A.**  
Effect of emerging technology on a convertible, business/interceptor, supersonic-cruise jet [NASA-CR-178097] p 587 N86-27278
- LOVERING, P. B.**  
The HUD as a primary flight instrument [SAE PAPER 841463] p 298 A86-26006
- LOW, M. C.**  
Fracture diagrams for stiffened aircraft structures - Effects of material non-linearity p 737 A86-43794
- LOW, T. P.**  
Physical distribution system for aircraft external fuel tanks-survey [AD-A158275] p 101 N86-13324
- LOWE, W. W.**  
AY-8B high angle of attack/spin program p 710 A86-44943

- LOWREY, A. R.**  
Application of medical computed tomography (CT) scanners to advanced aerospace composites p 870 A86-41631
- LOWRY, D.**  
Advanced technology helicopter landing gear preliminary design investigation [AD-A162097] p 437 N86-23594
- LOWRY, D. J.**  
A modeling structure for computer aided design p 397 A86-28403
- LOZITSKII, L. P.**  
Practical diagnostics of aircraft gas turbines p 502 A86-35472  
Substantiation of regimes for accelerated equivalent tests of gas-turbine aeroengines p 644 A86-41549
- LU, C.**  
Development in PM HHDH-Ti6Al4V technology for aircraft application p 375 A86-27224
- LU, Q.-X.**  
A survey of accelerated vibratory fatigue test method of aero-engine compressor blade [ASME PAPER 85-IGT-105] p 317 A86-23904
- LU, T.**  
Motion and interaction of decaying trailing vortices in spanwise shear wind [NASA-TP-2599] p 687 N86-29762
- LU, X.-R.**  
A fast shape descriptor p 748 A86-46377
- LUBRINA, P.**  
The methods implemented at ONERA to improve airplane ground vibration tests [ONERA, TP NO. 1986-8] p 713 A86-46153
- LUCCHESE, M.**  
Evaluation of pressure distributions on an aircraft by two different panel methods and comparison with experimental measurements p 774 A86-49044
- LUCCHI, C. W.**  
Trailing edge flow with transonic profiles p 149 N86-14240  
A procedure for solution of full potential equations with correction of the trailing edge condition p 150 N86-14246
- LUCHNIKOV, V. G.**  
Environment protection in connection with air transportation p 124 A86-13467
- LUCKNER, R.**  
Flight mechanics contributions to the time-based trajectory control in the aircraft longitudinal plane p 348 A86-27852
- LUCKRING, J. M.**  
Recent extensions to the free-vortex-sheet theory for expanded convergence capability p 556 N86-27194
- LUDTKE, W. P.**  
Alternate altitude testing of solid cloth parachute systems [AD-A157068] p 150 N86-14251
- LUDVIGSON, M. T.**  
High speed bus for Pave Pillar applications p 385 A86-28343
- LUERS, J. K.**  
Performance of an alpha-vane and pitot tube in simulated heavy rain environment [NASA-CR-176353] p 103 N86-12220
- LUETJERING, G.**  
Titanium: Science and technology; Proceedings of the Fifth International Conference on Titanium, Munich, West Germany, September 10-14, 1984. Volumes 1-4 p 374 A86-27201
- LUI-KWAN, G.**  
Instrumentation system for real time navigation system performance assessment [AIAA PAPER 86-9731] p 422 A86-32078
- LUKAS, J.**  
Methods for determining the weight and the center of gravity of aircraft - The platform balance of the Aeronautical Research and Test Institute p 286 A86-23768
- LUND, T. S.**  
Analysis of interacting dual lifting ejector systems [AIAA PAPER 86-0478] p 233 A86-19895
- LUNEV, A. A.**  
The adjustment of a turbojet engine compressor by the rotation of the guide vanes with the objective of reducing fuel consumption during throttle operation p 816 A86-48757
- LUNN, K.**  
HC-Mk1 (Chinook) heated rotor blade icing test. I - Test vehicle, test site, approach and summary of testing p 293 A86-26167
- LUO, A.**  
Fatigue life prediction under complex load using local strain approach and relative Miner's rule p 249 A86-20173

- LUO, S.**  
Calculation of external and internal transonic flow field of a three-dimensional shielded S-shaped inlet p 205 A86-22303
- LUPINETTI, F.**  
A high bandwidth signal distribution system for aircraft Stores Management Systems (SMS) p 231 A86-20505
- LUTHRA, K. L.**  
Role of dispersed oxides in reducing substrate/coating interdiffusion p 183 A86-17499
- LUTTGES, M.**  
Comparisons in three-dimensionality in the unsteady flows elicited by straight and swept wings [AIAA PAPER 86-2280] p 764 A86-47698
- LUTTGES, M. W.**  
Vortices produced by air pulse injection from the surface of an oscillating airfoil [AIAA PAPER 86-0118] p 199 A86-19899  
Three-dimensional unsteady flow fields elicited by a pitching forward swept wing [AIAA PAPER 86-1104] p 551 A86-38464  
Visualization of dynamic stall controlled by large amplitude interrupted pitching motions [AIAA PAPER 86-2281] p 764 A86-47699  
Control of wake structure behind an oscillating airfoil [AIAA PAPER 86-2282] p 764 A86-47700
- LUTZ, E.**  
Communication with land vehicles and aircraft via satellite p 319 A86-25016
- LYMAN, V.**  
Evaluation of propeller/nacelle interactions in the PTA program [AIAA PAPER 86-1552] p 626 A86-42709  
Correlation of theory and experiment for propfan inlets [AIAA PAPER 86-1628] p 627 A86-42761
- LYNN, N.**  
Selections from Flug Revue und Flugwelt International. A. On the border of Time-hypersonic flight. B. NASA programs pave the way for the hypersonic aircraft. C. Shuttle flight 61-B; construction in space. D. Faster than a bullet; hypersonic military aircraft [NASA-TM-88418] p 474 N86-24652
- LYON, F. F.**  
Composition and photochemical reactivity of turbine engine exhaust [AD-A157643] p 107 N86-12230
- LYON, R.**  
Computer controlled operation of reconnaissance cameras p 229 A86-19587  
Automatic exposure control employing scene statistics in reconnaissance cameras p 230 A86-19588
- LYONS, R. P., JR.**  
The search for an advanced fighter: A history from the XF-108 to the advanced tactical fighter [AD-A166724] p 687 N86-29764
- LYONS, W. A.**  
Wide area real-time thunderstorm mapping using LPATS - The lightning position and tracking system p 614 A86-37487
- LYRINTZIS, A. S.**  
Mid-field and far-field calculations of Blade-Vortex Interactions [AIAA PAPER 86-1854] p 753 A86-45476
- LYZHIN, D. O.**  
Supercritical mode of the nonlinear interaction of subsonic and supersonic inviscid jets in a two-dimensional channel p 142 A86-17098

## M

- MA, C.**  
Dilute gas-particle flow in a centrifugal compressor impeller p 668 A86-40733
- MA, J.**  
A fast shape descriptor p 748 A86-46377
- MAARSINGH, R. A.**  
Wind tunnel wall influence considering two-dimensional high-lift configurations p 308 A86-23187
- MAASS, D. P.**  
Applications of tubular composite structures p 245 A86-21719
- MABEE, D. M.**  
Counter-rotation prop-fan optimization [AIAA PAPER 86-1470] p 645 A86-42659
- MABEY, D. G.**  
Elimination of buffeting on the rear fuselage of the Hercules tanker p 221 A86-20622  
Aeroelastic oscillations caused by transitional boundary layers and their attenuation [AIAA PAPER 86-0736] p 286 A86-24731  
Calculation of transonic steady and oscillatory pressures on a low aspect ratio model and comparison with experiment p 412 A86-33227



- Unsteady aerodynamics-fundamentals and applications to aircraft dynamics  
[NASA-TM-88768] p 555 N86-27182
- MABIE, J.  
Designing compact electromechanical actuators for flight control p 593 A86-37332
- MACCONOCHIE, I. O.  
Weights assessment for orbit-on-demand vehicles [SAWE PAPER 1674] p 515 A86-35217
- MACCORMACK, I. B.  
Dispersion strengthened P/M aluminium alloys p 451 A86-33223
- MACCORMACK, R. W.  
The numerical solution of the compressible viscous flow field about a complete aircraft in flight p 205 A86-21033
- MACCREADY, P.  
Long endurance aircraft performance p 805 A86-49478
- MACDIARMID, P. R.  
Relating factory and field reliability and maintainability measures p 253 A86-22391
- MACDONALD, D.  
Determination of antennae patterns and radar reflection characteristics of aircraft [AGARD-AG-300-VOL-4] p 744 N86-30931
- MACDONALD, S. L.  
Development and flight test of a helicopter, X-band, portable precision landing system concept p 485 A86-35608
- MACHIN, A. S.  
Some aspects of variability in fatigue crack initiation and propagation in thick aluminium alloy sections p 522 A86-36176
- MACHON, J. J.  
Aircraft ground support equipment standardization - The pros and cons of 'functional' vs 'technical' standardization [SAE PAPER 851794] p 620 A86-38317
- MACK, E. J.  
An evaluation of the capability of the surface condition analyzer (SCAN) sensors to measure runway water depth [AD-A164719] p 611 N86-26603
- MACK, J. C.  
Testing large transmissions p 187 A86-18426
- MACKALL, D. A.  
Development experience with a simple expert system demonstrator for pilot emergency procedures [NASA-TM-85919] p 446 N86-23603
- MACKALL, K. G.  
Effects of inlet distortion on a static pressure probe mounted on the engine hub in an F-15 airplane [PAPER-5] p 505 N86-25347
- MACKENZIE, W. R.  
Low mass diffusion bonding tools [AD-D012295] p 851 N86-32746
- MACKIE, D. B.  
Maximum-likelihood estimation of parameters in linear systems from flight test data. A FORTRAN program [ESA-TT-896] p 264 N86-16989
- MACMULLIN, R.  
Preliminary airworthiness evaluation of the AH-1S (modernized cobra) with the Hellfire, TOW, and Stinger missiles installed [AD-A160862] p 294 N86-18322
- MACPHERSON, J. I.  
Aircraft flow effects on cloud drop images and concentrations measured by the NAE Twin Otter p 322 A86-23289
- Wind tunnel calibration of a PMS (Particle Measuring Systems) canister instrumented for airflow measurement [AD-A161124] p 278 N86-19292
- MACPHERSON, P. B.  
Phosphorus anti-wear additives in helicopter transmissions [IC-TS015/85] p 452 N86-22710
- MACRIS, A.  
Turbine fuels from tar sands bitumen and heavy oil. Phase 1: Preliminary process analysis [AD-A161300] p 452 N86-22724
- MADDALON, D. V.  
Effect of surface waviness on a supercritical laminar-flow-control airfoil [NASA-TM-85705] p 86 N86-12206
- Design and fabrication of large suction panels with perforated surfaces for laminar flow control testing in a transonic wind tunnel [NASA-TM-89011] p 715 N86-29615
- MADDOX, W. E.  
X-ray fluorescence analysis of wear metals in used lubricating oils p 673 A86-43430
- MADEN, K. H.  
The performance of a reverse flow combustor using JP 10 fuel [ASME PAPER 86-GT-146] p 814 A86-48202
- MADEY, S. L., JR.  
Dynamic interface - Conventional flight testing plus a new analytical approach p 163 A86-18405
- MADHAVAN, N. S.  
Numerical solution of the supersonic laminar flow over a two-dimensional compression corner using an implicit approach p 690 A86-45054
- MADHURANATH, P.  
Six degree of freedom simulation software [NAL-PD-SE-8614] p 854 N86-33042
- MADHUSUDANA, C. V.  
Contact heat transfer - The last decade p 387 A86-28551
- MADSON, M. D.  
Application of the TranAir full-potential code to complete configurations p 772 A86-49009
- MAEKAWA, Z.  
What should be known on the environmental impact assessment for a planning airport p 482 A86-31962
- MAESTRELLO, L.  
A fourth-order scheme for the unsteady compressible Navier-Stokes equations [NASA-CR-177994] p 147 N86-14221
- MAGDALENO, R. E.  
Methodologies for the direct digital control of highly flexible vehicles [AD-A158448] p 188 N86-14615
- MAGLIERI, D. J.  
The impact of emerging technologies on an advanced supersonic transport p 761 A86-48997
- Sonic-boom research: Selected bibliography with annotation [NASA-TM-87685] p 756 N86-30470
- MAGNI, J. F.  
Eigenvalues assignment method: An application to designing an autopilot [SNIAS-861-111-106] p 653 N86-28095
- MAGNUSSON, H.  
Mechanical design and evaluation of a slotted CFRP waveguide antenna p 383 A86-27703
- MAGULA, A. W.  
Fatigue test of the Apache AH-64 airframe p 180 A86-18441
- MAHAN, J. R.  
A propeller model for studying trace velocity effects on interior noise p 284 A86-23191
- MAHAPATRA, P. R.  
Parameters of a dedicated weather radar for terminal air navigation, traffic control and safety p 423 A86-32616
- MAHARANA, P. K.  
Stability of large damped flexible spacecraft with stored angular momentum p 182 A86-18355
- MAHDAVI, F. A.  
Flight determination of the aerodynamic stability and control characteristics of the NASA SGS 1-36 sailplane in the conventional and deep stall angles-of-attack of between -5 and 75 degrees [NASA-CR-176962] p 726 N86-29865
- MAHMOOD, A.  
Dynamic assertion testing of flight control software [NASA-CR-176715] p 466 N86-23321
- Dynamic assertion testing of flight control software [NASA-CR-176712] p 466 N86-23322
- A methodology for testing fault-tolerant software [NASA-CR-176713] p 466 N86-23323
- Dynamic assertion testing of flight control software [NASA-CR-176716] p 466 N86-23325
- MAHONEY, J. P.  
Use of NDE to evaluate reflection cracking in airfield pavements [AD-A164880] p 599 N86-27293
- MAI, R.  
Mission control features at Yuma Proving Ground [AIAA PAPER 86-9745] p 447 A86-32089
- MAIER, K.  
Deposition in gas turbine oil systems. I - Analysis and classification [SAE PAPER 851869] p 602 A86-38536
- Aircraft engine oils and their behaviour at high temperatures p 667 N86-29251
- MAIKAPAR, G. I.  
Selecting the principal parameters of a wedge-profiled wing p 78 A86-13358
- MAINE, R. E.  
Application of parameter estimation to highly unstable aircraft [AIAA PAPER 86-2020] p 827 A86-47655
- Application of parameter estimation to highly unstable aircraft [NASA-TM-88266] p 639 N86-28078
- MAINO  
Analytical and experimental results of the ground resonance phenomenon for A.129 p 291 A86-26142
- MAJOROV, A. V.  
Accelerated testing as a means of ensuring the reliability of aircraft equipment p 335 A86-28306
- MAISEL, M. D.  
Design aspects of the XV-15 advanced technology blade program p 492 A86-35630
- Full-scale tilt-rotor hover performance p 576 A86-37770
- MAJIDZADEH, K.  
Mechanistic methodology for airport pavement design with engineering fabrics. Volume 2: Advanced concepts, validation and criteria [DOT/FAA/PM-84/9,II-VOL-2] p 657 N86-28963
- MAJUMDAR, A. K.  
Optical communication between aircraft in low-visibility atmosphere using diode lasers p 122 A86-15584
- Laser communication through low-visibility atmosphere for aircraft application p 788 A86-48581
- MAJUMDAR, S. C.  
Simple technique moistureproofs ILS localizer antenna array p 282 A86-23379
- MAKADATE, M.  
Application of computational aerodynamics to wing design p 226 N86-17297
- MAKAROV, B. P.  
Dynamic stability of elastic structures under random influences p 384 A86-28318
- MAKAROV, L. N.  
The use of the magnetic aerohydrodynamic analogy method to simulate three-dimensional flow past aircraft, taking powerplant operation into account p 770 A86-48833
- MAKSIMOV, A. I.  
Characteristics of the interaction of interference and diffraction flows at supersonic velocities p 478 A86-36459
- MAKSIMOVICH, V. Z.  
Characteristics of the design of VTOL jet aircraft p 182 A86-17600
- MALARIK, R. W.  
Conformal coating for surface mount assembly p 115 A86-13118
- MALASHENKO, I. S.  
Thermal stability of gas turbine blades with protective coatings p 673 A86-43410
- MALATERRE, P.  
Long-duration flights using infrared Montgolfieres p 323 N86-18661
- MALCOLM, G. N.  
Enhanced controllability through vortex manipulation on fighter aircraft at high angles of attack [AIAA PAPER 86-2277] p 830 A86-47695
- Recent developments in rotary-balance testing of fighter aircraft configurations at NASA Ames Research Center p 562 N86-27242
- MALKIN, F. J.  
U.S. Army helicopter voice technology applications [SAE PAPER 841609] p 328 A86-26028
- The development of an advanced helicopter research simulator [SAE PAPER 841610] p 310 A86-26029
- The development of an advanced helicopter research simulator p 447 A86-29917
- A comparison of voice and keyboard data entry for a helicopter navigation task [AD-A163245] p 610 N86-26501
- MALL, G. H.  
Improvements to the FATOLA computer program including added actively controlled landing gear subroutines [NASA-CR-168069] p 436 N86-23588
- Feasibility of a nuclear gauge for fuel quantity measurement aboard aircraft [NASA-TM-87706] p 675 N86-28385
- MALMUTH, N.  
Transonic wave drag estimation and optimization using the nonlinear area rule [AIAA PAPER 86-1798] p 778 A86-49582
- MALNEV, V. N.  
The use of the magnetic aerohydrodynamic analogy method to simulate three-dimensional flow past aircraft, taking powerplant operation into account p 770 A86-48833
- MALONE, D. J.  
A study of state of the art computer graphics systems for flight safety monitoring p 329 A86-23264
- MALONE, J. B.  
Steady and unsteady full potential calculation for large and small aspect ratio supercritical wings [AIAA PAPER 86-0122] p 199 A86-19702
- MALTSBY, M. R.  
Acceleration performance of helicopter engines [ASME PAPER 86-GT-121] p 814 A86-48180
- MALYSHEV, V. V.  
Statistical dynamics and control optimization of flight vehicles p 449 A86-33299

- MALYY, M. M.**  
Establishment and use of time unification system for civil aviation p 258 A86-17848
- MANROV, V. P.**  
A study of the normal of a delta-wing aircraft at large angles of attack during unsteady motion p 79 A86-13379
- MANCHU, G.**  
A method for transonic inverse cascade design with a stream function equation [ASME PAPER 86-GT-189] p 766 A86-48239
- MANCHIL, D. H.**  
Preliminary estimate of fatigue life for dynamic components of a new helicopter p 493 A86-35839
- MANDEL, E.**  
The Federal Aviation Administration future aviation weather system p 613 A86-37458
- MANE, L.**  
A parallel processing method for solving the unsteady Navier-Stokes equations at high Reynolds numbers p 847 A86-48647
- MANEROWSKI, J.**  
A method for numerical analysis of the dynamics of a controlled rotor blade of a helicopter p 486 A86-33998
- MANFRIANI, L.**  
Evaluation of pressure distributions on an aircraft by two different panel methods and comparison with experimental measurements p 774 A86-49044
- MANGANAS, A.**  
Recursive real-time identification of step-response matrices of high-performance aircraft for adaptive digital flight control [AIAA PAPER 86-2017] p 826 A86-47652
- MANGIONE, P. J.**  
A study of the potential benefits associated with the development of a dedicated helicopter transmission lubricant [SAE PAPER 851832] p 607 A86-38530  
A study of the potential benefits associated with the development of a dedicated helicopter transmission lubricant p 666 A86-29242
- MANHEIM, J. R.**  
Electrostatic hazards of urethane packed fuel tanks [AD-A168603] p 717 A86-30725
- MANIE, F.**  
Leading edge vortex flow over a 75 degree-swept delta wing Experimental and computational results [ONERA, TP NO. 1986-122] p 773 A86-49042
- MANK, A.**  
Use of a Service Life Assessment Program (SLAP) for identifying Service Life Extension Program (SLEP) procedures for fatigue sensitive airframe components p 134 A86-18442
- MANN, J. Y.**  
A case study in fatigue life extension - The main spar of RAAF Mirage IIIO wings p 225 A86-22165  
Some aspects of variability in fatigue crack initiation and propagation in thick aluminium alloy sections p 522 A86-36176
- MANN, M.**  
The Federal Aviation Administration future aviation weather system p 613 A86-37458
- MANN, M. J.**  
A forward-swept-wing fighter configuration designed by a transonic computational method p 638 A86-41696
- MANN, T. L.**  
Evaluation of formats for aircraft control/display units p 438 A86-29864
- MANNERS, B. A.**  
Modern crack detection methods - The use of low frequency eddy currents to assist structural integrity auditing p 845 A86-47813
- MANNING, J. C.**  
Dynamic pressure loads associated with twin supersonic plume resonance [AIAA PAPER 86-1539] p 646 A86-42701  
Acoustic properties associated with rectangular geometry supersonic nozzles [AIAA PAPER 86-1867] p 754 A86-45487
- MANNINI, A.**  
Computer controlled variable pressure reducing/shut-off valve for aircraft ECS [SAE PAPER 851360] p 285 A86-23545
- MANSELD, I.**  
Visually coupled EO system developed for the RAE Sea King XV371 p 299 A86-26130
- MANTAY, W. R.**  
Aeroelastic model helicopter rotor testing in the Langley TDT p 163 A86-18402  
Aeroelastic considerations for torsionally soft rotors p 157 A86-15289  
Aeroelastic considerations for torsionally soft rotors [NASA-TM-87687] p 745 A86-31070
- MANTEL, J.**  
An engineering approach to the inverse transonic wing design problem p 336 A86-26409
- MANUEL, G. S.**  
Advanced boundary layer transition measurement methods for flight applications [AIAA PAPER 86-9786] p 500 A86-37083  
A new method for laminar boundary layer transition visualization in flight: Color changes in liquid crystal coatings [NASA-TM-87668] p 342 A86-21518
- MANWELL, A. R.**  
Unsteady transonic flows in an axial flow compressor p 145 A86-18529
- MARATHE, A. G.**  
Combustion related to solid-fuel ramjets p 116 A86-14566
- MARCEAU, J. A.**  
Environmental-durability testing p 845 A86-47719
- MARCH, R. V.**  
The model 530MG - The forerunner to the ultimate light-combat helicopter [SAWE PAPER 1677] p 489 A86-35219
- MARCHAIS, J. C.**  
The application of high-performance integrated circuits for airport fire control radars p 674 A86-28369
- MARCHAND, N.**  
Thermal-mechanical fatigue behavior of nickel-base superalloys [NASA-CR-175048] p 518 A86-24818
- MARCHESE**  
Analytical and experimental results of the ground resonance phenomenon for A.129 p 291 A86-26142
- MARCHETTI, M.**  
Effect of moisture on thermal properties of composite materials for aerospace applications p 661 A86-40345
- MARCHIONDA-FROST, K.**  
Comparison of voice types for helicopter voice warning systems [SAE PAPER 841611] p 328 A86-26030
- MARCHIS, V.**  
Computer controlled variable pressure reducing/shut-off valve for aircraft ECS [SAE PAPER 851360] p 285 A86-23545
- MARCHMAN, J. F., III**  
Aspect ratio effects on the aerodynamics of a Wortmann airfoil at low Reynolds number p 137 A86-16313  
Acoustic and turbulence influence on low-Reynolds number wing pressure distributions p 139 A86-16323  
Acoustic and turbulence influences on stall hysteresis [AIAA PAPER 86-0170] p 200 A86-19731  
Analysis of the vortical flow around a 60 degree delta wing with vortex flap p 774 A86-49050
- MARCOLINI, M. A.**  
Airfoil tip vortex formation noise p 331 A86-23134  
Airfoil trailing-edge flow measurements p 780 A86-49803
- MARCOS, F. A.**  
Profiles of temperature and density based on extremes at 5, 10, 20, 30 and 40 km p 616 A86-27727
- MARCUM, D. L.**  
An analytical investigation of the effects of swirler design on the performance of annular propulsive nozzles [AIAA PAPER 86-0587] p 233 A86-19965
- MAREK, C. J.**  
Turbulent dispersion of the icing cloud from spray nozzles used in icing tunnels [NASA-TM-87316] p 820 A86-31588
- MAREK, J. C.**  
Progress in the Lewis Research Center Altitude Wind Tunnel (AWT) Modeling Program [NASA-TM-87194] p 242 A86-16233
- MARESCA, C.**  
Radial distribution circulation of a rotor in hover measured by laser velocimeter p 276 A86-26110  
Vortex influence on oscillating airfoil at high angle-of-attack [AIAA PAPER 86-1837] p 779 A86-49592  
Wing profile in stalled position subject to a flow of alternating potential and strong vortex p 560 A86-27229
- MARGALA, J.-P.**  
First tests of an onboard MLS receiver p 484 A86-33988
- MARIANI, G.**  
Simulation concepts and testing of the tail rotor fly-by-wire system of the A129 helicopter p 292 A86-26165
- MARIANO, R.**  
Design and development of an inertial power supply unit for carrier-based aircraft p 304 A86-24861
- MARINE, J. E.**  
Aircraft terminal area guidance based on the discrete tracking problem of optimal control theory p 215 A86-20520
- MARISSEN, R.**  
High temperature fatigue behavior of IMI 885 p 376 A86-27385
- ARALL (Aramid Reinforced Aluminium Laminates) - A hybrid composite with a great resistance against fatigue crack propagation [DGLR PAPER 85-137] p 515 A86-35180**
- MARJANEK, P.**  
Application of strain gauge methods to determination of in-flight loads of structure groups of small transport aircraft p 811 A86-49149
- MARKHAM, C. H.**  
Local flow management/profile descent algorithm. Fuel-efficient, time-controlled profiles for the NASA TSRV airplane [NASA-CR-172593] p 636 A86-28074  
An investigation of TNAV equipped aircraft in a simulated en route metering environment [NASA-CR-178031] p 641 A86-28940
- MARKIN, L. V.**  
Methods of the assembly of aircraft instrumentation and systems p 685 A86-44284
- MARKMAN, S. R.**  
Capabilities of airborne and ground based flight simulation [SAE PAPER 851944] p 513 A86-36944
- MARKOSIAN, L. Z.**  
An expert system for control system design p 680 A86-40774
- MARKOWSKI, S. J.**  
Cold flow and combustion experiments with a new burner air distribution concept [ASME PAPER 85-GT-40] p 235 A86-22029
- MARKE, P. S.**  
The Crew Station Information Manager - An avionics expert system p 361 A86-28515
- MARKSON, R.**  
Development of airborne electric field and lightning detection instrumentation for aviation safety [AD-A167342] p 701 A86-30705
- MARRIOTT, J. L.**  
Canadian forces PCM telemetry processing and display system p 111 A86-13248
- MARSHALL, D. L.**  
Helicopter data acquisition and processing [AIAA PAPER 86-9734] p 464 A86-32081
- MARSHALL, R. J.**  
Tests on a new dynamically scaled model rotor in the RAE 24 ft Wind Tunnel p 292 A86-26162
- MARSHALL, T.**  
How to make simulators fly like airplanes [AIAA PAPER 86-9777] p 430 A86-32112
- MARTELLI, F.**  
Development of an experimental correlation for transonic turbine flow [ASME PAPER 86-GT-108] p 765 A86-48170
- MARTENEY, P. J.**  
Thermal decomposition of aircraft fuel [ASME PAPER 86-GT-36] p 842 A86-48123
- MARTIN, C. A.**  
Stability and control of aircraft with manual all-moving tailplanes [AIAA PAPER 86-2231] p 829 A86-47692
- MARTIN, E. E.**  
T700 - A program designed for early maturity and growth potential p 305 A86-26156
- MARTIN, G. J.**  
Gyroscopes may cease spinning p 320 A86-25865
- MARTIN, J. A.**  
Weights assessment for orbit-on-demand vehicles [SAWE PAPER 1674] p 515 A86-35217
- MARTIN, J. L.**  
Flight evaluation of a precision landing task for a powered-lift STOL aircraft [AIAA PAPER 86-2130] p 828 A86-47676
- MARTIN, M. A.**  
Using Fleet reported 3-M data in support of Navy emergency escape parachute assemblies p 212 A86-19326
- MARTIN, N. A.**  
Scott emergency escape breathing device - Evaluation for use in Canadian forces aircraft p 784 A86-47731
- MARTIN, O.**  
An iterative method for statically indeterminate structures of flight vehicle p 738 A86-45059
- MARTIN, R. M.**  
Wind-tunnel acoustic results of two rotor models with several tip designs [NASA-TM-87698] p 682 A86-28701
- MARTIN, V. J.**  
Report of accomplishments under the airport improvement program [AD-A156834] p 113 A86-12241

- MARTINEZ, A.**  
An analysis of elliptic grid generation techniques using an implicit Euler solver  
[AIAA PAPER 86-1766] p 542 A86-37804
- MARTINEZ, D. R.**  
Combined experimental/analytical modeling of dynamic structural systems; Proceedings of the Joint Mechanics Conference, Albuquerque, NM, June 24-26, 1985  
p 380 A86-26876
- MARTINI, K.**  
Structureborne noise investigations of a twin engine aircraft  
[AIAA PAPER 86-1905] p 710 A86-45406
- MARTINI, W.**  
Frequency synthesis type airborne transmitters  
p 347 A86-27819
- MARTINO, A. A.**  
Engine cyclic durability by analysis and testing: Highlights of the spring 1984 PEP Meeting p 506 N86-25362
- MARTONE, J. A.**  
USAF toxicology research on petroleum and shale-derived aviation gas turbine fuels  
[ASME PAPER 85-GT-34] p 262 A86-22023  
The F-16 aircraft and hydrazine - An industrial hygiene perspective  
[SAE PAPER 851971] p 568 A86-38381
- MARULO, F.**  
Control of interior noise in advanced turbopropeller aircraft  
p 802 A86-49100
- MARVIN, J. G.**  
Shock-wave boundary layer interactions  
[AGARD-AG-280] p 676 N86-29173
- MARYNIAK, J.**  
Influence of the dropping conditions on container motion near the carrier and on the impact parameters  
p 158 A86-19069
- MARZE, H. J.**  
Helicopter internal noise treatment. Recent methodologies and practical applications  
[SNIAS-852-210-102] p 266 N86-18133
- MASA, J.**  
Experience with laboratory LDA by measuring flow fields in rotating turbomachinery  
p 672 A86-43109
- MASKEW, B.**  
Unsteady low-speed aerodynamic model for complete aircraft configurations  
[AIAA PAPER 86-2180] p 829 A86-47683  
Investigation to advance prediction techniques of the low-speed aerodynamics of V/STOL aircraft  
[NASA-CR-186479] p 416 N86-23568
- MASKOW, J.**  
The use of automated riveting systems in aircraft construction  
p 95 A86-13127  
Airbus-assembly concepts to improve productivity and flexibility in aircraft construction  
p 761 A86-48999
- MASLOV, V. D.**  
Using the perturbation method for determining the die forging parameters for aircraft parts  
p 522 A86-35997
- MASON, B.**  
Variability of major organic components in aircraft fuels  
[AD-A159057] p 185 N86-15415
- MASON, M. L.**  
Static investigation of two STOL nozzle concepts with pitch thrust-vectoring capability  
[NASA-TP-2559] p 415 N86-23559  
Multiaxis aircraft control power from thrust vectoring at high angles of attack  
[NASA-TM-87741] p 629 N86-28054
- MASSEY, L. T.**  
The helicopter to fixed wing conversion program: A critical review  
[AD-A156820] p 125 N86-12968
- MASUNO, K.**  
A viscous-inviscid interaction method to predict the aerodynamic performance of airfoils at transonic speed  
[NAL-TR-873] p 341 N86-21508
- MASUYA, G.**  
Spreading of two-stream supersonic turbulent mixing layers  
p 546 A86-37901
- MATECKI, R.**  
New technology propulsion (ANT) for general aviation aircraft, phase 1  
[BMFT-FB-W-85-031] p 820 N86-31589
- MATEESCU, D.**  
Wing and conical body of arbitrary cross-section combinations in supersonic flow  
[AIAA PAPER 86-1826] p 545 A86-37841
- MATHES, J. B.**  
Transmission line design for a power distribution system at 20 kHz for aircraft  
[NASA-CR-3987] p 721 N86-29818
- MATHEWS, M. D.**  
Use of computer technology in the operations of the national aviation weather advisory unit  
p 615 A86-37500
- MATHIAS, D. W.**  
Variation of anisotropic behavior in structural optimization  
p 434 A86-33268  
Variation of anisotropic behavior in structural optimization  
p 715 N86-30656
- MATHUR, A.**  
Proceedings of the 1985 ONR/NAVAIR Wave Rotor Research and Technology Workshop  
[AD-A161539] p 389 N86-20613
- MATHUR, N. B.**  
Jet plume temperature effects on afterbody pressure distribution and drag  
[NAL-TM-FM-8502] p 340 N86-20354
- MATLENZO, L. J.**  
Environmental and adhesive durability of aluminum-polymer systems protected with organic corrosion inhibitors  
p 601 A86-37706
- MATROSOV, A. N.**  
A study of the characteristics of separated flow past wings and lifting systems  
p 770 A86-48842
- MATSUI, J.**  
Recent developments in carbon fibre composite  
p 244 A86-21296
- MATSUKI, M.**  
Research and development of FJR 710 turbo fan engine - Second phase  
p 304 A86-25177
- MATSUMOTO, T.**  
Effect of processing and heat treatment on the mechanical properties of Ti-6Al-2Sn-4Zr-6Mo alloy  
p 375 A86-27231  
Studies on crack growth rate of high temperature titanium alloys  
p 376 A86-27384  
Airborne tracking Sun photometer apparatus and system  
[NASA-CASE-ARC-11622-1] p 394 N86-21982
- MATSUNO, K.**  
The analysis of practical transonic swept wings with and without boundary layer effects  
p 211 N86-17300
- MATSUNO, K. I.**  
Three-dimensional boundary layer analysis program Blay and its application  
[NASA-TM-77962] p 342 N86-21516
- MATSUO, K.**  
Investigations of transonic Ludwig tubes. III - Effects of plenum exhaust system on starting process of tunnel test section  
p 140 A86-16838
- MATSUO, N.**  
Aerodynamic characteristics of general aviation at high angle of attack with the propeller slip stream  
p 306 A86-25204
- MATSUO, T.**  
Identification of pilot dynamics in a system with a choice of feedback structures  
[AIAA PAPER 86-2250] p 825 A86-47496
- MATSUZAKI, Y.**  
Estimation of divergence and flutter boundaries on supersonic plate wing models from subcritical random responses due to air turbulence  
[NAL-TR-856] p 211 N86-17308
- MATTHES, G. W.**  
LANTIRN flight test - Opening the night window  
p 361 A86-28842
- MATTHEWS, R. K.**  
A new rain/ice test capability to simulate flight  
[AIAA PAPER 86-9824] p 432 A86-32147
- MATTHYS, E.**  
Research on antimisting fuel for suppression of postcrash aircraft fires  
[AIAA PAPER 86-0573] p 247 A86-22706  
Heat transfer, friction, and rheological characteristics of antimisting kerosene  
p 734 N86-30013
- MATTINGLY, J. D.**  
Performance estimation of the mixed flow, afterburning, cooled, two-spool turbofan engine with bleed and power extraction  
[AIAA PAPER 86-1757] p 649 A86-42830
- MATULA, J.**  
Means to increase the lift on aircraft wing profiles  
p 271 A86-23776
- MATSOVICH, C.**  
Interpretation and evaluation of fatigue properties of cast, HIP and heat treated titanium UH-60A M. R. Hub  
p 183 A86-18434
- MAUGHMER, M. D.**  
Low Reynolds number airfoil design  
p 136 A86-16303
- MAULDIN, W. T.**  
Data systems for logistics evaluation during operational test  
p 398 A86-28483
- MAURA, G.**  
Effect of moisture on thermal properties of composite materials for aerospace applications  
p 661 A86-40345
- MAURICE, L. Q.**  
F100 fuel sampling analysis  
[AD-A161667] p 379 N86-21707
- MAVRILIS, C.**  
A spectral holograph method for shockless transonic two-dimensional flow  
[AIAA PAPER 86-1796] p 543 A86-37824
- MAX, H.**  
Results of technology programs for general aviation aircraft at Dornier  
p 795 A86-47787
- MAXWELL, C. M.**  
X-29A technology demonstrator flight test program overview  
[NASA-TM-86809] p 586 N86-26328
- MAXWELL, D. C.**  
Advances in the study of the mechanical behavior of materials  
[AD-A164656] p 735 N86-30836
- MAXWELL, R.**  
The application of fatigue damage tolerance concepts to helicopters - The approach proposed by the UK military airworthiness authorities  
p 165 A86-18447
- MAY, C. J.**  
Controlled impact demonstration on-board (interior) photographic system  
p 392 N86-21946
- MAYANAGI, M.**  
Study on the digital position transducer with optical time-delay pulse  
[NAL-TR-878] p 322 N86-19583  
Study on the digital position transducer with optical time-delay pulse  
[NAL-TR-878] p 366 N86-20759  
Optical technology for flight control systems  
[NASA-TM-88400] p 655 N86-26960
- MAYBECK, P. S.**  
Adaptive field of view expansion via multiple model filtering for tracking dynamic target images  
p 359 A86-28371
- MAYERHOFER, J.**  
Recycling of titanium scrap for the production of high-duty aerospace components  
p 382 A86-27211
- MAYERJAK, R.**  
A rig for the fatigue testing of rotor hubs  
p 180 A86-18440
- MAYNARD, J. D.**  
Experimental study using nearfield acoustic holography of sound transmission through fuselage sidewall structures  
[NASA-CR-177162] p 683 N86-28702
- MAYO, M. H.**  
Estimation of aerodynamic parameters from flight data of a high incidence research model  
p 834 A86-49057
- MAYOR, M.**  
A flexible programmable signal processor for next generation fighter aircraft  
p 385 A86-28330
- MAYS, J. A.**  
160 megapixels per second 2000 line display  
p 456 A86-32318
- MAZHUL, I. I.**  
Effect of longitudinal-contour shape on the aerodynamic characteristics of lifting bodies at supersonic and hypersonic flight velocities  
p 628 A86-43402  
Features of the flow structure around polygonal lifting bodies at supersonic velocities  
p 628 A86-43421
- MAZUR, V.**  
Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes  
[AIAA PAPER 86-0021] p 213 A86-19637  
Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes  
p 634 A86-41695
- MAZZINGHI, P.**  
Remote sensing of oil on sea: Ladar and passive IR experiments  
p 320 N86-18370
- MAZZONI, A.**  
Dynamic and flutter analysis using F.E.M. of the GP-180  
p 713 A86-47128
- MCAULIFFE, P. S.**  
Development of a reusable, flight-weight cryogenic foam insulation system  
[AIAA PAPER 86-1189] p 658 A86-40612
- MCCABE, P. N.**  
Mode-S beacon system to cover all U.S. upper airspace by 1991  
p 281 A86-23376
- MCCALL, R.**  
LLWAS - An integral part of the U.S. wind-shear safety programme  
p 746 A86-46138
- MCCANDLESS, R. S.**  
Hypersonic characteristics of an advanced aerospace plane at Mach 20.3  
[NASA-TM-86435] p 152 N86-15245
- MCCANN, R. F.**  
Testing large transmissions  
p 167 A86-18426
- MCCARTHY, J.**  
Wind shear characterization  
[AIAA PAPER 86-0180] p 213 A86-19737  
Terrain-induced wind shear - Potential cause of Jetstar accident  
p 566 A86-37482

- The classify, locate, and avoid wind shear (CLAWS) project at Denver's Stapleton International Airport - Operational testing of terminal weather hazard warnings with an emphasis on microburst wind shear p 615 A86-37496
- The aviation weather forecasting task force - Assessing the current system p 616 A86-37504
- Microburst wind shear models from the Joint Airport Weather Studies (JAWS) [AD-A159758] p 324 A86-18910
- MCCAUL, E. W.**
- Analysis of airborne Doppler lidar, Doppler radar and tall tower measurements of atmospheric flows in quiescent and stormy weather [NASA-CR-3980] p 462 A86-23159
- MCCAULEY, D. E.**
- The future of advanced crew escape capsule technology p 217 A86-19306
- MCCAULEY, D. S.**
- Laboratory and flight testing of ballistic protective headgear for rotary wing aircrew p 261 A86-19344
- MCCAULEY, H.**
- Flight deck design methodology using computerized anthropometric models [SAE PAPER 841472] p 326 A86-28003
- MCCLURE, W. E.**
- Observations on helicopter integrated system testing based on F/A-18 experiences p 134 A86-18417
- MCCLOSKEY, E. J.**
- Development of a flight software testing methodology [NASA-CR-176391] p 128 A86-13922
- Dynamic assertion testing of flight control software [NASA-CR-176715] p 466 A86-23321
- Dynamic assertion testing of flight control software [NASA-CR-176712] p 466 A86-23322
- A methodology for testing fault-tolerant software [NASA-CR-176713] p 466 A86-23323
- Dynamic assertion testing of flight control software [NASA-CR-176716] p 466 A86-23325
- MCCOLGAN, C. J.**
- Noise of counter-rotation propellers with nonsynchronous rotors p 193 A86-17786
- MCCOMB, H. G., JR.**
- Structural dynamics research in a full-scale transport aircraft crash test p 785 A86-49053
- Topics in landing gear dynamics research at NASA Langley p 803 A86-49120
- MCCONNELL, P. M.**
- Impact of higher freeze point fuels on naval aircraft operations [ASME PAPER 86-GT-262] p 843 A86-48285
- Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 3: On-Board Inert Gas Generator System (OBIGGS) studies. Part 2: Fuel scrubbing and oxygen evolution tests [AD-A167445] p 807 A86-31573
- MCCORMICK, R. F.**
- Impact dynamics instrumentation p 392 A86-21948
- MCCORMICK, B. W.**
- A numerical solution of the downwash associated with a blown-flap system [AIAA PAPER 86-0473] p 202 A86-19692
- The development of microcomputer codes for studying the flight dynamics and performance of helicopters p 366 A86-27660
- MCCORMICK, J. M., JR.**
- Controlled-Flight-Into-Terrain accidents during unpublished-route radar vectoring p 418 A86-29872
- In flight access to minimum vectoring altitudes - A pilot's perspective [SAE PAPER 851837] p 485 A86-35444
- MCCORMICK, M. B.**
- Electronics for advanced electromechanical actuators design considerations p 354 A86-28398
- MCCORMICK, M. P.**
- Airborne lidar measurements of El Chichon stratospheric aerosols [NASA-RP-1166] p 616 A86-27835
- MCCROSKEY, W. J.**
- Calculation of helicopter airfoil characteristics for high tip-speed applications p 541 A86-37769
- Numerical simulation of tip vortices of wings in subsonic and transonic flows [AIAA PAPER 86-1095] p 550 A86-38456
- Some recent advances in computational aerodynamics for helicopter applications [NASA-TM-86777] p 87 A86-12207
- Calculation of helicopter airfoil characteristics for high tip-speed applications [AD-A160694] p 277 A86-18294
- Aerodynamics of two-dimensional blade-vortex interaction [AD-A160662] p 295 A86-18315
- Unsteady interactions of transonic airfoils with gusts and concentrated vortices p 565 A86-27261
- MCCUE, J. J.**
- Testing helicopters for the air-to-air combat role p 184 A86-18424
- MCCULLEY, M.**
- Design criteria upgrade for US Army Type 2 air traffic control towers [AD-A159115] p 94 A86-13314
- MCCULLOUGH, G.**
- Mean-flow measurements in a supersonic three-dimensional turbulent boundary layer p 141 A86-17059
- MCCURDY, D. A.**
- Comparison of advanced turboprop and conventional jet and propeller aircraft flyover noise annoyance - Preliminary results p 528 A86-37059
- Advanced turboprop aircraft noise annoyance - A review of recent NASA research [AIAA PAPER 86-1859] p 752 A86-45444
- Comparison of advanced turboprop and conventional jet and propeller aircraft flyover noise annoyance: Preliminary results [NASA-TM-87637] p 265 A86-17077
- MCDANIELS, D. L.**
- Polymer, metal and ceramic matrix composites for advanced aircraft engine applications [NASA-TM-87132] p 117 A86-13407
- MCDANIEL, C. D.**
- In-flight acoustic measurements on a light twin-engined turboprop airplane [NASA-CR-178004] p 332 A86-20089
- MCDANIEL, R. L.**
- The US Army's LHX (light helicopter family) program [AD-A161949] p 437 A86-23591
- MCDERMOTT, M. T.**
- Pilot medical certification - Procedures and recent developments p 195 A86-18849
- MCDEVITT, T. E.**
- Optical determination of the effects of a microminiature accelerometer on resonance of a small airfoil p 668 A86-40712
- MCDILL, P. L.**
- S-duct inlet/diffusers for turboprop offset gearbox applications [AIAA PAPER 86-1462] p 625 A86-42655
- MCDONALD, G.**
- Ribbon-burner simulation of T-700 turbine shroud for ceramic-lined seals research p 106 A86-15225
- Experimental study of ceramic-coated tip seals for turbojet engines p 121 A86-15227
- MCDONALD, J. B.**
- Escape systems testing p 223 A86-21063
- MCDONALD, J. E.**
- Data-driven operating concepts for real-time simulation systems p 397 A86-28348
- MCDONALD, T. J.**
- Wind tunnel tests of rotor blade sections with replications of ice formations accreted in hover [NASA-CR-175089] p 420 A86-22558
- MCDONALD, W. S.**
- Maintainable demonstration for Army helicopters p 134 A86-18413
- MC FARLAND, E. R.**
- Wind tunnel turning vanes of modern design [NASA-TM-87146] p 113 A86-12239
- MC FARLAND, R. E.**
- CGI delay compensation p 617 A86-37194
- MC FARLAND, R. H.**
- Investigations for improving operational reliability and maintainability of ILS components. Volume 2: Figures and illustrations [FAA/PM-86/7.11-VOL-2] p 636 A86-28932
- Investigations for improving operational reliability and maintainability of instrument landing system components. Volume 1: Text and appendices [DOT/FAA/PM-86/7.1-VOL-1] p 704 A86-29801
- MCGARY, M. C.**
- Separation of airborne and structureborne noise radiated by plates constructed of conventional and composite materials with applications for prediction of interior noise paths in propeller driven aircraft [NASA-TM-87414] p 265 A86-18121
- Interaction of airborne and structureborne noise radiated by plates. Volume 2: Experimental study [NASA-TM-87747] p 683 A86-29632
- Interaction of airborne and structureborne noise radiated by plates. Volume 1: Analytical study [NASA-TM-87746] p 683 A86-29633
- MCGEE, L. A.**
- Fuel conservative guidance for shipboard landing of powered-lift STOL aircraft p 572 A86-38048
- Discovery of the Kalman filter as a practical tool for aerospace and industry [NASA-TM-86847] p 94 A86-13311
- MCGRADY, M. B.**
- Altitude and acceleration protection system for high performance aircraft p 217 A86-19314
- MCGUIRE, P. D.**
- Cryogenic wind tunnels for high Reynolds number testing [NASA-TM-87743] p 731 A86-29872
- MC HUGH, F. J.**
- Design of the 225-knot conventional rotor p 289 A86-26116
- MCINDOE, G. R.**
- Advances in P/M titanium shape technology using the ceramic mold process p 246 A86-21741
- MCINERNY, S. A.**
- An experimental investigation of wing tip turbulence with applications to aerosound [AIAA PAPER 86-1918] p 691 A86-45413
- MCINTIRE, W. L.**
- A new generation T56 turboprop engine p 842 A86-40133
- MCINTOSH, G. E.**
- Magnetic suspension and balance system advanced study [NASA-CR-3937] p 180 A86-14278
- MCKENNA, D. W.**
- Design of a twin-engine short-haul commuter aircraft for the 1990s [AIAA PAPER 86-0077] p 219 A86-19674
- MCKENNA, P. M.**
- Implementation of a crowbar switch in a Marx generator/peaking capacitor lightning simulator system p 790 A86-47305
- MCKENZIE, J. R.**
- An airframe's view of an electric fighter [SAE PAPER 1982] p 488 A86-35206
- MCKILLIP, R. M., JR.**
- Kinematic observers for rotor control p 366 A86-27664
- MCKINNON, M.**
- Digital control loading and motion - The final word? p 732 A86-46149
- MCKNIGHT, R.**
- In-flight measurements of wing ice shapes and wing section drag increases caused by natural icing conditions [NASA-TM-87301] p 479 A86-24667
- MCKNIGHT, R. C.**
- The measurement of aircraft performance and stability and control after flight through natural icing conditions [AIAA PAPER 86-9758] p 651 A86-40681
- The measurement of aircraft performance and stability and control after flight through natural icing conditions [NASA-TM-87265] p 446 A86-22582
- In-flight photogrammetric measurement of wing ice accretions [NASA-TM-87191] p 806 A86-31562
- MCLAIN, A. G.**
- Effect of silane concentration on the supersonic combustion of a silane/methane mixture [AIAA PAPER 86-1396] p 663 A86-42610
- MCLARTY, J. L.**
- Optimization of composite structures by controlled insertion or deletion of diverse fiber types p 844 A86-50122
- MCLAUGHLIN, A.**
- Dynamic analysis: Correlation of theory with experiment [RP661] p 851 A86-31917
- MCLEAN, J. C., JR.**
- Determining the effects of weather in aircraft accident investigations [AIAA PAPER 86-0323] p 213 A86-19813
- MCLEAN, J. D.**
- Fuel conservative guidance for shipboard landing of powered-lift STOL aircraft p 572 A86-39048
- MCELLON, R. S.**
- U.S. Army requirements for damage tolerance of composite helicopter structure p 706 A86-43785
- MCMAHON, H. M.**
- Studies of rotor-airframe interactions in forward flight [AIAA PAPER 85-5015] p 97 A86-14458
- MCMAHON, J. C.**
- Integrated communication, navigation, and identification avionics: Impact analysis. Executive summary [AD-A161799] p 388 A86-20658
- Logistics engineering analysis techniques for fault-tolerant avionics systems [AD-A161981] p 439 A86-23596
- MC MILLIN, M. L.**
- Effect of surface waviness on a supercritical laminar-flow-control airfoil [NASA-TM-85705] p 86 A86-12206
- MC MILLIN, S. N.**
- Planform effects for low-fineness ratio multibody configurations at supersonic speeds [AIAA PAPER 86-1799] p 544 A86-37825

- MCNAGLE, D. R.**  
Advanced fighter technology integration (AFTI) F-16 -  
The pilot interface  
[SAE PAPER 841633] p 327 A86-26018
- MCNALLY, B. D.**  
Automation effects in a multiloop manual control  
system p 329 A86-25035
- MCNALLY, D. J.**  
Requirements for future RALS/STOVL operating  
concepts  
[SAE PAPER 851840] p 578 A86-38337
- MCNEESE, M. D.**  
Cockpit automation technology - A further look  
p 499 A86-33814
- MCNULTY, C.**  
Knowledge engineering for a flight management expert  
system p 368 A86-28498
- MCNULTY, M. J.**  
Effects of blade-to-blade dissimilarities on rotor-body  
lead-lag dynamics  
[AD-A160497] p 293 N86-18317  
Effects of blade-to-blade dissimilarities on rotor-body  
lead-lag dynamics  
[NASA-TM-86828] p 639 N86-28079  
An experimental and analytical investigation of isolated  
rotor flap-lag stability in forward flight  
[NASA-CR-177028] p 654 N86-28957
- MCPHERSON, R. D.**  
NMC plans for improved aviation guidance  
p 613 A86-37456
- MCQUADE, T. E.**  
A preliminary investigation of H (infinity) optimization  
[AIAA PAPER 86-2197] p 853 A86-47477
- MCQUEEN, G. B.**  
A new generation advanced I.R. Linescan Sensor  
system p 229 A86-19585
- MCQUIGGAN, A. J.**  
The Phoenix sensor turret system  
p 588 A86-37342
- MCQUILLAN, R. J.**  
Use of video cassette recorders for combined video and  
PCM data recording p 315 A86-23256
- MCROBERTS, J. C.**  
Boeing 737-300 flight test and the first nine months  
service experience p 709 A86-44940
- MCRUER, D.**  
Methodologies for the direct digital control of highly  
flexible vehicles  
[AD-A158448] p 188 N86-14615
- MCSHEA, R.**  
X-29 ground and flight subsystem testing  
[AIAA PAPER 86-9781] p 430 A86-32115
- MCVEY, J. B.**  
Characterization of fuel sprays using a high-resolution  
patternator  
[AIAA PAPER 86-1726] p 656 A86-42814
- MEAD, D. J.**  
A new method of analyzing wave propagation in periodic  
structures - Applications to periodic Timoshenko beams  
and stiffened plates p 249 A86-20792
- MEAD, H. R.**  
GRUMFOIL: A computer code for the viscous transonic  
flow over airfoils  
[NASA-CR-3806] p 86 N86-12202  
An improved viscid/inviscid interaction procedure for  
transonic flow over airfoils  
[NASA-CR-3805] p 87 N86-12208
- MEDWETZ, J. M.**  
A structured approach for integration and test of avionics  
systems p 170 A86-18423
- MEECE, C. E.**  
Subsonic/transonic stall flutter investigation of an  
advanced low pressure compressor  
[ASME PAPER 86-GT-90] p 813 A86-48156
- MEECHAM, W. C.**  
An experimental investigation of wing tip turbulence with  
applications to aerodynamic  
[AIAA PAPER 86-1918] p 691 A86-45413
- MEETHAM, G. W.**  
Coating requirements in gas turbine engines  
p 173 A86-17490  
Use of protective coatings in aero gas turbine engines  
p 684 A86-43147
- MEGNA, V. A.**  
Flight test of a resident backup software system  
[NASA-TM-86807] p 307 N86-19325
- MEHDI, I. S.**  
Efficiently meeting electric power needs for future  
aircraft p 319 A86-24829
- MEHL, B.**  
Electric power management and distribution for air and  
space applications p 319 A86-24828
- MEHMED, O.**  
Experimental classical flutter results of a composite  
advanced turbo-prop model  
[NASA-TM-88792] p 678 N86-29271
- MEHRA, R. K.**  
Bifurcation techniques for nonlinear dynamic analysis  
of compressor stall phenomena p 501 A86-35403
- MEHTA, R. D.**  
Longitudinal vortices imbedded in turbulent boundary  
layers. I - Single vortex p 186 A86-17043  
Double-branched vortex generator  
[NASA-TM-88201] p 69 N86-13298  
A study of the factors affecting boundary layer  
two-dimensionality in wind tunnels  
[NASA-CR-177023] p 631 N86-28914
- MEHTA, R. S.**  
Performance characteristics of an adaptive controller  
based on least-mean-square filters  
[AIAA PAPER 86-2180] p 852 A86-47466
- MEHTA, U.**  
Relative advantages of thin-layer Navier-Stokes and  
interactive boundary-layer procedures  
[NASA-TM-86778] p 152 N86-15244
- MEI, C.**  
Nonlinear multimode response of clamped rectangular  
plates to acoustic loading p 457 A86-32973  
Effects of nonlinear damping on random response of  
beams to acoustic loading  
[AIAA PAPER 86-1004] p 609 A86-38945  
Response of symmetric rectangular composite  
laminates with nonlinear damping subjected to acoustic  
loading  
[AIAA PAPER 86-1933] p 738 A86-45422
- MEIER, G. E. A.**  
Flow of real fluids p 737 A86-44801  
Unsteady vortex airfoil interaction p 562 N86-27240
- MEIJER, J. J.**  
Application of NLR's calculation methods to transonic  
flow about oscillating wings p 143 A86-17778  
Application of time-linearized methods of oscillating  
wings in transonic flow and flutter  
[NLR-MP-84077-U] p 208 N86-16204
- MEIJER, S.**  
Measurement of noise from airplanes traveling at heights  
3500 to 6000m  
[FFA-TU-AI-2168] p 401 N86-22312
- MELANDER, B. G.**  
Atmospheric electricity hazards threat environment  
definition  
[AD-A159739] p 324 N86-18909
- MELCHER, K. J.**  
DEAN - A program for Dynamic Engine Analysis  
[AIAA PAPER 85-1354] p 106 A86-14430
- MELDRUM, D. R.**  
Direct model reference adaptive control of a flexible  
robotic manipulator  
[NASA-CR-176659] p 396 N86-22113
- MELLO, J. F.**  
Aero-propulsion technology for STOL and maneuver  
[AIAA PAPER 85-4013] p 97 A86-14436
- MELNIK, R. E.**  
GRUMFOIL: A computer code for the viscous transonic  
flow over airfoils  
[NASA-CR-3806] p 86 N86-12202  
An improved viscid/inviscid interaction procedure for  
transonic flow over airfoils  
[NASA-CR-3805] p 87 N86-12208
- MELNIKOV, B. N.**  
Environment protection in connection with air  
transportation p 124 A86-13467
- MELOY, G. S.**  
Enhanced mission versatility of the Aquila RPV system  
p 575 A86-37338
- MELTZ, G.**  
Composite integral response sensing  
[AD-A163136] p 470 N86-24457
- MELVIN, W. W.**  
Pilot interface with fly-by-wire control systems  
[SAE PAPER 851836] p 509 A86-35443  
Optimal take-off trajectories in the presence of  
wind shear p 708 A86-44386  
Optimization and acceleration guidance of flight  
trajectories in a wind shear  
[AIAA PAPER 86-2036] p 822 A86-47425  
Optimization and gamma/theta guidance of flight  
trajectories in a wind shear p 834 A86-49071
- MENDENHALL, M. R.**  
Prediction of the aerodynamic characteristics of flight  
vehicles in large unsteady maneuvers p 834 A86-49048
- MENGERT, P.**  
Air transport pilot involvement in general aviation  
accidents p 418 A86-29936
- MENON, P. K. A.**  
Flight test maneuver modeling and control  
[AIAA PAPER 86-0426] p 219 A86-19868  
A parallel quasi-linearization algorithm for air vehicle  
trajectory optimization  
[AIAA PAPER 85-0498] p 243 A86-20244
- Flight test trajectory controller synthesis with constrained  
eigenstructure assignment p 509 A86-35404**  
A study of aircraft cruise  
[AIAA PAPER 86-2266] p 792 A86-47704
- MENON, S.**  
Numerical simulation of impinging jets  
[AIAA PAPER 86-0279] p 200 A86-19789  
Large eddy simulations of flow in a ramjet combustor  
p 659 N86-28241
- MENQ, C.-H.**  
The forced response of shrouded fan stages  
[ASME PAPER 85-DET-19] p 303 A86-24226
- MENRATH, M.**  
Procedures for the digital simulation of helicopter  
propulsion systems  
[DGLR PAPER 85-115] p 501 A86-35168
- MENS, J.**  
Survey of crashworthiness achievements on  
Aerospaciale helicopters p 493 A86-35642  
Computing codes for development of helicopter  
crashworthy structures and test substantiation  
p 798 A86-49657  
Computing codes for development of helicopter  
crashworthy structures and test substantiation  
[SNIAS-861-210-106] p 640 N86-28064
- MENSHIKOVA, V. L.**  
Effect of the nonequilibrium character of the flow around  
a blunt plate with a bend on its aerodynamic  
characteristics p 768 A86-48783  
The effect of a kinetic air model on the aerodynamic  
characteristics of airfoils with flaps p 771 A86-48849
- MENSIK, A.**  
Practical applications of Tesla semiconductor pressure  
sensors p 849 A86-49148
- MENSING, R. W.**  
Application of PRA to HEMP vulnerability analysis  
[DESB-001781] p 399 N86-21280
- MENU, J.-P. R.**  
Head-up/head-down transition - Measurement of  
transition times p 396 A86-29092
- MERA, A.**  
Prediction of structure-borne noise, based on the finite  
element method  
[AIAA PAPER 86-1861] p 754 A86-45481
- MERCER, C. E.**  
A forward-swept-wing fighter configuration designed by  
a transonic computational method p 638 A86-41696
- MERHAV, S.**  
Adaptive filtering of biodynamic stick feedthrough in  
manipulation tasks on board moving platforms  
[AIAA PAPER 86-2248] p 825 A86-47495
- MERHAV, S. J.**  
Performance characteristics of an adaptive controller  
based on least-mean-square filters  
[AIAA PAPER 86-2160] p 852 A86-47466
- MERKER, D. C.**  
Comparison of quantity versus quality using  
performance, reliability, and life cycle cost data. A case  
study of the F-15, F-16, and A-10 aircraft  
[AD-A162238] p 470 N86-24580
- MERKLEY, D. J.**  
US Army Flight Condition Monitoring  
p 170 A86-18435
- MERKORD, D. L.**  
Is there life after 10,000 flight hours? p 254 A86-22402
- MERLANO, M.**  
Possible impacts of VHSIC on MIL-STD-1553B data  
transmission management p 674 N86-28371
- MERLINI, T.**  
A large displacement formulation for anisotropic beam  
analysis p 671 A86-42075
- MERRIFIELD, B. C.**  
Mil-DAP: Its architecture and role as a real time airborne  
digital signal processor p 681 N86-28359
- MERRIFIELD, J. T.**  
Boeing developing new cockpit displays to ease pilot  
workload p 717 A86-45086
- MERRILL, W. C.**  
Sensor failure detection for jet engines using analytical  
redundancy p 108 A86-14226  
A real-time simulation evaluation of an advanced  
detection, isolation and accommodation algorithm for  
sensor failures in turbine engines  
[NASA-TM-87289] p 504 N86-24697  
Control technology for future aircraft propulsion  
systems  
[PAPER-14] p 506 N86-25356
- MERRITT, F. J.**  
ATRAN35: An unsteady transonic code for clean  
wings  
[NASA-TM-86783] p 781 N86-31535
- MERTSALOV, P. P.**  
Effects of vibration-induced cavitation of  
physicochemical characteristics of aircraft fuel  
p 184 N86-15346

- MESCHI, G.**  
Antenna siting on helicopters p 282 A86-26133
- MESCHKO, T.**  
Progress report - F-16 C&D testing p 222 A86-21056
- MESSEH, W. A.**  
Pressure drop and heat transfer characteristics of circular and oblong low aspect ratio pin fins p 741 N86-29827
- MESSITER, A. F.**  
Three-dimensional flow in compressors and channels [AD-A161858] p 460 N86-23873
- METCALF, V. L.**  
Structureborne noise in aircraft: Modal tests [NASA-TM-87739] p 757 N86-31339
- METRO, S. J.**  
Performance advantages of high load aviation lubricants [SAE PAPER 851798] p 807 A86-38528
- METZGER, D. E.**  
Fundamental heat transfer research for gas turbine engines NASA workshop overview p 272 A86-24471  
Clearance effects on heat transfer at the tips of plain and grooved turbine airfoils p 644 A86-40737
- METZLER, T. R.**  
The role of simulation for the LHX p 164 A86-18421
- MEYER-JENS, R. J.**  
Claude Dornier - Pioneer of aviation; Academic Seminar, Technische Universität München, Munich, West Germany, October 24, 1984, Papers p 195 A86-16325
- MEYER, G.**  
Nonlinear control of aircraft [NASA-TM-89225] p 655 N86-28958
- MEYER, J.**  
Introduction to deployable recovery systems [DE86-000048] p 211 N86-17310
- MEYER, J. E.**  
SR-71 digital automatic flight and inlet control system [SAE PAPER 851977] p 509 A86-35457
- MEYER, P.**  
A study of the flow around a wing equipped with a spoiler p 83 A86-14186  
The new aluminium alloys for the aeronautical industry p 373 A86-26334  
Production of aluminium-lithium alloy with high specific properties p 659 A86-40255  
Experimental and theoretical study of incompressible flow around a wing profile with a spoiler. Contributions of laser velocimetry and the Dvorak method [ISL-R-116/84] p 279 N86-19297
- MEYER, R. P.**  
The basics of on-board simulation and embedded training [AIAA PAPER 86-0493] p 219 A86-19904
- MEYER, S. A.**  
Logistics supportability considerations during conceptual and preliminary design p 426 A86-30550
- MEYER, T. G.**  
Life prediction and constitutive models for engine hot section anisotropic materials program [NASA-CR-174952] p 526 N86-25003
- MEYER, T. J.**  
Comparison of different aircraft noise exposure indices in flight corridors near airports p 468 A86-31964
- MEYLAN, C.**  
Radial distribution circulation of a rotor in hover measured by laser velocimeter p 276 A86-26110
- MEYYAPPA, M.**  
Rotorcraft structural dynamic design modifications p 289 A86-26117
- MEZNARSIC, V. F.**  
The role of wind tunnel testing in future aircraft development [AIAA PAPER 86-0750] p 309 A86-24739
- MIAO, W.-L.**  
Rotor aeroelastic stability p 798 A86-48664
- MIATT, D. C.**  
Experimental evaluation of heavy fan-high-pressure compressor interaction in a three-shaft engine. I - Experimental setup and results [ASME PAPER 85-GT-173] p 104 A86-13053
- MICHAELIS, K.**  
Scoring tests of aircraft transmission lubricants at high speeds and high temperatures p 667 N86-29253
- MICHAELSON, G. L.**  
Case studies in aircraft manufacturing automation p 762 A86-49000
- MICHALEWICZ, K.**  
Influence of the dropping conditions on container motion near the carrier and on the impact parameters p 158 A86-19069
- MICHEL, J. M.**  
Attached cavitation and the boundary layer - Experimental investigation and numerical treatment p 186 A86-17032
- MICHELBERGER, P.**  
Load examination of vehicle-body of reinforced cylindrical shell in case of kinematic load p 849 A86-49128
- MICKLE, M. H.**  
Modeling and simulation. Volume 15 - Proceedings of the Fifteenth Annual Pittsburgh Conference, University of Pittsburgh, PA, April 19, 20, 1984. Part 5 - General modeling and simulation p 397 A86-28280
- MICKOL, J.**  
A study of methods to predict and measure the transmission of sound through the walls of light aircraft [NASA-CR-177147] p 757 N86-31335
- MIELE, A.**  
Optimal take-off trajectories in the presence of windshear p 708 A86-44386  
Optimization and acceleration guidance of flight trajectories in a windshear [AIAA PAPER 86-2036] p 822 A86-47425  
Optimization and gamma/theta guidance of flight trajectories in a windshear p 834 A86-49071
- MIGNEMI, B.**  
Three component hot-wire measurements in the wake of a rotor model p 320 A86-26111
- MIGNOSI, A.**  
Tests on CAST 7 and CAST 10 profiles in the T2 adaptive-wall cryogenic wind tunnel - Study of the Reynolds-number effect in natural and triggered transitions [AAAF PAPER NT 85-06] p 838 A86-48457
- MIKHAILOV, S. A.**  
A theory of large and finite displacements of bars p 316 A86-23662  
Theory of the motion of propeller blades for large displacements p 639 A86-43385
- MIKHALCHENKO, A. G.**  
Subsonic thermal wind tunnel with an Eiffel chamber p 112 A86-13443
- MIKHALEV, I. A.**  
Spatial orientation of an aircraft during the execution of lateral maneuvers p 175 A86-18987
- MIKHEEV, R. A.**  
Oscillation equations for a helicopter rotor blade p 800 A86-48805
- MIKKELSEN, K.**  
In-flight measurements of wing ice shapes and wing section drag increases caused by natural icing conditions [NASA-TM-87301] p 479 N86-24667
- MIKKELSEN, K. L.**  
The measurement of aircraft performance and stability and control after flight through natural icing conditions [AIAA PAPER 86-9758] p 651 A86-40681  
The measurement of aircraft performance and stability and control after flight through natural icing conditions [NASA-TM-87265] p 446 N86-22582
- MIKROYANNIDIS, J. A.**  
Fire-retardant decorative inks for aircraft interiors [NASA-TM-88198] p 313 N86-18441  
The 1-(diorganooxophosphonyl)methyl-2, 4- and -2, 6-dinitro and diamino benzenes and their derivatives [NASA-CASE-ARC-11425-2] p 378 N86-20499
- MIKUS, E.**  
Fire safety investigations for material selection and design of a carbon fibre reinforced fuselage structure p 785 A86-48989
- MILCETIC, P.**  
Ballistic gas fired devices p 240 A86-19328
- MILES, R. N.**  
Beam dampers for skin vibration and noise reduction in the 747 p 389 N86-21917
- MILEY, S. J.**  
Propeller slipstream/wing boundary layer effects at low Reynolds numbers p 139 A86-16324  
An investigation of the effects of the propeller slipstream of a laminar wing boundary layer [SAE PAPER 850859] p 551 A86-38502  
Wing laminar boundary layer in the presence of a propeller slipstream p 776 A86-49122
- MILLAR, J.**  
An analytical comparison of three visual approach slope indicators: VASIS, T-VASIS and PAPI [ARL/SYS-R-33] p 93 N86-13309
- MILLARD, E. C.**  
Adhesive selection from the user's viewpoint p 841 A86-47715  
Elevated-temperature-resistant adhesives p 842 A86-47717
- MILLEN, E. W.**  
Aircraft liftemer [NASA-CASE-LAR-12518-1] p 590 N86-27280
- MILLER, A. K.**  
Combined experimental/analytical modeling of dynamic structural systems; Proceedings of the Joint Mechanics Conference, Albuquerque, NM, June 24-26, 1985 p 380 A86-26876
- MILLER, C. G.**  
Measured and predicted heating distributions for bionics at Mach 10 p 624 A86-41734
- MILLER, D. S.**  
An evaluation of leading-edge flap performance on delta and double-delta wings at supersonic speeds [AIAA PAPER 86-0315] p 201 A86-19808  
Comparison of computations and experimental data for leading edge vortices - Effects of yaw and vortex flaps [AIAA PAPER 86-0439] p 202 A86-19880  
A comparison of experimental and numerical results for delta wings with vortex flaps [AIAA PAPER 86-1840] p 546 A86-37848  
An overview of the fundamental aerodynamics branch's research activities in wing leading-edge vortex flows at supersonic speeds p 558 N86-27207
- MILLER, E. H.**  
Performance of a forward swept wing fighter utilizing thrust vectoring and reversing p 221 A86-20163
- MILLER, G.**  
Transonic aerodynamic and aeroelastic characteristics of a variable sweep wing p 561 N86-27237
- MILLER, G. D.**  
Transonic aeroelastic analysis of the B-1 wing [AIAA PAPER 85-0690] p 708 A86-44886
- MILLER, J.**  
VHF-FM communications antennas for project SINGGARS (UH-1 tail whip and cabin roof bent whip evaluation) [AD-A163561] p 524 N86-24883  
VHF-FM communications antennas for project SINGGARS (UH-1 tail whip antenna evaluation) [AD-A165897] p 676 N86-29119
- MILLER, K.**  
Digital servocontroller system. Volume 4. Results and conclusions [AD-A159068] p 111 N86-13335  
Digital servocontroller system. Volume 1: Operations manual [AD-A158392] p 192 N86-14960  
Digital servocontroller system. Volume 2. Maintenance manual [AD-A159066] p 179 N86-15322
- MILLER, L. E.**  
Post stall maneuvers and thrust vectoring performance analysis [AD-A158100] p 110 N86-12235  
Aircraft flight performance methods. Revision 2 [AD-A158227] p 169 N86-15310
- MILLER, M. W.**  
Commercial applications of the Navstar Global Positioning System p 514 A86-34112
- MILLER, R.**  
Analytical investigation of rotor wake formation and geometry [NASA-CR-177032] p 693 N86-29768
- MILLER, R. A.**  
Ceramic thermal barrier coatings for electric utility gas turbine engines [NASA-TM-87288] p 452 N86-22687
- MILLER, R. H.**  
Methods for rotor aerodynamic and dynamic analysis p 161 A86-17068
- MILLER, R. K.**  
Assessment of structural damage in composites utilizing acoustic emission technology p 521 A86-35651
- MILLER, S. C.**  
Future trends in propulsion p 816 A86-48979
- MILLER, T. L.**  
Analytical determination of propeller performance degradation due to ice accretion [NASA-CR-175092] p 420 N86-23577
- MILLER, V. R.**  
The viscoelastic damping technology design guide for aerospace structures [ASME PAPER 85-DET-104] p 318 A86-24230  
Airworthiness flight test program of an aircraft equipment fairing p 226 N86-16653  
A design guide for damping of aerospace structures p 390 N86-21923
- MILLER, W. S.**  
Effect of precipitation on mechanical properties of Al-Li-Cu-Mg-Zr alloy p 661 A86-40306  
Deformation and fracture in Al-Li base alloys p 661 A86-40312  
The development of aluminum-lithium alloys for aerospace applications p 451 N86-22616
- MILLOUR, V.**  
Transonic blade to blade calculations in an axial, radial or mixed flow cascade equipped with splitter blades [ASME PAPER 85-GT-86] p 205 A86-22057

- MILLS, J. E.**  
Working with today's BITE - One airline's experience  
p 759 A86-47608
- MILLS, J. S.**  
The quantification and improvement of the thermal stability of aviation turbine fuel  
[ASME PAPER 85-GT-33] p 247 A86-22022  
The influence of JFTOT operating parameters on the assessment of fuel thermal stability  
[SAE PAPER 851871] p 602 A86-38538
- MILLS, M. L.**  
Verification and aerodynamic calibration of the tunnel 16T Captive Trajectory Support (CTS) system  
[AD-A165235] p 599 N86-27295
- MILLWARD, G. W.**  
Radio communication between manoeuvring platforms  
p 456 A86-31921
- MILLY, T. M.**  
Application of computerized data acquisition and data processing to the surface contouring of large structures  
p 118 A86-13342
- MILNER, E. J.**  
Partitioning and packing mathematical simulation models for calculation on parallel computers  
[NASA-TM-87170] p 330 N86-19008
- MILOH, T.**  
On the exact solution of the linearized lifting-surface problem of an elliptic wing  
p 409 A86-31132
- MILOV, L. A.**  
Emerging aerospace technologies  
[NASA-TM-86837] p 131 N86-14213
- MILTON, K. L.**  
High speed bus for Pave Pillar applications  
p 385 A86-28343
- MINA, C.**  
Airborne tracking Sun photometer apparatus and system  
[NASA-CASE-ARC-11622-1] p 394 N86-21982
- MINAEV, I. N.**  
Application of fuzzy logic to the estimation of software reliability for computer systems  
p 396 A86-27472
- MINAILOS, A. N.**  
Calculation of supersonic inviscid flow past a plane air intake element with an isolated head wave  
p 79 A86-13364  
Hypothesis of two-dimensional cross sections for a wing of finite span at supersonic velocities  
p 767 A86-48769  
The effect of equilibrium air properties and Mach number on the aerodynamic characteristics of a flight vehicle  
p 770 A86-48843
- MINAKUCHI, H.**  
Configuration and trajectory of hypersonic transport with aerothermodynamic control  
p 804 A86-49124
- MINECK, R. E.**  
Adaptive wall wind tunnels: A selected, annotated bibliography  
[NASA-TM-87639] p 731 N86-29871
- MINEVICH, S. V.**  
Rotational-translational subsonic motion of a finite-span wing in an ideal gas  
p 628 A86-43384
- MING-SHENG, H.**  
Coupled rotor-body vibrations with inplane degrees of freedom  
p 177 N86-15301
- MINNING, C. P.**  
Improved reliability of electronic circuits through the use of heat pipes  
p 386 A86-28479
- MIODUSHEVSKII, P. V.**  
Determination of the required number of channels for controlling aircraft wing loading for several cases of calculation  
p 768 A86-48787
- MIRANDA, L. R.**  
Aerodynamic effects of wingtip-mounted propellers and turbines  
[AIAA PAPER 86-1802] p 544 A86-37826
- MIRON, J. H. D.**  
High frequency-heated air turbojet  
[NASA-TM-77710] p 364 N86-21543
- MIROSHNICHENKO, L. IA.**  
Frequency methods of aircraft identification  
p 306 A86-24148
- MISHIN, G. I.**  
Experimental study of gas flow around blunt objects  
p 85 A86-15980
- MISRA, A. K.**  
Na<sub>2</sub>SO<sub>4</sub> induced corrosion of nickel at high temperature  
p 517 A86-37073
- MITCHELL, A. M.**  
Testing of YUH-61A helicopter transmission in NASA Lewis 2240-kW (3000-hp) facility  
[NASA-TP-2538] p 525 N86-24992
- MITCHELL, B.**  
Evaluation of alternatives for an Army precision landing system  
[AD-A167780] p 789 N86-31554
- MITCHELL, L. D.**  
Linear dynamic coupling in geared rotor systems  
[ASME PAPER 85-DET-11] p 608 A86-38617
- MITCHELL, L. K.**  
Estimation of lift losses of hovering vehicles using a single jet  
[SAE PAPER 851842] p 579 A86-38339
- MITROPOLSKII, I. U. A.**  
The effect of random forces on nonlinear oscillating systems  
p 535 A86-36710
- MIURA, H.**  
Applications of numerical optimization methods to helicopter design problems - A survey  
p 290 A86-26120
- MIURA, Y.**  
A world review on air breathing engine altitude test facilities  
p 310 A86-25197
- MIXSON, J. S.**  
Review of recent research on interior noise of propeller aircraft  
p 97 A86-14527  
Laboratory study of the effects of sidewall treatment, source directivity and temperature on the interior noise of a light aircraft fuselage  
[AIAA PAPER 86-0390] p 219 A86-19851  
Laboratory study of cabin acoustic treatments installed in an aircraft fuselage  
p 221 A86-20158  
Consideration of some factors affecting low-frequency fuselage noise transmission for propeller aircraft  
[NASA-TP-2552] p 469 N86-24393
- MIYACHI, T.**  
Vibration problems of jet engine rotor systems  
p 304 A86-25219  
Fundamental investigation on the impact strength of hollow fan blades  
[NAL-TR-879] p 322 N86-19657
- MIYAKAWA, J.**  
The comparison of the transonic airfoil calculation by NSFOIL with the wind tunnel test data at high Reynolds number  
p 210 N86-17295
- MIYAZAKI, T.**  
A theoretical solution of three-dimensional flows in subsonic, transonic and supersonic turbomachines - An exact solution and its numerical method  
[ASME PAPER 86-GT-111] p 765 A86-48173
- MIZE, G. L.**  
Implementation of TF/TA in the digital terrain management and display system  
p 359 A86-28390
- MIKHITARIAN, A. M.**  
Aerohydrodromechanics  
p 82 A86-13456
- MKPADI, M. C.**  
Full coverage discrete hole film cooling - The influence of hole size  
[ASME PAPER 85-GT-47] p 251 A86-22035
- MINICH, M. A.**  
Identification of pilot-vehicle dynamics from in-flight tracking data  
p 725 A86-46459
- MOCKRIDGE, L.**  
An optimisation method for reconstruction of flight path trajectories from non-synchronous time-sampled observations by two cine cameras  
[ARL-SYS-R-34] p 167 N86-15279
- MODARRESS, D.**  
Feasibility study of optical boundary layer transition detection method  
[NASA-CR-178109] p 675 N86-28375
- MOELLER, D. W.**  
Airport preparedness for mass disaster - A proposed schematic plan  
p 214 A86-20411
- MOELLER, J. A.**  
On the separated flow over a delta wing at high subsonic and transonic speeds  
[VTH-M-527] p 279 N86-19293
- MOELLER, W.**  
Investigations in the flow field of airfoils with various geometries in the domain of high angles of attack. Experimental investigations  
[REPT-A/18/85] p 418 N86-23576
- MOFFAT, A. J.**  
Application of magneto-optic modulators to advanced avionic displays  
p 360 A86-28506
- MOFFITT, K.**  
Criteria for a state-of-the-art vision test system  
[AD-A157099] p 126 N86-12973
- MOGHADAM, A. H. KH.**  
Three-dimensional interaction of wakes and boundary layers  
[AIAA PAPER 86-1820] p 545 A86-37838  
Wake/boundary-layer interactions in two and three dimensions  
p 773 A86-49032
- MOHR, K. H.**  
The IA 63 trainer  
p 428 A86-32075
- MOJARADI, R.**  
A novel feedback concept for combustion instability in ramjets  
p 665 N86-28236
- MOKADAM, D. R.**  
Analytical and experimental investigation of the coupled bladed disk/shaft whirl of a cantilevered turbofan  
[ASME PAPER 86-GT-98] p 813 A86-48163
- MOKRY, M.**  
Subsonic wall interference corrections for half-model tests using sparse wall pressure data  
[LR-616] p 276 N86-18287
- MOKRY, M. J.**  
Analysis of wind tunnel corrections for half-model tests of a transport aircraft using a doublet panel method  
p 839 A86-49060
- MOLENT, L.**  
Resonance fatigue test of the empennage of a CT4 aircraft  
[AD-A180749] p 294 N86-18321
- MOLL, J. H.**  
Advances in P/M titanium shape technology using the ceramic mold process  
p 246 A86-21741
- MOLLO, C.**  
A study of methods to predict and measure the transmission of sound through the walls of light aircraft  
[NASA-CR-177147] p 757 N86-31335
- MOLLO, C. G.**  
Prediction of sound fields in cavities using boundary element methods  
[AIAA PAPER 86-1864] p 754 A86-45484
- MOLUSIS, J. A.**  
Dual control and prevention of the turn-off phenomenon in a class of mimo systems  
p 681 A86-43000  
An investigation of adaptive controllers for helicopter vibration and the development of a new dual controller  
[NASA-CR-177377] p 239 N86-16228
- MOM, A. J. A.**  
AGARD Cooperative Test Programme on titanium alloy engine disc material  
p 507 N86-25369  
TURBISTAN: A standard load sequence for aircraft engine discs  
p 526 N86-25380  
TURBISTAN: A standard load sequence for aircraft engine disks  
[NLR-MP-85033-U] p 820 N86-32436  
Cost reductions from introduction of new life philosophies for aircraft engine discs  
[NLR-MP-85076-U] p 820 N86-32438
- MONAHAN, R. H.**  
Physical distribution system for aircraft external fuel tanks survey  
[AD-A158275] p 101 N86-13324
- MONDINI, A.**  
Aerialite: Avionics, optoelectronics research, ATR 42  
p 642 N86-29080
- MONGIA, H. C.**  
Rotorcraft propulsion for year 2000 plus  
[AIAA PAPER 86-1543] p 646 A86-42702
- MONGILLO, A.**  
Use of a Service Life Assessment Program (SLAP) for identifying Service Life Extension Program (SLEP) procedures for fatigue sensitive airframe components  
p 134 A86-18442
- MONING, R.**  
Fiber optic high speed data bus  
p 385 A86-28338
- MONTGOMERY, R. C.**  
Failure detection and accommodation in structural dynamics systems using analytic redundancy  
p 658 A86-42938
- MOOK, D. T.**  
Application of the vortex-lattice method to high-angle-of-attack subsonic aerodynamics  
[SAE PAPER 851817] p 547 A86-38326  
Application of the unsteady vortex-lattice method to the nonlinear two-degree-of-freedom aeroelastic equations  
[AIAA PAPER 86-0867] p 585 A86-38902  
Application of continuous vorticity panels to general unsteady incompressible two-dimensional lifting flows  
p 624 A86-41690
- MOOKERJEE, P.**  
Dual control and prevention of the turn-off phenomenon in a class of mimo systems  
p 681 A86-43000  
An investigation of adaptive controllers for helicopter vibration and the development of a new dual controller  
[NASA-CR-177377] p 239 N86-16228
- MOORE, A. L.**  
The role of a real-time flight support facility in flight research programs  
[AIAA PAPER 86-0166] p 241 A86-19727  
The role of a real-time flight support facility in flight research programs  
[NASA-TM-86805] p 311 N86-19330
- MOORE, C. A.**  
Pilot/Vehicle Interface Design System (PIVIDS)  
p 361 A86-28512
- MOORE, C. L.**  
Effects of velocity profile and inclination on dual-jet-induced pressures on a flat plate in a crosswind  
[NASA-CR-177361] p 87 N86-13287



- MOORE, J.**  
Secondary flows and losses downstream of a turbine cascade  
[ASME PAPER 85-GT-84] p 77 A86-13062  
Performance evaluation of linear turbine cascades using three-dimensional viscous flow calculations  
[ASME PAPER 85-G-85] p 77 A86-13063  
Thermodynamic evaluation of transonic compressor rotors using the finite volume approach  
[NASA-CR-176840] p 610 N86-26546  
Thermodynamic evaluation of transonic compressor rotors using the finite volume approach  
[NASA-CR-176847] p 722 N86-30731
- MOORE, J. B.**  
Adaptive flutter suppression in the presence of turbulence p 508 A86-35370
- MOORE, J. G.**  
Performance evaluation of linear turbine cascades using three-dimensional viscous flow calculations  
[ASME PAPER 85-G-85] p 77 A86-13063
- MOORE, M.**  
Unusual aerodynamics of X-29 p 426 A86-31332  
The X-29 - A unique and innovative aerodynamic concept  
[SAE PAPER 851771] p 546 A86-38306
- MOORE, N. Y.**  
Depot maintenance of aviation components: Contractor versus organic repair  
[AD-A162071] p 408 N86-23556
- MOORE, R. D.**  
Pilot/Vehicle Interface Design System (PIVIDS)  
Wind tunnel turning vanes of modern design  
[NASA-TM-87146] p 113 N86-12239
- MOORE, R. L.**  
Aerodynamic delay following control actuation in a glider  
[AIAA PAPER 86-2226] p 829 A86-47689
- MOORE, W. T.**  
A thermal imaging payload for RPV applications p 588 A86-37333
- MOORHEAD, M. E.**  
Implications of new aircraft avionics reliability performance p 253 A86-22178
- MOORHOUSE, D. J.**  
Flying qualities design criteria for highly augmented systems p 369 A86-28509
- MORAES, P., JR.**  
Application of laser-dual-focus velocimetry in a counterflow p 828 A86-43110
- MORAITIS, D.**  
Effect of radar frequency on the detection of shaped (low RCS) targets p 456 A86-32603
- MORAN, T. J.**  
Advanced quantitative methods for nondestructive evaluation p 519 N86-25376
- MORAN, W. A.**  
Flying qualities design criteria for highly augmented systems p 369 A86-28509
- MORARU, F. V.**  
Aircraft and rockets: Design concepts p 410 A86-32324
- MORAWETZ, C. S.**  
On a weak solution for a transonic flow problem p 143 A86-17738
- MORDOFF, K. F.**  
Douglas plans continuing upgrades to maintain MD-80 competitiveness p 98 A86-15999
- MOREAU, J. P.**  
Aircraft lightning attachment at low altitudes p 791 A86-47317
- MOREHOUSE, K. A.**  
Unsteady heat transfer and direct comparison to steady-state measurements in a rotor-wake experiment  
[NASA-TM-87220] p 524 N86-24934
- MOREHOUSE, R. J.**  
Publications of the National Bureau of Standards, 1984 catalog  
[PB85-245678] p 402 N86-21435
- MORELLO, S. A.**  
Flight management concepts compatible with air traffic control p 788 A86-49018
- MORETON, K. G.**  
Mean flow properties measured around an aerofoil close to its maximum lift p 140 A86-16395
- MORETTI, B.**  
Practical implementation of a maintenance and engineering system in an airline p 760 A86-47610
- MORGAN, D. H. S.**  
Harrier the viffer p 763 A86-49681
- MORGAN, H. L., JR.**  
A new, improved method for separating turbulent boundary layer for aerodynamic performance prediction of trailing edge stall airfoils  
[AIAA PAPER 86-1832] p 779 A86-49590
- MORGAN, J. M.**  
A comparative study of an articulated integrated side-arm controller in a variable stability helicopter p 510 A86-35626
- MORGAN, K. S.**  
Proceedings of the 12th Biennial Guidance Test Symposium held at Holloman AFB, New Mexico on 22-24 October 1985, volume 1  
[AD-A161996] p 425 N86-23583
- MORGAN, M.**  
The in-flight simulation program at the NAE Flight Research Laboratory p 96 A86-14356  
Helicopter flight control with one hand p 529 A86-34923
- MORGAN, T.**  
Evolution of real time airborne reconnaissance p 229 A86-19586
- MORINISHI, K.**  
Computation of two-dimensional transonic cascade flow using a new Navier-Stokes solver  
[AIAA PAPER 86-1381] p 624 A86-42605
- MORINO, L.**  
Material contravariant components - Vorticity transport and vortex theorems p 387 A86-28553  
Two methods for viscous and inviscid free-wake analysis of helicopter rotors  
[AD-A161513] p 342 N86-21521
- MORISSET, J.**  
The 'Super Etendard' is always of interest p 87 A86-14423
- MORLEY, R. A.**  
Ground testing approach for the B-1B bomber  
[SAE PAPER 851796] p 598 A86-38319
- MORRELL, F. R.**  
Design considerations for flight test of a fault inferring nonlinear detection system algorithm for avionics sensors  
[AIAA PAPER 86-2030] p 810 A86-47511  
Design considerations for flight test of a fault inferring nonlinear detection system algorithm for avionics sensors  
[NASA-TM-88998] p 637 N86-28933
- MORRIS, A. J.**  
Structural optimisation programs and methods p 434 A86-33257  
Structural optimization programs and methods p 715 N86-30655
- MORRIS, J.**  
A propan status report p 817 A86-49091
- MORRIS, J. J.**  
The Cyclo-Crane - A hybrid airship concept p 638 A86-41976
- MORRIS, L.**  
A low temperature curing, quick repair, fuel resistant aircraft sealant p 115 A86-13082
- MORRIS, N. M.**  
Pilot interaction with automated airborne decision making systems  
[NASA-CR-177002] p 679 N86-29508
- MORRIS, P. M.**  
Flight testing the fixed wing configuration of the Rotor Systems Research Aircraft (RSRA) p 223 A86-21064  
Aerodynamic data banks for Clark-Y, NACA 4-digit and NACA 16-series airfoil families  
[NASA-CR-176883] p 697 N86-30693
- MORRIS, R. S.**  
Techniques for sortie generation analysis  
[SAE PAPER 851950] p 618 A86-38376
- MORRISSETTE, E. L.**  
Effects of cone surface waviness and freestream noise on transition in supersonic flow  
[AIAA PAPER 86-1086] p 550 A86-38448
- MORRISSEY, E. J.**  
Compartmented, filament wound, one-piece aircraft fuel tanks  
[AD-D011793] p 107 N86-12225
- MORRISON, F.**  
Data analysis of airborne electromagnetic bathymetry  
[AD-A157132] p 125 N86-12744
- MORRISSEY, S. J.**  
Applicability of using the CAR-II model in design and evaluation of multipoperator workstations with shared controls p 529 A86-33805
- MORROW, J. W.**  
Structural evolution B-58 to F-16 p 225 A86-22132
- MORROW, S.**  
The application of fatigue damage tolerance concepts to helicopters - The approach proposed by the UK military airworthiness authorities p 165 A86-18447
- MORSE, F. P.**  
Development of the portable water separator for the WSIM test  
[SAE PAPER 851870] p 608 A86-38537
- MORSE, H. A.**  
Swashplate control system  
[NASA-CASE-ARC-11633-1] p 511 N86-24700
- MORTON, B. G.**  
New applications of mu to real-parameter variation problems p 680 A86-42871
- MORTON, J.**  
Structural impact and crashworthiness; Proceedings of the International Conference, Imperial College of Science and Technology, London, England, July 16-20, 1984. Volume 1 Keynote Lectures. Volume 2 - Conference Papers p 383 A86-28276
- MOSES, C. A.**  
Thermal stability concerns of Navy aviation fuel  
[ASME PAPER 86-GT-94] p 842 A86-48159
- MOSES, J.**  
A microprocessor-based digital voice network p 118 A86-13221
- MOSHER, M.**  
Effect of a wind tunnel on the acoustic field from various aerodynamic sources  
[AIAA PAPER 86-1897] p 756 A86-45507
- MOSHJER, W. C.**  
Environmental and adhesive durability of aluminium-polymer systems protected with organic corrosion inhibitors p 601 A86-37708
- MOSIN, Y. L.**  
Analytical evaluations of accuracy in determining and predicting parameters of artificial Earth satellite motion using altimeter measurement data p 312 N86-20196
- MOSKALENKO, V. N.**  
The life of reinforced thin-walled structures in a random force field p 384 A86-28319
- MOSKO, J. D.**  
The effects of vocal versus manual response modalities on multi-task performance  
[AD-A159830] p 321 N86-18588
- MOSKOVITZ, C.**  
Forebody vortex management for yaw control at high angles of attack p 833 A86-49047
- MOSS, R. W.**  
Automation in the cockpit - Who's in charge?  
[SAE PAPER 841534] p 327 A86-26005  
2010 - The symbiotic cockpit p 355 A86-28455  
Cockpit automation - Design and implementation issues  
[SAE PAPER 851921] p 529 A86-35431
- MOSS, W. F.**  
Collocation for an integral equation arising in duct acoustics p 682 A86-43038
- MOTAMED, S.**  
Application of the finite element method in the calculation of transmission loss of flat and curved panels p 400 A86-26888
- MOTH, D. A.**  
Adhesive bonding of aluminium-lithium alloys p 680 A86-40267
- MOTYKA, P.**  
Aircraft control surface failure detection and isolation using the OSGLR test  
[AIAA PAPER 86-2028] p 821 A86-47419  
The evaluation of failure detection and isolation algorithms for restructurable control  
[NASA-CR-177983] p 93 N86-13310  
The evaluation of the OSGLR algorithm for restructurable controls  
[NASA-CR-178083] p 485 N86-24678
- MOUL, M. T.**  
Flight tests and preliminary aerodynamic parameter extraction of an externally piloted vehicle aircraft model p 796 A86-47800
- MOUL, T. M.**  
Determination of corrections to flow direction sensor measurements over an angle-of-attack range from 0 degree to 85 degrees  
[NASA-TM-86402] p 167 N86-14267
- MOULANG, F. B.**  
A review of RAE experimental techniques for rotor dynamics and aerodynamics p 292 A86-26161
- MOUNT, R. E.**  
High performance, stratified charge rotary engines for general aviation  
[AIAA PAPER 86-1553] p 647 A86-42710  
Stratified charge rotary engine for general aviation  
[ASME PAPER 86-GT-181] p 815 A86-48231
- MOUNTS, J. S.**  
An analysis of elliptic grid generation techniques using an implicit Euler solver  
[AIAA PAPER 86-1766] p 542 A86-37804
- MOURTOS, N. J.**  
Flow past a flat plate with a vortex/sink combination  
[NASA-CR-176908] p 676 N86-29159
- MOUSTAPHA, S. H.**  
Influence of rotor blade aerodynamic loading on the performance of a highly loaded turbine stage  
[ASME PAPER 86-GT-56] p 765 A86-48134  
The effect of a downstream rotor on the measured performance of a transonic turbine nozzle  
[ASME PAPER 86-GT-103] p 814 A86-48166

- MOXON, J.**  
7J7 - Boeing sets the pace p 97 A86-14361  
Front-line power p 503 A86-37096  
After the big turbobans p 645 A86-42099
- MOYER, J. J.**  
An examination of the life support equipment development and acquisition process [AD-A162241] p 463 N86-24221
- MOYNIHAN, M. E.**  
Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 1 [NASA-CR-174923-VOL-1] p 108 N86-13328  
Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 2 [NASA-CR-174923-VOL-2] p 108 N86-13329  
Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 3 [NASA-CR-174923-VOL-3] p 108 N86-13330
- MUEHLBAUER, P.**  
Theoretical and experimental investigations of flow vector measurements with angle-of-attack and sideslip sensors on DFVLR meteorological research aircraft [DFVLR-FB-85-50] p 358 N86-21541
- MUELLER, A.**  
Test and flight evaluation of precision distance measuring equipment p 788 A86-49017
- MUELLER, A. W.**  
A new version of the helicopter aural detection program, ICHIN [NASA-TM-87745] p 756 N86-30471
- MUELLER, B.**  
Calculation of axisymmetric laminar supersonic flows over blunt bodies p 148 N86-14234  
Calculation of separated laminar supersonic flows over blunt bodies of revolution at zero angle of attack [DFVLR-FB-85-30] p 151 N86-14256
- MUELLER, C. K.**  
Evaluation of meteorological airborne Doppler radar. I - Dual-Doppler analyses of air motions. II - Triple-Doppler analyses of air motions p 103 A86-14223
- MUELLER, E.**  
Planning for minimum overhaul time p 760 A86-47616
- MUELLER, K.**  
Selections from Flug Revue und Flugwelt International. A. On the border of Time-hypersonic flight. B. NASA programs pave the way for the hypersonic aircraft. C. Shuttle flight 61-B; construction in space. D. Faster than a bullet; hypersonic military aircraft [NASA-TM-88418] p 474 N86-24652
- MUELLER, M. D.**  
The aircraft icing environment in wintertime, low ceiling conditions [AD-A160578] p 280 N86-18307
- MUELLER, R.**  
Pressure fluctuations on rotor blades generated by blade-vortex interaction p 86 A86-16122
- MUELLER, T. J.**  
Conference on Low Reynolds Number Airfoil Aerodynamics, Notre Dame, IN, June 16-18, 1985, Proceedings p 136 A86-16301  
An analysis of a separation bubble transition criterion at low Reynolds numbers p 137 A86-16309  
Performance of finite wings at low Reynolds numbers p 138 A86-16314  
Preliminary experiments in unsteady flow on airfoils at low Reynolds numbers p 138 A86-16320  
The effect of trip wire roughness on the performance of the Wortmann FX 63-137 airfoil at low Reynolds numbers p 139 A86-16322  
Experimental determination of the laminar separation bubble characteristics on an airfoil at low Reynolds numbers [AIAA PAPER 86-1065] p 548 A86-38433  
Proceedings of the Conference on Low Reynolds Number Airfoil Aerodynamics [NASA-CR-177308] p 540 N86-26283
- MULAC, R. A.**  
A model for closing the inviscid form of the average-passage equation system [NASA-TM-87199] p 147 N86-14224  
A numerical simulation of the inviscid flow through a counter-rotating propeller [NASA-TM-87200] p 207 N86-16195
- MULAK, P.**  
Extension of a transonic three-dimensional unsteady small perturbation computing method [ONERA-RTS-23/3064-RY-048-R] p 633 N86-28927
- MULLER, G. L.**  
Three-dimensional inviscid flow in mixers. I - Mixer analysis using a Cartesian grid p 554 A86-39090  
Three-dimensional inviscid flow in mixers. II - Analysis of turbofan forced mixers p 692 A86-46316
- MULLER, H.**  
Selections from Flug Revue und Flugwelt International. A. On the border of Time-hypersonic flight. B. NASA programs pave the way for the hypersonic aircraft. C. Shuttle flight 61-B; construction in space. D. Faster than a bullet; hypersonic military aircraft [NASA-TM-88418] p 474 N86-24652
- MULVEY, J. M.**  
Integrated risk/cost planning models for the US Air Traffic system [NASA-CR-177274] p 573 N86-26312  
An optimization model for the US Air-Traffic System [NASA-CR-177277] p 574 N86-27271
- MUNIN, A. G.**  
Acoustic characteristics of models of ejector suppressors of jet noise p 129 A86-13416
- MUNIZ, B.**  
Control of a forward-swept-wing configuration dominated by flight dynamic/aeroelastic interactions p 239 A86-20237
- MUNOZ DE LUNA, E.**  
Aerial navigation p 421 A86-31006
- MURAKAMI, A.**  
Spreading of two-stream supersonic turbulent mixing layers p 546 A86-37901  
Configuration and trajectory of hypersonic transport with aerothermodynamic control p 804 A86-49124
- MURMAN, E. M.**  
Comparison of computations and experimental data for leading edge vortices - Effects of yaw and vortex flaps [AIAA PAPER 86-0439] p 202 A86-19880  
Euler solutions for the flow around a hovering helicopter rotor [AIAA PAPER 86-1784] p 543 A86-37815  
A comparison of experimental and numerical results for delta wings with vortex flaps [AIAA PAPER 86-1840] p 546 A86-37848  
Three-dimensional inviscid flow in mixers. I - Mixer analysis using a Cartesian grid p 554 A86-39090  
Three-dimensional inviscid flow in mixers. II - Analysis of turbofan forced mixers p 692 A86-46316  
Impact of supercomputers on the next decade of computational fluid dynamics p 740 A86-46788  
High resolution solutions of the Euler equations for vortex flows p 692 A86-46793  
Analytical investigation of rotor wake formation and geometry [NASA-CR-177032] p 693 N86-29768
- MURPHY, D. P.**  
Electrostatic charging of the CH-53E helicopter [AD-A161836] p 437 N86-23590
- MURPHY, J. V.**  
Performance of AV-8B Harrier II structural test program p 241 A86-22189
- MURPHY, M. S.**  
JTIDS RELNAV performance evaluation p 350 A86-28369
- MURPHY, P. C.**  
A methodology for airplane parameter estimation and confidence interval determination in nonlinear estimation problems [NASA-RP-1153] p 445 N86-22579
- MURPHY, P. J.**  
A turbine engine inlet viewing system [AIAA PAPER 86-1647] p 656 A86-42769
- MURPHY, R. C.**  
Fiber optic sensors for flexure measurement of aircraft structures p 739 A86-46135
- MURRAY, J. E.**  
Application of parameter estimation to highly unstable aircraft [AIAA PAPER 86-2020] p 827 A86-47655  
Application of parameter estimation to highly unstable aircraft [NASA-TM-88266] p 639 N86-28078
- MURRELL, R. C.**  
Limited Airworthiness and Flight Characteristics (A and FC) test of the quick fix configuration [AD-A157716] p 101 N86-13323
- MURRI, D. G.**  
Exploratory investigation of deflectable forebody strakes for high angle of attack yaw control [AIAA PAPER 86-0333] p 238 A86-19819  
Experimental study of effects of forebody geometry on high angle of attack static and dynamic stability and control p 833 A86-49039  
Forebody vortex management for yaw control at high angles of attack p 833 A86-49047
- MURTHY, S. N. B.**  
Direct and system effects of water ingestion into jet engine compressors p 644 A86-40739  
Transient engine performance with water ingestion [AIAA PAPER 86-1621] p 647 A86-42755
- MURTHY, V. R.**  
Linear and nonlinear dynamic analysis of redundant load path bearingless rotor systems [NASA-CR-177098] p 682 N86-29579
- MUSAFIR, R. E.**  
Use of acoustic intensity measurements in the characterization of jet noise sources p 855 A86-48740
- MUSHA, T.**  
Weibull-distributed ground clutter in the frequency domain p 671 A86-41883
- MUSTAFA, A.**  
Performance of resonant radar target identification algorithms using intra-class weighting functions p 321 N86-19490
- MYERS, L. P.**  
Flight evaluation of a digital electronic engine control in an F-15 airplane p 173 A86-17784  
Test and evaluation of the HIDECE engine uptrim algorithm [AIAA PAPER 86-1676] p 648 A86-42787  
F-15 digital electronic engine control system description [PAPER-3] p 504 N86-25345  
Flight testing the digital electronic engine control in the F-15 airplane [PAPER-6] p 505 N86-25348  
Real-time in-flight thrust calculation on a digital electronic engine control-equipped F100 engine in an F-15 airplane [PAPER-13] p 506 N86-25355  
Test and evaluation of the HIDECE engine uptrim algorithm [NASA-TM-88262] p 650 N86-28088
- MYERS, M. K.**  
Aerodynamics via acoustics - Application of acoustic formulas for aerodynamic calculations [AIAA PAPER 86-1877] p 691 A86-45494
- MYERS, M. R.**  
Influence of airfoil camber on convected gust interaction noise [AIAA PAPER 86-1873] p 755 A86-45493
- MYKYTOW, W. J.**  
Review of SMP 1984 Symposium on Transonic Unsteady Aerodynamics and its Aeroelastic Applications p 561 N86-27236
- MYSHENKOV, V. I.**  
A numerical study of axisymmetric flow past a disk p 79 A86-13377

## N

- NACHTSHEIM, P. R.**  
A knowledge-based expert system for scheduling of airborne astronomical observations p 854 A86-49627
- NADLER, C.**  
A low temperature curing, quick repair, fuel resistant aircraft sealant p 115 A86-13082
- NADOLSKI, V. L.**  
Evaluating the new automated weather observing system p 615 A86-37491
- NAFTEL, P. B.**  
The mission oriented terminal area simulation facility [NASA-TM-87621] p 128 N86-13944
- NAGABHUSHAN, B. L.**  
Low-speed stability characteristics of a helicopter with a sling load p 365 A86-26586  
Thrust-vectored takeoff, landing, and ground handling of an airship p 343 A86-28571
- NAGABHUSHAN, J.**  
An experimental and analytical investigation of isolated rotor flap-lag stability in forward flight [NASA-CR-177028] p 654 N86-28957
- NAGAMATSU, H. T.**  
Wall cooling effects on hypersonic boundary layer transition,  $M(1) = 7.5 - 15$  [AIAA PAPER 86-1088] p 550 A86-38450
- NAGAOKA, S.**  
Effects of measurement errors on estimation of the probability of vertical overlap p 280 A86-25214
- NAGASAWA, Y.**  
Changes of flying skills during non-flight periods p 125 A86-13944
- NAGASHIMA, T.**  
Nonlinear analysis for dynamic behaviours of a coupled rotational vibration system near its critical speed p 291 A86-26143
- NAGATAKE, M.**  
Investigations of transonic Ludwig tubes. III - Effects of plenum exhaust system on starting process of tunnel test section p 140 A86-16838
- NAGATI, M. G.**  
The use of curved higher order panels for vortex sheet modeling [AIAA PAPER 86-1812] p 544 A86-37833

- Vortex sheet modeling with higher order curved panels  
[NASA-CR-176971] p 693 N86-29770
- NAGAYASU, M.**  
Covariance specification for the linear time-invariant output-feedback control systems using a Kalman filter [NAL-TR-882] p 399 N86-21219
- NAGLE-ESHELMAN, J.**  
The Shock and Vibration Digest, volume 18, no. 1 [AD-A165726] p 612 N86-27468  
The Shock and Vibration Digest, volume 17, no. 8 [AD-A165115] p 612 N86-27471
- NAHON, M. A.**  
Flight simulation motion-base drive algorithms. Part 2: Selecting the system parameters [UTIAS-307] p 618 N86-27929
- NAIDU, D. S.**  
Time scale analysis of a closed-loop discrete optimal control system [AIAA PAPER 86-1995] p 852 A86-47417
- NAIK, D.**  
Post stall studies of untwisted varying aspect ratio blades with NACA 44XX series. II - Airfoil sections p 272 A86-24522  
An experimental study of the lift, drag and static longitudinal stability for a three lifting surface configuration [AIAA PAPER 86-0398] p 365 A86-26629  
An experimental study of a three lifting surface configuration p 775 A86-49104
- NAIK, D. A.**  
An experimental study of a general aviation single-engine aircraft utilizing a natural laminar flow wing [SAE PAPER 850861] p 551 A86-38503
- NAKAHARA, S.**  
Coatings p 845 A86-47721
- NAKAMURA, F.**  
Dynamic response of wind turbine to yawed wind p 323 A86-26140
- NAKAMURA, M.**  
Figures of out surface of an airplane model p 288 A86-25237  
Outer surface of airplane and computational grid for flow analysis in physical space p 409 A86-31022
- NAKAMURA, Y.**  
Rotor-strut interaction noise of a model fan [AIAA PAPER 86-1871] p 755 A86-45491
- NAKAO, M.**  
Development and flight testing of the T-2 control configured vehicle [AIAA PAPER 86-9763] p 429 A86-32101
- NANEVICZ, J. E.**  
Corona threshold determination by three-stage physical modelling of aircraft p 792 A86-47333
- NAPIER, T. R.**  
Design criteria upgrade for US Army Type 2 air traffic control towers [AD-A159115] p 94 N86-13314
- NAPOLITANO, M.**  
A perturbative lambda formulation p 337 A86-28535
- NARASIMHA, R.**  
Engine-out take-off climb - An old airworthiness problem reviewed p 161 A86-17061
- NARAYAN, K. Y.**  
Side force characteristics of a 20 deg cone at high angles of attack [NAL-TM-AE-8503] p 340 N86-20356
- NARAYANAN, S.**  
Free vibration characteristics of periodically stiffened panels with damped stringers p 456 A86-31773
- NAROTAM, M.**  
Ada for Simulators [SAE PAPER 851964] p 532 A86-36945
- NASH, D.**  
Length adjustable strut link with low aerodynamic drag [AD-D011851] p 107 N86-12232
- NASH, D. O.**  
Dual material exhaust nozzle flap [AD-D011998] p 364 N86-21548
- NASONKIN, I. M.**  
The effect of a fault on the stiffness and the natural frequency of a plate in bending p 850 A86-49918
- NASTASE, A.**  
Optimum-Optimorum integrated wing-fuselage configuration for supersonic transport aircraft of second generation p 801 A86-49010
- NATALIZIA, F.**  
Composites in the development of Agusta helicopters p 320 A86-26121
- NATHMAN, J.**  
Investigation to advance prediction techniques of the low-speed aerodynamics of V/STOL aircraft [NASA-CR-166479] p 416 N86-23568
- NAUMOV, A. M.**  
Influence of unsteady flow effects on the length of operation of a hypersonic shock tunnel p 112 A86-13428
- NAVAB, M.**  
RT-BUILD - Automatic generation of Ada code for flight control applications [AIAA PAPER 86-2088] p 852 A86-47439
- NAVANEETHAN, R.**  
01 General aviation interior noise problem: Some suggested solutions p 194 N86-15053
- NAVARRO, T.**  
Comparison of voice types for helicopter voice warning systems [SAE PAPER 841611] p 328 A86-26030
- NAVERT, U. G.**  
Transonic computations about complex configurations using coupled inner and outer flow equations p 771 A86-49008
- NAVRAJ, B. H.**  
F-111 natural laminar flow glove flight test data analysis and boundary layer stability analysis [NASA-CR-166051] p 168 N86-15305
- NAVYEM, A. H.**  
Application of the vortex-lattice method to high-angle-of-attack subsonic aerodynamics [SAE PAPER 851817] p 547 A86-38326
- NAZARETIAN, R.**  
The 'Super Etendard' is always of interest p 97 A86-14423
- NEALY, D. A.**  
Development of a design model for airfoil leading edge film cooling [ASME PAPER 85-GT-120] p 252 A86-22073
- NEATHAMMER, R. D.**  
The role of vibration and rattle in human response to helicopter noise [AD-A162486] p 396 N86-22110
- NEBUSEV, S. V.**  
Noise immunity of signals with minimum FSK p 383 A86-27492
- NEDBAL, I.**  
Fractographic study of fatigue crack kinetics in bodies and structures p 454 A86-30034
- NEDELL, B.**  
Development and validation of the crew-station system-integration research facility [NASA-TM-86841] p 622 N86-28051
- NEFF, J. A.**  
First order analysis of the effect of pitching on the drag coefficient [DE86-006324] p 633 N86-28926
- NEFF, J. R.**  
Preliminary estimate of fatigue life for dynamic components of a new helicopter p 493 A86-35639
- NEGODA, V. V.**  
Numerical analysis of nonequilibrium flow about airfoil in thin shock layer approximation p 343 N86-22258  
Hypersonic flow around a wing at large angles of attack with detached compression jump p 480 N86-25534
- NEGREBA, V. A.**  
Methods of the assembly of aircraft instrumentation and systems p 685 A86-44284
- NEITZEL, M. J.**  
What USAF aircraft should be the Wild Weasel of the 1990's? An assessment of the F-4G, the F-15WW, and F-16WW [AD-A164727] p 539 N86-26279
- NEJEDLY, V.**  
Safe service life scattering coefficient j sub N (and/or eta sub 4) and the S-N curve p 804 A86-49138
- NEKRASOVA, M. N.**  
Transonic flow past the root section of a wing with sweepback and sweepforward p 769 A86-48817
- NELEPOVITZ, D. O.**  
Electro-impulse de-icing of aircraft engine inlets [AIAA PAPER 86-0546] p 352 A86-26647
- NELLES, H.**  
Wind shear measurement on board a Morane 893 p 394 N86-21084
- NELSON, D. J.**  
Quantifying a propeller/engine power response rate mismatch p 796 A86-47801
- NELSON, H.**  
The combined effects of stress and moisture on the structural integrity of composites p 667 A86-40344
- NELSON, H. D.**  
Rotor dynamics equations in complex form p 122 A86-16040
- NELSON, H. F.**  
Infrared emission from jet engine exhaust plumes [AIAA PAPER 86-0465] p 233 A86-19888
- NELSON, P. A.**  
Active minimisation of acoustic potential energy in harmonically excited cylindrical enclosed sound fields [AIAA PAPER 86-1958] p 752 A86-45443
- NELSON, R. C.**  
Visualization and flow surveys of the leading edge vortex structure on delta wing planforms [AIAA PAPER 86-0330] p 201 A86-19817  
An experimental investigation of vortex breakdown on a delta wing p 557 N86-27196
- NELSON, R. L.**  
SR-71 digital automatic flight and inlet control system [SAE PAPER 851977] p 509 A86-35457
- NELSON, S.**  
A fault-tolerant 1750A engine controller [AIAA PAPER 86-1675] p 648 A86-42786
- NEMEC, J.**  
Short crack development in mechanical structures p 453 A86-30027
- NEMYKIN, A. S.**  
Estimation of the fluctuation amplitude of the angle of attack of a flight vehicle with nonlinear damping characteristics in the presence of atmospheric turbulence p 114 A86-13386
- NENADOVIC, M.**  
Flight stability and controllability. II - Aircraft longitudinal stability p 239 A86-21318
- NERI, L. M.**  
FAA fuel containment R and D p 733 N86-30011
- NESHPOUR, G. S.**  
Methods of constructing R-curves and application of these curves for evaluation of materials (Review) p 117 A86-13011
- NESTLEROTH, J. B.**  
Ultrasonic f-scan inspection of composite materials [AD-A159974] p 314 N86-18451
- NEUHOFF, F.**  
Evaluation of the blade-to-blade flow from a high speed compressor rotor [ASME PAPER 86-GT-117] p 765 A86-48176  
Time resolved and time averaged flow evaluation for an isolated transonic compressor rotor [AD-A166759] p 723 N86-30734
- NEUHOLD, J.**  
Recycling of titanium scrap for the production of high-duty aerospace components p 382 A86-27211
- NEUWERTH, G.**  
Pressure fluctuations on rotor blades generated by blade-vortex interaction p 86 A86-16122
- NEVOLKO, M. P.**  
Analytical evaluations of accuracy in determining and predicting parameters of artificial Earth satellite motion using altimeter measurement data p 312 N86-20196
- NEVSKII, L. B.**  
A method for measuring pressure distribution by means of indicating coatings p 140 A86-16687
- NEWCOMB, D. E.**  
Use of NDE to evaluate reflection cracking in airfield pavements [AD-A164880] p 599 N86-27293
- NEWMAN, B. A.**  
Classical flight dynamics of a variable forward-sweep-wing aircraft p 594 A86-39043
- NEWMAN, J. S.**  
International Civil Aviation Organization Helicopter Noise Measurement Repeatability Program: US test report, Bell 206L-1, noise measurement flight test [AD-A159898] p 333 N86-20090  
Analysis of helicopter noise data using international helicopter noise certification procedures [PB86-186533] p 620 N86-27972
- NEWMAN, N. D.**  
The AV-8B fatigue test program p 165 A86-18443
- NEWSOM, J. R.**  
Integrated structure/control design - Present methodology and future opportunities p 854 A86-49094
- NEWSOME, R. W.**  
Euler and Navier-Stokes solutions for flow over a conical delta wing p 411 A86-32960  
Navier-Stokes computations of lee-side flows over delta wings [AIAA PAPER 86-1049] p 548 A86-38420  
Computation of leading-edge vortex flows p 558 N86-27205
- NEWTON, J.**  
Ice shapes and the resulting drag increase for a NACA 0012 airfoil [AIAA PAPER 84-0109] p 90 A86-14427
- NEWTON, J. E.**  
Study of ice accretion on icing wind tunnel components [NASA-TM-87095] p 242 N86-16232
- NEYE, G.**  
EB repair welding of a critical aircraft part made from the nonweldable titanium alloy 3.7184.7 (Ti-44-Mo4-Sn2-Si) p 382 A86-27278
- NEYSSSEN, G. A.**  
Reliability development testing of SH-60B helicopter mechanical systems p 164 A86-18420

- NG, T. T.**  
Visualization and flow surveys of the leading edge vortex structure on delta wing planforms  
[AIAA PAPER 86-0330] p 201 A86-19817
- NG, W. F.**  
Experimental investigation of unsteady fan flow interaction with downstream struts  
[AIAA PAPER 86-1870] p 739 A86-45490
- NG, W.-F.**  
Calculation of unsteady fan rotor response caused by downstream flow distortions p 85 A86-14558  
Cryogenic tunnel measurement of total temperature and pressure p 387 A86-28570
- NGUYEN, L. T.**  
Experimental study of effects of forebody geometry on high angle of attack static and dynamic stability  
[AIAA PAPER 86-0331] p 238 A86-19818  
Experimental study of effects of forebody geometry on high angle of attack static and dynamic stability and control p 833 A86-49039  
Recent experiences of unsteady aerodynamic effects on aircraft flight dynamics at high angle of attack p 564 A86-27252
- NICAISE, P.**  
A redundant strapdown reference for advanced aircraft flight control systems p 239 A86-21840
- NICHOLAS, T.**  
Cumulative-damage modeling of fatigue crack growth in turbine engine materials p 105 A86-13599
- NICHOLS, J. H., JR.**  
Development of pneumatic thrust-deflecting powered-lift systems  
[AIAA PAPER 86-0476] p 219 A86-19894
- NICHOLSON, G. C.**  
A supportability strategy for 1995  
[AIAA PAPER 86-1670] p 684 A86-42783
- NICHOLSON, P. G.**  
The F/A-18 Fighter/Attack aircraft program  
[AD-A159292] p 195 N86-15205
- NICHOLSON, R. K.**  
Flight deck displays for managing wind shear encounters  
[SAE PAPER 841465] p 298 A86-26008
- NICHOLSON, S.**  
Thermodynamic evaluation of transonic compressor rotors using the finite volume approach  
[NASA-CR-176840] p 610 N86-26546  
Thermodynamic evaluation of transonic compressor rotors using the finite volume approach  
[NASA-CR-176947] p 722 N86-30731
- NICKS, C. O.**  
Six degree-of-freedom LIVE isolation systems, part 1  
[NASA-CR-177928] p 587 N86-26331
- NICOLETTO, G.**  
Experimental characterization of cracks at straight attachment lugs p 186 A86-16821
- NIEBANCK, C. F.**  
Test results from a dynamic model dynaflex rotor p 167 N86-15285  
An examination of the relations between rotor vibratory loads and airframe vibrations p 177 N86-15299
- NIEDBAL, N.**  
Experimental system identification for experimental/analytical correlation and modelling p 381 A86-26883  
Advances in ground vibration testing using a combination of phase resonance and phase separation methods p 743 N86-30869
- NIEDERSTADT, G.**  
A round-up on CFRP p 641 A86-47602
- NIEDZWIECKI, R. W.**  
An overview of the Small Engine Component Technology (SECT) studies  
[NASA-TM-88796] p 819 N86-31587
- NIELSON, J. T.**  
GPS aided inertial navigation p 351 A86-29300
- NIEUWPOORT, A. M. H.**  
Determination of performance and stability characteristics from dynamic maneuvers with a transport aircraft using parameter identification techniques  
[NLR-MP-84024-U] p 308 N86-19326
- NIKIFORUK, P. N.**  
A stable discrete-time adaptive observer applied to multivariable aircraft p 305 A86-23346  
On the development of equiobservable forms with application to adaptive control p 465 A86-33134  
Adaptive flight control of unstable helicopters during transition p 444 A86-33178  
A discrete adaptive observer for a multi-output aircraft control system p 444 A86-33180  
A discrete-time multivariable model-following method applied to decoupled flight control  
[AIAA PAPER 85-1978] p 725 A86-46454  
Synthesis of an adaptive flight controller under unknown deterministic disturbances  
[AIAA PAPER 86-2157] p 823 A86-47464
- NIKOLAYEV, N. S.**  
Apparatus for the preparation of air  
[AD-A165803] p 673 N86-28266
- NIKAKANTAN, G. R.**  
Feasibility of simplifying coupled lag-flap-torsional models for rotor blade stability in forward flight p 98 A86-18123  
Feasibility of simplifying coupled lag-flap-torsional models for rotor blade stability in forward flight p 290 A86-26138
- NINA, M. N. R.**  
Heat exchangers in regenerative gas turbine cycles p 741 N86-29857
- NIR, Z.**  
Fire-retardant decorative inks for aircraft interiors  
[NASA-TM-88198] p 313 N86-18441
- NIRANJANA, T.**  
A low speed tunnel semi-free dynamic flying study of the high angle of attack pitch derivatives of HF-24 using MLE procedure  
[NAL-TRM-SE-8603] p 782 N86-32393
- NISHI, A.**  
Dispersion process of jet engine exhaust plume. II - Buoyant jet p 234 A86-20448
- NISHIDA, H.**  
Numerical analysis for steady transonic flows past an airfoil using AF scheme p 209 N86-17289
- NISHIDA, Y.**  
Numerical solution of viscous compressible flows past an airfoil using unconditionally stable explicit method p 210 N86-17290
- NISHIMURA, T.**  
Manufacturing advance towards high strain fibers p 182 A86-16203  
Effect of processing and heat treatment on the mechanical properties of Ti-6Al-2Sn-4Zr-6Mo alloy p 375 A86-27231
- NISHIWAKI, H.**  
Aerodynamics of an advanced propeller design under takeoff and landing conditions p 284 A86-23190
- NISSIM, E.**  
Nonplanar, subsonic, three-dimensional oscillatory piecewise continuous kernel function method p 162 A86-17779
- NISSLEY, D. M.**  
Life prediction and constitutive models for engine hot section anisotropic materials program  
[NASA-CR-174952] p 526 N86-25003
- NITA, M. M.**  
Aircraft and rockets: Design concepts p 410 A86-32324
- NIU, W.**  
Development of a portable wear metal analyzer for field use  
[AD-A168013] p 622 N86-28906
- NIVEN, A. J.**  
On the duration of low speed dynamic stall p 773 A86-49033
- NIXON, C. W.**  
B-52G crew noise exposure study  
[AD-A161112] p 333 N86-20094  
A modification of the H-133 ground communications headset for use in intense noise environments  
[AD-A166981] p 744 N86-30907
- NIXON, D.**  
Unsteady three-dimensional simulations of a VTOL upwash fountain  
[AIAA PAPER 86-0212] p 200 A86-19753  
Prediction of gust loadings and alleviation at transonic speeds  
[AIAA PAPER 86-0997] p 777 A86-49573
- NOBACK, R.**  
Comparison of discrete and continuous gust methods for airplane design loads determination p 356 A86-28567  
Estimation of load exceedances of an aircraft under carriage with nonlinear properties excited by random runway unevenness  
[NLR-TR-84030-U] p 228 N86-17348  
The generation of equal probability design load conditions, using Power Spectral Density (PSD) techniques  
[NLR-TR-85014-U] p 809 N86-32430
- NOHISA, T.**  
The role of computational fluid dynamics in aeronautical engineering  
[REPT-2] p 257 N86-17296
- NOLL, T. E.**  
A review of aeroelastic research at the flight dynamics laboratory p 433 A86-33242  
Modelling of rigid-body and elastic aircraft dynamics for flight control development  
[AIAA PAPER 86-2232] p 829 A86-47693  
A review of aeroelastic research at the Flight Dynamics Laboratory p 727 N86-30642
- NOMURA, S.**  
Configuration and trajectory of hypersonic transport with aerothermodynamic control p 804 A86-49124
- NONEMAKER, H. J.**  
Gear tooth surface fatigue testing with full size test specimens p 187 A86-18409
- NORGREN, C. T.**  
Small gas turbine combustor experimental study - Compliant metal/ceramic liner and performance evaluation  
[AIAA PAPER 86-1452] p 818 A86-49811  
Small gas turbine combustor experimental study: Compliant metal/ceramic liner and performance evaluation  
[NASA-TM-87304] p 819 N86-31582
- NORITA, T.**  
Manufacturing advance towards high strain fibers p 182 A86-16203  
Recent developments in carbon fibre composite p 244 A86-21296
- NORMAN, G. A.**  
AFOS (Automation of Field Operations and Services) monitoring of terminal forecasts  
[PB85-236388] p 260 N86-16843
- NORMAN, T. R.**  
Rotor tip vortex geometry measurements using the wide-field shadowgraph technique  
[AIAA PAPER 86-1780] p 778 A86-49580
- NORRIS, P. P.**  
Life prediction and constitutive models for engine hot section anisotropic materials program  
[NASA-CR-174952] p 526 N86-25003
- NORSTRUD, H.**  
Formulation of the Euler boundary value problem p 154 N86-15258
- NORTH, D. M.**  
NASA's Langley Center making gains in advanced technology projects p 686 A86-45065
- NORTH, R. A.**  
Dynamic retraining approaches for an airborne speech recognition system p 395 A86-28444
- NORTHAM, G. B.**  
Survey of supersonic combustion ramjet research at Langley  
[AIAA PAPER 86-0159] p 503 A86-37079  
Effect of silane concentration on the supersonic combustion of a silane/methane mixture  
[AIAA PAPER 86-1396] p 663 A86-42610
- NORTON, W. J.**  
A proposed plane for the initial flight testing of a Rutan Aircraft Factory long-EZ and other light amateur experimental aircraft p 794 A86-47777
- NORUM, T. D.**  
Shock noise from supersonic jets in simulated flight to Mach 0.4  
[AIAA PAPER 86-1945] p 752 A86-45432
- NOSIK, V. N.**  
A general criterion in design p 455 A86-31412
- NOSS, R. S.**  
Analysis of direct and nearby lightning strike data for aircraft  
[NASA-CR-172127] p 617 N86-27855
- NOSSEIR, N.**  
The flowfield of a side-dump combustor p 673 N86-28237
- NOSSEIR, N. S.**  
Impinging jets p 458 A86-33419  
The pressure field generated by jet-jet impingement  
[AIAA PAPER 86-1951] p 739 A86-45437
- NOTON, B.R.**  
Airframe design to achieve minimum cost p 267 A86-22141
- NOTTINGHAM, T. C.**  
A spring in the air p 590 A86-37345
- NOVAK, C. J.**  
Laser velocimetry in highly three-dimensional and vortical flows p 557 N86-27197
- NOVIKOV, S. S.**  
Measurement of the heterogeneous recombination probability of oxygen atoms in the course of supersonic dissociated gas flow interaction with solid body surfaces p 85 A86-14743
- NOVINSON, T.**  
A durable airfield marking system  
[AD-A157953] p 113 N86-13339
- NOVITSKII, V. V.**  
Characteristics of the effect of the powerplant jet streams on the design of VTOL aircraft p 354 A86-28320
- NOVOSARTOV, G. T.**  
Determination of the service life of aviation oils p 312 A86-23450
- NOVOZHILOV, G. V.**  
Features of planned IL-96-300, IL-114 aircraft p 294 N86-18325

## NOWACK, H.

High temperature fatigue behavior of IMI 685  
p 378 A86-27385

## NOWAK, Z.

Calculations of transonic flows around single and multi-element airfoils on a small computer  
[REPT-84-48] p 208 N86-16205

## NSI MBA, M.

Radial distribution circulation of a rotor in hover measured by laser velocimeter p 276 A86-26110

## NUGMANOV, Z. KH.

Aerodynamic design of an airfoil with allowance for the condition of nonseparated flow p 270 A86-23660

## NUSCA, M. J.

Parametric study of low Reynolds number precessing/spinning incompressible flows  
[AIAA PAPER 86-2027] p 827 A86-47661

## NUTTALL, J. D.

Requirements for gyroscopes for inertial navigation p 93 A86-13576

## NUYEN, V.

Three-axis electrofluidic angular rate sensor for ejection seat steering thrust vector control  
[AD-A159413] p 159 N86-15277

## NYALKO, M. A.

AV-8B initial sea trials p 222 A86-21054

## NYENHUIS, R.

Further results of natural laminar flow flight test experiments  
[SAE PAPER 850862] p 581 A86-38504

## O

## OBARA, C. J.

Natural laminar flow flight experiments on a turbine engine nacelle fairing  
[AIAA PAPER 86-9756] p 429 A86-32097

Flight research on natural laminar flow nacelles - A progress report  
[AIAA PAPER 86-1629] p 627 A86-42762

## OBATA, T.

Changes of flying skills during non-flight periods p 125 A86-13944

## OBAYASHI, S.

Practical applications of new LU-ADI scheme for the three-dimensional Navier-Stokes computation of transonic viscous flows  
[AIAA PAPER 86-0513] p 203 A86-19922

Navier-Stokes simulation of transonic flow over wing-fuselage combinations  
[AIAA PAPER 86-1831] p 779 A86-49589

Computation of 3-dimensional viscous transonic flows using the LU-ADI factored scheme  
[NAL-TR-888T] p 555 N86-27184

## OBEMEIER, F.

On aerodynamic sound generation by airfoil-vortex interaction p 688 A86-44803

## OBERFRANZ, R.

Automated systems for the manufacture of Airbus Vertical Stabilizer Spar box in composite materials p 762 A86-49067

## OBERKAMPF, W. L.

Six degree of freedom simulation of fluid payload projectiles using numerically computed fluid moments  
[DE85-017183] p 208 N86-16200

## OBERLE, H. J.

Periodic control for minimum-fuel aircraft trajectories p 427 A86-31657

## OBERMEIER, F.

Flow of real fluids p 737 A86-44801

## OBRAZTSOV, I. F.

Dynamic strength problems in aerospace equipment p 120 A86-13690

Problems of aircraft reliability p 383 A86-28303

## OBRIEN, J. E.

Unsteady heat transfer and direct comparison to steady-state measurements in a rotor-wake experiment  
[NASA-TM-87220] p 524 N86-24934

## OBRIEN, P. J.

Simulation of time-control procedures for terminal area flow management p 484 A86-35369

## OBRIEN, T. K.

Generic aspects of delamination in fatigue of composite materials p 183 A86-18432

Interlaminar fracture of composites p 313 A86-24986

## OBRIEN, W. F.

Calculation of unsteady fan rotor response caused by downstream flow distortions p 85 A86-14558

Axial-flow fan stalling behavior with circumferential inlet sectoring  
[AIAA PAPER 86-1622] p 626 A86-42756

Experimental investigation of unsteady fan flow interaction with downstream struts  
[AIAA PAPER 86-1870] p 739 A86-45490

## OBRINGER, C. A.

Fuel property effects on combustion  
[AD-A162451] p 378 N86-20522

## OCH, F.

Standardized fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation. Part 2: Final definition of Helix and Felix  
[LBF-FB-187] p 436 N86-23585

## OCH, G. M.

Obstacle warning radar for helicopters - An anthropotechnical problem p 787 A86-47769

## ODEA, S.

Design and development of an inertial power supply unit for carrier-based aircraft p 304 A86-24861

## ODGERS, J.

Fuel property effects upon exhaust smoke and the weak extinction characteristics of the Pratt and Whitney PT6A-85 engine  
[ASME PAPER 85-GT-27] p 234 A86-22018

Gas turbine fuels and their influence on combustion p 312 A86-23274

## ODORICO, J.

New developments in the materials used in airliner, helicopter and spacecraft structures p 372 A86-26327

## ODSTRCIL, L.

The possibility of using a flight recorder for the analysis of pilot performance p 170 A86-16862

## OELKER, H.-C.

Aerodynamic investigations toward an adaptive airfoil for a transonic transport aircraft p 623 A86-40115

## OELKER, H.-CHR.

Application of elliptic continuation method for transonic aerofoil design and experimental verification p 477 A86-36206

## OELRICH, I. C.

Small turbine technology review  
[AD-A158514] p 175 N86-15316

## OERY, H.

Reconstruction of forcing functions based on measured structural responses p 732 N86-30684

## OETH, D. R.

Results of recent research on damped fan blades  
[ASME PAPER 85-DET-133] p 318 A86-24236

## OGAWA, S.

A method for calculating flow fields around moving bodies  
[NAL-TR-859T] p 88 N86-13288

Numerical simulation of unsteady flow around an airfoil by finite difference solution of Navier-Stokes equations p 209 N86-17273

## OGAWA, T.

An analysis of the limit cycle observed in the functional mockup test of the NAL GSTOL research aircraft  
[NAL-TR-893] p 587 N86-27277

## OGG, J. S.

Durability and damage tolerance assessment of the TF34-100 engine  
[ASME PAPER 86-GT-38] p 812 A86-48125

## OGRADY, T.

A comparison of the effects of two traffic alert and collision avoidance systems (TCAS 3 and TCAS 2) on the performance of the Air Traffic Control Radar Beacon System  
[DOT/FAA/PM-86/8] p 636 N86-28930

## OGUCHI, K.

Validation and comparison with experiment of a high Reynolds number transonic flow airfoil analysis code NSFOIL p 210 N86-17294

Numerical analysis of inviscid flows About wing-fuselage combinations. Part 1: Development of grid generation code YOKUDO-G  
[NAL-TR-864] p 414 N86-22551

## OH, S.

Analytical observations on the aerodynamics of a delta wing with leading edge flaps  
[AIAA PAPER 86-1790] p 543 A86-37820

Analytical observations on the aerodynamics of a delta wing with leading edge flaps  
[NASA-CR-177022] p 630 N86-28913

## OHEARN, D. B.

Development of a computerized method of determining aircraft maintenance intervals  
[AD-A161339] p 336 N86-21500

## OHLSON, J.

Lightweight hydraulic system technology - 8000 psi update  
[SAE PAPER 851910] p 580 A86-38365

## OHLY, B.

European aircraft steering systems  
[SAE PAPER 851940] p 581 A86-38373

## OHMAN, J.

General aviation pilot and aircraft activity survey  
[AD-A161665] p 345 N86-21530

## OHMAN, L. H.

Recent improvements to the NAE 5 ft. x 5 ft. blowdown wind tunnel  
[AD-A162034] p 449 N86-23608

## OHMORI, Y.

Turbulent transonic flow for NACA 0012/RAE 2822 airfoils under Baldwin-Lomax model p 778 A86-49245

## OHNISHI, H.

Optimum design technique for rotating wheels  
[ASME PAPER 86-GT-255] p 846 A86-48281

## OHNO, T.

SHARP (Stationary High Altitude Relay Platform) - Rectenna and low altitude tests p 519 A86-33944

## OHTA, H.

On the development of equiobservable forms with application to adaptive control p 465 A86-33134

Adaptive flight control of unstable helicopters during transition p 444 A86-33178

## OHTSUTA, K.

Broad band noise from an isolated two dimensional airfoil  
[AIAA PAPER 86-1948] p 752 A86-45435

## OKA, T.

Calibration of an on-ground aircraft tracking radar by aerial photogrammetry  
[NAL-TR-861] p 282 N86-18311

## OKADA, N.

An analysis of the limit cycle observed in the functional mockup test of the NAL GSTOL research aircraft  
[NAL-TR-893] p 587 N86-27277

## OKAMOTO, H.

Aerodynamic characteristics of a circulation controlled symmetrical airfoil with dual jet p 541 A86-37196

## OKAPUU, U.

Influence of rotor blade aerodynamic loading on the performance of a highly loaded turbine stage  
[ASME PAPER 86-GT-56] p 785 A86-48134

## OKAWA, H.

Stall flutter of helicopter blade p 306 A86-25205

## OKIISHI, T. H.

Multistage compressor stator/rotor interaction p 85 A86-14556

## OLCOTT, J. W.

The development of dynamic performance standards for general aviation aircraft seats  
[SAE PAPER 850853] p 97 A86-14449

## OLDFIELD, D. E.

The impact of VHPIC on avionic system architecture, packaging and maintainability p 674 N86-28372

## OLDFIELD, M. L. G.

Simulation of the effects of shock wave passing on a turbine rotor blade  
[ASME PAPER 85-GT-112] p 77 A86-13067

Wake-passing in a turbine rotor cascade p 741 N86-29830

## OLDING, B.

Automatic eddy current hole centering for aircraft engine components p 670 A86-41582

## OLEARY, C. O.

New rotary rig at RAE and experiments on HIRM p 562 N86-27243

## OLEARY, G. W.

Separation bubble behavior for a NACA 23009 airfoil p 137 A86-16312

## OLEARY, J. J.

Adaptation of a modern medium helicopter (Sikorsky S-76) to higher harmonic control p 178 N86-15303

## OLIANIUK, P. V.

VLF radio navigation systems p 703 A86-44279

## OLIVA, P. V.

SF-340 airfoil structure - A unique approach p 224 A86-21712

## OLIVER, J. G.

Situation versus command  
[SAE PAPER 841638] p 328 A86-26023

## OLKHOVNIKOV, G. P.

A method for measuring the direction and the Mach number of a three-dimensional supersonic nozzle p 80 A86-13392

## OLSEN, J. J.

Dynamics R and D in the AFWAL Structures and Dynamics Division p 256 N86-16618

## OLSEN, T. L.

Experimental investigation of unsteady fan flow interaction with downstream struts  
[AIAA PAPER 86-1870] p 739 A86-45490

## OLSEN, W.

Ice shapes and the resulting drag increase for a NACA 0012 airfoil  
[AIAA PAPER 84-0109] p 90 A86-14427

Study of ice accretion on icing wind tunnel components  
[NASA-TM-87095] p 242 N86-16232

- OLSEN, W. A., JR.**  
Turbulent dispersion of the icing cloud from spray nozzles used in icing tunnels  
[NASA-TM-87318] p 820 N86-31588
- OLSON, D. B.**  
Fuel effects on soot formation in turbojet engines  
[AD-A159073] p 185 N86-15416
- OLSSON, J.**  
Method of analysing data on a swept wing aircraft in flight  
p 775 A86-49103
- OMEARA, M. M.**  
An analysis of a separation bubble transition criterion at low Reynolds numbers  
p 137 A86-16309  
Experimental determination of the laminar separation bubble characteristics on an airfoil at low Reynolds numbers  
[AIAA PAPER 86-1065] p 548 A86-38433
- ONDA, M.**  
Lighter-than-air aircraft as control configured vehicle  
p 801 A86-48998
- ONEAL, J. E.**  
Fatigue-crack propagation through titanium welds  
p 375 A86-27264
- ONO, K.**  
Computation of dynamic stall of NACA0012 airfoil by block pentadiagonal matrix scheme  
[AIAA PAPER 86-0116] p 199 A86-19897  
Numerical analysis about flow over an airfoil with a large angle of attack  
p 210 N86-17291
- ONO, T.**  
Dynamic characteristics of air data sensor systems: Altimeter, speedometer and alpha times beta vane  
[NAL-TR-852] p 172 N86-15312  
Calibration of an on-ground aircraft tracking radar by aerial photogrammetry  
[NAL-TR-861] p 282 N86-18311
- ONODERA, H.**  
Powdered, sintered alloy materials described: Development of titanium alloys  
p 314 N86-19447
- ONSTOTT, E. D.**  
Discrete maneuver flying qualities considerations in control system design  
p 386 A86-28378
- ONUMA, H.**  
Calculations of high speed propeller performances using finite difference methods  
p 818 A86-49126
- OPPENHEIM, A. K.**  
Dynamic features of combustion  
p 114 A86-12925
- ORAN, E.**  
Interactions between acoustics and vortex structures in a central dump combustor  
[AIAA PAPER 86-1609] p 671 A86-42749  
Acoustic-vortex interactions in an idealized ramjet combustor  
p 659 N86-28242
- ORIE, N. M.**  
Rotor performance characteristics from an aeroacoustic helicopter wind-tunnel test program  
[NASA-TM-87661] p 479 N86-24665
- ORLANDI**  
Analytical and experimental results of the ground resonance phenomenon for A.129  
p 291 A86-26142
- ORMISTON, R. A.**  
Rotor-fuselage dynamic coupling characteristics of helicopter air and ground resonance  
p 799 A86-48666
- ORMSBEE, A. I.**  
A class of airfoils having finite trailing-edge pressure gradients  
p 270 A86-23184
- OROURKE, P. J.**  
The aviation weather forecasting task force - Assessing the current system  
p 616 A86-37504
- ORRELL, D. H., II**  
Effects of noise and workload on a communication task  
[AD-A160743] p 321 N86-18599
- ORYSHICH, I. V.**  
Influence of molybdenum, tungsten, and cobalt on the corrosion of high-temperature strength nickel alloys in molten salts  
p 663 A86-41888
- OSAKA, H.**  
The properties of a row of trailing vortices generated in the uniform flow. The path of trailing vortex  
[REPT-1] p 151 N86-14422  
The properties of a row of trailing vortices generated in the uniform flow. Shape of trailing vortex and its streamwise variation  
[REPT-2] p 151 N86-14423
- OSAWA, T.**  
The external drag of a simple axisymmetric body of revolution in subsonic and supersonic flow with variable mass flowthrough ratios  
[AIAA PAPER 86-1828] p 545 A86-37842
- OSBORN, M. T.**  
Airborne lidar measurements of El Chichon stratospheric aerosols  
[NASA-RP-1166] p 616 N86-27835
- OSBORN, R. F.**  
Vortex Flow Aerodynamics, volume 1  
[NASA-CP-2416-VOL-1] p 556 N86-27190  
Leading-edge vortex research: Some nonplanar concepts and current challenges  
p 556 N86-27192
- OSHER, S.**  
Shock modelling in transonic and supersonic flow  
p 204 A86-20946
- OSHER, S. J.**  
An entropy correction method for unsteady full potential flows with strong shocks  
[AIAA PAPER 86-1768] p 777 A86-49576  
An entropy correction method for unsteady full potential flows with strong shocks  
[NASA-TM-87789] p 694 N86-29777
- OSTAPENKO, N. A.**  
Flow structure at the windward side of conical wings with an attached shock wave at the leading edge  
p 410 A86-32739  
Rising of the Ferris point on the windward side of delta wings  
p 474 A86-34485
- OSTOWARI, C.**  
Post stall studies of untwisted varying aspect ratio blades with NACA 44XX series. II - Airfoil sections  
p 272 A86-24522  
An experimental study of the lift, drag and static longitudinal stability for a three lifting surface configuration  
[AIAA PAPER 86-0398] p 365 A86-26629  
An experimental study of a general aviation single-engine aircraft utilizing a natural laminar flow wing  
[SAE PAPER 850861] p 551 A86-38503  
An experimental study of a three lifting surface configuration  
p 775 A86-49104
- OSTROFF, A.**  
Simulation results of automatic restructurable flight control system concepts  
[AIAA PAPER 86-2032] p 821 A86-47422
- OSTROFF, A. J.**  
Evaluation of total energy-rate feedback for glidescope tracking in wind shear  
[AIAA PAPER 86-2035] p 822 A86-47424
- OSWALD, F. B.**  
Testing of YUH-61A helicopter transmission in NASA Lewis 2240-kW (3000-hp) facility  
[NASA-TP-2538] p 525 N86-24992
- OTA, D. K.**  
Numerical issues in computing inviscid supersonic flow over conical delta wings  
[AIAA PAPER 86-0440] p 206 A86-22701  
Inviscid and viscous simulations of high angle of attack flows  
[SAE PAPER 851820] p 548 A86-38328
- OVCHINNIKOV, A. I.**  
Theory of self-similar regimes of supersonic flow in an axisymmetric channel with a sudden expansion  
p 82 A86-13427
- OVCHINNIKOV, V. A.**  
Aerodynamic design of an airfoil with allowance for the condition of nonseparated flow  
p 270 A86-23660
- OWENS, E. C.**  
High-temperature lubrication systems for ring/liner applications in advanced heat engines  
[AD-A164955] p 604 N86-26446
- OWENS, G. A.**  
The material development, component manufacture and post-service evaluation of RB 211-524 cowl doors utilizing carbon fibre composite materials  
p 523 A86-37106  
The material development, component manufacture, and post-service evaluation of RB211-524 cowl doors utilizing carbon fibre composite materials  
[PNR-90275] p 247 N86-16273
- OWENS, R. E.**  
Counter-rotation prop-fan optimization  
[AIAA PAPER 86-1470] p 645 A86-42659
- OXTOBY, A. J. A.**  
A real-time simulation of a non-linear RPV incorporating head-up type colour graphics  
p 593 A86-37335
- OYIBO, G. A.**  
Exact closed-form solutions for nonlinear unsteady transonic aerodynamics  
p 412 A86-33231  
Aeroelastic wind tunnel similarity theory for anisotropic aircraft wings  
p 433 A86-33244  
Anisotropic wing aeroelastic theories with warping effects  
p 434 A86-33261  
Accurate dynamic theory for supermaneuverable aircraft wings  
[AIAA PAPER 86-1006] p 585 A86-38947  
Exact closed-form solutions for nonlinear unsteady transonic aerodynamics  
p 695 N86-30631  
Aeroelastic wind tunnel similarity theory for anisotropic aircraft wings  
p 728 N86-30643  
Anisotropic wing aeroelastic theories with warping effects  
p 696 N86-30659
- OYLER, G. W.**  
Operational experience of U.S. Air Force with structural composites  
[AIAA PAPER 86-0946] p 583 A86-38840
- OZDES, D.**  
Improvement of strapdown system performance by means of numerical methods  
[BMFT-FB-W-85-011] p 575 N86-27275

## P

- PABST, W.**  
Propulsion and control propellers with thruster nozzles primarily for aircraft applications  
[NASA-TM-77715] p 342 N86-21511  
Vertically operating flight vehicle for drilling and agricultural use  
[NASA-TM-77713] p 357 N86-21535
- PACKER, P. H.**  
The KC-135/CFM56 Re-Engine Program  
[ASME PAPER 85-GT-211] p 224 A86-22112
- PACKMAN, P. F.**  
Finite element analysis of an ultralight aircraft  
p 221 A86-20165
- PADOVA, C.**  
Response of an operational turbofan engine to a simulated nuclear blast  
p 643 A86-40728
- PADOVAN, J.**  
Nonlinear dynamics or rotor/blade/casing rub interactions  
[ASME PAPER 86-DE-6] p 818 A86-48620
- PADUANO, J.**  
Development of a sensitivity analysis technique for multiloop flight control systems  
[NASA-CR-166619] p 240 N86-17358
- PADUANO, J. D.**  
Sensitivity analysis of high-order digital flight control systems using singular-value concepts  
[AIAA PAPER 86-2084] p 822 A86-47437
- PADULA, S. L.**  
Advanced turboprop noise prediction: Development of a code at NASA Langley based on recent theoretical results  
[NASA-TM-88993] p 757 N86-31338
- PAETZOLD, H.**  
The classical streamline curvature method in the supersonic range - A numerically ill-posed boundary value problem  
p 690 A86-45189
- PAGAN, D.**  
Measurements accuracy with 3D laser velocimetry  
[ONERA, TP NO. 1985-171] p 318 A86-24646  
Leading edge vortex flow over a 75 degree-swept delta wing: Experimental and computational results  
[ONERA, TP NO. 1986-122] p 773 A86-49042
- PAGANO, P.**  
Meteorological-derived quantitative measurements on volcanic ash plumes for warning to aviation  
p 566 A86-37478
- PAHLE, J. W.**  
Model-following control for an oblique-wing aircraft  
[AIAA PAPER 86-2244] p 824 A86-47492  
Decoupling control synthesis for an oblique-wing aircraft  
[NASA-TM-86801] p 595 N86-26339  
Model-following control for an oblique-wing aircraft  
[NASA-TM-86269] p 726 N86-29867
- PAI, G. D.**  
Augmentor transient capability of an F100 engine equipped with a digital electronic engine control  
[PAPER-11] p 505 N86-25353
- PAISLEY, D. J.**  
Design of the CL-227 air vehicle  
p 487 A86-34924
- PAL, S.**  
Freestream turbulence effects on wake properties of a flat plate at an incidence  
p 142 A86-17132
- PALAGIN, I. I.**  
Probabilistic modeling of fields of atmospheric turbulence and sea roughness with reference to the study of complex systems  
p 528 A86-36480
- PALAZOTTO, A.**  
The effect of center delamination on the instability of composite cylindrical panels  
p 520 A86-34842
- PALAZOTTO, A. N.**  
Experimental/analytic comparisons considering composite panels with a cutout  
p 118 A86-13338
- PALAZZO, F.**  
Computer controlled operation of reconnaissance cameras  
p 229 A86-19587
- PALKO, R. L.**  
In-flight photogrammetric measurement of wing ice accretions  
[NASA-TM-87191] p 606 N86-31562

## PALMBERG, B.

Probabilistic damage tolerance analysis of aircraft structures [FFA-TN-1985-68] p 640 N86-28061

## PALMER, L. G.

Effect of precipitation on mechanical properties of Al-Li-Cu-Mg-Zr alloy p 661 A86-40306

## PALMER, J. M.

Spectroradiometric calibration of the Thematic Mapper and multispectral scanner system [ES8-10022] p 260 N86-17816

## PAMDI, P. R.

Dynamic and aeroelastic analyses of turbo systems in NASTRAN p 527 N86-25826  
NASTRAN supplemental documentation for modal forced vibration analysis of aerodynamically excited turbo systems [NASA-CR-174987] p 675 N86-26463

## PAN, D.

The computation of steady 3-D separated flows over aerodynamic bodies at incidence and yaw [AIAA PAPER 86-0109] p 199 A86-19693

## PAN, Y.

Aircraft maintenance in China - Approaches to modernization p 760 A86-47615

## PANARAS, A. G.

Modelling of the vortex-airfoil interaction p 565 N86-27262

## PANCHENKO, V. I.

Investigation of the structure of a supersonic jet issuing from a free-vortex nozzle by means of pulsed holographic interferometry p 628 A86-43403

## PANCOTTI, S.

Optimum helicopter in the flight spectrum p 290 A86-26123

## PANDA, B.

Dynamic stability of hingeless and bearingless rotors in forward flight p 366 A86-27662  
Flap-lag-torsion stability in forward flight p 177 N86-15296

## PANDEY, R. K.

Fatigue crack propagation from an inclined crack under combined mode loading p 450 A86-30013

## PANTANI, L.

Remote sensing of oil on sea: Lidar and passive IR experiments p 320 N86-18370

## PAO, P. S.

Fatigue-crack propagation through titanium welds p 375 A86-27264

## PAONESSA, A.

Control of interior noise in advanced turbopropeller aircraft p 802 A86-49100

## PAPADOPOULOS, G. M.

Design issues in data synchronous systems p 362 N86-20407

## PAPAGEORGIOU, D. T.

Performance deterioration during rotating stall in axial compressors p 644 A86-40738

## PARAMASIVAM, T.

Weight estimation techniques for composite airplanes in general aviation industry [NASA-CR-178163] p 781 N86-31531

## PARASCHIVOIU, I.

Unsteady potential flow for oscillating airfoils p 83 A86-14359

The importance of dynamic stall in aerodynamic modeling of the Darrieus rotor p 528 A86-36448

## PARDINI, S.

Multiradar tracking in the new ATC system at Mazatlan (Mexico) area control center p 424 A86-32640

## PARENTE, A. M.

Stratified charge rotary engine for general aviation [ASME PAPER 86-GT-181] p 815 A86-48231

## PARIKH, P.

Simulation and analysis of natural rain in a wind tunnel via digital image processing techniques [AIAA PAPER 86-0291] p 241 A86-22687

Quantitative determination of engine water ingestion [AIAA PAPER 86-0307] p 254 A86-22690

Research on antimisting fuel for suppression of postcrash aircraft fires [AIAA PAPER 86-0573] p 247 A86-22706

A fourth-order scheme for the unsteady compressible Navier-Stokes equations [NASA-CR-177994] p 147 N86-14221

Antimisting kerosene: Development of a continuous 10 GPM in-line blender [NASA-CR-178432] p 185 N86-15412

Continuous inline blending of antimisting kerosene additive [DOT/FAA/CT-85-4] p 734 N86-30024

## PARIKH, P. C.

Numerical simulation of a controlled-flow tunnel for V/STOL testing p 371 A86-28561

## PARIS, S. W.

Direct trajectory optimization using nonlinear programming and collocation [AIAA PAPER 86-2000] p 841 A86-47902

## PARK, W.

Physical distribution system for aircraft external fuel tanks-survey [AD-A158275] p 101 N86-13324

## PARKER, J. A.

Copolymers of vinyl styrylpyridines or vinyl stilbazoles with bi-maleimide [NASA-CASE-ARC-11429-1-CU] p 378 N86-20560

Aminophenoxycyclotriphosphazene cured epoxy resins and the composites, laminates and structures thereof [NASA-CASE-ARC-11548-1] p 379 N86-21686

Light weight fire resistant graphite composites [NASA-CASE-ARC-11615-1SB] p 664 N86-28131

## PARKER, L. W.

Ranging and azimuthal problems of an airborne crossed loop used as a single-station lightning locator p 809 A86-47325

## PARKER, M.

A fiber optic damage monitor p 670 A86-41605

## PARKER, P. E.

Preliminary design research for the Caravan 1 crew seat [SAE PAPER 850856] p 582 A86-38514

## PARKER, R.

Excitation of blade vibration by flow induced acoustic resonances in axial-flow compressors p 303 A86-24712

## PARKER, R. J.

Evaluation of propeller/nacelle interactions in the PTA program [AIAA PAPER 86-1552] p 626 A86-42709

## PARKHOMOVSKII, I. A. M.

A property of the elastic vibrations of nearly symmetric systems p 119 A86-13387

## PARKINSON, G. V.

Potential flow models of airfoils with separated flow p 772 A86-49013

## PARKS, E. K.

Angle-of-attack estimation for analysis of CAT encounters p 831 A86-47798

## PARKS, G. S.

High resolution millimeter-wave imaging sensor p 498 A86-33590

## PARLIER, C. A.

Specific excess power applications for rotary wing aircraft [AIAA PAPER 86-9810] p 431 A86-32137

## PARLINI, F.

Precise control surface position measurements for hysteresis and twist testing p 795 A86-47789

## PARLINI, F. E.

Experience with flight testing integrated avionics systems [AIAA PAPER 86-9804] p 431 A86-32133

## PARNELL, L. A.

Flutter analysis of low aspect ratio wings p 527 N86-25838

## PARR, C. H.

Advances in aerospace structural analysis: Proceedings of the Winter Annual Meeting, Miami Beach, FL, November 17-22, 1985 p 387 A86-28651

## PARRATT, N. J.

Life prediction for aromatic polyamide reinforcements p 377 A86-27691

## PARRETT, A. V.

Wave envelope and finite element approximations for turbulent noise radiation in flight p 619 A86-39057

## PARRISH, J.

Light helicopter family trade-off analysis. Volume 10: Appendices V, W, X, and Z [AD-A159079] p 169 N86-15309

## PARROTT, T. L.

Natural laminar flow flight experiments on a turbine engine nacelle fairing [AIAA PAPER 86-9756] p 429 A86-32097

## PARROUFFE, J.-M.

Unsteady potential flow for oscillating airfoils p 83 A86-14359

## PARRY, A. B.

Theoretical prediction of single rotation propeller noise [AIAA PAPER 86-1891] p 756 A86-45503

## PARRY, D. M.

Navigation methodology - An investigation of an inertial navigation system (INS) enhancement p 349 A86-28356

## PARSONS, C.

The noise emitted by turbulent jets in close proximity to solid surfaces [AIAA PAPER 86-1869] p 755 A86-45489

## PARSONS, T. J.

Towards robust image matching algorithms p 230 A86-19620

## PARTHASARATHY, S. P.

Sound generation by flow over relatively deep cylindrical cavities p 129 A86-18058

Fundamental study of flow field generated by rotorcraft blades using wide-field shadowgraph [NASA-CR-176443] p 152 N86-15249

## PARTIOT, A.

Coming up - The 330 and 340 p 426 A86-31221

## PARTRIDGE, P. G.

Properties of diffusion bonded butt joints in Ti-6Al-4V and Ti-4Al-4Mo-2Sn-0.5Si (IMI 550) alloys p 375 A86-27260

## PARYSHEVA, G. V.

Determination of the statistical characteristics of aircraft motion during an automatic approach p 832 A86-48644

## PASANELLA, E. L.

Digital filtering and acceleration pulse interpretation p 400 N86-21941

## PASCHE, A.

The effect of water ingress on buoyancy and thermal quality of survival suits p 261 A86-19333

## PASHCHENKO, V. P.

A numerical method for calculating internal subsonic swirling flows of an ideal gas p 85 A86-14679

## PASHINTEV, V. T.

Minimization of aircraft flight time for a given distance with return to the original point p 109 A86-13417

## PASHKOVICH, A. P.

Computer aided control system design using a multiobjective optimization approach p 679 A86-40760

## PASHUTOV, A. V.

Critical permeability parameter in supersonic gradient flow p 146 A86-19148

## PASKOW, L. A.

Future trends for U.S. Naval aviation propulsion system lubricants [SAE PAPER 851835] p 608 A86-38533

## PASLEROVA, A.

A holographic study of the vibrational modes of aircraft engine rotors p 301 A86-23756

Holographic mode shape investigation of aircraft engine impellers p 672 A86-43105

## PASHUROV, A. I. A.

Radar characteristics of flight vehicles p 485 A86-35464

## PASOVA, Z. G.

Using suction for increasing Mach numbers in a perforated test section with a subsonic nozzle p 112 A86-13405

## PATEL, M. H.

Experience with a new approach to rotor aeroelasticity p 99 A86-16125

## PATEL, M. R.

Comparison of performance characteristics of DDC algorithms implemented on a microprocessor p 263 A86-20518

## PATRAULEA, R. N.

Aircraft and rockets: Design concepts p 410 A86-32324

## PATRI, G.

Tomorrow ... Concorde's successor? p 293 A86-26299

Design bureaus: The brain drainers. I - Toulouse - Aircraft mobilize a task force over 1700-strong p 763 A86-49464

## PATRICK, H. V. L.

Cabin noise characteristics of a small propeller powered aircraft [AIAA PAPER 86-1906] p 710 A86-45407

## PATSKO, V. S.

Simulation problem of controlling lateral movement of aircraft during landing approach p 534 N86-26160

## PATTEIN, J.

New transparent solid material for helicopter windshields [SNPE-NT-37/85/CRB/NP] p 641 N86-28941

## PATTERSON, J. C., JR.

Effect of underwing aft-mounted nacelles on the longitudinal aerodynamic characteristics of a high-wing transport airplane [NASA-TP-2447] p 339 N86-20345

## PATTERSON, W.

An experimental and analytical method for approximate determination of the tilt rotor research aircraft rotor/wing download [NASA-CR-178970] p 693 N86-29769

## PATTIPATI, K. R.

Application of FDI metrics to detection and isolation of sensor failures in turbine engines p 501 A86-35400

Robust detection-isolation-accommodation for sensor failures [NASA-CR-174797] p 255 N86-16486



- PATTON, J. M., JR.**  
Development of spin resistance criteria for light general aviation airplanes  
[AIAA PAPER 88-9812] p 443 A86-32139
- PATTON, R. J.**  
A real-time simulation of a non-linear RPV incorporating head-up type colour graphics p 593 A86-37335  
The design of a sliding mode controller for dutch roll damping in a non-linear aircraft system p 651 A86-40766  
A parameter insensitive technique for aircraft sensor fault analysis using eigenstructure assignment and analytical redundancy  
[AIAA PAPER 86-2029] p 809 A86-47420
- PAUL, D. B.**  
Nonlinear multimode response of clamped rectangular plates to acoustic loading p 457 A86-32973
- PAULK, C. H., JR.**  
Simulation evaluation of display/FLIR concepts for low-altitude, terrain-following helicopter operations  
[NASA-TM-86779] p 789 N86-31551
- PAURI, M.**  
Effect of moisture on thermal properties of composite materials for aerospace applications p 661 A86-40345
- PAUSDER, H.-J.**  
DFVLR flying qualities research using operational helicopters p 307 A86-26147
- PAVLENKO, V. F.**  
Calculation of unsteady flow in a two-stage gas turbine engine p 105 A86-13444  
Characteristics of the effect of the powerplant jet streams on the design of VTOL aircraft p 354 A86-28320
- PAVLIUCHENKO, A. M.**  
Critical permeability parameter in supersonic gradient flow p 148 A86-19148
- PAYLOV, V. A.**  
A theory of large and finite displacements of bars p 316 A86-23662  
Theory of the motion of propeller blades for large displacements p 639 A86-43385
- PAVLOV, V. G.**  
Aerodynamic design of an airfoil with allowance for the condition of nonseparated flow p 270 A86-23680
- PAVLOVETS, G. A.**  
The linear theory of a profile in a compressible gas with additional jet flow p 78 A86-13351  
Construction of equivalent profiles and approximate calculation of transonic flow past the root section of a swept wing p 80 A86-13396  
Linear theory of an equivalent profile in the problem concerning the influence of porous flow boundaries p 81 A86-13411
- PAYNE, A. O.**  
Probabilistic fatigue and fracture design p 453 A86-29961
- PAYNE, B. W.**  
Designing a load alleviation system for a modern civil aircraft p 832 A86-49006
- PAYNE, C. B.**  
High technology test bed program  
[AIAA PAPER 86-9803] p 431 A86-32132
- PAYNE, F. M.**  
Visualization and flow surveys of the leading edge vortex structure on delta wing planforms  
[AIAA PAPER 86-0330] p 201 A86-19817  
An experimental investigation of vortex breakdown on a delta wing p 557 N86-27196
- PAYNE, R. C.**  
An experimental appraisal of the use of ground-plane microphones for aircraft noise measurement  
[NPL-AC-104] p 401 N86-22302
- PAYNTER, G. C.**  
Application of CFD design technology in development of the J VX engine inlet p 502 A86-35612  
CFD for engine-airframe integration  
[ASME PAPER 86-GT-125] p 797 A86-48184
- PAYRY, M. J.**  
Tests with three-dimensional adjustments in the rectangular working section of the French T2 wind tunnel with an AS 07-type swept-back wing model  
[NASA-TM-88442] p 657 N86-28964
- PEACOCK, A. T.**  
Safety fuels-specifications and progress p 734 N86-30018
- PEAHL, D. L.**  
A survey of handling qualities criteria and their applications to high performance aircraft  
[NASA-CR-179654] p 729 N86-30738
- PEARCE, J. B.**  
A distributed, fault-tolerant implementation of the airborne digital map using VLSI common programmable modules p 349 A86-28337
- PEARCE, W. E.**  
Evaluation of laminar flow control systems concepts for subsonic commercial transport aircraft  
[NASA-CR-159251] p 639 N86-28077
- PEARSON, E.**  
Tornado avionics flight testing  
[AIAA PAPER 86-9805] p 431 A86-32134
- PEARSON, J. H.**  
The effect of fuel composition upon combustion performance in a Rolls Royce Tyne combustor  
[ASME PAPER 85-GT-39] p 234 A86-22028
- PEAVEY, C. C.**  
A transonic wing-body flowfield calculation with improved grid topology p 142 A86-17134
- PECHACEK, R. E.**  
Electrostatic charging of the CH-53E helicopter  
[AD-A161936] p 437 N86-23590
- PECK, D. G.**  
Assessing cost-effective weight saving in aircraft operations p 220 A86-20039
- PECK, W. R.**  
Yaw stabilization of an open ejection seat, fact or fantasy? p 217 A86-19305  
Mach number immune microprocessor controlled sequencer for open ejection seats using on-board environmental sensors p 793 A86-47743
- PECZKOWSKI, J. L.**  
Synthesis of system responses - A nonlinear multivariable control design approach p 501 A86-35412
- PEDERSEN, K.**  
Expert system applications to the cockpit of the '90s p 399 A86-28487
- PEEL, C. J.**  
Aluminium-lithium alloys III; Proceedings of the Third International Aluminium-Lithium Conference, Oxford University, England, July 8-11, 1985 p 659 A86-40251  
Development of properties within high-strength aluminium-lithium alloys p 660 A86-40304
- PEELE, W. D.**  
USAF/SCREE (United States Air Force/Southeastern Center for Electrical Engineering Education) Research Initiation Program research reports, volume 2  
[AD-A161908] p 460 N86-23752
- PEIN, R.**  
Regression rate study for a solid fuel ramjet p 818 A86-49113
- PELAGATTI, R.**  
Multiradar tracking in the new ATC system at Mazatlan (Mexico) area control center p 424 A86-32640
- PELEAU, B.**  
Aeroelastic tests of OA 206 and OA 207 profiles  
[ONERA-RT-22/1841-RY-310-R] p 641 N86-28942
- PELED, U.**  
The pressure field generated by jet-jet impingement  
[AIAA PAPER 86-1951] p 739 A86-45437
- PELL, R. A.**  
Some aspects of variability in fatigue crack initiation and propagation in thick aluminium alloy sections p 522 A86-36176
- PELLANDINI, J.**  
Airborne radar - The greater watershed p 438 A86-31343
- PELLETT, G. L.**  
Effect of silane concentration on the supersonic combustion of a silane/methane mixture  
[AIAA PAPER 86-1396] p 663 A86-42610
- PELLOUX-GERVAIS, P.**  
Development of a new lightweight emergency escape breathing device p 784 A86-47760
- PELLOUX, R. M.**  
Thermal-mechanical fatigue behavior of nickel-base superalloys  
[NASA-CR-175048] p 518 N86-24818
- PEMBERTON, W. G.**  
Experts system control of autonomous airborne vehicle p 835 A86-49476
- PENARANDA, F. E.**  
Aeronautical facilities catalogue. Volume 2: Airbreathing propulsion and flight simulators  
[NASA-RP-1133] p 311 N86-18328
- PENDERGRAFT, O. C., JR.**  
Installation effects of long-duct pylon-mounted nacelles on a twin-jet transport model with swept supercritical wing  
[NASA-TP-2457] p 339 N86-20346  
Comparison of experimental surface pressures with theoretical predictions on twin two-dimensional convergent-divergent nozzles  
[NASA-TM-87757] p 697 N86-30694
- PENG, T. C.**  
Fatigue-crack propagation through titanium welds p 375 A86-27264
- PENNACCHIONI, B.**  
New methods for in-flight vibration testing p 820 A86-47369
- PENNACCHIONI, M.**  
Rotating aerodynamic exciters for in-flight flutter testing p 353 A86-27820
- PENNER, H.**  
Selections from Flug Revue und Flugwelt International. A. On the border of Time-hypersonic flight. B. NASA programs pave the way for the hypersonic aircraft. C. Shuttle flight 61-B; construction in space. D. Faster than a bullet; hypersonic military aircraft  
[NASA-TM-88418] p 474 N86-24652
- PENNING, K.**  
Flutter prediction for a wing with active aileron control  
[NASA-CR-176994] p 655 N86-28959
- PEPPER, W. B.**  
Application of Kevlar to parachute system design p 214 A86-20166  
Development drop test results of the 15-ft-dia ribbon parachute and 73-ft-dia cross parachute for the US Army Natick Laboratory UHLCADS system  
[DE85-017614] p 341 N86-20371
- PERALA, R. A.**  
Implementation of a crowbar switch in a Marx generator/peaking capacitor lightning simulator system p 790 A86-47305  
F-106 data summary and model results relative to threat criteria and protection design analysis p 786 A86-50259
- PERIAUX, J.**  
On the numerical solution of nonlinear problems in fluid dynamics by least squares and finite element methods. II - Applications to transonic flow simulations p 144 A86-17886
- PERKINS, G.**  
The significance of advanced technology engines on V/STOL systems  
[SAE PAPER 851882] p 579 A86-38350
- PERKINS, S. C., JR.**  
Prediction of the aerodynamic characteristics of flight vehicles in large unsteady maneuvers p 834 A86-49048
- PEROUTKA, M. R.**  
CERR: An aviation verification program  
[PB85-204824] p 260 N86-16854
- PERRENOD, D. A.**  
Aircrew protection design, training and mission management for high altitude aerodynamic operations p 761 A86-47778
- PERRIER, P.**  
On the numerical solution of nonlinear problems in fluid dynamics by least squares and finite element methods. II - Applications to transonic flow simulations p 144 A86-17886  
Large and small structures in the computation of transition to fully developed turbulent flows p 669 A86-41254
- PERRONE, M.**  
Metacoat-derived quantitative measurements on volcanic ash plumes for warning to aviation p 566 A86-37478
- PERRY, B., III**  
New and existing techniques for dynamic loads analyses of flexible airplanes p 432 A86-32787
- PERRY, H. H.**  
The history and development of the repeatable release catapult holdback bar  
[SAE PAPER 851942] p 581 A86-38375
- PERSON, L. H., JR.**  
NASA B737 flight test results of the Total Energy Control System  
[AIAA PAPER 86-2143] p 826 A86-47516
- PERVUSHIN, G. E.**  
A method for measuring pressure distribution by means of indicating coatings p 140 A86-16687
- PESAK, M.**  
Problems in rudder design for small transport aircraft p 306 A86-23781
- PESHKOV, E. M.**  
The oxygen equipment of passenger aircraft p 166 A86-18740
- PESTA, A.**  
Aircraft coupling model evaluations at SHF/EHF p 346 A86-27128
- PETERS, A. J.**  
A new high temperature silicon on sapphire transducer for jet engine control applications p 315 A86-23266
- PETERS, D. A.**  
Effectiveness of current dynamic-inflow models in hover and forward flight p 576 A86-37773  
Review of dynamic inflow modeling for rotorcraft flight dynamics  
[AIAA PAPER 86-0845] p 584 A86-38893  
A review of dynamic inflow and its effect on experimental correlations p 157 N86-15293  
Coupled rotor-body vibrations with inplane degrees of freedom p 177 N86-15301

- Effect of dynamic stall and elastic parameters on the fundamental mechanisms of helicopter vibrations [AD-A160022] p 237 N86-17355
- PETERS, H. J.**  
Investigations of the aircraft landing process using a computerized simulation model based on the Monte Carlo method [DFVLR-FB-85-27] p 187 N86-14269  
Investigations in landing process of aircraft by means of the Monte-Carlo method [ESA-TT-951] p 808 N86-31578
- PETERS, J. M.**  
Development of a controllable catapult for ejection seats p 793 A86-47733
- PETERS, M.**  
Strength profile in Al-Li plate material p 374 A86-27198  
High temperature fatigue behavior of IMI 885 p 378 A86-27385  
Age hardening behavior of DTD XXXA p 860 A86-40305
- PETERS, O. L.**  
Sensor control and film annotation for long range, standoff reconnaissance p 230 A86-19597
- PETERS, W.**  
The selection and acquisition of commercial aircraft fleets p 686 A86-44935
- PETERSEN, K. L.**  
X-29 flight - Acid test for design predictions p 426 A86-31333
- PETERSON, A. A.**  
VSTOL aircraft ice protection design considerations p 493 A86-35654
- PETERSON, C. W.**  
Application of Kevlar to parachute system design p 214 A86-20166
- PETERSON, D. F.**  
High stability pressure transducers for air data systems and test sets p 359 A86-28362
- PETERSON, M. B.**  
High-temperature lubrication systems for ring/liner applications in advanced heat engines [AD-A164955] p 604 N86-26446
- PETERSON, R. C.**  
Design features for performance retention in the CFM56 engine p 643 A86-40729
- PETERSON, R. L.**  
Hover test of a full-scale hingeless rotor p 291 A86-26144  
Real-time simulator for helicopter rotor wind-tunnel operations p 596 A86-37179
- PETERSON, V. L.**  
Computational fluid dynamics at NASA Ames and the numerical aerodynamic simulation program [NASA-TM-86769] p 190 N86-15626
- PETLEY, D. H.**  
Users guide: Steady-state aerodynamic-loads program for shuttle TPS tiles [NASA-TM-85724] p 600 N86-27406
- PETOT, D.**  
Unsteady stall modelling in three-dimensional flow p 409 A86-32154  
Dynamic stall modeling of the NACA 0012 profile p 559 N86-27222
- PETRE, A.**  
Computation of aeronautical structures p 120 A86-14157
- PETRIE, H. L.**  
Multiple ducted streams with a periodic or a steady supersonic driver flow p 142 A86-17129
- PETRIE, S. L.**  
Investigations of transonic trailing edge flows p 541 A86-37192  
Experimental analyses of trailing edge flows [NASA-CR-176904] p 632 N86-28921
- PETROV, I. P.**  
A study of an iteration method for the analysis of plates with parallel stiffness ribs as systems of superelements p 455 A86-31417
- PETROV, K. P.**  
Aerodynamics of aircraft elements p 337 A86-28525
- PETROVICH, A.**  
The development of a system for the study of fatigue crack growth up to 2000 Hz p 520 A86-34841  
Interactive effects of high- and low-frequency loading on fatigue [AD-A160601] p 293 N86-18318
- PETRUSHKA, E. M.**  
Structural evolution B-58 to F-16 p 225 A86-22132  
The impact of accommodating defects on the efficiency of aircraft design [SAWE PAPER 1635] p 488 A86-35201
- PETRY, J.**  
Servo-actuator for sampled-data feedback disturbance rejection [DFVLR-FB-86-08] p 837 N86-32446
- PETTERSSON, B.**  
Numerical design parameter study for slotted walls in transonic wind tunnels p 839 A86-49059
- PETTIFOR, D.**  
New alloys from the quantum engineer p 663 A86-42424
- PETTY, J. S.**  
The next hot fighter engine p 720 A86-44005
- PEYRAN, R. J.**  
Swashplate control system [NASA-CASE-ARC-11633-1] p 511 N86-24700
- PFAFF, T. A.**  
The consideration of pilot factors in development of future collision avoidance systems [SAE PAPER 851807] p 484 A86-35437
- PFEIFER, G. D.**  
Design of combustor cooling slots for high film effectiveness. II - Film initial region [ASME PAPER 85-GT-36] p 234 A86-22025
- PFEIL, W. H.**  
The application of LQR synthesis techniques to the turboshaft engine control problem p 502 A86-35614  
Multi-variable control of the GE T700 engine using the LQG/LTR design methodology [NASA-CR-177080] p 721 N86-29819
- PFUND, P. A.**  
International Symposium on Laser Anemometry, 2nd, Miami Beach, FL, November 17-22, 1985, Proceedings p 519 A86-34407
- PHAN, A.**  
Composite materials: A source of innovation [SNIAS-852-430-113] p 248 N86-17493
- PHARES, W. J.**  
A computational fluid dynamics evaluation of test cell recirculation effects on high-bypass turbofan engine surface pressure distributions [AIAA PAPER 86-1384] p 655 A86-42606
- PHAT VU NGOC**  
Controllability theory of discrete dynamic systems p 748 A86-46401
- PHATAK, A. V.**  
Evaluation of the usefulness of various simulation technology options for TERPS enhancement [NASA-CR-177408] p 636 N86-28931
- PHILIPS, A. E., III**  
Effects of planform geometry on hover performance of a 2-meter-diameter model of a four-bladed rotor [NASA-TM-87607] p 340 N86-20358
- PHILBERT, M.**  
Optical fibers application to visualization of flow separation inside an aircraft intake in wind tunnel [ONERA, TP NO. 1985-158] p 309 A86-24638
- PHILIPPE, J. J.**  
Recent advances in helicopter aerodynamics [ONERA, TP NO. 1985-166] p 273 A86-24842  
10 years of rotor flows studies at ONERA - State of the art and future studies [ONERA, TP NO. 1986-49] p 692 A86-46185  
Steady and unsteady investigations of spoiler and flap aerodynamics in two dimensional subsonic flows [ONERA, TP NO. 1986-101] p 776 A86-49106
- PHILIPS, C. F.**  
Evolution of the air traffic control beacon system p 215 A86-21606
- PHILLIPS, C. E.**  
Engineering flight simulation - A revolution of change [SAE PAPER 851901] p 513 A86-36941
- PHILLIPS, P. M.**  
Process for adhesive bonding of metal skins to aircraft structures [SAE PAPER 851805] p 606 A86-38321
- PHILLIPS, P. S.**  
Design of a natural laminar flow wing for a transonic corporate transport [AIAA PAPER 86-0314] p 200 A86-19807
- PHILPOTT, D. R.**  
Intersection of an oblique shock wave with a cylindrical afterbody p 775 A86-49098
- PHIPPS, W. D.**  
Investigations for improving operational reliability and maintainability of ILS components. Volume 2: Figures and illustrations [FAA/PM-86/7.11-VOL-2] p 636 N86-28932  
Investigations for improving operational reliability and maintainability of instrument landing system components. Volume 1: Text and appendices [DOT/FAA/PM-86/7.1-VOL-1] p 704 N86-29801
- PHUOC, D. B.**  
Analysis of direct and nearby lightning strike data for aircraft [NASA-CR-172127] p 617 N86-27855
- PI, W. S.**  
Generic aircraft ground operation simulation [AIAA PAPER 86-0989] p 584 A86-38865
- PIANKO, M.**  
Propulsion and Energetics Panel Working Group 14 on suitable averaging techniques in non-uniform internal flows [AD-A133968] p 503 N86-24692
- PIANZIN, B. G.**  
The effect of the incalculable flow regime of air scoops on flow past a wing p 78 A86-13354
- PIATNOVA, A. I.**  
Selecting the principal parameters of a wedge-profiled wing p 78 A86-13358
- PIAZZOLI, G.**  
New modal identification methods applied to aeronautical structures [ONERA, TP NO. 1986-35] p 713 A86-46177  
New methods for in-flight vibration testing p 820 A86-47369  
Dynamic identification procedure and lift certification of light aircraft and gliders [ONERA-RT-12/1677-RY-090-R] p 809 N86-32429
- PICARD, B. M.**  
F-14A inlet icing p 709 A86-44937
- PICCIRILLO, A. C.**  
The next hot fighter engine p 720 A86-44005
- PICK, J. C.**  
Flight test simulation of the T-46 [AIAA PAPER 86-9773] p 430 A86-32108
- PICKEREL, J.**  
Supersonic conventional weapon testing of the F/A-18A Hornet p 222 A86-21052
- PICKETT, R. B.**  
Real-time telemetered inertial guidance (TMIG) evaluation [AIAA PAPER 86-9795] p 449 A86-32124
- PIENAAR, D. VAN V.**  
A hot air tunnel for base bleed experimentation p 597 A86-38252
- PIENING, M.**  
Effects of anisotropic design on the static aeroelasticity of a swept wing p 434 A86-33263  
Effects of anisotropic design on the static aeroelasticity of a swept wing p 687 N86-30661
- PIERCE, J. L.**  
An empirical study of flight control software reliability [NASA-CR-178058] p 532 N86-25145  
An experiment in software reliability [NASA-CR-172553] p 682 N86-29547
- PIERCE, N. J.**  
Nonflammable fluid and 8,000 psi technology for future aircraft hydraulic systems (22 CFR 125.4 /b/ /13/ applicable) [SAE PAPER 851909] p 580 A86-38364
- PIERCE, T. D.**  
A modeling structure for computer aided design p 397 A86-28403
- PIETERSEN, O. B. M.**  
The right combination unlocks aerospace EMC p 112 A86-13848  
RASP - A system generating very accurate position markers during flight testing [AIAA PAPER 86-9802] p 422 A86-32131
- PIFKO, A. B.**  
Advanced topics in boundary element analysis; Proceedings of the Winter Annual Meeting, Miami Beach, FL, November 17-22, 1985 p 520 A86-34442
- PIGLIACAMPI, J. J.**  
New aramid developments for aerospace/aircraft applications p 377 A86-27759  
Aramid fiber composites for general engineering p 517 A86-37137
- PILUGIN, N. N.**  
Heat transfer and drag of a body in the far supersonic wake p 554 A86-39657
- PILKEY, W. D.**  
Eigenvalue reanalysis of locally modified structures using a generalized Rayleigh's method [AIAA PAPER 84-0972] p 670 A86-41714  
Limiting performance of nonlinear systems with applications to helicopter vibration control [AD-A161457] p 370 N86-21551
- PIMENOV, A.**  
AN-30 photography airplane outfitted for cloud-seeding missions p 393 N86-20888
- PINE, R.**  
MATRIXx Plus with HYPER-BUILD - Accelerating control design, analysis, and simulation [AIAA PAPER 86-2085] p 853 A86-47505
- PING, S. W.**  
Developments in premium high-strength powder metallurgy alloys by Kaiser Aluminum p 733 A86-46842

- PINNELL, W. R.**  
Frameless transparencies for aircraft cockpit enclosures  
[AD-D012155] p 497 N86-24689
- PIPI, I.**  
Remote sensing of oil on sea: Lidar and passive IR experiments  
p 320 N86-18370
- PIROGOV, V. V.**  
The use of the magnetic aerohydrodynamic analogy method to simulate three-dimensional flow past aircraft, taking powerplant operation into account  
p 770 A86-48833
- PIRONNEAU, O.**  
On the numerical solution of nonlinear problems in fluid dynamics by least squares and finite element methods. II - Applications to transonic flow simulations  
p 144 A86-17886
- PISARENKO, G. S.**  
Energy dissipation connected with vibrations of mechanical systems  
p 381 A86-27076
- PISAREV, N. M.**  
Longitudinal potential distribution in a jet of an ionized gas  
p 331 A86-23674
- PITTMAN, J. L.**  
Combined, nonlinear aerodynamic and structural method for the aeroelastic design of a three-dimensional wing in supersonic flow  
[AIAA PAPER 86-1789] p 542 A86-37806  
Supersonic airfoil optimization  
[AIAA PAPER 86-1818] p 545 A86-37837  
Application of NCOREL to aircraft configurations  
[AIAA PAPER 86-1830] p 577 A86-37843
- PITTS, F. L.**  
F-106 data summary and model results relative to threat criteria and protection design analysis  
p 786 A86-50259  
Statistical analysis of direct-strike lightning data (1980 to 1982)  
[NASA-TP-2252] p 483 N86-24090  
The 1982 direct strike lightning data  
[NASA-TM-84626] p 483 N86-24091
- PITZER, E. W.**  
The use of a pyrochemiluminescent nitrogen analyzer as a capillary GC (Gas Chromatograph) detector  
[AD-A166597] p 735 N86-30821
- PIZIALI, R. A.**  
Hovering model helicopter rotor testing  
p 179 A86-18412
- PIZZAMIGLIO, M.**  
Dynamic and flutter analysis using F.E.M. of the GP-180  
p 713 A86-47128
- PLAETSCHKE, E.**  
Maximum-likelihood estimation of parameters in linear systems from flight test data. A FORTRAN program  
[ESA-TT-886] p 264 N86-16989
- PLASEK, J.**  
Experience with laboratory LDA by measuring flow fields in rotating turbomachinery  
p 672 A86-43109
- PLATT, R. H.**  
An upward looking airborne millimeter wave radiometer for atmospheric water vapor sounding and rain detection  
p 718 A86-48676
- PLATZ, S. J.**  
The measurement of aircraft performance and stability and control after flight through natural icing conditions  
[NASA-TM-87265] p 448 N86-22582
- PLAYLE, S. C.**  
A numerical method for the design and analysis of counter-rotating propellers  
[AIAA PAPER 84-1205] p 233 A86-20399
- PLENTOVICH, E. B.**  
The application to airfoils of a technique for reducing orifice-induced pressure error at high Reynolds numbers  
[NASA-TP-2537] p 339 N86-20351
- PLOTKA, M. S.**  
Hardware performance analysis of the basic narrow Microwave Landing System (MLS) at Washington National Airport (DCA) in the Service Test and Evaluation Program (STEP)  
[AD-A166916] p 705 N86-30715
- PLOTKIN, A.**  
Lifting-line solution for a symmetrical thin wing in ground effect  
p 689 A86-44874
- PLOTROWSKI, S. M.**  
Increasing productivity of the McAuto CAD/CAE system by user-specific applications programming  
p 193 N86-15200
- PLOYSING, B.**  
Noise emission from jet aircraft during take-off roll with respect to noise exposure calculations  
p 487 A86-31957
- PLUGGE, M. A.**  
Fire extinguishing agents for oxygen-enriched atmospheres  
[AD-A166967] p 743 N86-30890
- PLUMER, J. A.**  
NASA storm hazards research in lightning strikes to aircraft  
p 566 A86-37479  
Research in lightning swept-stroke attachment patterns and flight conditions with the NASA F-106B airplane  
p 791 A86-47318  
Lightning protection guidelines and test data for adhesively bonded aircraft structures  
[NASA-CR-3762] p 436 N86-23586
- POCHKINA, K. A.**  
Experimental investigation of a boundary layer on a schematic aircraft model  
p 769 A86-48824
- POGORELOV, N. V.**  
A marching explicit-implicit procedure for calculating supersonic flow past bodies  
p 78 A86-13296
- POGREBNAIA, T. V.**  
Calculation of supersonic flow past a three-dimensional configuration using integral relationships  
p 81 A86-13423
- POHLMANN, L. D.**  
The Crew Station Information Manager - An avionics expert system  
p 361 A86-28515  
Pilot vehicle interfaces with smart avionics systems  
[SAE PAPER 851923] p 529 A86-35432
- POISSON-QUINTON, P.**  
Parasitic and interference drag prediction and reduction  
p 156 N86-15272  
Technical evaluation report on the Fluid Dynamics Panel Symposium on Aerodynamics and Acoustics of Propellers  
[AGARD-AR-213] p 279 N86-19298
- POL, A. W.**  
The black box. Silence is silver, speech is golden  
[ETN-86-97394] p 702 N86-30706
- POLHAMUS, E. C.**  
Vortex lift research: Early contributions and some current challenges  
p 556 N86-27191
- POLING, D. R.**  
The response of airfoils to periodic disturbances - The unsteady Kutta condition  
[AIAA PAPER 84-0050] p 270 A86-23126
- POLITO, L.**  
Evaluation of pressure distributions on an aircraft by two different panel methods and comparison with experimental measurements  
p 774 A86-49044
- POLL, D. I. A.**  
On the effects of boundary-layer transition on a cylindrical afterbody at incidence in low-speed flow  
p 135 A86-16250  
Spiral vortex flow over a swept-back wing  
p 691 A86-48004
- POLLARD, T.**  
Electrodeposited primer scale-up and qualification  
p 245 A86-21735
- POLYCHRONIADIS, M.**  
Active control of helicopter vibrations. Flight evaluation of a vibration reduction system on a Gazelle SA 349 helicopter  
[SNIAS-861-210-108] p 836 N86-32444
- POLZ, G.**  
Improvement of two blade sections for helicopter rotors  
p 288 A86-26103  
Development of the BO 105 LS  
p 487 A86-34920  
Development of the BO 105 LS  
[MBB-UD-456-85-OE] p 805 A86-50255
- PONTIKOS, N. S.**  
Measurements in the turbulent boundary layer on an 'infinite' swept wing  
p 86 A86-16102
- PONTON, M. K.**  
Dynamic pressure loads associated with twin supersonic plume resonance  
[AIAA PAPER 86-1539] p 648 A86-42701  
Acoustic properties associated with rectangular geometry supersonic nozzles  
[AIAA PAPER 86-1867] p 754 A86-45487
- PONZI, C.**  
Aeroelastic tailoring for flutter constraints  
p 802 A86-49081
- POOL, A.**  
STALINS method for takeoff and landing trajectory measurements  
p 356 A86-28566  
Operational application of the STALINS method for measuring take-off and landing trajectories  
[NLR-TR-83010-U] p 227 N86-17346  
Determination of antennae patterns and radar reflection characteristics of aircraft  
[AGARD-AG-300-VOL-4] p 744 N86-30931
- POOLE, R. J. D.**  
Thick supercritical airfoils with low drag and NLF capability  
p 771 A86-49881  
Analysis of wind tunnel corrections for half-model tests of a transport aircraft using a doublet panel method  
p 839 A86-49060
- POPE, D. S.**  
Airfoil trailing-edge flow measurements  
p 780 A86-49803
- POPE, G. G.**  
Structural materials in aeronautics - Prospects and perspectives  
p 183 A86-16866  
Structural materials in aeronautics - Prospects and perspectives  
p 516 A86-36335  
Structural materials in aeronautics. II - Prospects and perspectives  
p 662 A86-40619  
Structural materials in aeronautics: Prospects and perspectives  
[RAE-TR-85077] p 357 N86-21532
- POPELKA, D.**  
Correlation of stability test results and analysis for the 1/5 scale V-22 aeroelastic model  
p 490 A86-35603
- POPLAVSKAIA, T. V.**  
A compressible laminar boundary layer on a plane triangular plate with an attached shock wave  
p 148 A86-18902
- POPLAVSKII, B. K.**  
Frequency methods of aircraft identification  
p 306 A86-24148
- POPOV, I. P.**  
Using the perturbation method for determining the die forging parameters for aircraft parts  
p 522 A86-35997
- POPOVICS, S.**  
Materials for emergency repair of runways  
[AD-A184225] p 514 N86-25385
- POPPEH, W. A., JR.**  
Design and fabrication of large suction panels with perforated surfaces for laminar flow control testing in a transonic wind tunnel  
[NASA-TM-89011] p 715 N86-29815
- PORCHER, C. E.**  
The F-18 Common Engine Bay  
[ASME PAPER 85-GT-231] p 224 A86-22127
- PORTER, B.**  
Design of direct digital flight-mode control systems for high-performance aircraft using step-response matrices  
p 367 A86-28387  
Recursive real-time identification of step-response matrices of high-performance aircraft for adaptive digital flight control  
[AIAA PAPER 86-2017] p 826 A86-47652
- PORTNOY, H.**  
Analysis of strake-slender-wing configurations using slender-wing theory  
p 774 A86-49049
- POSEY, D. M.**  
Injury pattern analysis of helicopter wire strike accidents (+Gz load)  
p 158 A86-18843
- POSINGIES, W.**  
Control reconfigurable combat aircraft flight control system development  
[AIAA PAPER 86-2236] p 824 A86-47488
- POSNER, J. M.**  
Air Force Flight Test Instrumentation System - An introduction for flight test engineers and managers  
p 296 A86-23275
- POST, L. H.**  
Sensor control and film annotation for long range, standoff reconnaissance  
p 230 A86-19597
- POSTLETHWAITE, A.**  
Corporate flying, Italian style  
p 712 A86-45753
- POSTLETHWAITE, I.**  
On the relationship between robustness tests and their application to helicopter control system designs  
p 652 A86-40771  
Multivariable control  
[OUEL-1589/85] p 264 N86-17007
- POTAPOV, I. U. F.**  
Acoustic characteristics of models of ejector suppressors of jet noise  
p 129 A86-13416
- POTASHEV, A. V.**  
Quasi-solutions of an inverse boundary value problem of hydroaerodynamics  
p 120 A86-13963
- POTOTZKY, A. S.**  
New and existing techniques for dynamic loads analyses of flexible airplanes  
p 432 A86-32787
- POUGARE, M. J.**  
Tip leakage reduction through tip injection in turbomachines  
[AIAA PAPER 86-1746] p 627 A86-42824
- POULIN, W. D.**  
F-4 functional modernization  
[ASME PAPER 85-GT-69] p 94 A86-13052
- POUTSMA, H. J.**  
Noise nuisance calculations for Schiphol Airport on behalf of the Sensitivity Analysis and Zoning Calculations Working Group (GAZOB)  
[NLR-TR-85034-U] p 260 N86-16751
- POUWELS, H.**  
Development of an airborne CCD scanner for land and sea applications  
p 231 A86-21163
- POVINELLI, L. A.**  
Validation of viscous and inviscid computational methods for turbomachinery components  
[NASA-TM-87183] p 207 N86-16194

- POWELL, B. E.**  
Crack growth in titanium alloys under the conjoint action of high and low cycle fatigue  
[AD-A166429] p 665 N86-29028
- POWELL, C. A.**  
Review of recent research on interior noise of propeller aircraft p 97 A86-14527  
A feasibility study on the numerical modeling of interior noise fields  
[AIAA PAPER 86-1862] p 754 A86-45482  
Status and capabilities of sonic boom simulators  
[NASA-TM-87864] p 332 N86-20088
- POWELL, C. W.**  
Aspects of lightning protection schemes for radomes p 792 A86-47338
- POWELL, D. J.**  
A solid-state map display for rapid response operation p 589 N86-26323
- POWELL, D. R.**  
Dependable avionic data transmission p 362 N86-20405
- POWELL, K. G.**  
Comparison of computations and experimental data for leading edge vortices - Effects of yaw and vortex flaps  
[AIAA PAPER 86-0439] p 202 A86-19680  
A comparison of experimental and numerical results for delta wings with vortex flaps  
[AIAA PAPER 86-1840] p 546 A86-37848  
High resolution solutions of the Euler equations for vortex flows p 692 A86-46793
- POWELL, R. L.**  
Maintainable demonstration for Army helicopters p 134 A86-18413
- POWERS, E. J.**  
Identification of aeroelastic phenomenon employing bispectral analysis techniques p 740 A86-47124
- POWERS, S. A.**  
Basic aircraft performance p 224 A86-21306
- PRABHU, P. V.**  
Flight simulator upgrades and modifications p 655 A86-40477
- PRABHU, R.**  
Studies on the interference of wings and propeller slipstreams p 151 N86-15241
- PRAGNELL, J. W. A.**  
Some aspects of fluorocarbon elastomer compatibility with gas turbine lubricants  
[SAE PAPER 851799] p 601 A86-38529
- PRASAD, A.**  
Flat rating concept introduced in the GTX engine p 304 A86-26071
- PRASAD, C. B.**  
Effects of nonlinear damping on random response of beams to acoustic loading  
[AIAA PAPER 86-1004] p 609 A86-38945  
Response of symmetric rectangular composite laminates with nonlinear damping subjected to acoustic loading  
[AIAA PAPER 86-1933] p 738 A86-45422
- PRATT, J. L.**  
Damage tolerance analysis of the H-53 helicopter p 166 A86-18449
- PRATT, R. L.**  
Assessing the intelligibility and acceptability of voice communication systems p 424 A86-32624
- PREOBRAZHENSKI, I. N.**  
Cutouts in load-bearing structures p 120 A86-13463  
Problems in the stability and dynamics of aircraft structures with physicomechanical singularities p 384 A86-26321
- PRICE, A. O.**  
Free jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual flow. Comprehensive data report. Volume 1: Test nozzles and acoustic data  
[NASA-CR-174817] p 469 N86-23371  
Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data  
[NASA-CR-174818] p 469 N86-23372
- PRICE, D. B.**  
Time scale analysis of a closed-loop discrete optimal control system  
[AIAA PAPER 86-1995] p 852 A86-47417
- PRICE, G.**  
Studies of rotorcraft agility and maneuverability p 291 A86-26145
- PRICE, J. B.**  
An evaluation of CPRA (Cost Performance Report Analysis) estimate at completion techniques based upon AFVAL (Air Force Wright Aeronautical Laboratories) cost/schedule control system criteria data  
[AD-A162282] p 470 N86-24584

- PRICHARD, D.**  
Solution of transonic flow past rotor blades using the conservative full potential equation  
[AIAA PAPER 85-5012] p 84 A86-14456
- PRIDE, J. D.**  
CID-720 aircraft Langley Research Center preflight hardware tests: Development, flight acceptance and qualification p 392 N86-21949
- PRIDE, J. D., JR.**  
In-flight flow visualization of F-106B leading-edge vortex using the vapor-screen technique  
[AIAA PAPER 86-9785] p 431 A86-32118
- PRIEST, J. E.**  
Turbulence response matching in the NT-33A in-flight simulator  
[AIAA PAPER 86-2076] p 827 A86-47865
- PRIEST, T. B., JR.**  
An avionics software test and evaluation technique p 499 A86-35650
- PRIEUR, J.**  
Calculation of transonic rotor noise using a frequency domain formulation  
[AIAA PAPER 86-1901] p 750 A86-45402
- PRINCE, J. R.**  
Research and development project selection methods at the Air Force Wright Aeronautical Laboratories  
[AD-A161153] p 333 N86-20165
- PRINI, A.**  
Instrumentation and other issues in non-linear dynamic testing in wind tunnels p 597 A86-38248
- PRIOLO, F. J.**  
Generation of the starting plane flowfield for supersonic flow over a spherically capped body  
[AD-A161177] p 278 N86-19291
- PRITCHARD, A.**  
Thermal scene generators p 522 A86-36805
- PRITCHARD, L. J.**  
An eleven parameter axial turbine airfoil geometry model  
[ASME PAPER 85-GT-219] p 205 A86-22117
- PRITULO, T. M.**  
Supersonic gas flow past a V-shaped wing p 82 A86-13440
- PRIVOZNIK, C. M.**  
Comparison of pilot effective time delay for cockpit controllers used on space shuttle and conventional aircraft  
[NASA-TM-86030] p 307 N86-19324
- PROCTOR, F. H.**  
Numerical simulation of precipitation induced downbursts p 615 A86-37496
- PROKHOROV, E. M.**  
Optimal lifting surfaces of wings of complex configurations at supersonic flight velocities p 288 A86-25423
- PROKPENKO, A. V.**  
A method for the analytical determination of accelerated test schedules for compressor blades working in a corrosive medium p 673 A86-43411
- PROSKAWETZ, K.-O.**  
Optimization of stepped input signals in the frequency domain for parametric identification p 329 A86-24586  
Flight path reconstruction - A powerful tool for data compatibility check p 833 A86-49041
- PROTASOV, I. S.**  
Radiative gasdynamic processes in imploding discharges in a plasmodynamic magnetoplasma compressor p 129 A86-13031
- PROTSENKO, A. F.**  
A general criterion in design p 455 A86-31412
- PROVENCHER, J. D. M.**  
How much inherent buoyancy is acceptable in a helicopter passenger immersion suit p 261 A86-19310
- PROZOROV, A. G.**  
Experimental investigation of a boundary layer on a schematic aircraft model p 769 A86-48824
- PRYZBY, J. E.**  
Lightning protection guidelines and test data for adhesively bonded aircraft structures  
[NASA-CR-3762] p 436 N86-23586
- PRZYBYLKO, S. J.**  
Knowledge-based systems for rotordynamic diagnostics  
[AIAA PAPER 86-1678] p 648 A86-42789
- PUCHER, M.**  
Multifunctional requirements for a gearbox secondary power system in a modern fighter aircraft and its components and interface requirements p 678 N86-29243
- PUGACHEV, V. S.**  
Control of the flight testing of aircraft as a means of increasing their reliability p 397 A86-28307

- PUGLIESE, A. J.**  
The role of the Flight Test Department in the development of new technology aircraft p 285 A86-23271
- PULLIAM, T. H.**  
The computation of steady 3-D separated flows over aerodynamic bodies at incidence and yaw  
[AIAA PAPER 86-0109] p 199 A86-19693  
Navier-Stokes computations for circulation controlled airfoils  
[AIAA-85-1587] p 744 N86-30995  
Navier-Stokes computations for exotic airfoils  
[AIAA-85-0109] p 745 N86-30996
- PUMPHREY, R.**  
Advanced rotary engine components utilizing fiber reinforced Mg castings  
[AIAA PAPER 86-1559] p 663 A86-42712
- PURCELL, C. J.**  
Simulation of inviscid vortex-stretched turbulent shear-layer flow p 411 A86-32979  
Inviscid vortex-stretched turbulent shear-layer flow computed around a cranked delta wing p 475 A86-35253  
Disordered vortex flow computed around a cranked delta wing at subsonic speed and high incidence p 772 A86-49027
- PURPURA, P. T.**  
Dynamic gas temperature measurement system. Volume 2: Operation and program manual  
[NASA-CR-186267] p 190 N86-15651
- PUTIATINA, E. N.**  
Solution of problems of conjugate heat transfer during flow past bodies of different shape p 673 A86-43370
- PUTILIN, S. I.**  
Free-surface flows p 458 A86-33293
- PUTNAM, L. E.**  
Effects of upper-surface nacelles on longitudinal aerodynamic characteristics of high-wing transport configuration  
[NASA-TP-2579] p 416 N86-23562
- PUTNAM, T. W.**  
X-29 flight - Acid test for design predictions p 426 A86-31333  
Summary of results of NASA F-15 flight research program  
[AIAA PAPER 86-9761] p 496 A86-37064  
Digital electronic engine control history  
[PAPER-2] p 504 N86-25344  
Summary of results of NASA F-15 flight research program  
[NASA-TM-86811] p 539 N86-26277
- PUTNAM, W.**  
A theoretical study of deltoid planforms operating in the ground effect region p 638 A86-41977
- PUTTOCK, M. C.**  
High altitude unmanned aircraft for meteorological applications - HIMET p 575 A86-37329
- PYNE, E. J.**  
The wind tunnel as a design tool p 179 A86-18429

Q

- QIAN, F.**  
A second-order theory for three-dimensional unsteady flows and its application to thin wings with angle of attack at supersonic and hypersonic speeds p 687 A86-43485
- QIAN, Y.**  
Liquid hydrogen fueled passenger aircraft  
[AD-A166229] p 717 N86-30724
- QIN, Y.**  
An investigation of improving high angle of attack performance and flap effectiveness of a configuration with delta wing by spanwise blowing  
[AIAA PAPER 86-1777] p 542 A86-37811
- QIU, C.**  
The numerical computation of aircraft response to arbitrary vertical gust distributions p 110 A86-14534  
The dynamic response of a variable sweep aircraft in the course of changing geometry  
[AIAA PAPER 86-2234] p 829 A86-47694
- QIU, R.**  
Weight optimization of stiffened cylinders under axial compression p 120 A86-14348
- QIU, Z.**  
Application of harmonic analysis method to research on rotor airloads p 706 A86-43490
- QUACKENBUSH, T. R.**  
A new approach to the free wake problem for hovering rotors p 475 A86-35633
- QUADRELLI, J. C.**  
Vortex roll-up for an elliptically-loaded wing at moderately low Reynolds numbers  
[AIAA PAPER 86-0562] p 203 A86-19951

- QUAGLIA, A.**  
Application of magneto-optic modulators to advanced avionic displays p 360 A86-28506
- QUAGLIOTTI, F. B.**  
Wing aspect ratio optimization related to payload and to fuel consumption of transport propeller airplanes [SAWE PAPER 1815] p 98 A86-14975  
Wing aspect ratio optimization problems for transport turbojet airplanes [SAWE PAPER 1680] p 488 A86-35206
- QUARANTA, H. O.**  
Behaviour of a rectangular wing in a supersonic flow - Dynamic pressure and normal force analysis in the range 1.3-4.0 Mach p 148 A86-19005
- QUAST, A.**  
The laminar wing - A way for improving the economy of commercial aircraft p 274 A86-25022  
Investigations on high Reynolds number laminar flow airfoils p 771 A86-48863
- QUERIDO, R. J.**  
Principles and applications of the Fokker bond tester [ETN-86-9690] p 612 N86-27624
- QUIGLEY, W. H.**  
Design for engine supportability [AIAA PAPER 86-1671] p 648 A86-42784
- QUINN, R. D.**  
Comparison of measured and calculated temperatures for a Mach 8 hypersonic wing test structure [NASA-TM-85918] p 435 N86-22563
- QUINN, W. W.**  
Multivariable control of a forward swept wing aircraft [NASA-CR-177112] p 654 N86-28953
- QUIST, W. E.**  
The need for rapidly solidified powder metallurgy aluminum alloys for aerospace applications p 732 A86-48827
- QUSEN, Z.**  
Manufacturing technology of composite torque box of vertical fin p 848 A86-49068
- R**
- RABIN, R.**  
Analysis of airborne Doppler lidar, Doppler radar and tall tower measurements of atmospheric flows in quiescent and stormy weather [NASA-CR-3980] p 462 N86-23159
- RABINKIN, A.**  
High strength nickel-palladium-chromium brazing alloys p 244 A86-20579
- RADCLIFF, R.**  
Siting criteria for Microwave Landing Systems (MLS) [FAA/PM-86/18] p 636 N86-28073
- RADEMACHER, J. T.**  
A supportability strategy for 1995 [AIAA PAPER 86-1670] p 684 A86-42783
- RADESPIEL, R.**  
A comparison of solutions of the complete potential equation and the Euler equations for the transonic flow around the DFVLR-F4-wing [DGLR PAPER 85-121] p 475 A86-35171  
Efficient solution of three-dimensional Euler equations using embedded grids p 771 A86-48007
- RADFORD, C. J.**  
A Modular Stress Management System (MSMS) with worldwide applications p 359 A86-28367
- RADHAKRISHNAN, S.**  
Investigation of an aircraft accident by fractographic analysis p 418 A86-30097
- RADICATI, B.**  
Remote sensing of oil on sea: Lidar and passive IR experiments p 320 N86-18370
- RADONS, U.**  
Transient thermal behaviour of a compressor rotor with ventilation: Test results under simulated engine conditions p 741 N86-29856
- RADOSAVLJEVIC, V. L.J.**  
Various approaches in solving stability problems for symmetric angle-ply laminates under combined loading p 848 A86-48040
- RADVOGIN, I. U. B.**  
Effect of the nonequilibrium character of the flow around a blunt plate with a bend on its aerodynamic characteristics p 768 A86-48783  
The effect of a kinetic air model on the aerodynamic characteristics of airfoils with flaps p 771 A86-48849
- RAGAB, S.**  
Euler solutions for aircraft configurations employing upper surface blowing (USB) [AIAA PAPER 86-1787] p 542 A86-37805
- RAGHUNANDAN, B. N.**  
Combustion related to solid-fuel ramjets p 116 A86-14566
- RAGHURAM, A. C.**  
Investigation of an aircraft accident by fractographic analysis p 418 A86-30097
- RAHA, J. E.**  
The Grumman X-29 technology demonstrator - Technology interplay and weight evolution [SAWE PAPER 1665] p 488 A86-35210
- RAHAINGOMANANA, M.**  
Studies of the aerodynamics of flaps and spoilers in unsteady flow [ONERA, TP NO. 1985-149] p 272 A86-24627
- RAHIMI, M.**  
Evaluation of 16 measures of mental workload using a simulated flight task emphasizing mediational activity p 395 A86-28864
- RAHLFS, D.**  
Low cost inertial reference system based on fiber gyros with GPS-aiding p 788 A86-49016
- RAHN, D.**  
Mission adaptive wing soars at NASA Facility [P86-10182] p 806 N86-31563
- RAHN, D. J.**  
NASA supercomputer system to become available nationally [NASA-NEWS-RELEASE-86-82] p 681 N86-28628
- RAHULAN, T.**  
Active flutter suppression p 832 A86-49004
- RAI, M. M.**  
Three-dimensional, conservative, Euler computations using patched grid systems and explicit methods [AIAA PAPER 86-1081] p 549 A86-38444  
A simulation of rotor-stator interaction using the Euler equations and patched grids [NASA-TM-86821] p 264 N86-17014  
Patched-grid calculations with the Euler and Navier-Stokes equations: Theory and applications [NASA-TM-88228] p 630 N86-28062
- RAIKHER, V. L.**  
Consideration of the multiplicity of critical spots in a structure in estimating the durability and the service life p 119 A86-13367
- RAILLY, J. W.**  
Performance deterioration during rotating stall in axial compressors p 644 A86-40738
- RAISINGHANI, S. C.**  
Frequency-domain application of Gauss-Newton method to extract aircraft longitudinal parameters p 442 A86-31125
- RAIZENNE, M. D.**  
AGARD Cooperative Test Programme on titanium alloy engine disc material p 507 N86-25369
- RAJ, P.**  
Free-vortex flow simulation using a three-dimensional Euler aerodynamic method p 773 A86-49043  
An Euler aerodynamic method for leading-edge vortex flow simulation p 558 N86-27203
- RAJAN, K.**  
A weak beam transmission electron microscopy study of a fatigue crack tip in a 2024 aluminum alloy p 450 A86-30033
- RAJAN, S. R.**  
A low speed tunnel semi-free dynamic flying study of the high angle of attack pitch derivatives of HF-24 using MLE procedure [NAL-TRM-SE-8603] p 782 N86-32393
- RAJENDRAN, A. M.**  
Advances in the study of the mechanical behavior of materials [AD-A164656] p 735 N86-30838
- RAJESWARL, B.**  
Analysis of wings with leading edge and/or trailing edge segmented (spanwise) flaps using planar horse shoe vortex lattice method [NAL-TM-AE-8507] p 559 N86-27212
- RAJKOVIC, D.**  
Canard/tail comparison for an advanced variable-sweep-wing fighter p 637 A86-41888
- RAJU, S. B.**  
Acoustic-backscattering studies of transverse cracks in composite thick laminates p 451 A86-33088
- RAJU, K. N.**  
Unified approach for modelling fatigue crack growth and some observations on behaviour under flight simulation loading p 453 A86-29954
- RAMABHADRAN, S.**  
A computer programme for DATCOM methods of estimation of lateral stability and control derivatives [NAL-TM-AE-8601] p 596 N86-27289
- RAMACHANDRA, S. M.**  
An approach to the calculation of the pressure field produced by rigid wide chord dual rotation propellers of high solidity in compressible flow [AIAA PAPER 86-0467] p 856 A86-49566
- RAMACHANDRAN, V.**  
Investigation of an aircraft accident by fractographic analysis p 418 A86-30097
- RAMAKRISHNA, D. S.**  
Modal analysis of a typical fighter aircraft using transient testing technique [NAL-TM-ST-8517] p 356 N86-20385
- RAMAKRISHNAN, J. V.**  
Application of the finite element method in the calculation of transmission loss of flat and curved panels p 400 A86-26888  
A comparison of the structureborne and airborne paths for propfan interior noise [AIAA PAPER 86-1863] p 711 A86-45483
- RAMAZANOV, M. P.**  
Method for the visualization of subsonic gas flows p 769 A86-48806
- RAMIREZ, E.**  
Air Force Flight Test Center range overview [AIAA PAPER 86-9748] p 448 A86-32092
- RAMJEE, V.**  
Experimental and theoretical study of wings with blunt trailing edges p 410 A86-32789
- RAMKUMAR, R. L.**  
Characterization of T300/V-378A graphite/bismaleimide for structural applications p 662 A86-41053
- RAMSAY, S. M.**  
Three-dimensional inviscid flow in mixers. I - Mixer analysis using a Cartesian grid p 554 A86-36090  
Three-dimensional inviscid flow in mixers. II - Analysis of turbulent forced mixers p 692 A86-46316
- RAMSDEN, J. M.**  
Airline efficiency p 157 A86-17174  
Supersonic passenger decade p 298 A86-25848  
Affordable safety p 269 A86-25850  
The fire-hard airliner p 608 A86-44400
- RAMSEY, J. E., JR.**  
Diagnose - Using automatic test equipment and artificial intelligence expert systems p 386 A86-28492
- RAMSEY, P. J.**  
Reliable nondestructive testing - The key to using weldments in critical fighter aircraft structure p 380 A86-26544
- RAMSEY, W.**  
Radiometric characterization methods for Infrared Countermeasures Systems p 103 A86-15314
- RAUAUDO, R.**  
In-flight measurements of wing ice shapes and wing section drag increases caused by natural icing conditions [NASA-TM-87301] p 479 N86-24067
- RAUAUDO, R. J.**  
The measurement of aircraft performance and stability and control after flight through natural icing conditions [AIAA PAPER 86-9758] p 651 A86-40681  
The measurement of aircraft performance and stability and control after flight through natural icing conditions [NASA-TM-87265] p 446 N86-22582
- RAND, O.**  
A nonlinear model of aeroelastic behaviour of rotor blades in forward flight p 290 A86-26139
- RANDAZZO, S.**  
Fuel resistant coatings for applications in integral tanks & bladder fuel cells p 246 A86-21737
- RANDLE, R. J.**  
The utility of Head-Up Displays - Eye-focus vs decision times p 297 A86-23728  
Head-up display (HUD) utility. II - Runway to HUD transitions monitoring eye focus and decision times p 498 A86-33802
- RANG, E. R.**  
Design validation of fly-by-wire flight control systems p 362 N86-20409
- RANGARAJAN, R.**  
A preliminary note on the development of a three dimensional potential code in Cartesian Coordinates [NAL-TM-AE-8504] p 399 N86-21233
- RANKIN, R. C.**  
Evolution of real time airborne reconnaissance p 229 A86-19586
- RAO VARANASI, S.**  
The application of fracture mechanics methodology to the damage tolerance analysis of the Boeing 757 airplane p 425 A86-30080
- RAO, D. K.**  
Interactive modal imaging process for vibrating structures [ASME PAPER 85-DET-110] p 318 A86-24231
- RAO, D. M.**  
Exploratory investigation of deflectable forebody strakes for high angle of attack yaw control [AIAA PAPER 86-0333] p 238 A86-19819  
Forebody vortex management for yaw control at high angles of attack p 833 A86-49047  
Low-speed aerodynamics of apex fences on a tailless delta configuration [AIAA PAPER 86-1838] p 779 A86-49593

- Subsonic flow investigations on a cranked wing designed for high maneuverability  
[NASA-CR-178046] p 340 N86-20361
- Basic studies on delta wing flow modifications by means of apex fences p 557 N86-27199
- Towards an advanced vortex flap system: The cavity flap p 557 N86-27200
- RAO, J. S.J.**  
Vibration characteristics of aircraft engine-bladed-disk assembly p 502 A86-35865
- RAO, Y. V. K. S.**  
Vibration characteristics of aircraft engine-bladed-disk assembly p 502 A86-35865
- RAPP, J.**  
X-15 high temperature advanced structure p 268 A86-22137
- RASINSKI, J.**  
Display formats and information transfer requirements as they relate to mission, aircrew and aircraft type p 171 A86-18464
- RATAJCZAK, M.**  
Pilot underwater high pressure emergency breathing system p 261 A86-19343
- RATHGEBER, R. K.**  
Preliminary design research for the Caravan 1 crew seat [SAE PAPER 850856] p 582 A86-38514
- RATNER, R. A.**  
Characteristics of the lifting properties of aircraft with sweptforward wings at supersonic velocities p 96 A86-13371
- RATTAN, K. S.**  
Evaluation of control mixer concept for reconfiguration of flight control system p 367 A86-28393
- RATWANI, M. M.**  
Impact of composite materials on advanced fighters p 245 A86-21722
- RAUH, G.**  
Aircraft/engine integration for an advanced fighter considering mission specifics [ASME PAPER 86-GT-295] p 797 A86-48308
- RAUSA, R.**  
Aircraft design p 161 A86-16213
- RAUSHENBAKH, B. V.**  
Studies in the history and theory of the development of science and technology in the fields of aviation, rocketry, and space. Number 3 p 131 A86-13462
- Investigations in the history and theory of the development of aviation and space science and technology. Number 4 p 620 A86-39984
- RAVALASON, W.**  
Solution of the Navier-Stokes equations in a compressible fluid by an implicit method [ONERA, TP NO. 1985-148] p 272 A86-24834
- RAYEZ, R.**  
The development of high strength stainless steels for the aeronautical industry p 373 A86-26337
- RAVICHANDRAN, E. R.**  
Combustion related to solid-fuel ramjets p 116 A86-14566
- RAVICHANDRAN, K. S.**  
A preliminary note on the development of a three dimensional potential code in Cartesian Coordinates [NAL-TM-AE-8504] p 399 N86-21233
- RAW, J. A.**  
Surge margin enhancement by a porous throat diffuser p 592 A86-39568
- RAWLS, J. W., JR.**  
Noise predictions of a high bypass turbofan engine using the Lockheed Near-Field Noise Prediction Program [NASA-CR-178146] p 756 N86-30469
- RAY, R. J.**  
Test and evaluation of the HIDE engine uptrim algorithm [AIAA PAPER 86-1678] p 648 A86-42787
- Real-time in-flight thrust calculation on a digital electronic engine control-equipped F100 engine in an F-15 airplane [PAPER-13] p 506 N86-25355
- Test and evaluation of the HIDE engine uptrim algorithm [NASA-TM-88262] p 650 N86-28088
- In-flight thrust determination on a real-time basis [NASA-CR-176997] p 641 N86-28937
- RAZAVI, H. C.**  
Bifurcation techniques for nonlinear dynamic analysis of compressor stall phenomena p 501 A86-35403
- REA, W. P.**  
Tomorrow's cockpit technology in today's modern helicopter p 166 A86-18457
- READ, B. E.**  
Characterisation and influence of orientation and internal stress in acrylic aircraft materials [NPL-DMA(A)113] p 665 N86-28193
- READER, K. R.**  
Dynamic response characteristics of a circulation control rotor model pneumatic system p 157 N86-15298
- REARDON, M. S.**  
Use of the flight simulator in performing AFTI/F-16 airplane aeroservoelastic analysis [AIAA PAPER 86-0957] p 585 A86-38931
- REASER, J. S.**  
Optimization of a supersonic wing by combining linear and Euler methods [SAE PAPER 851791] p 547 A86-38315
- REBUCK, N.**  
Electrochemical evaluation of corrosivity in turbine engine oils [SAE PAPER 851867] p 602 A86-38534
- REDDAN**  
The hazards of ash clouds to civil air transport p 566 A86-37477
- REDDY, A. D.**  
Postbuckling and crippling behavior of graphite/epoxy thin-walled airframe members p 521 A86-35643
- Observations on compressive local buckling, postbuckling and crippling of graphite/epoxy airframe structure [AIAA PAPER 86-0923] p 608 A86-38833
- REDDY, D. R.**  
Reduced Navier-Stokes (RNS) relaxation procedure for internal flows with interaction [SAE PAPER 851790] p 547 A86-38314
- REDDY, T. S. R.**  
The influence of dynamic inflow and torsional flexibility on rotor damping in forward flight from symbolically generated equations p 177 N86-15295
- REDEKER, G.**  
The laminar wing - A way for improving the economy of commercial aircraft p 274 A86-25022
- Application of elliptic continuation method for transonic aerofoil design and experimental verification p 477 A86-38206
- Aerodynamic investigations toward an adaptive airfoil for a transonic transport aircraft p 623 A86-40115
- Investigations on high Reynolds number laminar flow airfoils p 771 A86-48983
- REDICK, H.**  
Pultrusion used to fabricate tail rotor spar p 133 A86-17380
- REDING, J. P.**  
Dynamic support interference in high alpha testing [AIAA PAPER 86-0760] p 309 A86-24746
- REED, A. T.**  
Evaluation of a frequency response technique for aircraft system identification [AD-A184367] p 497 N86-25339
- REED, D.**  
Composites technology transfer and transition p 253 A86-22144
- Planning, creating and documenting a NASTRAN finite element model of a modern helicopter p 189 N86-15300
- REED, E. J.**  
Life cycle cost methodology for preliminary design evaluation [ASME PAPER 86-GT-37] p 812 A86-48124
- REED, G.**  
TSPI data processing in the telemetry environment p 347 A86-27804
- REED, T. D.**  
Correlation of transonic-cone preston-tube data and skin friction [NASA-CR-176902] p 693 N86-29771
- REED, W. H., III**  
An airfoil flutter model suspension system to accommodate large static transonic airloads [NASA-CR-177998] p 146 N86-14220
- REEHORST, A. L.**  
The measurement of aircraft performance and stability and control after flight through natural icing conditions [AIAA PAPER 86-9758] p 651 A86-40681
- The measurement of aircraft performance and stability and control after flight through natural icing conditions [NASA-TM-87265] p 446 N86-22582
- REESOR, D. B.**  
Control of a high-speed, brushless dc motor driven through a cycloconverter line p 386 A86-28372
- REEVES, C. M.**  
Fuel effects on aircraft combustor emissions [ASME PAPER 86-GT-212] p 815 A86-48252
- REEVES, J. T.**  
Preliminary hazard analysis for self-contained navigation system [AD-A161883] p 425 N86-23582
- Operating and support hazard analysis for the self-contained navigation system LSI model 8216A, B and C group A [AD-A166815] p 704 N86-29806
- Subsystem hazard analysis for the LSI models 8216A, B and C self-contained navigation system group A [AD-A166816] p 705 N86-29807
- REGAN, T. M.**  
Advanced structural casting applications for a gas turbine engine p 521 A86-35658
- REGENE, V. A.**  
Development of a knowledge acquisition tool for an expert system flight status monitor [AIAA PAPER 86-0240] p 230 A86-19764
- Development of a knowledge acquisition tool for an expert system flight status monitor [NASA-TM-86802] p 263 N86-16944
- An engineering approach to the use of expert systems technology in avionics applications [NASA-TM-88263] p 497 N86-24687
- Experience with synchronous and asynchronous digital control systems [NASA-TM-88271] p 726 N86-29866
- REHFIELD, L. W.**  
Postbuckling and crippling behavior of graphite/epoxy thin-walled airframe members p 521 A86-35643
- Observations on compressive local buckling, postbuckling and crippling of graphite/epoxy airframe structure [AIAA PAPER 86-0923] p 608 A86-38833
- REHMANN, A.**  
Comprehensive test and evaluation of the Daimler Victor TCAS 2 industry prototypes [FAA/PM-882] p 705 N86-30712
- REICHERT, G.**  
Dynamic aspects in the design of advanced rotor systems p 798 A86-48663
- REICHOW, D.**  
Potential of BITE's and what it means to aircraft maintenance p 759 A86-47607
- REID, L. D.**  
Flight simulation motion-base drive algorithms. Part 2: Selecting the system parameters [UTIAS-307] p 618 N86-27929
- REIF, H. E.**  
The production of jet fuel from alternate sources [ASME PAPER 85-IGT-67] p 312 A86-23868
- REIF, J. H.**  
Motion planning in the presence of moving obstacles [AD-A161374] p 400 N86-22206
- REIFSNIDER, K. L.**  
Nondestructive test methods for composite structures p 118 A86-13147
- REILE, E.**  
Transient thermal behaviour of a compressor rotor with ventilation: Test results under simulated engine conditions p 741 N86-29856
- REIMANN, W. H.**  
Toward automated airframe assembly p 197 A86-21894
- REIN, B.**  
Airline deregulation - What will we know and when will we know it? p 184 A86-18538
- REINERTSON, L.**  
Mission adaptive wing soars at NASA Facility [P86-10182] p 806 N86-31563
- REINHOLD, R. R.**  
Durability and damage tolerance assessment of the TF34-100 engine [ASME PAPER 86-GT-38] p 812 A86-48125
- REINICKE, M. J.**  
Experience with aeroelastic analysis of a single engine turbo trainer using finite elements methods p 433 A86-33247
- Experience with aeroelastic analysis of a single engine turbo trainer using finite element methods p 743 N86-30646
- REISING, J. M.**  
A study of programmable switch symbology p 329 A86-23708
- Automation in the cockpit - Who's in charge? [SAE PAPER 841534] p 327 A86-28005
- 2010 - The symbiotic cockpit p 355 A86-28455
- Cockpit automation - Design and implementation issues [SAE PAPER 851921] p 529 A86-35431
- REMER, J. H.**  
Computed centerline MLS (Microwave Landing System) approach demonstration at Washington National Airport [AD-A163722] p 486 N86-24681
- REN, P.**  
The finite element stress analysis for solid-shell combined parts in aeroengines [ASME PAPER 85-IGT-72] p 317 A86-23873
- REN, S.**  
An inertial navigation system with single-axis stabilization p 702 A86-43484
- RENES, J. J.**  
Flightpath reconstruction and systematic radar error estimation from multi-radar range-azimuth measurements p 636 A86-42966

- RENIER, O.**  
Recent developments in techniques for dynamic simulation for the identification of stability parameters p 562 N86-27246
- RENIERI, G. D.**  
Bolted composite repairs subjected to biaxial or shear loads p 662 A86-41052
- RENOUARD**  
MLS - The pilot's point of view p 572 A86-39557
- RENZ, R. R. L.**  
Flight testing for better flight training simulators [AIAA PAPER 86-9726] p 496 A86-37081  
A minimum approach to flight testing p 810 A86-47780
- RESHOTKO, E.**  
Shock-wave boundary layer interactions [AGARD-AG-280] p 676 N86-29173
- RETELLE, J. P., JR.**  
X-29 revises the experimental aircraft p 426 A86-31331
- RETZER-SCHIEBE, H. J.**  
Hot corrosion in aircraft engines [ESA-TT-887] p 237 N86-16227
- REUBUSH, D. E.**  
Investigation of a supersonic cruise fighter model flow field [NASA-TM-86361] p 152 N86-15246
- REUTER, D.**  
Flame driving of longitudinal instabilities in dump type ramjet combustors p 658 N86-28239
- REYNOLDS, C. H.**  
Propulsion system integration configurations for future prop-fan powered aircraft p 173 A86-17777
- REYNOLDS, J. M.**  
An integrated development facility for the calibration of low-energy charged particle flight instrumentation [NASA-TM-86526] p 458 N86-22914
- REYNOLDS, M. A.**  
The development of aluminum-lithium alloys for aerospace applications p 451 N86-22616
- RHODES, F. E.**  
Plastic or metal - The judgement factors p 762 A86-49037
- RHODES, J.**  
Assessing the effects of delaminations on the postbuckling strength of CRFP panels p 743 N86-30781
- RHODESIDE, G. R.**  
Investigation of aircraft departure susceptibility using a total-G simulator [AIAA PAPER 86-0492] p 238 A86-19903
- RIBAUD, Y.**  
Transonic blade to blade calculations in an axial, radial or mixed flow cascade equipped with splitter blades [ASME PAPER 85-GT-86] p 205 A86-22057
- RIBNER, H. S.**  
Spectra of noise and amplified turbulence emanating from shock-turbulence interaction: Two scenarios [NASA-TM-88786] p 620 N86-27970
- RICE, F. A., II**  
PAN AIR analysis of a transport high-lift configuration [AIAA PAPER 86-1811] p 544 A86-37832
- RICHARDS, P. G.**  
Protecting gas turbine components - The relative durability of a conventional and a platinum-modified aluminate coating p 114 A86-13005
- RICHARDSON, B.**  
A FORTRAN algorithm for terrain perspective and plan view display p 398 A86-28421
- RICHARDSON, C. E.**  
Engineering performance evaluation of small community airport microwave landing system (TI-model) at Philadelphia International Airport Runway 17 [FAA/PM-86/24] p 704 N86-29802
- RICHARDSON, D. Y.**  
Correlation of GPS receiver channel track continuity with aircraft structural masking p 92 A86-13217
- RICHARDSON, J.**  
Solid fuel ramjet simulator results - Experiment and analysis in cold flow p 106 A86-14562
- RICHARDSON, M. D.**  
Durability prediction of parallel fuel tank skins with fluid-structure interaction dynamics [AIAA PAPER 86-0935] p 591 A86-38927  
A new approach to durability prediction for fuel tank skins p 642 A86-40119
- RICHARDSON, S. M.**  
Calculation of unsteady fan rotor response caused by downstream flow distortions p 85 A86-14558
- RICHARZ, W. G.**  
Fine structure of subsonic jet noise p 619 A86-39069
- RICHNER, H.**  
Relative accuracy of ALPEX aircraft data: An evaluation of the ALPEX intercomparison flight with the NCAR (National Center for Atmospheric Research) Electra, the NOAA (National Oceanic and Atmospheric Administration) P3 and the DFVLR (Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt) Falcon [PB86-100823] p 394 N86-22067
- RICHTER, S. B.**  
Navigation methodology - An investigation of an inertial navigation system (INS) enhancement p 349 A86-28356
- RICK, H.**  
Procedures for the digital simulation of helicopter propulsion systems [DGLR PAPER 85-115] p 501 A86-35168
- RICKARD, W. W.**  
Failures in advanced flight control systems of future transport aircraft [NLR-TR-84108-U] p 595 N86-26343
- RICKET, J. L.**  
Low-speed aerodynamic characteristics of a 1/8-scale X-29A airplane model at high angles of attack and sideslip [NASA-TM-87722] p 781 N86-31532
- RICKETTS, R. H.**  
Recent transonic unsteady pressure measurements at the NASA Langley Research Center p 412 A86-33232  
Selected topics in experimental aeroelasticity at the NASA Langley Research Center p 433 A86-33243  
Geometric and structural properties of a rectangular supercritical wing oscillated in pitch for measurement of unsteady transonic pressure distributions [NASA-TM-85673] p 416 N86-23567
- RICKLEY, E. J.**  
International Civil Aviation Organization Helicopter Noise Measurement Repeatability Program: US test report, Bell 206L-1, noise measurement flight test [AD-A159898] p 333 N86-20090  
Analysis of helicopter noise data using international helicopter noise certification procedures [PB86-166533] p 620 N86-27972
- RICKS, R.**  
Planning, creating and documenting a NASTRAN finite element model of a modern helicopter p 189 N86-15300
- RIDDELL, F. R.**  
Small turbine technology review [AD-A158514] p 175 N86-15316
- RIDGELY, D. B.**  
Introduction to robust multivariable control [AD-A165891] p 727 N86-29869
- RIEDINGER, L. A.**  
An optimization procedure for a redundant wing structure [SAWE PAPER 1684] p 521 A86-35225
- RIENSTRA, S. W.**  
A study on the transmission of sound through flow ducts of varying cross section [NLR-TR-83128-U] p 683 N86-29636
- RIGGIN, R. M.**  
Composition and photochemical reactivity of turbine engine exhaust [AD-A157843] p 107 N86-12230
- RIKLI, E.**  
Axisymmetric three-dimensional flow in the cooled gas turbine p 720 A86-44925
- RILEY, B. L.**  
Bolted composite repairs subjected to biaxial or shear loads p 662 A86-41052
- RILEY, D. D.**  
Pilot error accidents - A total system approach to analysis p 481 A86-33799
- RIMER, M.**  
Control of a forward-swept-wing configuration dominated by flight dynamic/aeroelastic interactions p 239 A86-20237
- RINGEL, M.**  
Improved drag element for wind tunnel sting balances p 112 A86-14532
- RINGH, U. J. V.**  
Camera flight tests and image evaluation p 230 A86-19591
- RINGNES, E.**  
Analysis of data from NASA B-57B gust gradient program [NASA-CR-178736] p 446 N86-23604
- RINGNES, E. A.**  
Spanwise turbulence effects on aircraft response [AIAA PAPER 86-0255] p 200 A86-19774  
Analysis of aerodynamic coefficients using gradient data: Spanwise turbulence effects on airplane response [NASA-CR-3961] p 393 N86-21069
- RIOCHE, S.**  
Search and Rescue (SAR) System developed as part of the contract signed with the Irish Air Corps for the supply of 365 F Dauphin aircraft [SNIAS-852-210-105] p 215 N86-17329
- RIQUEL, G.**  
High voltage laboratory tests and lightning phenomena p 844 A86-47312
- RISCH, M. R.**  
Development of a piezoelectric quartz pressure sensor for avionics with excellent long term stability (with final demonstration of the results on a prototype) [BMFT-FB-W-85-010] p 232 N86-17353
- RIST, D.**  
Comparison of methods for lifetime calculations of highly loaded aero-engine discs [ASME PAPER 86-GT-102] p 814 A86-48165
- RITTER, A.**  
Advances at AEDC in treating transonic wind tunnel wall interference p 839 A86-49058
- RITTER, J.**  
Weight estimation techniques for composite airplanes in general aviation industry [NASA-CR-178183] p 781 N86-31531
- RITTER, J. E.**  
Hughes helicopters AH-64A electroluminescent lighting p 171 A86-18463
- RIU, J.-P.**  
High voltage laboratory tests and lightning phenomena p 844 A86-47312
- RIVERS, C. G., JR.**  
AMK: Still viable? p 734 N86-30017
- RIZK, M. H.**  
Propeller design by optimization [AIAA PAPER 86-0081] p 232 A86-19678  
Numerical simulation of impinging jets [AIAA PAPER 86-0279] p 200 A86-19789
- RIZZETTA, D. P.**  
Numerical simulation of leading-edge vortex flows p 270 A86-23133  
Steady supersonic Navier-Stokes solutions of a 75 deg delta wing p 558 N86-27206
- RIZZI, A.**  
Vortex-fitted potential and vortex-captured Euler solution for leading-edge vortex flow p 142 A86-17149  
Three-dimensional solutions to the Euler equations with one million grid points p 142 A86-17150  
Simulation of inviscid vortex-stretched turbulent shear-layer flow p 411 A86-32979  
Inviscid vortex-stretched turbulent shear-layer flow computed around a cranked delta wing p 475 A86-35253  
High resolution solutions of the Euler equations for vortex flows p 692 A86-46793  
Disordered vortex flow computed around a cranked delta wing at subsonic speed and high incidence p 772 A86-49027
- ROBB, J. D.**  
Implementation of a crowbar switch in a Marx generator/peaking capacitor lightning simulator system p 790 A86-47305  
Optical detection methods for testing of fuel tank lightning ignition hazards p 791 A86-47309  
Ring discharge on the backsurface of a composite skin with ohmic anisotropy in response to frontal high current injection p 845 A86-47329
- ROBBINS, R. D.**  
Aerial refueling evaluation of the CH-47D helicopter [AD-A167575] p 808 N86-31574
- ROBBINS, S.**  
The technical development of cooled gas turbine blades [PNR-90292] p 255 N86-16595
- ROBERTS, B.**  
Light helicopter family trade-off analysis. Volume 10: Appendices V, W, X, and Z [AD-A158079] p 169 N86-15309
- ROBERTS, B. B.**  
Computer-aided cockpit workload analysis for all weather, multirole tactical aircraft [SAE PAPER 851876] p 499 A86-35439
- ROBERTS, J. B. G.**  
Mil-DAP: Its architecture and role as a real time airborne digital signal processor p 681 N86-28359
- ROBERTS, L.**  
Analysis of interacting dual lifting ejector systems [AIAA PAPER 86-0478] p 233 A86-19895  
Flow structure of lateral wing-tip blowing [AIAA PAPER 86-1810] p 544 A86-37831  
A theory for lateral wing-tip blowing [NASA-CR-176931] p 632 N86-28923  
A simplified model of the turbulent microburst [NASA-CR-177108] p 679 N86-29466  
Experimental results of the control of a vortical flow by tangential blowing [NASA-CR-176932] p 742 N86-30094



- ROBERTS, M.**  
Thermal zoom optics for R.P.V. sensors p 588 A86-37341
- ROBERTS, T. W.**  
Euler solutions for the flow around a hovering helicopter rotor  
[AIAA PAPER 86-1784] p 543 A86-37815
- ROBINS, A. W.**  
Effect of emerging technology on a convertible, business/interceptor, supersonic-cruise jet  
[NASA-CR-178097] p 587 N86-27278
- ROBINSON, D. E.**  
Alerted monitors: Human operators aided by automated detectors  
[PB85-222750] p 126 N86-13906
- ROBINSON, D. H.**  
The golden age of the great passenger airships: Graf Zeppelin and Hindenburg p 403 A86-27648
- ROBINSON, M. C.**  
Vortices produced by air pulse injection from the surface of an oscillating airfoil  
[AIAA PAPER 86-0118] p 199 A86-19699  
Visualization of dynamic stall controlled by large amplitude interrupted pitching motions  
[AIAA PAPER 86-2281] p 764 A86-47699  
Control of wake structure behind an oscillating airfoil  
[AIAA PAPER 86-2282] p 764 A86-47700
- ROBINSON, M. P.**  
Structural analysis of the controlled impact demonstration of a jet transport airplane  
[AIAA PAPER 86-0939] p 583 A86-38836
- ROBINSON, W. W.**  
Further development of the dynamic gas temperature measurement system  
[AIAA PAPER 86-1648] p 672 A86-42770
- ROCH, J. L.**  
A mission navigation and control system for modern military helicopters p 574 N86-26327
- ROCK, S. M.**  
Robust detection, isolation, and accommodation for sensor failures p 501 A86-35402  
Integrated control - A decentralized approach p 681 A86-42996  
Robust detection, isolation and accommodation for sensor failures  
[NASA-CR-174825] p 722 N86-30732
- ROCKWELL, D.**  
Vortices incident upon a leading edge - Instantaneous pressure fields p 141 A86-17060
- RODENROTH, R. T.**  
Doubling the Air Force through greater reliability p 685 A86-44006
- RODGERS, C.**  
Power dense gas turbine APUs  
[ASME PAPER 85-GT-124] p 235 A86-22074  
A jet fuel starter and expendable turbojet  
[ASME PAPER 86-GT-1] p 812 A86-48101
- RODRIGUEZ, A. A.**  
Multivariable control of a twin lift helicopter system using the LQG/LTR design methodology  
[NASA-CR-177025] p 654 N86-28956
- RODRIGUEZ, O.**  
Study of the influence of an oscillating spoiler on the surrounding aerodynamic field  
[IMFL-3119] p 90 N86-13303
- ROE, F.**  
An Orbital Maneuvering Vehicle simulator p 658 A86-40515
- ROE, J. D.**  
The health and usage monitoring system of the Westland 30 series 300 helicopter p 299 A86-26153  
The health and usage monitoring of helicopter systems - The next generation p 491 A86-35613
- ROEHRLE, H.**  
Variation of anisotropic behaviour in structural optimization p 434 A86-33258  
Variation of anisotropic behavior in structural optimization p 715 N86-30656
- ROESCH, P.**  
Recent advances in helicopter aerodynamics  
[ONERA, TP NO. 1985-166] p 273 A86-24642
- ROGER, M.**  
Analysis of the noise emitted by a tail rotor p 266 N86-18129
- ROGERS, C. W.**  
An evaluation of the capability of the surface condition analyzer (SCAN) sensors to measure runway water depth  
[AD-A164719] p 611 N86-26603
- ROGERS, E. O.**  
An estimation of the wall interference on a two-dimensional circulation control airfoil  
[AIAA PAPER 86-0738] p 273 A86-24732  
Applied aerodynamics of circulation control airfoils and rotors p 475 A86-35634
- ROGERS, J. P.**  
Impact of advanced technology on future helicopter preliminary design p 290 A86-26126
- ROGERS, R. C.**  
A detailed numerical model of a supersonic reacting mixing layer  
[AIAA PAPER 86-1427] p 671 A86-42636
- ROGGER, W. R.**  
F/A-18 Hornet - Reliability development testing p 225 A86-22400
- ROGO, C.**  
Variable cyclic turbohaft technology for rotorcraft of the '90s p 233 A86-20371  
Variable area radial turbine fabrication and test program  
[NASA-CR-175091] p 851 N86-28947
- ROHATGI, U. S.**  
Aircraft fuel pump design p 300 A86-23350
- ROHLF, D.**  
Identification of aircraft characteristics including gust induced dynamic effects p 585 N86-27263  
Identification of gust input and gust response characteristics from Do 28 TNT flight test data  
[ESA-TT-919] p 837 N86-32445
- ROHLING, H.**  
New CFAR-processor based on an ordered statistic p 457 A86-32618
- ROJAS LOZANO, J. A.**  
Survival of helicopter accidents p 419 A86-31005
- ROJAS, R. G.**  
Simulation of the enhanced traffic alert and collision avoidance system (TCAS 2)  
[NASA-CR-176328] p 93 N86-12216  
A study of a collision avoidance system mounted on a curved ground plane  
[NASA-CR-176771] p 485 N86-24677
- ROKHSAR, K.**  
Analytical study of three-surface lifting systems  
[SAE PAPER 850866] p 552 A86-38507  
Dual-wing systems with decalage angle optimization p 624 A86-40121
- ROMANOWSKI, P.**  
Proceedings of the 12th Biennial Guidance Test Symposium held at Holloman AFB, New Mexico on 22-24 October 1985, volume 1  
[AD-A161996] p 425 N86-23563
- ROMANYUK, A.**  
Programmable hand calculators in aviation sport p 485 N86-23309
- ROMEO, G.**  
Analytical and experimental investigation on advanced composite wing box structures in bending including effects of initial imperfections and crushing pressure p 848 A86-49003  
Design and fabrication of an advanced composite cellular wing box  
[VTH-LR-315] p 227 N86-17344  
Design of hat-stiffened composite panels under uniaxial compression and shear. Minimum mass optimization based on a simplified theory  
[VTH-LR-312] p 259 N86-17806
- ROMINE, B. M.**  
Initial performance evaluation of 2DCD ejector exhaust systems  
[AIAA PAPER 86-1615] p 626 A86-42753
- ROMMET, T.**  
The Canadian forces twin Otter aircraft operations in the Arctic - A thermal assessment p 212 A86-19334
- ROMREL, G. K.**  
DME/P - A necessary MLS component for the future p 703 A86-46140
- ROMSTEDT, P.**  
Application of a dynamic grid adaptation in the ASWR procedure p 149 N86-14243
- RONEN, T.**  
Dynamics of a helicopter with a sling load  
[AIAA PAPER 86-2288] p 831 A86-47709
- ROOD, E. P.**  
An experimental study of the flow and wall pressure field around a wing-body junction p 337 A86-28637  
Tail profile effects on unsteady large scale flow structure in the wing and plate junction p 387 A86-28666
- ROOD, G. M.**  
Prediction of auditory masking in helicopter noise p 289 A86-26115
- ROONEY, E. C.**  
Development of in-flight thrust measurement procedures for an afterburning turbofan engine  
[AIAA PAPER 85-1405] p 720 A86-45375
- ROONEY, T. R.**  
Structural and material considerations for advanced fighters p 252 A86-22134
- ROOS, F. W.**  
Influence of excitation on coherent structures in reattaching turbulent shear layers  
[AIAA PAPER 86-0112] p 199 A86-19696
- ROPELEWSKI, R. R.**  
New technologies offer quantum leap in future fighter capabilities p 686 A86-45063
- ROTHBAUGH, M. E.**  
Processing study of injection molding of silicon nitride for engine applications  
[SAE PAPER 851787] p 606 A86-38311
- ROSCOE, S. N.**  
An integrated display for vertical and translational flight  
Eight factors affecting pilot performance p 529 A86-36175  
Horizontal display for vertical flight: A direction of motion experiment  
[AD-A161113] p 299 N86-18321
- ROSE, D.**  
Design of a carbon-fiber reinforced wing for the Alpha-Jet major panel tests p 638 A86-41692
- ROSE, J.**  
Maintainability optimization - The future challenge p 782 A86-49052
- ROSE, J. L.**  
Ultrasonic f-scan inspection of composite materials  
[AD-A159974] p 314 N86-18451
- ROSE, T. S.**  
Computer aided instruction in engineering  
[AD-A156828] p 130 N86-13220
- ROSE, W. C.**  
Computations and turbulent flow modeling in support of helicopter rotor technology  
[NASA-CR-177095] p 742 N86-30090  
Aerodynamics of seeling on large transport aircraft  
[NASA-CR-177035] p 758 N86-31357
- ROSEMEYER, M. P.**  
Cost-effective remote-site testing p 539 A86-39570
- ROSEN, A.**  
A nonlinear model of aeroelastic behaviour of rotor blades in forward flight p 290 A86-26139  
Free wake model of hovering rotors having straight or curved blades p 337 A86-27667
- ROSEN, B. S.**  
Computation of prop-fan engine installation aerodynamics p 410 A86-32781
- ROSEN, C. C., III**  
Productibility and cost studies of aviation kerosene  
[AGARD-AR-227] p 379 N86-20580
- ROSENAU, G.**  
Comparative evaluation of redundant flight data recorded by a Digital Airborne Integrated Data System Recorder (DAR) on board an Airbus A-310 aircraft p 439 N86-22575
- ROSENBERG, H. W.**  
Fatigue properties of Ti-10V-2Fe-0.3Al p 375 A86-27274
- ROSENBERG, K. W.**  
Variable control policies for future aerospace vehicles p 367 A86-28386
- ROSENBERG, T. D.**  
Fatigue testing of tube to node butt welds envisaged for RAE Bedford flight simulator  
[REPT-23480/2/85] p 257 N86-16674
- ROSENTHAL, H. A.**  
Electro-impulse de-icing of aircraft engine inlets  
[AIAA PAPER 86-0546] p 352 A86-26647
- ROBER, D.**  
CFRP-wing for the Alpha jet p 686 A86-46199
- ROSHKO, A.**  
An experimental study of geometrical effects on the drag and flow field of two bluff bodies separated by a gap p 141 A86-17055
- ROSKAM, J.**  
Natural laminar flow and regional aircraft  
[SAE PAPER 850864] p 552 A86-38505  
Rapid sizing method for airplanes p 708 A86-44887  
An investigation into the vertical axis control power requirements for landing VTOL type aircraft onboard nonaviation ships in various sea states  
[NASA-CR-176355] p 88 N86-13294
- ROSS, A.**  
An optimisation method for reconstruction of flight path trajectories from non-synchronous time-sampled observations by two cine cameras  
[ARL-SYS-R-34] p 167 N86-15279  
Analysis of a mirror deck landing aid  
[AD-A167966] p 789 N86-31556
- ROSS, A. J.**  
Correlation of predicted and free-flight responses near departure conditions of a high incidence research model p 564 N86-27255
- ROSS, C. F.**  
Active noise control p 803 A86-48101
- ROSS, J. M.**  
Optimization of a supersonic wing by combining linear and Euler methods  
[SAE PAPER 851791] p 547 A86-38315

- ROSS, R.**  
Evaluation of a correction for sound propagation through free-jet shear layers p 193 A86-17783  
Aeroacoustic calibration of the German-Dutch Wind Tunnel (DNW) open jet p 242 N86-16236  
Acoustic evaluation of the German-Dutch Wind Tunnel (DNW) shear layer correction using a model jet [DNW-TR-82-04] p 242 N86-16237  
De-icing of the altitude wind tunnel turning vanes by electro-magnetic impulse [NASA-CR-177260] p 599 N86-27291
- ROSSON, J. C.**  
Cryogenic tunnel measurement of total temperature and pressure p 387 A86-28570
- ROSSOW, V. J.**  
Prospects for destructive self-induced interactions in a vortex pair due to sinusoidal disturbances [AIAA PAPER 86-1791] p 543 A86-37821  
Wake hazard alleviation associated with roll oscillations of wake-generating aircraft p 624 A86-41693
- ROSSWURM, M. A.**  
Design of the F-16 aircraft electrical system built-in-test monitor p 296 A86-24827
- ROST, R. W.**  
Investigation of multiple input frequency response function estimation techniques for experimental modal analysis p 461 N86-23971
- ROTGE, J. R.**  
Advanced laser based inertial instrument development [AD-A166307] p 742 N86-30128
- ROTH, R.**  
Results of icing flights in winter 1983/84: Ice accretion thickness in correlation with cloud physical parameters, object and cloud parameters [DFVLR-FB-85-39] p 191 N86-15638
- ROTHMAYER, A. P.**  
Large-scale separation and hysteresis in cascades p 145 A86-18577
- ROTHWELL, A.**  
An introduction to the application of Computer Aided Design (CAD) to the pre-design of aircraft and the design of aircraft structures at the Aerospace Section [VTH-M-512] p 330 N86-19045
- ROTHWELL, P. L.**  
Selection of a man-modelling CAD (Computer-Aided Design) [AD-A161342] p 400 N86-22159
- ROTIER, D. J.**  
HMD: Global HUD solution p 171 A86-18460
- ROUSE, W. B.**  
Pilot interaction with automated airborne decision making systems [NASA-CR-177002] p 679 N86-29508
- ROUSSOS, L. A.**  
Predicted and measured strain response of rectangular panels due to acoustic loading [AIAA PAPER 86-1931] p 751 A86-45421  
Consideration of some factors affecting low-frequency fuselage noise transmission for propeller aircraft [NASA-TP-2552] p 469 N86-24393
- ROWE, B. H.**  
Aircraft engine technology windows (Lecture) p 502 A86-36336
- ROWE, W. J.**  
Prospects for intelligent aerospace structures [AIAA PAPER 86-1139] p 672 A86-43328
- ROWE, W. S.**  
Coupling linearized far-field boundary conditions with nonlinear near-field solutions in transonic flow [AD-A162334] p 417 N86-23573
- ROWLETT, R.**  
A flexible programmable signal processor for next generation fighter aircraft p 385 A86-28330
- ROWTHORN, E. N.**  
New rotary rig at RAE and experiments on HIRM p 562 N86-27243
- ROY, E. F.**  
Autonomous landing guidance systems p 350 A86-28385
- ROY, R. H.**  
Real-time flutter identification with close mode resolution [AIAA PAPER 86-2019] p 827 A86-47654
- ROZEN, U.**  
Analyzing the cost effectiveness of using flight simulators in the Israeli Air Force [AD-A164864] p 599 N86-26346
- ROZENDAL, R. A.**  
F-111 natural laminar flow glove flight test data analysis and boundary layer stability analysis [NASA-CR-166051] p 168 N86-15305  
Natural laminar flow flight experiments on a swept wing business jet-boundary layer stability analyses [NASA-CR-3975] p 478 N86-24659
- ROZTOCIL, P.**  
A study of the operating condition of aircraft from the recordings of the onboard recording equipment p 133 A86-16859
- RUBEK, V.**  
Block-structured solution of Euler equations for transonic flows [AIAA PAPER 86-1080] p 549 A86-38443
- RUBIN, J.**  
The development status of JTIDS dual mode TDMA and distributed TDMA (DTDMA) full scale development terminals - An update p 351 A86-28473
- RUBIN, S. G.**  
Reduced Navier-Stokes (RNS) relaxation procedure for internal flows with interaction [SAE PAPER 851790] p 547 A86-38314
- RUCK, D. W.**  
Low cost part task trainer for the GBU-15 guided bomb p 370 A86-28457
- RUCKER, C. E.**  
Predicted and measured strain response of rectangular panels due to acoustic loading [AIAA PAPER 86-1831] p 751 A86-45421
- RUDD, J. L.**  
Damage tolerance assessment of aircraft attachment lugs p 672 A86-43084
- RUDICH, R. D.**  
Weather-involved U.S. air carrier accidents 1962-1984 - A compendium and brief summary [AIAA PAPER 86-0327] p 214 A86-19815
- RUDOLPH, F. J.**  
Flight test techniques used for carriage load measurements at large underfuselage store configurations on Tornado combat A/C [AIAA PAPER 86-9755] p 429 A86-32096
- RUDOLPH, T. H.**  
Implementation of a crowbar switch in a Marx generator/peaking capacitor lightning simulator system p 790 A86-47305  
F-106 data summary and model results relative to threat criteria and protection design analysis p 786 A86-50259
- RUEBEN, A.**  
Method to determine the complete three-dimensional elastic compliance matrix of composite materials p 517 A86-37134
- RUEHLE, C. J.**  
Injury pattern analysis of helicopter wire strike accidents (+Gz load) p 158 A86-18843
- RUFF, G. A.**  
Verification and application of the icing scaling equations [AIAA PAPER 86-0481] p 343 A86-26640  
Analysis and verification of the icing scaling equations. Volume 1 [AD-A162226] p 437 N86-23595
- RUNYAN, H. L.**  
Lifting surface theory for a helicopter rotor in forward flight p 156 N86-15287  
Compressible, unsteady lifting-surface theory for a helicopter rotor in forward flight [NASA-TP-2503] p 277 N86-18289
- RUNYAN, L. J.**  
F-111 natural laminar flow glove flight test data analysis and boundary layer stability analysis [NASA-CR-166051] p 168 N86-15305
- RUNYAN, W. G.**  
A thin film electroluminescent display for cockpit applications p 171 A86-18456  
Thin film electroluminescent (TFEL) display optimized for cockpit applications p 456 A86-32321
- RUO, S. Y.**  
Steady and unsteady full potential calculation for large and small aspect ratio supercritical wings [AIAA PAPER 86-0122] p 199 A86-19702
- RUSKIN, S. M.**  
Airport preparedness for mass disaster - A proposed schematic plan p 214 A86-20411
- RUSOVICK, M.**  
Investigation of an advanced fault tolerant integrated avionics system [NASA-CR-176980] p 642 N86-28945
- RUSSELL, J. H.**  
Air Force Academy Aeronautics Digest [AD-A164940] p 540 N86-26281
- RUSSELL, L. M.**  
Local heat-transfer measurements on a large scale-model turbine blade airfoil using a composite of a heater element and liquid crystals [ASME PAPER 85-GT-59] p 117 A86-13061
- RUSSELL, P.**  
Airborne tracking Sun photometer apparatus and system [NASA-CASE-ARC-11622-1] p 394 N86-21982
- RUSSELL, S.**  
Characterization of fuel sprays using a high-resolution patternator [AIAA PAPER 86-1726] p 656 A86-42814
- RUSSO, A.**  
Optimum helicopter in the flight spectrum p 290 A86-26123  
Analytical and experimental results of the ground resonance phenomenon for A.129 p 291 A86-26142
- RUSSO, C. J.**  
Small turboshaft/turboprop engine technology study [AIAA PAPER 86-1623] p 647 A86-42757
- RUSO, M. L.**  
X-29A flight flutter data analysis by advanced methods [AIAA PAPER 86-9737] p 429 A86-32083
- RUSTAN, P. L., JR.**  
The lightning threat to aerospace vehicles p 214 A86-20182  
Lightning measurements of an aircraft flying at low altitude p 567 A86-37490  
Aircraft lightning attachment at low altitudes p 791 A86-47317
- RUTAN, R. G.**  
Flight testing the Voyager - A non-stop, unrefueled, around-the-world aircraft p 710 A86-44948
- RUTHERFORD, M.**  
Digital control loading and motion - The final word? p 732 A86-46149
- RUTLEDGE, E. T.**  
Ultrasonic liquid quantity measurement p 360 A86-28478
- RYAN, H. M.**  
Aspects of lightning protection schemes for radomes p 792 A86-47338
- RYAN, R. J.**  
Control of aeroelastic instabilities through stiffness cross-coupling p 284 A86-23192
- RYBAKOV, F. V.**  
Shape optimization of aircraft structural elements with stress raisers p 848 A86-48846
- RYE, D. C.**  
Longitudinal stability of a hovering, tethered rotorcraft p 109 A86-14235
- RYNASKI, E. G.**  
The interpretation of flying qualities requirements for flight control design [AIAA PAPER 86-2249] p 826 A86-47523

## S

- SABER, A. J.**  
A transport model for flammability of premixed gases p 516 A86-36874
- SABERI, H. A.**  
Flight test trajectory controller synthesis with constrained eigenstructure assignment p 509 A86-35404
- SABESKY, D. A.**  
FAA Air Traffic Control program management technology applications p 424 A86-32925
- SABOTA, M.**  
Experimental/analytic comparisons considering composite panels with a cutout p 118 A86-13338
- SACHER, P.**  
Numerical solutions for three-dimensional cases: Swept wings p 154 N86-15263
- SACHS, G.**  
Endurance increase by cyclic control p 221 A86-20235  
Reducing fuel consumption by cyclic control p 832 A86-48991
- SACKLEH, F. J.**  
Aircrew escape system models used in wind tunnel tests p 217 A86-19316
- SADLER, G. G.**  
DEAN - A program for Dynamic Engine Analysis [AIAA PAPER 85-1354] p 106 A86-14430
- SADLER, J. H. R.**  
Turboprop and open rotor propulsion for the future [AIAA PAPER 86-1472] p 645 A86-42660
- SADYKOV, I. KH.**  
Identification of frequency characteristics during bench tests p 681 A86-43387
- SAFF, C. R.**  
A new approach to durability prediction for fuel tank skins p 642 A86-40119
- SAFONOV, A. S.**  
Calculation of the dynamic response of a flight vehicle using a discrete-continuous model p 476 A86-35979
- SAHMI, K.-F.**  
Producibility of aircraft structural parts by superplastic forming and diffusion bonding p 382 A86-27272
- SAIN, M. K.**  
Synthesis of system responses - A nonlinear multivariable control design approach p 501 A86-35412

- SAINI, T. S.**  
Effect of precipitation on mechanical properties of Al-Li-Cu-Mg-Zr alloy p 661 A86-40306
- SAITO, K.**  
A wind tunnel study of active control technology on a high aspect ratio wing [AIAA PAPER 86-0958] p 594 A86-38930
- SAITO, S.**  
Dynamic response of windturbine to yawed wind p 323 A86-26140
- SAKURA, K.**  
An application of self-tuning regulator to GLA system of an aircraft p 508 A86-34926
- SAKURAI, K.**  
On hypersonic flow around winged-vehicles at high angles of attack p 275 A86-25227
- SALAS, M. D.**  
Far-field boundary conditions for transonic lifting solutions to the Euler equations p 689 A86-44855
- SALAUE, H.**  
Optical fibers application to visualization of flow separation inside an aircraft intake in wind tunnel [ONERA, TP NO. 1985-158] p 309 A86-24638
- SALGA, J.**  
The use of analytical methods to assess aircraft maneuverability p 305 A86-23771
- SALIKUDDIN, M.**  
Weakly nonlinear acoustic and shock-wave theory of the noise of advanced high-speed turbopropellers p 534 A86-35146
- SALMON, L. T. J.**  
An experimental and theoretical investigation of the propagation of sound waves through a turbulent boundary layer [AIAA PAPER 86-1968] p 753 A86-45451
- SALMON, L. T. J.**  
Development of an impulsive noise source to study the acoustic reflection characteristics of hard-walled wind tunnels [AIAA PAPER 86-1887] p 755 A86-45500
- SALMON, L. T. J.**  
Acoustic reflection contamination measurements in the 16-foot NASA Langley Transonic Wind Tunnel [AIAA PAPER 86-1888] p 755 A86-45501
- SALMON, L. T. J.**  
The impact of VHPIC on avionic system architecture, packaging and maintainability p 674 A86-28372
- SALVATORE, S.**  
Air transport pilot involvement in general aviation accidents p 418 A86-29936
- SALVETTI, A.**  
Durability and damage tolerance in aircraft design; Proceedings of the Thirteenth Symposium, Pisa, Italy, May 22-24, 1985 p 706 A86-43776
- SALZER, M. L. W.**  
The development and application of finite element stress analysis techniques at Westland Helicopters Ltd p 330 A86-26118
- SALZWEDEL, H. C.**  
Transfer of alignment and calibration of multiple sensors in flexible systems p 681 A86-43003
- SAMANT, S. S.**  
Flow prediction for propfan engine installation effects on transport aircraft at transonic speeds [NASA-CR-3954] p 414 A86-22550
- SAMPATH, P.**  
Fuel property effects upon exhaust smoke and the weak extinction characteristics of the Pratt and Whitney PT6A-85 engine [ASME PAPER 85-GT-27] p 234 A86-22018
- SAMPL, S. R.**  
State of the art in aircraft gas turbine technology [ASME PAPER 85-IGT-87] p 302 A86-23888
- SAMPSON, S. R.**  
A survey of commercially available positioning systems p 345 A86-26440
- SAMSONOV, V. V.**  
Calculation of supersonic flow past a three-dimensional configuration using integral relationships p 81 A86-13423
- SAMUELSON, A.**  
Failure analysis of aircraft windshields subjected to bird impact p 802 A86-49055
- SANCHEZ, E. N.**  
Adaptive control robustness in flexible aircraft application p 511 A86-37070
- SANCHEZ, J.**  
Chemical control for Airbus composites. HPLC standardization [I-104/84] p 664 A86-28133
- SAND, W.**  
Aircraft icing observations and analysis p 576 A86-37465
- SANDERCOCK, D. M.**  
Fluid machines: Expanding the limits, past and future [NASA-TM-87161] p 107 A86-12227
- SANDERS, K.**  
DFVLR flying qualities research using operational helicopters p 307 A86-26147

- SANDERS, T. H., JR.**  
Age hardening behavior of DTD XXXA p 660 A86-40305
- SANDFORD, M. C.**  
Recent transonic unsteady pressure measurements at the NASA Langley Research Center p 412 A86-33232
- SANDFORD, M. C.**  
Geometric and structural properties of a rectangular supercritical wing oscillated in pitch for measurement of unsteady transonic pressure distributions [NASA-TM-85673] p 416 A86-23567
- SANDLIN, D. R.**  
The use of a panel code on high lift configurations of a swept forward wing [NASA-CR-178968] p 631 A86-28916
- SANDLIN, D. R.**  
Identification of linearized equations of motion for the fixed wing configuration of the rotor systems research aircraft [NASA-CR-178977] p 631 A86-28917
- SANDLIN, D. R.**  
A comparison of computer-generated lift and drag polars for a Wortmann airfoil to flight and wind tunnel results [NASA-CR-178963] p 631 A86-28919
- SANDLIN, D. R.**  
Comparison of theoretical and flight-measured local flow aerodynamics for a low-aspect-ratio fin [NASA-CR-178995] p 632 A86-28920
- SANDLIN, D. R.**  
Development of flight testing techniques [NASA-CR-178996] p 640 A86-28936
- SANDLIN, D. R.**  
Flutter prediction for a wing with active aileron control [NASA-CR-178994] p 655 A86-28959
- SANDLIN, D. R.**  
Flow direction measurement criteria and techniques planned for the 40- by 80-/80- x 120-foot wind tunnel integrated systems tests [NASA-CR-178969] p 676 A86-29152
- SANDLIN, D. R.**  
An experimental and analytical method for approximate determination of the tilt rotor research aircraft rotor/wing download [NASA-CR-178970] p 683 A86-29769
- SANDLIN, D. R.**  
Flight determination of the aerodynamic stability and control characteristics of the NASA SGS 1-36 sailplane in the conventional and deep stall angles-of-attack of between -5 and 75 degrees [NASA-CR-178962] p 726 A86-28965
- SANDLIN, D. R.**  
The performance evaluation of a jet flap on an advanced supersonic harrier [NASA-CR-179653] p 716 A86-30722
- SANDLIN, D. R.**  
Longitudinal stability and control derivatives obtained from flight data of a PA-30 aircraft [NASA-CR-178999] p 729 A86-30736
- SANDLIN, D. R.**  
A survey of handling qualities criteria and their applications to high performance aircraft [NASA-CR-179654] p 729 A86-30738
- SANDLIN, T.**  
In-flight thrust determination on a real-time basis [NASA-CR-178997] p 641 A86-28937
- SANDRIN, W. A.**  
A satellite system for aeronautical data communications [AIAA PAPER 86-0602] p 351 A86-29578
- SANDVEN, O. A.**  
Laser metalworking technology transfer [AD-A165808] p 664 A86-28168
- SANGHA, K. B.**  
Prediction and measurement of damping of vibrations of structures by adhesives p 118 A86-13171
- SANGHA, K. B.**  
Requirements for tailoring of material properties of viscoelastically damped bonded laminates in aircraft structures p 250 A86-21714
- SANGL, D.**  
X-29 flight testing p 95 A86-13213
- SANKAR, L. N.**  
Viscous flow results for the vortex-airfoil interaction problem [AIAA PAPER 85-4053] p 83 A86-14451
- SANKAR, L. N.**  
Unsteady aerodynamics of airfoils oscillating in and out of dynamic stall [AIAA PAPER 85-4078] p 84 A86-14453
- SANKAR, L. N.**  
Solution of transonic flow past rotor blades using the conservative full potential equation [AIAA PAPER 85-5012] p 84 A86-14456
- SANKAR, L. N.**  
Steady and unsteady full potential calculation for large and small aspect ratio supercritical wings [AIAA PAPER 86-0122] p 199 A86-19702
- SANKAR, N. L.**  
Computation of rotor blade flows using the Euler equations [AIAA PAPER 85-5010] p 84 A86-14455
- SANKAR, N. L.**  
The prediction of flow around blade tips p 337 A86-27668
- SANKAR, N. L.**  
Solution of the unsteady Euler equations for fixed and rotor wing configurations p 410 A86-32779
- SANKAR, N. L.**  
Computation of rotor blade flows using the Euler equations p 689 A86-44891
- SANO, M.**  
Strain measurement of the USB-flap structures of NAL STOL aircraft p 95 A86-13315

- SANTINI, P.**  
ICAS, Congress, 15th, London, England, September 7-12, 1986, Proceedings. Volumes 1 & 2 p 761 A86-48976
- SANZ, A.**  
Cancellation zone in supersonic lifting wing theory p 780 A86-49824
- SANZ, J. M.**  
Wind tunnel turning vanes of modern design [NASA-TM-87146] p 113 A86-12239
- SAPP, R. A.**  
Bigger is better - Stretching the C-141 Starlifter p 220 A86-20125
- SARAVANAMUTTO, H. I. H.**  
Prediction of fouled compressor performance using stage stacking techniques p 643 A86-40732
- SARAVANAMUTTOO, H. I. H.**  
Development of modern turboprop engines p 106 A86-14358
- SARH, B.**  
Robotic applications to automated composite aircraft component manufacturing [SME PAPER MF85-506] p 319 A86-24667
- SARIC, W. S.**  
Oscillating hot-wire measurements above an FX63-137 airfoil [AIAA PAPER 86-0012] p 198 A86-19635
- SARIC, W. S.**  
Boundary-layer transition: T-S waves and crossflow mechanisms p 155 A86-15268
- SARIC, W. S.**  
Laminar flow control with suction: Theory and experiment p 155 A86-15269
- SARIN, S. L.**  
Aeroacoustic research in the Netherlands related to aircraft development [NLR-MP-84049-U] p 265 A86-17061
- SARKOS, C. P.**  
Aircraft interior panel test criteria derived from full-scale fire tests [FAA/CT-85/23] p 91 A86-12214
- SARKOS, C. P.**  
Aircraft interior panel test criteria derived from full-scale fire tests [AD-A161637] p 345 A86-21529
- SAROHIA, V.**  
Simulation and analysis of natural rain in a wind tunnel via digital image processing techniques [AIAA PAPER 86-0291] p 241 A86-22687
- SAROHIA, V.**  
Quantitative determination of engine water ingestion [AIAA PAPER 86-0307] p 254 A86-22690
- SAROHIA, V.**  
Research on antimisting fuel for suppression of postcrash aircraft fires [AIAA PAPER 86-0573] p 247 A86-22706
- SAROHIA, V.**  
Antimisting kerosene: Development of a continuous 10 GPM in-line blender [NASA-CR-176432] p 185 A86-15412
- SAROHIA, V.**  
Heat transfer, friction, and rheological characteristics of antimisting kerosene p 734 A86-30013
- SAROHIA, V.**  
Continuous inline blending of antimisting kerosene p 734 A86-30015
- SAROHIA, V.**  
Antimisting kerosene: Evaluation of improved FM-9 additive [DOT/FAA/CT-85-4] p 734 A86-30024
- SARRAFIAN, S. K.**  
Simulator evaluation of a remotely piloted vehicle visual landing task p 221 A86-20238
- SARRAFIAN, S. K.**  
Effect of time delay on flying qualities: An update [AIAA PAPER 86-2202] p 823 A86-47482
- SARRAFIAN, S. K.**  
Validation of a new flying quality criterion for the landing task [AIAA PAPER 86-2126] p 828 A86-47672
- SARRAFIAN, S. K.**  
Validation of a new flying quality criterion for the landing task [NASA-TM-88261] p 595 A86-26341
- SARRAFIAN, S. K.**  
Effect of time delay on flying qualities: An update [NASA-TM-88264] p 653 A86-28092
- SARRAU, J. M.**  
Atom-probe microanalysis of a nickel-base superalloy p 114 A86-12989
- SASAKI, M.**  
A study on NOx emissions from gas turbine combustor [ASME PAPER 86-GT-168] p 814 A86-48220
- SASAKI, R.**  
Research on sonic inlet p 331 A86-25217
- SATOFUKA, N.**  
Computation of two-dimensional transonic cascade flow using a new Navier-Stokes solver [AIAA PAPER 86-1381] p 624 A86-42605
- SATOFUKA, N.**  
Numerical analysis for steady transonic flows past an airfoil using AF scheme p 209 A86-17289
- SATOFUKA, N.**  
Numerical solution of viscous compressible flows past an airfoil using unconditionally stable explicit method p 210 A86-17290
- SATTLER, D. E.**  
Helicopter IFR director algorithm development and flight evaluation on the NAE airborne simulator [AIAA PAPER 86-2205] p 787 A86-47519

- SATYABHAGAVAN, B.**  
Computation of transfer function matrices  
[NAL-TM-SE-8509] p 399 N86-21232
- SAUER, G.**  
On the computation of wing lift interference caused by high bypass engines p 776 A86-49109
- SAUNDERS, C. P. R.**  
Field observations of aircraft charging in convective clouds p 783 A86-47332
- SAUNDERS, D. A.**  
Computation of transonic flow about helicopter rotor blades p 554 A86-39053
- SAUTTER, F. C.**  
Light helicopter family trade-off analysis. Volume 8: Appendices S and T  
[AD-A158077] p 189 N86-15308
- SAVAGE, M.**  
Fatigue life analysis of a turboprop reduction gearbox [ASME PAPER 85-DET-10] p 738 A86-45256  
System life and reliability modeling for helicopter transmissions [NASA-CR-3987] p 525 N86-24990
- SAVINOV, K. G.**  
Supersonic flow around blunt perforated shields p 480 N86-25558
- SAVU, G.**  
Drag reduction of perforated axisymmetric bodies in supersonic flow p 144 A86-18047  
The passive control of the shock waves on transonic airfoils p 411 A86-32990
- SAWADA, K.**  
The role of computational fluid dynamics in aeronautical engineering [REPT-2] p 257 N86-17296
- SAWTELL, R. R.**  
'Althalite' alloys - Progress, products and properties p 680 A86-40256
- SAYER, R. B.**  
Residual strength prediction for planked wing tension surfaces [AIAA PAPER 86-0941] p 849 A86-49572
- SAYLOR, L. E.**  
Design, development and integrate/install an airborne remote instrumentation system (AIREYE)  
[AD-A166755] p 719 N86-30728
- SAZONOV, N. A.**  
Characteristics of synthetic aperture radars p 610 A86-39883  
Basic characteristics of radar antenna with synthesized aperture tracking arbitrary motion of aircraft p 189 N86-15575
- SCALA, C. M.**  
An analysis of acoustic emission detected during fatigue testing of an aircraft p 670 A86-41596
- SCANLAN, T. A.**  
Long range planning for flight test support [AIAA PAPER 86-9744] p 406 A86-32088
- SCARICH, G. V.**  
Spectrum fatigue crack growth behavior of aluminum alloys p 450 A86-30006
- SCHABOWSKY, R. S., JR.**  
A methodology for evaluating the operational performance of an aircraft in a tactical environment [AIAA PAPER 86-2095] p 759 A86-47444
- SCHADOW, K. C.**  
Longitudinal combustion instabilities in ramjet engines  
Identification of acoustic modes p 440 A86-31586
- SCHAEFER, C. G.**  
Acoustic and turbulence influences on stall hysteresis [AIAA PAPER 86-0170] p 200 A86-19731
- SCHAEFER, C. G., JR.**  
Acoustic effect on stall hysteresis for low Reynolds number laminar flow p 855 A86-47971
- SCHAEFER, H. J.**  
The application of laser anemometry to the study of transonic shock boundary-layer interactions p 139 A86-18352  
Study of high speed combustion flows by laser velocimetry [NASA-CR-176439] p 190 N86-15668
- SCHAEFER, O.**  
Navier-Stokes procedure for simulating two-dimensional and quasi-two-dimensional cascade flow p 274 A86-25006  
A Navier-Stokes procedure for simulation of two-dimensional and quasi two-dimensional grid flows p 149 N86-14236
- SCHAEFFLER, A.**  
Experimental evaluation of heavy fan-high-pressure compressor interaction in a three-shaft engine. I - Experimental setup and results [ASME PAPER 85-GT-173] p 104 A86-13053
- SCHAEZNER, G.**  
Design criteria for flight control systems p 833 A86-49023
- SCHAFF, H.**  
A simple crack closure model for predicting fatigue crack growth under flight simulation loading p 737 A86-43796
- SCHAFRIK, R. E.**  
Materials and manufacturing processes for advanced jet engines p 105 A86-13173
- SCHARR, G.**  
Method to determine the complete three-dimensional elastic compliance matrix of composite materials p 517 A86-37134
- SCHATT, F.**  
D-CALM - New research aircraft for remote sensing p 287 A86-25020
- SCHACTER, H.**  
Operational acceptability of 2.4 kbps speech for tactical communications p 424 A86-32823
- SCHIEB, J. S.**  
The use of a panel code on high lift configurations of a swept forward wing [NASA-CR-176968] p 631 N86-28916
- SCHELHORN, A. E.**  
In-flight simulators p 358 A86-29299
- SHELL, C. J.**  
Hover in-ground-effect testing of a full-scale, tilt-nacelle V/STOL model [AIAA PAPER 86-0780] p 286 A86-24759  
Hover in-ground-effect testing of a full-scale, tilt-nacelle V/STOL model [NASA-TM-88218] p 629 N86-28056
- SHELLING, H.**  
Design of a carbon-fiber reinforced wing for the Alpha-Jet major panel tests p 638 A86-41692
- SCHERR, S. J.**  
Three-dimensional body-fitting grid system for a complete aircraft [AIAA PAPER 86-0428] p 201 A86-19870
- SCHESKY, E.**  
Turboprop engines for commercial aircraft p 173 A86-18725
- SCHETZ, J. A.**  
Dual rectangular jets from a flat plate in a crossflow [AIAA PAPER 86-0477] p 255 A86-22703  
Numerical Navier-Stokes solutions of high speed propeller flows [AIAA PAPER 86-1538] p 626 A86-42700  
Numerical and experimental studies of 3-D and unsteady turbulent body/appendage/propeller flows [AD-A157078] p 123 N86-12552  
Effects of velocity profile and inclination on dual-jet-induced pressures on a flat plate in a crosswind [NASA-CR-177361] p 87 N86-13287
- SCHIEWE, G.**  
Investigation of the aerodynamic forces on bluff bodies at high Reynolds numbers [ESA-TT-914] p 209 N86-16206
- SCHIANO, C.**  
Grumman's automated test systems p 111 A86-13214  
Grumman's real time computing system for avionics testing [AIAA PAPER 86-9732] p 464 A86-32079
- SCHICKEL, K. P.**  
Calculation of ice accretion on cylindrical rods according to Bain's model, and comparison with experimental results [DFVLR-FB-85-46] p 325 N86-18933
- SCHIESS, J. R.**  
Composite statistical method for modeling wind gusts p 308 A86-23189
- SCHIFF, L. B.**  
Visualization and flow surveys of the leading edge vortex structure on delta wing platforms [AIAA PAPER 86-0330] p 201 A86-19617  
Modeling aerodynamic responses to aircraft maneuvers - A numerical validation p 204 A86-20156  
Recent developments in rotary-balance testing of fighter aircraft configurations at NASA Ames Research Center p 562 N86-27242  
Application of CFD techniques toward the validation of nonlinear aerodynamic models p 565 N86-27265
- SCHLIVE, J.**  
The significance of flight-simulation fatigue tests p 708 A86-43779  
Lecture notes on fatigue, static tensile strength and stress corrosion of aircraft materials and structures. Part 2: Figures [VTH-LR-360-PT-2] p 227 N86-17345  
Some tests to assess the effect of crack stoppers on the fatigue life of center-notched specimens [NLR-TR-84051-U] p 611 N86-26682  
Constant amplitude and flight simulation of fatigue tests on adhesive bonded lap joint specimens of 2024-T3 sheet material [NLR-TR-84090-U] p 612 N86-26663
- SCHILLIGER, M.**  
A new system simultaneously covering en route navigation and landing p 348 A86-27696
- SCHIMKE, S. M.**  
Computational aspects of unsteady flows p 561 N86-27232
- SCHIMMEL, M.**  
Ballistic gas fired devices p 240 A86-18328
- SCHIMMEL, M. L.**  
Approach for service life extension of explosive devices for aircraft escape systems p 243 A86-19349  
Advanced emergency openings for commercial aircraft [NASA-TM-87580] p 91 N86-13305
- SCHIMMING, P.**  
The prop-fan introduces a new engine generation p 304 A86-25021  
The prop-fan - Initiation for a new generation of propulsion systems [DGLR PAPER 85-166] p 501 A86-35188
- SCHINSTOCK, W. C.**  
The measurement of aircraft performance and stability and control after flight through natural icing conditions [NASA-TM-87265] p 446 N86-22582
- SCHIPPERS, H.**  
Calculation of 2-D unsteady transonic full potential flow about oscillating airfoils by two complementary approaches [AIAA PAPER 86-1821] p 778 A86-49586  
Implicit finite-difference methods for the calculation of unsteady transonic potential flow around two-dimensional airfoils: A discussion [NLR-MP-83063-U] p 208 N86-16202
- SCHLAM, E.**  
Advances in display technology V; Proceedings of the Meeting, Los Angeles, CA, January 24, 25, 1985 [SPIE-526] p 456 A86-32314
- SCHLEIN, B.**  
Gas turbine combustion efficiency [ASME PAPER 85-IGT-121] p 302 A86-23917
- SCHLESKE, J. J.**  
SHARP (Stationary High Altitude Relay Platform) - Rectenna and low altitude tests p 519 A86-33944
- SCHLINKER, R. H.**  
Rotor noise due to atmospheric turbulence ingestion. II - Aeroacoustic results [AIAA PAPER 86-1903] p 750 A86-45404  
Rotor noise due to atmospheric turbulence ingestion. I - Fluid mechanics [AIAA PAPER 86-1857] p 754 A86-45479  
Helicopter rotor noise due to ingestion of atmospheric turbulence [NASA-CR-3973] p 535 N86-25216
- SCHMIDT, A. H.**  
A weight method for structural boxes [SAWE PAPER 1680] p 521 A86-35221
- SCHMIDT, D. K.**  
Frequency domain synthesis of a robust flutter suppression control law p 594 A86-39042  
Cooperative synthesis of control and display augmentation [AIAA PAPER 86-2204] p 853 A86-47484  
On the flight dynamics of aeroelastic vehicles [AIAA PAPER 86-2077] p 828 A86-47666  
A fundamental approach to equivalent systems analysis [AIAA PAPER 86-2128] p 828 A86-47674  
The integrated manual and automatic control of complex flight systems [NASA-CR-177086] p 654 N86-28952  
Multi-input, multi-output system control for experimental aircraft [NASA-CR-177017] p 654 N86-28955  
Optimal cooperative control synthesis of active displays [NASA-CR-177102] p 683 N86-29651  
The integrated manual and automatic control of complex flight systems [NASA-CR-176940] p 729 N86-30737  
Flight control synthesis for flexible aircraft using Eigenspace assignment [NASA-CR-178164] p 835 N86-31590
- SCHMIDT, E.**  
Roll-damping measurements on two flight body configurations in the Goettingen DFVLR-AVA transonic wind tunnel [DGLR PAPER 85-090] p 508 A86-35153  
Inverse design of supercritical nozzles and cascades p 477 A86-36207  
Standard dynamics model experiments with the DFVLR-AVA transonic derivative balance p 562 N86-27245
- SCHMIDT, G. K.**  
Fuel conservative guidance for shipboard landing of powered-lift STOL aircraft p 572 A86-39048

- SCHMIDT, G. S.**  
An analysis of a separation bubble transition criterion at low Reynolds numbers p 137 A86-16309
- SCHMIDT, H.-J.**  
Airbus Industrie A310 and A300-600 experience with practical applications of damage tolerance design in fuselage primary structure p 707 A86-43787
- SCHMIDT, H. F.**  
Propeller design point calculation method for comparing turbofan/propan engine performance [ASME PAPER 85-IGT-150] p 303 A86-23941
- SCHMIDT, S. F.**  
Discovery of the Kalman filter as a practical tool for aerospace and industry [NASA-TM-86847] p 94 N86-13311
- SCHMIDT, T. G.**  
Sensor control and film annotation for long range, standoff reconnaissance p 230 A86-19597
- SCHMIDT, W.**  
Some recent developments in numerical methods for transonic flows p 144 A86-17889  
Euler solvers as an analysis tool for aircraft aerodynamics p 204 A86-20939  
Aerodynamic technologies for general aviation aircraft p 713 A86-46198  
Summary report on the working group on conference 2: Solutions of the Euler equations p 148 N86-14227
- SCHMIDT, W. E.**  
Elastomeric rod end bearings - A solution for improving reliability and maintainability p 320 A86-26125
- SCHMIEDER, L.**  
Inertial navigation - The beginnings of an ingenious invention p 282 A86-25025
- SCHMITENDORF, W. E.**  
A design methodology for robust stabilizing controllers [AIAA PAPER 86-2195] p 823 A86-47475  
A controller for robust asymptotic tracking in systems with time-varying uncertainties [AIAA PAPER 86-2199] p 853 A86-47479
- SCHMITT, R.**  
Experimental study of a turbulent horseshoe vortex using a three-component laser velocimeter [AIAA PAPER 86-1069] p 548 A86-38436
- SCHMITT, R. L.**  
Experimental investigation of three dimensional separation on an ellipsoid-cylinder body at incidence [AIAA PAPER 85-1686] p 143 A86-17836  
Experimental investigation of three dimensional separation on an ellipsoid-cylinder body at incidence [AIAA PAPER 85-1686] p 143 A86-17845
- SCHMITT, V.**  
Wind tunnel and flight test analysis and evaluation of the buffet phenomena for the alpha jet transonic wing p 561 N86-27239
- SCHMITZ, F. H.**  
Helicopter model rotor-blade vortex interaction impulsive noise - Scalability and parametric variations p 400 A86-27658
- SCHMOEKER, N. M.**  
Bird impact testing at AEDC's range S-3 [AIAA PAPER 86-9618] p 432 A86-32143
- SCHNEIDER, C. W.**  
Design and certification of a composite control surface [SAE PAPER 850688] p 582 A86-38516
- SCHNEIDER, G. J.**  
Damage tolerance analysis of the H-53 helicopter p 166 A86-18449
- SCHNEIDER, H.**  
Live tests on static electricity in fuelling of aircraft p 783 A86-47334
- SCHNEIDER, J. G.**  
Design of a fast risetime lightning generator p 837 A86-47304
- SCHNEIDER, W.**  
Small engine technology payoffs for future commuter aircraft [AIAA PAPER 86-1544] p 646 A86-42703
- SCHNERR, G.**  
The reverse-flow theorem for transonic flow p 688 A86-44802
- SCHNITKER, R. M.**  
Policing aviation safety in the Netherlands p 633 A86-40567
- SCHNORING, D. E.**  
Performance of AV-8B Harrier II structural test program p 241 A86-22189
- SCHOENBERG, T.**  
A general computational method for simulation and prediction of transient behavior of gas turbines [ASME PAPER 86-GT-180] p 815 A86-48230
- SCHOENBERG, H. W.**  
Can future aircraft maintenance be afforded? p 857 A86-47617
- SCHOENENBERGER, J. G.**  
The design, construction and early trials of a novel airborne surveillance radar p 424 A86-32635
- SCHOENMAN, R. L.**  
Thirty years with the jets: Commercial transport flight management systems - Past, present, and future [AIAA PAPER 86-2289] p 821 A86-47402
- SCHOENSTER, J. A.**  
Natural laminar flow flight experiments on a turbine engine nacelle fairing [AIAA PAPER 86-9756] p 429 A86-32097  
Flight research on natural laminar flow nacelles - A progress report [AIAA PAPER 86-1629] p 627 A86-42762
- SCHOFIELD, J. M.**  
The competitive and cooperative outlook for aircraft propulsion systems [AIAA PAPER 86-1134] p 857 A86-49671
- SCHOFIELD, W. H.**  
Turbulent-boundary-layer development in an adverse pressure gradient after an interaction with a normal shock wave p 141 A86-17031
- SCHOLTEN, R.**  
Experimental results of the noise radiation of propellers in non-uniform flows [AIAA PAPER 86-1928] p 751 A86-45419
- SCHOMER, P. D.**  
The role of vibration and rattle in human response to helicopter noise [AD-A162486] p 396 N86-22110
- SCHRA, L.**  
Engineering property comparisons for 2324-T39 and 2024-T351 aluminum alloy plate [NLR-TR-84021-U] p 603 N86-26429
- SCHRAAG, R. L.**  
Analyses and tests for design of an electro-impulse de-icing system [NASA-CR-174919] p 571 N86-27268
- SCHRAGE, D.**  
Crashworthy design of rotorcraft - A basic research approach p 494 A86-35665
- SCHRAGE, D. P.**  
Logistics supportability considerations during conceptual and preliminary design p 426 A86-30550
- SCHRECK, S. J.**  
Lift-curve characteristics for an airfoil pitching at constant rate [AIAA PAPER 86-0117] p 199 A86-19696
- SCHRUBEN, D.**  
Jet fuel viscosity at low temperatures with notes on n-alkaline crystals [NASA-CR-174911] p 701 N86-30022
- SCHUETZ, D.**  
Standardized fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation. Part 2: Final definition of Helix and Felix [LBF-FB-167] p 436 N86-23585
- SCHUETZ, W.**  
Standardized fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation. Part 2: Final definition of Helix and Felix [LBF-FB-167] p 436 N86-23585  
Fracture mechanics and LCF-properties of engine discs of TI 6Al-4V, Inconel 718 and Udimet 700 P/M-HIP p 507 N86-25378
- SCHULLER, F. T.**  
Lubrication and performance of high-speed rolling-element bearings p 248 A86-19375  
Testing of YUH-61A helicopter transmission in NASA Lewis 2240-kW (3000-hp) facility [NASA-TP-2538] p 525 N86-24992
- SCHULTE, G.**  
Regression rate study for a solid fuel ramjet p 818 A86-49113
- SCHULTE, K.**  
High temperature fatigue behavior of IMI 685 p 376 A86-27385
- SCHULTE, R. L.**  
Measurement of preferential moisture ingress in composite wing/spar joints p 116 A86-16100
- SCHULTZ, D. L.**  
Heat transfer measurements with film cooling on a turbine blade profile in cascade [ASME PAPER 85-GT-117] p 251 A86-22070
- SCHULTZ, E. R.**  
Robotic systems concepts for the rapid turnaround of tactical aircraft in a biochemical environment p 761 A86-47763  
Robotic refueling system for tactical and strategic aircraft [AD-D011960] p 358 N86-21540
- SCHULTZ, J. B.**  
Radio frequency chamber improves LAMPS Mk III testing p 112 A86-15526
- SCHULTZ, J. R.**  
EC-135 fiber optic technology review p 75 A86-15341
- SCHULTZ, K.**  
The German-Dutch wind tunnel - An aerodynamics experimenter's dream p 468 A86-31965
- SCHULTZ, K. J.**  
Helicopter model rotor-blade vortex interaction impulsive noise - Scalability and parametric variations p 400 A86-27658
- SCHULTZ, K. P.**  
Numerical synthesis of tri-variate velocity realizations of turbulence p 367 A86-28654
- SCHULTZ, K.-J.**  
Aerodynamics at the German-Dutch wind tunnel p 839 A86-49061
- SCHULZ, G.**  
LMR-83 - Inertial measurement unit for flight regulation and navigation [DGLR PAPER 85-132] p 508 A86-35177
- SCHULZ, P.**  
The data transmission and processing equipment of a high-precision trajectory measurement system p 296 A86-22728
- SCHUSTER, L. S.**  
NASTRAN/FLEXSTAB procedure for static aeroelastic analysis [NASA-TM-84897] p 639 N86-28076
- SCHUTTE, P. C.**  
An artificial intelligence approach to onboard fault monitoring and diagnosis for aircraft applications [AIAA PAPER 86-2093] p 853 A86-48577
- SCHWAB, R. W.**  
Time navigation benefits in en route metered ATC p 482 A86-35368  
Local flow management/profile descent algorithm. Fuel-efficient, time-controlled profiles for the NASA TSRV airplane [NASA-CR-172593] p 636 N86-28074  
Design requirements and development of an airborne descent path definition algorithm for time navigation [NASA-CR-178037] p 641 N86-28939  
An investigation of TNAV equipped aircraft in a simulated en route metering environment [NASA-CR-178031] p 641 N86-28940
- SCHWABORN, D.**  
Navier-Stokes solutions using finite volume procedures p 274 A86-25005  
Summary report on the working group for conference 1: Solutions of the Navier-Stokes equations p 147 N86-14226  
Solutions of the Navier-Stokes equations with the finite volume method p 148 N86-14235
- SCHWARMANN, L.**  
Comparison of the strength and damage tolerance of aluminum alloys p 516 A86-36178  
Comparison of aluminum alloys concerning strength and damage tolerance [MBB-UT-111/85] p 452 N86-23714
- SCHWARTZ, A. W.**  
Applied aerodynamics of circulation control airfoils and rotors p 475 A86-35634
- SCHWARTZ, B. J.**  
A completely integrated system for the treatment of crack growth test data p 531 A86-34835
- SCHWARTZ, M.**  
SPF aluminum - A first for the S-76B helicopter p 250 A86-21709
- SCHWARTZ, M. M.**  
Interpretation and evaluation of fatigue properties of cast, HIP and heat treated titanium UH-60A M. R. Hub p 183 A86-18434  
Process development and test evaluation of cast, HIP and heat treated titanium UH-60A M.R. Damper Bracket p 516 A86-35641
- SCHWARTZ, R. A.**  
Large-Scale Advanced Prop-Fan (LAP) pitch change actuator and control design report [NASA-CR-174788] p 592 N86-27282
- SCHWARZ, D.**  
Isothermal forging system for the production of large rotating components from titanium alloys or superalloys p 382 A86-27247
- SCHWEDOCK, J. P.**  
Turbine fuels from tar sands bitumen and heavy oil. Phase 1: Preliminary process analysis [AD-A161300] p 452 N86-22724
- SCHWEIGER, J.**  
Aeroelastic problems and structural design of a tailless CFC-sailplane p 434 A86-33264  
Aeroelastic tailoring for flutter constraints p 802 A86-49061  
Aeroelastic problems and structural design of a tailless Carbon Fiber Composite (CFC) sailplane p 715 N86-30662
- SCHWEIGHOEFE, B.**  
The fretting fatigue behaviour of the titanium alloy Ti-6Al-4V p 376 A86-27370

- SCHWEIGHOFER, B. O.**  
Fretting fatigue testing with a fretting bridge equipment  
Stress analysis, amplitudes of slip, reliability  
p 383 A86-27371
- SCHWEIKHARD, W. G.**  
Verification of the thrust and airflow model obtained from the performance modelling process  
[AIAA PAPER 86-9780] p 441 A86-32121  
Flight testing for better flight training simulators  
[AIAA PAPER 86-9728] p 496 A86-37081  
A minimum approach to flight testing  
p 810 A86-47780  
An analysis of cross-coupling of a multicomponent jet engine test stand using finite element modeling techniques  
[NASA-CR-178424] p 181 N86-15323  
Review and evaluation of recent developments in inlet dynamic flow distortion prediction and computer program documentation and user's manual estimating maximum instantaneous inlet flow distortion from steady-state total pressure measurements with full, limited, or no dynamic data  
[NASA-CR-178765] p 525 N86-24955
- SCHWEINBERG, W. H.**  
Operational experience of U.S. Air Force with structural composites  
[AIAA PAPER 86-0946] p 583 A86-38840
- SCHWEITZER, B.**  
Experiments on unsteady flows about wing sections  
p 138 A86-16318
- SCHWEITZER, K. K.**  
Thermal barrier coatings for jet engine improvement  
p 183 A86-16278  
Flame rig testing of thermal barrier coatings and correlation with engine results  
p 173 A86-17491
- SCHWENKER, S. W.**  
Fatigue behavior of Ti-6Al-4V powder metallurgy compacts  
p 603 A86-39617
- SCIALDONE, J. J.**  
Particulate contaminant relocation during shuttle ascent  
[NASA-TM-87794] p 600 N86-27351
- SCIBILIA, M.-F.**  
Sampling of solid particles in clouds  
p 668 A86-40720
- SCICCHITANO, E. V.**  
Design, safety, and maintainability aspects for hydrazine use in emergency secondary power systems  
[SAE PAPER 851872] p 568 A86-38382
- SCILATER, R. J. W.**  
Advances in secondary surveillance radar systems  
p 423 A86-32581
- SCOGGINS, J. L.**  
Time-based air traffic management using expert systems  
[NASA-TM-88234] p 634 N86-28068
- SCOLATTI, C. A.**  
The basics of on-board simulation and embedded training  
[AIAA PAPER 86-0493] p 219 A86-19904
- SCOTT-WILSON, R. J.**  
The impact of artificial intelligence on airborne maritime reconnaissance  
p 675 N86-28374
- SCOTT, B. C.**  
Ground-simulation investigation of VTOL airworthiness criteria for terminal area operations  
p 90 A86-14237
- SCOTT, J. C.**  
Igniter electrode life control  
[AD-D012007] p 441 N86-22577
- SCOTT, J. F.**  
Elimination of directional wave spectrum contamination from noise in elevation measurements  
p 641 A86-40854
- SCOTT, L. E.**  
Testing helicopters for the air-to-air combat role  
p 164 A86-18424
- SCOTT, R. F.**  
Interpolation of heights and slopes from a digital terrain elevation model  
[BAE-87-13188] p 352 N86-20382
- SCOTT, S. R.**  
The F-16XL flight test program  
p 284 A86-23280
- SCOTT, W. T.**  
Modular air shut-off valve  
[AD-D011935] p 321 N86-18728
- SCOTTI DI UCCIO, G.**  
Safety aspects in stores management systems  
p 299 A86-26132
- SCOUGHTON, C.**  
Helicopter cockpit avionics development or the advanced transport and next generation aircraft  
p 171 A86-18461
- SCRIVENER, C. T. J.**  
Wake-passing in a turbine rotor cascade  
p 741 N86-29830
- SEAMAN, H. M.**  
Generic integrated maintenance diagnostics  
p 685 A86-44422
- SEATH, D. D.**  
Vortex-airfoil interaction tests  
[AIAA PAPER 86-0354] p 201 A86-19833
- SEDOON, J.**  
Intake aerodynamics  
p 145 A86-18450
- SEDIN, Y. C.-J.**  
Transonic computations about complex configurations using coupled inner and outer flow equations  
p 771 A86-49008  
Numerical design parameter study for slotted walls in transonic wind tunnels  
p 839 A86-49059
- SEECK, D.**  
Flight testing of the Tornado Terrain Following Radar System in bad weather  
p 795 A86-47783
- SEFIC, W. J.**  
X-29 flight - Acid test for design predictions  
p 428 A86-31333  
X-29A advanced technology demonstrator program overview  
[AIAA PAPER 86-9727] p 428 A86-32076  
X-29A technology demonstrator flight test program overview  
[NASA-TM-86809] p 586 N86-26328
- SEGAL, H. M.**  
A microcomputer pollution model for civilian airports and Air Force bases  
[AD-A163232] p 616 N86-26714
- SEGALL, Z.**  
Fault-free validation of a fault-tolerant multiprocessor: Baseline experiments and workload implementation  
[NASA-CR-178075] p 466 N86-24277
- SEGINER, A.**  
Effects of spanwise blowing on pressure distribution and leading-edge vortex stability  
p 774 A86-49046
- SEIDEL, D. A.**  
Geometric and structural properties of a rectangular supercritical wing oscillated in pitch for measurement of unsteady transonic pressure distributions  
[NASA-TM-85673] p 416 N86-23567
- SEIDENSTICKER, S.**  
Modular simulators - A comprehensive unified architecture  
p 371 A86-28458
- SEIFERT, G.**  
The effect of center delamination on the instability of composite cylindrical panels  
p 520 A86-34642
- SEILER, F.**  
Vortices and pressure waves at trailing edges  
[ISL-CO-224/84] p 153 N86-15252
- SEILER, N. C.**  
Stored terrain data base aided pilotage for helicopters  
p 498 A86-35606
- SEINER, J. M.**  
Dynamic pressure loads associated with twin supersonic plume resonance  
[AIAA PAPER 86-1539] p 646 A86-42701  
Acoustic properties associated with rectangular geometry supersonic nozzles  
[AIAA PAPER 86-1867] p 754 A86-45487
- SEITCHEK, G. D.**  
Aircraft engine emissions estimator  
[AD-A164552] p 616 N86-26715
- SEKINE, M.**  
Weibull-distributed ground clutter in the frequency domain  
p 671 A86-41883
- SELBERG, B. P.**  
Investigation of chord ratio, stagger, decalage angle, and flap angle for dual wing configurations  
[AIAA PAPER 86-0317] p 201 A86-19810  
Analytical study of three-surface lifting systems  
[SAE PAPER 850866] p 552 A86-38507  
Dual-wing systems with decalage angle optimization  
p 624 A86-40121
- SELBY, G. V.**  
Vapor-screen flow-visualization experiments in the NASA Langley 0.3-m transonic cryogenic tunnel  
[NASA-CR-3984] p 478 N86-24661
- SELIG, M. S.**  
Low Reynolds number airfoil design  
p 136 A86-16303
- SELIKHOV, A. F.**  
Consideration of the multiplicity of critical spots in a structure in estimating the durability and the service life  
p 119 A86-13367  
A model for the life variance of a structural element under irregular loading  
p 119 A86-13388
- SELKER, F.**  
Crash-resistant crewseat limit-load optimization through dynamic testing with cadavers  
[AD-A164828] p 569 N86-26296
- SELLERS, W. L., III**  
Flowfield survey over a 75 deg swept delta wing at an angle of attack of 20.5 deg  
[AIAA PAPER 86-1775] p 777 A86-49579
- SEMECO, A. C.**  
Knowledge-based approach toward developing an autonomous helicopter system  
p 421 A86-30488
- SEMENOV, A. V.**  
The effect of a perforated wall on incompressible flow past a U-shaped vortex  
p 81 A86-13406
- SEMENOV, G. A.**  
VLF radio navigation systems  
p 703 A86-44279
- SEN, J. K.**  
Influences of two landing gear designs on helicopter crashworthiness and weights  
p 492 A86-35632  
A skin-stringer design for a crashworthy composite fuselage for the Hughes 500E helicopter  
p 492 A86-35637  
Advanced technology helicopter landing gear preliminary design investigation  
[AD-A158816] p 101 N86-13325
- SEND, W.**  
Theoretical prediction of running-time measurements in unsteady flow  
p 276 A86-26112  
The prediction of lift inferred from downstream vorticity measurements  
p 775 A86-49102
- SENGUPTA, G.**  
Prediction of structure-borne noise, based on the finite element method  
[AIAA PAPER 86-1861] p 754 A86-45481
- SENN, C. P.**  
Conventional takeoff and landing (CTOL) airplane ski jump evaluation  
p 222 A86-21058  
Flight testing in the aircraft carrier environment  
p 794 A86-47779
- SENSBURG, O.**  
Aeroelastic problems and structural design of a tailless CFC-sailplane  
p 434 A86-33264  
Aeroelastic tailoring for flutter constraints  
p 802 A86-49061  
Aeroelastic problems and structural design of a tailless Carbon Fiber Composite (CFC) sailplane  
p 715 N86-30662
- SERAFINI, T. T.**  
Aerospace applications of PMR polyimide composites  
p 377 A86-27730  
Polymer, metal and ceramic matrix composites for advanced aircraft engine applications  
[NASA-TM-87132] p 117 N86-13407
- SERAUDIE, A.**  
Instrumentation and testing techniques in the T2 transonic cryogenic wind tunnel at the ONERA/CERT  
p 597 A86-38228  
Tests on CAST 7 and CAST 10 profiles in the T2 adaptive-wall cryogenic wind tunnel - Study of the Reynolds-number effect in natural and triggered transitions  
[AAAF PAPER NT 85-06] p 838 A86-48457
- SERBANESCU, E.**  
Drag reduction of perforated axisymmetric bodies in supersonic flow  
p 144 A86-18047
- SEREBRISKII, I. A. M.**  
Acceleration of the convergence of methods for calculating two- and three-dimensional transonic flow past bodies in an unbounded stream  
p 769 A86-48809
- SEREGIN, V. P.**  
The effect of the monoethers of dicarboxylic acids on the antiwear properties of jet fuels  
p 843 A86-49963
- SERTOOUR, G.**  
The future of surface treatments in aeronautical construction  
[SNIAS-861-551-101] p 665 N86-29037
- SETO, L. Y.**  
On the duration of low speed dynamic stall  
p 773 A86-49033
- SEVERYN, T. P.**  
Airworthiness flight test program of an aircraft equipment fairing  
p 226 N86-18653
- SEVESTRE, C.**  
La Recherche Aerospatiale, bimonthly bulletin, number 1985-1, 224/January-February  
[ESA-TT-915] p 458 N86-22729  
La recherche aerospatiale. Bimonthly bulletin, no. 1984-6, November - December 1984  
[ESA-TT-907] p 559 N86-27217
- SEXTON, G. A.**  
Advanced concepts flight simulation facility  
p 448 A86-29916  
Advanced concepts transport aircraft of 1995  
[SAE PAPER 851808] p 490 A86-35438
- SHABAKA, I. M. M. A.**  
Longitudinal vortices imbedded in turbulent boundary layers. I - Single vortex  
p 186 A86-17043
- SHAFFER, D. K.**  
Environmental and adhesive durability of aluminum-polymer systems protected with organic corrosion inhibitors  
p 601 A86-37706

- SHAGAEV, A. A.**  
Determination of the shape of a profile from a specified chord diagram of Mach numbers in transonic flow  
p 80 A86-13397
- SHAH, C. B.**  
Vibration characteristics of aircraft engine-bladed-disk assembly  
p 502 A86-35865
- SHAH, S. C.**  
RT-BUILD - Automatic generation of Ada code for flight control applications  
[AIAA PAPER 86-2088] p 852 A86-47439
- SHAIKHET, L. E.**  
Optimal control of integral-functional equations  
p 329 A86-23581
- SHAKIRIANOV, M. M.**  
The development of a model for the unstable operation of a turbocompressor and the design of a device to protect a gas turbine engine against stalling and surging  
p 650 A86-43390
- SHALAEV, G. M.**  
The effect of the velocity profile at the diffuser inlet on the flow pattern  
p 300 A86-23664
- SHALYGIN, A. S.**  
Probabilistic modeling of fields of atmospheric turbulence and sea roughness with reference to the study of complex systems  
p 528 A86-36480
- SHAMES, A.**  
Structural evaluation of superplastic aluminum. Part 1. Mechanical, corrosion, metallurgical data  
[AD-A161366] p 379 N86-21862
- SHAMIE, J.**  
Implementation and verification of a comprehensive helicopter coupled rotor - Fuselage analysis  
p 799 A86-48667
- SHAMROTH, S. J.**  
A three-dimensional viscous flow analysis for the helicopter tip vortex generation process about square and round tipped blades  
[AIAA PAPER 86-0560] p 203 A86-19949
- SHANG, J. S.**  
Three-dimensional body-fitting grid system for a complete aircraft  
[AIAA PAPER 86-0426] p 201 A86-19670  
Numerical simulation of leading-edge vortex flows  
p 270 A86-23133  
Comparative study between two Navier-Stokes algorithms for transonic airfoils  
p 411 A86-32966
- SHANK, M. E.**  
Evolution of the turbofan aircraft engine  
p 236 A86-22136  
State of the art in aircraft gas turbine technology  
[ASME PAPER 85-IGT-87] p 302 A86-23888
- SHANKAR, V.**  
Validation of a full potential method for combined yaw and angle of attack  
[AIAA PAPER 86-1834] p 779 A86-49591  
Nonlinear potential analysis techniques for supersonic-hypersonic aerodynamic design  
[NASA-CR-172299] p 417 N86-23569
- SHAPIRO, A. V.**  
Controllability theory of discrete dynamic systems  
p 748 A86-46401
- SHAPIRO, E. Y.**  
Eigenstructure assignment: A tutorial. I - Theory  
p 531 A86-35358  
Eigenstructure assignment, eigensensitivity, and flight control design  
p 680 A86-42912
- SHARABY, A. F.**  
Improved temperature resistant sealants for composite & adhesive bonded fuel-tank structures  
p 246 A86-21736
- SHARANIUK, A. V.**  
Wing structure design for maximum aileron efficiency  
p 95 A86-13368  
Optimization of structural load-bearing designs using anisotropic models according to aeroelasticity conditions  
p 96 A86-13438
- SHARIR, M.**  
Motion planning in the presence of moving obstacles  
[AD-A161374] p 400 N86-22208
- SHARMA, J.**  
Use of NDE to evaluate reflection cracking in airfield pavements  
[AD-A164890] p 599 N86-27293
- SHARMA, O. P.**  
Redistribution of an inlet temperature distortion in an axial flow turbine stage  
[AIAA PAPER 86-1468] p 671 A86-42658  
Predictions of endwall losses and secondary flows in axial flow turbine cascades  
[ASME PAPER 86-GT-228] p 766 A86-48262
- SHARMA, P. B.**  
Performance deterioration during rotating stall in axial compressors  
p 644 A86-40738
- SHARON, G. A.**  
Aerobatic testing of the BK-117 helicopter  
p 710 A86-44950
- SHAROVATOV, A. I.**  
Measurement of the heterogeneous recombination probability of oxygen atoms in the course of supersonic dissociated gas flow interaction with solid body surfaces  
p 85 A86-14743
- SHARPES, D. G.**  
Validation of USAF stability and control Datcom methodologies for straight-tapered sweptforward wings  
[AD-A161876] p 417 N86-23570
- SHASHKIN, A. P.**  
A solution to the problem of flow past wings with allowance for flow separation on the basis of a system of Euler equations  
p 205 A86-21345
- SHASHKOV, A. G.**  
Thermophysics of decomposing materials  
p 451 A86-33323
- SHAW, A. H.**  
Advanced technology cockpit simulator  
p 180 A86-18462
- SHAW, J.**  
Higher harmonic control - Wind tunnel demonstration of fully effective vibratory hub force suppression  
p 509 A86-35602
- SHAW, P.**  
A design approach to a performance seeking control  
[AIAA PAPER 86-1674] p 652 A86-42785
- SHAW, R.**  
Ice shapes and the resulting drag increase for a NACA 0012 airfoil  
[AIAA PAPER 84-0109] p 90 A86-14427
- SHAW, R. J.**  
The aerodynamics of rotor blades with ice shapes accreted in hover and in level flight  
p 478 A86-35655  
The performance characteristics of simulated ice on rotorcraft airfoils  
p 482 A86-35656  
Performance degradation of helicopters due to icing - A review  
p 494 A86-35668  
NASA's aircraft icing analysis program  
p 786 A86-49107  
NASA's Aircraft Icing Analysis Program  
[NASA-TM-88791] p 786 N86-31548
- SHAWLER, W. H.**  
T-46A flight test results  
[AIAA PAPER 86-9766] p 429 A86-32103
- SHAWVER, J. W.**  
Transmission line design for a power distribution system at 20 kHz for aircraft  
[NASA-CR-3987] p 721 N86-29618
- SHAYESON, M. W.**  
Thermal stability concerns of Navy aviation fuel  
[ASME PAPER 86-GT-94] p 842 A86-48159
- SHCHEKIN, G. A.**  
Analysis of a three-dimensional stationary turbulent boundary layer on the root section of a wing without allowance for compressibility  
p 478 A86-35991
- SHCHELIN, V. S.**  
Hypersonic viscous shock layer on a surface with an abrupt variation of catalytic activity  
p 737 A86-43994
- SHCHEPANOVSKAIA, G. I.**  
The effect of a shock layer on the viscous resistance of star-shaped bodies with flat side faces  
p 140 A86-16691
- SHCHEPANOVSII, V. A.**  
The effect of a shock layer on the viscous resistance of star-shaped bodies with flat side faces  
p 140 A86-16691
- SHCHERBAKOV, A. V.**  
Apparatus for the preparation of air  
[AD-A165603] p 673 N86-28266
- SHCHUKIN, A. V.**  
Heat transfer in cooled parts of aircraft gas-turbine engines  
p 174 A86-18745  
Generalization of experimental data on the internal hydraulic resistance of laminated porous materials  
p 650 A86-43383
- SHCHUKIN, V. A.**  
Emission characteristics of a section of the combustion chamber of a gas-turbine engine with various modifications of the burners  
p 300 A86-23670
- SHEARIN, J. G.**  
Shock noise from supersonic jets in simulated flight to Mach 0.4  
[AIAA PAPER 86-1945] p 752 A86-45432
- SHEEDY, J. F.**  
Number of targets threatened simultaneously (NOTTS) in conjunction with over the horizon back-scatter (OTHB) radar coverage  
[AD-A159304] p 189 N86-15528
- SHEEHAN, K. A.**  
Multivariable control law design for enhanced air combat maneuvering. F-15/STOL (Short Take-Off and Landing) derivative fighter  
[AD-A164017] p 512 N86-24706
- SHEEHAN, T. A.**  
Use of simulation during preliminary design of the V-22 Osprey  
[AIAA PAPER 86-0491] p 238 A86-19902
- SHEENA, Z.**  
Static aeroelastic analysis using aircraft vibration modes  
p 432 A86-33241  
Static aeroelastic analysis using aircraft vibration modes  
p 743 N86-30641
- SHEER, R. E., JR.**  
Wall cooling effects on hypersonic boundary layer transition,  $M(1) = 7.5 - 15$   
[AIAA PAPER 86-1088] p 550 A86-38450
- SHEFFLER, K. D.**  
Thermal barrier coating life prediction model development  
[NASA-CR-175087] p 452 N86-22713
- SHEFFLER, M.**  
Correlation of stability test results and analysis for the 1/5 scale V-22 aeroelastic model  
p 490 A86-35603
- SHEHATA, B. I.**  
Analytical and experimental studies of textile structural composites  
p 377 A86-27652
- SHEINKER, A. A.**  
Spectrum fatigue crack growth behavior of aluminum alloys  
p 450 A86-30006
- SHELBURN, E. H.**  
An improved smoke generator for aircraft testing  
p 308 A86-23265
- SHELDON, D.**  
A theoretical study of deltoid planforms operating in the ground effect region  
p 638 A86-41977
- SHELDON, D. L.**  
Generation of an electroformed nickel mold for use in manufacturing composite parts  
[SAE PAPER 850905] p 607 A86-38523
- SHELIUKHIN, I. F.**  
Application of the state-space method to analyze the stability of digital systems  
p 127 A86-13418
- SHELKOVNIKOV, V.**  
Chief on unfavorable year for Soviet air traffic control  
p 424 A86-22566
- SHELNUTT, J. B.**  
Pilot vehicle interfaces with smart avionics systems  
[SAE PAPER 851923] p 529 A86-35432
- SHELTON, R. W.**  
The energy requirements of an aircraft triggered discharge  
p 844 A86-47315
- SHEN, G. C.**  
Intersection of an oblique shock wave with a cylindrical afterbody  
p 775 A86-48098
- SHEN, H.**  
Calculation of external and internal transonic flow field of a three-dimensional shielded S-shaped inlet  
p 205 A86-22303
- SHEN, L.**  
An investigation of improving high angle of attack performance and flap effectiveness of a configuration with delta wing by spanwise blowing  
[AIAA PAPER 86-1777] p 542 A86-37811
- SHENG, Y.**  
Calculation of recirculating flow behind flame-holders  
p 454 A86-30743
- SHENOY, K. R.**  
The role of scale models in the design of 'low BVI noise' rotorcraft  
p 534 A86-35617
- SHEPARD, J.**  
The impact of artificial intelligence on airborne maritime reconnaissance  
p 675 N86-28374
- SHEPARD, J. P.**  
A thin film electroluminescent display for cockpit applications  
p 171 A86-18456
- SHEPHERD, K. P.**  
Advanced turboprop aircraft noise annoyance - A review of recent NASA research  
[AIAA PAPER 86-1959] p 752 A86-45444  
Status and capabilities of sonic boom simulators  
[NASA-TM-87664] p 332 N86-20088  
A new version of the helicopter aural detection program, ICHIN  
[NASA-TM-87745] p 756 N86-30471
- SHERBACK, R. J.**  
Pilot medical certification - Procedures and recent developments  
p 195 A86-18849
- SHERBERT, A. T.**  
Cockpit advances in Boeing Vertol Company's Model 360 helicopter  
[SAE PAPER 841629] p 298 A86-26032
- SHERBO, A. J.**  
Impact of Reliability/Maintainability (R/M) on logistics costs for USAF aircraft  
[AD-A182204] p 470 N86-24579
- SHERCHUK, I. R.**  
Free-surface flows  
p 458 A86-33293



- SHERMAN, D. J.**  
The Australian implementation of AMDAR/ACARS and the use of derived equivalent gust velocity as a turbulence indicator  
[AR-004-51] p 420 N86-22560
- SHEVCHENKO, A. M.**  
A method for measuring the direction and the Mach number of a three-dimensional supersonic nozzle  
p 80 A86-13392
- SHEVCHENKO, I. V.**  
The effect of the deflector type on internal heat transfer in blades with transverse coolant flow  
p 120 A86-13673
- SHEVELEV, I. D.**  
A marching explicit-implicit procedure for calculating supersonic flow past bodies  
p 78 A86-13296
- SHEY-SHI, T.**  
International Aviation (selected articles)  
[AD-A186748] p 687 N86-30690
- SHI, Z. C.**  
Random-choice-method solutions for two-dimensional planar and axisymmetric steady supersonic flows  
[UTIAS-297] p 415 N86-22555
- SHIBATA, K.**  
Development and flight testing of the T-2 control configured vehicle  
[AIAA PAPER 86-9763] p 429 A86-32101
- SHIDA, Y.**  
Computation of dynamic stall of NACA0012 airfoil by block pentadiagonal matrix scheme  
[AIAA PAPER 86-0116] p 199 A86-19697
- SHIDELER, J. L.**  
Buckling behavior of Rene 41 tubular panels for a hypersonic aircraft wing  
[AIAA PAPER 86-0978] p 609 A86-38857
- Buckling behavior of Rene 41 tubular panels for a hypersonic aircraft wing  
[NASA-TM-86798] p 611 N86-26653
- SHIELDS, N.**  
An Orbital Maneuvering Vehicle simulator  
p 658 A86-40515
- SHIF, E. L.**  
Some characteristics of structure formation in forged semifinished products of V93pch aluminum alloy  
p 522 A86-35999
- SHIGAPOV, A. B.**  
A quick method for estimating heat transfer to a coolant  
p 316 A86-23666
- SHIGEMI, M.**  
A solution of inverse problem for multi-element aerofoils through application of panel method  
p 83 A86-13546
- SHIH, D.-H.**  
Optimal control of deterministic systems via shifted Legendre polynomials  
p 530 A86-34140
- Use of block-pulse functions in the optimal control of deterministic systems  
p 747 A86-45728
- SHILLITO, P. L.**  
Development testing of integrated avionics systems using dynamic environment simulation  
p 330 A86-26166
- SHILOV, A. A.**  
Calculation of equilibrium turn  
p 109 A86-13436
- SHIMER, S. E.**  
Inflight resolution evaluation for thermal imaging systems  
p 296 A86-23272
- SHIMIZU, A.**  
Computation of two-dimensional transonic cascade flow using a new Navier-Stokes solver  
[AIAA PAPER 86-1381] p 624 A86-42605
- SHIMIZU, J. A.**  
Techniques for sortie generation analysis  
[SAE PAPER 851950] p 618 A86-38376
- SHIMIZU, S.**  
Acoustic recognition of aircraft types in flight  
p 193 A86-18121
- SHIMONAEV, G. S.**  
An analysis of the quality of aviation lubricants by liquid and gas-liquid chromatography  
p 844 A86-49964
- SHIMSKI, J. T.**  
Future trends for U.S. Naval aviation propulsion system lubricants  
[SAE PAPER 851835] p 606 A86-38533
- Military aircraft propulsion lubricants: Current and future trends  
p 666 N86-29249
- SHINAR, J.**  
Concept of automated aircraft guidance system for air-to-air missions  
[AIAA PAPER 86-2285] p 787 A86-47703
- Near-optimal feedback control for three-dimensional interceptions  
p 854 A86-48992
- SHINN, R. A.**  
Impact of advanced technology on future helicopter preliminary design  
p 290 A86-26126
- SHINODA, P.**  
Hover and forward flight acoustics and performance of a small-scale helicopter rotor system  
[NASA-TM-86584] p 295 N86-19314
- SHIOTA, Y.**  
Calculations of high speed propeller performances using finite difference methods  
p 818 A86-49126
- SHIOYA, T.**  
An analysis of bending wave propagation on impact in a rotating fan blade  
p 736 A86-43534
- SHIPMAN, J. M.**  
Design for engine supportability  
[AIAA PAPER 86-1671] p 648 A86-42784
- SHIRACK, R.**  
Statistical sampling of aircraft operations at non-towered airports  
[AD-A157095] p 128 N86-13051
- SHIRATORI, T.**  
Transonic internal flow about an airfoil oscillating in pitch: Comparisons between computation and experiment  
p 209 N86-17278
- SHIRK, M. H.**  
Aeroelastic tailoring - Theory, practice, and promise  
[AIAA PAPER 84-0982] p 220 A86-20155
- The development of aeroelastic tailoring in the United States  
p 805 A86-50111
- SHKADOVA, A. L.**  
Construction of equivalent profiles and approximate calculation of transonic flow past the root section of a swept wing  
p 80 A86-13396
- SHKIRIN, N. N.**  
A study of heat transfer on wedges with a swept leading edge and a sharply bent generatrix  
p 81 A86-13399
- SHLENSKII, O. F.**  
Thermophysics of decomposing materials  
p 451 A86-33323
- SHNEYDERMAN, Y. A.**  
Radio-absorbing materials  
[AD-A157496] p 122 N86-12495
- SHOCH, D. L.**  
F-16 flutter testing at Eglin Air Force Base  
[AIAA PAPER 86-9819] p 439 A86-32144
- SHOLLENBERGER, S.**  
Precision IMC approaches to heliports using collocated MLS  
p 485 A86-35610
- SHORT, S. E.**  
Automation of surface observations program  
p 614 A86-37460
- SHOVLIN, M. D.**  
Development of pneumatic thrust-deflecting powered-lift systems  
[AIAA PAPER 86-0476] p 219 A86-19894
- SHOWERS, D. R.**  
A study of cracking in the pressure bulkhead of a military transport aircraft  
[AIAA PAPER 86-0983] p 584 A86-38861
- SHPAK, S. I.**  
A method for measuring the direction and the Mach number of a three-dimensional supersonic nozzle  
p 80 A86-13392
- SHRADER-FRECHETTE, M.**  
A study of state of the art computer graphics systems for flight safety monitoring  
p 329 A86-23264
- SHREEVE, R. P.**  
Evaluation of the blade-to-blade flow from a high speed compressor rotor  
[ASME PAPER 86-GT-117] p 765 A86-48176
- Proceedings of the 1985 ONR/NAVAIR Wave Rotor Research and Technology Workshop  
[AD-A161539] p 389 N86-20813
- SHRIVASTAVA, S. K.**  
Stability of large damped flexible spacecraft with stored angular momentum  
p 182 A86-18355
- SHURSHALOV, L. V.**  
Calculation of the explosion of a rapidly flying body  
p 738 A86-45344
- SHURYGIN, V. M.**  
Certain properties of two-dimensional flows in the case of flow past bodies with jets  
p 82 A86-13431
- Determination of off-design flowrates according to the position of branching points on an under-the-wing (over-the-wing) air intake  
p 769 A86-48812
- SHVETS, A. I.**  
Flow past caret wings with flaps  
p 146 A86-18903
- Lifting bodies designed for flow behind axisymmetric conical shock waves  
p 554 A86-39660
- Flow around delta wings with broken-line leading edges  
p 481 N86-25560
- SIAGAEV, V. F.**  
Using the shock-expansion method for calculating the aerodynamic characteristics of flight vehicles  
p 81 A86-13398
- SICLARI, M. J.**  
Application of NCOREL to aircraft configurations  
[AIAA PAPER 86-1830] p 577 A86-37843
- SIDES, J.**  
Computation of unsteady transonic flows with an implicit numerical method for solving the Euler equations  
p 145 A86-18686
- SIDOR, L. B.**  
The Adaptive Maneuvering Logic program in support of the pilot's associate program - A heuristic approach to missile evasion  
[AIAA PAPER 86-0423] p 263 A86-18685
- SIDOROV, O. T.**  
The effect of a fault on the stiffness and the natural frequency of a plate in bending  
p 850 A86-49918
- SIEGL, J.**  
Fractographic study of fatigue crack kinetics in bodies and structures  
p 454 A86-30034
- SIERON, T. R.**  
Future requirements of wind tunnels for aeronautical systems development  
[AIAA PAPER 86-0751] p 309 A86-24740
- SIEWIOREK, D.**  
Fault-free validation of a fault-tolerant multiprocessor: Baseline experiments and workload implementation  
[NASA-CR-178075] p 466 N86-24277
- SIGMAN, R. K.**  
An iterative finite element-integral technique for predicting sound radiation from turbofan inlets in steady flight  
p 856 A86-49806
- SIGNH, J. J.**  
Feasibility of a nuclear gauge for fuel quantity measurement aboard aircraft  
[NASA-TM-87706] p 675 N86-26385
- SIGNOR, D. B.**  
Aerodynamic performance of two fifteen-percent-scale wind-tunnel drive fan designs  
[AIAA PAPER 86-0734] p 273 A86-24729
- Performance and loads data from a hover test of a full-scale XV-15 rotor  
[NASA-TM-86833] p 152 N86-15243
- SIKORA, J. S.**  
Engineering applications of an advanced low-order panel method  
[SAE PAPER 851793] p 547 A86-38316
- Free-vortex flow simulation using a three-dimensional Euler aerodynamic method  
p 773 A86-49043
- SILBERTO, J.**  
Grumman's real time computing system for avionics testing  
[AIAA PAPER 86-9732] p 464 A86-32079
- SILER, L. G.**  
Laminar boundary layer stability experiments on a cone at Mach 8. IV - On unit Reynolds number and environmental effects  
[AIAA PAPER 86-1087] p 550 A86-38449
- SILVA, A. C.**  
Potential applications of multiple instrument approach concepts at 101 U.S. Airports  
[AD-A161155] p 283 N86-19308
- The concept of almost-parallel IFR (Instrument Flight Rules) approaches to parallel runways  
[AD-A166485] p 704 N86-29804
- SILVA, O.**  
The EMB-312 Tucano - A Brazilian trainer  
[SAE PAPER 851769] p 578 A86-38304
- SILVANI, J. P.**  
The deiced super Puma  
[SNIAS-852-210-104] p 215 N86-17328
- SILVER, D.**  
Uniform engine testing program phase 7: NASA Lewis Research Center second entry  
[NASA-TM-87272] p 650 N86-28085
- SILVERSTEIN, S.**  
Process development and test evaluation of cast, HIP and heat treated titanium UH-60A M.R. Damper Bracket  
p 516 A86-35641
- SILVERTHORN, J. T.**  
Flight test evaluation of techniques to predict longitudinal pilot induced oscillations  
[AIAA PAPER 86-2253] p 826 A86-47509
- SIMMON, D. A., JR.**  
United Airlines windshear training update  
[SAE PAPER 851920] p 482 A86-35450
- SIMMONS, D. J.**  
Trends in the design of airfield radars  
p 421 A86-31008
- SIMMONS, H. I.**  
The mission oriented terminal area simulation facility  
[NASA-TM-87621] p 128 N86-13944
- SIMON, B.**  
Development of new combustor technologies for application to alternative aeroengine fuels, phase 1  
[BMFT-FB-W-85-004] p 184 N86-14402
- SIMONEAU, R. J.**  
Unsteady heat transfer and direct comparison to steady-state measurements in a rotor-wake experiment  
[NASA-TM-87220] p 524 N86-24934

- SIMONICH, J. C.**  
Isolated and interacting round parallel heated jets  
[AIAA PAPER 86-0281] p 284 A86-19790  
Rotor noise due to atmospheric turbulence ingestion.  
II - Aeroacoustic results  
[AIAA PAPER 86-1903] p 750 A86-45404  
Rotor noise due to atmospheric turbulence ingestion. I  
- Fluid mechanics  
[AIAA PAPER 86-1857] p 754 A86-45479  
Helicopter rotor noise due to ingestion of atmospheric  
turbulence  
[NASA-CR-3973] p 535 N86-25216
- SIMONS, J. C.**  
Concept flying - A method for deriving unique system  
requirements p 326 A86-23738
- SIMONS, S. A.**  
Investigation of the development of laminar  
boundary-layer instabilities along a sharp cone  
[AD-A159370] p 255 N86-16521
- SIMOVICH, J.**  
A general formulation for the aeroelastic divergence of  
composite sweptforward wing structures p 802 A86-49095
- SIMPSON, A.**  
On the teaching of the principles of wing flexure-torsion  
flutter p 185 A86-16248
- SIMPSON, B.**  
Light helicopter family trade-off analysis. Volume 4:  
Appendix N  
[AD-A158075] p 168 N86-15306
- SIMPSON, C. A.**  
Comparison of voice types for helicopter voice warning  
systems  
[SAE PAPER 841611] p 328 A86-26030  
Advanced technology - New fixes or new problems?  
p 328 A86-26031  
Selecting cockpit functions for speech I/O technology  
p 395 A86-28446
- SIMPSON, D. L.**  
Helicopter fatigue monitoring using a single channel  
recorder p 220 A86-20038
- SIMPSON, J.**  
The world aircraft industry p 269 A86-26114
- SIMPSON, J. E.**  
Microbursts - A hazard for aircraft p 124 A86-14816
- SIMPSON, P.**  
Mil-DAP: Its architecture and role as a real time airborne  
digital signal processor p 681 N86-28359
- SIMPSON, R. L.**  
Numerical and experimental studies of 3-D and unsteady  
turbulent body/appendage/propeller flows  
[AD-A157078] p 123 N86-12552
- SIMPSON, W. E.**  
Tradeoff analysis of technology needs for public service  
helicopters  
[NASA-CR-3927] p 100 N86-13317
- SINCLAIR, M.**  
The in-flight simulation program at the NAE Flight  
Research Laboratory p 96 A86-14356
- SINGER, E.**  
A new application of adaptive noise cancellation  
p 262 A86-22626
- SINGER, H.**  
Electromagnetic interaction of external impulse fields  
with aircraft p 790 A86-47295
- SINGH, P.**  
P T A - Design considerations for an airframe system  
and detailed design of fuel subsystem p 590 A86-37331
- SINGLETERY, R.**  
Advanced avionics computer architecture. Volume 1.  
Executive summary  
[AD-A158119] p 104 N86-12222  
Advanced avionics computer architecture. Volume 2.  
Instruction set architecture specification  
[AD-A158120] p 104 N86-12223
- SINGNOI, W. N.**  
An analysis of cross-coupling of a multicomponent jet  
engine test stand using finite element modeling  
techniques  
[NASA-CR-176424] p 181 N86-15323
- SINHA, A.**  
Stability of limit cycles in frictionally damped and  
aerodynamically unstable rotor stages p 174 A86-19198  
Influence of friction dampers on torsional blade flutter  
[ASME PAPER 85-GT-170] p 441 A86-32957
- SINHA, N.**  
Progress in the development of parabolized  
Navier-Stokes (PNS) methodology for analyzing propulsive  
jet mixing problems  
[AIAA PAPER 86-1115] p 551 A86-38473  
Computational models for the analysis/design of  
hypersonic scramjet components. I - Combustor and nozzle  
models  
[AIAA PAPER 86-1595] p 647 A86-42737
- Parabolized Navier-Stokes analysis of three-dimensional  
supersonic and subsonic jet mixing problems p 780 A86-49804
- SINIAKOV, A. N.**  
Information-measurement complexes of flight vehicles  
p 172 A86-18743
- SINN, W.**  
Handling qualities and flight performance - Implication  
of the operational envelope p 799 A86-48672
- SINOR, S. S.**  
A distributed, fault-tolerant implementation of the  
airborne digital map using VLSI common programmable  
modules p 349 A86-28337
- SIOGHANSI, P.**  
Surface layer activation technique for monitoring and  
in situ wear measurement of turbine components  
p 591 A86-39086
- SIRAZETDINOV, T. K.**  
Liapunov function for studying the stability in the whole  
of nonlinear systems p 331 A86-23576
- SKARMAN, E.**  
Flight test with a terrain aided navigation system  
p 571 A86-37334
- SKAYDAHL, H.**  
Current design procedures for minimizing post crash fire  
hazards p 700 N86-30019
- SKELTON, R. E.**  
A covariance control theory p 680 A86-42899
- SKINGLE, C. W.**  
The design and wind tunnel demonstration of an active  
control system for gust load alleviation and flutter  
suppression p 445 A86-33251  
The design and wind tunnel demonstration of an active  
control system for gust load alleviation and flutter  
suppression p 728 N86-30650
- SKINNER, G. L.**  
Limited Airworthiness and Flight Characteristics (A and  
FC) test of the quick fix configuration  
[AD-A157716] p 101 N86-13323
- SKLAR, R.**  
A microprocessor-based digital voice network  
p 118 A86-13221
- SKODA, Z.**  
New aspects of the small-perturbation method in  
aerodynamics p 271 A86-23770
- SKOMOROKHOV, S. I.**  
Selecting the shape of the middle surface of the pylons  
and the mounting angles of single nacelles under the wing  
of subsonic aircraft p 800 A86-48767
- SKOVORODIN, G. B.**  
The effect of the monoethers of dicarboxylic acids on the  
antifwear properties of jet fuels p 843 A86-49963
- SKOW, A. M.**  
Enhanced controllability through vortex manipulation on  
fighter aircraft at high angles of attack  
[AIAA PAPER 86-2277] p 830 A86-47695  
F-5E departure warning system algorithm development  
and validation  
[AIAA PAPER 86-2284] p 830 A86-47702
- SKURIN, L. I.**  
A quasi-one-dimensional model for the evolution of the  
turbulent wake of a body in a stratified medium  
p 738 A86-45231
- SKVORTSOV, I. U. A.**  
Calculation of unsteady flow in a two-stage gas turbine  
engine p 105 A86-13444
- SLADOVNIK, D. E.**  
Boeing Robotic Air Vehicle p 576 A86-37339
- SLAMA, J. G.**  
Use of acoustic intensity measurements in the  
characterization of jet noise sources p 855 A86-48740
- SLATER, G. L.**  
Design of a flutter mode controller using positive real  
feedback p 594 A86-39041
- SLATER, P. N.**  
Spectroradiometric calibration of the Thematic Mapper  
and multispectral scanner system  
[E86-10022] p 260 N86-17816
- SLAUGH, D. B.**  
Microprocessor controlled and managed fly-by-wire  
hydraulic actuator p 368 A86-28401
- SLAVIK, S.**  
Distribution of optimal circulation on a propeller blade  
with a nonlinear dependence on the number of blades  
and with allowance tapering p 271 A86-23778
- SLOOFF, J. W.**  
Inverse method with geometric constraints for transonic  
aerofoil design p 477 A86-36202  
Aircraft drag prediction and reduction. Addendum 1:  
Computational drag analyses and minimization; mission  
impossible? [AGARD-R-723-ADD-1] p 556 N86-27187  
Design of transonic airfoils with given pressure, subject  
to geometric constraints [NLR-TR-84064-U] p 633 N86-28928
- SLUSHER, G. R.**  
Halon extinguisher agent behavior in a ventilated small  
aircraft [DOT/FAA/CT-86/5] p 699 N86-29794
- SMETANA, J.**  
Strain-gauge autopilot altitude corrector p 811 A86-49142
- SMITH, C. A.**  
The development of laser speckle velocimetry for the  
measurement of vortical flow fields  
[AIAA PAPER 86-0768] p 523 A86-37091
- SMITH, C. D.**  
A new version of the helicopter aural detection program,  
ICHIN  
[NASA-TM-87745] p 756 N86-30471
- SMITH, C. J. E.**  
Comparison of corrosion behaviour of lithium-containing  
aluminium alloys and conventional aerospace alloys  
p 660 A86-40280
- SMITH, C. O., JR.**  
Performance characteristics of transponder-aided  
versus GPS-aided inertial navigation systems  
[AIAA PAPER 86-1917] p 422 A86-32142
- SMITH, F. T.**  
Large-scale separation and hysteresis in cascades  
p 145 A86-18577
- SMITH, G. E.**  
Unsteady transonic flows past airfoils using the Euler  
equations  
[AIAA PAPER 86-1764] p 541 A86-37802  
Application of a full potential method to practical  
problems in supersonic aircraft design and analysis  
p 773 A86-49030
- SMITH, H. C.**  
An application of the Carson cruise optimum airspeed  
- A compromise between speed and efficiency  
[SAE PAPER 850867] p 582 A86-38508  
Experimental assessment of vortex retaining cavity flaps  
for maneuverability improvement on delta wing fighter  
aircraft  
[AD-A164104] p 497 N86-24690
- SMITH, H. W.**  
Upper torso restraint systems  
[SAE PAPER 851848] p 567 A86-38344
- SMITH, I. R.**  
Digital simulation of regulated electrical power supplies  
for military applications p 669 A86-40775
- SMITH, J.**  
Wind tunnel wall influence considering two-dimensional  
high-lift configurations p 308 A86-23187  
Decision aiding for tactical aircraft p 718 A86-46715
- SMITH, J. H. B.**  
Vortex flows in aerodynamics p 338 A86-29417  
Numerical solutions for three-dimensional cases: Delta  
wings p 155 N86-15264
- SMITH, K. E.**  
Design aspects of the XV-15 advanced technology blade  
program p 492 A86-35630
- SMITH, K. F.**  
Army helicopter crashworthiness - Loading the battlefield  
dice in our favor p 494 A86-35684
- SMITH, K. L.**  
Integrated braking and ground directional control for  
tactical aircraft  
[SAE PAPER 851941] p 581 A86-38374
- SMITH, L.**  
Air Force Flight Test Center range overview  
[AIAA PAPER 86-9748] p 448 A86-32092
- SMITH, L. E.**  
A computer model to evaluate airborne receiver  
performance in interference environments p 703 A86-43862
- SMITH, M.**  
From a strike to a kill p 634 A86-42423
- SMITH, M. J.**  
Simulation of engine installation flowfields using a  
three-dimensional Euler/Navier-Stokes algorithm  
[AIAA PAPER 86-1537] p 671 A86-42699
- SMITH, M. J. C.**  
Generic aircraft ground operation simulation  
[AIAA PAPER 86-0989] p 584 A86-38865
- SMITH, M. J. T.**  
Aircraft noise measurement - Alternatives to the  
standard 1-2 metres microphone height  
[AIAA PAPER 86-1860] p 752 A86-45445  
Aircraft noise control: Prospects for the 21st century  
[PNR-90272] p 280 N86-16757
- SMITH, M. P.**  
RAM 2000 - A look to the future  
[AIAA PAPER 86-1668] p 672 A86-42781
- SMITH, M. S.**  
Prediction and measurement of near fields for antennas  
on structures p 316 A86-23403

- SMITH, P.**  
Natural selection in transport aircraft propulsion  
p 174 A86-19278
- SMITH, R. E.**  
Effect of time delay on flying qualities - An update  
[AIAA PAPER 86-2202] p 823 A86-47482  
Algebraic grid generation about wing-fuselage bodies  
p 772 A86-49028  
Effect of time delay on flying qualities: An update  
[NASA-TM-88264] p 653 N86-28092
- SMITH, R. H.**  
In-flight flow visualization of F-108B leading-edge vortex  
using the vapor-screen technique  
[AIAA PAPER 86-9785] p 431 A86-32118
- SMITH, R. L.**  
Impact of advanced technology on future helicopter  
preliminary design p 290 A86-26126
- SMITH, R. P.**  
Flight investigation of Bell model 206 ring fin  
p 491 A86-35624
- SMITH, S. C.**  
Stability and control of aircraft with manual all-moving  
tailplanes  
[AIAA PAPER 86-2231] p 829 A86-47692
- SMITH, S. M.**  
Aircraft wheel design and proving p 583 A86-38721
- SMITH, W. D.**  
Pilot Executive project - PILEX  
[SAE PAPER 851806] p 489 A86-35436  
The consideration of pilot factors in development of  
future collision avoidance systems  
[SAE PAPER 851807] p 484 A86-35437
- SMITH, W. L.**  
The integrated digital avionics system for the F-20  
Tigerhawk  
[SAE PAPER 851850] p 589 A86-38345
- SMITS, K.**  
Characterization of shallow ocean sediments using the  
airborne electromagnetic method p 393 A86-28065
- SMOLIANINOVA, T. D.**  
Oscillation equations for a helicopter rotor blade  
p 800 A86-48805
- SMORENBURG, C.**  
Development of an airborne CCD scanner for land and  
sea applications p 231 A86-21183
- SNEYD, A. D.**  
Waves due to a steadily moving source on a floating  
ice plate p 124 A86-13535
- SNOW, D. W.**  
Stress analysis of gas turbine engine structures using  
the boundary element method p 520 A86-34444
- SNOW, W. L.**  
Improvement in the quality of flow visualization in the  
Langley 0.3-meter transonic cryogenic tunnel  
[NASA-TM-87730] p 675 N86-28389
- SNYDER, A. D.**  
Properties of aircraft fuels and related materials  
[AD-A164532] p 604 N86-27461
- SNYDER, C. A.**  
A parametric study of a gas-generator air turbo ramjet  
(ATR)  
[NASA-TM-88808] p 819 N86-31586
- SNYDER, C. E., JR.**  
Advanced lubricants for aircraft turbine engines  
[SAE PAPER 851834] p 602 A86-38532  
Military aircraft propulsion lubricants: Current and future  
trends p 666 N86-29249
- SOBANSKI, K. J.**  
Multiple thermocouple testing device  
[AD-D012276] p 850 N86-31860
- SOBEL, A.**  
Avner Electronic Magnetic Compass and low cost  
navigation system p 358 A86-26504
- SOBEL, K. M.**  
Eigenstructure assignment: A tutorial. I - Theory  
p 531 A86-35358  
Eigenstructure assignment, eigensensitivity, and flight  
control design p 680 A86-42912
- SOBIECZKY, H.**  
Geometry generation for transonic design  
p 221 A86-20932  
Analytical tools for systematic transonic design  
p 477 A86-36201  
Shock design for refined recalculations  
p 150 N86-14247  
Aerodynamic design methods for modern transport  
aircraft  
[ESA-TT-923] p 782 N86-31543
- SOBOLEV, D. A.**  
Aircraft of special configurations p 335 A86-28521
- SOBOR, A.**  
Method for determining the ISO-noise levels by  
simulated aircraft flight operations p 856 A86-49099
- SOEDERMAN, P. T.**  
An experimental investigation of wing tip turbulence with  
applications to aerosound  
[AIAA PAPER 86-1918] p 691 A86-45413
- SOECHTING, F. O.**  
Turbine airfoil LCF life prediction verification  
[AIAA PAPER 86-1496] p 646 A86-42672  
A model for correlating flat plate film cooling  
effectiveness for rows of round holes  
p 741 N86-29840
- SOEDER, J. F.**  
Control technology for future aircraft propulsion  
systems  
[PAPER-14] p 506 N86-25356
- SOELAIMAN, A. D.**  
Flight Test Instrumentation System FTIS for  
type-certification of the Indonesian aircraft CN 235  
p 358 A86-27818
- SOFUE, Y.**  
Fundamental investigation on the impact strength of  
hollow fan blades  
[NAL-TR-879] p 322 N86-19657
- SOIRON, M.**  
Induced surface currents and fields on a conducting body  
by a lightning strike (frequency domain)  
p 844 A86-47296
- SOKHEY, J. S.**  
Theoretical and experimental investigation of test cell  
aerodynamics for turbofan applications  
[AIAA PAPER 86-1732] p 656 A86-42819
- SOKOLOV, S.**  
Aeroflot officials roundtable on section's technical  
progress p 623 N86-28909
- SOKOLOVA, G. I.**  
The effect of the monoethers of dicarboxylic acids on  
the antiwear properties of jet fuels p 843 A86-49963
- SOKOLOVA, I. N.**  
Similarity criteria for a circulation control airfoil  
p 789 A86-48815
- SOKOLOWSKI, D. E.**  
Toward improved durability in advanced combustors and  
turbines - Progress in prediction of thermomechanical  
loads  
[ASME PAPER 86-GT-172] p 815 A86-48224
- SOLIDUM, E.**  
Fabrication of ceramic components for advanced gas  
turbine engines  
[SAE PAPER 851786] p 606 A86-38310
- SOLIGNAC, J. L.**  
Leading edge vortex flow over a 75 degree-swept delta  
wing Experimental and computational results  
[ONERA, TP NO. 1986-122] p 773 A86-49042
- SOLOMAKHOVA, T. S.**  
Calculation of flow around rotating circular cascades with  
allowance for circumferential flow nonuniformity induced  
by a perturbation at the inlet p 82 A86-13426
- SOLT, C. R., JR.**  
Douglas Automated Weighing System  
p 597 A86-38069
- SOLTIS, S.**  
FAA structural crash dynamics program update -  
Transport category aircraft  
[SAE PAPER 851887] p 568 A86-38354
- SOLTIS, S. J.**  
The development of dynamic performance standards  
for general aviation aircraft seats  
[SAE PAPER 850853] p 97 A86-14449  
Controlled impact demonstration airframe bending  
bridges p 391 N86-21943
- SOMERS, D. M.**  
Airfoil design for Reynolds numbers between 50,000 and  
500,000 p 136 A86-16302
- SOMMER, H. C.**  
A modification of the H-133 ground communications  
headset for use in intense noise environments  
[AD-A166981] p 744 N86-30907
- SONG, Z.**  
Prediction of blade flutter in a tuned rotor  
[ASME PAPER 85-IGT-100] p 302 A86-23899  
Details of Y-121 STOL aircraft presented  
p 436 N86-22573
- SOOEVERE, J.**  
The viscoelastic damping technology design guide for  
aerospace structures  
[ASME PAPER 85-DET-104] p 318 A86-24230  
A design guide for damping of aerospace structures  
p 390 N86-21923
- SOPHER, R.**  
Effects of analytical modeling assumptions on the  
predicted stability of a model hingeless rotor  
p 490 A86-35605  
Development and application of a time-history analysis  
for rotorcraft dynamics based on a component approach  
p 168 N86-15291
- SOPOLEV, V.**  
Gravimetric surveying with Mi-8 helicopters  
p 125 N86-12680
- SOREIDE, D. C.**  
Pulsed laser light sheet flow visualization  
p 605 A86-38237
- SORENSEN, J. A.**  
Design of an advanced flight planning system  
p 481 A86-35365  
Design factors and considerations for a time-based flight  
management system  
[AIAA PAPER 86-2144] p 822 A86-47455  
Evaluation of the usefulness of various simulation  
technology options for TERPS enhancement  
[NASA-CR-177408] p 636 N86-28931
- SORENSEN, J. P.**  
Superplastically-formed/diffusion-bonded titanium  
technology transition case study p 252 A86-22142
- SORENSEN, R. L.**  
Three-dimensional elliptic grid generation about fighter  
aircraft for zonal finite-difference computations  
[AIAA PAPER 86-0429] p 202 A86-19871  
Numerical simulation of transonic separated flows over  
low-aspect ratio wings  
[AIAA PAPER 86-0508] p 206 A86-22704  
Elliptic generation of composite three-dimensional grids  
about realistic aircraft  
[NASA-TM-88240] p 763 N86-31527
- SORG, H.**  
Symposium Gyro Technology 1984; Proceedings of the  
Symposium, Universitat Stuttgart, West Germany,  
September 11, 12, 1984 p 250 A86-21826
- SORKIN, R. D.**  
Alerted monitors: Human operators aided by automated  
detectors  
[PB85-222750] p 126 N86-13906
- SORNAS, L.**  
Failure analysis of aircraft windshields subjected to bird  
impact p 802 A86-49055
- SOROKIN, A. M.**  
Symmetric transonic flow past wings of large aspect  
ratios p 78 A86-13352
- SOROKIN, I. U. S.**  
Method for calculating subsonic ideal-gas flow past an  
aircraft p 768 A86-48807
- SOTER, L.**  
Using wear products for assessing and predicting the  
condition of aircraft jet engines p 316 A86-23759
- SOTOMAYOR, W. A.**  
A review of aeroelastic research at the flight dynamics  
laboratory p 433 A86-33242  
A review of aeroelastic research at the Flight Dynamics  
Laboratory p 727 N86-30642
- SOTOMAYOR, W. A.**  
Numerical computation of unsteady transonic flow about  
wings with flaps  
[AIAA PAPER 85-1712] p 144 A86-17849
- SOUCY, Y.**  
Step relaxation method for modal test implemented with  
frequency-domain preprocessing p 457 A86-32975
- SOUKUP, S.**  
Diagnostic methods for gas-turbine aircraft  
powerplants p 300 A86-23751
- SOULAGE, R. G.**  
Location of lightning strokes on aircraft in storm field  
with measured electrical, microphysical and dynamical  
properties p 783 A86-47299
- SOULEVANT, D.**  
Measurements accuracy with 3D laser velocimetry  
[ONERA, TP NO. 1985-171] p 318 A86-24646
- SOURIAL, N.**  
Power turbine vane ring (PT6 engine) repair  
development  
[ASME PAPER 86-GT-2] p 812 A86-48102
- SOUTH, W. K.**  
Evaluation of capillary reinforced composites  
[NASA-CR-175061] p 517 N86-24760
- SOUTHGATE, R. J.**  
Precision casting at Rolls-Royce p 121 A86-14973
- SPACHT, G.**  
Unusual aerodynamics of X-29 p 426 A86-31332
- SPADACCINI, L. J.**  
Thermal decomposition of aircraft fuel  
[ASME PAPER 86-GT-36] p 842 A86-48123
- SPADE, G.**  
Radiometric characterization methods for Infrared  
Countermeasures Systems p 103 A86-15314
- SPANG, H. A., III**  
Linear-quadratic Gaussian with loop-transfer recovery  
methodology for the F-100 engine p 233 A86-20233  
Gain-scheduled multivariable control for the GE-21  
turbofan engine using the LQG/LTR methodology  
p 501 A86-35334  
Multi-variable control of the GE T700 engine using the  
LQG/LTR design methodology  
[NASA-CR-177080] p 721 N86-29619

- SPANOS, P.-T. D.**  
Numerical synthesis of tri-variate velocity realizations of turbulence p 387 A86-28654
- SPANYER, K. L.**  
Characteristics pertaining to a stiffness cross-coupled Jeffcott model [ASME PAPER 85-DET-144] p 523 A86-37071
- SPIRKS, S. P.**  
Hovering rotor airload prediction using a full potential flow analysis with realistic wake geometry p 475 A86-35636
- SPEARMAN, M. L.**  
Some lessons learned with wind tunnels [AIAA PAPER 86-0777] p 310 A86-24756  
Some comparisons of US and USSR aircraft design developments [NASA-TM-87611] p 214 N86-16208  
Supersonic aerodynamic characteristics of some reentry concepts for angles of attack to 90 deg [NASA-TM-87645] p 243 N86-16243  
Effects of some geometric variations on missile aerodynamic characteristics at supersonic speeds [NASA-TM-87683] p 415 N86-22553  
Some lessons learned with wind tunnels [NASA-TM-87710] p 408 N86-23555
- SPECHT, J.**  
Embrittled trailing edges of compressor blades (titanium alloy Ti6Al-4V and Ti6Al2Sn4Zr2Mo) of gas turbine aero-engines p 376 A86-27279  
Aero-engine gears: Manufacturing cracks and their effect on operation p 677 N86-29239
- SPECKER, L. J.**  
Comparison of F-101 ejection seat and ACES II static aerodynamic coefficients p 428 A86-32067  
Flow stagnation as an advanced windblast protection technique p 793 A86-47727
- SPELZ, J.**  
Electrostatic charging of the CH-53E helicopter [AD-A161936] p 437 N86-23590
- SPENCER, D. A.**  
TCAS Experimental Unit (TEU) hardware description [FAA/PM-85/2] p 574 N86-27272
- SPENCER, D. C.**  
F-15 Dual-Role Fighter flight testing p 224 A86-21065
- SPENCER, E. W.**  
Flight Data Analysis and Storage System (FASS) p 170 A86-18407
- SPENCER, G. A.**  
Electrostatic hazards of urethane packed fuel tanks [AD-A166803] p 717 N86-30725
- SPENCER, J. L.**  
Avionics system architecture for Beechcraft Starship 1 [SAE PAPER 851851] p 589 A86-38346
- SPEERLING, E.**  
Shimmy problems of landing gears caused by elastic deformation of tires p 803 A86-49118
- SPEYER, J. L.**  
An explicit adaptive flight control system based on the modified gain extended Kalman filter [AIAA PAPER 86-2158] p 823 A86-47465
- SPICER, C. W.**  
Composition and photochemical reactivity of turbine engine exhaust [AD-A157643] p 107 N86-12230
- SPICK, M.**  
The fighter. II p 162 A86-17522  
The fighter. III p 162 A86-17523  
2001 Phantom odyssey p 162 A86-17525
- SPIKES, H. A.**  
Phosphorus anti-wear additives in helicopter transmissions [IC-TS015/85] p 452 N86-22710  
Future trends in helicopter transmission lubricants p 666 N86-29250
- SPINDLER, G.**  
The classical streamline curvature method in the supersonic range - A numerically ill-posed boundary value problem p 690 A86-45189
- SPITZER, C. R.**  
A new direction in energy conversion - The all-electric aircraft p 319 A86-24830  
Retrofitting avionics - Closing the performance 'Generation gap' [SAE PAPER 851813] p 589 A86-38324  
Advanced ATC - An aircraft perspective p 788 A86-49637
- SPIVEY, R. F.**  
Major short-haul role seen for tilt-rotor aircraft p 420 A86-33427
- SPLETTSTOEISSER, W. R.**  
The German-Dutch wind tunnel - An aerodynamics experimenter's dream p 488 A86-31965
- SPLETTSTOEISSER, W. R.**  
Helicopter model rotor-blade vortex interaction impulsive noise - Scalability and parametric variations p 400 A86-27858  
Aeroacoustics at the German-Dutch wind tunnel p 839 A86-49061
- SPRAGUE, R. A.**  
Superalloy component durability enhancements p 739 A86-46562
- SPRINKLE, D. R.**  
Feasibility of a nuclear gauge for fuel quantity measurement aboard aircraft [NASA-TM-87708] p 675 N86-28385
- SPURR, W. F.**  
Current and potential usage of titanium castings for airframe applications p 246 A86-21753
- SPYCHIGER, W.**  
Canard Mirage on test p 225 A86-22261
- SPYERS-DURAN, P. A.**  
Comparison of sea surface temperatures obtained from an aircraft using remote and direct sensing techniques p 323 A86-23291
- SPYROPOULOS, J. T.**  
Block-structured solution of Euler equations for transonic flows [AIAA PAPER 86-1080] p 549 A86-38443
- SQUIRE, L. C.**  
Boundary-layer development on the afterbody of an engine nacelle p 82 A86-13532  
Three-dimensional interaction of wakes and boundary layers [AIAA PAPER 86-1820] p 545 A86-37838  
Wake/boundary-layer interactions in two and three dimensions p 773 A86-49032
- SRADLEY, J. E.**  
Mode II fatigue crack growth specimen development p 736 A86-43566
- SRI NAMACHCHIVAYA, N.**  
Unfolding of degenerate Hopf bifurcation for supersonic flow past a pitching wedge p 725 A86-46456
- SRIDHAR, J. K.**  
Computation of transfer function matrices [NAL-TM-SE-8509] p 399 N86-21232  
Six degree of freedom simulation software [NAL-PD-SE-8614] p 854 N86-33042
- SRINIVASAN, A. V.**  
Dynamic characteristics of an assembly of prop-fan blades [ASME PAPER 85-GT-134] p 441 A86-32956
- SRINIVASAN, G. R.**  
Numerical simulation of tip vortices of wings in subsonic and transonic flows [AIAA PAPER 86-1095] p 550 A86-38456  
Aerodynamics of two-dimensional blade-vortex interaction [AD-A160662] p 295 N86-19315  
Unsteady interactions of transonic airfoils with gusts and concentrated vortices p 565 N86-27261
- SRINIVASAN, R.**  
Perspectives on dilution jet mixing [AIAA PAPER 86-1611] p 818 A86-49614
- SRIRAM, P.**  
A study of the static post buckling behavior of composite sandwich plates p 383 A86-27653  
Crashworthy design of rotorcraft - A basic research approach p 494 A86-35665
- SRITHARAN, S. S.**  
Delta wings with shock-free cross flow p 145 A86-18528
- SRIVASTAVA, B. N.**  
Computation of flowfields in high solidity and high turning angle cascades using Euler equations [AIAA PAPER 85-1705] p 144 A86-17847
- SRIVATSAN, R.**  
Development of a takeoff performance monitoring system [NASA-TM-89001] p 835 N86-31591
- SRULJES, J.**  
Vortices and pressure waves at trailing edges [ISL-CO-224/84] p 153 N86-15252
- STALEY, J. T.**  
Research on high-strength aerospace aluminum alloys p 244 A86-20037
- STALLINGS, L.**  
Electrochemical evaluation of corrosivity in turbine engine oils [SAE PAPER 851867] p 602 A86-38534
- STALLINGS, R. L., JR.**  
Supersonic axial-force characteristics of a rectangular-box cavity with various length-to-depth ratios in a flat plate [NASA-TM-87659] p 415 N86-22554
- STANDFORD, D. L.**  
Rubber removal specification development [FAA/PM-85/33] p 371 N86-21555
- Runway rubber removal specification development [DOT/FAA/PN-85/33] p 372 N86-21556
- STANIEWSKY, E.**  
Flow field study on a supercritical airfoil using a pressure probe and a two-component Laser-Doppler-Anemometer p 775 A86-49074  
Transonic drag rise and drag reduction by active/passive boundary layer control p 156 N86-15275
- STANGE, W. A.**  
New methods of measuring strain and temperature in a turbine engine p 118 A86-13336
- STANISLAWSKI, J.**  
Vibration analysis of a helicopter fuselage by means of mathematical models p 725 A86-46368
- STANLEY, R. L.**  
Fuel pump vent drain system [AD-DO11993] p 459 N86-22947
- STANSELL, K. A.**  
The SKYEYE RPV - An NDI solution to today's unmanned aerial vehicle requirements p 712 A86-46134
- STANTON, W.**  
A fault-tolerant 1750A engine controller [AIAA PAPER 86-1675] p 648 A86-42786
- STAPLES, F. E.**  
Elastomeric rod end bearings - A solution for improving reliability and maintainability p 320 A86-26125
- STARK, V. J. E.**  
Flutter calculation by a new program p 444 A86-33246  
Indicial coefficients for a cropped delta wing in incompressible flow p 623 A86-40111  
Flutter calculation by a new program p 728 N86-30645
- STAROS, C.**  
Decision aiding for tactical aircraft p 718 A86-46715
- STATECNY, J.**  
Short crack problems in gas turbine disks p 440 A86-30093  
A contribution to airworthiness certification of gas turbine disks p 849 A86-49136
- STATMAN, J. I.**  
High dynamic GPS receiver validation demonstration [NASA-CR-176530] p 283 N86-19306
- STATON, D. V.**  
Rotorcraft propulsion for year 2000 plus [AIAA PAPER 86-1543] p 646 A86-42702
- STAUFENBIEL, R.**  
Model for analytically describing edge vortices p 140 A86-16867  
ICAS, Congress, 15th, London, England, September 7-12, 1986, Proceedings. Volumes 1 & 2 p 761 A86-48976
- STAVROV, I. U. P.**  
Longitudinal potential distribution in a jet of an ionized gas p 331 A86-23674
- STCLAIR, A. K.**  
Process for preparing essentially colorless polyimide film containing phenoxy-linked diamines [NASA-CASE-LAR-13353-1] p 666 N86-29039
- STCLAIR, T. L.**  
Process for preparing essentially colorless polyimide film containing phenoxy-linked diamines [NASA-CASE-LAR-13353-1] p 666 N86-29039
- STEARMAN, R. O.**  
Identification of aeroelastic phenomenon employing bispectral analysis techniques p 740 A86-47124
- STEBLIN, M. E.**  
Airborne infrared measurement systems and techniques [AIAA PAPER 86-9814] p 439 A86-32140
- STECK, J. E.**  
Finite element modeling of acoustic singularities with application to propeller noise p 468 A86-32778
- STEENEKEN, H. J. M.**  
Application of active noise reduction for hearing protection and speech intelligibility improvement [IZF-1985-7] p 266 N86-18131
- STEENROD, F. J.**  
A comparison of digital terrain models and terrain masking algorithms p 350 A86-28391
- STEGER, J. L.**  
The efficient simulation of separated three-dimensional viscous flows using the boundary-layer equations [AIAA PAPER 85-4064] p 84 A86-14452  
On applications of chimera grid schemes to store separation [NASA-TM-88193] p 88 N86-13292
- STEIER, P.**  
Improvement of strapdown system performance by means of numerical methods [BMFT-FB-W-85-011] p 575 N86-27275
- STEIN, E. S.**  
Graphic simulation for air traffic control development p 421 A86-30358

- STEIN, G.**  
Proceedings of the 12th Biennial Guidance Test Symposium held at Holloman AFB, New Mexico on 22-24 October 1985, volume 1  
[AD-A161996] p 425 N86-23583
- STEINBERG, R.**  
Upper air forecasting for aviation in the United States  
p 615 A86-37501
- STEINHOFF, J.**  
Blending method for grid generation  
p 766 A86-48428
- STELLER, J.**  
Velocity distribution around a wing in a wind tunnel  
Verification of a calculation method by means of a laser anemometer  
p 478 A86-35925
- STELMAKH, A. L.**  
A loss of dynamic stability of the torsional vibrations of blades due to cascade flutter  
p 364 A86-27543
- STENCIL, J. C.**  
Supersonic conventional weapon testing of the F/A-18A Hornet  
p 222 A86-21052
- STENGEL, R. F.**  
Longitudinal flying qualities criteria for single-pilot instrument flight operations  
p 305 A86-23186  
A theory for fault-tolerant flight control combining expert system and analytical redundancy concepts  
[AIAA PAPER 86-2092] p 822 A86-47442  
Optimal control laws for microburst encounter  
p 634 A86-49070
- STEPANENKO, N. D.**  
The performance of composite structures  
p 121 A86-14680
- STEPANENKO, V. P.**  
Practical diagnostics of aircraft gas turbines  
p 502 A86-35472
- STEPANOVSKY, J.**  
Evaluation of tape recordings from an airborne digital recorder  
p 170 A86-16858
- STEPCHKOV, A. A.**  
Limiting values of the specific parameters of a ramjet engine  
p 502 A86-35992
- STEPHAN, B.**  
Use of a CO<sub>2</sub> laser lidar for flight and penetration at very low altitudes  
p 610 A86-26326
- STEPHENS, C. R.**  
Real-time telemetry of complete 1553 data buses  
p 347 A86-27789
- STEPHENS, D. G.**  
Sonic-boom research: Selected bibliography with annotation  
[NASA-TM-87685] p 756 N86-30470
- STERN, R. C.**  
Knowledge engineering for a flight management expert system  
p 368 A86-28498
- STETSON, K. F.**  
Laminar boundary layer stability experiments on a cone at Mach 8. IV - On unit Reynolds number and environmental effects  
[AIAA PAPER 86-1087] p 550 A86-38449
- STEVENS, K. A.**  
Postbuckling failure of composite panels  
p 523 A86-37112
- STEVENS, M. E.**  
An investigation into the vertical axis control power requirements for landing VTOL type aircraft onboard nonaviation ships in various sea states  
[NASA-CR-176355] p 88 N86-13294
- STEVENS, R. R.**  
A technique to evaluate the accessibility of airborne receivers to interfering signals  
p 572 A86-37555
- STEVENS, R. R., JR.**  
A computer model to evaluate airborne receiver performance in interference environments  
p 703 A86-43862
- STEVENS, V. C.**  
The STOL performance of a two-engine, USB powered-lift aircraft with cross-shafted fans  
[SAE PAPER 851839] p 578 A86-38336  
The ground effects of a powered-lift STOL aircraft during landing approach  
p 795 A86-47784
- STEVENSON, L.**  
The Stapleton microburst advisory service project: An operational viewpoint  
[AD-A161543] p 394 N86-21078
- STEVENSON, W. J.**  
Comparison of modal analysis methods on a light aircraft  
p 730 A86-44933
- STEWART, C.**  
A flexible programmable signal processor for next generation fighter aircraft  
p 385 A86-28330
- STEWART, C. M.**  
Airborne radar. I - Air-to-surface  
p 296 A86-23293
- STEWART, D. A.**  
Characterization of the thermal conductivity for fibrous refractory composite insulations  
p 116 A86-15220
- STEWART, E. C.**  
Airplane automatic control force trimming device for asymmetric engine failures  
[NASA-CASE-LAR-13280-1] p 369 N86-20397
- STEWART, J. D.**  
Operation of the CT7 turboprop engine as an auxiliary power unit (APU)  
[ASME PAPER 86-GT-28] p 812 A86-48119
- STEWART, J. F.**  
Development of HIDECA adaptive engine control systems  
[ASME PAPER 86-GT-252] p 816 A86-48278
- STEWART, K. C.**  
Boeing Military Airplane Company's robotic ultrasonic inspection system  
p 118 A86-13180
- STEWART, R. M.**  
Expert systems for mechanical fault diagnosis  
p 737 A86-43896
- STEWART, V. R.**  
Aerodynamic characteristics of a propulsive wing-canard concept at STOL speeds  
[NASA-CR-177982] p 86 N86-12205
- STIELER, B.**  
Sensor system concept for future fighter and strike aircraft  
p 297 A86-24583
- STIER, T.**  
Avionics fault data acquisition - A concept for civil transport aircraft  
p 810 A86-49051
- STILES, L. JR.**  
Sikorsky Aircraft crew station technology research helicopter  
[SAE PAPER 851780] p 490 A86-35442
- STILES, W.**  
F-14A low-altitude asymmetric thrust simulation and flight test program  
p 795 A86-47785
- STOCK, J.**  
Structural evaluation of superplastic aluminum. Part 1. Mechanical, corrosion, metallurgical data  
[AD-A161366] p 379 N86-21662
- STOCKER, B.**  
Flight Data Analysis and Storage System (FASS)  
p 170 A86-18407
- STOCKTON, W. W.**  
Asymmetric thrust warning system for dual engine aircraft  
[AD-D011980] p 361 N86-20387
- STOFFER, L. J.**  
Evaluation of capillary reinforced composites  
[NASA-CR-175061] p 517 N86-24760
- STOHLGREN, L. M.**  
The GTPC36-300 - A gas turbine auxiliary power unit for advanced technology transport aircraft  
[ASME PAPER 86-GT-285] p 816 A86-48302
- STOLIAROV, G. I.**  
A study of the normal of a delta-wing aircraft at large angles of attack during unsteady motion  
p 79 A86-13379  
A study of the relationship between nonlinear changes in the lifting force and the vortex structure of flow around a low aspect ratio wing at large angles of attack  
p 767 A86-48762
- STOLIAROV, L. N.**  
The possibility of achieving high productivity with vector-pipeline processors in solving problems of mathematical physics  
p 531 A86-36574
- STONE, G.**  
Flight deck design methodology using computerized anthropometric models  
[SAE PAPER 841472] p 326 A86-26003
- STONE, J. W.**  
The C-17: An attempt at increased airlift versatility  
[AD-A164822] p 540 N86-26280
- STONE, R. H.**  
Flight service evaluation of advanced composite ailerons on the L-1011 transport aircraft  
[NASA-CR-177960] p 184 N86-14317
- STONEMAN, S. A. T.**  
Excitation of blade vibration by flow induced acoustic resonances in axial-flow compressors  
p 303 A86-24712
- STOPPEL, J.**  
Structural dynamic aspects of rotor antiresonant isolation  
p 353 A86-27663  
Structural dynamic aspects of rotor nodal isolation  
p 434 A86-33267  
Structural dynamic aspects of rotor nodal isolation  
p 715 N86-30665
- STOUGH, H. P., III**  
Development of spin resistance criteria for light general aviation airplanes  
[AIAA PAPER 86-9812] p 443 A86-32139  
Leading-edge design for improved spin resistance of wings incorporating conventional and advanced airfoils  
[SAE PAPER 851816] p 578 A86-38325
- STOUT, L. J.**  
Use of differential leading edge flaps for lateral control at high angle of attack  
[AIAA PAPER 86-0168] p 238 A86-19729
- STOVER, B.**  
Cockpit communication and aircraft safety - An empirical study  
[SAE PAPER 851858] p 482 A86-35451
- STOWERS, M. K.**  
Operational experience of U.S. Air Force with structural composites  
[AIAA PAPER 86-0946] p 583 A86-38840
- STOYANOVA, T. V.**  
Apparatus for the preparation of air  
[AD-A165603] p 673 N86-28266
- STRACK, W. C.**  
Aeropropulsion opportunities for the 21st century  
[NASA-TM-88817] p 619 N86-31585
- STRAETER, B.**  
The IA 63 trainer  
p 428 A86-32075
- STRANDE, S. M.**  
A theoretical basis for extending surface-paneling methods to transonic flow  
p 142 A86-17131
- STRAPP, J. W.**  
Icing wind tunnel tests on the CSIRO liquid water probe  
p 102 A86-14220
- STRASH, D.**  
Investigation to advance prediction techniques of the low-speed aerodynamics of V/STOL aircraft  
[NASA-CR-166479] p 416 N86-23568
- STRASH, D. J.**  
Application of CFD design technology in development of the JXV engine inlet  
p 502 A86-35612
- STRAUB, F.**  
Implementation and verification of a comprehensive helicopter coupled rotor - Fuselage analysis  
p 799 A86-48667
- STRAUB, F. K.**  
The use of active controls to augment rotor/fuselage stability  
p 176 N86-15281
- STRAUB, H. H.**  
An engineering simulation of the Boeing 747 primary flight control systems  
[AIAA PAPER 86-0494] p 239 A86-19905
- STRAWN, R. C.**  
Numerical modeling of rotor flows with a conservative form of the full-potential equations  
[AIAA PAPER 86-0079] p 198 A86-19676
- STRAZISAR, A. J.**  
Laser fringe anemometry for aero engine components  
[NASA-TM-88798] p 629 N86-28053
- STRELIN, A. V.**  
Allowance for initial conditions in static and dynamic calculations of structures by the finite element method  
p 119 A86-13419
- STRGANAC, T. W.**  
Application of the unsteady vortex-lattice method to the nonlinear two-degree-of-freedom aeroelastic equations  
[AIAA PAPER 86-0867] p 585 A86-38902
- STRIBLING, C. B.**  
BASIC aerodynamics  
p 336 A86-26474
- STRICKLAND, J. H.**  
An experimental investigation of an airfoil pitching at moderate to high rates to large angles of attack  
[AIAA PAPER 86-0008] p 198 A86-19631  
Dynamic stall inception correlation for airfoils undergoing constant pitch rate motions  
p 411 A86-32978
- STRINGER, P. G.**  
Pilot error accidents - A total system approach to analysis  
p 481 A86-33799
- STRIZ, A. G.**  
Optimization of tip store modeling  
[AD-A162119] p 417 N86-23571
- STROM, R. L.**  
Pilot's Associate - What should it do?  
[SAE PAPER 851890] p 539 A86-38356
- STRONG, J. J.**  
Microwave Landing System (MLS)  
p 346 A86-26444
- STRONG, J. T., JR.**  
F-14 re-engining with the F110 engine  
[ASME PAPER 85-GT-184] p 224 A86-22098
- STROUB, R. H.**  
Free-tip-rotor wind-tunnel test results  
p 491 A86-35628  
Wind tunnel test of a model rotor with a free-tip  
[AIAA PAPER 86-1781] p 577 A86-37813
- STROUT, F. G.**  
Evaluation of a correction for sound propagation through free-jet shear layers  
p 193 A86-17783  
Acoustic evaluation of the German-Dutch Wind Tunnel (DNW) shear layer correction using a model jet  
[DNW-TR-82-04] p 242 N86-16237
- STRULL, G.**  
The impact of very high performance integrated circuits on avionics system readiness  
p 674 N86-28373

## STRUMINSKII, V. V.

- Aerodynamics of swept wings with medium and small aspect ratios. II p 272 A86-23948  
Aerodynamics and molecular gas dynamics p 414 A86-33480

## STRUNIN, M. A.

- A system for introducing mutual corrections into the airborne temperature and air-speed meters p 738 A86-45208

## STRYGIN, V. Z.

- Methods for minimizing Boolean functions in the automation of experimental studies of the survivability of aircraft structures p 853 A86-48760

## STUART, A. R.

- Propulsion for advanced commercial transports [AIAA PAPER 85-3061] p 173 A86-17829

## STUART, M.

- Experimental study of apex fences for lift enhancement on a highly swept delta wing configuration [AD-A163877] p 512 N86-24705

## STUBBS, D.

- Automatic eddy current inspection of antirotation windows in F100 engine compressor air seals p 669 A86-41581  
Automatic eddy current hole centering for aircraft engine components p 670 A86-41582

## STUBBS, S. M.

- Aircraft Landing Dynamics Facility - A unique facility with new capabilities [SAE PAPER 851938] p 598 A86-38371  
The generation of tire cornering forces in aircraft with a free-swiveling nose gear [SAE PAPER 851939] p 581 A86-38372  
Technique for measuring side forces on a banked aircraft with a free-swiveling nose gear [NASA-TM-87719] p 743 N86-30233

## STUBBS, W.

- A quiet STOLport? Convincing the public p 482 A86-31963

## STUDENIKIN, V. A.

- Practical diagnostics of aircraft gas turbines p 502 A86-35472

## STUDER, F. A.

- Radar data processing. Volume 2 - Advanced topics and applications p 605 A86-38224

## STUMPF, P.

- Evaluation of the effects of a plastic bead paint removal process on properties of aircraft structural materials [AD-A165289] p 603 N86-26384

## STURGEON, G. J.

- Design of combustor cooling slots for high film effectiveness. I - Film general development [ASME PAPER 85-GT-35] p 234 A86-22024  
Design of combustor cooling slots for high film effectiveness. II - Film initial region [ASME PAPER 85-GT-36] p 234 A86-22025

## STURMER, S. R.

- Pitch rate sensitivity criterion for category C flight phases - Class IV aircraft [AIAA PAPER 86-2201] p 823 A86-47481

## STURZA, M. A.

- Commercial aviation GPS Navigation Set flight test results p 346 A86-26507

## STUTZ, J. C.

- A knowledge-based expert system for scheduling of airborne astronomical observations p 854 A86-49627

## SU, C. C.

- Heat transfer characteristics within an array of impinging jets. Effects of crossflow temperature relative to jet temperature [NASA-CR-3936] p 190 N86-15825

## SU, R.

- Nonlinear control of aircraft [NASA-TM-89225] p 655 N86-28958  
A canonical form for nonlinear systems [NASA-CR-176974] p 748 N86-30371

## SU, X.

- A simplified residual stress model for predicting fatigue crack growth behavior at coldworked fastener holes p 662 A86-40575

## SUBRAHMANYAM, K. B.

- Vibration analysis of rotating turbomachinery blades by an improved finite difference method p 106 A86-14338

## SUBRAMANIAN, K.

- Ultrasonic f-scan inspection of composite materials [AD-A159974] p 314 N86-18451

## SUDAKOV, G. G.

- An analysis of separated flow of an ideal fluid past a finite-aspect-ratio mechanized wing p 80 A86-13395  
Effect of cantilever sweep on the aerodynamic characteristics of a wing with a projection in separated flow p 768 A86-48779

## SUDANI, N.

- Configuration and trajectory of hypersonic transport with aerothermodynamic control p 804 A86-49124

## SUDDHOO, A.

- Test cases for the plane potential flow past multi-element aerofoils p 275 A86-25670

## SUGAMA, T.

- Furfuryl alcohol polymer concretes for use in all-weather repairs of concrete and asphalt surfaces [DE85-014825] p 184 N86-14391

## SUGAVANAM, A.

- Evaluation of low Reynolds number turbulence models for attached and separated flows p 121 A86-14539  
Recent developments in three-dimensional wake analysis p 156 N86-15273

## SUGIURA, I.

- An interpretation of airplane general motion and control as inverse problem p 443 A86-31661  
Airplane landing behaviors controlled by man-pilots p 835 A86-49244

## SUIKAT, R.

- Preliminary control law and hardware designs for a ride quality augmentation system for commuter aircraft. Phase 2 [NASA-CR-4014] p 836 N86-32440

## SUIT, W. T.

- Lateral and longitudinal aerodynamic stability and control parameters of the basic vortex flap research aircraft as determined from flight test data [NASA-TM-87711] p 512 N86-24703

## SUZU, R. I.

- Adaptive field of view expansion via multiple model filtering for tracking dynamic target images p 359 A86-28371

## SUKHANOV, V. L.

- Self-oscillatory regimes of aircraft motion during spin-roll coupling p 832 A86-48775

## SULC, J.

- Pressure fluctuations on the external surface of an aircraft p 271 A86-23780

## SULINSKI, R.

- Flight Data Analysis and Storage System (FASS) p 170 A86-18407

## SULLIVAN, B. M.

- A new version of the helicopter aural detection program, ICHIN [NASA-TM-87745] p 756 N86-30471

## SULLIVAN, J. P.

- An experimental investigation of propeller wakes using a laser Doppler velocimeter [AIAA PAPER 86-0080] p 232 A86-19677  
Unsteady forces on counter-rotating propeller blades [AIAA PAPER 86-1804] p 590 A86-37827

## SULLIVAN, P. J.

- Aerial refueling evaluation of the CH-47D helicopter [AD-A167575] p 808 N86-31574

## SUMANTRAN, V.

- Stability and control of VTOL capable airships in hovering flight p 109 A86-14236  
Aspect ratio effects on the aerodynamics of a Wortmann airfoil at low Reynolds number p 137 A86-16313  
Acoustic and turbulence influence on low-Reynolds number wing pressure distributions p 139 A86-16323  
Acoustic and turbulence influences on stall hysteresis [AIAA PAPER 86-0170] p 200 A86-19731

## SUMMERLIN, M.

- Fiber optic aircraft systems electromagnetic pulse (EMP) survivability p 103 A86-15342

## SUMMERS, P. I.

- Cockpits for 2010 and beyond p 427 A86-31849

## SUN, A.

- Acta aeronautica et astronautica sinica (selected articles) [AD-A158454] p 135 N86-14216

## SUN, C.-T.

- Failure analysis of composite angle structures p 667 A86-40353

## SUN, D.

- Improvement of servo systems for flight simulator p 706 A86-43487

## SUN, X.

- The dynamic response of a variable sweep aircraft in the course of changing geometry [AIAA PAPER 86-2234] p 829 A86-47694

## SUN, Z.

- Acoustic and turbulence influence on low-Reynolds number wing pressure distributions p 139 A86-16323

## SUNAKAWA, M.

- Aeroelastic tailoring study in aircraft design p 383 A86-27741

## SUNDAR, R. M.

- An experimental investigation of propeller wakes using a laser Doppler velocimeter [AIAA PAPER 86-0080] p 232 A86-19677

- An experimental investigation of propeller wakes using a laser Doppler velocimeter p 277 N86-19283

## SUNDARA-RAJAN, A.

- Analysis of airborne Doppler lidar, Doppler radar and tall tower measurements of atmospheric flows in quiescent and stormy weather [NASA-CR-3960] p 462 N86-23159

## SUNDARAMURTHY, H.

- A computer programme for DATCOM methods of estimation of lateral stability and control derivatives [NAL-TM-AE-8601] p 596 N86-27289

## SUNDARARAJAN, V.

- Flat rating concept introduced in the GTX engine p 304 A86-26071

## SUNDBURG, G. R.

- Programmable, automated transistor test system [NASA-TP-2554] p 389 N86-21755

## SUNDER, R.

- Unified approach for modelling fatigue crack growth and some observations on behaviour under flight simulation loading p 453 A86-29954

- Fatigue crack growth in patched plates under constant amplitude and flight simulation loadings p 454 A86-30092

- Fatigue crack propagation under spectrum loading [NAL-TM-MT-8502] p 322 N86-19656

## SUNG, B.

- Analysis of the vortical flow around a 60 degree delta wing with vortex flap p 774 A86-49050

## SUPONKO, K. L.

- Effects of vibration-induced cavitation of physicochemical characteristics of aircraft fuel p 184 N86-15346

## SURENDER, S.

- Design considerations for Doppler VOR ground station antenna arrangement p 349 A86-28360

## SUSINI, C.

- Remote sensing of oil on sea: Lidar and passive IR experiments p 320 N86-18370

## SUSLIKOV, V. I.

- The damping capacity of layered materials p 374 A86-27084

## SUVERNEY, V. G.

- Calculation of structural elements of aircraft: Sandwich plates and shells p 458 A86-33292

## SVANE, C.

- Noise emission from jet aircraft during take-off roll with respect to noise exposure calculations p 467 A86-31957

## SVEDA, J.

- The use of analytical methods to assess aircraft maneuverability p 305 A86-23771

## SVIATODUKH, V. K.

- Method for calculating the equilibrium spin of an aircraft p 109 A86-13435

## SVOBODA, B.

- An aircraft maintenance and repair strategy using a test and diagnostic system p 133 A86-16855

## SWAIN, R. L.

- Classical flight dynamics of a variable forward-sweep-wing aircraft p 594 A86-39043

## SWALES, M. R.

- Helicopter manoeuvre stability - A new twist p 307 A86-26160

## SWAMINATHAN, V.

- Numerical solution of the supersonic laminar flow over a two-dimensional compression corner using an implicit approach p 690 A86-45054

## SWAN, J.

- A design approach to a performance seeking control [AIAA PAPER 86-1674] p 652 A86-42785

## SWANSON, E. E.

- Effect of emerging technology on a convertible, business/interceptor, supersonic-cruise jet [NASA-CR-178097] p 587 N86-27278

## SWANSON, G. A.

- Life prediction and constitutive models for engine hot section anisotropic materials program [NASA-CR-174952] p 526 N86-25003

## SWANSON, R. C.

- Pseudo-time algorithms for the Navier-Stokes equations [NASA-CR-178127] p 694 N86-29776

## SWEARINGEN, G. W.

- GPS aided inertial navigation p 351 A86-29300

## SWEENEY, H. J.

- Some microphysical processes affecting aircraft icing [AD-A160375] p 325 N86-18921

## SWEETMAN, B.

- Stealth p 134 A86-17434

- Su-27 - Sukhoi plays its flanker p 427 A86-31344

- Aerospace planes and trans-atmospheric vehicles - Recent US studies revive dormant technologies p 449 A86-31348

- Fighter power for the 1990s p 816 A86-48369

- SWENSON, H. N.**  
Simulation evaluation of display/FLIR concepts for low-altitude, terrain-following helicopter operations [NASA-TM-86779] p 789 N86-31551
- SWIERSTRA, S.**  
A simulation facility for assessing the next generation of 4-D air traffic control procedures p 788 A86-49034
- SWIFT, R. N.**  
Elimination of directional wave spectrum contamination from noise in elevation measurements p 641 A86-40854
- SWIFT, T.**  
The influence of slow growth and net section yielding on the residual strength of stiffened structure p 737 A86-43793
- SWIHART, J. M.**  
Which transport technologies will fly? p 621 A86-41037
- SWORTZEL, F. R.**  
Automation and integration on AFTI/F-16 [AIAA PAPER 85-3089] p 103 A86-14433
- SYKES, M.**  
Light helicopter family trade-off analysis. Volume 8: Appendices S and T [AD-A158077] p 169 N86-15308
- SYKORA, R.**  
In situ methods for crack detection in the master connecting rods of M 462 RF aircraft engines p 316 A86-23755
- SYLER, R. P.**  
Airborne intruder detection considerations [DE86-006462] p 808 N86-31576
- SZABO, Z.**  
Load examination of vehicle-body of reinforced cylindrical shell in case of kinematic load p 649 A86-49128
- SZCZECINSKI, S.**  
Influence of turbine-engine design on flight safety p 720 A86-43939
- SZEMA, K.-Y.**  
Validation of a full potential method for combined yaw and angle of attack [AIAA PAPER 86-1834] p 779 A86-49591
- SZETELA, E. J.**  
Long term deposit formation in aviation turbine fuel at elevated temperature [AIAA PAPER 86-0525] p 243 A86-19929  
Fuel deposit characteristics at low velocity [ASME PAPER 85-IGT-130] p 313 A86-23922
- SZODRUCH, J.**  
Integrated wing engine system (IFAS), phase 2 [BMFT-FB-W-85-008] p 151 N86-14257  
Wind tunnel technology for the development of future commercial aircraft [NASA-TM-88390] p 514 N86-24710
- SZUCH, J. R.**  
Control technology for future aircraft propulsion systems [PAPER-14] p 506 N86-25356
- SZUMANSKI, K.**  
The dynamics of limiting helicopter maneuvers at a very low altitude p 724 A86-45748
- T**
- TABAKOFF, W.**  
Turbomachinery performance deterioration; Proceedings of the Fourth Joint Fluid Mechanics, Plasma Dynamics, and Lasers Conference, Atlanta, GA, May 12-14, 1986 p 642 A86-40726  
Compressor erosion and performance deterioration p 643 A86-40727  
Study of single stage axial flow compressor performance deterioration p 643 A86-40735  
Particulate flow solutions through centrifugal impeller with two splitters [ASME PAPER 86-GT-130] p 765 A86-48188
- TADA, A.**  
An analysis of the limit cycle observed in the functional mockup test of the NAL GSTOL research aircraft [NAL-TR-893] p 587 N86-27277
- TAGLARINE, T.**  
Unusual aerodynamics of X-29 p 426 A86-31332
- TAI, H.**  
Lifting surface theory for a helicopter rotor in forward flight p 158 N86-15287  
Compressible, unsteady lifting-surface theory for a helicopter rotor in forward flight [NASA-TP-2503] p 277 N86-18289
- TAINT, M. H.**  
A case study in simulation vs. stimulation - The B-1 weapon system trainer p 398 A86-28456
- TAKAHASHI, M.**  
Design of a flutter mode controller using positive real feedback p 594 A86-39041
- TAKAHASHI, T.**  
Development of 'CADEGA' CAD system for aero engine design p 645 A86-42425
- TAKAKI, J.**  
Aeroelastic tailoring study in aircraft design p 383 A86-27741
- TAKAKI, R.**  
Recombination of vortex filaments and its role in aerodynamic noise p 408 A86-30213
- TAKAMI, H.**  
Computation of dynamic stall of NACA0012 airfoil by block pentadiagonal matrix scheme [AIAA PAPER 86-0116] p 199 A86-19687
- TAKANASHI, S.**  
A numerical solution of the transonic integral equation and its application to three-dimensional transonic wing design p 226 N86-17298  
A wing design based on the three-dimensional transonic inverse method and the comparison with the wind tunnel testing data p 226 N86-17299
- TAKANO, J.**  
Development of 'CADEGA' CAD system for aero engine design p 645 A86-42425
- TAKEDA, K.**  
Aerodynamics of an advanced propeller design under takeoff and landing conditions p 284 A86-23190
- TAKEKOSHI, A.**  
Development and flight testing of the T-2 control configured vehicle [AIAA PAPER 86-9783] p 429 A86-32101
- TALANTOV, A. V.**  
Emission characteristics of a section of the combustion chamber of a gas-turbine engine with various modifications of the burners p 300 A86-23670
- TALBOT, A. F.**  
Turbine fuels from tar sands bitumen and heavy oil. Phase 1: Preliminary process analysis [AD-A161300] p 452 N86-22724
- TALBOT, P. D.**  
Flight test planning and parameter extraction for rotorcraft system identification [AIAA PAPER 86-9772] p 430 A86-32107  
Real-time simulator for helicopter rotor wind-tunnel operations p 596 A86-37179  
Helicopter rotor and engine sizing for preliminary performance estimation [AIAA PAPER 86-1756] p 638 A86-42829
- TALMADGE, R. D.**  
Mobile Experimental Laboratory (MEL) [AIAA PAPER 86-9801] p 465 A86-32130  
Digital data acquisition system for modal testing p 731 A86-47093  
An intelligent amplifier and its application to modal testing p 719 A86-47106
- TAM, C. K. W.**  
Weakly nonlinear acoustic and shock-wave theory of the noise of advanced high-speed turbopropellers p 534 A86-35146  
The near and far acoustic fields of broadband shock associated noise [AIAA PAPER 86-1943] p 751 A86-45430  
High speed flight effects on shock associated noise [AIAA PAPER 86-1944] p 751 A86-45431  
An experimental and theoretical investigation of the propagation of sound waves through a turbulent boundary layer [AIAA PAPER 86-1968] p 753 A86-45451  
On the screech tones of supersonic rectangular jets [AIAA PAPER 86-1866] p 754 A86-45486
- TAMAKI, T.**  
Computation of two-dimensional transonic cascade flow using a new Navier-Stokes solver [AIAA PAPER 86-1381] p 624 A86-42605
- TAMBOVTSSEV, V. I.**  
Longitudinal potential distribution in a jet of an ionized gas p 331 A86-23674
- TAMBUSSI, B.**  
High-temperature composite ducts [SME PAPER MF85-501] p 319 A86-24863
- TAN, A.**  
Measurements of fluctuations of surface heat transfer rate in the interacting region of oblique shock wave and turbulent boundary layer p 688 A86-43512  
Fluctuations of wall pressure in the interacting region of oblique shock wave and turbulent boundary layer p 688 A86-43514
- TAN, C. H.**  
Lifting-line solution for a symmetrical thin wing in ground effect p 689 A86-44874
- TANAKA, K.**  
Comparison of computational results of a few representative three-dimensional transonic potential flow analysis programs [NASA-TM-77983] p 341 N86-21509
- TANCK, C. L.**  
Influence of EFCS-control laws on structural design of modern transport aircraft p 800 A86-48984
- TANEDA, M.**  
Optimum design technique for rotating wheels [ASME PAPER 86-GT-255] p 846 A86-48281
- TANG, D. M.**  
Influence of nonlinear blade damping on helicopter ground resonance instability p 283 A86-23185  
Nonlinear dynamics of a helicopter model in ground resonance p 177 N86-15284
- TANG, R.**  
Development in PM HHDH-Ti6Al4V technology for aircraft application p 375 A86-27224
- TANG, W.**  
Viscous flow results for the vortex-airfoil interaction problem [AIAA PAPER 85-4053] p 83 A86-14451
- TANG, Y. M.**  
Missile guidance based on Kalman filter estimation of target maneuver p 102 A86-12683
- TANGUY, J. S.**  
Interface of the transport systems research vehicle monochrome display system to the digital autonomous terminal access communication data bus [NASA-TM-87728] p 656 N86-28961
- TANIDA, Y.**  
Transonic internal flow about an airfoil oscillating in pitch: Comparisons between computation and experiment p 209 N86-17278
- TANNA, H. K.**  
Tone excited jets. I - Introduction p 193 A86-16466
- TANNEHILL, J. C.**  
Numerical computation of viscous flow around bodies and wings moving at supersonic speeds [NASA-CR-176903] p 693 N86-29772
- TANNER, A. E.**  
Tilt rotor crashworthiness p 493 A86-35661
- TANNER, D.**  
Aramid fiber composites for general engineering p 517 A86-37137
- TANNER, J. A.**  
Aircraft Landing Dynamics Facility - A unique facility with new capabilities [SAE PAPER 851938] p 598 A86-38371  
Topics in landing gear dynamics research at NASA Langley p 803 A86-49120  
Technique for measuring side forces on a banked aircraft with a free-swiveling nose gear [NASA-TM-87719] p 743 N86-30233
- TARMANN, R.**  
Recycling of titanium scrap for the production of high-duty aerospace components p 382 A86-27211
- TASK, H. L.**  
Glide slope indicator system [AD-D012077] p 424 N86-23580  
Portable glide slope indicator [AD-D012240] p 789 N86-31552
- TATRO, J. S.**  
An integrated display for vertical and translational flight  
Eight factors affecting pilot performance p 529 A86-36175
- TATSUMI, S.**  
A wing design based on the three-dimensional transonic inverse method and the comparison with the wind tunnel testing data p 226 N86-17299
- TATTELMANN, P.**  
Profiles of temperature and density based on extremes at 5, 10, 20, 30 and 40 km p 616 N86-27727
- TAUBER, M. E.**  
Computation of transonic flow about helicopter rotor blades p 554 A86-39053
- TAUBER, T.**  
The relationship of ultrafine filtration and oil debris monitoring for helicopter propulsion systems p 305 A86-26154
- TAUSANOVIC, M.**  
Noise of the general aviation airplanes influence on environment of the airclub, airfields and on crews p 461 A86-31955
- TAVARES, E.**  
Aerobatic testing of the BK-117 helicopter p 710 A86-44950  
Preliminary airworthiness evaluation of the AH-1S (modernized cobra) with the Hellfire, TOW, and Stinger missiles installed [AD-A160862] p 294 N86-18322
- TAVARES, E. J.**  
Limited Airworthiness and Flight Characteristics (A and FC) test of the quick fix configuration [AD-A157716] p 101 N86-13323
- TAVARES, T. S.**  
A supersonic fan equipped variable cycle engine for a Mach 2.7 supersonic transport [NASA-CR-177141] p 650 N86-28946



- TAVELLA, D.**  
Influence of wing tip configuration on lateral blowing efficiency [AIAA PAPER 86-0475] p 206 A86-22702  
Analytical observations on the aerodynamics of a delta wing with leading edge flaps [AIAA PAPER 86-1790] p 543 A86-37820  
Flow structure of lateral wing-tip blowing [AIAA PAPER 86-1810] p 544 A86-37831  
Analytical observations on the aerodynamics of a delta wing with leading edge flaps [NASA-CR-177022] p 630 N86-28913  
Measurements on wing-tip blowing [NASA-CR-176930] p 632 N86-28922  
A theory for lateral wing-tip blowing [NASA-CR-176931] p 632 N86-28923
- TAVELLA, D. A.**  
Analysis of interacting dual lifting ejector systems [AIAA PAPER 86-0478] p 233 A86-19895  
Aerodynamics of delta wings with leading edge blowing [AIAA PAPER 86-2230] p 764 A86-47691  
The lift of sharp-leading-edged delta wings with blowing [NASA-CR-176967] p 631 N86-28915
- TAYLOR, A. H.**  
Development of a reusable, flight-weight cryogenic foam insulation system [AIAA PAPER 86-1189] p 658 A86-40612
- TAYLOR, F. R.**  
Investigation of hazards of helicopter operations and root causes of helicopter accidents [FAA/PM-86/28] p 700 N86-29796
- TAYLOR, H. L.**  
Instructor station for the ILLIMAC general aviation instrument training simulator p 371 A86-28462
- TAYLOR, J. A.**  
An investigation of TNAV equipped aircraft in a simulated en route metering environment [NASA-CR-178031] p 641 N86-28940
- TAYLOR, J. H.**  
An expert system for integrated aircraft/engine controls design p 355 A86-28405  
F-5E departure warning system algorithm development and validation [AIAA PAPER 86-2284] p 830 A86-47702
- TAYLOR, J. R.**  
Altitude ignition/lean deceleration study [AIAA PAPER 86-1530] p 646 A86-42694
- TAYLOR, J. W. R.**  
Soviet attack helicopters p 712 A86-46005
- TAYLOR, M.**  
Development and evaluation of a microburst test apparatus for use as a minimum destructive test for parachute material [AD-A158110] p 123 N86-12620
- TAYLOR, R. G.**  
Limitations of manual NDT systems and the no eyes concept [PNR-90291] p 459 N86-22985  
Limitations of manual NDT systems and the No Eyes concept p 506 N86-25365
- TAYLOR, R. M.**  
Colour design in aviation cartography p 358 A86-28066
- TAYLOR, R. P.**  
Using Derivative engine technology to achieve maturity goals [AIAA PAPER 86-1752] p 649 A86-42826
- TAYLOR, R. W.**  
Extended range operation of twin-engine commercial airplanes [SAE PAPER 851959] p 490 A86-35455
- TEAL, R. S.**  
Higher harmonic control - Wind tunnel demonstration of fully effective vibratory hub force suppression p 509 A86-35602
- TEICHGRAEBER, R. D.**  
General dynamics simulation and artificial intelligence integration [AIAA PAPER 85-4048] p 192 A86-17830
- TELEKI, A.**  
BK 117 flight tests for certification of an expanded flight envelope [MBB-UD-452-85-OE] p 805 A86-50253
- TELIONIS, D. P.**  
The response of airfoils to periodic disturbances - The unsteady Kutta condition [AIAA PAPER 84-0050] p 270 A86-23126
- TENHAVE, A. A.**  
Standardized fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation. Part 2: Final definition of Helix and Felix [LBF-FB-167] p 436 N86-23585  
TURBISTAN: A standard load sequence for aircraft engine discs p 526 N86-25380
- TURBISTAN: A standard load sequence for aircraft engine discs** [NLR-MP-85033-U] p 820 N86-32436
- TENHAVEN, J. M.**  
Fuel saving by optimal integration of on-board avionics and air traffic control [NLR-MP-84035-U] p 159 N86-14283
- TENLY, W. Y.**  
Pressure measurements in a liquid-filled cylinder using a three-degree-of-freedom flight simulator [AIAA PAPER 86-2026] p 827 A86-47860
- TEODORESCU, B.**  
Preliminary design of low authority SAS. I p 510 A86-36772  
Preliminary design of low authority SAS. II p 724 A86-45058
- TEOH, W.**  
Robotic nondestructive inspection of aerospace structures p 668 A86-40509  
An Orbital Maneuvering Vehicle simulator p 658 A86-40515
- TEPERIN, L. L.**  
Selecting the shape of the middle surface of the pylons and the mounting angles of single nacelles under the wing of subsonic aircraft p 800 A86-48767
- TER HASEBORG, J. L.**  
Special protection circuits against transient currents for aircraft systems p 791 A86-47326
- TEREBUSHKO, O. I.**  
The effect of changes in the static strength of a structure during service on the reliability of aircraft p 384 A86-28322
- TERENTEV, S. A.**  
Locally optimal control in systems with delay p 510 A86-35984
- TERESHCHUK, V. S.**  
Layout of electrical equipment on an aircraft with allowance for equipment size constraints in the framework of computer-aided design p 639 A86-43389
- TESCHE, F. M.**  
Analysis of direct and nearby lightning strike data for aircraft [NASA-CR-172127] p 617 N86-27855
- TESSITORE, F.**  
Evaluation of methods for predicting complex aircraft flowfields [AIAA PAPER 86-0396] p 201 A86-19855
- TETHER, D. E.**  
Automated Electromagnetic Compatibility (EMC) testing of Naval aircraft and integrated avionics p 284 A86-23254
- THACKER, T. H.**  
Use of state estimation to calculate angle-of-attack position error from flight test data [AD-A163962] p 480 N86-24670
- THAKKER, A. B.**  
Fracture mechanics of multiple crack initiations. An application for fracture mechanics analysis of gas turbine engine disks [AD-A162998] p 442 N86-23601
- THART, W. G. J.**  
Engineering property comparisons for 2324-T39 and 2024-T351 aluminum alloy plate [NLR-TR-84021-U] p 603 N86-26429
- THIBERT, J. J.**  
Evaluation and reduction of drag [AAAF PAPER NT 85-01] p 766 A86-48452
- THIELE, TH.**  
Lightning stroke tests at the CFRP horizontal stabilizer of alpha jet p 792 A86-47331
- THODE, W. F.**  
Development of a computer-managed readiness assessment system [AD-A162931] p 463 N86-24215
- THOMAS, A. S.**  
Aircraft drag reduction technology: A summary p 155 N86-15267
- THOMAS, A. S. W.**  
Aircraft viscous drag reduction technology p 204 A86-20124
- THOMAS, D.**  
Flight testing a transsonic wing with maneuver flaps and a direct side force control system for CAS aircraft p 794 A86-47782
- THOMAS, E.**  
Computationally simple adaptive tracking filters based on weighted averages p 457 A86-32642
- THOMAS, J.**  
A feasibility study for the use of electronic flight strips in Air Traffic Control (ATC) controller workstations [ESA-TT-928] p 789 N86-31558
- THOMAS, J. L.**  
Navier-Stokes computations of lee-side flows over delta wings [AIAA PAPER 86-1049] p 548 A86-38420
- Far-field boundary conditions for transonic lifting solutions to the Euler equations p 689 A86-44855  
Computation of leading-edge vortex flows p 558 N86-27205
- THOMAS, J. M.**  
Stress intensity factor in an integral or bonded stiffened panel using an analytical method [SNIAS-861-111-104] p 676 N86-28481
- THOMAS, M. E.**  
Statistical analysis of direct-strike lightning data (1980 to 1982) [NASA-TP-2252] p 463 N86-24090  
The 1982 direct strike lightning data [NASA-TM-84626] p 463 N86-24091
- THOMAS, M. P.**  
Deformation and fracture in Al-Li base alloys p 661 A86-40312
- THOMAS, P. D.**  
Numerical generation of 3D curvilinear coordinate systems and computational grids for aircraft configurations [AD-A162249] p 462 N86-23997
- THOMAS, S. D.**  
Computational aspects of zonal algorithms for solving the compressible Navier-Stokes equations in three dimensions [NASA-TM-86774] p 88 N86-13296  
A consistent spatial differencing scheme for the transonic full-potential equation in three dimensions [NASA-TM-86716] p 152 N86-15246  
Transonic Navier-Stokes wing solution using a zonal approach. Part 1: Solution methodology and code validation [NASA-TM-88248-PT-1] p 692 N86-29765
- THOMAS, W. A.**  
A dual channel high speed fiber optics multiplex data bus system p 386 A86-28344
- THOMPSON, A. E.**  
Development of a composite tail rotor blade for the MH-53E p 493 A86-35649
- THOMPSON, C. W.**  
Using a menu-based natural language interface to ask spatial database queries p 259 A86-20665
- THOMPSON, D.**  
Automated structural optimisation at Warton p 854 A86-48987  
Development and validation of the crew-station system-integration research facility [NASA-TM-86841] p 622 N86-28051
- THOMPSON, D. H.**  
A visualisation study of the vortex flow around double-delta wings [ARL-AERO-R-165] p 340 N86-20362
- THOMPSON, E. R.**  
Laminar boundary layer stability experiments on a cone at Mach 8. IV - On unit Reynolds number and environmental effects [AIAA PAPER 86-1087] p 550 A86-38449
- THOMPSON, H. D.**  
An analytical investigation of the effects of swirl design on the performance of annular propulsive nozzles [AIAA PAPER 86-0587] p 233 A86-19965
- THOMPSON, J.**  
Next generation aircraft structures - The need for co-ordinated Canadian R & D programs p 539 A86-39567
- THOMPSON, J. F.**  
An analysis of elliptic grid generation techniques using an implicit Euler solver [AIAA PAPER 86-1766] p 542 A86-37804
- THOMPSON, J. L.**  
Local flow management/profile descent algorithm. Fuel-efficient, time-controlled profiles for the NASA TSRV airplane [NASA-CR-172593] p 636 N86-28074  
Design requirements and development of an airborne descent path definition algorithm for time navigation [NASA-CR-178037] p 641 N86-28939
- THOMPSON, K.**  
Lockheed-Georgia and electric primary flight control systems p 368 A86-28396
- THOMPSON, P. A.**  
Tests on a new dynamically scaled model rotor in the RAE 24 ft Wind Tunnel p 292 A86-26182
- THOMPSON, Q. E.**  
Formulating advanced 4 centistoke gas turbine oils - A feasibility study [SAE PAPER 851833] p 601 A86-38531
- THOMPSON, R. H.**  
Real-time telemetered inertial guidance (TMIG) evaluation [AIAA PAPER 86-9795] p 449 A86-32124
- THOMPSON, R. L.**  
Unified constitutive materials model development and evaluation for high-temperature structural analysis applications p 849 A86-49133

- THOMPSON, T. L.**  
Velocity measurements in the near field of a rotor blade in hover  
[AIAA PAPER 85-5013] p 84 A86-14457
- THOMPSON, W. L.**  
Airport surface navigation and traffic control  
p 635 A86-40227
- THOMSEN, F.**  
A radar analysis program for evaluating and monitoring primary and secondary radar systems  
p 423 A86-32601
- THOMSON, R. G.**  
Structural dynamics research in a full-scale transport aircraft crash test  
p 785 A86-49053
- THORBECK, J.**  
A computer-augmented procedure for commercial aircraft configuration development and optimization  
p 637 A86-40114
- THORKILDSON, R. J.**  
Thin film electroluminescent (TFEL) display optimized for cockpit applications  
p 456 A86-32321
- THORNTON, B. S.**  
Proposed control of compressor stall by pressure perturbation and blade design  
p 816 A86-48064
- THORNTON, P. H.**  
Fiber-reinforced plastic composites for energy absorption purposes  
p 312 A86-23823
- THORNTON, S. J.**  
An overview of USAF engine diagnostic systems  
[AIAA PAPER 86-1679] p 649 A86-42790
- THRALL, E. W.**  
Environmental durability testing  
p 845 A86-47719  
Structural analysis of adhesive-bonded joints  
p 846 A86-47722
- THUE, K. S.**  
A cost-effective performance development of the PT8A-85 turboprop compressor  
[ASME PAPER 85-IGT-41] p 301 A86-23853
- TIAN, S.**  
Investigation of vortex patterns on slender bodies at high angles of attack  
p 410 A86-32784
- TICHOPAD, V.**  
Flight-mechanics problems solvable by a research flight simulator  
p 308 A86-23773
- TIEBER, J. A.**  
The state of the art of anthropomorphic manikins and requirements for the evaluation of advanced aircraft ejection systems  
p 262 A86-19345
- TIERNEY, J.**  
Operational acceptability of 2.4 kbps speech for tactical communications  
p 424 A86-32823
- TIERNEY, S. C.**  
Inflight excitation of the F-16XL  
[AIAA PAPER 86-9782] p 430 A86-32116
- TIFFANY, S. H.**  
Development of a flutter suppression control law by use of Linear Quadratic Gaussian and constrained optimization design techniques  
p 444 A86-33248  
Development of a flutter suppression control law by use of linear quadratic Gaussian and constrained optimization design techniques  
p 728 A86-30647
- TIMASHEV, S. A.**  
Reliability of the plates and shells of aircraft  
p 384 A86-28314
- TIMEBULATOV, A. M.**  
An analysis of flow of a nonviscous incompressible fluid past a wing of finite thickness in the presence of a screen  
p 770 A86-48841
- TIMM, R.**  
Sound excitation during vortex-airfoil interaction  
[MPIS-MITT-80] p 266 A86-18130  
Unsteady vortex airfoil interaction  
p 562 A86-27240
- TINOCO, E. N.**  
PAN AIR analysis of a transport high-lift configuration  
[AIAA PAPER 86-1811] p 544 A86-37832
- TIPPETTS, T. B.**  
Fluidic gyro systems  
p 438 A86-30312
- TIPPEY, D. K.**  
The INS wind calibration in climb algorithm  
p 796 A86-47799
- TIPTON, L. L.**  
Design of the F-16 aircraft electrical system built-in-test monitor  
p 298 A86-24827
- TIRPAK, J.**  
Evaluation of the effects of a plastic bead paint removal process on properties of aircraft structural materials  
[AD-A165289] p 603 A86-26384
- TIRPAK, J. D.**  
Constant-Load-Amplitude fatigue crack growth testing of cast aluminum alloys A201-T7 and A357-T6  
[AD-A163494] p 518 A86-24821
- TISCHLER, M. B.**  
Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics  
p 353 A86-27661
- Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics in cruising flight  
p 713 A86-48461
- TISSOT, M.**  
Fast motion simulation  
p 454 A86-30359
- TITOVSKAIA, T. V.**  
Propagation of small perturbations during the interaction of nonviscous jets  
p 80 A86-13390  
Supercritical mode of the nonlinear interaction of subsonic and supersonic inviscid jets in a two-dimensional channel  
p 142 A86-17098
- TITOVSII, I. N.**  
Estimation of the probability of a flight parameter exceeding a specified value under conditions of atmospheric turbulence  
p 108 A86-13355
- TITTMANN, B. R.**  
Ultrasonic characterization of microstructure in powder metal alloy  
p 469 A86-22964
- TIWARI, S. N.**  
Numerical solutions of Navier-Stokes equations for a Butler wing  
[NASA-CR-174202] p 88 A86-13293  
Investigation of chemically-reacting supersonic internal flows  
[NASA-CR-176363] p 188 A86-14532
- TJONNELAND, E.**  
CFD for engine-airframe integration  
[ASME PAPER 86-GT-125] p 797 A86-48184
- TO, P.**  
Continued airworthiness of damage tolerant aircraft  
p 707 A86-43788
- TO, P. T.**  
A study of the structural integrity of the Canadair Challenger at ditching  
p 785 A86-49054
- TOBAK, M.**  
Nonlinear problems in flight dynamics involving aerodynamic bifurcations  
p 563 A86-27249  
Bifurcation theory applied to aircraft motions  
p 563 A86-27250
- TOBIAS, L.**  
Simulation of time-control procedures for terminal area flow management  
p 484 A86-35369  
A time-based concept for terminal-area traffic management  
[NASA-TM-88243] p 622 A86-28049  
Time-based air traffic management using expert systems  
[NASA-TM-88234] p 634 A86-28068
- TOBIASON, E.**  
X-29 ground and flight subsystem testing  
[AIAA PAPER 86-9781] p 430 A86-32115
- TODD, A. R.**  
The US Army aviation flight activity - An overview  
p 134 A86-18425
- TODD, D.**  
The world aircraft industry  
p 269 A86-26114
- TODD, L. L.**  
Preliminary airworthiness evaluation of the AH-1S (modernized cobra) with the Hellfire, TOW, and Stinger missiles installed  
[AD-A160862] p 294 A86-18322
- TODD, R. E.**  
Instructor station for the ILLIMAC general aviation instrument training simulator  
p 371 A86-28462
- TOLER, C. G.**  
Programming a multiple-orifice hydraulic decelerator  
[AD-A159428] p 181 A86-15328
- TOLMACHEV, V. I.**  
General designer Balabuyev on An-124 Russian features  
p 623 A86-28910
- TOLOKAN, R. P.**  
Strain isolated ceramic coatings for gas turbine engines  
[ASME PAPER 85-GT-96] p 247 A86-22062
- TOLSTOV, Y. F.**  
Basic characteristics of radar antenna with synthesized aperture tracking arbitrary motion of aircraft  
p 189 A86-15575
- TOMBS, M. S.**  
On the relationship between robustness tests and their application to helicopter control system designs  
p 652 A86-40771
- TOMERAASEN, P. L.**  
Ferromagnetic resonance probe liftoff suppression apparatus  
[AD-D011913] p 190 A86-15647
- TOMINAGA, Y.**  
Aerodynamic characteristics of a circulation controlled symmetrical airfoil with dual jet  
p 541 A86-37196
- TOMITA, Y.**  
Weibull-distributed ground clutter in the frequency domain  
p 671 A86-41883
- TOMLINSON, M.**  
The center and central flow weather service unit program  
p 614 A86-37462
- TOMLINSON, N. P.**  
Thrust-vector takeoff, landing, and ground handling of an airship  
p 343 A86-28571
- TONG, M. T.**  
Unified constitutive materials model development and evaluation for high-temperature structural analysis applications  
p 849 A86-49133
- TONG, S. S.**  
Coupling artificial intelligence and numerical computation for engineering design (Invited paper)  
[AIAA PAPER 86-0242] p 254 A86-22684
- TONG, X.**  
Stability analysis of composite stiffened layer plates under compression  
p 735 A86-43495
- TONGUE, B. H.**  
Response of a rotorcraft model with damping non-linearities  
p 162 A86-17698
- TOOR, P. M.**  
References and conference proceedings towards the understanding of fracture mechanics  
p 388 A86-29011
- TOPP, D. A.**  
Passive control of aerodynamically forced vibrations of supersonic turbomachine rotors by splitter blades  
[AIAA PAPER 86-0844] p 590 A86-38892  
Splitter blades as an aeroelastic detuning mechanism for unstalled supersonic flutter of turbomachine rotors  
[ASME PAPER 86-GT-99] p 813 A86-48164
- TORENBEEK, E.**  
Calculation of the external nacelle surface for single and double stream jet engines for civil aircraft  
[VTH-M-445] p 277 A86-18301
- TORISAKI, T.**  
Experimental study of flight effect on fan noise. I - A study of inflow control device for simulating in-flight fan noise in static test  
p 721 A86-46024
- TORNGREN, L.**  
Transonic wind tunnel tests of a swept supercritical wing-body model, PT 8  
[FFA-TN-1982-24] p 211 A86-17316  
New dynamic testing techniques and related results at FFA  
p 562 A86-27244  
Transonic and supersonic wind tunnel tests on schematic missile configurations with two different nose lengths  
[FFA-TN-1984-62] p 630 A86-28066
- TORRES, F. J.**  
Local heat-transfer measurements on a large scale-model turbine blade airfoil using a composite of a heater element and liquid crystals  
[ASME PAPER 85-GT-59] p 117 A86-13061
- TORRES, M.**  
The applications of composite materials in the aeronautical domain  
[SNIAS-852-551-103] p 247 A86-16279
- TORVIK, P. J.**  
A methodology for analyzing laser-induced structural damage  
p 186 A86-17791
- TOTH, J.**  
T56 derivative engine in the improved E-2C  
[ASME PAPER 85-GT-176] p 236 A86-22092
- TOURKAKIS, H. C.**  
Performance of AV-8B Harrier II structural test program  
p 241 A86-22189
- TOWNLEY, G. E.**  
Determining component loads and stresses with improved system modeling techniques  
p 740 A86-47122
- TOWNSEND, J. C.**  
Application of a supersonic Euler code (SWINT) to wing-body-tail geometries  
p 624 A86-41697
- TRACY, M. B.**  
Application of the Baseline Rotonet system to the prediction of helicopter tone noise  
[AIAA PAPER 86-1904] p 750 A86-45405
- TRACY, R. J.**  
The V-22 - Preparing for full-scale development  
p 98 A86-18095
- TRANKLE, T. L.**  
An expert system for control system design  
p 680 A86-40774
- TRAUTMANN, K.-H.**  
High temperature fatigue behavior of IMI 685  
p 376 A86-27385
- TRAVASSOS, R. H.**  
The application of systolic array processor technology to real-time control  
p 532 A86-36894
- TRAYNOR, W. L.**  
The continuing requirement for helicopter escape  
p 217 A86-18308
- TRCKA, J. S.**  
A thin film electroluminescent display for cockpit applications  
p 171 A86-18456  
Thin film electroluminescent (TFEL) display optimized for cockpit applications  
p 456 A86-32321

**TREBBLE, W. J. G.**

Investigation of the aerodynamic performance and noise characteristics of a 1/5th scale model of the Dowty Rotol R212 propeller  
[RAE-TM-AERO-1983] p 758 N86-30468

**TREFNY, C. J.**

Low-speed performance of an axisymmetric, mixed-compression, supersonic inlet with auxiliary inlets  
[NASA-TP-2557] p 503 N86-24694

**TRENHOLM, B. W.**

Accident investigation as a way of assessing aviation life support system performance p 212 A86-19323

**TRETIACHENKO, G. N.**

Thermal stability of gas turbine blades with protective coatings p 673 A86-43410

**TRETYAKOV, P. K.**

Experimental study of the combustion of gas-air mixtures in a channel and the diffusion combustion in a slipstream at high velocities  
[AD-A157495] p 116 N86-12271

**TREVINO, G.**

Turbulence for flight simulation p 462 A86-32788

**TRIEBSTEIN, H.**

Steady and unsteady transonic pressure distributions on NACA 0012 p 337 A86-28565

Steady and unsteady pressure distributions on various profiles in separated subsonic and transonic flow p 413 A86-33233

Steady and unsteady investigations of spoiler and flap aerodynamics in two dimensional subsonic flows  
[ONERA, TP NO. 1986-101] p 776 A86-49106

Steady and unsteady pressure distribution on various profiles in separated subsonic and transonic flow p 695 N86-30632

**TRIGG, N.**

Helicopter vibration flight testing - The rotortuner approach p 293 A86-26169

**TRIGUB, V. N.**

Supercritical mode of the nonlinear interaction of subsonic and supersonic inviscid jets in a two-dimensional channel p 142 A86-17098

**TRIKHA, A. K.**

Control law and logic development for controllable ejection seat catapult p 218 A86-19320

**TRIKNA, A. K.**

Sensor selection for the Boeing CREST ejection seat design p 793 A86-47757  
Boeing control law for CREST demonstration ejection seat p 794 A86-47758

**TRIMMIER, J. R.**

Overview of advanced display technologies p 171 A86-18455

**TRINKS, H.**

Special protection circuits against transient currents for aircraft systems p 791 A86-47326

**TRIPP, W. G.**

The field representative 'front line actioneer' p 536 A86-35645

**TRIPPE, J. C.**

GTA/BASF antimisting fuel research p 734 N86-30021

**TRIPPENSEE, G. A.**

Summary of results of NASA F-15 flight research program  
[AIAA PAPER 86-9761] p 496 A86-37064

Summary of results of NASA F-15 flight research program  
[NASA-TM-86811] p 539 N86-26277

**TRISTRANT, D.**

Recent developments in techniques for dynamic simulation for the identification of stability parameters p 562 N86-27246

**TROFIMOV, V. M.**

Investigation of heat transfer in separation regions in supersonic flow in a Laval nozzle p 477 A86-36458

**TROLINGER, J. D.**

Feasibility study of optical boundary layer transition detection method  
[NASA-CR-178109] p 675 N86-28375

**TROSIN, J.**

PLTTER user's guide  
[NASA-CR-177385] p 88 N86-13291

**TROST, T. F.**

Interpretation of F-106B in-flight lightning signatures  
[NASA-CR-176387] p 100 N86-13320

**TROTTEMBERG, U.**

Development of multigrid algorithms for problems from fluid dynamics p 187 N86-14244

**TROULLOT, P.**

Cooling techniques for turbojet pre-heater channels p 741 N86-29847

**TRUJILLO, E. J.**

Horizontal display for vertical flight: A direction of motion experiment  
[AD-A161113] p 299 N86-19321

**TRUONG, L. V.**

Programmable, automated transistor test system  
[NASA-TP-2554] p 389 N86-21755

**TSEYUKOV, V.**

Work on putting computer and CRTs in airliner control panels p 172 N86-15947

**TSTUMORI, Y.**

Effect of processing and heat treatment on the mechanical properties of Ti-6Al-2Sn-4Zr-6Mo alloy p 375 A86-27231

**TSUBOI, K.**

On hypersonic flow around winged-vehicles at high angles of attack p 275 A86-25227

Aerodynamic characteristics of a circulation controlled symmetrical airfoil with dual jet p 541 A86-37196

**TSUJIKAWA, G. S.**

Digital controlled closed loop air cycle development  
[SAE PAPER 851319] p 285 A86-23509

**TSUKANO, Y.**

Dynamic characteristics of air data sensor systems: Altimeter, speedometer and alpha times beta vane  
[NAL-TR-852] p 172 N86-15312

**TSUNG, W. J.**

Generation of spiral bevel gears with zero kinematical errors and computer aided tooth contact analysis  
[NASA-TM-87273] p 527 N86-25793

**TSURPAL, I. A.**

Cutouts in load-bearing structures p 120 A86-13463

**TSUTAHARA, M.**

Flows past a rotating circular cylinder at high Reynolds number p 688 A86-43533

**TSYBATOY, V. A.**

Optimization of onboard systems of data acquisition and processing p 810 A86-48531

**TSYGANOV, P. G.**

The drag of a pair of bodies at supersonic flight velocities p 768 A86-48802

**TSYBALIUK, V. I.**

Calculation of the loading of the airframe in flight due to multidimensional turbulence p 799 A86-48759

**TU, E. L.**

Unsteady transonics of a wing with tip store  
[AIAA PAPER 86-0010] p 198 A86-19633

Transonic aeroelasticity of wings with tip stores  
[AIAA PAPER 86-1007] p 553 A86-38948

**TU, X.**

Normal force characteristics of sharp nosed bodies of revolution at high angles of attack in subsonic and transonic flow p 527 N86-25555

**TUBBS, H.**

Advances in turbine technology p 817 A86-49079

The technical development of cooled gas turbine blades  
[PNR-90292] p 255 N86-16595

**TUCK, D. A.**

Civil helicopter handling qualities requirements for visual and instrument flight p 832 A86-48674

**TUCKER, C. E.**

A multiple-parameter allocation process p 254 A86-22407

**TUCKER, E. O.**

Infrared emission from jet engine exhaust plumes  
[AIAA PAPER 86-0465] p 233 A86-19888

**TULAPURKARA, E. G.**

Experimental and theoretical study of wings with blunt trailing edges p 410 A86-32789

**TULLI, A.**

Selenia's contribution to the development of systems support: Microwave Automatic Test Equipment (ATE) p 407 N86-22540

Implicit activities in the post development phase p 407 N86-22542

Lines of evolution p 407 N86-22543

**TUMIN, A. M.**

A numerical analysis of the characteristics of a Tollmien-Schlichting wave packet in a boundary layer on a flat plate p 79 A86-13374

**TUNAKOV, A. P.**

Calculation of the characteristics of a multistage gas turbine with allowance for the circumferential nonuniformity of inlet temperature p 649 A86-43381

**TUNCER, I. H.**

Unsteady aerodynamics of rapidly pitched airfoils  
[AIAA PAPER 86-1105] p 551 A86-38465

**TUNG, C.**

An experimental investigation of the parallel blade-vortex interaction p 276 A86-26106

**TUPOLEV, A. A.**

Tupolev bureau developing TU-204 passenger jet: Tupolev on features p 435 N86-22568

**TURCZENIUK, B.**

Application of CFD design technology in development of the JVX engine inlet p 502 A86-35612

**TURI, A. S.**

Experience with aeroelastic analysis of a single engine turbo trainer using finite elements methods p 433 A86-33247

Experience with aeroelastic analysis of a single engine turbo trainer using finite element methods p 743 N86-30646

**TURILOV, A. M.**

The effect of the velocity profile at the diffuser inlet on the flow pattern p 300 A86-23664

**TURK, M. A.**

Advanced technology payoffs for future rotorcraft, commuter aircraft, cruise missile, and APU propulsion systems  
[AIAA PAPER 86-1545] p 638 A86-42704

**TURK, P.**

Battle of the hushkits - All quieter on western front p 440 A86-31349

How US companies are attacking production costs p 605 A86-37323

**TURKEL, E.**

A fourth-order scheme for the unsteady compressible Navier-Stokes equations  
[NASA-CR-177994] p 147 N86-14221

Pseudo-time algorithms for the Navier-Stokes equations  
[NASA-CR-178127] p 694 N86-29776

**TURLEY, D. R.**

Longitudinal stability and control derivatives obtained from flight data of a PA-30 aircraft  
[NASA-CR-176999] p 729 N86-30736

**TURNBERG, J. E.**

A report on the initial testing of the large scale advanced prop-fan  
[AIAA PAPER 86-1551] p 647 A86-42708

**TURNBULL, D. H.**

The FAA/M.I.T. Lincoln Laboratory Doppler Weather Radar program p 614 A86-37461

**TURNER, D. M.**

Case studies of the effects on non-linearities on the accuracy of gas turbine control p 817 A86-49090

**TURNER, D. R.**

Continued airworthiness of damage tolerant aircraft p 707 A86-43788

**TURNER, E. W.**

Categorization of atmospheric turbulence in terms of aircraft response for use in turbulence reports and forecasts p 615 A86-37497

**TURNER, P. S.**

The Phoenix air vehicle, its launch and recovery p 576 A86-37340

**TURNER, R. M.**

SHARP (Stationary High Altitude Relay Platform) Telecommunications missions and systems p 519 A86-33943

**TURNER, W. C.**

An over the horizon command/data link system p 92 A86-13224

**TURPIN, R. T.**

KA-102 film/EO standoff system p 229 A86-19581

**TUTKA, J.**

Composite tail section offers superior performance p 133 A86-17379

**TUTTLE, M. H.**

Adaptive wall wind tunnels: A selected, annotated bibliography  
[NASA-TM-87639] p 731 N86-29871

**TUTUSHKIN, A. S.**

Calculation of unsteady flow in a two-stage gas turbine engine p 105 A86-13444

**TUZOV, A. D.**

Surfaces on a nonrectangular frame p 316 A86-23663

**TWEEDY, D. L.**

Multistage compressor stator/rotor interaction p 85 A86-14556

**TZUOO, K. L.**

Prediction of gust loadings and alleviation at transonic speeds  
[AIAA PAPER 86-0997] p 777 A86-49573

**U****UCHIDA, T.**

The role of computational fluid dynamics in aeronautical engineering  
[REPT-2] p 257 N86-17296

An analysis of the limit cycle observed in the functional mockup test of the NAL QSTOL research aircraft  
[NAL-TR-893] p 587 N86-27277

**UCHIKADO, S.**

An adaptive flight control system design for CCV with an unknown interactor matrix p 723 A86-43536

- Synthesis of an adaptive flight controller under unknown deterministic disturbances  
[AIAA PAPER 86-2157] p 823 A86-47484
- UCKERMANN, R.  
Computer-aided 'somatography' for the ergonomic design of the ATTAS experimental cockpit  
p 287 A86-25024
- UECKER, J.  
The center and central flow weather service unit program  
p 614 A86-37482
- UEDA, T.  
A calculation method for unsteady aerodynamic forces in the Laplace domain and its application to root loci  
[AIAA PAPER 86-0866] p 553 A86-38901
- UENO, S.  
On the vertical turns sustaining corner velocity  
p 507 A86-33979
- UGAI, T.  
Aeroelastic tailoring study in aircraft design  
p 383 A86-27741
- UHLHORN, R. W.  
Imaging connector interconnect system for a parallel fiber optic data bus  
p 385 A86-28340
- ULYANOV, G. S.  
Supersonic flow around blunt perforated shields  
p 480 N86-25558
- UNDEM, H. A.  
Aircraft nuclear survivability methods  
[AD-A163218] p 587 N86-26332
- UNG, M.  
Aerospace simulation II; Proceedings of the Second Conference, San Diego, CA, January 23-25, 1986  
p 596 A86-37176
- UNGER, W. H.  
Durability prediction of parallel fuel tank skins with fluid-structure interaction dynamics  
[AIAA PAPER 86-0935] p 591 A86-38927
- A new approach to durability prediction for fuel tank skins  
p 642 A86-40119
- UNGVICHIAN, V.  
Design technique to reduce effects of tidal variations on an ILS glide slope system  
p 635 A86-41335
- UNRUH, J. F.  
Propeller-induced structure-borne noise - Laboratory-based test apparatus  
[AIAA PAPER 86-1938] p 730 A86-45425
- URBAN, CH.  
A vortex lattice method for calculating nonlinear aerodynamic characteristics of interfering airfoils  
[DGLR PAPER 85-122] p 475 A86-35172
- URBATZKA, E.  
The effect of supply parameters on the volume of future aircraft movements  
p 158 N86-14258
- URDA, T. J.  
Design of a vertical thrust stand for a remotely piloted model helicopter  
[AD-A167811] p 840 N86-31598
- URNES, J. M.  
An all-weather multimode landing system for tactical fighter aircraft  
[AIAA PAPER 86-2146] p 787 A86-47517
- URSELL, C. R., II  
Requirements for second generation aircraft weighing systems  
[SAWE PAPER 1669] p 513 A86-35213
- USHAKOV, I. E.  
Method for determining the efficiency of utilization of the material in a thin-wall aircraft structure according to the strength conditions  
p 847 A86-48776
- UTTLEY-MOORE, W. J.  
Evolution of real time airborne reconnaissance  
p 229 A86-19586
- UWIRA, K.  
Calculation of ice accretion on cylindrical rods according to Bain's model, and comparison with experimental results  
[DFVLR-FB-85-46] p 325 N86-18933
- V
- V.D. KRAAN, P.  
Flightpath reconstruction and systematic radar error estimation from multi-radar range-azimuth measurements  
p 636 A86-42966
- VACCA, S. N.  
Requirements for tailoring of material properties of viscoelastically damped bonded laminates in aircraft structures  
p 250 A86-21714
- VADHER, V. V.  
Digital simulation of regulated electrical power supplies for military applications  
p 669 A86-40775
- VADYAK, J.  
Numerical simulation of the transonic flowfield for wing/nacelle configurations  
p 204 A86-20159
- Simulation of diffuser duct flowfields using a three-dimensional Euler/Navier-Stokes algorithm  
[AIAA PAPER 86-0310] p 206 A86-22692
- Simulation of engine installation flowfields using a three-dimensional Euler/Navier-Stokes algorithm  
[AIAA PAPER 86-1537] p 671 A86-42699
- VAICAITIS, R.  
Acoustic guide for noise transmission testing of aircraft  
[NASA-CASE-LAR-13111-1-CU] p 332 N86-20086
- Vibrations and structureborne noise in space station  
[NASA-CR-176520] p 372 N86-20485
- Noise transmission into propeller aircraft  
p 619 N86-27473
- VAILLARD, A. H.  
Development of a sensitivity analysis technique for multiloop flight control systems  
[NASA-CR-186618] p 240 N86-17358
- VAISNYS, A.  
System and technology considerations for space-based air traffic surveillance  
[AIAA PAPER 86-1170] p 658 A86-40581
- VAKHITOV, I. U. M.  
The effect of the electrode gap geometry on current distribution during electrochemical rounding of edges  
p 522 A86-35980
- VAKHITOV, M. B.  
Calculation of the dynamic response of a flight vehicle using a discrete-continuous model  
p 476 A86-35979
- VALADIER, J. C.  
Dependable avionic data transmission  
p 362 N86-20405
- VALADIER, J.-C.  
Local area command/control networks: The design of an on-board network - ANTINEA  
p 215 A86-21327
- VALAREZO, W. O.  
Calculation of steady flow about propellers using a surface panel method  
p 85 A86-14559
- Time-averaged subsonic propeller flowfield calculations  
[AIAA PAPER 86-1807] p 778 A86-49584
- VALIEV, F. M.  
Emission characteristics of a section of the combustion chamber of a gas-turbine engine with various modifications of the burners  
p 300 A86-23670
- VALLOT, L.  
Proceedings of the 12th Biennial Guidance Test Symposium held at Holloman AFB, New Mexico on 22-24 October 1985, volume 1  
[AD-A161996] p 425 N86-23583
- VALOVICIN, P.  
A methodology for applying bar code technology to Aircraft Maintenance Unit support sections  
[AD-A161783] p 402 N86-22441
- VAN BAAL, J. B. J.  
Hardware/software FMEA applied to airplane safety  
p 253 A86-22396
- VAN DALSEM, W. R.  
The efficient simulation of separated three-dimensional viscous flows using the boundary-layer equations  
[AIAA PAPER 85-4064] p 84 A86-14452
- VAN DAM, C. P.  
Shaping of airplane fuselages for minimum drag  
[AIAA PAPER 86-0316] p 201 A86-19609
- Drag-reduction characteristics of aft-swept wing tips  
[AIAA PAPER 86-1824] p 545 A86-37840
- Swept wing-tip shapes for low-speed airplanes  
[SAE PAPER 851770] p 546 A86-38305
- Boundary-layer transition effects on airplane stability and control  
[AIAA PAPER 86-2229] p 831 A86-47708
- VAN DEN DAM, R. F.  
Optimization in design processes - An informatics point of view  
p 531 A86-36208
- VAN DER GEEST, P. J.  
Flight simulation of MLS interception procedures applicable to laterally segmented approach paths  
[AIAA PAPER 86-2073] p 837 A86-47663
- VAN DER KOLK, J. T.  
Application of NLR's calculation methods to transonic flow about oscillating wings  
p 143 A86-17778
- VAN DER SPEK, G. A.  
Incoherent imaging of radar targets  
p 667 A86-40215
- VAN DER VELDEN, R. V.  
Damage tolerance test program of the Fokker 100  
p 706 A86-43786
- VAN DER WAAL, G.  
The influence of esters on elastomer seals  
[SAE PAPER 851868] p 602 A86-38535
- VAN DOMMELEN, L.  
The influence of forward flight on thrust augmenting ejectors  
[AIAA PAPER 85-1589] p 173 A86-17843
- VAN EVERY, K.  
Aircraft design  
p 161 A86-16213
- VAN GELDER, P. A.  
NLR experience in the application of active flutter suppression and gust load alleviation, applied to a wind-tunnel model  
p 444 A86-33250
- Design of an integrated control system for flutter margin augmentation and gust load alleviation, tested on a dynamic windtunnel model  
[AIAA PAPER 86-2242] p 824 A86-47490
- VAN INGEN, J. L.  
Research on laminar separation bubbles at Delft University of Technology in relation to low Reynolds number airfoil aerodynamics  
p 137 A86-16308
- VAN NIEKERK, B.  
Lifting surface theory for the rest of us  
[AIAA PAPER 86-1025] p 552 A86-38880
- Integration of singular functions associated with lifting surface theory  
p 689 A86-44875
- VAN OMMEN, A.  
Incoherent imaging of radar targets  
p 667 A86-40215
- VAN PATTEN, R. E.  
Development of an electro-pneumatic anti-G valve for high performance fighter aircraft  
p 218 A86-19317
- VAN RENESSE, R. L.  
Application of pulsed reflection holography to material testing  
p 122 A86-16090
- VAN ROESSEL, H. J.  
Transient motion of a hypersonic wedge, including time history effects  
p 443 A86-31682
- Unfolding of degenerate Hopf bifurcation for supersonic flow past a pitching wedge  
p 725 A86-46456
- VAN TILBORG, J.  
Some aspects of fluorocarbon elastomer compatibility with gas turbine lubricants  
[SAE PAPER 851799] p 601 A86-38529
- VANAKEN, J. M.  
An investigation of tip planform influence on the aerodynamic load characteristics of a semi-span, unswept wing and wing-tip  
[NASA-CR-177110] p 693 N86-29786
- VANARK, W.  
Airborne tracking Sun photometer apparatus and system  
[NASA-CASE-ARC-11622-1] p 394 N86-21982
- VANBAAL, J. B. J.  
Hardware/software Failure Mode Effect Analysis (FMEA) applied to airplane safety  
[NLR-MP-84073-U] p 215 N86-17325
- VANCE, E. F.  
Corona threshold determination by three-stage physical modelling of aircraft  
p 792 A86-47333
- VANCO, M. R.  
An overview of the Small Engine Component Technology (SECT) studies  
[NASA-TM-88796] p 819 N86-31587
- VANDAM, C. P.  
Design of fuselage shapes for natural laminar flow  
[NASA-CR-3970] p 480 N86-23852
- VANDENBERG, B.  
Application of a constrained inverse method in the aerodynamic design of a low speed wing-slat configuration  
[NLR-TR-83123-U] p 211 N86-17320
- VANDENDAM, R. F.  
Optimization in design processes: An informatics point of view  
[NLR-MP-84074-U] p 228 N86-17349
- The use of mathematical optimization techniques by the designer  
[NLR-MP-85005-U] p 682 N86-28673
- Simulation and optimization techniques in computer aided design  
[NLR-MP-85022-U] p 854 N86-33053
- VANDERDRAAI, R. K.  
Engineering Data Interactive Presentation and Analysis System (EDIPAS): A general approach to engineering data management and analysis applied to wind tunnel testing  
[NLR-MP-83057-U] p 267 N86-18252
- VANDERGEEST, P. J.  
Computer Aided Design (CAD) at the National Aerospace Laboratory (Netherlands) with the accent on aircraft flight control systems  
[NLR-MP-84032-U] p 264 N86-18030
- VANDERLINDEN, H. H.  
Fatigue rated fastener systems in aluminum alloy structural joints  
[NLR-MP-83045-U] p 259 N86-17809
- VANDERSNOEK, L.  
An experimental investigation of the entrainment into a leading-edge vortex  
[VTH-LR-332] p 208 N86-18203
- VANDERVAART, J. C.  
Effects of aerodynamic lags on aircraft responses  
p 564 N86-27257

- VANDERVOOREN, J.**  
Implicit finite-difference methods for the calculation of unsteady transonic potential flow around two-dimensional airfoils: A discussion  
[NLR-MP-83083-U] p 208 N86-16202
- VANDITSCHUIZEN, J. C. A.**  
Aeroacoustic calibration of the German-Dutch Wind Tunnel (DNW) open jet  
[DNW-TR-82-03] p 242 N86-16236  
Acoustic evaluation of the German-Dutch Wind Tunnel (DNW) shear layer correction using a model jet  
[DNW-TR-82-04] p 242 N86-16237
- VANDOORN, J. T. M.**  
Flight test instrumentation used in the Fokker F27 and F28 development and certification flight program  
[NLR-MP-84023-U] p 811 N86-32431
- VANDREUMEL, W. H. M.**  
Design and fabrication of an advanced composite cellular wing box  
[VTH-LR-315] p 227 N86-17344
- VANEGMOND, J. A.**  
Application of a constrained inverse method in the aerodynamic design of a low speed wing-slat configuration  
[NLR-TR-83123-U] p 211 N86-17320
- VANFOSSSEN, G. J.**  
Heat transfer and pressure drop performance of a finned-tube heat exchanger proposed for use in the NASA Lewis Altitude Wind Tunnel  
[NASA-TM-87151] p 123 N86-13677
- VANGELDER, P. A.**  
NLR experience in the application of active flutter suppression and gust load alleviation, applied to a wind tunnel model  
p 728 N86-30649
- VANGOO, M. F. C.**  
Failures in advanced flight control systems of future transport aircraft  
[NLR-TR-84108-U] p 595 N86-26343
- VANHOLTEN, T.**  
Design method for the calculation of performances and flap movement of flexible wind turbine blades  
[VTH-M-453] p 323 N86-18795
- VANKASTEEL, J.**  
Preliminary design of an automated Air Traffic Control (ATC) radar evaluation system  
[NPL-VG-84-009-L] p 789 N86-32419
- VANKUIK, G. A. M.**  
A revision of the actuator disk concept and momentum theory  
[REPT-R-732-D] p 341 N86-20374
- VANLEEUEWEN, H. P.**  
Damage-tolerant aircraft design  
[NLR-MP-84005-U] p 227 N86-17342
- VANLEEUEWEN, S. S.**  
The application of sensors in light tests  
[NLR-MP-84056-U] p 232 N86-17352
- VANNORMAN, M.**  
Development experience with a simple expert system demonstrator for pilot emergency procedures  
[NASA-TM-85919] p 446 N86-23603
- VANNUNEN, J. W. G.**  
Aeroacoustic calibration of the German-Dutch Wind Tunnel (DNW) open jet  
[DNW-TR-82-03] p 242 N86-16236
- VANPAASSEN, D. M.**  
Report of noise measurements with 2 different microphone dispositions on airplane type Cessna F 172L  
[VTH-M-510] p 332 N86-18143
- VANSLYKE, G. R.**  
Helicopter maintenance in the real world  
p 405 A86-30549
- VANT RIET, R.**  
UHB technology flight validation program  
[AIAA PAPER 86-1473] p 656 A86-42661
- VANWOERKOM, K.**  
Design and evaluation of an instrumentation system for measurements in nonsteady symmetrical flight conditions with the Hawker Hunter MK 7  
[VTH-LR-308] p 232 N86-16215
- VARGA, M. P.**  
A robust 100 MBPS network for avionics applications  
p 385 A86-28341
- VARGANOV, M. E.**  
Radar characteristics of flight vehicles  
p 485 A86-35464
- VARN, G. L.**  
Will the USAF need ground-based air traffic control radar in the year 2000?  
[AD-A188504] p 704 N86-29805
- VARSHNEYA, D.**  
Development of optical diaphragm deflection sensors  
[NASA-CR-175008] p 184 N86-15113
- VASILIEV, IJ. N.**  
An experimental study of a vacuum water-air ejector with a multichannel liquid-supply nozzle ensuring jet-pair collision  
p 119 A86-13382
- VASILIEV, G. V.**  
On the optimization of flutter characteristics of laminated anisotropic cylindrical shells  
p 648 A86-49082
- VASSBERG, J. C.**  
A transonic wing-body flowfield calculation with improved grid topology  
p 142 A86-17134
- VAUGHN, H. R.**  
Six degree of freedom simulation of fluid payload projectiles using numerically computed fluid moments  
[DE85-017183] p 208 N86-16200
- VAUGHN, M. E., JR.**  
Pressure loading on curved leading edge wings in supersonic flow  
p 689 A86-44890
- VAUGHN, R. L.**  
FAA certification criteria for lightning protection of helicopter digital engine control  
p 482 A86-35609
- VAVRINCOVA, M.**  
Mathematical solution for unsteady subsonic flow past a thin profile in a channel  
p 140 A86-16851
- VEATCH, D. W.**  
Analogue signal conditioning for flight test instrumentation  
[AGARD-AG-160-VOL-17] p 719 N86-29816
- VEATCH, M. H.**  
Integrated communication, navigation, and identification avionics: Impact analysis. Executive summary  
[AD-A181799] p 388 N86-20658
- VEAUX, J.**  
New design procedures applied to landing gear development  
p 803 A86-49117
- VELGER, M.**  
Adaptive filtering of biodynamic stick feedthrough in manipulation tasks on board moving platforms  
[AIAA PAPER 86-2248] p 825 A86-47495
- VEMPATI, M.**  
Hypersonic flow past non-slender wedges, cones and ogives in oscillation  
p 76 A86-13047
- VEMULA, R.**  
A novel voice activated switch (VOX) for high noise environments  
p 348 A86-28335
- VENIALI, F.**  
Effect of moisture on thermal properties of composite materials for aerospace applications  
p 661 A86-40345
- VENKATESAN, C.**  
Aeromechanical stability analysis of a hybrid heavy lift multitorotor vehicle in hover  
p 110 A86-14530  
Aeromechanical stability analysis of a multitorotor vehicle with application to hybrid heavy lift helicopter dynamics  
p 290 A86-26141  
A new approach to finite state modelling of unsteady aerodynamics  
[AIAA PAPER 86-0865] p 552 A86-38900  
Influence of various unsteady aerodynamic models on the aeromechanical stability of a helicopter in ground resonance  
p 177 N86-15294
- VENKATESH, R.**  
P T A - Design considerations for an airframe system and detailed design of fuel subsystem  
p 590 A86-37331
- VENKAYYA, V. B.**  
A methodology for analyzing laser-induced structural damage  
p 186 A86-17791  
ASTROS - An advanced software environment for automated design  
[AIAA PAPER 86-0856] p 618 A86-38807  
Optimum design of large structures with multiple constraints  
[AIAA PAPER 86-0952] p 600 A86-38845
- VEPA, R.**  
Finite state modelling of aeroelastic systems for active control applications - A general theory  
p 444 A86-33249  
On the interface between unsteady aerodynamics, dynamics and control  
p 564 N86-27254  
Finite state modelling of aeroelastic systems for active control applications: A general theory  
p 749 N86-30648
- VERBRUGGEN, M. L. C. E.**  
ARALL - A light weight structural material for impact and fatigue sensitive structures  
p 313 A86-26158
- VERCELLI, D. J.**  
AFOS (Automation of Field Operations and Services) monitor of terminal forecasts  
[PB85-236388] p 280 N86-16843
- VERE, R.**  
Aviation fuels technology  
p 601 A86-38266
- VERHAAGEN, N. G.**  
An experimental investigation of the entrainment into a leading-edge vortex  
[VTH-LR-332] p 206 N86-16203
- VERHAEGEN, M. H.**  
A robust adaptive flightpath reconstruction technique  
[AIAA PAPER 80-2018] p 826 A86-47853
- VERMEULEN, A. J.**  
Aircraft flutter analysis (The Fourth John Weston Memorial Lecture)  
p 724 A86-44932
- VERMEULEN, H. M.**  
Radio telephony - A case for growing concern  
p 635 A86-40569
- VERNEY, J. F.**  
Aircraft lighting systems  
p 491 A86-35607
- VERRIERE, J.**  
Identification of unsteady response in rudders at low velocities  
[AAAF PAPER NT 85-19] p 797 A86-48468
- VESELY, P. T.**  
Computer graphics support of a new era in flight test ground stations  
[AIAA PAPER 86-9789] p 448 A86-32105
- VETLUTSKII, V. N.**  
A compressible laminar boundary layer on a plane triangular plate with an attached shock wave  
p 146 A86-18902
- VETROV, A. N.**  
Substantiation of regimes for accelerated equivalent tests of gas-turbine aeroengines  
p 644 A86-41549
- VETTER, J. E.**  
Computer tools and techniques for analysis of discrete data from aircrew automated escape systems (AAES)  
p 260 A86-18302  
The risk of collision in a two seat aircraft ejection  
p 783 A86-47730
- VIKIN, V. N.**  
The damping capacity of layered materials  
p 374 A86-27084
- VICK, G. L.**  
A thin film electroluminescent display for cockpit applications  
p 171 A86-18456  
Thin film electroluminescent (TFEL) display optimized for cockpit applications  
p 456 A86-32321
- VICROY, D. D.**  
A preliminary study of the basic display/guidance requirements for flying near optimal trajectories  
p 499 A86-35366  
Design factors and considerations for a time-based flight management system  
[AIAA PAPER 86-2144] p 822 A86-47455
- VIDAL, J. J.**  
A.I.-based real-time support for high performance aircraft operations  
[NASA-CR-176906] p 716 N86-30718
- VIDIECAN, J.**  
The measuring and control units of airborne recording systems  
p 297 A86-23763  
Methods for determining the weight and the center of gravity of aircraft - The platform balance of the Aeronautical Research and Test Institute  
p 266 A86-23768
- VIETZE, J.**  
The employment of operative aircraft dispatchers  
p 134 A86-18721
- VIGNERON, F. R.**  
Step relaxation method for modal test implemented with frequency-domain preprocessing  
p 457 A86-32975
- VIJAY PRASAD, G.**  
Design considerations for Doppler VOR ground station antenna arrangement  
p 349 A86-28360
- VIJAYAKUMAR, P. S.**  
Modal analysis of a typical fighter aircraft using transient testing technique  
[NAL-TM-ST-8517] p 356 N86-20385
- VIJGEN, P.**  
Natural laminar flow and regional aircraft  
[SAE PAPER 850864] p 552 A86-38505
- VIJGEN, P. M. H. W.**  
Shaping of airplane fuselages for minimum drag  
[AIAA PAPER 86-0316] p 201 A86-19809  
Design of fuselage shapes for natural laminar flow  
[NASA-CR-3970] p 460 N86-23852
- VIKMANIA, M. M.**  
Some quantitative methodology for cockpit design  
p 586 N86-26320
- VIKRAM, C. S.**  
Optical determination of the effects of a microminiature accelerometer on resonance of a small airfoil  
p 668 A86-40712
- VILNROTTER, V. A.**  
High dynamic GPS receiver validation demonstration  
[NASA-CR-178530] p 283 N86-18306
- VINCENT, G. D.**  
Investigation of chord ratio, stagger, decalage angle, and flap angle for dual wing configurations  
[AIAA PAPER 86-0317] p 201 A86-19810
- VINCENT, J.**  
New technologies for a European fighter  
p 708 A86-44004
- VINCENT, J. H.**  
Application of system identification to aircraft flight test data processing  
p 638 A86-43002

- VINING, R. M.**  
IV&V for the automatic test control system in the USAF  
Aeropropulsion Systems Test Facility p 396 A86-28430
- VINOGRADOV, B. S.**  
Investigation of the structure of a supersonic jet issuing  
from a free-vortex nozzle by means of pulsed holographic  
interferometry p 628 A86-43403
- VINOGRADOV, I. A.**  
A study of the normal of a delta-wing aircraft at large  
angles of attack during unsteady motion p 79 A86-13379
- VISBAL, M. R.**  
Comparative study between two Navier-Stokes  
algorithms for transonic airfoils p 411 A86-32986
- VISWANATH, P. R.**  
Side force characteristics of a 20 deg cone at high angles  
of attack [NAL-TM-AE-8503] p 340 N86-20356
- VITTECOQ, P.**  
Dynamic stall - The case of the vertical axis wind  
turbine p 746 A86-44150  
Experimental study of the effect of turbulence on  
dynamic stalling p 565 N86-27264
- VITTIKH, V. A.**  
Optimization of onboard systems of data acquisition and  
processing p 810 A86-48531
- VIVET, M.**  
Trends in civil avionics for the near future  
p 718 A86-46141
- VIVIAND, H.**  
Numerical solutions of two-dimensional reference test  
cases p 154 N86-15262
- VIZEL, E. P.**  
Effect of cantilevers on the lift characteristics of a thin  
swept wing and vortex-wake stability p 81 A86-13422  
A study of the characteristics of separated flow past  
wings and lifting systems p 770 A86-48842
- VIZZINI, R. W.**  
Engine control reliability and durability improvement  
through accelerated mission environmental testing  
[ASME PAPER 86-GT-52] p 813 A86-48132
- VLADIMIROVA, N. A.**  
Acceleration of the convergence of methods for  
calculating two- and three-dimensional transonic flow past  
bodies in an unbounded stream p 789 A86-48809
- VLEGHERT, J. P. K.**  
Fatigue failure of jet engine drive shafts  
p 500 A86-33970
- VNUKOV, A. E.**  
Determination of the shape of a jet issuing from a cylinder  
of finite length around which a supersonic stream flows  
at small angle of attack p 770 A86-48825
- VNUKOVA, L. A.**  
Subsonic thermal wind tunnel with an Eiffel chamber  
p 112 A86-13443
- VOEVODIN, A. V.**  
Determination of the aerodynamic characteristics of  
separated flow past a wing with allowance for slight  
unsteadiness induced by changes in angle of attack  
p 789 A86-48816
- VOGEL, J. M.**  
The use of curved higher order panels for vortex sheet  
modeling [AIAA PAPER 86-1812] p 544 A86-37833
- VOGEL, P.**  
Emission FTIR analyses of thin microscopic patches of  
jet fuel residues deposited on heated metal surfaces  
[NASA-CR-176786] p 519 N86-25502
- VOGEL, R. C.**  
Unified EM transient protection requirements for aircraft  
avionics line replaceable units p 355 A86-28485
- VOGEL, S.**  
Application of transonic unsteady methods for  
calculation of flutter airloads p 412 A86-33230  
Steady and unsteady investigations of spoiler and flap  
aerodynamics in two dimensional subsonic flows  
[ONERA, TP NO. 1986-101] p 776 A86-49106  
Application of transonic unsteady methods for  
calculation of flutter airloads p 727 N86-30630
- VOGELESANG, L. B.**  
ARALL - A light weight structural material for impact  
and fatigue sensitive structures p 313 A86-26158
- VOGT, W. G.**  
Modeling and simulation. Volume 15 - Proceedings of  
the Fifteenth Annual Pittsburgh Conference, University of  
Pittsburgh, PA, April 18, 20, 1984. Part 5 - General modeling  
and simulation p 397 A86-28280
- VOGTLAENDER, O.**  
Ten years of front-fan blade forging p 382 A86-27227
- VOINOVSKII, A. S.**  
Profiling of supersonic ducts with specified nonequilibrium  
parameters at the exit p 79 A86-13375
- VOITYSHEN, V. S.**  
Determination of the required stiffness characteristics  
for a large aspect ratio wing from the conditions of static  
strength and aileron efficiency p 800 A86-48845
- VOLLAN, A.**  
Experience with aeroelastic analysis of a single engine  
turbo trainer using finite elements methods p 433 A86-33247  
Experience with aeroelastic analysis of a single engine  
turbo trainer using finite element methods p 743 N86-30646
- VOLLMER, E. P.**  
U.S. Navy ALSS corporate report 1984 p 261 A86-19309
- VOLMIR, A. S.**  
Current concepts of composite applications in aircraft  
and engines p 312 A86-23690  
Problems of aircraft reliability p 383 A86-28303  
Reliability of the plates and shells of aircraft  
p 384 A86-28314
- VOLNY, J.**  
Testability of aircraft p 269 A86-23780
- VOLODIN, V. V.**  
Characteristics of the design of VTOL jet aircraft  
p 182 A86-17600
- VOLOSHCHENKO, A. P.**  
Thermal stability of gas turbine blades with protective  
coatings p 673 A86-43410
- VOLOSHIN, S. A.**  
Small film-evaporation type combustion chamber for a  
low-power gas turbine engine p 650 A86-43395
- VOLP, J.**  
A fault-tolerant 1750A engine controller  
[AIAA PAPER 86-1675] p 648 A86-42786
- VOLPE, G.**  
Transonic potential flow calculations by two artificial  
density methods [AIAA PAPER 86-1084] p 549 A86-38446
- VON ASPE, B. W.**  
Boeing Military Airplane Company's robotic ultrasonic  
inspection system p 118 A86-13180
- VON GLAHN, U.**  
Velocity and temperature decay characteristics of  
inverted-profile jets [AIAA PAPER 86-0312] p 206 A86-22693
- VON GLAHN, U. H.**  
Plume characteristics of single-stream and dual-flow  
conventional and inverted-profile nozzles at equal thrust  
[AIAA PAPER 86-1809] p 778 A86-49585
- VON LAVANTE, E.**  
A numerical method for the design and analysis of  
counter-rotating propellers [AIAA PAPER 84-1205] p 233 A86-20369  
Numerical evaluation of propeller noise including  
nonlinear effects p 645 A86-41726
- VON MEIER, U.**  
Flight testing a transonic wing with maneuver flaps and  
a direct side force control system for CAS aircraft  
p 794 A86-47782
- VON TEIN, V.**  
Modern developments in rotorcraft technology  
[MBB-UD-458-85-OE] p 805 A86-49509
- VON VILLIEZ, H.**  
Sophistication and safety in a semi-automated air traffic  
control system p 635 A86-41874
- VONBECKH, H. J.**  
G protection by an extreme crouch position  
[AD-A157081] p 81 N86-12213
- VONGERSDORFF, K.**  
Air and space flight. Dream and facts  
[MBB-FILM-382] p 198 N86-16188
- VONGLAHN, U.**  
Velocity and temperature decay characteristics of  
inverted-profile jets [NASA-TM-87159] p 147 N86-14223
- VONGLAHN, U. H.**  
Plume characteristics of single-stream and dual-flow  
conventional and inverted-profile nozzles at equal thrust  
[NASA-TM-87323] p 554 N86-26285
- VONNEGUT, B.**  
Nucleation of ice crystals in supercooled clouds caused  
by passage of an airplane p 323 A86-26175
- VORACKOVA, J.**  
Processing of airborne tape recordings with the aid of  
user programs for monitoring the technical condition of  
aircraft p 133 A86-16880
- VOROBIEV, N. F.**  
Determination of the intensity of a free vortex sheet in  
the context of airfoil theory p 146 A86-18904  
Aerodynamics of lifting surfaces in steady flow  
p 275 A86-25599
- VORONIN, V. I.**  
Lifting bodies designed for flow behind axisymmetric  
conical shock waves p 554 A86-39680
- VOSS, R.**  
Calculation of 3-d unsteady transonic potential flows by  
a field panel method p 412 A86-33229  
Calculation of three-dimensional transonic potential  
flows by a field panel method p 695 N86-30629
- VOTAW, M. W.**  
Influences of two landing gear designs on helicopter  
crashworthiness and weights p 492 A86-35632  
A skin-stringer design for a crashworthy composite  
fuselage for the Hughes 500E helicopter p 492 A86-35637  
The Hughes integrated approach to helicopter  
crashworthiness Past, present, and future p 494 A86-35663  
Advanced technology helicopter landing gear  
preliminary design investigation [AD-A158816] p 101 N86-13325
- VOTHANN, T.**  
Torsional low cycle fatigue of spline-ended drive  
components p 187 A86-18431
- VOWLES, W. M.**  
Re-engineing the Harrier [ASME PAPER 85-GT-175] p 235 A86-22091
- VOZHDAEV, V. S.**  
Analytical method for considering the elasticity of the  
blades in the aerodynamic calculation of a helicopter  
propeller p 96 A86-13421
- VRHEL, J.**  
Experience with stress analysis during airframe fatigue  
tests p 840 A86-49143
- VU, T. H.**  
Increasing productivity of the McAuto CAD/CAE system  
by user-specific applications programming p 183 N86-15200
- VYSHINSKII, V. V.**  
The use of reverse flow to calculate transonic flow past  
bodies p 81 A86-13412  
The effect of the aspect ratio of the cylindrical section  
on the fuselage drag at transonic flight velocities  
p 768 A86-48801  
Acceleration of the convergence of methods for  
calculating two- and three-dimensional transonic flow past  
bodies in an unbounded stream p 789 A86-48809

## W

- WACHSPRESS, D. A.**  
A new approach to the free wake problem for hovering  
rotors p 475 A86-35633
- WADIA, A. R.**  
Development of a design model for airfoil leading edge  
film cooling [ASME PAPER 85-GT-120] p 252 A86-22073
- WAGDI, M. N.**  
Control methodology for stochastic system  
characteristics modulation [AIAA PAPER 86-0336] p 262 A86-19821  
A stochastic decentralized flight control system  
[AIAA PAPER 86-1994] p 821 A86-47416
- WAGGONER, E. G.**  
Design of a natural laminar flow wing for a transonic  
corporate transport [AIAA PAPER 86-0314] p 200 A86-19807  
A faster 'transition' to laminar flow  
[SAE PAPER 851855] p 548 A86-38347
- WAGNER, E.**  
Aircraft control surface failure detection and isolation  
using the OSGLR test [AIAA PAPER 86-2028] p 821 A86-47419  
The evaluation of failure detection and isolation  
algorithms for restructurable control [NASA-CR-177983] p 93 N86-13310  
The evaluation of the OSGLR algorithm for  
restructurable controls [NASA-CR-178083] p 485 N86-24678
- WAGNER, G. N.**  
Injury pattern analysis of helicopter wire strike accidents  
(+ Gz load) p 158 A86-18843
- WAGNER, R. D.**  
Laminar flow research applicable to subsonic aircraft  
p 781 A86-50269
- WAGNER, S.**  
Analytic representation of steady and unsteady  
aerodynamic coefficients of modern helicopter rotors  
[DGLR PAPER 85-114] p 474 A86-35187  
A vortex lattice method for calculating nonlinear  
aerodynamic characteristics of interfering airfoils  
[DGLR PAPER 85-122] p 475 A86-35172
- WAGNER, T. A.**  
Conventional takeoff and landing (CTOL) airplane ski  
jump evaluation p 222 A86-21058
- WAGNER, W. J.**  
Comparative measurements of the unsteady pressures  
and the tip-vortex parameters on four oscillating wing tip  
models p 273 A86-24708

- Comparative measurements of the unsteady pressures and the tip-vortex parameters of four oscillating wing tip models p 276 A86-26109
- WAHTERA, J. C.**  
A distributed, fault-tolerant implementation of the airborne digital map using VLSI common programmable modules p 349 A86-28337
- WAI, J.**  
Numerical simulation of viscous supersonic flow over a generic fighter configuration [NASA-TM-88823] p 190 N86-15627
- WAI, J. C.**  
PN/S calculations for a fighter W/F at high-lift yaw conditions [AIAA PAPER 86-1829] p 779 A86-49588  
Viscous vortical flow calculations over delta wings p 558 N86-27202
- WAINAUSKI, H. S.**  
A report on the initial testing of the large scale advanced prop-fan [AIAA PAPER 86-1551] p 647 A86-42708
- WAKE, B. E.**  
Computation of rotor blade flows using the Euler equations [AIAA PAPER 85-5010] p 84 A86-14455  
The prediction of flow around blade tips p 337 A86-27688  
Solution of the unsteady Euler equations for fixed and rotor wing configurations p 410 A86-32779  
Computation of rotor blade flows using the Euler equations p 689 A86-44891
- WALDMAN, W.**  
A FORTRAN program for the determination of unsteady airforces on general combinations of interfering lifting surfaces oscillating in subsonic flow [ARL-STRUCT-R-412] p 206 N86-16191
- WALEN, D. B.**  
Lightning simulation tests on a graphite/epoxy airplane mockup p 355 A86-28514
- WALKER, J. L.**  
Fire extinguishing agents for oxygen-enriched atmospheres [AD-A166967] p 743 N86-30890
- WALKER, K.**  
Big Picture - Answer to the big problem? p 170 A86-17172
- WALKER, K. P.**  
Life prediction and constitutive models for engine hot section anisotropic materials program [NASA-CR-174952] p 526 N86-25003
- WALKER, R. A.**  
Flight test maneuver modeling and control [AIAA PAPER 86-0426] p 219 A86-19868  
Flight test trajectory controller synthesis with constrained eigenstructure assignment p 509 A86-35404  
Robust fault detection and isolation for a high performance aircraft on STOL approach [AIAA PAPER 86-2031] p 821 A86-47421  
Real-time flutter identification with close mode resolution [AIAA PAPER 86-2019] p 827 A86-47654
- WALKER, R. K.**  
Built In Test (BIT) utilization for improved supportability of the F-20 aircraft p 685 A86-43906
- WALKINGTON, N. J.**  
A numerical model of acoustic choking. II - Shocked solutions p 265 A86-20795
- WALKLEY, K. B.**  
Application of a full potential method to practical problems in supersonic aircraft design and analysis p 773 A86-49030  
An aerodynamic analysis computer program and design notes for low speed wing flap systems [NASA-CR-3875] p 408 N86-23554
- WALKO, L. C.**  
Design of a fast risetime lightning generator p 837 A86-47304  
Lightning simulation tests on FAA CV-580 lightning research aircraft p 790 A86-47307
- WALL, J. E., JR.**  
Design validation of fly-by-wire flight control systems p 362 N86-20409
- WALLACE, J.**  
Light helicopter family trade-off analysis. Volume 4: Appendix N [AD-A158075] p 188 N86-15306
- WALLACE, J. P.**  
757 Major Static Test instrumentation systems p 520 A86-34636
- WALLACE, R. A.**  
Data-driven operating concepts for real-time simulation systems p 397 A86-28348
- WALLACE, W.**  
AGARD Corrosion Handbook. Volume 1: Corrosion, causes and case histories [AGARD-AG-278-VOL-1] p 248 N86-16374
- WALLE, R.**  
Computerisation of air information services in France p 635 A86-40229
- WALLER, J. P.**  
U.S. Army requirements for damage tolerance of composite helicopter structure p 706 A86-43785
- WALLING, S. J.**  
S-2 glass fiber - Its role in military applications p 377 A86-27702
- WALLS, J.**  
An Orbital Maneuvering Vehicle simulator p 658 A86-40515  
Math model study of a proposed glide slope for runway 13R, Dallas-Fort Worth Airport, Texas [AD-A164907] p 573 N86-26315
- WALLTER, P. W.**  
NASA supercomputer system to become available nationally [NASA-NEWS-RELEASE-86-92] p 681 N86-28628
- WALSH, E. J.**  
Elimination of directional wave spectrum contamination from noise in elevation measurements p 641 A86-40854
- WALSH, J. L.**  
Application of mathematical optimization procedures to a structural model of a large finite-element wing [NASA-TM-87597] p 322 N86-19661
- WALSH, K. R.**  
Flight evaluation of a digital electronic engine control in an F-15 airplane p 173 A86-17784  
Flow field survey near the rotational plane of an advanced design propeller on a JetStar airplane [NASA-TM-86037] p 207 N86-16196  
Flight evaluation of a hydromechanical backup control for the digital electronic engine control system in an F100 engine [PAPER-9] p 505 N86-25351
- WALSH, T. P.**  
A trade-off study of tilt rotor aircraft versus helicopters using VASCOMP 2 and HESCOMP [AD-A167719] p 808 N86-31575
- WALTERICK, R. E.**  
Solid fuel ramjet simulator results - Experiment and analysis in cold flow p 106 A86-14562
- WALTERS, M. M.**  
CTOL ski jump - Analysis, simulation, and flight test p 637 A86-40113
- WALTHER, H.**  
Small defect characterization in powder metallurgy materials p 526 N86-25373
- WALTON, E. K.**  
Comparison of two target classification techniques p 318 A86-23951
- WALTRIP, M.**  
Three-dimensional unsteady flow fields elicited by a pitching forward swept wing [AIAA PAPER 86-1104] p 551 A86-38464
- WALTRUP, P. J.**  
Liquid fueled supersonic combustion ramjets - A research perspective of the past, present and future [AIAA PAPER 86-0158] p 236 A86-22679
- WALTY, R. J.**  
Constant temperature heaters for the repair of composite structures p 115 A86-13174
- WAN, T.**  
A simplified model of the turbulent microburst [NASA-CR-177108] p 679 N86-29466
- WANG, B.**  
Calculation of supersonic flows around a three-dimensional wing and a waisted body with characteristic method in stream surface coordinates p 206 A86-22319
- WANG, B. N.**  
Calculation of annular nozzle trisonic flowfields by the method of characteristics [AIAA PAPER 86-1519] p 625 A86-42686
- WANG, B. P.**  
Eigenvalue reanalysis of locally modified structures using a generalized Rayleigh's method [AIAA PAPER 84-0972] p 670 A86-41714
- WANG, C. M.**  
Unsteady aerodynamics of airfoils oscillating in and out of dynamic stall [AIAA PAPER 85-4078] p 84 A86-14453  
Unsteady aerodynamics of rapidly pitched airfoils [AIAA PAPER 86-1105] p 551 A86-38465
- WANG, D. S.**  
State-of-the-art review on composite material fatigue/damage tolerance [FAA/CT-85/7] p 379 N86-21615
- WANG, H.**  
Measurement of elastic-plastic strain field at the curve surface crack tip p 249 A86-20175
- WANG, J.**  
A numerical analysis for vertical gust field induced by gust generator p 432 A86-33237
- A numerical analysis for vertical gust field induced by gust generator p 727 N86-30637
- WANG, J. C.**  
Flight test planning and parameter extraction for rotorcraft system identification [AIAA PAPER 86-9772] p 430 A86-32107
- WANG, J. S.**  
Development of LC-13C NMR [NASA-CR-176656] p 379 N86-21704
- WANG, M. H.**  
Hub effects in propeller design and analysis [AD-A158853] p 108 N86-13331
- WANG, R.**  
Identification and estimation of the random error models for inertial accelerometer and baro-altimeter p 717 A86-43481
- WANG, S.**  
Comment on 'Conical similarity of shock/boundary-layer interactions generated by swept and unswept wings' p 337 A86-28558  
Application of rotor induced velocity field of the vortex theory to the study of stability and controllability of helicopter with hingeless rotor p 705 A86-43477
- WANG, S.-C.**  
The helicopter technology of China p 761 A86-48652  
A study of stability and control of a hingeless rotor helicopter with non-uniform induced velocity field p 831 A86-48655
- WANG, T.**  
Investigation of vortex patterns on slender bodies at high angles of attack p 410 A86-32784  
Optimal take-off trajectories in the presence of windshear p 708 A86-44386  
Optimization and acceleration guidance of flight trajectories in a windshear [AIAA PAPER 86-2036] p 822 A86-47425  
Optimization and gamma/theta guidance of flight trajectories in a windshear p 834 A86-49071
- WANG, T. C.**  
An experimental investigation on location of boundary layer transition on the NACA 0012 using surface hot film gages [NASA-TM-88285] p 524 N86-24936
- WANG, W.**  
The study of adaptive control augmentation system implemented with microcomputer p 306 A86-24577
- WANG, W. P.**  
Research on active suppression technology for wing/aileron flutter p 835 A86-49096
- WANG, X.**  
Convergence of performance calculation of twin spool turbojet and turbofan [ASME PAPER 85-IGT-82] p 302 A86-23883
- WANG, Y. S.**  
Interactions between flow, heat and mass transfer during formation of carbon-fiber reinforced epoxy composites p 451 N86-22642
- WANG, Y. Y.**  
Numerical analysis of transonic flow around two-dimensional airfoil by solving Navier-Stokes equations p 210 N86-17292
- WANG, Y.-Y.**  
Turbulent transonic flow for NACA 0012/RAE 2822 airfoils under Baldwin-Lomax model p 776 A86-49245
- WANG, Z.**  
An experimental investigation of response of a turbojet engine to inlet distortion [ASME PAPER 85-IGT-12] p 301 A86-23832  
Experimental investigation on frequency response of a turbojet engine to turbulence-type dynamic distortion p 440 A86-30740  
Aerospace knowledge magazine (selected articles) [AD-A164720] p 539 N86-26278
- WANG, G.**  
Selections from Flug Revue und Flugwelt International. A. On the border of Time-hypersonic flight. B. NASA programs pave the way for the hypersonic aircraft. C. Shuttle flight 61-B; construction in space. D. Faster than a bullet; hypersonic military aircraft [NASA-TM-88418] p 474 N86-24852
- WANHILL, R. J. H.**  
Fatigue fracture in landing gear steels p 803 A86-49115  
Effects of cladding and anodizing on flight simulation fatigue of 2024-T3 and 7475-T761 aluminum alloys [NLR-TR-85006-U] p 604 N86-26430  
Short cracks in aerospace structures [NLR-MP-85054-U] p 851 N86-32781
- WANNER, J. C.**  
Flight dynamics and aircraft piloting [ESA-TT-874] p 240 N86-16229
- WANSTALL, B.**  
Altimeters to meet military low level needs p 102 A86-13548



- Manufacturers prepare for Europe's new fighters p 75 A86-13549
- Testing time for AMX - The close support specialist moves towards production p 182 A86-17435
- Lavi - Advanced fighter and industrial springboard p 287 A86-24990
- WEBER, C. R.**  
Comparison of calculated and measured height profiles of transverse electric VLF signals across the daytime earth-ionosphere waveguide p 250 A86-21513
- WARBURTON, F. W.**  
Assessment of rotorcraft agility and maneuverability with a pilot-in-the-loop simulation p 510 A86-35623
- WARD-CLOSE, C. M.**  
An evaluation of centrifugally cast Ti-4Al-4Mo-2Sn-0.5Si (IMI 550) alloy p 374 A86-27207
- WARD, D. T.**  
Use of differential leading edge flaps for lateral control at high angle of attack [AIAA PAPER 86-0168] p 238 A86-19729  
Instrumentation of a light twin aircraft for flow energizer flight tests [AIAA PAPER 86-9759] p 438 A86-32099  
Use of hinged strakes for lateral control at high angles of attack [AIAA PAPER 86-2278] p 830 A86-47696
- WARFIELD, M.**  
A comparison of computational methods for three-dimensional, turbulent turbomachinery flow fields [AIAA PAPER 86-1599] p 626 A86-42740
- WARMBRODT, W.**  
Hover test of a full-scale hingeless rotor p 291 A86-26144  
High-speed, automatic controller design considerations for integrating array processor, multi-microprocessor, and host computer system architectures p 531 A86-35409  
The use of active controls to augment rotor/fuselage stability p 176 A86-15281  
The influence of dynamic inflow and torsional flexibility on rotor damping in forward flight from symbolically generated equations p 177 A86-15295
- WARNER, D. N., JR.**  
Fuel conservative guidance for shipboard landing of powered-lift STOL aircraft p 572 A86-39048
- WARNER, J. S.**  
Discrete maneuver flying qualities considerations in control system design p 366 A86-28378
- WARNO, J. S.**  
Method of spare parts - Digital simulation of aircraft turbine engine control system [ASME PAPER 85-IGT-52] p 301 A86-23858
- WARREN, D. G.**  
Area equivalent method (AEM) on VISICALC and LOTUS 1-2-3 - The Federal Aviation Administration's spreadsheet programs for predicting noise exposure contour areas around an airport p 853 A86-48595
- WARREN, D. S.**  
Continuing structural integrity program for transport aircraft p 736 A86-43789
- WARREN, R.**  
Cockpit automation technology - A further look p 499 A86-33814
- WARREN, S. M.**  
Integrated braking and ground directional control for tactical aircraft [SAE PAPER 851941] p 581 A86-38374
- WARWICK, G.**  
Military avionics p 102 A86-13269  
For agile read active p 175 A86-17175  
EAP - Fighter blueprint p 577 A86-37939  
Time runs out for the clockwork cockpit p 583 A86-38701  
Beech's enterprising Starship p 637 A86-40471  
More than a Mirage p 712 A86-45758
- WASSERBAUER, C.**  
Velocity and temperature decay characteristics of inverted-profile jets [AIAA PAPER 86-0312] p 206 A86-22693  
Velocity and temperature decay characteristics of inverted-profile jets [NASA-TM-87159] p 147 A86-14223
- WASSERBAUER, J. W.**  
Low-speed performance of an axisymmetric, mixed-compression, supersonic inlet with auxiliary inlets [NASA-TP-2557] p 503 A86-24694
- WASZAK, M. R.**  
On the flight dynamics of aeroelastic vehicles [AIAA PAPER 86-2077] p 828 A86-47666
- WATANABE, O.**  
Constitutive modeling of cyclic plasticity and creep, using an internal time concept p 670 A86-41673
- WATANABE, T.**  
Research on sonic inlet p 331 A86-25217
- WATERS, W. A., JR.**  
Failure mechanisms of laminates transversely loaded by bolt push-through [NASA-TM-87603] p 184 A86-14314
- WATKINS, C. B.**  
Dynamic response characteristics of a circulation control rotor model pneumatic system p 157 A86-15298
- WATKINS, T., JR.**  
Evaluation of damage tolerance requirements using a probabilistic-based life approach [ASME PAPER 86-GT-266] p 847 A86-48288
- WATKINS, W. B.**  
Further development of the dynamic gas temperature measurement system [AIAA PAPER 86-1648] p 672 A86-42770
- WATSON, D. C.**  
Evaluation of the effects of a plastic bead paint removal process on properties of aircraft structural materials [AD-A165289] p 603 A86-26384
- WATSON, D. M.**  
Flight evaluation of a precision landing task for a powered-lift STOL aircraft [AIAA PAPER 86-2130] p 828 A86-47676
- WATSON, J. J.**  
Geometric and structural properties of a rectangular supercritical wing oscillated in pitch for measurement of unsteady transonic pressure distributions [NASA-TM-85673] p 416 A86-23567
- WATSON, J. O.**  
Developments in boundary element methods - 4 p 809 A86-38966
- WATSON, L. T.**  
Efficient identification of critical stresses in structures subject to dynamic loads p 380 A86-26682
- WATSON, R. D.**  
Operational testing experience on the AH-64A Apache p 164 A86-18418
- WATT, F. A., III**  
Liquid-crystal goggles permit visual simulations of restricted visibility p 718 A86-46150
- WATTERS, D. M.**  
United States Navy - Canadian forces solid state flight data recorder/crash position locator experiment on the B-720 controlled impact demonstration p 391 A86-21945
- WATTLE, B. J.**  
An evaluation of the capability of the surface condition analyzer (SCAN) sensors to measure runway water depth [AD-A164719] p 611 A86-26603
- WATTS, B. J.**  
Light helicopter family trade-off analysis. Volume 10: Appendices V, W, X, and Z [AD-A158079] p 169 A86-15309
- WATTS, D. J.**  
Optimized bolted joint [NASA-CASE-LAR-13250-1] p 612 A86-27630
- WATTS, M. E.**  
The NASA modern technology rotors program [AIAA PAPER 86-9788] p 440 A86-32120
- WAZELT, F.**  
Propulsion and Energetics Panel Working Group 14 on suitable averaging techniques in non-uniform internal flows [AD-A133968] p 503 A86-24692
- WEATHERSBY, M. R.**  
Infrared flight simulation using computer generated imagery p 103 A86-15378
- WEAVER, M. J.**  
The strain controlled fatigue behaviour of a near-alpha titanium alloy p 376 A86-27383
- WEAVER, R. T.**  
Damage tolerance and civil helicopter design p 166 A86-18448
- WEBB, A. T.**  
A flight evaluation of a digital electronic engine control p 299 A86-23273
- WEBB, D. B.**  
Automatic Inflation Modulation (A.I.M.) parachute up-date p 698 A86-44781
- WEBB, L.**  
Advanced icing wind tunnel for flight test development of icing rate systems p 838 A86-47792
- WEBB, L. D.**  
Mach number and flow-field calibration at the advanced design propeller location on the JetStar airplane [NASA-TM-84923] p 207 A86-16197
- WEBB, M.**  
Technical support of the Wall Street/Battery Park city heliport MLS (Microwave Landing System) project [AD-A165073] p 575 A86-27273
- WEBB, T. P.**  
Pitch rate versus G command as the longitudinal flight control system design strategy for a statistically unstable fighter type aircraft with two control surfaces [AD-A158803] p 111 A86-13334
- WEBER, D. C.**  
Advanced technology helicopter landing gear preliminary design investigation [AD-A158816] p 101 A86-13325
- WEBER, M. E.**  
Evaluation of the ASR-9 weather reflectivity product p 614 A86-37485
- WEBER, O.**  
Comparative evaluation of redundant flight data recorded by a Digital Airborne Integrated Data System Recorder (DAR) on board an Airbus A-310 aircraft p 439 A86-22575
- WEBSTER, L. D.**  
The influence of sampling rate on the dynamics and control of aeronautical systems p 511 A86-37081
- WEDDERSPOON, J. R.**  
The A320 wing - Designing for commercial success p 286 A86-23799  
The high lift development of the A320 aircraft p 772 A86-49012
- WEEKS, T. M.**  
X-29 aims at applications p 426 A86-31334
- WEENER, E. F.**  
Flight deck automation decisions [SAE PAPER 841471] p 326 A86-26002
- WEERASOORIYA, T.**  
Advances in the study of the mechanical behavior of materials [AD-A164856] p 735 A86-30838
- WEGER, P.**  
Tornado high speed terrain following testing in mountainous terrain and bad weather p 710 A86-44945
- WEGNER, W.**  
Generation of two-dimensional gust fields in subsonic wind-tunnels p 563 A86-27247
- WEHRMAN, M. D.**  
Productivity improvements through the use of CAD/CAM p 121 A86-14538
- WEI, F. S.**  
Optimal design application on the advanced aeroelastic rotor blade p 167 A86-15290
- WEI, P.**  
Quantitative feedback design approach to pilot-in-the-loop analysis p 366 A86-28377
- WEICHELDT, G. A.**  
An all-weather multimode landing system for tactical fighter aircraft [AIAA PAPER 86-2146] p 787 A86-47517
- WEIDHUNER, D. D.**  
Small turbine technology review [AD-A158514] p 175 A86-15316
- WEIDNER, J.**  
The calculation of the entropy distribution along cloud traverses using aircraft measurements p 678 A86-40555
- WEIHS, D.**  
Ground effect on slender wings at moderate and high angles of attack p 623 A86-40108  
Transient induced drag p 689 A86-44879  
On the motion of spray drops in the wake of an agricultural aircraft p 777 A86-49441
- WEIKERT, C.**  
Auditory helicopter detection and localization; a literature review focusing on search for helicopters [FOA-C-50033-H2] p 757 A86-30474
- WEILAND, C.**  
Comparison of the Euler and potential solutions for supersonic flows over delta wings p 149 A86-14239
- WEILER, C.**  
Production-theoretical study of air traffic output production p 402 A86-27834
- WEIMER, J. A.**  
Control of a high-speed, brushless dc motor driven through a cycloconverter line p 386 A86-28372
- WEINER, M. M.**  
Monopole element at the center of a circular groundplane of arbitrary radius. Volume 1: Theory and results [AD-A166991] p 744 A86-30908
- WEINGART, O.**  
Flexible assembly subsystems p 126 A86-13125
- WEINGARTEN, N. C.**  
The interpretation of flying qualities requirements for flight control design [AIAA PAPER 86-2249] p 826 A86-47523
- WEINGOLD, H. D.**  
The use of surface static pressure data as a diagnostic tool in multistage compressor development [ASME PAPER 86-GT-3] p 812 A86-48103
- WEINHOLD, W. P.**  
Tip leakage reduction through tip injection in turbomachines [AIAA PAPER 86-1746] p 627 A86-42824

- WEINSTEIN, L. M.**  
Ice detector  
[NASA-CASE-LAR-13403-1] p 483 N86-24673
- WEINSTEIN, W.**  
Control reconfigurable combat aircraft flight control system development  
[AIAA PAPER 86-2236] p 824 A86-47488
- WEINTRAUB, D. J.**  
The utility of Head-Up Displays - Eye-focus vs decision times  
p 297 A86-23728  
Head-up display (HUD) utility. II - Runway to HUD transitions monitoring eye focus and decision times  
p 498 A86-33802
- WEIR, D. S.**  
Application of the Baseline Rotonet system to the prediction of helicopter tone noise  
[AIAA PAPER 86-1904] p 750 A86-45405  
Wing loads induced by a propeller wake  
[AIAA PAPER 86-1967] p 711 A86-45450  
Aircraft Noise Prediction Program theoretical manual: Propeller aerodynamics and noise  
[NASA-TM-83199-PT-3] p 536 N86-25220
- WEISENSEE, U.**  
Measurement of the pressure coefficient at a square wing in transonic-supersonic flows and comparison with theoretical results  
p 787 A86-48568
- WEISERT, E. D.**  
Advanced structural components by SPF/DB processing  
p 363 A86-27271
- WEISS, D. H.**  
Line replaceable modules - The next generation of avionics  
p 685 A86-43890
- WEISS, F.**  
Gust alleviation on a transport airplane  
p 565 N86-27259
- WEISS, J. L.**  
Detection and isolation of control surface effectiveness failures in high performance aircraft  
p 367 A86-28392  
An automatic redesign approach for restructurable control systems  
p 368 A86-28394  
Application of FDI metrics to detection and isolation of sensor failures in turbine engines  
p 501 A86-35400  
Design issues for fault tolerant-restructurable aircraft control  
p 652 A86-42937  
Simulation results of automatic restructurable flight control system concepts  
[AIAA PAPER 86-2032] p 821 A86-47422  
Robust detection-isolation-accommodation for sensor failures  
[NASA-CR-174787] p 255 N86-18486  
Initial design and evaluation of automatic restructurable flight control system concepts  
[NASA-CR-178064] p 652 N86-28090
- WEISSHAAR, T. A.**  
Aeroelastic tailoring - Theory, practice, and promise  
[AIAA PAPER 84-0982] p 220 A86-20155  
Control of aeroelastic instabilities through stiffness cross-coupling  
p 284 A86-23192  
Tailoring methodology for aeroelastic stability and lateral control enhancement  
p 434 A86-33259  
Integrated aeroservoelastic tailoring of lifting surfaces  
[AIAA PAPER 86-1005] p 594 A86-38948  
Integrated structure/control design - Present methodology and future opportunities  
p 854 A86-49094  
The development of aeroelastic tailoring in the United States  
p 805 A86-50111  
Interactive aircraft flight control and aeroelastic stabilization  
[NASA-CR-178323] p 110 N86-12233  
Tailoring methodology for aeroelastic stability and lateral control enhancement  
p 729 N86-30657
- WEISSMAN, D. E.**  
Measurements of ocean wave spectra and modulation transfer function with the airborne two-frequency scatterometer  
p 393 A86-28618
- WELL, K. H.**  
Periodic control for minimum-fuel aircraft trajectories  
p 427 A86-31857  
Near-optimal feedback control for three-dimensional interceptions  
p 854 A86-48992
- WELLMAN, B.**  
Evaluation of a load cell model for dynamic calibration of the rotor systems research aircraft  
p 168 N86-15304
- WELLS, I. M.**  
An improved optical viewing system for a flight simulator  
[MS-8025] p 840 N86-32448
- WELPMANN, K.**  
Strength profile in Al-Li plate material  
p 374 A86-27198  
Age hardening behavior of DTD XXXA  
p 680 A86-40305
- WELSH, B. L.**  
Aeroelastic oscillations caused by transitional boundary layers and their attenuation  
[AIAA PAPER 86-0738] p 286 A86-24731
- WELSH, C. J.**  
Aircraft transparency testing: Artificial birds  
[AD-A166832] p 701 N86-30704
- WELTE, D.**  
Experimental analysis of a pitot-type air intake  
p 410 A86-32777  
New technology propulsion (ANT) for general aviation aircraft, phase 1  
[BMFT-FB-W-85-031] p 820 N86-31589
- WEN, C. T.**  
Interpretation of F-106B in-flight lightning signatures  
[NASA-CR-176387] p 100 N86-13320
- WEN, Q.-C.**  
Use and maintenance of helicopters on the plateau  
p 785 A86-48669
- WEN, S.-J.**  
The solution of the thermal elastic-plastic problem of turbine disk by the incremental finite element method  
[ASME PAPER 85-IGT-112] p 317 A86-23909
- WENDRZYCKI, R. D.**  
A study of the potential benefits associated with the development of a dedicated helicopter transmission lubricant  
[SAE PAPER 851832] p 607 A86-38530  
A study of the potential benefits associated with the development of a dedicated helicopter transmission lubricant  
p 666 A86-29242
- WENG, W.**  
Fuzzy inference system to diagnose aircraft hydraulic faults  
p 407 N86-22775
- WENTZ, W. H.**  
Investigation of empennage buffeting  
[NASA-CR-177184] p 654 N86-28951
- WENTZ, W. H., JR.**  
Further results of natural laminar flow flight test experiments  
[SAE PAPER 850862] p 581 A86-38504
- WERLING, R.**  
Expert systems for real time applications  
p 398 A86-28486
- WERNER, L. D.**  
The GTCP36-300 - A gas turbine auxiliary power unit for advanced technology transport aircraft  
[ASME PAPER 86-GT-285] p 816 A86-48302
- WERNER, R. A.**  
NASA Lewis F100 engine testing  
[PAPER-4] p 504 N86-25346
- WERNER, W.**  
Application of a dynamic grid adaptation in the ASWR procedure  
p 149 N86-14243
- WESSLER, W. D.**  
Airborne instrumentation magnetic tape recording thru the early 90's  
p 315 A86-23253
- WEST, J. C.**  
Real-time open-loop frequency response analysis of flight test data  
[AIAA PAPER 86-9738] p 443 A86-32084
- WESTCOTT, E. J.**  
The Air Force approach to environmental stress screening  
p 253 A86-22192
- WESTERFIELD, E. E.**  
The use of translators with GPS  
p 93 A86-13230
- WESTFIELD, W. T.**  
Post Controlled Impact Demonstration (CID) analysis  
p 733 N86-30010
- WESTON, R. P.**  
Flowfield survey over a 75 deg swept delta wing at an angle of attack of 20.5 deg  
[AIAA PAPER 86-1775] p 777 A86-49579
- WESTPHAL, G.**  
The Microwave Landing System (MLS)  
p 180 A86-18723
- WESTPHAL, R. V.**  
Double-branched vortex generator  
[NASA-TM-88201] p 89 N86-13298
- WESTRA, D. P.**  
Simulator design features for helicopter landing on small ships  
p 308 A86-23750
- WETHERALL, P. R.**  
Applications of expert systems  
p 330 N86-19634
- WHALLEY, M. S.**  
An investigation of the use of bandwidth criteria for rotorcraft handling-qualities specifications  
[AD-A160664] p 294 N86-18319
- WHIPPLE, R. D.**  
Recent experiences of unsteady aerodynamic effects on aircraft flight dynamics at high angle of attack  
p 564 A86-27252  
Low-speed aerodynamic characteristics of a 1/8-scale X-29A airplane model at high angles of attack and sideslip  
[NASA-TM-87722] p 781 N86-31532
- WHITAKER, L. A.**  
Wickens' resource allocation model - Implications for the design of human-machine systems  
p 395 A86-28453
- WHITAKER, R.**  
A survivable fly-by-wire spoiler actuation system featuring nonflammable fluid, 8,000 PSI hydraulics and direct drive valves  
p 355 A86-28402
- WHITBECK, R. F.**  
Methodologies for the direct digital control of highly flexible vehicles  
[AD-A158448] p 188 N86-14615
- WHITE, E. G.**  
Development of a new lightweight emergency escape breathing device  
p 784 A86-47760
- WHITE, E. R.**  
Flight tests and preliminary aerodynamic parameter extraction of an externally piloted vehicle aircraft model  
p 796 A86-47800
- WHITE, G.**  
Regulation by the Civil Aviation Authority of air safety in the United Kingdom  
p 633 A86-40565
- WHITE, J.**  
Effect of precipitation on mechanical properties of Al-Li-Cu-Mg-Zr alloy  
p 661 A86-40306
- WHITE, J. F., III**  
Aeroelastic tailoring of advanced composite compressor blades  
[AIAA PAPER 86-1008] p 591 A86-38949  
Aeroelastic behavior of low aspect ratio metal and composite blades  
[ASME PAPER 86-GT-243] p 846 A86-48271
- WHITE, J. R.**  
United States Coast Guard acquisition of remote sensing capability for ocean surveillance  
p 231 A86-21234
- WHITE, M. E.**  
Evolution and status of CFD techniques for scramjet applications  
[AIAA PAPER 86-0160] p 248 A86-19970
- WHITE, R. W.**  
Pilot Executive project - PILEX  
[SAE PAPER 851806] p 489 A86-35436
- WHITEHURST, T. N., JR.**  
A Single Point Release System for the Advanced Concept Ejection Seat (ACES) II - Survival kit and parachute risers  
p 217 A86-19303
- WHITEMAN, P.**  
Implementation of TF/TA in the digital terrain management and display system  
p 359 A86-28390
- WHITESIDE, J. B.**  
Measurement of preferential moisture ingress in composite wing/spar joints  
p 116 A86-16100
- WHITESIDE, P. V.**  
The British Aerospace Experimental Aircraft Programme and the role of system development cockpits  
p 801 A86-48996
- WHITFIELD, C. W.**  
Spanwise redistribution of energy and loss in an axial flow compressor by wake centrifugation  
[AD-A159312] p 237 N86-16222
- WHITFORD, R.**  
Aircraft design at Kingston Polytechnic  
p 333 A86-25090
- WHITLEY, P. E.**  
High speed ejection tests of a modified Hybrid III Manikin  
p 784 A86-47738
- WHITLOCK, H. R.**  
FAA certification of rotorcraft engine induction system for ice protection  
p 157 A86-18406
- WHITLOW, W., JR.**  
Unsteady transonic flows past airfoils using the Euler equations  
[AIAA PAPER 86-1764] p 541 A86-37802  
Nonisentropic unsteady three dimensional small disturbance potential theory  
[AIAA PAPER 86-0863] p 552 A86-38898  
An entropy correction method for unsteady full potential flows with strong shocks  
[AIAA PAPER 86-1768] p 777 A86-49576  
Nonisentropic unsteady three dimensional small disturbance potential theory  
[NASA-TM-87726] p 479 N86-24663  
An entropy correction method for unsteady full potential flows with strong shocks  
[NASA-TM-87769] p 694 N86-29777
- WHITMAN, W.**  
Advanced rotary engine components utilizing fiber reinforced Mg castings  
[AIAA PAPER 86-1559] p 663 A86-42712
- WHITMER, L. D.**  
Non-rigid airship testing  
p 223 A86-21059
- WHITNEY, A. K.**  
Numerical generation of 3D curvilinear coordinate systems and computational grids for aircraft configurations  
[AD-A162249] p 462 N86-23997

- WHITNEY, J. M.**  
Composite materials: Testing and design; Proceedings of the Seventh Conference, Philadelphia, PA, April 2-4, 1984 p 662 A86-41051
- WHITTAKER, G. A.**  
Precision casting of aero gas turbine components p 739 A86-45816
- WICHMANN, G.**  
A comparison of solutions of the complete potential equation and the Euler equations for the transonic flow around the DFVLR-F4-wing [DGLR PAPER 85-121] p 475 A86-35171  
Application of elliptic continuation method for transonic aerofoil design and experimental verification p 477 A86-36206  
Aerodynamic investigations toward an adaptive airfoil for a transonic transport aircraft p 623 A86-40115  
Design of a basic profile for a slightly swept wing. Part 2: Experimental investigation on the airfoil DFVLR-W1 in the Brunswick Transonic Wind Tunnel (TWB) [ESA-TT-916-PT-2] p 782 A86-31542
- WICHOREK, G. R.**  
Strength of graphite/epoxy bolted wing-skin splice specimens subjected to outdoor exposure under constant load and yearly fatigue loading [NASA-TP-2542] p 378 A86-20508
- WICKENS, R. H.**  
Aerodynamic characteristics of an oscillating airfoil p 616 A86-39566
- WIDENER, S. K.**  
Altitude ignition/lean deceleration study [AIAA PAPER 86-1530] p 646 A86-42694
- WIDMAYER, E.**  
Structural analysis of the controlled impact demonstration of a jet transport airplane [AIAA PAPER 86-0939] p 583 A86-38836
- WIDNALL, S. E.**  
Energetics and optimum motion of oscillating lifting surfaces of finite span p 274 A86-25084  
Application of unsteady aerodynamics to large-eddy breakup devices in a turbulent flow p 688 A86-44238
- WIEFLING, K.**  
Variability of major organic components in aircraft fuels [AD-A159057] p 185 A86-15415
- WIEMER, D. J.**  
Digital control for engine bleed air [SAE PAPER 851316] p 300 A86-23506
- WIERDA, G. J.**  
Simulation of a six degrees of freedom flight simulator motion system [UA-00-39] p 241 A86-16230
- WIERWILLE, W. W.**  
Evaluation of 16 measures of mental workload using a simulated flight task emphasizing mediational activity p 395 A86-28864
- WIERZBANOWSKI, T.**  
X-29 initial flight test results p 709 A86-44942
- WIERZBANOWSKI, T. J.**  
X-29 aims at applications p 426 A86-31334
- WIESEMAN, C. D.**  
A method to stabilize linear systems using eigenvalue gradient information [NASA-TP-2479] p 128 A86-13946
- WIGGENRAAD, J. F. M.**  
The postbuckling behavior of blade-stiffened carbon epoxy panels loaded in compression [NLR-MP-85019-U] p 611 A86-26861
- WILBUR, R. L.**  
Requirements for second generation aircraft weighing systems [SAWE PAPER 1669] p 513 A86-35213
- WILBY, E. G.**  
In-flight acoustic measurements on a light twin-engined turboprop airplane [NASA-CR-178004] p 332 A86-20089
- WILBY, J. F.**  
In-flight acoustic measurements on a light twin-engined turboprop airplane [NASA-CR-178004] p 332 A86-20089
- WILBY, P. G.**  
An experimental investigation of the influence of a range of aerofoil design features on dynamic stall onset p 288 A86-26104
- WILCZEK, E.**  
Optimization of seaplanes [DGLR PAPER 85-170] p 488 A86-35189
- WILDER, S. E.**  
Measured and predicted heating distributions for biconics at Mach 10 p 624 A86-41734
- WILFORD, S. P.**  
UK work on safety fuels p 733 A86-30012
- WILKINSON, R. L.**  
Effect of crack growth rate variations on life predictions [AIAA PAPER 86-0981] p 603 A86-38859
- Probabilistic evaluation of individual aircraft tracking techniques [AD-A180146] p 282 A86-18312
- WILLBRAND, J.**  
PM techniques for making near-net-shape titanium alloy components p 246 A86-21756
- WILLCOX, S. W.**  
A parameter insensitive technique for aircraft sensor fault analysis using eigenstructure assignment and analytical redundancy [AIAA PAPER 86-2029] p 809 A86-47420
- WILLEKENS, A. J. L.**  
STALINS method for takeoff and landing trajectory measurements p 356 A86-28566  
Operational application of the STALINS method for measuring take-off and landing trajectories [NLR-TR-83010-U] p 227 A86-17346
- WILLIAMS, A. L.**  
A new and less complex alternative to the Handley Page slat p 356 A86-28563
- WILLIAMS, B. R.**  
Studies of the flow field near a NACA 4412 aerofoil at nearly maximum lift [RAE-TM-AERO-2026] p 211 A86-17307
- WILLIAMS, D. H.**  
Design factors and considerations for a time-based flight management system [AIAA PAPER 86-2144] p 822 A86-47455  
Advanced ATC - An aircraft perspective p 788 A86-49637
- WILLIAMS, F. L.**  
Operation REDWING, Project 5.2, in-flight participation of a B-52 [AD-A95286] p 357 A86-21536
- WILLIAMS, G. W., JR.**  
Avoiding probe to model collisions in wind tunnel testing p 397 A86-28413
- WILLIAMS, J. E. D.**  
Navigation in aerial commerce p 422 A86-31323
- WILLIAMS, J. G.**  
Failure mechanisms of laminates transversely loaded by bolt push-through [NASA-TM-87603] p 184 A86-14314
- WILLIAMS, J. P.**  
Failure detection and accommodation in structural dynamics systems using analytic redundancy p 658 A86-42938
- WILLIAMS, K. L.**  
Natural laminar flow and regional aircraft [SAE PAPER 850864] p 552 A86-38505
- WILLIAMS, M.**  
A theoretical analysis of the effect of thrust-related turbulence distortion on helicopter rotor low-frequency broadband noise p 289 A86-26113
- WILLIAMS, M. C.**  
Intrablade velocity mapping in transonic fan passages of gas turbine p 474 A86-34411
- WILLIAMS, M. H.**  
Three dimensional unsteady aerodynamics and aeroelastic response of advanced turboprops [AIAA PAPER 86-0846] p 591 A86-38894  
Nonisentropic unsteady three dimensional small disturbance potential theory [AIAA PAPER 86-0863] p 552 A86-38898  
Nonisentropic unsteady three dimensional small disturbance potential theory [NASA-TM-87726] p 479 A86-24663
- WILLIAMS, M. J.**  
Flight testing of an ASW helicopter p 352 A86-26585  
A mathematical model of the Sea King Mk.50 helicopter aerodynamics and kinematics [ARL-AERO-TM-379] p 808 A86-32425
- WILLIAMS, P. D. L.**  
The design, construction and early trials of a novel airborne surveillance radar p 424 A86-32635
- WILLIAMS, P. J.**  
Evolution of real time airborne reconnaissance p 229 A86-19586
- WILLIAMS, R.**  
Materials and manufacturing processes for advanced jet engines p 105 A86-13173  
Research on the technology of an airplane concept for a Stationary High-Altitude Relay Platform (SHARP) p 586 A86-39564
- WILLIAMS, W. H.**  
The Adaptive Maneuvering Logic program in support of the pilot's associate program - A heuristic approach to missile evasion [AIAA PAPER 86-0423] p 263 A86-19865
- WILLIAMSON, R. G.**  
Influence of rotor blade aerodynamic loading on the performance of a highly loaded turbine stage [ASME PAPER 86-GT-56] p 765 A86-48134
- The effect of a downstream rotor on the measured performance of a transonic turbine nozzle [ASME PAPER 86-GT-103] p 814 A86-48166
- WILLIFORD, C. F.**  
Comparison of absorption and radiation boundary conditions using a time-domain three-dimensional finite difference electromagnetic computer code [AD-A163828] p 532 A86-25149
- WILLIS, R. E.**  
Method to detect ethylene glycol in gaseous mixtures [AD-A158109] p 116 A86-12272
- WILLISTON, K. W.**  
Eigenstructure synthesis of an oblique wing flight control system p 852 A86-42913
- WILLOH, R. G., JR.**  
NASA Lewis F100 engine testing [PAPER-4] p 504 A86-25346
- WILLSKY, A.**  
Design issues for fault tolerant-restructurable aircraft control p 652 A86-42937
- WILLSKY, A. S.**  
Detection and isolation of control surface effectiveness failures in high performance aircraft p 367 A86-28392  
Application of FDI metrics to detection and isolation of sensor failures in turbine engines p 501 A86-35400  
Robust detection-isolation-accommodation for sensor failures [NASA-CR-174797] p 255 A86-16486
- WILMOTT, P.**  
The induced downwash and lift on a wing of high aspect ratio in unsteady motion p 474 A86-34160
- WILSON, C. W.**  
Fire extinguishing agents for oxygen-enriched atmospheres [AD-A166967] p 743 A86-30690
- WILSON, D.**  
Advanced polymer composites for high temperature applications p 843 A86-49021
- WILSON, D. C.**  
Smoothing patched grids p 464 A86-31312  
Applications of differential topology to grid generation [AD-A162834] p 467 A86-24354
- WILSON, D. M.**  
Structural modification by modal correction p 738 A86-44934
- WILSON, D. R.**  
Vortex-airfoil interaction tests [AIAA PAPER 86-0354] p 201 A86-19833
- WILSON, F. T.**  
Design and testing of a large scale helicopter fuselage model in the RAE 5 metre pressurized wind tunnel p 292 A86-26163
- WILSON, H. E., II**  
Flight service evaluation of composite components on the Bell helicopter model 206L [NASA-CR-178148] p 734 A86-30612
- WILSON, J.**  
The classify, locate, and avoid wind shear (CLAWS) project at Denver's Stapleton International Airport - Operational testing of terminal weather hazard warnings with an emphasis on microburst wind shear p 615 A86-37495
- WILSON, J. C.**  
Aerodynamic performance of a 27-percent-scale AH-64 wind-tunnel model with baseline/advanced rotor blades p 492 A86-35635  
Aerodynamic characteristics of several current helicopter tail boom cross sections including the effect of spoilers [NASA-TP-2506] p 339 A86-20349
- WILSON, J. W.**  
An ill wind p 461 A86-31225
- WILSON, R.**  
MATRIXx Plus with HYPER-BUILD - Accelerating control design, analysis, and simulation [AIAA PAPER 86-2085] p 853 A86-47505
- WILSON, R. B.**  
Stress analysis of gas turbine engine structures using the boundary element method p 520 A86-34444
- WILSON, R. E.**  
First order analysis of the effect of pitching on the drag coefficient [DE86-006324] p 633 A86-28926
- WILSON, S. B., III**  
The STOL performance of a two-engine, USB powered-lift aircraft with cross-shafted fans [SAE PAPER 851839] p 578 A86-38336  
Effects of jet flap on AV8-B 'Harrier' performance [SAE PAPER 851843] p 579 A86-38340  
Harrier III-AVB8 with a modern engine [SAE PAPER 851881] p 579 A86-38349
- WILSON, W. J.**  
High resolution millimeter-wave imaging sensor p 498 A86-33590

- Monopole element at the center of a circular groundplane of arbitrary radius. Volume 1: Theory and results  
[AD-A166991] p 744 N86-30906
- WILT, C. E.**  
Development of in-flight thrust measurement procedures for an afterburning turbofan engine  
[AIAA PAPER 85-1405] p 720 A86-45375
- WINANT, C. D.**  
Comparison of sea surface temperatures obtained from an aircraft using remote and direct sensing techniques  
p 323 A86-23291
- WINCZURA, Z.**  
Influence of the dropping conditions on container motion near the carrier and on the impact parameters  
p 158 A86-19069
- WINDOLPH, G.**  
R&M test data management during helicopter system development  
p 184 A86-18419
- WINEBARGER, R. M.**  
Loads and motions of an F-106B flying through thunderstorms  
[NASA-TM-87871] p 483 N86-24872
- WINEGAR, J. S.**  
Unique tooling and manufacturing approach for large advanced composite aircraft structure  
p 246 A86-21742
- WINGARTEN, H. C.**  
Effects of time delay and pitch control sensitivity in the flared landing  
[AIAA PAPER 86-2075] p 831 A86-47706
- WINGROVE, R. C.**  
The analysis of airline flight records for winds and performance with application to the Delta 191 accident  
[AIAA PAPER 86-2227] p 829 A86-47890
- WINKLER, P.**  
Metals and plastics - State of the art and perspectives  
[MBB-Z-49-85-OE] p 116 A86-14474
- WINSTANLEY, A. P.**  
Hot Gas Laboratory twin nozzle calibration  
[BAE-ARG-200] p 258 N86-17666
- WINSTONE, M. R.**  
The strain controlled fatigue behaviour of a near-alpha titanium alloy  
p 376 A86-27383
- WINTER, H.**  
Scoring tests of aircraft transmission lubricants at high speeds and high temperatures  
p 687 N86-29253
- WINTER, J.**  
The performance of a reverse flow combustor using JP 10 fuel  
[ASME PAPER 86-GT-146] p 814 A86-48202
- WINTER, S. J.**  
A parameter insensitive technique for aircraft sensor fault analysis using eigenstructure assignment and analytical redundancy  
[AIAA PAPER 86-2029] p 809 A86-47420
- WINTUCKY, W. T.**  
Preliminary evaluation of a compound cycle engine for shipboard gensets  
[NASA-CR-179451] p 611 N86-26629  
An overview of the Small Engine Component Technology (SECT) studies  
[NASA-TM-88796] p 819 N86-31587
- WISE, S.**  
A cementitious tooling/molding material - Room temperature castable, high temperature capable  
[SAE PAPER 850904] p 607 A86-38522
- WISLER, D. C.**  
Wall cooling effects on hypersonic boundary layer transition,  $M(1) = 7.5 - 15$   
[AIAA PAPER 86-1088] p 550 A86-38450  
Improved compressor performance using recessed clearance (trenches) over the rotor  
[AIAA PAPER 86-1745] p 649 A86-42823
- WISSEL, W. D.**  
Impact of advanced materials on aircraft design weights - The weight improvement factor  
[SAE PAPER 1636] p 488 A86-35202
- WITSMEEER, A. J.**  
GPS aided inertial navigation  
p 351 A86-29300
- WITT, D. J.**  
Using Ada in the real-time avionics environment Issues and conclusions  
[AD-A163844] p 533 N86-25151
- WITT, P. A.**  
Development of a data acquisition system to aid in the aerodynamic study of various helicopter configurations  
[AD-A167717] p 781 N86-31539
- WITT, R. H.**  
Titanium Near Net Shape components for demanding airframe applications  
p 245 A86-21726  
Titanium near net shape components for demanding airframe applications  
p 380 A86-26717
- WITTENDORFER, K. E.**  
Biodynamics of personnel parachute landings - A fresh look at parachute descent rates  
p 419 A86-32068
- WITTLIN, G.**  
FAA structural crash dynamics program update - Transport category aircraft  
[SAE PAPER 851887] p 568 A86-38354  
A procedure to evaluate aircraft crash floor pulses  
[SAE PAPER 850854] p 582 A86-38513  
KRASH dynamics analysis modeling: Transport airplane controlled impact demonstration test  
[DOT/FAA/CT-85/9-REV] p 483 N86-25331  
KRASH85 user's guide: Input/output format  
[DOT/FAA/CT-85/10-REV] p 618 N86-27926  
KRASH 85 user's guide: Input/output format, revision  
[AD-A168846] p 787 N86-32416
- WLEZIEN, R. W.**  
Passive control of jets with indeterminate origins  
p 780 A86-49807
- WOELFEL, J.**  
Cockpit communication and aircraft safety - An empirical study  
[SAE PAPER 851858] p 482 A86-35451
- WOJNAROWSKI, A.**  
An analysis of the motion of an aircraft on the ground  
p 725 A86-46367
- WOLF, C. J.**  
Diffusion of water in carbon epoxy composites  
p 377 A86-27754
- WOLF, D. E.**  
Progress in the development of parabolized Navier-Stokes (PNS) methodology for analyzing propulsive jet mixing problems  
[AIAA PAPER 86-1115] p 551 A86-38473  
Computational models for the analysis/design of hypersonic scramjet components. I - Combustor and nozzle models  
[AIAA PAPER 86-1595] p 647 A86-42737  
Parabolized Navier-Stokes analysis of three-dimensional supersonic and subsonic jet mixing problems  
p 780 A86-49804
- WOLF, T.**  
Determination of wing deformation in wind tunnel models using stress measurement section technology  
[DGLR PAPER 85-091] p 474 A86-35154
- WOLF, W. P.**  
Six degree of freedom simulation of fluid payload projectiles using numerically computed fluid moments  
[DE85-017183] p 208 N86-16200
- WOLFE, A. V.**  
Integrating the pilot into the cockpit  
[AIAA PAPER 86-9765] p 429 A86-32102
- WOLKOVITCH, J.**  
The joined wing - An overview  
p 355 A86-28559
- WOLLOWITZ, M. H.**  
Application of closed-loop machining in the manufacture of gas turbines  
p 521 A86-35659
- WON, I. J.**  
Characterization of shallow ocean sediments using the airborne electromagnetic method  
p 393 A86-28065
- WONG, G. A.**  
Characteristics of altitude error at reduced quantization  
[FAA/PM-86/35] p 811 N86-31580
- WONG, H. Y.**  
Investigation into the cause of failure of a turboprop impeller in service  
[ASME PAPER 85-IGT-147] p 303 A86-23938
- WONG, J.**  
Research on the technology of an airplane concept for a Stationary High-Altitude Relay Platform (SHARP)  
p 586 A86-39564
- WONG, Y. S.**  
A new fast solver procedure applied to the BGK computer program for transonic flow past an airfoil  
p 83 A86-14360
- WOO, A. C.**  
A transonic rectangular grid embedded panel method  
p 204 A86-20953  
Application of the TranAir full-potential code to complete configurations  
p 772 A86-49009
- WOOD, C. W.**  
Analysis of the effects of transient heat transfer on axial flow compressor blade boundary layers  
[AD-A158084] p 175 N86-15315
- WOOD, E. R.**  
Higher harmonic control - Vibration reduction for reduced weight  
[SAE PAPER 1679] p 489 A86-35220  
Implementation and verification of a comprehensive helicopter coupled rotor - Fuselage analysis  
p 799 A86-48667
- WOOD, M.**  
Fabrication of high-alumina ceramic fixtures for jet engine repair applications  
[ASME PAPER 86-GT-46] p 846 A86-48130
- WOOD, N.**  
Measurements on wing-tip blowing  
[NASA-CR-176930] p 632 N86-26922
- WOOD, N. J.**  
Influence of wing tip configuration on lateral blowing efficiency  
[AIAA PAPER 86-0475] p 206 A86-22702  
An estimation of the wall interference on a two-dimensional circulation control airfoil  
[AIAA PAPER 86-0738] p 273 A86-24732  
Flow structure of lateral wing-tip blowing  
[AIAA PAPER 86-1810] p 544 A86-37831  
Experimental results of the control of a vortical flow by tangential blowing  
[NASA-CR-176932] p 742 N86-30094
- WOOD, P. C.**  
The development and application of finite element stress analysis techniques at Westland Helicopters Ltd  
p 330 A86-26118
- WOOD, R. A.**  
Simulation support software in a real-time environment at the U.S. Air Force Flight Test Center  
p 617 A86-37180
- WOOD, R. M.**  
An evaluation of leading-edge flap performance on delta and double-delta wings at supersonic speeds  
[AIAA PAPER 86-0315] p 201 A86-19808  
Comparison of computations and experimental data for leading edge vortices - Effects of yaw and vortex flaps  
[AIAA PAPER 86-0439] p 202 A86-19880  
Planform effects for low-fineness ratio multibody configurations at supersonic speeds  
[AIAA PAPER 86-1799] p 544 A86-37825  
A comparison of experimental and numerical results for delta wings with vortex flaps  
[AIAA PAPER 86-1840] p 546 A86-37848  
An overview of the fundamental aerodynamics branch's research activities in wing leading-edge vortex flows at supersonic speeds  
p 558 N86-27207
- WOOD, T. G.**  
An integrated flight control system for a STOL transport aircraft  
p 387 A86-28384
- WOODALL, T. D.**  
Linear and nonlinear modal analysis of aeroelastic structural systems  
p 387 A86-28742
- WOODCOCK, R. J.**  
The MIL-prime standard for aircraft flying qualities  
[AIAA PAPER 86-2131] p 828 A86-47677
- WOODFORD, T. R.**  
T-33 (Silver Star MK 3) pitot-static system calibration  
[AD-A157854] p 104 N86-12221
- WOODHEAD, M. A.**  
Active flutter suppression  
p 832 A86-49004
- WOODRUFF, P. J.**  
Ballistically deployed parachute systems for single and two place aircraft  
p 212 A86-19319
- WOODS, A. G.**  
The choice of techniques used for flight flutter clearance with particular reference to the BAe 146 and BAe 125  
p 433 A86-33245  
The choice of techniques used for flight flutter clearance with particular reference to the BAe 146 and BAe 125  
p 728 N86-30644
- WOODSON, B. K.**  
A study of programmable switch symbology  
p 329 A86-23708  
Cockpit automation technology - A further look  
p 499 A86-33814
- WOODSON, S. H.**  
A three-dimensional boundary-layer method for flow over delta wings with leading-edge separation  
[SAE PAPER 851818] p 547 A86-38327  
A direct and inverse boundary layer method for subsonic flow over delta wings  
p 557 N86-27195
- WOODWARD, F. A.**  
A high order supersonic triplet singularity  
[AIAA PAPER 86-1815] p 545 A86-37834
- WOOLHOUSE, D.**  
Operational flight experience and disassembly/inspection results of Space Shuttle orbiter actuators  
p 600 N86-27354
- WOOLLEY, D.**  
Airports build for future traffic amid new security concern  
p 838 A86-48371
- WOOLLS, T. D.**  
A thermal imaging payload for RPV applications  
p 588 A86-37333
- WOOLRIDGE, S. B.**  
Analysis of helicopter noise data using international helicopter noise certification procedures  
[PB86-186533] p 620 N86-27972
- WORKMAN, G. L.**  
Robotic nondestructive inspection of aerospace structures  
p 668 A86-40509

- WRIGHT, J.  
Advanced light emitting diode (LED) displays-paced by technology or systems application? p 171 A86-18458  
Halon extinguisher agent behavior in a ventilated small aircraft [DOT/FAA/CT-86/5] p 699 N86-29794
- WRIGHT, J. R.  
On the teaching of the principles of wing flexure-torsion flutter p 185 A86-18248  
Comparison of some time domain methods for structural system identification p 457 A86-33279
- WU, C.  
Calculation of the load distribution, aerodynamic derivatives and dynamic characteristics of quasi-static elastic aircraft p 413 A86-33240  
Calculation of the load distribution, aerodynamic derivatives and dynamic characteristics of quasi-static elastic aircraft p 696 N86-30640
- WU, C. C.  
Transonic wave drag estimation and optimization using the nonlinear area rule [AIAA PAPER 86-1798] p 778 A86-49562
- WU, C. H.  
Discussion about dynamic simulation test of an aero-engine control system [ASME PAPER 85-IGT-30] p 308 A86-23845
- WU, C.-K.  
A fast shape descriptor p 748 A86-46377
- WU, F.  
Fatigue life prediction under complex load using local strain approach and relative Miner's rule p 249 A86-20173
- WU, G.  
Investigation of vortex patterns on slender bodies at high angles of attack p 410 A86-32784
- WU, J. C.  
Viscous flow results for the vortex-airfoil interaction problem [AIAA PAPER 85-4053] p 83 A86-14451  
Unsteady aerodynamics of airfoils oscillating in and out of dynamic stall [AIAA PAPER 85-4078] p 84 A86-14453  
Computational and theoretical studies of unsteady viscous aerodynamics p 137 A86-18307  
Unsteady aerodynamics of rapidly pitched airfoils [AIAA PAPER 86-1105] p 551 A86-38465
- WU, J. J.  
Experiments on high speed ejectors [NASA-CR-177419] p 721 N86-29820
- WU, J. M.  
A vortex lattice method for jet wing performance with nonlinear wake and tip flow p 205 A86-22311
- WU, J. Z. Y.  
The two-fluid model of turbulent combustion applied to an idealized one-dimensional, unsteady, confined, pre-mixed flame [PDR/CFDU/IC/21] p 247 N86-18315
- WU, K.  
Calculation of the load distribution, aerodynamic derivatives and dynamic characteristics of quasi-static elastic aircraft p 413 A86-33240  
Calculation of the load distribution, aerodynamic derivatives and dynamic characteristics of quasi-static elastic aircraft p 696 N86-30640
- WU, T.-Y.  
A survey of accelerated vibratory fatigue test method of aero-engine compressor blade [ASME PAPER 85-IGT-105] p 317 A86-23904
- WU, W.  
Numerical solution of transonic stream function equation on S1 stream surface in cascade [ASME PAPER 86-GT-110] p 765 A86-48172  
Normal force characteristics of sharp nosed bodies of revolution at high angles of attack in subsonic and transonic flow p 527 N86-25555
- WU, X.  
Aerospace knowledge magazine (selected articles) [AD-A164720] p 539 N86-26278
- WU, Y.  
An optimal parameter estimation method compatible with stable parameter prediction in time domain p 746 A86-43482  
Acta aeronautica et astronautica sinica (selected articles) [AD-A158454] p 135 N86-14216
- WU, Z.  
A method for computer aided design of transonic turbine cascade p 409 A86-30734  
Vibration test and identification of modal parameter of aircraft wing model p 605 A86-37406
- WUENENBERG, H.  
Flight testing a transonic wing with maneuver flaps and a direct side force control system for CAS aircraft p 794 A86-47782
- WURTS, J. M.  
Harrier III-AV8B with a modern engine [SAE PAPER 851881] p 579 A86-38349
- WURZEL, D.  
Design of a carbon-fiber reinforced wing for the Alpha-Jet major panel tests p 638 A86-41892  
On the fast repair of aircraft panel components p 762 A86-49086
- WYATT, I. S.  
Glide slope indicator system [AD-D012077] p 424 N86-23580
- WYDRA, G.  
High speed ejection tests of a modified Hybrid III Manikin p 784 A86-47738
- WYNNE, E. C.  
Calculation of transonic steady and oscillatory pressures on a low aspect ratio model and comparison with experiment p 412 A86-33227
- WYNNE, J. B.  
Advances in aero engine dynamics [AIAA PAPER 86-1677] p 648 A86-42788
- WYZZOSKI, J.  
Computer graphics applications to crew displays p 128 N86-14104
- X**
- XIA, N.  
Investigation of rolling-up and interaction of leading-edge and trailing-edge vortex sheets on a slender delta wing [AD-A163692] p 479 N86-24688
- XIAO, H.  
A method for computer aided design of transonic turbine cascade p 409 A86-30734
- XIAO, R.  
Configuration and longitudinal wind tunnel testing of forward-swept wings p 181 N86-14449
- XIAO, S.  
The study of adaptive control augmentation system implemented with microcomputer p 308 A86-24577  
Design and research of aircraft parameter-adaptive lateral command augmentation systems p 723 A86-43498
- XIAO, Y.  
The equivalent deterministic function of the Dryden's spectra of atmospheric turbulence and its application to the aircraft response problem p 595 A86-39768
- XIE, Q. M.  
Aerodynamic research on straight wall annular diffuser for turbofan augmentor [ASME PAPER 85-IGT-16] p 271 A86-23834
- XIE, W.  
Design features of automatic control system of D-4 RPV p 593 A86-37407
- XIN, Z.  
Application of rotor induced velocity field of the vortex theory to the study of stability and controllability of helicopter with hingeless rotor p 705 A86-43477
- XIN, Z.-M.  
A study of stability and control of a hingeless rotor helicopter with non-uniform induced velocity field p 831 A86-48855
- XING, Z.  
Calculation of external and internal transonic flow field of a three-dimensional shielded S-shaped inlet p 205 A86-22303
- XIONG, X.  
Recurrent identification of unsteady aerodynamic forces of elastic vehicles p 554 A86-39762
- XIUNG, S.  
Acta Aerodynamica Sinica (selected articles) [AD-A162993] p 417 N86-23575
- XU, G.  
Numerical analysis of aeroelastic stability problem of helicopter rotor blade p 798 A86-48662
- XU, J.  
Prediction of blade flutter in a tuned rotor [ASME PAPER 85-IGT-100] p 302 A86-23899
- XU, Y.-X.  
Program system of computer-aided design of helicopter rotor blade airfoil p 798 A86-48659
- Y**
- YANG, D.  
Wingtip sails tested on Y-5 aircraft p 99 N86-12450
- YU, Y.  
BLR studies on conic model with LDA in FL-1 wind tunnel p 87 N86-12434  
Japanese report on China's F-8 fighter p 111 N86-12405
- YAFFEE, M.  
Antimisting fuel research and development for commercial aircraft [FAA/CT-86/7] p 735 N86-30683
- YAJNIK, K. S.  
Jet plume temperature effects on afterbody pressure distribution and drag [NAL-TM-FM-8502] p 340 N86-20354
- YAMADA, I.  
Acoustic recognition of aircraft types in flight p 183 A86-18121
- YAMAGUCHI, T.  
The properties of a row of trailing vortices generated in the uniform flow. The path of trailing vortex [REPT-1] p 151 N86-14422  
The properties of a row of trailing vortices generated in the uniform flow. Shape of trailing vortex and its streamwise variation [REPT-2] p 151 N86-14423
- YAMAMOTO, A.  
Production and development of secondary flows and losses within a three dimensional turbine stator cascade [ASME PAPER 85-GT-217] p 205 A86-22115
- YAMAMOTO, K.  
Acoustic recognition of aircraft types in flight p 183 A86-18121
- YAMAMOTO, O.  
Improved Euler analysis of advanced turboprop propeller flows [AIAA PAPER 86-1521] p 625 A86-42688
- YAMAMOTO, Y.  
Aerodynamic characteristics of slender wing-gap-body combinations. II p 275 A86-25240
- YAMANE, J. R.  
Generic aircraft ground operation simulation [AIAA PAPER 86-0989] p 584 A86-38865
- YAMATO, H.  
An analysis of the limit cycle observed in the functional mockup test of the NAL QSTOL research aircraft [NAL-TR-893] p 587 N86-27277
- YAMAUCHI, G. K.  
Applications of an analysis of axisymmetric body effects on rotor performance and loads p 289 A86-26105
- YAMAZAKI, M.  
Powdered, sintered alloy materials described: Development of titanium alloys p 314 N86-19447
- YAN, B.  
Calculating method for Z - 9 helicopters mooring load p 799 A86-48668
- YAN, D.  
Modelling an axial flow compressor in starting of a turbojet engine p 440 A86-30737
- YAN, L.  
Dynamic analysis of complex composite rotor systems with substructure transfer matrix method [ASME PAPER 85-GT-74] p 235 A86-22049
- YAN, M.  
A simplified residual stress model for predicting fatigue crack growth behavior at coldworked fastener holes p 682 A86-40575  
The dynamic response of a variable sweep aircraft in the course of changing geometry [AIAA PAPER 86-2234] p 829 A86-47694
- YAN, Q.  
Convergence of performance calculation of twin spool turbojet and turbofan [ASME PAPER 85-IGT-82] p 302 A86-23883
- YAN, Z.  
The numerical computation of aircraft response to arbitrary vertical gust distributions p 110 A86-14534
- YANA, V.  
Strategies for dynamic modeling of a helicopter structure [SNIA-852-210-101] p 228 N86-17350
- YANAGI, R.  
Production and development of secondary flows and losses within a three dimensional turbine stator cascade [ASME PAPER 85-GT-217] p 205 A86-22115
- YANG, D.  
International Aviation (selected articles) [AD-A166298] p 763 N86-31528
- YANG, J.-M.  
Analytical and experimental studies of textile structural composites p 377 A86-27652
- YANG, L.  
Interior transition layers in flight path optimization [AIAA PAPER 86-2037] p 797 A86-48576
- YANG, S.  
Helicopter parameter identification technology research under the considerably disturbing condition p 831 A86-48670
- YANG, T. Y.  
A computational transonic flutter boundary tracking procedure [AIAA PAPER 86-0902] p 553 A86-38913


- Viscous effects on transonic airfoil stability and response p 623 A86-40110
- YANG, V.**  
Nonlinear analysis of pressure oscillations in ramjet engines [AIAA PAPER 86-0001] p 363 A86-26601  
Longitudinal combustion instabilities in ramjet engines Identification of acoustic modes p 440 A86-31586  
Nonlinear analysis of pressure oscillations in ramjet engines p 659 N86-28240
- YANG, X.**  
Acta aeronautica et astronautica sinica (selected articles) [AD-A158454] p 135 N86-14216
- YANG, X. T.**  
Design of a supercritical airfoil p 771 A86-48982
- YANG, Y.**  
A numerical analysis for vertical gust field induced by gust generator p 432 A86-33237  
A numerical analysis for vertical gust field induced by gust generator p 727 N86-30637
- YANNONE, R. M.**  
An adaptive UD-factorized Kalman filter for real-time tactical aircraft Track-While-Scan systems p 350 A86-28370  
Expert systems in the fighter of the 1990s p 405 A86-31848
- YANO, H.**  
Effect of processing and heat treatment on the mechanical properties of Ti-6Al-2Sn-4Zr-6Mo alloy p 375 A86-27231
- YANTIS, T. F.**  
Prediction of structure-borne noise, based on the finite element method [AIAA PAPER 86-1861] p 754 A86-45481
- YAO, F.**  
Numerical calculations of inviscid transonic flows over wings p 692 A86-46415
- YAO, S. K.**  
Sensitivity, noise and optical crosstalk in heterodyne acousto-optical signal processors p 740 A86-46701
- YARNG, J.**  
A linear multivariable dynamical model of a supersonic inlet-engine combination p 85 A86-14560
- YARNG, S.**  
A linear multivariable dynamical model of a supersonic inlet-engine combination p 85 A86-14560
- YAROS, S. F.**  
Theoretical and experimental flow fields for a supersonic cruise fighter forebody [NASA-TM-86450] p 146 N86-14218  
Evaluation of 3 numerical methods for propulsion integration studies on transonic transport configurations [NASA-TM-87727] p 559 N86-27209
- YASAKOV, V. A.**  
Experimental study of the combustion of gas-air mixtures in a channel and the diffusion combustion in a slipstream at high velocities [AD-A157495] p 116 N86-12271
- YASUE, M.**  
Development and flight testing of the T-2 control configured vehicle [AIAA PAPER 86-9763] p 429 A86-32101
- YASUHARA, M.**  
On hypersonic flow around winged-vehicles at high angles of attack p 275 A86-25227  
Aerodynamic characteristics of a circulation controlled symmetrical airfoil with dual jet p 541 A86-37196
- YASUI, K.**  
Effect of processing and heat treatment on the mechanical properties of Ti-6Al-2Sn-4Zr-6Mo alloy p 375 A86-27231
- YATES, J. E.**  
A fundamental study of drag and an assessment of conventional drag-due-to-lift reduction devices [NASA-CR-4004] p 745 N86-30999
- YAVROUJIAN, A.**  
Research on antimisting fuel for suppression of postcrash aircraft fires [AIAA PAPER 86-0573] p 247 A86-22706  
Antimisting kerosene: Development of a continuous 10 GPM in-line blender [NASA-CR-176432] p 185 N86-15412  
Continuous inline blending of antimisting kerosene p 734 N86-30015  
Antimisting kerosene: Evaluation of improved FM-9 additive [DOT/FAA/CT-85-4] p 734 N86-30024
- YAZAWA, K.**  
Calibration of an on-ground aircraft tracking radar by aerial photogrammetry [NAL-TR-861] p 282 N86-18311
- YE, W.**  
Configuration and longitudinal wind tunnel testing of forward-swept wings p 181 N86-14449
- YEAGER, J. L.**  
Flight testing the Voyager - A non-stop, unrefueled, around-the-world aircraft p 710 A86-44948
- YEAGER, W. T., JR.**  
Aeroelastic model helicopter rotor testing in the Langley TDT p 163 A86-18402  
Aeroelastic considerations for torsionally soft rotors p 157 N86-15289  
Aeroelastic considerations for torsionally soft rotors [NASA-TM-87687] p 745 N86-31070
- YECHOUT, T. R.**  
Modeling of aircraft cruise performance using acceleration and deceleration maneuvers - Results and application [AIAA PAPER 86-9735] p 428 A86-32082
- YEDAVALLI, R. K.**  
Time domain control design for robust stability of linear regulators - Application to aircraft control p 508 A86-35383  
Time domain design of robust controllers for LQG (Linear Quadratic Gaussian); application to large space structures [AD-A163635] p 533 N86-26074  
Control design for robust stability in linear regulators: Application to aerospace flight control [NASA-CR-176858] p 749 N86-31265
- YEGER, S.**  
Aircraft of the future [NASA-TM-77952] p 100 N86-13318
- YEH, H. C.**  
Processing study of injection molding of silicon nitride for engine applications [SAE PAPER 851787] p 606 A86-38311
- YEN, J. G.**  
Coupled aeroelastic hub loads reduction p 799 A86-48665
- YERSHOV, B. A.**  
Movement of flexible wing at supersonic velocity under influence of random gust p 481 N86-25562
- YEUNG, W.**  
Potential flow models of airfoils with separated flow p 772 A86-49013
- YIN, J.**  
The finite element stress analysis for solid-shell combined parts in aeroengines [ASME PAPER 85-IGT-72] p 317 A86-23873
- YIN, X.**  
Investigation of rolling-up and interaction of leading-edge and trailing-edge vortex sheets on a slender delta wing [AD-A163692] p 479 N86-24668
- YIN, Z.**  
The finite element stress analysis for solid-shell combined parts in aeroengines [ASME PAPER 85-IGT-72] p 317 A86-23873
- YIPING, L.**  
A method for transonic inverse cascade design with a stream function equation [ASME PAPER 86-GT-189] p 766 A86-48239
- YOELI, N.**  
Airport preparedness for mass disaster - A proposed schematic plan p 214 A86-20411
- YOERKIE, C.**  
Transmission acoustic vibration testing [AD-A159022] p 101 N86-13326
- YOERKIE, C. A.**  
Helicopter cabin noise - Actual vs. statistical energy predictions p 491 A86-35620
- YOKOKURA, S.**  
Adaptive flight control of unstable helicopters during transition p 444 A86-33178
- YOKOTA, A.**  
Acoustic recognition of aircraft types in flight p 193 A86-18121
- YOLTON, C. F.**  
Advances in P/M titanium shape technology using the ceramic mold process p 246 A86-21741
- YONKE, W. A.**  
Development of HIDECA adaptive engine control systems [ASME PAPER 86-GT-252] p 816 A86-48278
- YOON, S.**  
An LU implicit scheme for high speed inlet analysis [AIAA PAPER 86-1520] p 625 A86-42687
- YOON, S. J.**  
Numerical Navier-Stokes solutions of high speed propeller flows [AIAA PAPER 86-1538] p 626 A86-42700
- YOON, W. C.**  
Pilot interaction with automated airborne decision making systems [NASA-CR-177002] p 679 N86-29508
- YORK, B. J.**  
Computational models for the analysis/design of hypersonic scramjet components. I - Combustor and nozzle models [AIAA PAPER 86-1595] p 647 A86-42737
- YOSHARA, H.**  
Concluding remarks p 155 N86-15285
- YOSHIMURA, H.**  
PN/S calculations for a fighter W/F at high-lift yaw conditions [AIAA PAPER 86-1829] p 779 A86-49588  
Objectives and scope of the Working Group 07 p 153 N86-15257  
Viscous vortical flow calculations over delta wings p 558 N86-27202
- YOSHIKAMI, S. A.**  
FAA/HAI helicopter flight operations noise tests and initial results p 535 A86-35619  
Flight operations noise tests of eight helicopters [AD-A159835] p 331 N86-19127
- YOSHINAKA, T.**  
A cost-effective performance development of the PT8A-85 turboprop compressor [ASME PAPER 85-IGT-41] p 301 A86-23853
- YOU, W. J.**  
Determination of natural vibration properties of a wing with winglet by experimental mode synthesis technique p 435 A86-33280  
Determination of natural vibration properties of a wing with winglet by experimental mode synthesis technique p 716 N86-30678
- YOUNG, D. P.**  
A transonic rectangular grid embedded panel method p 204 A86-20953
- YOUNG, D. W. S.**  
European aircraft steering systems [SAE PAPER 851940] p 581 A86-38373
- YOUNG, E. A.**  
Using Derivative engine technology to achieve maturity goals [AIAA PAPER 86-1752] p 649 A86-42826
- YOUNG, J. B.**  
A stress intensity factor solution due to holes ahead of growing cracks in thin sheet material p 454 A86-31123
- YOUNG, K. J.**  
Aeroacoustic calibration of the German-Dutch Wind Tunnel (DNW) open jet [DNW-TR-82-03] p 242 N86-16236
- YOUNG, L. A.**  
Free-tip-rotor wind-tunnel test results p 491 A86-35628  
Experimental investigation of rotorcraft hub and shaft fairing drag reduction [AIAA PAPER 86-1783] p 577 A86-37814
- YOUNG, R.**  
Cloud particle effects on laminar flow in the NASA LEFT program - Preliminary results [AIAA PAPER 86-9811] p 432 A86-32138
- YOUNG, R. E.**  
Nonflammable fluid and 8,000 psi technology for future aircraft hydraulic systems (22 CFR 125.4 b/ /13/ applicable) [SAE PAPER 851809] p 580 A86-38364
- YOUNGBLOOD, D. B.**  
The application of energy techniques to propeller-driven airplanes [AD-A167113] p 807 N86-31569
- YOUNGREN, H. H.**  
Engineering applications of an advanced low-order panel method [SAE PAPER 851793] p 547 A86-38316
- YU, J. C.**  
New techniques for experimental generation of two-dimensional blade-vortex interaction at low Reynolds numbers [NASA-TP-2551] p 401 N86-21280  
Acoustic treatment of the NASA Langley 4- by 7-meter tunnel: A feasibility study [NASA-TP-2563] p 757 N86-31337
- YU, N. J.**  
Flow prediction for propfan engine installation effects on transport aircraft at transonic speeds [NASA-CR-3954] p 414 N86-22550
- YU, X.-M.**  
An analysis of a four state model for pursuit-evasion games p 680 A86-42957
- YU, Y. H.**  
Transonic rotor flow-measurement technique using holographic interferometry p 141 A86-17069  
Reconstruction of a three-dimensional, transonic rotor flow field from holographic interferogram data [AIAA PAPER 85-0370] p 337 A86-27669  
Three-dimensional, transonic rotor flow field reconstructed from holographic interferogram data [NASA-TM-86816] p 188 N86-14555
- YU, Y.-F.**  
Investigation of jet-filming airblast atomizer [ASME PAPER 85-GT-185] p 252 A86-22099

- YUEH, W. R.**  
Coordinated bank-to-turn autopilot design  
p 509 A86-35384
- YURCZYK, R. F.**  
The Boeing crew escape technologies (CREST) program  
p 708 A86-44776
- YURKOVICH, R.**  
Flutter of wings with leading edge control surfaces  
[AIAA PAPER 86-0897] p 585 A86-38950
- ## Z
- ZHONG, Z.**  
BLR studies on conic model with LDA in FL-1 wind tunnel  
p 87 N86-12434
- ZABAIKIN, V. A.**  
Effect of different hydrogen-injection techniques on its burnup in a supersonic air flow  
p 684 A86-43420
- ZABELIN, I. A.**  
Critical values of the Mach number of a radial airfoil cascade  
p 105 A86-13408  
Wave drag of a supersonic air intake at high subsonic velocities  
p 770 A86-48834
- ZACH, A.**  
A programmable data acquisition system with integrated test and calibration facilities  
p 102 A86-13215
- ZAEPFEL, K. P.**  
A wide bandwidth electrostatic field sensor for lightning research  
p 850 A86-50280
- ZAGRANSKI, R. D.**  
Adaptive fuel control testing  
p 502 A86-35615
- ZAHR, G. E.**  
New aramid developments for aerospace/aircraft applications  
p 377 A86-27759
- ZAITSOV, V. K.**  
A study of an iteration method for the analysis of plates with parallel stiffness ribs as systems of superelements  
p 455 A86-31417
- ZAKHAROV, N. N.**  
Experimental study of supersonic flow around a single-stage wedge with cheeks at sideslip angles  
p 628 A86-43404
- ZAKHAROV, S. B.**  
Effect of cantilever sweep on the aerodynamic characteristics of a wing with a projection in separated flow  
p 788 A86-48779  
Symmetric and nonsymmetric separated flow past a low aspect ratio wing with a fuselage  
p 770 A86-48838
- ZALLEN, D. M.**  
Fire extinguishing agents for oxygen-enriched atmospheres  
[AD-A168967] p 743 N86-30890
- ZALUCHA, D. J.**  
Aircraft field repair  
p 115 A86-13172
- ZAMAN, K. B. M. Q.**  
Flow field and near and far sound field of a subsonic jet  
p 476 A86-35855
- ZANETTI, G.**  
A first step for reducing helicopter IFR approach minima  
Agusta A109 IFR CAT II certification  
p 290 A86-26127
- ZANK, S.**  
An intercomparison of turbulence data obtained by two aircraft during KonTur  
p 528 A86-36306
- ZARETSKY, E. V.**  
Lubrication and performance of high-speed rolling-element bearings  
p 248 A86-19375
- ZASIMOV, V.**  
Scientists on aircraft development trends  
p 407 N86-22545
- ZASIMOWICH, R. F.**  
National transonic facility Mach number system  
p 597 A86-38076
- ZAULICHNYI, E. G.**  
Investigation of heat transfer in separation regions in supersonic flow in a Laval nozzle  
p 477 A86-36458
- ZAVA, M.**  
Simulation concepts and testing of the tail rotor fly-by-wire system of the A129 helicopter  
p 292 A86-26165
- ZBYNIEWSKI, J. D.**  
Smart Built-In-Test (BIT)  
p 747 A86-43889
- ZEDO, M. F.**  
Energy dissipation of liquids in rotating spherical tanks measured by a forced motion-spin table  
[AD-A161864] p 460 N86-23874
- ZEILER, T. A.**  
Integrated aeroservoelastic tailoring of lifting surfaces  
[AIAA PAPER 86-1005] p 594 A86-38946  
Integrated structure/control design - Present methodology and future opportunities  
p 854 A86-49094  
An approach to integrated aeroservoelastic tailoring for stability  
p 636 N86-32439
- ZEINER, P. K.**  
Advanced technology payoffs for future rotorcraft, commuter aircraft, cruise missile, and APU propulsion systems  
[AIAA PAPER 86-1545] p 638 A86-42704
- ZELBY, L. W.**  
Transmission line design for a power distribution system at 20 kHz for aircraft  
[NASA-CR-3987] p 721 N86-29818
- ZELL, P. T.**  
Flow direction measurement criteria and techniques planned for the 40- by 80-/80- x 120-foot wind tunnel integrated systems tests  
[NASA-CR-176969] p 678 N86-29152
- ZELLER, A. F.**  
The decision to fly  
[SAE PAPER 841613] p 328 A86-26024
- ZELLER, J. R.**  
Investigation of a nozzle instability on an F100 engine equipped with a digital electronic engine control  
[PAPER-12] p 506 N86-25354  
Control technology for future aircraft propulsion systems  
[PAPER-14] p 506 N86-25356
- ZELTMANN, W. F.**  
The crash of C-GTLA - The cumulative effects of small defects and a hint of a previously unrecognized major meteorological hazard  
p 567 A86-37489
- ZENG, Q.**  
Calculation of recirculating flow behind flame-holders  
p 454 A86-30743  
Vibration test and identification of modal parameter of aircraft wing model  
p 805 A86-37406
- ZENG, Y.**  
Precise solution for rational transfer parameters of flight vehicles  
p 801 A86-49022
- ZENIOS, S. A.**  
Integrated risk/cost planning models for the US Air Traffic system  
[NASA-CR-177274] p 573 N86-26312
- ZENOBI, T. J.**  
Passive arm retention curtain  
[AD-D011876] p 91 N86-13307
- ZENZ, H. P.**  
Construction of a measuring method using fiber optics and an LTN-90 laser gyro strapdown system for BO-195 helicopters  
[DFVLR-MITT-85-10] p 216 N86-17333
- ZENZ, H.-P.**  
Flight test of a velocity augmented strapdown navigation system LHN-81  
p 421 A86-30314
- ZEREK, L.**  
Ground resonance of a helicopter during the take-off and landing run  
p 712 A86-45749
- ZETLEN, B.**  
Fiber optic aircraft systems electromagnetic pulse (EMP) survivability  
p 103 A86-15342
- ZHAN, T.**  
A method for computer aided design of transonic turbine cascade  
p 409 A86-30734
- ZHANG, B.**  
Temperature distribution investigation at the outlet of an annular combustor of P type turbojet engine  
p 591 A86-38998
- ZHANG, F. Q.**  
An improved potential gradient method for the calculation of unsteady aerodynamic pressures on oscillating wings in supersonic flow  
p 695 N86-30633
- ZHANG, F.-Q.**  
An improved potential gradient method for the calculation of unsteady aerodynamic pressures on oscillating wings in supersonic flow  
p 413 A86-33234
- ZHANG, H.**  
Application of adaptive control to aircraft systems  
p 746 A86-43476  
Acta Aerodynamica Sinica (selected articles)  
[AD-A162993] p 417 N86-23575
- ZHANG, J.**  
Rapid calculation of engine performance  
[ASME PAPER 85-IGT-83] p 302 A86-23884  
Six-force-factor identification of helicopters  
p 586 A86-39763
- ZHANG, Q.-F.**  
Impaction efficiencies of evaporating kerosene droplets on vee-gutter flame stabilizer  
[ASME PAPER 86-GT-174] p 815 A86-48225
- ZHANG, W.**  
Design and research of aircraft parameter-adaptive lateral command augmentation systems  
p 723 A86-43498
- ZHANG, X.**  
Some aspects of supersonic flow over a cavity cascade  
[AIAA PAPER 86-2025] p 784 A86-47659
- ZHANG, X.-G.**  
The physical understanding on helicopter air and ground resonance  
p 798 A86-48680
- ZHANG, Y.**  
Experimental transonic pressure distributions of a flexible wing-airfoil model and comparisons with results of several theoretical methods  
p 432 A86-33239  
Numerical calculations of inviscid transonic flows over wings  
p 692 A86-46415  
Experimental transonic pressure distributions of a flexible wing-airfoil model and comparisons with results of several theoretical methods  
p 696 N86-30639
- ZHANG, Z. Y.**  
Design of a supercritical airfoil  
p 771 A86-48982
- ZHAO, Q.-S.**  
Investigation of jet-filming airblast atomizer  
[ASME PAPER 85-GT-185] p 252 A86-22099
- ZHELEZNIK, V. N.**  
The use of the magnetic aerohydrodynamic analogy method to simulate three-dimensional flow past aircraft, taking powerplant operation into account  
p 770 A86-48833
- ZHELTOV, P. M.**  
Environment protection in connection with air transportation  
p 124 A86-13467
- ZHENG, J.**  
A method for computer aided design of transonic turbine cascade  
p 409 A86-30734
- ZHENG, Q.**  
Calculating method for Z - 9 helicopters mooring load  
p 799 A86-48686
- ZHENG, Y.**  
Terrain following avoidance technique of very low altitude penetration  
p 239 A86-22309
- ZHENG, Y.**  
A method for transonic inverse cascade design with a stream function equation  
[ASME PAPER 86-GT-189] p 766 A86-48239
- ZHIGALKO, E. F.**  
Scheme for calculating an almost-asymmetric gas flow and supersonic flow past the end of a cylinder at a small angle of attack  
p 690 A86-45345
- ZHONG, L.**  
International Aviation (selected articles)  
[AD-A166298] p 763 N86-31528
- ZHOU, H.**  
A survey of multiple targets tracking technique  
p 735 A86-43489
- ZHOU, J.**  
Buckling and initial post buckling analysis of composite panels under axial compression  
p 735 A86-43486
- ZHOU, Q.**  
Calculation of recirculating flow behind flame-holders  
p 454 A86-30743
- ZHOU, Q.-H.**  
Impaction efficiencies of evaporating kerosene droplets on vee-gutter flame stabilizer  
[ASME PAPER 86-GT-174] p 815 A86-48225
- ZHOU, S.**  
Numerical analysis of aeroelastic stability problem of helicopter rotor blade  
p 798 A86-48682
- ZHOU, W.**  
The numerical computation of aircraft response to arbitrary vertical gust distributions  
p 110 A86-14534  
The dynamic response of a variable sweep aircraft in the course of changing geometry  
[AIAA PAPER 86-2234] p 829 A86-47694
- ZHOU, X.-H.**  
Numerical modeling of transonic flows over airfoils and cascades  
p 414 A86-33409
- ZHOU, Z.-Q.**  
The dynamic response of helicopters to fixed wing aircraft wake encounters  
p 832 A86-48671
- ZHU, D.**  
Some aspects of the reliability analysis of aircraft structures  
p 849 A86-49127
- ZHU, D. M.**  
Research on active suppression technology for wing/aileron flutter  
p 835 A86-48096
- ZHU, J.-S.**  
Finite element analysis and optimum design of semi-monocoque airframe structures. I - Finite element analysis  
p 847 A86-48656
- ZHU, P.**  
Acta Aerodynamica Sinica (selected articles)  
[AD-A162993] p 417 N86-23575
- ZHU, S.**  
Automatic landing through the turbulent planetary boundary layer  
[UTIAS-289] p 283 N86-18305
- ZHU, X.**  
Calculation of external and internal transonic flow field of a three-dimensional shielded S-shaped inlet  
p 205 A86-22303



- Convergence of performance calculation of twin spool turbojet and turbofan  
[ASME PAPER 85-IGT-82] p 302 A86-23883
- Rapid calculation of engine performance  
[ASME PAPER 85-IGT-83] p 302 A86-23884
- ZHU, Y.**  
An improved simple method for designing optimum annular diffusers  
[ASME PAPER 85-GT-126] p 235 A86-22075
- Recursive instrumental variable algorithms for modal parameter estimation of structural system  
p 263 A86-22306
- ZHUANG, F.**  
Acta Aerodynamica Sinica (selected articles)  
[AD-A162993] p 417 N86-23575
- ZHUIKOV, V. V.**  
Heat transfer in cooled parts of aircraft gas-turbine engines  
p 174 A86-18745
- ZHUK, A. N.**  
A study of the normal of a delta-wing aircraft at large angles of attack during unsteady motion  
p 79 A86-13379
- ZHULEV, IJ. G.**  
Acoustic characteristics of models of ejector suppressors of jet noise  
p 129 A86-13418
- ZIEGLER, B.**  
Front seat on the future  
p 509 A86-35563
- ZIELINSKI, R. E.**  
Formulating advanced 4 centistoke gas turbine oils - A feasibility study  
[SAE PAPER 851833] p 601 A86-38531
- ZIEREP, J.**  
The reverse-flow theorem for transonic flow  
p 688 A86-44802
- ZIGO, A.**  
A possible approach to the diagnostics of the hydraulic servomechanism of the aircraft control system  
p 285 A86-23757
- ZIMMER, H.**  
New technology propulsion (ANT) for general aviation aircraft, phase 1  
[BMFT-FB-W-85-031] p 820 N86-31589
- ZIMMER, R. A.**  
Surface properties-vehicle interaction  
[PB85-242576] p 255 N86-16428
- ZIMMER, W. J.**  
Aircraft barricade  
[AD-D012194] p 656 N86-28102
- ZIMMERMAN, D. R.**  
Laser anemometer measurements of the flow from a simulated fuel nozzle  
p 520 A86-34410
- ZIMMERMAN, R. E.**  
Preliminary floor, seat, and dummy data  
p 391 N86-21942
- ZIMMERMANN, H.**  
Application of transonic unsteady methods for calculation of flutter airloads  
p 412 A86-33230
- Application of transonic unsteady methods for calculation of flutter airloads  
p 727 N86-30630
- ZIMMERMANN, R. E.**  
Retrofit energy-absorbing crewseat for the SH-3 (S-61 series) Sea King helicopter  
p 793 A86-47736
- Seat experiment results of full-scale transport aircraft controlled impact demonstration  
[DOT/FAA/CT-85/25] p 701 N86-30702
- ZINCHENKO, B. M.**  
Thermal stability of gas turbine blades with protective coatings  
p 673 A86-43410
- ZINCHENKO, V. I.**  
Solution of problems of conjugate heat transfer during flow past bodies of different shape  
p 673 A86-43370
- ZINDELUK, M.**  
Use of acoustic intensity measurements in the characterization of jet noise sources  
p 855 A86-48740
- ZINN, B. T.**  
An iterative finite element-integral technique for predicting sound radiation from turbofan inlets in steady flight  
p 856 A86-49606
- Flame driving of longitudinal instabilities in dump type ramjet combustors  
p 658 N86-28239
- ZINOBER, A. S. I.**  
The design and implementation of multivariable variable structure control systems  
p 679 A86-40762
- Two approaches to hyperplane design in multivariable variable structure control systems  
p 680 A86-41934
- ZINOVEV, IJ. S.**  
Radar characteristics of flight vehicles  
p 485 A86-35484
- ZITTEL, W. D.**  
An aviation composite hazards product  
p 566 A86-37469
- ZIV, I.**  
Frequency and time domain designs of a strapdown vertical determination system  
[AIAA PAPER 86-2148] p 810 A86-47457
- ZOLA, C. A.**  
The STOL performance of a two-engine, USB powered-lift aircraft with cross-shafted fans  
[SAE PAPER 851839] p 578 A86-36336
- ZOLLINGER, R.**  
Data analysis of airborne electromagnetic bathymetry  
[AD-A157132] p 125 N86-12744
- ZORIC, D.**  
Noise of the general aviation airplanes influence on environment of the airclub, airfields and on crews  
p 461 A86-31955
- ZORUMSKI, W. E.**  
Aircraft Noise Prediction Program theoretical manual: Propeller aerodynamics and noise  
[NASA-TM-83199-PT-3] p 536 N86-25220
- ZRNIC, D. S.**  
Parameters of a dedicated weather radar for terminal air navigation, traffic control and safety  
p 423 A86-32616
- Analysis of airborne Doppler lidar, Doppler radar and tall tower measurements of atmospheric flows in quiescent and stormy weather  
[NASA-CR-3960] p 462 N86-23159
- ZRUBEK, M. N.**  
Installation of a bleed air heated radome/air motion sensing system on a Beech King Air 200 aircraft  
[SAE PAPER 851811] p 589 A86-38322
- ZUBIN, M. A.**  
Flow structure at the windward side of conical wings with an attached shock wave at the leading edge  
p 410 A86-32739
- ZUBTSOV, A. V.**  
Asymptotic solution of the fluid-flow problem in the core of a vortex sheet  
p 81 A86-13413
- ZUMWALT, G. W.**  
Designing an electro-impulse de-icing system  
[AIAA PAPER 86-0545] p 220 A86-19940
- Analyses and tests for design of an electro-impulse de-icing system  
[NASA-CR-174919] p 571 N86-27268
- De-icing of the altitude wind tunnel turning vanes by electro-magnetic impulse  
[NASA-CR-177260] p 599 N86-27291
- ZWICKER, U.**  
Titanium: Science and technology; Proceedings of the Fifth International Conference on Titanium, Munich, West Germany, September 10-14, 1984. Volumes 1-4  
p 374 A86-27201
- ZYSMAN, S. H.**  
VSAERO analysis of a wing/pylon/nacelle configuration  
[AIAA PAPER 86-1523] p 625 A86-42689

## Typical Corporate Source Index Listing



Listings in this index are arranged alphabetically by corporate source. The title of the document is used to provide a brief description of the subject matter. The page number and the accession number are included in each entry to assist the user in locating the abstract in the abstract section. If applicable, a report number is also included as an aid in identifying the document.

## A

- ACA Industries, Inc., Torrance, Calif.**  
The joined wing - An overview p 355 N86-28559
- Advanced Engineering Lab., Salisbury (Australia).**  
Flutter generator control and force computer [AEL-0242-TM] p 178 N86-15318
- Advisory Group for Aerospace Research and Development, Neuilly-Sur-Seine (France).**  
Test cases for inviscid flow field methods [AGARD-AR-211] p 153 N86-15256
- Aircraft Drag Prediction and Reduction [AGARD-R-723]** p 155 N86-15266
- AGARD Corrosion Handbook. Volume 1: Corrosion, causes and case histories [AGARD-AG-278-VOL-1]** p 248 N86-16374
- Technical evaluation report on the Fluid Dynamics Panel Symposium on Aerodynamics and Acoustics of Propellers [AGARD-AR-213]** p 279 N86-19296
- Transonic unsteady aerodynamics and its aeroelastic applications [AGARD-CP-374-ADD-1]** p 279 N86-19299
- Fault Tolerant Hardware/Software Architecture for Flight Critical Function [AGARD-LS-143]** p 369 N86-20399
- Producibility and cost studies of aviation kerosene [AGARD-AR-227]** p 379 N86-20580
- Propulsion and Energetics Panel Working Group 14 on suitable averaging techniques in non-uniform internal flows [AD-A133968]** p 503 N86-24692
- Damage Tolerance Concepts for Critical Engine Components [AGARD-CP-393]** p 506 N86-25360
- Guidance-Control-Navigation Automation for Night All-Weather Tactical Operations [AGARD-CP-387]** p 573 N86-26316

- Aircraft drag prediction and reduction. Addendum 1: Computational drag analyses and minimization; mission impossible? [AGARD-R-723-ADD-1]** p 556 N86-27187
- Unsteady Aerodynamics-Fundamentals and Applications to Aircraft Dynamics [AGARD-CP-386]** p 560 N86-27224
- Impact damage to composite structures [AGARD-R-729]** p 604 N86-27425
- Static aeroelasticity in combat aircraft [AGARD-R-725]** p 613 N86-27678
- The Impact of Very High Performance Integrated Circuits on Radar, Guidance and Avionics Systems [AGARD-CP-380]** p 674 N86-28337
- Shock-wave boundary layer interactions [AGARD-AG-280]** p 676 N86-29173
- Aircraft and Bearing Tribological Systems [AGARD-CP-394]** p 677 N86-29236
- Analogue signal conditioning for flight test instrumentation [AGARD-AG-160-VOL-17]** p 719 N86-29816
- Interaction between EMP (Electromagnetic Pulse), lightning and static electricity with aircraft and missile avionics systems [AGARD-LS-144]** p 702 N86-30708
- Crashworthiness of airframes [AGARD-R-737]** p 702 N86-30709
- The influence of large-scale computing on aircraft structural design [AGARD-R-726]** p 717 N86-30726
- Store separation flight testing [AGARD-AG-300-VOL-5]** p 717 N86-30727
- Aircraft response to turbulence [AGARD-R-738]** p 729 N86-30739
- Gust load prediction and alleviation on a fighter aircraft [AGARD-R-728]** p 729 N86-30741
- Determination of antennae patterns and radar reflection characteristics of aircraft [AGARD-AG-300-VOL-4]** p 744 N86-30931
- Aeritalia S.p.A., Caselle Torinese (Italy).**  
Possible impacts of VHSIC on MIL-STD-1553B data transmission management p 674 N86-28371
- AeroChem Research Labs., Inc., Princeton, N. J.**  
Fuel effects on soot formation in turbojet engines [AD-A159073] p 185 N86-15416
- Aerojet ElectroSystems Co., Azusa, Calif.**  
Design, development and integrate/install an airborne remote instrumentation system (AIREYE) [AD-A166755] p 719 N86-30728
- Aerometrics, Inc., Mountain View, Calif.**  
Application of optical interferometry in compressible flows p 546 N86-38258
- Aeronautical Research Associates of Princeton, Inc., N. J.**  
A fundamental study of drag and an assessment of conventional drag-due-to-lift reduction devices [NASA-CR-4004] p 745 N86-30999
- Aeronautical Research Inst. of Sweden, Bromma.**  
High resolution solutions of the Euler equations for vortex flows p 692 N86-46793
- New dynamic testing techniques and related results at FFA p 562 N86-27244**
- Aeronautical Research Inst. of Sweden, Stockholm.**  
Transonic wind tunnel tests of a swept supercritical wing-body model, PT 8 [FFA-TN-1982-24] p 211 N86-17316
- Measurement of noise from airplanes traveling at heights 3500 to 6000m [FFA-TU-AI-2168]** p 401 N86-22312
- Transonic and supersonic wind tunnel tests on schematic missile configurations with two different nose lengths [FFA-TN-1984-62]** p 630 N86-28066
- Probabilistic damage tolerance analysis of aircraft structures [FFA-TN-1985-68]** p 640 N86-28081
- A comparison between acoustic mode measurements and acoustic finite element analysis performed for SAAB SF 340 [FFA-TN-1986-22]** p 856 N86-33125

- Aeronautical Research Labs., Melbourne (Australia).**  
A survey of aeronautical structural research in Australia [AD-A157211] p 76 N86-12199
- Flutter clearance tests on a Transavia PL-12/T-400 Skyfarmer [AD-A157212]** p 110 N86-12234
- An analytical comparison of three visual approach slope indicators: VASIS, T-VASIS and PAPI [ARL/SYS-R-33]** p 93 N86-13309
- Algorithms for the reduction of wind-tunnel data derived from strain gauge force balances [ARL/AERO-R-164]** p 113 N86-13337
- An optimisation method for reconstruction of flight path trajectories from non-synchronous time-sampled observations by two cine cameras [ARL-SYS-R-34]** p 167 N86-15279
- A FORTRAN program for the determination of unsteady airforces on general combinations of interfering lifting surfaces oscillating in subsonic flow [ARL-STRUCT-R-412]** p 206 N86-16191
- The test loads sequences applied to the CT4 full scale fatigue test [AD-A160736]** p 294 N86-18320
- Resonance fatigue test of the empennage of a CT4 aircraft [AD-A160749]** p 294 N86-18321
- A visualisation study of the vortex flow around double-delta wings [ARL-AERO-R-165]** p 340 N86-20362
- Comparison of airborne data acquisition systems at ARL (Aeronautical Research Laboratories) [AD-A161664]** p 357 N86-21537
- The Australian implementation of AMDAR/ACARS and the use of derived equivalent gust velocity as a turbulence indicator [AR-004-51]** p 420 N86-22560
- Report on interest expressed in some Australian Defence Establishment products displayed at the 1985 Paris Air Show [AD-A160807]** p 498 N86-25341
- The General Electric F404 - engine of the RAAF's new fighter [AD-A164562]** p 592 N86-26338
- Mirage A3-002 strain responses to ground calibration loadings between 1978 and 1985 [AD-A165848]** p 640 N86-28080
- Analysis of a mirror deck landing aid [AD-A167986]** p 789 N86-31556
- A mathematical model of the Sea King Mk.50 helicopter aerodynamics and kinematics [ARL-AERO-TM-379]** p 808 N86-32425
- Aeronautical Systems Div., Wright-Patterson AFB, Ohio.**  
AVIP Air Force thrust for reliability p 256 N86-16617
- Operation REDWING, Project 5.2, in-flight participation of a B-52 [AD-A995286]** p 357 N86-21536
- Airborne navigation remote map reader evaluation [AD-A166976]** p 719 N86-30729
- Aerospace Medical Research Labs., Wright-Patterson AFB, Ohio.**  
Programming a multiple-orifice hydraulic decelerator [AD-A159428] p 181 N86-15328
- B-52G crew noise exposure study [AD-A181112]** p 333 N86-20094
- Some quantitative methodology for cockpit design p 586 N86-26320**
- A modification of the H-133 ground communications headset for use in intense noise environments [AD-A166981]** p 744 N86-30907
- Aerostructures, Inc., Arlington, Va.**  
Dynamic and aeroelastic analyses of turboengines in NASTRAN p 527 N86-25826
- NASTRAN supplemental documentation for modal forced vibration analysis of aerodynamically excited turboengines [NASA-CR-174967]** p 675 N86-28463

**Air Command and Staff Coll., Maxwell AFB, Ala.**

- The helicopter to fixed wing conversion program: A critical review  
[AD-A156820] p 125 N86-12968
- What USAF aircraft should be the Wild Weasel of the 1990's? An assessment of the F-4G, the F-15WW, and F-16WW  
[AD-A164727] p 539 N86-26279
- The search for an advanced fighter: A history from the XF-108 to the advanced tactical fighter  
[AD-A166724] p 687 N86-29764
- Will the USAF need ground-based air traffic control radar in the year 2000?  
[AD-A166504] p 704 N86-29805

**Air Force Academy, Colo.**

- Air Force Academy Aeronautics Digest  
[AD-A157215] p 76 N86-12200
- Pitch rate versus G command as the longitudinal flight control system design strategy for a statistically unstable fighter type aircraft with two control surfaces  
[AD-A158803] p 111 N86-13334
- Number of targets threatened simultaneously (NOTTS) in conjunction with over the horizon back-scatter (OTHB) radar coverage  
[AD-A159304] p 189 N86-15528
- Air Force Academy Aeronautics Digest  
[AD-A164940] p 540 N86-26281
- Advanced laser based inertial instrument development  
[AD-A166307] p 742 N86-30128

**Air Force Aero Propulsion Lab., Wright-Patterson AFB, Ohio.**

- Aircraft mishap fire pattern investigations  
[AD-A161094] p 344 N86-21528
- Military aircraft propulsion lubricants: Current and future trends  
[AD-A161998] p 686 N86-29249

**Air Force Armament Lab., Eglin AFB, Fla.**

- Mellin-Fourier correlation  
[AD-A159885] p 330 N86-20006
- Proceedings of the 12th Biennial Guidance Test Symposium held at Holloman AFB, New Mexico on 22-24 October 1985, volume 1  
[AD-A161998] p 425 N86-23583

**Air Force Engineering and Services Center, Tyndall AFB, Fla.**

- A durable airfield marking system  
[AD-A157953] p 113 N86-13339
- Rubber removal specification development  
[FAA/PM-85/33] p 371 N86-21555
- Runway rubber removal specification development  
[DOT/FAA/PM-85/33] p 372 N86-21556
- Aircraft engine emissions estimator  
[AD-A164552] p 618 N86-26715

**Air Force Environmental Technical Applications Center, Scott AFB, Ill.**

- Limited Surface Observations Climatic Summary (LISOCs). Parts A, C-F: Bremen International, West Germany  
[AD-A159856] p 323 N86-18894
- Revised Uniform Summary of Surface Weather Observations (RUSSWO). Parts A-F: General Billy Mitchell Field, Wisconsin  
[AD-A159858] p 324 N86-18896
- Revised Uniform Summary of Surface Weather Observations (RUSSWO). Parts A-F: Aviano AB, Italy  
[AD-A159862] p 324 N86-18900

**Air Force Flight Dynamics Lab., Wright-Patterson AFB, Ohio.**

- Aircraft flight performance methods. Revision 2  
[AD-A158227] p 169 N86-15310
- Airworthiness flight test program of an aircraft equipment fairing  
[AD-A16653] p 226 N86-16653

**Air Force Flight Test Center, Edwards AFB, Calif.**

- Real-time open-loop frequency response analysis of flight test data  
[AIAA PAPER 86-9738] p 443 A86-32084
- X-29 initial flight test results  
T-33 (Silver Star MK 3) pitot-static system calibration  
[AD-A157854] p 104 N86-12221

**Air Force Geophysics Lab., Hanscom AFB, Mass.**

- Some microphysical processes affecting aircraft icing  
[AD-A160375] p 325 N86-18921
- In-flight turbulence detection  
[AD-A160380] p 325 N86-18923
- Joint agency turbulence experiment  
[AD-A160420] p 325 N86-18924
- Storm precipitation and wind structure during aircraft strike lightning events  
[AD-A162338] p 483 N86-24100
- Profiles of temperature and density based on extremes at 5, 10, 20, 30 and 40 km  
[AD-A162727] p 616 N86-27727

**Air Force Human Resources Lab., Brooks AFB, Tex.**

- Pilot-oriented performance measurement  
[AD-A158649] p 126 N86-13890
- Advanced simulator for pilot training: Effects of collimation on accommodation and vergence  
[AD-A159545] p 181 N86-14279

Flight training simulators. Effects of terrain accuracy on simulated radar image quality  
[AD-A160905] p 311 N86-18333

Logistics engineering analysis techniques for fault-tolerant avionics systems  
[AD-A161861] p 439 N86-23596

**Air Force Inst. of Tech., Wright-Patterson AFB, Ohio.**

- Aircraft crew dose and engine dust ingestion from nuclear cloud penetration  
[AD-A159248] p 101 N86-13327
- The interactive generation of alphanumeric and symbology with designs on the future  
[AD-A159218] p 192 N86-14982
- Analysis of the effects of transient heat transfer on axial flow compressor blade boundary layers  
[AD-A158094] p 175 N86-15315
- Use of hinged strakes for lateral control at high angles of attack  
[AD-A158005] p 178 N86-15321

Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements  
[AD-A158004] p 181 N86-15324

An electronic index of articles pertaining to Air Force transportation in the post-World War 2 era, with abstracts of selected articles  
[AD-A160837] p 281 N86-18308

Probabilistic evaluation of individual aircraft tracking techniques  
[AD-A160148] p 282 N86-18312

Effects of noise and workload on a communication task  
[AD-A160743] p 321 N86-18599

A comparative evaluation of the reliability improvement in line replaceable units warranted under the F-16 reliability improvement warranty  
[AD-A160830] p 321 N86-18630

Research and development project selection methods at the Air Force Wright Aeronautical Laboratories  
[AD-A161153] p 333 N86-20165

Avionics standardization: Perceptions and recommendations  
[AD-A161709] p 361 N86-20388

Development of a computerized method of determining aircraft maintenance intervals  
[AD-A161339] p 336 N86-21500

Jet engine operating and support cost estimating relationship development  
[AD-A161683] p 364 N86-21547

A methodology for applying bar code technology to Aircraft Maintenance Unit support sections  
[AD-A161783] p 402 N86-22441

An examination of the life support equipment development and acquisition process  
[AD-A162241] p 463 N86-24221

Comparison of quantity versus quality using performance, reliability, and life cycle cost data. A case study of the F-15, F-16, and A-10 aircraft  
[AD-A162238] p 470 N86-24580

An evaluation of CPRA (Cost Performance Report Analysis) estimate at completion techniques based upon AFWAL (Air Force Wright Aeronautical Laboratories) cost/schedule control system criteria data  
[AD-A162282] p 470 N86-24584

Use of state estimation to calculate angle-of-attack position error from flight test data  
[AD-A163962] p 480 N86-24670

Experimental assessment of vortex retaining cavity flaps for maneuverability improvement on delta wing fighter aircraft  
[AD-A164104] p 497 N86-24690

Experimental study of apex fences for lift enhancement on a highly swept delta wing configuration  
[AD-A163877] p 512 N86-24705

Multivariable control law design for enhanced air combat maneuvering. F-15/STOL (Short Take-Off and Landing) derivative fighter  
[AD-A164017] p 512 N86-24708

An LQG up-and-away flight control design for the STOL F-15 aircraft  
[AD-A164108] p 512 N86-24707

LQG/LTR design of a robust flight controller for the STOL F-15  
[AD-A164111] p 512 N86-24708

Real-time flight test PCM data acquisition monitor  
[AD-A164035] p 524 N86-24897

Automating knowledge acquisition in a flightline robot  
[AD-A163829] p 525 N86-24997

Comparison of absorption and radiation boundary conditions using a time-domain three-dimensional finite difference electromagnetic computer code  
[AD-A163828] p 532 N86-25149

Using Ada in the real-time avionics environment issues and conclusions  
[AD-A163844] p 533 N86-25151

Study of the effects of discretizing quantitative feedback theory analog control system designs  
[AD-A164209] p 533 N86-25174

Pitch-location effects on dynamic stall  
[AD-A164322] p 480 N86-25329

Evaluation of a frequency response technique for aircraft system identification  
[AD-A164387] p 497 N86-25339

Multivariable output control law design for the STOL (Short Takeoff and Landing) F-15 in landing configuration  
[AD-A164516] p 498 N86-25340

An LQG up-and-away flight control design for the STOL F-15 aircraft  
[AD-A164108] p 512 N86-25384

Development and evaluation of math library routines for a 1750A airborne microcomputer  
[AD-A164050] p 533 N86-26030

Aircraft nuclear survivability methods  
[AD-A163218] p 587 N86-26332

Aircraft performance optimization with thrust vector control  
[AD-A165388] p 587 N86-26334

Crack growth in titanium alloys under the conjoint action of high and low cycle fatigue  
[AD-A166429] p 665 N86-29028

Improving the interpretability of an aircraft attitude indicator  
[AD-A166329] p 719 N86-29817

An analytical methodology for predicting repair time distributions of advanced technology aircraft  
[AD-A167149] p 763 N86-31529

The application of energy techniques to propeller-driven airplanes  
[AD-A167113] p 807 N86-31569

On the handling qualities of flight vehicles through variable flight conditions  
[AD-A167727] p 836 N86-31592

**Air Force Systems Command, Wright-Patterson AFB, Ohio.**

Experimental study of the combustion of gas-air mixtures in a channel and the diffusion combustion in a slipstream at high velocities  
[AD-A157495] p 116 N86-12271

Radio-absorbing materials  
[AD-A157496] p 122 N86-12495

Acta aeronautica et astronautica sinica (selected articles)  
[AD-A158454] p 135 N86-14216

Acta Aerodynamica Sinica (selected articles)  
[AD-A162993] p 417 N86-23575

Investigation of rolling-up and interaction of leading-edge and trailing-edge vortex sheets on a slender delta wing  
[AD-A163892] p 479 N86-24668

Aerospace knowledge magazine (selected articles)  
[AD-A164720] p 539 N86-26278

Apparatus for the preparation of air  
[AD-A165803] p 673 N86-28266

Introduction to the recent developments of China's civil aviation  
[AD-A166194] p 687 N86-29763

International Aviation (selected articles)  
[AD-A166748] p 687 N86-30690

Liquid hydrogen fueled passenger aircraft  
[AD-A166229] p 717 N86-30724

International Aviation (selected articles)  
[AD-A166298] p 763 N86-31528

**Air Force Wright Aeronautical Labs., Wright-Patterson AFB, Ohio.**

Aerostatic tailoring - Theory, practice, and promise  
[AIAA PAPER 84-0982] p 220 A86-20155

Compressor research facility F100 high pressure compressor inlet total pressure and swirl profile simulation  
[AD-A157108] p 107 N86-12229

Post stall maneuvers and thrust vectoring performance analysis  
[AD-A158100] p 110 N86-12235

Dynamics R and D in the AFWAL Structures and Dynamics Division  
[AD-A161876] p 256 N86-18618

CERT: Where we have been, where we are going  
[AD-A162792] p 256 N86-18620

Fuel property effects on combustion  
[AD-A162451] p 378 N86-20522

F100 fuel sampling analysis  
[AD-A161867] p 379 N86-21707

Air force technical objective document, flight dynamics laboratory plans for fiscal year 1987  
[AD-A162792] p 402 N86-22443

Validation of USAF stability and control Datcom methodologies for straight-tapered sweptforward wings  
[AD-A161876] p 417 N86-23570

Throttle dependent forces: A primer  
[AD-A162939] p 442 N86-23599

- Constant-Load-Amplitude fatigue crack growth testing of cast aluminum alloys A201-T7 and A357-T8 [AD-A163494] p 518 N86-24821
- Advanced quantitative methods for nondestructive evaluation p 519 N86-25376
- Evaluation of the effects of a plastic bead paint removal process on properties of aircraft structural materials [AD-A165289] p 603 N86-26384
- Steady supersonic Navier-Stokes solutions of a 75 deg delta wing p 558 N86-27206
- Unsteady aerodynamics and dynamic aircraft maneuverability p 564 N86-27253
- Introduction to robust multivariable control [AD-A165891] p 727 N86-29869
- A review of aeroelastic research at the Flight Dynamics Laboratory p 727 N86-30642
- Electrostatic hazards of urethane packed fuel tanks [AD-A166803] p 717 N86-30725
- The use of a pyrochemiluminescent nitrogen analyzer as a capillary GC (Gas Chromatograph) detector [AD-A166597] p 735 N86-30821
- Fiscal year 1987 technical objective document [AD-A166559] p 758 N86-31454
- Air War Coll., Maxwell AFB, Ala.**
- The F/A-18 Fighter/Attack aircraft program [AD-A159292] p 195 N86-15205
- Air Weather Service, Scott AFB, Ill.**
- Catalog of air weather service technical documents [AD-A159881] p 324 N86-18912
- AIRResearch Casting Co., Torrance, Calif.**
- Fabrication of ceramic components for advanced gas turbine engines [SAE PAPER 851786] p 606 A86-38310
- Processing study of injection molding of silicon nitride for engine applications [SAE PAPER 851787] p 606 A86-38311
- Akron Univ., Ohio.**
- Fatigue life analysis of a turboprop reduction gearbox [ASME PAPER 85-DET-10] p 738 A86-45256
- NASA LeRC/Akron University Graduate Cooperative Fellowship Program and Graduate Student Researchers Program [NASA-CR-174826] p 130 N86-13219
- System life and reliability modeling for helicopter transmissions [NASA-CR-3987] p 525 N86-24990
- Jet fuel viscosity at low temperatures with notes on n-alkaline crystals [NASA-CR-174911] p 701 N86-30022
- Alabama Univ., Huntsville.**
- An Orbital Maneuvering Vehicle simulator p 658 A86-40515
- Alcan International Ltd., London (England).**
- The development of aluminum-lithium alloys for aerospace applications p 451 N86-22616
- Alphatech, Inc., Burlington, Mass.**
- An automatic redesign approach for restructurable control systems p 368 A86-28394
- Application of FDI metrics to detection and isolation of sensor failures in turbine engines p 501 A86-35400
- Simulation results of automatic restructurable flight control system concepts [AIAA PAPER 86-2032] p 821 A86-47422
- Robust detection-isolation-accommodation for sensor failures [NASA-CR-174797] p 255 N86-16486
- Initial design and evaluation of automatic restructurable flight control system concepts [NASA-CR-178064] p 652 N86-28090
- Amtec Engineering, Inc., Bellevue, Wash.**
- Numerical solution of 2-D thrust reversing and thrust vectoring nozzle [AIAA PAPER 86-0203] p 254 A86-22681
- Analysis Group, Inc., Washington, D.C.**
- Proceedings of Fuel Safety Workshop [DOT/FAA/PM-86/13] p 733 N86-30007
- Analytic Sciences Corp., Reading, Mass.**
- Integrated communication, navigation, and identification avionics: Impact analysis. Executive summary [AD-A161799] p 389 N86-20658
- Analytical Mechanics Associates, Inc., Mountain View, Calif.**
- Design of an advanced flight planning system p 481 A86-35365
- Fuel conservative guidance for shipboard landing of powered-lift STOL aircraft p 572 A86-39048
- Evaluation of the usefulness of various simulation technology options for TERPS enhancement [NASA-CR-177408] p 638 N86-28931
- Analytical Methods, Inc., Redmond, Wash.**
- Unsteady low-speed aerodynamic model for complete aircraft configurations [AIAA PAPER 86-2180] p 829 A86-47683
- Investigation to advance prediction techniques of the low-speed aerodynamics of V/STOL aircraft [NASA-CR-166479] p 416 N86-23568
- Argonne National Lab., Ill.**
- Fluid forces on two circular cylinders in crossflow [DE85-014294] p 124 N86-13704
- Arinc Research Corp., Annapolis, Md.**
- Evaluation of alternatives for an Army precision landing system [AD-A167780] p 789 N86-31554
- Arizona State Univ., Tempe.**
- Boundary-layer transition: T-S waves and crossflow mechanisms p 155 N86-15268
- Laminar flow control with suction: Theory and experiment p 155 N86-15269
- Heat transfer characteristics within an array of impinging jets. Effects of crossflow temperature relative to jet temperature [NASA-CR-3936] p 190 N86-15625
- Transonic equivalent strip method for aeroelastic applications p 695 N86-30628
- Arizona Univ., Tucson.**
- Noise generated by convected gusts interacting with swept airfoil cascades [AIAA PAPER 86-1872] p 755 A86-45492
- Influence of airfoil camber on convected gust interaction noise [AIAA PAPER 86-1873] p 755 A86-45493
- Angle-of-attack estimation for analysis of CAT encounters p 831 A86-47798
- Spectroradiometric calibration of the Thematic Mapper and multispectral scanner system [E86-10022] p 260 N86-17816
- Army Aeromechanics Lab., Moffett Field, Calif.**
- Helicopter model rotor-blade vortex interaction impulsive noise - Scalability and parametric variations p 400 A86-27658
- Effects of side-stick controllers on rotorcraft handling qualities for terrain flight p 366 A86-27659
- Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics p 353 A86-27661
- Reconstruction of a three-dimensional, transonic rotor flow field from holographic interferogram data [AIAA PAPER 85-0370] p 337 A86-27669
- Directional handling qualities requirements for nap of the earth (NOE) tasks p 510 A86-35622
- Design aspects of the XV-15 advanced technology blade program p 492 A86-35630
- Army Aeronautical Research Lab., Moffett Field, Calif.**
- Flight testing the fixed wing configuration of the Rotor Systems Research Aircraft (RSRA) p 223 A86-21064
- Army Armament Research and Development Command, Dover, N. J.**
- An analytical modularized treatment of autopilots for guided projectile simulations [AD-A159311] p 182 N86-14282
- Army Aviation Engineering Flight Activity, Edwards AFB, Calif.**
- Limited Airworthiness and Flight Characteristics (A and FC) test of the quick fix configuration [AD-A157716] p 101 N86-13323
- Preliminary airworthiness evaluation of the AH-1S (modernized cobra) with the Hellfire, TOW, and Stinger missiles installed [AD-A160862] p 294 N86-18322
- Aerial refueling evaluation of the CH-47D helicopter [AD-A167575] p 808 N86-31574
- Army Aviation Research and Development Command, Hampton, Va.**
- Drop testing and analysis of six-foot diameter graphite-epoxy frames p 517 A86-37068
- Crash energy absorbing composite sub-floor structure [AIAA PAPER 86-0944] p 585 A86-38952
- Army Aviation Research and Development Command, Moffett Field, Calif.**
- Directional handling qualities requirements for nap-of-the-earth tasks p 442 A86-30499
- Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics in cruising flight p 713 A86-46461
- Effects of blade-to-blade dissimilarities on rotor-body lead-lag dynamics [AD-A160497] p 293 N86-18317
- Hover and forward flight acoustics and performance of a small-scale helicopter rotor system [NASA-TM-88584] p 295 N86-19314
- Army Aviation Research and Technology Activity, Cleveland, Ohio.**
- Small gas turbine combustor experimental study - Compliant metal/ceramic liner and performance evaluation [AIAA PAPER 86-1452] p 818 A86-49611
- Army Aviation Systems Command, Moffett Field, Calif.**
- Numerical modeling of rotor flows with a conservative form of the full-potential equations [AIAA PAPER 86-0079] p 198 A86-19676
- Effects of simulator variations on the fidelity of a UH-60 Black Hawk simulation p 596 A86-37178
- Calculation of helicopter airfoil characteristics for high tip-speed applications p 541 A86-37769
- Numerical simulation of tip vortices of wings in subsonic and transonic flows [AIAA PAPER 86-1095] p 550 A86-38456
- Experimentally determined flutter from two- and three-bladed model bearingless rotors in hover p 177 N86-15286
- Army Aviation Systems Command, St. Louis, Mo.**
- Correlation of results of an OH-58A helicopter composite tail boom test with a finite element model [AD-A161082] p 295 N86-19316
- VHF-FM communications antennas for project SINGGARS (UH-1 tail whip and cabin roof bent whip evaluation) [AD-A163561] p 524 N86-24883
- Cost estimating relationships for fixed wing aircraft: List price versus empty weight [AD-A164196] p 537 N86-25300
- Effects of blade-to-blade dissimilarities on rotor-body lead-lag dynamics [NASA-TM-86828] p 639 N86-28079
- VHF-FM communications antennas for project SINGGARS (UH-1 tail whip antenna evaluation) [AD-A165897] p 676 N86-29119
- Army Command and General Staff Coll., Fort Leavenworth, Kansas.**
- The C-17: An attempt at increased airlift versatility [AD-A164822] p 540 N86-26280
- Army Construction Engineering Research Lab., Champaign, Ill.**
- Design criteria upgrade for US Army Type 2 air traffic control towers [AD-A159115] p 94 N86-13314
- The role of vibration and rattle in human response to helicopter noise [AD-A162486] p 396 N86-22110
- Army Engineer Waterways Experiment Station, Vicksburg, Miss.**
- Evaluation of the FAA design procedures for high traffic volume pavements [DOT/FAA/PM-84/14] p 352 N86-20383
- Comparative study of nondestructive pavement testing, WES (Waterways Experiment Station) NDT (nondestructive tests) methodologies [AD-A163379] p 610 N86-26480
- Army Materials and Mechanics Research Center, Watertown, Mass.**
- Direction of R and D and current status of understanding of advanced gear steels p 666 N86-29245
- Army Propulsion Lab., Cleveland, Ohio.**
- DEAN - A program for Dynamic Engine Analysis [AIAA PAPER 85-1354] p 106 A86-14430
- Experimental study of ceramic-coated tip seals for turbojet engines p 121 A86-15227
- The application of LQR synthesis techniques to the turboshaft engine control problem p 502 A86-35614
- Fatigue life analysis of a turboprop reduction gearbox [ASME PAPER 85-DET-10] p 738 A86-45256
- Army Research and Technology Labs., Moffett Field, Calif.**
- Hovering model helicopter rotor testing p 179 A86-18412
- An experimental investigation of the parallel blade-vortex interaction p 276 A86-26106
- Aircrew-aircraft integration - A summary of U.S. Army research programs and plans p 310 A86-26149
- Calculation of helicopter airfoil characteristics for high tip-speed applications [AD-A160694] p 277 N86-18294
- An investigation of the use of bandwidth criteria for rotorcraft handling-qualities specifications [AD-A160664] p 294 N86-18319
- Army Science Board, Washington, D.C.**
- The US Army's LHX (light helicopter family) program [AD-A161949] p 437 N86-23591
- Army Structures Lab., Hampton, Va.**
- Aeroelastic model helicopter rotor testing in the Langley TDT p 163 A86-18402
- Repeatability of mixed-mode adhesive debonding p 249 A86-20638
- Interlaminar fracture of composites p 313 A86-24966
- Aerodynamic performance of a 27-percent-scale AH-64 wind-tunnel model with baseline/advanced rotor blades p 492 A86-35635
- Effect of fiber and matrix maximum strain on the energy absorption of composite materials p 516 A86-35640
- Army Test and Evaluation Command, Aberdeen Proving Ground, Md.**
- Cold regions logistic supportability testing of electronic, avionic and communications equipment [AD-A158887] p 188 N86-14514
- Stress level testing of electronics, avionics communications and C3I equipments [AD-A159395] p 231 N86-18214

**Army Training and Doctrine Command, Fort Monroe, Va.**  
 Light helicopter family trade-off analysis. Volume 4: Appendix N [AD-A158075] p 168 N86-15308  
 Light helicopter family trade-off analysis. Volume 7: Appendix R [AD-A158076] p 168 N86-15307  
 Light helicopter family trade-off analysis. Volume 8: Appendices S and T [AD-A158077] p 169 N86-15308  
 Light helicopter family trade-off analysis. Volume 10: Appendices V, W, X, and Z [AD-A158079] p 169 N86-15309  
**Army War Coll., Carlisle Barracks, Pa.**  
 The C-17: We need it yesterday [AD-A157147] p 99 N86-12219  
**Arnold Engineering Development Center, Arnold Air Force Station, Tenn.**  
 Ribbon-burner simulation of T-700 turbine shroud for ceramic-lined seals research p 106 A86-15225  
 Method to detect ethylene glycol in gaseous mixtures [AD-A158109] p 116 N86-12272  
 Crushing strength of aluminum oxide agglomerates [AD-A158051] p 124 N86-13756  
 Verification and aerodynamic calibration of the tunnel 18T Captive Trajectory Support (CTS) system [AD-A165235] p 599 N86-27295  
 Air-on demonstration of the AEDC PWT tunnel 16T captive trajectory support system [AD-A166888] p 698 N86-30700  
 Aircraft transparency testing: Artificial birds [AD-A166832] p 701 N86-30704  
**Auburn Univ., Ala.**  
 The effect on the transmission loss of a double wall panel of using helium gas in the gap p 855 A86-48590  
 Investigation of the level difference between sound pressure and sound intensity in an aircraft cabin under different fuselage conditions p 799 A86-48738  
**Automated Sciences Group, Inc., Silver Spring, Md.**  
 General aviation pilot and aircraft activity survey [AD-A161665] p 345 N86-21530  
**Avco-Everett Research Lab., Mass.**  
 Laser metalworking technology transfer [AD-A165808] p 684 N86-28168  
**Avco Lycoming Div., Stratford, Conn.**  
 Small engine technology payoffs for future commuter aircraft [AIAA PAPER 86-1544] p 646 A86-42703  
**Avco Lycoming Div., Williamsport, Pa.**  
 Stratified charge rotary engine for general aviation [ASME PAPER 86-GT-181] p 815 A86-48231  
**Aviation Fuel Safety Co., Chelmsford, Mass.**  
 Amine-CO2 adducts as aviation fuel gelling agents p 701 N86-30020  
**Avions Marcel Dassault-Breguet Aviation, Saint-Cloud (France).**  
 Evaluation of the Ciba-Geigy R6376 IM6 prepreg [DGT-26.649] p 248 N86-17485  
 Study of composite material curing molds [DGT-26.817] p 248 N86-17486

**B**

**B and M Technological Services, Inc., Cambridge, Mass.**  
 State-of-the-art review on composite material fatigue/damage tolerance [FAA/CT-85/7] p 379 N86-21615  
**Babcock and Wilcox Co., Alliance, Ohio.**  
 Development of optical diaphragm deflection sensors [NASA-CR-175008] p 194 N86-15113  
**Battelle Columbus Labs., Ohio.**  
 Composition and photochemical reactivity of turbine engine exhaust [AD-A157643] p 107 N86-12230  
**Beech Aircraft Corp., Wichita, Kans.**  
 Evaluation of propan propulsion applied to general aviation [NASA-CR-175020] p 503 N86-24695  
**Bell Telephone Labs., Inc., Whippany, N. J.**  
 Prediction of sound fields in cavities using boundary element methods [AIAA PAPER 86-1864] p 754 A86-45484  
**Bettie Atomic Power Lab., West Mifflin, Pa.**  
 References and conference proceedings towards the understanding of fracture mechanics p 388 A86-29011  
**Bio-Dynamics Research and Development Corp., Eugene, Oreg.**  
 Feasibility study for ergonomic analysis and design of future helicopter cockpit systems [NASA-CR-176942] p 714 N86-29811

**Bionetics Corp., Hampton, Va.**  
 Advanced turboprop aircraft noise annoyance - A review of recent NASA research [AIAA PAPER 86-1959] p 752 A86-45444  
 An evaluation of study design for estimating a time-of-day noise weighting [NASA-CR-178062] p 401 N86-22306  
 The relative effect of noise at different times of day: An analysis of existing survey data [NASA-CR-3965] p 469 N86-24392  
**Boeing Aerospace Co., Seattle, Wash.**  
 Experiments on supersonic turbulent flow development in a square duct [AIAA PAPER 86-1038] p 548 A86-38412  
**Boeing Co., Seattle, Wash.**  
 Operation REDWING, Project 5.2, in-flight participation of a B-52 [AD-A995286] p 357 N86-21536  
 Beam dampers for skin vibration and noise reduction in the 747 p 389 N86-21917  
 Current design procedures for minimizing post crash fire hazards p 700 N86-30019  
**Boeing Commercial Airplane Co., Seattle, Wash.**  
 Application of digital/electric systems to advanced technology aircraft [SAWE PAPER 1639] p 486 A86-35203  
 Estimation of transport airplane aerodynamics using multiple stepwise regression p 489 A86-35385  
 Structural analysis of the controlled impact demonstration of a jet transport airplane [AIAA PAPER 86-0939] p 583 A86-38836  
 NASA B737 flight test results of the Total Energy Control System [AIAA PAPER 86-2143] p 826 A86-47516  
 Integrated Application of Active Controls (IAAC) technology to an advanced subsonic transport project: Test act system description [NASA-CR-172221] p 176 N86-14277  
 F-111 natural laminar flow glove flight test data analysis and boundary layer stability analysis [NASA-CR-168051] p 168 N86-15305  
 The 737 graphite composite flight spoiler flight service evaluation [NASA-CR-172600] p 314 N86-18448  
 Environmental exposure effects on composite materials for commercial aircraft [NASA-CR-177929] p 314 N86-18449  
 Performance of a commercial transport under typical MLS noise environment [NASA-CR-178032] p 352 N86-20384  
 Flow prediction for propan engine installation effects on transport aircraft at transonic speeds [NASA-CR-3954] p 414 N86-22550  
 Coupling linearized far-field boundary conditions with nonlinear near-field solutions in transonic flow [AD-A162334] p 417 N86-23573  
 Natural laminar flow flight experiments on a swept wing business jet-boundary layer stability analyses [NASA-CR-3975] p 478 N86-24659  
 Local flow management/profile descent algorithm. Fuel-efficient, time-controlled profiles for the NASA TSRV airplane [NASA-CR-172593] p 636 N86-28074  
 Design requirements and development of an airborne descent path definition algorithm for time navigation [NASA-CR-178037] p 641 N86-28939  
 An investigation of TNAV equipped aircraft in a simulated en route metering environment [NASA-CR-178031] p 641 N86-28940  
**Boeing Computer Services Co., Tukwila, Wash.**  
 A transonic rectangular grid embedded panel method p 204 A86-20953  
**Boeing Military Airplane Development, Seattle, Wash.**  
 A transonic rectangular grid embedded panel method p 204 A86-20953  
 PN/S calculations for a fighter W/F at high-lift yaw conditions [AIAA PAPER 86-1829] p 779 A86-49588  
 Objectives and scope of the Working Group 07 p 153 N86-15257  
 Concluding remarks p 155 N86-15285  
 Atmospheric electricity hazards threat environment definition [AD-A159739] p 324 N86-18909  
 Integrated damped fuselage structure p 389 N86-21918  
 Fireproof hydraulic brake system [AD-A163542] p 497 N86-24688  
 Viscous vortical flow calculations over delta wings p 558 N86-27202  
 Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 2: Aircraft engine nacelle fire test programs. Part 1: Fire detection, fire extinguishment and surface ignition studies [AD-A167356] p 807 N86-31570

Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 1: Executive summary [AD-A167443] p 807 N86-31571  
 Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 2: Aircraft engine nacelle fire test programs. Part 2: Small scale testing of dry chemical fire extinguishants [AD-A167444] p 807 N86-31572  
 Vulnerability methodology and protective measures for aircraft fire and explosion hazards. Volume 3: On-Board Inert Gas Generator System (OBIGGS) studies. Part 2: Fuel scrubbing and oxygen evolution tests [AD-A167445] p 807 N86-31573  
**Boeing Vertol Co., Philadelphia, Pa.**  
 Free-tip-rotor wind-tunnel test results p 491 A86-35628  
 Design aspects of the XV-15 advanced technology blade program p 492 A86-35630  
 Performance degradation of helicopters due to icing - A review p 494 A86-35668  
 Wind tunnel test of a model rotor with a free-tip [AIAA PAPER 86-1781] p 577 A86-37813  
 Parametric study of the aeroelastic stability of a bearingless rotor p 176 N86-15283  
 Restructuring the rotor analysis program C-60 p 168 N86-15292  
 Planning, creating and documenting a NASTRAN finite element model of a modern helicopter p 189 N86-15300  
 A study of the potential benefits associated with the development of a dedicated helicopter transmission lubricant p 666 N86-29242  
**Bolt, Beranek, and Newman, Inc., Cambridge, Mass.**  
 An analysis of the application of AI to the development of intelligent aids for flight crew tasks [NASA-CR-3944] p 90 N86-12212  
 A fault tolerant system for an integrated avionics sensor configuration [NASA-CR-3834] p 160 N86-15278  
 FINDS: A fault inferring nonlinear detection system programmers manual, version 3.0 [NASA-CR-177986] p 231 N86-18212  
**Bolt, Beranek, and Newman, Inc., Canoga Park, Calif.**  
 In-flight acoustic measurements on a light twin-engine turboprop airplane [NASA-CR-178004] p 332 N86-20089  
**Borst (Henry V.) and Associates, Wayne, Pa.**  
 Aerodynamic performance of two fifteen-percent-scale wind-tunnel drive fan designs [AIAA PAPER 86-0734] p 273 A86-24729  
**Boston Univ., Mass.**  
 Two methods for viscous and inviscid free-wake analysis of helicopter rotors [AD-A161513] p 342 N86-21521  
**Bradley Univ., Peoria, Ill.**  
 Computer graphics applications to crew displays p 128 N86-14104  
**British Aerospace Aircraft Group, Preston (England).**  
 Hot Gas Laboratory twin nozzle calibration [BAE-ARG-200] p 258 N86-17666  
**British Aerospace Aircraft Group, Woodford (England).**  
 The impact of artificial intelligence on airborne maritime reconnaissance p 675 N86-28374  
**British Aerospace Dynamics Group, Bristol (England).**  
 Interpolation of heights and slopes from a digital terrain elevation model [BAE-BT-13198] p 352 N86-20382  
**British Aerospace Dynamics Group, Hatfield (England).**  
 The choice of techniques used for flight flutter clearance with particular reference to the BAe 146 and BAe 125 p 728 N86-30644  
**Brookhaven National Lab., Upton, N. Y.**  
 Furfuryl alcohol polymer concretes for use in all-weather repairs of concrete and asphalt surfaces [DEB5-014825] p 184 N86-14391  
**Bundesanstalt fuer Flugsicherung, Frankfurt am Main (West Germany).**  
 Activities in air traffic control p 216 N86-17331  
 Environment-friendly propeller aircraft with a maximum weight of 5700 kg. and motor gliders: Publication of the noise values p 227 N86-17341

**C**

**Cabot Corp., Indianapolis, Ind.**  
 Use of skin damping treatments to control airframe dynamic response for interior noise control p 389 N86-21919  
**California Inst. of Tech., Pasadena.**  
 Nonlinear analysis of pressure oscillations in ramjet engines p 659 N86-28240  
**California Polytechnic State Univ., San Luis Obispo.**  
 Harrier III-AV8B with a modern engine [SAE PAPER 851881] p 579 A86-38349

- The use of a panel code on high lift configurations of a swept forward wing  
[NASA-CR-178988] p 631 N86-28916
- Identification of linearized equations of motion for the fixed wing configuration of the rotor systems research aircraft  
[NASA-CR-178977] p 631 N86-28917
- A comparison of computer-generated lift and drag polars for a Wortmann airfoil to flight and wind tunnel results  
[NASA-CR-178983] p 631 N86-28919
- Comparison of theoretical and flight-measured local flow aerodynamics for a low-aspect-ratio fin  
[NASA-CR-178995] p 632 N86-28920
- Development of flight testing techniques  
[NASA-CR-178996] p 640 N86-28936
- In-flight thrust determination on a real-time basis  
[NASA-CR-178997] p 641 N86-28937
- Flutter prediction for a wing with active aileron control  
[NASA-CR-178994] p 655 N86-28959
- Flow direction measurement criteria and techniques planned for the 40- by 80-/80- x 120-foot wind tunnel integrated systems tests  
[NASA-CR-178989] p 676 N86-29152
- An experimental and analytical method for approximate determination of the tilt rotor research aircraft rotor/wing download  
[NASA-CR-178970] p 693 N86-28769
- Flight determination of the aerodynamic stability and control characteristics of the NASA SGS 1-36 sailplane in the conventional and deep stall angles-of-attack of between -5 and 75 degrees  
[NASA-CR-178962] p 726 N86-28865
- The performance evaluation of a jet flap on an advanced supersonic hamier  
[NASA-CR-178953] p 716 N86-30722
- Longitudinal stability and control derivatives obtained from flight data of a PA-30 aircraft  
[NASA-CR-178999] p 729 N86-30736
- A survey of handling qualities criteria and their applications to high performance aircraft  
[NASA-CR-178954] p 729 N86-30738
- California Univ., Berkeley.**  
Dynamic features of combustion p 114 A86-12925  
A new look at arbitrary motion unsteady aerodynamics and its application to rotary-wing aeroelasticity p 696 N86-30638
- California Univ., Berkeley. Lawrence Berkeley Lab.**  
Dynamic features of combustion p 114 A86-12925
- California Univ., Davis.**  
Automation effects in a multiloop manual control system p 329 A86-25035  
Drag-reduction characteristics of aft-swept wing tips [AIAA PAPER 86-1824] p 545 A86-37840  
Identification of pilot-vehicle dynamics from in-flight tracking data p 725 A86-46459  
Boundary-layer transition effects on airplane stability and control [AIAA PAPER 86-2229] p 831 A86-47708  
An entropy correction method for unsteady full potential flows with strong shocks [AIAA PAPER 86-1768] p 777 A86-49576
- California Univ., Irvine.**  
Aircraft measurements and coordination in FASINEX [AD-A160789] p 321 N86-18699
- California Univ., La Jolla.**  
Simulation and analysis of natural rain in a wind tunnel via digital image processing techniques [AIAA PAPER 86-0291] p 241 A86-22667
- California Univ., Los Angeles.**  
Aeromechanical stability analysis of a hybrid heavy lift multirotor vehicle in hover p 110 A86-14530  
Shock modelling in transonic and supersonic flow p 204 A86-20946  
Aeromechanical stability analysis of a multirotor vehicle with application to hybrid heavy lift helicopter dynamics p 290 A86-26141  
Application of modern structural optimization to vibration reduction in rotorcraft p 352 A86-26587  
A new look at arbitrary motion unsteady aerodynamics and its application to rotary-wing aeroelasticity p 413 A86-33238  
A new approach to finite state modelling of unsteady aerodynamics [AIAA PAPER 86-0665] p 552 A86-38900  
An experimental investigation of wing tip turbulence with applications to aerosound [AIAA PAPER 86-1918] p 691 A86-45413  
An entropy correction method for unsteady full potential flows with strong shocks [AIAA PAPER 86-1768] p 777 A86-49576  
Influence of various unsteady aerodynamic models on the aeromechanical stability of a helicopter in ground resonance p 177 N86-15294  
Unsteady aerodynamics in time and frequency domains for finite-time arbitrary motion of helicopter rotor blades in hover and forward flight p 414 N86-22548
- An application of adaptive learning to malfunction recovery [NASA-CR-166620] p 533 N86-25169
- A.I.-based real-time support for high performance aircraft operations [NASA-CR-176906] p 716 N86-30718
- Calepan Advanced Technology Center, Buffalo, N.Y.**  
An evaluation of the capability of the surface condition analyzer (SCAN) sensors to measure runway water depth [AD-A164719] p 611 N86-26603
- Calepan Corp., Buffalo, N. Y.**  
The interpretation of flying qualities requirements for flight control design [AIAA PAPER 86-2249] p 826 A86-47523  
Effects of time delay and pitch control sensitivity in the flared landing [AIAA PAPER 86-2075] p 831 A86-47706
- Calepan Field Services, Inc., Arnold AFS, Tenn.**  
Investigation of the development of laminar boundary-layer instabilities along a sharp cone [AD-A159370] p 255 N86-16521  
Verification and aerodynamic calibration of the tunnel 16T Captive Trajectory Support (CTS) system [AD-A165235] p 599 N86-27295  
Aircraft transparency testing: Artificial birds [AD-A166832] p 701 N86-30704
- Cambridge Acoustical Associates, Inc., Mass.**  
Structureborne noise investigations of a twin engine aircraft [AIAA PAPER 86-1905] p 710 A86-45406
- Cambridge Univ. (England).**  
Aspects of small crack growth p 518 N86-25370
- Carnegie-Mellon Univ., Pittsburgh, Pa.**  
Stability of limit cycles in frictionally damped and aerodynamically unstable rotor stages p 174 A86-19198  
The effect of limiting aerodynamic and structural coupling in models of mistuned bladed disk vibration p 363 A86-26905  
Influence of friction dampers on torsional blade flutter [ASME PAPER 85-GT-170] p 441 A86-32957  
Fault-free validation of a fault-tolerant multiprocessor: Baseline experiments and workload implementation [NASA-CR-178075] p 466 N86-24277
- Carville Ltd., Dorking (England).**  
An improved optical viewing system for a flight simulator [MS-8025] p 840 N86-32448
- Center for Naval Analyses, Alexandria, Va.**  
The relationship between material failures and flight hours: Statistical considerations [AD-A159571] p 169 N86-15311
- Centre National d'Etudes Spatiales, Toulouse (France).**  
Long-duration flights using infrared Montgolfieres p 323 N86-18861  
New space paints p 451 N86-22621
- Centre National de la Recherche Scientifique, Marseilles (France).**  
Wing profile in stalled position subject to a flow of alternating potential and strong vortex p 560 N86-27229
- Cessna Aircraft Co., Wichita, Kans.**  
Further results of natural laminar flow flight test experiments [SAE PAPER 850862] p 581 A86-38504
- Charles River Analytics, Inc., Cambridge, Mass.**  
Design considerations for flight test of a fault inferring nonlinear detection system algorithm for avionics sensors [AIAA PAPER 86-2030] p 810 A86-47511  
A preliminary design for flight testing the FINDS algorithm [NASA-CR-178043] p 439 N86-22574
- Chicago Univ., Ill.**  
Downburst: Microburst and macroburst [PB85-148880] p 191 N86-14826  
DFW (Dallas-Ft. Worth) microburst on August 2, 1985 [NASA-CR-176794] p 529 N86-25956
- Cincinnati Univ., Ohio.**  
Investigation of multiple input frequency response function estimation techniques for experimental modal analysis p 461 N86-23971  
Flap-lag-torsional dynamics of helicopter rotor blades in forward flight [NASA-CR-176978] p 714 N86-29810
- City Univ., London (England).**  
Hover and forward flight acoustics and performance of a small-scale helicopter rotor system [NASA-TM-88584] p 295 N86-19314
- Civil Aviation Authority, London (England).**  
Evaluation of 23 inch radar viewing unit for Heathrow approach control room [CAA-PAPER-85011] p 216 N86-16209
- Clemson Univ., S.C.**  
Collocation for an integral equation arising in duct acoustics p 682 A86-43038
- College of William and Mary, Williamsburg, Va.**  
User's guide to STIPAN: A panel method program for slotted tunnel interference prediction [NASA-CR-178003] p 113 N86-12237  
Wall-interference assessment in three-dimensional slotted-wall wind tunnels [NASA-CR-178320] p 113 N86-12240  
A high-order language for a system of closely coupled processing elements [NASA-CR-177280] p 619 N86-27930
- Colorado Univ., Boulder.**  
Numerical optimization design of advanced transonic wing configurations p 356 A86-28562  
Numerical studies of porous airfoils in transonic flow [NASA-CR-179655] p 697 N86-30696
- Columbia Univ., New York.**  
Acoustic guide for noise transmission testing of aircraft [NASA-CASE-LAR-13111-1-CU] p 332 N86-20086  
Vibrations and structureborne noise in space station [NASA-CR-176520] p 372 N86-20485  
Noise transmission into propeller aircraft p 619 N86-27473
- Committee on Science and Technology (U. S. House).**  
Noise reduction technology [GPO-48-026] p 265 N86-17076  
Controlled Impact Demonstration (CID) [GPO-48-870] p 214 N86-17324  
High speed aeronautics [GPO-51-341] p 278 N86-19284  
Oversight on the Federal Aviation Administration fiscal year 1986 research, engineering and development budget request [GPO-46-725] p 402 N86-21447
- Computer Sciences Corp., Hampton, Va.**  
Airport-Noise Levels and Annoyance Model (ALAMO) user's guide [NASA-TM-87695] p 401 N86-22304  
Airport-Noise Levels and Annoyance Model (ALAMO) system's reference manual [NASA-TM-87694] p 401 N86-22305  
Improvements to the FATOLA computer program including added actively controlled landing gear subroutines [NASA-CR-166069] p 436 N86-23588
- Computer Sciences Corp., Silver Spring, Md.**  
An approach to developing specification measures p 330 N86-19968
- Computer Software Management and Information Center, Athens, Ga.**  
Fourteenth NASTRAN Users' Colloquium [NASA-CP-2419] p 527 N86-25823
- Computer Technology Associates, Inc., Englewood, Colo.**  
Operations concept for the TCCC (Tower Control Computer Complex) man-machine interface [AD-A166899] p 705 N86-30714
- Comtek, Grafton, Va.**  
A feasibility study on the numerical modeling of interior noise fields [AIAA PAPER 86-1862] p 754 A86-45482
- Connecticut Univ., Storrs.**  
Dual control and prevention of the turn-off phenomenon in a class of mimo systems p 681 A86-43000  
An investigation of adaptive controllers for helicopter vibration and the development of a new dual controller [NASA-CR-177377] p 239 N86-16228
- Conoco, Inc., Ponca City, Okla.**  
Olefin polymers as jet fuel antimist additives p 734 N86-30016
- Consiglio Nazionale delle Ricerche, Florence (Italy).**  
Remote sensing of oil on sea: Lidar and passive IR experiments p 320 N86-18370
- Construcciones Aeronauticas S.A., Madrid (Spain).**  
Advanced composite structures in commercial transport aircraft [AI/TE3-384/82-ISSUE-2] p 451 N86-22648  
Chemical control for Airbus composites. HPLC standardization [I-104/84] p 664 N86-28133
- Continuum Dynamics, Inc., Princeton, N. J.**  
A new approach to the free wake problem for hovering rotors p 475 A86-35633
- Coordinating Research Council, Inc., Atlanta, Ga.**  
Flammability of aircraft hydraulic fluids: A bibliography [AD-A165483] p 569 N86-26299
- Cornell Univ., Ithaca, N.Y.**  
A comparative study of tail rotor noise mechanisms p 534 A86-35618  
Computation of transonic flow about helicopter rotor blades p 554 A86-39053  
Helicopter tail rotor noise [AIAA PAPER 86-1900] p 750 A86-45401

- Broadband noise of propellers and rotors p 855 A86-48596
- Helicopter tail rotor noise analyses [NASA-CR-176829] p 536 N86-26163
- Aerodynamics of engine-airframe interaction [NASA-CR-179657] p 697 N86-30697
- Cranfield Inst. of Tech., Bedford (England).**
- The experimental determination of the subsonic aerodynamic characteristics of an Ogive-Cylinder body including a comparison with theoretical estimates, volume 1 [CAR-8509] p 151 N86-15242
- A programme of research into the aerodynamics, stability and control characteristics of a combat aircraft having a forward swept wing p 357 N86-21533
- The behaviour and performance of leading edge vortex flaps [CAR-8601] p 479 N86-24666
- Pressure based separation in the upper airspace [CAR-8614] p 486 N86-24679
- Structural optimization programs and methods p 715 N86-30655
- Crouzet Aerospace and Systems, Valence (France).**
- Dependable avionic data transmission p 362 N86-20405
- A mission navigation and control system for modern military helicopters p 574 N86-26327

## D

- Dayton Univ., Ohio.**
- Performance of an alpha-vane and pitot tube in simulated heavy rain environment [NASA-CR-176353] p 103 N86-12220
- Finite element analysis of soft-body impact [AD-A158438] p 158 N86-14259
- Passive damping, sonic fatigue and the KC-135A p 256 N86-18625
- A different approach to designed in passive damping p 256 N86-18627
- Flight simulator: Comparison of resolution thresholds for two light valve video projectors [AD-A164577] p 598 N86-26344
- The physical and empirical basis for a specific clear-air turbulence risk index [NASA-CR-3971] p 748 N86-30285
- Advances in the study of the mechanical behavior of materials [AD-A164656] p 735 N86-30838
- Defence and Civil Inst. of Environmental Medicine, Downsview (Ontario).**
- Selection of a man-modelling CAD (Computer-Aided Design) [AD-A161342] p 400 N86-22159
- A review of the pilot backache problem in the CH113 Labrador helicopter [AD-A164011] p 530 N86-25113
- DEL-Tech, Inc., Newport News, Va.**
- Flight tests and preliminary aerodynamic parameter extraction of an externally piloted vehicle aircraft model p 796 A86-47800
- An airfoil flutter model suspension system to accommodate large static transonic airloads [NASA-CR-177998] p 146 N86-14220
- Delta Air Lines, Inc., Atlanta, Ga.**
- Optimal take-off trajectories in the presence of windshear p 708 A86-44386
- Optimization and acceleration guidance of flight trajectories in a windshear [AIAA PAPER 86-2036] p 822 A86-47425
- Optimization and gamma/theta guidance of flight trajectories in a windshear p 834 A86-49071
- Department of the Air Force, Washington, D.C.**
- Pneumatic actuator device [AD-D011794] p 99 N86-12217
- Compartmented, filament wound, one-piece aircraft fuel tanks [AD-D011793] p 107 N86-12225
- Improved temperature detection system for use on film cooled turbine airfoils [AD-D011762] p 107 N86-12228
- Length adjustable strut link with low aerodynamic drag [AD-D011851] p 107 N86-12232
- Transient test of suspension electronics for gyroscope [AD-D011853] p 123 N86-12585
- Resonant cavities for stall recovery in gas turbine engines [AD-D011891] p 175 N86-15317
- Ferromagnetic resonance probe liftoff suppression apparatus [AD-D011913] p 190 N86-15647
- Adapter pallet system [AD-D011858] p 191 N86-15671
- Modular air shut-off valve [AD-D011835] p 321 N86-18728
- Asymmetric thrust warning system for dual engine aircraft [AD-D011960] p 361 N86-20387
- Robotic refueling system for tactical and strategic aircraft [AD-D011980] p 358 N86-21540
- Dual material exhaust nozzle flap [AD-D011998] p 364 N86-21548
- Aircraft window clamping device [AD-D011999] p 435 N86-22564
- Igniter electrode life control [AD-D012007] p 441 N86-22577
- Fuel pump vent drain system [AD-D011993] p 459 N86-22947
- Glide slope indicator system [AD-D012077] p 424 N86-23580
- Impact of Reliability/Maintainability (R/M) on logistics costs for USAF aircraft [AD-A162204] p 470 N86-24579
- Frameless transparencies for aircraft cockpit enclosures [AD-D012155] p 497 N86-24689
- One-piece HPTR blade squealer tip [AD-D012003] p 504 N86-24698
- Dual mode heat exchanger [AD-D012156] p 524 N86-24944
- Laser beam duct pressure controller system [AD-D012017] p 525 N86-24984
- Self-retained platform cooling plate for turbine vane [AD-D012218] p 721 N86-29822
- Portable glide slope indicator [AD-D012240] p 789 N86-31552
- Multiple thermocouple testing device [AD-D012276] p 850 N86-31880
- Low mass diffusion bonding tools [AD-D012295] p 851 N86-32746
- Department of the Navy, Washington, D. C.**
- Passive arm retention curtain [AD-D011878] p 91 N86-13307
- Conductive heterocyclic ladder polymers [AD-D011915] p 378 N86-20589
- An apparatus for and a method of determining compass headings [AD-D012051] p 425 N86-23584
- Nonskid coating formulations [AD-D012186] p 604 N86-27457
- Aircraft barricade [AD-D012194] p 656 N86-28102
- Detroit Diesel Allison, Indianapolis, Ind.**
- Feasibility study for convertible engine torque converter [NASA-CR-175082] p 722 N86-30733
- Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Brunswick (West Germany).**
- Helicopter model rotor-blade vortex interaction impulsive noise - Scalability and parametric variations p 400 A86-27858
- Review of research in numerical aerodynamics at the DFVLR in Brunswick p 150 N86-14248
- Construction of a measuring method using fiber optics and an LTN-90 laser gyro strapdown system for BO-195 helicopters [DFVLR-MITT-85-10] p 216 N86-17333
- Comparative evaluation of redundant flight data recorded by a Digital Airborne Integrated Data System Recorder (DAIR) on board an Airbus A-310 aircraft p 439 N86-22575
- Generation of two-dimensional gust fields in subsonic wind-tunnels p 563 N86-27247
- Identification of aircraft characteristics including gust induced dynamic effects p 565 N86-27263
- Effects of anisotropic design on the static aeroelasticity of a swept wing p 687 N86-30661
- Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Cologne (West Germany).**
- The effect of supply parameters on the volume of future aircraft movements p 158 N86-14258
- Investigations of the aircraft landing process using a computerized simulation model based on the Monte Carlo method [DFVLR-FB-85-27] p 167 N86-14269
- Activities report in aerospace in West Germany [ISSN-0070-3966] p 471 N86-24592
- Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Goettingen (West Germany).**
- Simulation of three-dimensional viscous transonic flows p 148 N86-14233
- Calculation of axisymmetric laminar supersonic flows over blunt bodies p 148 N86-14234
- Solutions of the Navier-Stokes equations with the finite volume method p 148 N86-14235
- Shock design for refined recalculations p 150 N86-14247
- Calculation of separated laminar supersonic flows over blunt bodies of revolution at zero angle of attack [DFVLR-FB-85-30] p 151 N86-14256
- Transonic drag rise and drag reduction by active/passive boundary layer control p 156 N86-15275
- On second propagation in radial fan casings [DFVLR-FB-85-32] p 184 N86-16053
- Unsteady boundary-layer separation on airfoils performing large-amplitude oscillations: Dynamic stall p 561 N86-27231
- Standard dynamics model experiments with the DFVLR/AVA transonic derivative balance p 562 N86-27245
- The effect of a splitter plate as boundary layer removal system in half-model testing [DFVLR-FB-85-64] p 657 N86-28969
- Aerodynamic effect of coolant ejection in the rear part of transonic rotor blades p 742 N86-28861
- Active flutter suppression on a delta wing model structure [DFVLR-FB-86-01] p 727 N86-29870
- Calculation of three-dimensional transonic potential flows by a field panel method p 695 N86-30629
- Steady and unsteady pressure distribution on various profiles in separated subsonic and transonic flow p 695 N86-30632
- An improved potential gradient method for the calculation of unsteady aerodynamic pressures on oscillating wings in supersonic flow p 695 N86-30633
- Theoretical flutter investigations on a plane cascade in incompressible flow p 727 N86-30635
- Simulation of aircraft taxi testing on the AGILE shaker test facility p 731 N86-30663
- Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Oberpfaffenhofen (West Germany).**
- Results of icing flights in winter 1983/84: Ice accretion thickness in correlation with cloud physical parameters, object and cloud parameters [DFVLR-FB-85-39] p 191 N86-15838
- Calculation of ice accretion on cylindrical rods according to Bain's model, and comparison with experimental results [DFVLR-FB-85-48] p 325 N86-18933
- Theoretical and experimental investigations of flow vector measurements with angle-of-attack and sideslip sensors on DFVLR meteorological research aircraft [DFVLR-FB-85-50] p 358 N86-21541
- A contribution to the digital compensation of periodic disturbances with frequencies in bounded intervals [DFVLR-FB-85-55] p 370 N86-21553
- The icing research aircraft DO28, D-IIMP of DFVLR, and its measuring equipment [DFVLR-MITT-85-12] p 394 N86-22064
- Processing and meteorological evaluation of research flights with DFVLR motor gliders using the software package RAMF [DFVLR-FB-85-57] p 678 N86-28598
- Servo-actuator for sampled-data feedback disturbance rejection [DFVLR-FB-86-08] p 837 N86-32446
- Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt, Stuttgart (West Germany).**
- Tribology in aircraft systems: Basic principles and applications p 677 N86-29240
- Advances in ground vibration testing using a combination of phase resonance and phase separation methods p 743 N86-30669
- Deutsche Gesellschaft fuer Luft- und Raumfahrt, Bonn (West Germany).**
- The state of development research in numerical aerodynamics in West Germany [DGRLR-84-01] p 147 N86-14225
- Summary report on the working group for conference 1: Solutions of the Navier-Stokes equations p 147 N86-14226
- Summary report on the working group on conference 2: Solutions of the Euler equations p 148 N86-14227
- The Second International Symposium on Aeroelasticity and Structural Dynamics [DGRLR-85-02] p 687 N86-30627
- Deutsche Lufthansa Aktiengesellschaft, Cologne (West Germany).**
- Control systems for the Airbus design and functional experience [ETN-86-96936] p 653 N86-28094
- Deutsche Lufthansa Aktiengesellschaft, Frankfurt am Main (West Germany).**
- Activities report of the aerospace industry in West Germany [ISSN-0178-5086] p 403 N86-22450
- Doellner (O. Leonard), Tucson, Ariz.**
- Jet-engine combustor spectral radiation measurements using fiberoptic instrumentation system. Radiant energy power source for jet aircraft [DE86-007289] p 723 N86-30735
- Dornier-Werke G.m.b.H., Friedrichshafen (West Germany).**
- Procedure for solution of the Navier-Stokes equations at Dornier GmbH p 149 N86-14238



- Procedure for solution of the Euler equations at Dornier GmbH p 149 N86-14242  
 Procedure for solution of the full potential equation at Dornier GmbH p 150 N86-14249  
 Wind tunnel and flight test analysis and evaluation of the buffet phenomena for the alpha jet transonic wing p 561 N86-27239  
 Variation of anisotropic behavior in structural optimization p 715 N86-30856  
 Technology demonstration for investigation of the new possibilities of amphibious flying boats, phase 2 [BMFT-FB-W-85-022] p 808 N86-31577  
 New technology propulsion (ANT) for general aviation aircraft, phase 1 [BMFT-FB-W-85-031] p 820 N86-31589  
**Douglas Aircraft Co., Inc., Long Beach, Calif.**  
 The design of repairable advanced composite structures [SAE PAPER 851830] p 606 A86-38335  
 Counter-rotating propeller noise directivity and trends [AIAA PAPER 86-1927] p 751 A86-45418  
 Guidance studies for curved, descending approaches using the Microwave Landing System (MLS) [NASA-CR-178030] p 486 N86-25335  
**Draper (Charles Stark) Lab., Inc., Cambridge, Mass.**  
 Aircraft control surface failure detection and isolation using the OSGLR test [AIAA PAPER 86-2028] p 821 A86-47419  
 The evaluation of failure detection and isolation algorithms for restructurable control [NASA-CR-177983] p 93 N86-13310  
 The evaluation of the OSGLR algorithm for restructurable controls [NASA-CR-178083] p 485 N86-24678  
**Drexel Univ., Philadelphia, Pa.**  
 Ultrasonic f-scan inspection of composite materials [AD-A159874] p 314 N86-18451  
 Materials for emergency repair of runways [AD-A164225] p 514 N86-25385  
**DSMA Engineering Corp., Orlando, Fla.**  
 Modifications to the 4x7 meter tunnel for acoustic research: Engineering feasibility study [NASA-CR-178079] p 470 N86-24394  
**Du Pont de Nemours (E. I.) and Co., Alken, S.C.**  
 Multistage metal hydride compressor [DE86-001965] p 604 N86-27465  
**Duits-Nederlandse Windtunnel, North East Polder (Netherlands).**  
 German-Dutch wind tunnel (DNW). Present and future applications for industrial developments p 242 N86-16235  
 Aeroacoustic calibration of the German-Dutch Wind Tunnel (DNW) open jet [DNW-TR-82-03] p 242 N86-16236  
 Acoustic evaluation of the German-Dutch Wind Tunnel (DNW) shear layer correction using a model jet [DNW-TR-82-04] p 242 N86-16237  
 Aerodynamical calibration of the German-Dutch Wind Tunnel (DNW): A review of testing techniques and results [DNW-PA-82062] p 242 N86-16238  
**Duke Univ., Durham, N. C.**  
 Nonlinear dynamics of a helicopter model in ground resonance p 177 N86-15284  
**Dynetics, Inc., Huntsville, Ala.**  
 Aerodynamics of aircraft afterbody: Report of the working group on aerodynamics of aircraft afterbody [AGARD-AR-226] p 782 N86-32408
- E**
- E-Systems, Inc., Dallas, Tex.**  
 An expert planner for the dynamic flight environment p 368 A86-28490  
**Ecole Nationale Supérieure des Arts et Métiers, Bordeaux (France).**  
 Fatigue resistance of high quality steels under multiaxial load [ETN-86-97878] p 851 N86-32785  
**EG and G Washington Analytical Services Center, Inc., Pocomoke City, Md.**  
 Elimination of directional wave spectrum contamination from noise in elevation measurements p 841 A86-40854  
**Eidgenössisches Flugzeugwerk, Emmen (Switzerland).**  
 Parametric determination of lift interference for three-dimensional models in the Emmen (Switzerland) aircraft works wind tunnel [F+W-FO-1740] p 277 N86-18304  
 Performance computation of turbofan and turbojet engines in off-design conditions [F+W-FO-1748] p 305 N86-19323
- Electro Magnetic Applications, Inc., Denver, Colo.**  
 F-106 data summary and model results relative to threat criteria and protection design analysis p 786 A86-50259  
**Electromagnetic Compatibility Analysis Center, Annapolis, Md.**  
 The impact of a traffic alert and collision avoidance system on the air traffic control radar beacon system and the mode S system in the Los Angeles Basin [FAA-PM-84-30] p 425 N86-23581  
**Electronique Serge Dassault, St. Cloud (France).**  
 Dependable avionic data transmission p 362 N86-20405  
**Embry-Riddle Aeronautical Univ., Daytona Beach, Fla.**  
 An experimental investigation of propeller wakes using a laser Doppler velocimeter [AIAA PAPER 86-0080] p 232 A86-19677  
**Engineering Sciences Data Unit, London (England).**  
 Estimation of drag due to inoperative turbo-jet and turbo-fan engines using data item nos. 81009 and 84004 [ESDU-84005] p 211 N86-17305  
 Estimation of sideforce, yawing moment and rolling moment derivatives due to rate of yaw for complete aircraft at subsonic speeds [ESDU-84002] p 240 N86-17357  
 Growth of cracks under constant amplitude fatigue loading: Example calculations [ESDU-84001] p 322 N86-19642  
**ESDU International Ltd., London (England).**  
 Increments in aerofoil maximum lift coefficient due to deployment of various high-lift devices [ESDU-85033] p 480 N86-25325  
 Conversion of air-data system pressure errors into height and speed corrections [ESDU-85036] p 497 N86-25338  
**Essex Corp., Huntsville, Ala.**  
 An Orbital Maneuvering Vehicle simulator p 558 A86-40515  
**European Space Agency, Paris (France).**  
 Investigation of the aerodynamic forces on bluff bodies at high Reynolds numbers [ESA-TT-914] p 209 N86-16206  
 Hot corrosion in aircraft engines [ESA-TT-887] p 237 N86-16227  
 Flight dynamics and aircraft piloting [ESA-TT-874] p 240 N86-16229  
 Maximum-likelihood estimation of parameters in linear systems from flight test data. A FORTRAN program [ESA-TT-896] p 264 N86-16989  
 Algorithms for the automatic four-dimensional guidance of aircraft, taking into account the current wind situation [ESA-TT-908] p 352 N86-21531  
 Robustness of discrete-time dynamical systems: Application to the multivariable digital control of combat aircraft [ESA-TT-908] p 446 N86-22583  
 Design of a basic profile for a slightly swept wing. Part 2: Experimental investigation on the airfoil DFVLR-W1 in the Brunswick Transonic Wind Tunnel (TWB) [ESA-TT-916-PT-2] p 782 N86-31542  
 Aerodynamic design methods for modern transport aircraft [ESA-TT-923] p 782 N86-31543  
 A feasibility study for the use of electronic flight strips in Air Traffic Control (ATC) controller workstations [ESA-TT-928] p 789 N86-31558  
 Investigations in landing process of aircraft by means of the Monte-Carlo method [ESA-TT-951] p 808 N86-31578  
 User's manual for the Falcon system [ESA-TT-936] p 808 N86-31579  
 On control concept for in-flight simulation including actuator nonlinearities and time delays [ESA-TT-948] p 836 N86-31593  
 Identification of gust input and gust response characteristics from Do 28 TNT flight test data [ESA-TT-919] p 837 N86-32445  
**Exotech, Inc., Campbell, Calif.**  
 Time resolved and time averaged flow evaluation for an isolated transonic compressor rotor [AD-A166759] p 723 N86-30734
- F**
- Fairchild Republic Co., Farmingdale, N.Y.**  
 Structural evaluation of superplastic aluminum. Part 1. Mechanical, corrosion, metallurgical data [AD-A181368] p 379 N86-21662  
**Fairchild Republic Div., Farmingdale, N. Y.**  
 Exact closed-form solutions for nonlinear unsteady transonic aerodynamics p 895 N86-30631  
 Aeroelastic wind tunnel similarity theory for anisotropic aircraft wings p 728 N86-30643  
 Anisotropic wing aeroelastic theories with warping effects p 896 N86-30659
- Farrand Optical Co., Inc., Vailhalla, N.Y.**  
 The wide field helmet mounted display p 589 N86-26322  
**Federal Aviation Administration, Atlantic City, N.J.**  
 Simulation of time-control procedures for terminal area flow management p 484 A86-35369  
 Aircraft interior panel test criteria derived from full-scale fire tests [AD-A161637] p 345 N86-21529  
 Halon extinguisher agent behavior in a ventilated small aircraft [DOT/FAA/CT-86/5] p 699 N86-29794  
 Lorán C 1984 spring-summer stability [AD-A167867] p 789 N86-31555  
**Federal Aviation Administration, Hampton, Va.**  
 Use of flight simulation to develop terminal instrument procedures for transport category aircraft [AIAA PAPER 86-2072] p 837 A86-47662  
**Federal Aviation Administration, Long Beach, Calif.**  
 Controlled impact demonstration airframe bending bridges p 391 N86-21943  
**Federal Aviation Administration, Moffett Field, Calif.**  
 Ground-simulation investigation of VTOL airworthiness criteria for terminal area operations p 90 A86-14237  
**Federal Aviation Administration, Washington, D.C.**  
 Report of accomplishments under the airport improvement program [AD-A156834] p 113 N86-12241  
 Statistical sampling of aircraft operations at non-towered airports [AD-A157095] p 128 N86-13051  
 Effectiveness of the civil aviation security program [AD-A159511] p 158 N86-14260  
 Flight operations noise tests of eight helicopters [AD-A159835] p 331 N86-19127  
 International Civil Aviation Organization Helicopter Noise Measurement Repeatability Program: US test report, Bell 206L-1, noise measurement flight test [AD-A159898] p 333 N86-20090  
 Obstruction marking and lighting [AC-70/7480-1G] p 371 N86-20410  
 Noise levels for US certified and foreign aircraft [FAA-AC-36-1D] p 401 N86-21279  
 Evaluating turbine engine operating characteristics [FAA-AC-25.939-1] p 504 N86-24896  
 Pilot evaluation of TCAS in the Long Ranger helicopter [FAA/PM-85/30] p 486 N86-25334  
 Flight test guide for certification of transport category airplanes [FAA-AC-25-7] p 587 N86-26329  
 A microcomputer pollution model for civilian airports and Air Force bases [AD-A163232] p 616 N86-26714  
 Advisory Circular: Estimated airplane noise levels in A-weighted decibels [AC-36-3D] p 620 N86-27969  
 Analysis of helicopter noise data using international helicopter noise certification procedures [PB86-186533] p 620 N86-27972  
 Task Force report on emergency evacuation of transport airplanes, volume 1 [DOT/FAA/VS-86/1.1] p 699 N86-29793  
 Investigation of hazards of helicopter operations and root causes of helicopter accidents [FAA/PM-86/28] p 700 N86-29796  
 Task force report on emergency evacuation of transport airplanes. Volume 2: Supporting documentation [FAA/VS-86/1.2] p 700 N86-29797  
 Engineering performance evaluation of small community airport microwave landing system (TI-model) at Philadelphia International Airport Runway 17 [FAA/PM-86/24] p 704 N86-29802  
 Proceedings of Fuel Safety Workshop [DOT/FAA/PM-86/13] p 733 N86-30007  
 Antimisting fuel technology for transport category aircraft p 733 N86-30008  
 AMK full-scale transport aircraft validation phase summary p 733 N86-30009  
 Post Controlled Impact Demonstration (CID) analysis p 733 N86-30010  
 FAA fuel containment R and D p 733 N86-30011  
 Advisory Circular: Auxiliary fuel system installations [FAA/AC-25-8] p 716 N86-30719  
 Advisory Circular: Design considerations to protect fuel systems during a wheels-up landing [FAA-AC/25.994-1] p 806 N86-31564  
 Characteristics of altitude error at reduced quantization [FAA/PM-86/35] p 811 N86-31580  
 Airport noise control strategies [AD-A167977] p 840 N86-31602  
**Federal Aviation Agency, Atlantic City, N.J.**  
 Aircraft interior panel test criteria derived from full-scale fire tests [FAA/CT-85/23] p 91 N86-12214

Controlled impact demonstration seat/cabin restraint systems: FAA p 390 N86-21937

Controlled impact demonstration flight data recorders/cockpit voice recorders p 391 N86-21944

Computed centerline MLS (Microwave Landing System) approach demonstration at Washington National Airport [AD-A163722] p 486 N86-24661

Math model study of a proposed glide slope for runway 13R, Dallas-Fort Worth Airport, Texas [AD-A164907] p 573 N86-26315

Technical support of the Wall Street/Battery Park city heliport MLS (Microwave Landing System) project [AD-A165073] p 575 N86-27273

Comprehensive test and evaluation of the Daimo Victor TCAS 2 industry prototypes [FAA/PM-862] p 705 N86-30712

Hardware performance analysis of the basic narrow Microwave Landing System (MLS) at Washington National Airport (DCA) in the Service Test and Evaluation Program (STEP) [AD-A166916] p 705 N86-30715

Antimisting fuel research and development for commercial aircraft [FAA/CT-86/7] p 735 N86-30883

**Fiat Research Center, Orbassano, Turin (Italy).**

Small defect characterization in powder metallurgy materials p 526 N86-25373

**Flight Safety Foundation, Inc., Arlington, Va.**

Proceedings of Cabin Safety Conference and Workshop held on 11-14 December 1984 [AD-A160950] p 344 N86-21527

**Flight Systems, Inc., Newport Beach, Calif.**

Impact of flying qualities on mission effectiveness for helicopter air combat p 110 A86-14531

**Florida Atlantic Univ., Boca Raton.**

An experimental and analytical investigation of isolated rotor flap-lag stability in forward flight [NASA-CR-177028] p 654 N86-28957

**Florida State Univ., Tallahassee.**

The development of laser speckle velocimetry for the measurement of vortical flow fields [AIAA PAPER 86-0768] p 523 A86-37091

The near and far acoustic fields of broadband shock associated noise [AIAA PAPER 86-1943] p 751 A86-45430

On the screech tones of supersonic rectangular jets [AIAA PAPER 86-1886] p 754 A86-45486

**Florida Univ., Gainesville.**

CBR (California Bearing Ratio) design of flexible airfield pavements with case study [AD-A158101] p 113 N86-12242

Optimal airframe synthesis for gust loads [NASA-CR-178047] p 357 N86-20386

Applications of differential topology to grid generation [AD-A162834] p 467 N86-24354

**Flow Research, Inc., Kent, Wash.**

Propeller design by optimization [AIAA PAPER 86-0081] p 232 A86-19678

Large eddy simulations of flow in a ramjet combustor p 659 N86-28241

Feasibility of generating an artificial burst in a turbulent boundary layer [NASA-CR-4003] p 675 N86-28377

**Fluidyne Engineering Corp., Columbus, Ohio.**

Documentation of ice shapes accreted on the main rotor of a UH-1H helicopter in level flight [NASA-CR-175088] p 420 N86-22559

**Forsvarets Forskningsanstalt, Stockholm (Sweden).**

Auditory helicopter detection and localization; a literature review focusing on search for helicopters [FOA-C-50033-H2] p 757 N86-30474

**Fraunhofer-Inst. fuer Betriebsfestigkeit, Darmstadt (West Germany).**

Standardized fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation. Part 2: Final definition of Helix and Felix [LBF-FB-167] p 436 N86-23585

**Fuji Heavy Industries Ltd., Utsunomiya (Japan).**

Application of computational aerodynamics to wing design p 226 N86-17297

**FWG Associates, Inc., Tullahoma, Tenn.**

Analysis of aerodynamic coefficients using gradient data: Spanwise turbulence effects on airplane response [NASA-CR-3961] p 393 N86-21069

## G

**Garrett Turbine Engine Co., Phoenix, Ariz.**

Advanced technology payoffs for future rotorcraft, commuter aircraft, cruise missile, and APU propulsion systems [AIAA PAPER 86-1545] p 638 A86-42704

Perspectives on dilution jet mixing [AIAA PAPER 86-1811] p 818 A86-49614

Preliminary evaluation of a compound cycle engine for shipboard gasjets [NASA-CR-179451] p 611 N86-26629

**General Accounting Office, Washington, D. C.**

FAA (Federal Aviation Administration) could improve overall aviation safety and reduce costs associated with airport instrument landing systems [PB85-195444] p 91 N86-12215

Navy should join the Air Force and Army program to develop an advanced integrated avionics system [PB85-222503] p 104 N86-12224

Compilation and analysis of the Federal Aviation Administration's inspection of a sample of commercial air carriers [PB85-241198] p 159 N86-14264

Information on airport and airway trust fund revenues and outlays by states and large airports [PB86-129665] p 449 N86-23609

Aviation weather hazards: FAA (Federal Aviation Administration) system for disseminating severe weather warnings to pilots [PB86-195070] p 702 N86-30707

Air safety: Federal Aviation Administration's role in developing mid-air collision avoidance back-up systems [PB86-197506] p 787 N86-32418

**General Dynamics Corp., Fort Worth, Tex.**

Viscous effects on transonic airfoil stability and response p 623 A86-40110

Vortex flow hysteresis p 558 N86-27201

**General Electric Co., Cincinnati, Ohio.**

Subscale-model and full-scale engine mixed-flow exhaust system performance comparison p 106 A86-14528

Evaluation of fuel preparation systems for lean premixing-prevaporizing combustors [ASME PAPER 85-GT-137] p 235 A86-22081

Spanwise redistribution of energy and loss in an axial flow compressor by wake centrifugation [AD-A159312] p 237 N86-16222

Method for improving the fuel efficiency of a gas turbine engine [NASA-CASE-LEW-13142-2] p 364 N86-20389

Free jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual flow. Comprehensive data report. Volume 1: Test nozzles and acoustic data [NASA-CR-174817] p 469 N86-23371

Free-jet feasibility study of a thermal acoustic shield concept for AST/VCE application-dual stream nozzles. Comprehensive data report. Volume 2: Laser velocimeter and suppressor. Base pressure data [NASA-CR-174818] p 469 N86-23372

Extended parametric representation of compressor fans and turbines. Volume 1: CMGEN user's manual [NASA-CR-174645] p 460 N86-23936

Extended parametric representation of compressor fans and turbines. Volume 2: Part user's manual (parametric turbine) [NASA-CR-174646] p 461 N86-23937

Extended parametric representation of compressor fans and turbines. Volume 3: MODFAN user's manual (parametric modulating flow fan) [NASA-CR-174647] p 461 N86-23938

Evaluation of capillary reinforced composites [NASA-CR-175081] p 517 N86-24760

**General Electric Co., Lynn, Mass.**

The application of LQR synthesis techniques to the turboshaft engine control problem p 502 A86-35614

**General Electric Co., Philadelphia, Pa.**

Space based radar application to air traffic control p 423 A86-32626

**General Electric Co., Wilmington, Mass.**

High accuracy fuel flowmeter [NASA-CR-174869] p 745 N86-31030

**General Motors Corp., Detroit, Mich.**

Model helicopter blade slap at low tip speeds - Theoretical and experimental correlations p 535 A86-35621

Wave envelope and finite element approximations for turbofan noise radiation in flight p 619 A86-39057

**General Motors Corp., Indianapolis, Ind.**

Rotorcraft propulsion for year 2000 plus [AIAA PAPER 86-1543] p 646 A86-42702

Fatigue life analysis of a turboprop reduction gearbox [ASME PAPER 85-DET-10] p 738 A86-45256

**General Technology Applications, Inc., Reston, Va.**

GTA/BASF antimisting fuel research p 734 N86-30021

**George Washington Univ., Hampton, Va.**

Aerodynamics via acoustics - Application of acoustic formulas for aerodynamic calculations [AIAA PAPER 86-1877] p 691 A86-45494

Estimation of aerodynamic parameters from flight data of a high incidence research model p 834 A86-49057

**George Washington Univ., Washington, D.C.**

Exploratory low-speed wind-tunnel study of concepts designed to improve aircraft stability and control at high angles of attack [NASA-CR-176615] p 338 N86-20344

**Georgetown Univ., Washington, D.C.**

A research program in active control/aeroelasticity [NASA-CR-176773] p 511 N86-24702

**Georgia Inst. of Tech., Atlanta.**

Constitutive modeling of cyclic plasticity and creep, using an internal time concept p 670 A86-41673

An upward looking airborne millimeter wave radiometer for atmospheric water vapor sounding and rain detection p 718 A86-46676

An iterative finite element-integral technique for predicting sound radiation from turbofan inlets in steady flight p 856 A86-49806

Flame driving of longitudinal instabilities in dump type ramjet combustors p 658 N86-28239

Pilot interaction with automated airborne decision making systems [NASA-CR-177002] p 679 N86-29508

**Gesellschaft fuer Mathematik und Datenverarbeitung, St. Augustin (West Germany).**

Development of multigrid algorithms for problems from fluid dynamics p 187 N86-14244

**Gesellschaft fuer Reaktorsicherheit, Garching (West Germany).**

Application of a dynamic grid adaptation in the ASWR procedure p 149 N86-14243

**Grand Canyon National Park, Ariz.**

Aircraft information packet (Grand Canyon National Park, Arizona) [PB86-159704] p 540 N86-27179

**Grumman Aerospace Corp., Bethpage, N.Y.**

Control of a forward-swept-wing configuration dominated by flight dynamic/aeroelastic interactions p 239 A86-20237

Hover in-ground-effect testing of a full-scale, tilt-nacelle V/STOL model [AIAA PAPER 86-0780] p 286 A86-24759

X-29A advanced technology demonstrator program overview [AIAA PAPER 86-9727] p 428 A86-32076

Application of NCOREL to aircraft configurations [AIAA PAPER 86-1830] p 577 A86-37843

GRUMFOIL: A computer code for the viscous transonic flow over airfoils [NASA-CR-3806] p 86 N86-12202

An improved viscid/inviscid interaction procedure for transonic flow over airfoils [NASA-CR-3805] p 87 N86-12208

An investigation of turbulence mechanisms in V/STOL upwash flow fields [AD-A166286] p 694 N86-29782

The application of practical optimization techniques in the preliminary structural design of a forward-swept wing p 715 N86-30654

## H

**Hamilton Standard, Windsor Locks, Conn.**

Large-Scale Advanced Prop-Fan (LAP) pitch change actuator and control design report [NASA-CR-174788] p 592 N86-27282

System design and integration of the large-scale advanced prop-fan [NASA-CR-174789] p 781 N86-31536

**Hamilton Standard Div., United Aircraft Corp., Windsor Locks, Conn.**

Counter-rotating propeller noise directivity and trends [AIAA PAPER 86-1927] p 751 A86-45418

**Harris Government Aerospace Systems Div., Melbourne, Fla.**

Applications of digital terrain data in flight operations p 573 N86-26324

**Harvard Univ., Cambridge, Mass.**

Motion planning in the presence of moving obstacles [AD-A161374] p 400 N86-22208

**Helicopter Aeronautics and Noise Associates, Mountain View, Calif.**

Helicopter linear noise p 193 A86-17776

**Hellenic Air Force Technology Research Center, Athens (Greece).**

Modelling of the vortex-airfoil interaction p 565 N86-27262

**High Technology Corp., Hampton, Va.**

Comparison of hot-wire measurement techniques in a Mach 3 pilot quiet tunnel p 605 A86-38235

**Hofstra Univ., Hempstead, N. Y.**

Measurements of ocean wave spectra and modulation transfer function with the airborne two-frequency scatterometer p 393 A86-28618

- Honeywell Systems and Research Center, Minneapolis, Minn.**  
Introduction to Lecture Series No. 143: Fault tolerant hardware/software architectures for flight critical functions p 389 N86-20400  
Design validation of fly-by-wire flight control systems p 382 N86-20409
- Hover Systems Federal Corp., Eddystone, Pa.**  
After action report, CH-47 recovery using D-PAAC [AD-A161935] p 437 N86-23589
- Howard Univ., Washington, D. C.**  
Dynamic response characteristics of a circulation control rotor model pneumatic system p 157 N86-15288
- Howmet Turbine Components Corp., White Hall, Mich.**  
Experimental study of ceramic-coated tip seals for turbojet engines p 121 A86-15227
- Hughes Helicopters, Culver City, Calif.**  
Advanced technology helicopter landing gear preliminary design investigation [AD-A158818] p 101 N86-13325  
Development of an unsteady aerodynamics model to improve correlation of computed blade stresses with test data p 156 N86-15288
- Human Engineering Labs., Aberdeen Proving Ground, Md.**  
A comparison of voice and keyboard data entry for a helicopter navigation task [AD-A163245] p 610 N86-26501
- ICI Americas, Inc., Wilmington, Del.**  
AMK: Still viable? p 734 N86-30017
- ITT Research Inst., Annapolis, Md.**  
The impact of a traffic alert and collision avoidance system on the air traffic control radar beacon system and the mode S system in the Los Angeles Basin [FAA-PM-84-30] p 425 N86-23581  
A comparison of the effects of two traffic alert and collision avoidance systems (TCAS 3 and TCAS 2) on the performance of the Air Traffic Control Radar Beacon System [DOT/FAA/PM-86/8] p 636 N86-28930
- Illinois Univ., Urbana.**  
A class of airfoils having finite trailing-edge pressure gradients p 270 A86-23184  
Concepts for the development of a nondestructive testing and evaluation system for rigid airfield pavements [AD-A165055] p 599 N86-27294
- Illinois Univ., Urbana-Champaign.**  
Error propagation in a digital avionic processor: A simulation-based study [NASA-CR-176501] p 232 N86-17351
- Imperial Coll. of Science and Technology, London (England).**  
The interaction between a strong longitudinal vortex and a turbulent boundary layer [AIAA PAPER 86-1071] p 549 A86-38437  
The two-fluid model of turbulent combustion applied to an idealised one-dimensional, unsteady, confined, pre-mixed flame [PDR/CFDU/IC/21] p 247 N86-16315  
Vortex boundary-layer interactions [NASA-CR-176701] p 415 N86-22556  
Phosphorus anti-wear additives in helicopter transmissions [IC-TS015/85] p 452 N86-22710  
Future trends in helicopter transmission lubricants p 686 N86-29250
- Indian Inst. of Science, Bangalore.**  
A review of dynamic inflow and its effect on experimental correlations p 157 N86-15293
- Indiana Univ.-Purdue Univ., Indianapolis.**  
A zonal approach to the design of finite element grids for 3-D transonic flows with complex geometries [AD-A162168] p 417 N86-23572
- Industrieanlagen-Betriebsgesellschaft m.b.H., Ottobrunn (West Germany).**  
Fracture mechanics and LCF-properties of engine discs of Ti 6Al-4V, Inconel 718 and Udmet 700 P/M-HIP p 507 N86-25378
- Informatics General Corp., Moffett Field, Calif.**  
Advanced concepts transport aircraft of 1995 [SAE PAPER 851808] p 490 A86-35438
- Informatics General Corp., Palo Alto, Calif.**  
Unsteady transonics of a wing with tip store [AIAA PAPER 86-0010] p 198 A86-19833  
Numerical simulation of transonic separated flows over low-aspect ratio wings [AIAA PAPER 86-0508] p 206 A86-22704  
Computation of transonic flow about helicopter rotor blades p 554 A86-39053  
Transonic aeroelastic analysis of the B-1 wing [AIAA PAPER 85-0690] p 708 A86-44886
- A knowledge-based expert system for scheduling of airborne astronomical observations p 854 A86-49627**  
PLITTER user's guide [NASA-CR-177385] p 88 N86-13291
- Information and Control Systems, Inc., Hampton, Va.**  
PIFCGT: A PIF autopilot design program for general aviation aircraft [NASA-CR-186123] p 178 N86-15320  
Extensions to PIFCGT: Multirate output feedback and optimal disturbance suppression [NASA-CR-38868] p 446 N86-22581
- Institut de Mecanique des Fluides de Lille (France).**  
Study of the influence of an oscillating spoiler on the surrounding aerodynamic field [IMFL-3119] p 90 N86-13303  
Aircraft crashing. Analysis and identification methods. Presentation of a solution method [IMFL-4118] p 91 N86-13308  
Recent developments in techniques for dynamic simulation for the identification of stability parameters p 562 N86-27246
- Institut Franco-Allemand de Recherches, St. Louis (France).**  
Vortices and pressure waves at trailing edges [ISL-CO-224/84] p 153 N86-15252  
Damping of the rolling motion of full caliber fin-stabilized projectiles in supersonic flight [ISL-CO-233/84] p 153 N86-15253  
Quasi nonstretching hypervelocity jets [ISL-CO-236/84] p 153 N86-15254  
Study of high speed combustion flows by laser velocimetry [NASA-CR-178439] p 190 N86-15668  
Experimental and theoretical study of incompressible flow around a wing profile with a spoiler. Contributions of laser velocimetry and the Dvorak method [ISL-R-116/84] p 279 N86-19297  
Experimental study of the acoustic fields far and near a Microturbo TRS 18 turbofan [ISL-R-113/84] p 333 N86-20095  
Interferometric holographic cinematography [ISL-CO-219/85] p 851 N86-31872
- Institute for Defense Analyses, Alexandria, Va.**  
Small turbine technology review [AD-A158514] p 175 N86-15316
- Institute for Perception RVO-TNO, Soesterberg (Netherlands).**  
Application of active noise reduction for hearing protection and speech intelligibility improvement [IZF-1985-7] p 266 N86-18131
- Instituto Superior Tecnico, Lisbon (Portugal).**  
Heat exchangers in regenerative gas turbine cycles p 741 N86-29857
- Integrated Systems, Inc., Palo Alto, Calif.**  
Flight test maneuver modeling and control [AIAA PAPER 86-0426] p 219 A86-19868  
Flight test trajectory controller synthesis with constrained eigenstructure assignment p 509 A86-35404  
Real-time flutter identification with close mode resolution [AIAA PAPER 86-2019] p 827 A86-47854  
A study of aircraft cruise [AIAA PAPER 86-2286] p 792 A86-47704
- Iowa State Univ. of Science and Technology, Ames.**  
Large-scale separation and hysteresis in cascades p 145 A86-18577  
The use of curved higher order panels for vortex sheet modeling [AIAA PAPER 86-1812] p 544 A86-37833  
Modular application of a shock/boundary layer interaction solution to supercritical viscous-inviscid flow field analysis p 338 N86-20343  
Vortex sheet modeling with higher order curved panels [NASA-CR-176971] p 693 N86-29770  
Numerical computation of viscous flow around bodies and wings moving at supersonic speeds [NASA-CR-176903] p 693 N86-29772
- Irwin (Arthur S.) Co., Inc., Bemus Point, N.Y.**  
Review and critical analysis: Rolling-element bearings for system life and reliability [NASA-CR-174710] p 525 N86-24991
- Israel Aircraft Industries Ltd., Ben-Gurion Airport.**  
Static aeroelastic analysis using aircraft vibration modes p 743 N86-30641  
Rapid vibration mode analysis of aircraft with external stores p 716 N86-30679
- Aerodynamics of two-dimensional blade-vortex interaction [AD-A160662] p 295 N86-19315**  
**Jet Propulsion Lab., California Inst. of Tech., Pasadena.**  
Sound generation by flow over relatively deep cylindrical cavities p 129 A86-18058  
Simulation and analysis of natural rain in a wind tunnel via digital image processing techniques [AIAA PAPER 86-0291] p 241 A86-22687  
Quantitative determination of engine water ingestion [AIAA PAPER 86-0307] p 254 A86-22690  
Research on antimisting fuel for suppression of postcrash aircraft fires [AIAA PAPER 86-0573] p 247 A86-22708  
Measurements of the response of transport aircraft ceiling panels to fuel fires p 343 A86-28564  
High resolution millimeter-wave imaging sensor p 498 A86-33590  
System and technology considerations for space-based air traffic surveillance [AIAA PAPER 86-1170] p 658 A86-40581  
Fundamental study of flow field generated by rotorcraft blades using wide-field shadowgraph [NASA-CR-178443] p 152 N86-15249  
Antimisting kerosene: Development of a continuous 10 GPM in-line blender [NASA-CR-178432] p 185 N86-15412  
High dynamic GPS receiver validation demonstration [NASA-CR-178530] p 283 N86-19308  
Direct model reference adaptive control of a flexible robotic manipulator [NASA-CR-176659] p 396 N86-22113  
Full-Scale Transport Controlled Impact Demonstration Program photographic/video coverage [DOT/FAA/CT-85/35] p 700 N86-29795  
Heat transfer, friction, and rheological characteristics of antimisting kerosene p 734 N86-30013  
Continuous inline blending of antimisting kerosene p 734 N86-30015  
Antimisting kerosene: Evaluation of improved FM-9 additive [DOT/FAA/CT-85-4] p 734 N86-30024
- John Deere Technologies International, Inc., Wood-Ridge, N.J.**  
Stratified charge rotary engine for general aviation [ASME PAPER 86-GT-181] p 815 A86-48231
- Johns Hopkins Univ., Laurel, Md.**  
Evolution and status of CFD techniques for scramjet applications [AIAA PAPER 86-0180] p 248 A86-19970
- Joint Inst. for Advancement of Flight Sciences, Hampton, Va.**  
Aerodynamic parameters estimated from flight and wind tunnel data p 410 A86-32782  
Estimation of transport airplane aerodynamics using multiple stepwise regression p 489 A86-35385
- Joint Publications Research Service, Arlington, Va.**  
China report: Science and technology [JPRS-CST-85-035] p 122 N86-12399  
Japanese report on China's F-8 fighter p 111 N86-12405  
BLR studies on conic model with LDA in FL-1 wind tunnel p 87 N86-12434  
China report: Science and technology [JPRS-CST-85-029] p 122 N86-12448  
Wingtip sails tested on Y-5 aircraft p 99 N86-12450  
Gravimetric surveying with MI-8 helicopters p 125 N86-12680  
West Europe report: Science and technology [JPRS-WST-85-031] p 123 N86-13618  
Certification granted to Franco-Italian ATR 42 p 92 N86-13617  
ATR 42 production work in French, Italian plants detailed p 76 N86-13618  
USSR report: Space [JPRS-USP-85-005] p 131 N86-14111  
AN-22 test bed for advanced propeller technology p 174 N86-14274  
Configuration and longitudinal wind tunnel testing [Jy] of forward-swept wings p 181 N86-14449  
Effects of vibration-induced cavitation of physicochemical characteristics of aircraft fuel p 184 N86-15346  
West Europe report: Science and technology [JPRS-WST-85-024] p 189 N86-15447  
MBB studies variable-camber wing for Airbus p 169 N86-15449  
French program CHARME develops propan aircraft p 169 N86-15450  
Basic characteristics of radar antenna with synthesized aperture tracking arbitrary motion of aircraft p 189 N86-15575  
Method of calculating angular dimensions of flight vehicle cockpit canopy casings p 191 N86-15886

## K

Work on putting computer and CRTs in airliner control panels p 172 N86-15947

Establishment and use of time unification system for civil aviation p 258 N86-17648

USSR report: Transportation [JPRS-UTR-85-014] p 270 N86-18284

Aviromont's efforts to introduce laser technology p 320 N86-18286

USSR report: Transportation [JPRS-UTR-85-015] p 294 N86-18323

Sukhoi design bureau builds sport plane made of plastic p 294 N86-18324

Features of planned IL-96-300, IL-114 aircraft p 294 N86-18325

Powdered, sintered alloy materials described: Development of titanium alloys p 314 N86-19447

Improving commercial aircraft training simulators p 295 N86-19836

Analytical evaluations of accuracy in determining and predicting parameters of artificial Earth satellite motion using altimeter measurement data p 312 N86-20196

AN-30 photography airplane outfitted for cloud-seeding missions p 393 N86-20888

Japan report: Science and technology [JPRS-JST-86-001] p 389 N86-21723

Numerical analysis of nonequilibrium flow about airfoil in thin shock layer approximation p 343 N86-22258

Scientists on aircraft development trends p 407 N86-22545

USSR report: Transportation [JPRS-UTR-86-004] p 435 N86-22565

Chief on unfavorable year for Soviet air traffic control p 424 N86-22566

More on new IL-96, IL-114 aircraft p 435 N86-22567

Tupolev bureau developing TU-204 passenger jet: Tupolev on features p 435 N86-22568

Details of new Ka-126 helicopter p 435 N86-22569

China report: Science and technology [JPRS-CST-86-007] p 435 N86-22570

Improved Y-7, Y-12 aircraft described p 436 N86-22572

Details of Y-121 STOL aircraft presented p 436 N86-22573

China report: Science and technology [JPRS-CST-86-004] p 458 N86-22735

Status of aircraft engine research at NPU reviewed p 441 N86-22736

Shanghai's outdoor aeroengine test facility detailed p 448 N86-22737

Fuzzy inference system to diagnose aircraft hydraulic faults p 407 N86-22775

Programmable hand calculators in aviation sport p 465 N86-23309

Japan report: Science and technology [JPRS-JST-86-007] p 460 N86-23773

Rollout of XT-4 intermediate class training aircraft p 438 N86-23774

Hypersonic flow around a wing at large angles of attack with detached compression jump p 480 N86-25534

Normal force characteristics of sharp nosed bodies of revolution at high angles of attack in subsonic and transonic flow p 527 N86-25555

Supersonic flow around blunt perforated shields p 480 N86-25558

Flow around delta wings with broken-line leading edges p 481 N86-25560

Movement of flexible wing at supersonic velocity under influence of random gust p 481 N86-25562

AN-124 airplane's cargo-handling and automation equipment p 527 N86-25600

Information on new AN-124 giant cargo plane p 498 N86-25601

Data on MI-26 helicopter p 498 N86-25602

Role of optimization methods in improvement of flight control for airplanes p 513 N86-25603

Simulation problem of controlling lateral movement of aircraft during landing approach p 534 N86-26160

Parametric optimization of algorithm for estimating values of one class of unsteady random processes p 534 N86-26161

USSR report: Transportation [JPRS-UTR-86-007] p 622 N86-28908

Aeroflot officials roundtable on section's technical progress p 623 N86-28909

General designer Balabuyev on AN-124 Russian features p 623 N86-28910

Aerialia: Avionics, optoelectronics research, ATR 42 p 642 N86-29080

Properties, applications, future of European gyro sensors p 676 N86-29082

## Kaman Aerospace Corp., Bloomfield, Conn.

Ground resonance analysis using a substructure modeling approach p 176 N86-15282

Optimal design application on the advanced aerelastic rotor blade p 167 N86-15290

Kansas Univ., Lawrence.

Calculation of asymmetric vortex separation on slender delta wings with a vortex-sheet model [AIAA PAPER 86-1836] p 548 A86-37846

An implicit flux-difference splitting scheme for three-dimensional, incompressible Navier-Stokes solutions to leading edge vortex flows [AIAA PAPER 86-1839] p 548 A86-37847

01General aviation interior noise problem: Some suggested solutions p 194 N86-15053

Development of a sensitivity analysis technique for multiloop flight control systems [NASA-CR-166619] p 240 N86-17358

Extensions of the concept of suction analogy to prediction of vortex lift effect p 558 N86-27193

Theoretical prediction of wing rocking p 564 N86-27256

An investigation of empennage buffeting [NASA-CR-176973] p 726 N86-29864

Kansas Univ. Center for Research, Inc., Lawrence.

Wind tunnel test of a model rotor with a free-tip [AIAA PAPER 86-1781] p 577 A86-37813

An investigation into the vertical axis control power requirements for landing VTOL type aircraft onboard nonaviation ships in various sea states [NASA-CR-176355] p 88 N86-13294

An analysis of cross-coupling of a multicomponent jet engine test stand using finite element modeling techniques [NASA-CR-176424] p 181 N86-15323

Review and evaluation of recent developments in melic inlet dynamic flow distortion prediction and computer program documentation and user's manual estimating maximum instantaneous inlet flow distortion from steady-state total pressure measurements with full, limited, or no dynamic data p 525 N86-24955

Transonic airfoil analysis and design in nonuniform flow [NASA-CR-3991] p 480 N86-25328

Study on using a digital ride quality augmentation system to trim an engine-out in a Cessna 402B [NASA-CR-177272] p 595 N86-26342

Wake shape and its effects on aerodynamic characteristics [NASA-CR-178118] p 631 N86-28918

Investigation of empennage buffeting [NASA-CR-177164] p 654 N86-28951

An investigation of tip planform influence on the aerodynamic load characteristics of a semi-span, unswept wing and wing-tip [NASA-CR-177110] p 693 N86-29766

Study of new flight test techniques [NASA-CR-176952] p 714 N86-29812

Preliminary control law and hardware designs for a ride quality augmentation system for commuter aircraft. Phase 2 [NASA-CR-4014] p 836 N86-32440

Kawasaki Heavy Industries, Ltd., Akashi (Japan).

The role of computational fluid dynamics in aeronautical engineering [REPT-2] p 257 N86-17296

Kentron International, Inc., Hampton, Va.

Effects of digital altimetry on pilot workload [SAE PAPER 841489] p 327 A86-26019

Weights assessment for orbit-on-demand vehicles [SAWE PAPER 1674] p 515 A86-35217

Application of the Baseline Rotonet system to the prediction of helicopter tone noise [AIAA PAPER 86-1904] p 750 A86-45405

Wing loads induced by a propeller wake [AIAA PAPER 86-1967] p 711 A86-45450

Concepts for reduction of blade-vortex interaction noise [AIAA PAPER 86-1855] p 753 A86-45477

Acoustic properties associated with rectangular geometry supersonic nozzles [AIAA PAPER 86-1867] p 754 A86-45487

Airfoil trailing-edge flow measurements p 780 A86-49803

Derivation of jack movement influence coefficients as a basis for selecting wall contours giving reduced levels of interference in flexible walled test sections [NASA-CR-177992] p 86 N86-12204

An aerodynamic analysis computer program and design notes for low speed wing flap systems [NASA-CR-3675] p 408 N86-23554

## KHD Luftfahrttechnik G.m.b.H., Oberursel (West Germany).

Multifunctional requirements for a gearbox secondary power system in a modern fighter aircraft and its components and interface requirements p 678 N86-29243

Kohlman Systems Research, Inc., Lawrence, Kans.

The measurement of aircraft performance and stability and control after flight through natural icing conditions [NASA-TM-87265] p 446 N86-22582

Kollman System-Technik G.m.b.H., Munich (West Germany).

Development of a piezoelectric quartz pressure sensor for avionics with excellent long term stability (with final demonstration of the results on a prototype) [BMFT-FB-W-85-010] p 232 N86-17353

Koninklijk Inst. voor de Marine, Den Helder (Netherlands).

The black box. Silence is silver, speech is golden [ETN-86-97394] p 702 N86-30706

Flight data recorders (FDR) and/or cockpit Voice Recorders (CVR) in the Lockheed Orion P-3C Update 2 [ETN-86-97395] p 811 N86-31581

Kyoto Inst. of Tech. (Japan).

Numerical analysis for steady transonic flows past an airfoil using AF scheme p 209 N86-17289

Numerical solution of viscous compressible flows past an airfoil using unconditionally stable explicit method p 210 N86-17290

L

Laboratoire d'Automatique et d'Analyse des Systemes, Toulouse (France).

Dependable avionic data transmission p 362 N86-20405

Lawrence Livermore National Lab., Calif.

Application of PRA to HEMP vulnerability analysis [DE86-001781] p 399 N86-21260

Lear Siegler, Inc., Grand Rapids, Mich.

Preliminary hazard analysis for self-contained navigation system [AD-A161883] p 425 N86-23582

Operating and support hazard analysis for the self-contained navigation system LSI model 6216A, B and C group A [AD-A166815] p 704 N86-29806

Subsystem hazard analysis for the LSI models 6216A, B and C self-contained navigation system group A [AD-A166816] p 705 N86-29807

Lear Siegler, Inc., Wright-Patterson AFB, Ohio.

Frequency domain synthesis of a robust flutter suppression control law p 594 A86-39042

Liege Univ. (Belgium).

Dynamic analysis of structures with flexible rotors p 722 N86-30664

Lightning Technologies, Inc., Pittsfield, Mass.

NASA storm hazards research in lightning strikes to aircraft p 566 A86-37479

Research in lightning swept-stroke attachment patterns and flight conditions with the NASA F-106B airplane p 791 A86-47318

Lightning protection guidelines and test data for adhesively bonded aircraft structures [NASA-CR-3762] p 436 N86-23586

Litton Technische Werke, Freiburg (West Germany).

Improvement of strapdown system performance by means of numerical methods [BMFT-FB-W-85-011] p 575 N86-27275

Lockheed-California Co., Burbank.

Development of a reusable, flight-weight cryogenic foam insulation system [AIAA PAPER 86-1189] p 658 A86-40612

Flight service evaluation of advanced composite ailerons on the L-1011 transport aircraft [NASA-CR-177960] p 184 N86-14317

A design guide for damping of aerospace structures p 390 N86-21923

KRASH dynamics analysis modeling: Transport airplane controlled impact demonstration test [DOT/FAA/CT-85/9-REV] p 483 N86-25331

An Euler aerodynamic method for leading-edge vortex flow simulation p 558 N86-27203

KRASH85 user's guide: Input/output format [DOT/FAA/CT-85/10-REV] p 618 N86-27926

Development of an operating profile for aircraft tires [FAA/CT-85-32] p 677 N86-29218

KRASH 85 user's guide: Input/output format, revision [AD-A168846] p 787 N86-32416

Lockheed Engineering and Management Services Co., Inc., Houston, Tex.

Numerical synthesis of tri-variate velocity realizations of turbulence p 387 A86-28654

- Increasing productivity of the McAuto CAD/CAE system by user-specific applications programming p 193 N86-15200
- Lockheed-Georgia Co., Marietta.**  
Tone excited jets. I - Introduction p 193 A86-16466  
Tone excited jets. IV - Acoustic measurements p 193 A86-16469  
Development of pneumatic thrust-deflecting powered-lift systems p 219 A86-19894  
Numerical simulation of the transonic flowfield for wing/nacelle configurations p 204 A86-20159  
Advanced concepts transport aircraft of 1995 [SAE PAPER 851808] p 490 A86-35438  
Evaluation of propeller/nacelle interactions in the PTA program [AIAA PAPER 86-1552] p 626 A86-42709  
Coherent large-scale structures in high Reynolds number supersonic jet of Mach number 1.4 [AIAA PAPER 86-1941] p 691 A86-45428  
Development of an impulsive noise source to study the acoustic reflection characteristics of hard-walled wind tunnels [AIAA PAPER 86-1887] p 755 A86-45500  
Acoustic reflection contamination measurements in the 16-foot NASA Langley Transonic Wind Tunnel [AIAA PAPER 86-1888] p 755 A86-45501  
Aircraft drag reduction technology: A summary p 155 N86-15267  
Recent developments in three-dimensional wake analysis p 156 N86-15273  
Laser velocimetry in highly three-dimensional and vortical flows p 557 N86-27197
- Lockheed Missiles and Space Co., Palo Alto, Calif.**  
Numerical generation of 3D curvilinear coordinate systems and computational grids for aircraft configurations [AD-A162249] p 482 N86-23997
- Lockheed Missiles and Space Co., Sunnyvale, Calif.**  
A critical look at dynamic simulation of viscous flow p 560 N86-27230
- London Univ. (England).**  
On the interface between unsteady aerodynamics, dynamics and control p 564 N86-27254  
Finite state modelling of aeroelastic systems for active control applications: A general theory p 749 N86-30648
- LTV Aerospace and Defense Co., Dallas, Tex.**  
A decade of reliability testing progress p 256 N86-18619
- LTV Aerospace Corp., Dallas, Tex.**  
Laminated damped fuselage structures p 389 N86-21916
- Luftfahrt-Bundesamt, Brunswick (West Germany).**  
Results of the expert study of accidents during operation of German aircraft in the homeland and abroad as well as of foreign aircraft in the homeland p 158 N86-14261  
Results of the expert study of accidents during operation of German aircraft in the homeland and abroad as well as of foreign aircraft in the homeland p 159 N86-14262  
Results of the technical investigation of accidents during the operation of German aircraft at home and abroad, and of foreign aircraft in Germany p 420 N86-23576
- LuTech, Inc., Hayward, Calif.**  
Analysis of direct and nearby lightning strike data for aircraft [NASA-CR-172127] p 617 N86-27855
- Madison Magnetics, Inc., Wis.**  
Magnetic suspension and balance system advanced study [NASA-CR-3937] p 180 N86-14278
- Marconi Avionics Ltd., Rochester (England).**  
Digital fly-by-wire experience p 361 N86-20401  
A solid-state map display for rapid response operation p 589 N86-26323  
Night vision by NVG with FLIR p 619 N86-26811
- Maryland Univ., College Park.**  
Gust response of hingeless rotors p 576 A86-37772  
Response of composite material shallow arch to concentrated load p 670 A86-41699  
Flap-lag-torsion stability in forward flight p 177 N86-15296  
Dynamic stability of a bearingless circulation control rotor blade in hover p 177 N86-15297  
Computation of three dimensional potential flow around a finite wing with a leading-edge discontinuity at high angle of attack p 341 N86-21504
- Massachusetts Inst. of Tech., Cambridge.**  
Surface wetting effects on a laminar flow airfoil in simulated heavy rain p 162 A86-17780  
Real-time measurement of ice growth during simulated and natural icing conditions using ultrasonic pulse-echo techniques [AIAA PAPER 86-0410] p 214 A86-19880  
Comparison of computations and experimental data for leading edge vortices - Effects of yaw and vortex flaps [AIAA PAPER 86-0439] p 202 A86-19880  
Linear-quadratic Gaussian with loop-transfer recovery methodology for the F-100 engine p 233 A86-20233  
Energetics and optimum motion of oscillating lifting surfaces of finite span p 274 A86-25084  
A theoretical analysis of the effect of thrust-related turbulence distortion on helicopter rotor low-frequency broadband noise p 289 A86-26113  
Helicopter attitude stabilization using individual-blade-control p 307 A86-26170  
Helicopter gust alleviation, attitude stabilization, and vibration alleviation using individual-blade-control through a conventional swash plate p 510 A86-35604  
Model helicopter blade slap at low tip speeds - Theoretical and experimental correlations p 535 A86-35621  
Euler solutions for the flow around a hovering helicopter rotor [AIAA PAPER 86-1784] p 543 A86-37815  
A comparison of experimental and numerical results for delta wings with vortex flaps [AIAA PAPER 86-1840] p 548 A86-37848  
Three-dimensional inviscid flow in mixers. I - Mixer analysis using a Cartesian grid p 554 A86-39090  
Experimental measurements of heat transfer from an iced surface during artificial and natural cloud icing conditions [AIAA PAPER 86-1352] p 598 A86-39948  
Measurement of ice growth during simulated and natural icing conditions using ultrasonic pulse-echo techniques p 634 A86-41694  
Active suppression of compressor instabilities [AIAA PAPER 86-1914] p 690 A86-45410  
Rotor noise due to atmospheric turbulence ingestion. I - Fluid mechanics [AIAA PAPER 86-1857] p 754 A86-45479  
Three-dimensional inviscid flow in mixers. II - Analysis of turbofan forced mixers p 692 A86-46316  
High resolution solutions of the Euler equations for vortex flows p 692 A86-46793  
Aircraft control surface failure detection and isolation using the OSGLR test [AIAA PAPER 86-2028] p 821 A86-47419  
Analytical and experimental investigation of the coupled bladed disk/shaft whirl of a cantilevered turbofan [ASME PAPER 86-GT-98] p 813 A86-48163  
Hub effects in propeller design and analysis [AD-A158853] p 108 N86-13331  
Design issues in data synchronous systems p 362 N86-20407  
Potential of composite materials to replace chromium, cobalt and manganese in critical applications [PB86-123965] p 451 N86-22651  
Thermal-mechanical fatigue behavior of nickel-base superalloys [NASA-CR-175048] p 518 N86-24818  
Formal optimization of hovering performance using free wake lifting surface theory [NASA-CR-177103] p 640 N86-28935  
A supersonic fan equipped variable cycle engine for a Mach 2.7 supersonic transport p 650 N86-28946  
Multivariable control of a forward swept wing aircraft [NASA-CR-177112] p 654 N86-28953  
Individual-blade-control research in the MIT VTOL Technology Laboratory 1977-1985 [NASA-CR-177121] p 654 N86-28954  
Multivariable control of a twin lift helicopter system using the LQG/LTR design methodology [NASA-CR-177025] p 654 N86-28956  
Multivariable control systems with saturating actuators antireset windup strategies [NASA-CR-177100] p 682 N86-29580  
Analytical investigation of rotor wake formation and geometry [NASA-CR-177032] p 693 N86-29768  
Multi-variable control of the GE T700 engine using the LQG/LTR design methodology [NASA-CR-177080] p 721 N86-29819  
Unsteady design-point flow phenomena in transonic compressors [NASA-CR-176879] p 722 N86-30730
- Massachusetts Inst. of Tech., Lexington.**  
Distributed sensor networks [AD-A160596] p 332 N86-19136  
Weather radar studies [AD-A161622] p 394 N86-22061
- Pilot evaluation of TCAS in the Long Ranger helicopter [FAA/PM-85/30] p 486 N86-25334  
TCAS Experimental Unit (TEU) hardware description [FAA/PM-85/2] p 574 N86-27272
- Material Concepts, Inc., Columbus, Ohio.**  
Advanced rotary engine components utilizing fiber reinforced Mg castings [AIAA PAPER 86-1559] p 663 A86-42712
- Materials Research Labs., Ascot Vale (Australia).**  
Development and evaluation of a microburst test apparatus for use as a minimum destructive test for parachute material [AD-A158110] p 123 N86-12620
- Max-Planck-Institut fuer Stromungsforschung, Goettingen (West Germany).**  
Reconstruction of a three-dimensional, transonic rotor flow field from holographic interferogram data [AIAA PAPER 86-0370] p 337 A86-27669  
Sound excitation during vortex-airfoil interaction [MPIS-MITT-90] p 266 N86-18130  
Unsteady vortex airfoil interaction p 562 N86-27240
- McDonnell Aircraft Co., St. Louis, Mo.**  
Approach for service life extension of explosive devices for aircraft escape systems p 243 A86-19349  
Development of HIDEC adaptive engine control systems [ASME PAPER 86-GT-252] p 816 A86-48278
- McDonnell-Douglas Corp., Long Beach, Calif.**  
Optimized bolted joint [NASA-CASE-LAR-13250-1] p 612 N86-27630  
Evaluation of laminar flow control systems concepts for subsonic commercial transport aircraft [NASA-CR-159251] p 639 N86-28077  
Safety fuels-specifications and progress p 734 N86-30018
- Mechanical Technology, Inc., Latham, N. Y.**  
Interactive effects of high- and low-frequency loading on fatigue [AD-A160601] p 293 N86-18318
- Messerschmitt-Boelkow-Blohm G.m.b.H., Bremen (West Germany).**  
Contribution to the potential calculation of anisotropic compression shocks in a plane case p 150 N86-14245  
Integrated wing engine system (IFAS), phase 2 [BMFT-FB-W-85-008] p 151 N86-14257  
Comparison of aluminum alloys concerning strength and damage tolerance [MBB-UT-111/85] p 452 N86-23714  
Development, construction, and manufacturing of wind tunnel models for aerodynamic investigations [BMFT-FB-W-85-012] p 600 N86-27296  
Application of transonic unsteady methods for calculation of flutter airloads p 727 N86-30630
- Messerschmitt-Boelkow-Blohm G.m.b.H., Munich (West Germany).**  
Comparison of the Euler and potential solutions for supersonic flows over delta wings p 149 N86-14239  
Trailing edge flow with transonic profiles p 149 N86-14240  
A new Euler algorithm based on characteristic flux extrapolation p 149 N86-14241  
A procedure for solution of full potential equations with correction of the trailing edge condition p 150 N86-14246  
Numerical solutions for three-dimensional cases: Swept wings p 154 N86-15263  
FLIR, NVG and HMS/D systems for helicopter operation: Review p 619 N86-26804  
Requirements on lubrication oil from the view of a helicopter manufacturer p 666 N86-29244  
Aeroelastic problems and structural design of a tailless Carbon Fiber Composite (CFC) sailplane p 715 N86-30662  
Structural dynamic aspects of rotor nodal isolation p 715 N86-30665
- Messerschmitt-Boelkow-Blohm G.m.b.H., Ottobrunn (West Germany).**  
Avionics system for future civil helicopters [BMFT-FB-W-85-005] p 160 N86-14266  
Activities report in aerospace research p 135 N86-15240  
Air and space flight. Dream and facts [MBB-FILM-382] p 198 N86-16188
- Messerschmitt-Boelkow G.m.b.H., Munich (West Germany).**  
Gust alleviation on a transport airplane p 565 N86-27259
- Meteorological Satellite Center, Tokyo (Japan).**  
Introduction to operational ASDAR system p 125 N86-12915
- Metriflu, Ecully (France).**  
Analysis of the noise emitted by a tail rotor p 266 N86-18129

## N

- Metropolitan Coll. of Technology, Tokyo (Japan).**  
Transonic internal flow about an airfoil oscillating in pitch: Comparisons between computation and experiment p 209 N86-17278
- Michigan Technological Univ., Houghton.**  
Turbulence for flight simulation p 482 A86-32788
- Michigan Univ., Ann Arbor.**  
The utility of Head-Up Displays - Eye-focus vs decision times p 297 A86-23728  
Head-up display (HUD) utility. II - Runway to HUD transitions monitoring eye focus and decision times p 498 A86-33802  
Three-dimensional flow in compressors and channels [AD-A161858] p 460 N86-23873
- Minnesota Univ., Minneapolis.**  
Design of an active flutter suppression system p 239 A86-20236  
Application of eigenspace techniques to design of aircraft control systems p 508 A86-35380  
Design of a multivariable flutter control/gust load alleviation system [AIAA PAPER 86-2247] p 825 A86-47494
- Minorty Services, Inc., Washington, D.C.**  
Microwave Landing System (MLS) station interface control report [DOT/FAA/PM-86/17] p 540 N86-27178
- Mississippi Univ., University.**  
Mobile intercept of storms p 191 N86-15771
- Missouri Univ., Rolla.**  
Investigation of chord ratio, stagger, decalage angle, and flap angle for dual wing configurations [AIAA PAPER 86-0317] p 201 A86-19810  
A numerical model of acoustic choking. II - Shocked solutions p 265 A86-20795  
Application of the finite element method in the calculation of transmission loss of flat and curved panels p 400 A86-26888  
Wave envelope and finite element approximations for turbulent noise radiation in flight p 619 A86-39057  
Modeling wind tunnel effects on the radiation characteristics of acoustic sources p 682 A86-41689  
A comparison of the structureborne and airborne paths for propfan interior noise [AIAA PAPER 86-1863] p 711 A86-45483
- Mitre Corp., Bedford, Mass.**  
Monopole element at the center of a circular groundplane of arbitrary radius. Volume 1: Theory and results [AD-A166991] p 744 N86-30908
- Mitre Corp., McLean, Va.**  
Potential applications of multiple instrument approach concepts at 101 U.S. Airports [AD-A161155] p 283 N86-19308  
The concept of almost-parallel IFR (Instrument Flight Rules) approaches to parallel runways [AD-A166485] p 704 N86-29804
- Mitsubishi Heavy-Industries Ltd., Tokyo (Japan).**  
The comparison of the transonic airfoil calculation by NSFOIL with the wind tunnel test data at high Reynolds number p 210 N86-17295  
A wing design based on the three-dimensional transonic inverse method and the comparison with the wind tunnel testing data p 226 N86-17299
- Monsanto Co., Dayton, Ohio.**  
Variability of major organic components in aircraft fuels [AD-A159057] p 185 N86-15415  
Properties of aircraft fuels and related materials [AD-A164532] p 604 N86-27461
- Montana State Univ., Bozeman.**  
Mean-flow measurements in a supersonic three-dimensional turbulent boundary layer p 141 A86-17059
- Montana State Univ., Missoula.**  
Boundary layer stability measurements over a flat plate at mach 3 [AD-A166188] p 694 N86-29778
- Motoren- und Turbinen-Union Muenchen G.m.b.H. (West Germany).**  
Development of new combustor technologies for application to alternative aerospace fuels, phase 1 [BMFT-FB-W-85-004] p 184 N86-14402  
Aero-engine gears: Manufacturing cracks and their effect on operation p 677 N86-29239  
Aircraft engine oils and their behaviour at high temperatures p 667 N86-29251  
Transient thermal behaviour of a compressor rotor with ventilation: Test results under simulated engine conditions p 741 N86-29856
- Murray State Univ., Ky.**  
X-ray fluorescence analysis of wear metals in used lubricating oils p 673 A86-43430
- Mykityov (Walter J.), Weymouth, Mass.**  
Review of SMP 1984 Symposium on Transonic Unsteady Aerodynamics and its Aeroelastic Applications p 561 N86-27236

- Nagoya Univ. (Japan).**  
Numerical analysis of transonic flow around two-dimensional airfoil by solving Navier-Stokes equations p 210 N86-17292
- National Academy of Sciences - National Research Council, Washington, D. C.**  
Aeronautical technology 2000: A projection of advanced vehicle concepts [NASA-CR-176322] p 130 N86-13235
- National Aeronautical Establishment, Ottawa (Ontario).**  
Reference test cases and contributors p 154 N86-15261  
Analysis of experimental data for a 21% thick natural laminar flow airfoil, NAE88-060-21:1 [NAE-AN-34] p 278 N86-19285  
Wind tunnel calibration of a PMS (Particle Measuring Systems) canister instrumented for airflow measurement [AD-A161124] p 278 N86-19292  
Recent improvements to the NAE 5 ft. x 5 ft. blowdown wind tunnel [AD-A162034] p 449 N86-23608
- National Aeronautical Lab., Bangalore (India).**  
Fatigue crack propagation under spectrum loading [NAL-TM-MT-8502] p 322 N86-19656  
Jet plume temperature effects on afterbody pressure distribution and drag [NAL-TM-FM-8502] p 340 N86-20354  
Side force characteristics of a 20 deg cone at high angles of attack [NAL-TM-AE-8503] p 340 N86-20356  
Modal analysis of a typical fighter aircraft using transient testing technique [NAL-TM-ST-8517] p 356 N86-20385  
Parametric Bi-cubic surface patch for computer aided geometric design of aircraft and/or other three-dimensional geometries [NAL-TM-AE-8505] p 399 N86-21166  
Computation of transfer function matrices [NAL-TM-SE-8509] p 399 N86-21232  
A preliminary note on the development of a three dimensional potential code in Cartesian Coordinates [NAL-TM-AE-8504] p 399 N86-21233  
Analysis of wings with leading edge and/or trailing edge segmented (spanwise) flaps using planar horse shoe vortex lattice method [NAL-TM-AE-8507] p 559 N86-27212  
A computer programme for DATCOM methods of estimation of lateral stability and control derivatives [NAL-TM-AE-8601] p 596 N86-27289  
A low speed tunnel semi-free dynamic flying study of the high angle of attack pitch derivatives of HF-24 using MLE procedure [NAL-TM-SE-8603] p 782 N86-32393  
Six degree of freedom simulation software [NAL-PD-SE-8614] p 854 N86-33042
- National Aeronautical Lab., Tokyo (Japan).**  
Fundamental investigation on the impact strength of hollow fan blades [NAL-TR-879] p 322 N86-19657  
Research on the aerodynamic characteristics of vehicles by free flight testing at supersonic speeds [NAL-TR-878] p 339 N86-20353
- National Aeronautics and Space Administration, Washington, D.C.**  
Selected topics in experimental aeroelasticity at the NASA Langley Research Center p 433 A86-33243  
Aircraft of the future [NASA-TM-77952] p 100 N86-13318  
Aerodynamic design trends for commercial aircraft [NASA-TM-77976] p 227 N86-17338  
Aeronautical facilities catalogue. Volume 2: Airbreathing propulsion and flight simulators [NASA-RP-1133] p 311 N86-18328  
Comparison of computational results of a few representative three-dimensional transonic potential flow analysis programs [NASA-TM-77963] p 341 N86-21509  
Vortex conception of rotor and mutual effect of screw/propellers [NASA-TM-77979] p 342 N86-21510  
Propulsion and control propellers with thruster nozzles primarily for aircraft applications [NASA-TM-77715] p 342 N86-21511  
Three-dimensional boundary layer analysis program Blay and its application [NASA-TM-77962] p 342 N86-21516  
Procedure for utilizing the lift and thrust forces of ornithopters [NASA-TM-77682] p 357 N86-21534  
Vertically operating flight vehicle for drilling and agricultural use [NASA-TM-77713] p 357 N86-21535  
High frequency-heated air turbojet [NASA-TM-77710] p 364 N86-21543

- A cumulative index to a continuing bibliography on aeronautical engineering [NASA-SP-7037(196)] p 408 N86-23552
- Aeronautical Engineering (a continuing bibliography with indexes)** [NASA-SP-7037(196)] p 408 N86-23553
- Chinese space and aviation industries score major breakthroughs [NASA-TM-87973] p 459 N86-23749
- Selections from Flug Revue und Flugwelt International. A. On the border of Time-hypersonic flight. B. NASA programs pave the way for the hypersonic aircraft. C. Shuttle flight 61-B; construction in space. D. Faster than a bullet; hypersonic military aircraft [NASA-TM-88418] p 474 N86-24652
- Eigenstructure assignment and its application in design of flight control systems [NASA-TM-88411] p 511 N86-24701
- Wind tunnel technology for the development of future commercial aircraft [NASA-TM-88390] p 514 N86-24710
- An experimental investigation on location of boundary layer transition on the NACA 0012 using surface hot film gages [NASA-TM-88285] p 524 N86-24936
- Cryogenic wind tunnels: Problems of continuous operation at low temperatures [NASA-TM-88446] p 656 N86-28099
- NASA supercomputer system to become available nationally [NASA-NEWS-RELEASE-86-92] p 681 N86-28628
- Aerodynamics of the Vigen 37 aircraft. Part 1: General characteristics at low speed [NASA-TM-88403] p 632 N86-28925
- Optical technology for flight control systems [NASA-TM-88400] p 655 N86-28960
- Tests with three-dimensional adjustments in the rectangular working section of the French T2 wind tunnel with an AS 07-type swept-back wing model [NASA-TM-88442] p 657 N86-28964
- NASA and general aviation [NASA-SP-485] p 716 N86-30720
- Mission adaptive wing soars at NASA Facility [P86-10182] p 806 N86-31563
- National Aeronautics and Space Administration. Ames Research Center, Moffett Field, Calif.**  
Ground-simulation investigation of VTOL airworthiness criteria for terminal area operations p 90 A86-14237  
Powered-lift technology on the threshold p 96 A86-14245  
Simulation world moves up to V/STOL p 112 A86-14246
- Expert systems and their use in augmenting design optimization [AIAA PAPER 85-3095] p 127 A86-14434
- The efficient simulation of separated three-dimensional viscous flows using the boundary-layer equations [AIAA PAPER 85-4084] p 84 A86-14452
- Impact of flying qualities on mission effectiveness for helicopter air combat p 110 A86-14531
- Characterization of the thermal conductivity for fibrous refractory composite insulations p 116 A86-15220
- A theoretical basis for extending surface-paneling methods to transonic flow p 142 A86-17131
- A comparative study of the parabolized Navier-Stokes code using various grid-generation techniques p 143 A86-17654
- Hovering model helicopter rotor testing p 179 A86-18412
- Verification of static rotor-load measurement capabilities of the RSRA helicopter active-isolator system p 165 A86-18426
- Unsteady transonics of a wing with tip store [AIAA PAPER 86-0010] p 198 A86-19633
- Numerical modeling of rotor flows with a conservative form of the full-potential equations [AIAA PAPER 86-0079] p 198 A86-19676
- The computation of steady 3-D separated flows over aerodynamic bodies at incidence and yaw [AIAA PAPER 86-0109] p 199 A86-19693
- An extreme clear air turbulence incidence associated with a strong downslope windstorm [AIAA PAPER 86-0329] p 259 A86-19816
- Visualization and flow surveys of the leading edge vortex structure on delta wing planforms [AIAA PAPER 86-0330] p 201 A86-19817
- Three-dimensional elliptic grid generation about fighter aircraft for zonal finite-difference computations [AIAA PAPER 86-0429] p 202 A86-19871
- Definition and verification of a complex aircraft for aerodynamic calculations [AIAA PAPER 86-0431] p 202 A86-19873
- Development of pneumatic thrust-deflecting powered-lift systems [AIAA PAPER 86-0476] p 219 A86-19894



- Evaluation of an aerodynamic-load prediction method on a STOL fighter configuration [AIAA PAPER 86-0590] p 203 A86-19966
- The critical role of computational fluid dynamics in rotary-wing aerodynamics [AIAA PAPER 86-0336] p 204 A86-19971
- Modeling aerodynamic responses to aircraft maneuvers - A numerical validation p 204 A86-20156
- Flight testing the fixed wing configuration of the Rotor Systems Research Aircraft (RSRA) p 223 A86-21064
- Scaling of helicopter main rotor noise in hover [AIAA PAPER 86-0393] p 265 A86-22699
- Numerical simulation of transonic separated flows over low-aspect ratio wings [AIAA PAPER 86-0506] p 206 A86-22704
- The utility of Head-Up Displays - Eye-focus vs decision times p 297 A86-23728
- Aerodynamic performance of two fifteen-percent-scale wind-tunnel drive fan designs [AIAA PAPER 86-0734] p 273 A86-24729
- Hover in-ground-effect testing of a full-scale, tilt-nacelle V/STOL model [AIAA PAPER 86-0780] p 286 A86-24759
- Applications of an analysis of axisymmetric body effects on rotor performance and loads p 289 A86-26105
- An experimental investigation of the parallel blade-vortex interaction p 276 A86-26106
- Applications of numerical optimization methods to helicopter design problems - A survey p 290 A86-26120
- Hover test of a full-scale hingeless rotor p 291 A86-26144
- Aircrew-aircraft integration - A summary of U.S. Army research programs and plans p 310 A86-26149
- Civil helicopter flight operations using differential GPS p 346 A86-26509
- Helicopter model rotor-blade vortex interaction impulsive noise - Scalability and parametric variations p 400 A86-27658
- Effects of side-stick controllers on rotorcraft handling qualities for terrain flight p 366 A86-27659
- Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics p 353 A86-27661
- Reconstruction of a three-dimensional, transonic rotor flow field from holographic interferogram data [AIAA PAPER 85-0370] p 337 A86-27669
- Numerical optimization design of advanced transonic wing configurations p 356 A86-28562
- Directional handling qualities requirements for nap-of-the-earth tasks p 442 A86-30499
- Influence of high-order dynamics on helicopter flight-control system bandwidth p 442 A86-31660
- Flight test planning and parameter extraction for rotorcraft system identification [AIAA PAPER 86-9772] p 430 A86-32107
- Flight investigation of a multivariable model-following control system for rotorcraft [AIAA PAPER 86-9779] p 443 A86-32114
- The NASA modern technology rotors program [AIAA PAPER 86-9788] p 440 A86-32120
- Head-up display (HUD) utility. II - Runway to HUD transitions monitoring eye focus and decision times p 498 A86-33802
- An internal variable assisted formulation of moisture sorption models for polymers and composites p 515 A86-34650
- Simulation of time-control procedures for terminal area flow management p 484 A86-35369
- High-speed, automatic controller design considerations for integrating array processor, multi-microprocessor, and host computer system architectures p 531 A86-35409
- Advanced concepts transport aircraft of 1995 [SAE PAPER 851808] p 490 A86-35436
- Tiltrotor - 'Copter and plane in one p 490 A86-35565
- Development and flight test of a helicopter, X-band, portable precision landing system concept p 485 A86-35606
- Directional handling qualities requirements for nap of the earth (NOE) tasks p 510 A86-35622
- Free-tip-rotor wind-tunnel test results p 491 A86-35628
- Design aspects of the XV-15 advanced technology blade program p 492 A86-35630
- RSRA flight development test in the airplane configuration p 493 A86-35653
- The influence of sampling rate on the dynamics and control of aeronautical systems p 511 A86-37061
- The development of laser speckle velocimetry for the measurement of vortical flow fields [AIAA PAPER 86-0768] p 523 A86-37091
- Effects of simulator variations on the fidelity of a UH-60 Black Hawk simulation p 596 A86-37178
- Real-time simulator for helicopter rotor wind-tunnel operations p 596 A86-37179
- CGI delay compensation p 617 A86-37194
- Calculation of helicopter airfoil characteristics for high tip-speed applications p 541 A86-37769
- Full-scale tilt-rotor hover performance p 576 A86-37770
- Wind tunnel test of a model rotor with a free-tip [AIAA PAPER 86-1781] p 577 A86-37813
- Experimental investigation of rotorcraft hub and shaft fairing drag reduction [AIAA PAPER 86-1783] p 577 A86-37814
- Prospects for destructive self-induced interactions in a vortex pair due to sinusoidal disturbances [AIAA PAPER 86-1791] p 543 A86-37821
- The STOL performance of a two-engine, USB powered-lift aircraft with cross-shafted fans [SAE PAPER 851839] p 578 A86-38336
- Estimation of lift losses of hovering vehicles using a single jet [SAE PAPER 851842] p 579 A86-38339
- Effects of jet flap on AV8B 'Harrier' performance [SAE PAPER 851843] p 579 A86-38340
- Harrier II-AV8B with a modern engine [SAE PAPER 851881] p 579 A86-38349
- Three-dimensional, conservative, Euler computations using patched grid systems and explicit methods [AIAA PAPER 86-1081] p 549 A86-38444
- Numerical simulation of tip vortices of wings in subsonic and transonic flows [AIAA PAPER 86-1095] p 550 A86-38456
- Interdependence of parameters important to the design of subsonic canard-configured aircraft [SAE PAPER 850685] p 581 A86-38506
- Transonic aeroelasticity of wings with tip stores [AIAA PAPER 86-1007] p 553 A86-38948
- Fuel conservative guidance for shipboard landing of powered-lift STOL aircraft p 572 A86-39048
- Computation of transonic flow about helicopter rotor blades p 554 A86-39053
- Flight effects on noise from coaxial dual flow. I - Unheated jets p 619 A86-39058
- Recent developments in the dynamics of advanced rotor systems. I p 586 A86-39597
- The combined effects of stress and moisture on the structural integrity of composites p 607 A86-40344
- Wake hazard alleviation associated with roll oscillations of wake-generating aircraft p 624 A86-41693
- Displacement thresholds in central and peripheral vision during tracking p 679 A86-41782
- Helicopter rotor and engine sizing for preliminary performance estimation [AIAA PAPER 86-1756] p 638 A86-42829
- Transient induced drag p 689 A86-44879
- Transonic aeroelastic analysis of the B-1 wing [AIAA PAPER 85-0880] p 708 A86-44886
- The XV-15 Tilt-Rotor flight-test program p 709 A86-44938
- An experimental investigation of wing tip turbulence with applications to aerodynamic p 691 A86-45413
- [AIAA PAPER 86-1918] p 691 A86-45413
- Effect of a wind tunnel on the acoustic field from various aeroacoustic sources [AIAA PAPER 86-1897] p 756 A86-45507
- Control of V/STOL aircraft p 724 A86-46002
- Identification and verification of frequency-domain models for XV-15 tilt-rotor aircraft dynamics in cruising flight p 713 A86-46461
- Rotary-wing aircraft terrain-following/terrain-avoidance system development [AIAA PAPER 86-2147] p 823 A86-47456
- Performance characteristics of an adaptive controller based on least-mean-square filters [AIAA PAPER 86-2160] p 852 A86-47466
- Adaptive filtering of biodynamic stick feedthrough in manipulation tasks on board moving platforms [AIAA PAPER 86-2248] p 825 A86-47495
- A robust adaptive flightpath reconstruction technique [AIAA PAPER 86-2018] p 826 A86-47653
- Flight evaluation of a precision landing task for a powered-lift STOL aircraft [AIAA PAPER 86-2130] p 828 A86-47676
- Unsteady low-speed aerodynamic model for complete aircraft configurations [AIAA PAPER 86-2180] p 829 A86-47683
- The analysis of airline flight records for winds and performance with application to the Delta 191 accident [AIAA PAPER 86-2227] p 829 A86-47690
- The ground effects of a powered-lift STOL aircraft during landing approach p 795 A86-47784
- Angle-of-attack estimation for analysis of CAT encounters p 831 A86-47796
- Application of the TranAir full-potential code to complete configurations p 772 A86-49009
- A study of helicopter main rotor noise in hover [AIAA PAPER 86-1858] p 856 A86-49575
- Rotor tip vortex geometry measurements using the wide-field shadowgraph technique [AIAA PAPER 86-1780] p 778 A86-49580
- PN/S calculations for a fighter W/F at high-lift yaw conditions [AIAA PAPER 86-1829] p 779 A86-49588
- A knowledge-based expert system for scheduling of airborne astronomical observations p 854 A86-49627
- Recent developments in rotary-wing aerodynamic theory p 780 A86-49602
- Transonic airfoil calculations including wind tunnel wall-interference effects p 780 A86-49625
- Some recent advances in computational aerodynamics for helicopter applications [NASA-TM-86777] p 87 A86-12207
- Assessment of aerodynamic and dynamic models in a comprehensive analysis [NASA-TM-86835] p 76 A86-13286
- On applications of chimera grid schemes to store separation [NASA-TM-88193] p 88 A86-13292
- Computational aspects of zonal algorithms for solving the compressible Navier-Stokes equations in three dimensions [NASA-TM-86774] p 88 A86-13296
- A tomographic technique for aerodynamics at transonic speeds [NASA-TM-86766] p 89 A86-13297
- Double-branched vortex generator [NASA-TM-88201] p 89 A86-13298
- Ground effects on V/STOL and STOL aircraft: A survey [NASA-TM-86825] p 89 A86-13299
- Pressure-distribution measurements on a transonic low-aspect ratio wing [NASA-TM-86863] p 90 A86-13304
- Discovery of the Kalman filter as a practical tool for aerospace and industry [NASA-TM-86847] p 94 A86-13311
- Preliminary report on in-flight measurement of rotor hub drag and lift using the RSRA [NASA-TM-86764] p 100 A86-13319
- Emerging aerospace technologies [NASA-TM-86837] p 131 A86-14213
- Development of a flight test maneuver autopilot for an F-15 aircraft [NASA-TM-86799] p 176 A86-14275
- A flightpath overshoot flying qualities metric for the landing task [NASA-TM-86795] p 176 A86-14276
- Three-dimensional, transonic rotor flow field reconstructed from holographic interferogram data [NASA-TM-86816] p 188 A86-14555
- Performance and loads data from a hover test of a full-scale XV-15 rotor [NASA-TM-86833] p 152 A86-15243
- Relative advantages of thin-layer Navier-Stokes and interactive boundary-layer procedures [NASA-TM-86778] p 152 A86-15244
- A consistent spatial differencing scheme for the transonic full-potential equation in three dimensions [NASA-TM-86716] p 152 A86-15246
- Separated transonic airfoil flow calculations with a nonequilibrium turbulence model [NASA-TM-86830] p 152 A86-15247
- Rotorcraft Dynamics 1984 [NASA-CP-2400] p 167 A86-15280
- The use of active controls to augment rotor/fuselage stability p 176 A86-15281
- The influence of dynamic inflow and torsional flexibility on rotor damping in forward flight from symbolically generated equations p 177 A86-15295
- Evaluation of a load cell model for dynamic calibration of the rotor systems research aircraft p 168 A86-15304
- Stress concentration around a small circular hole in the HIMAT composite plate [NASA-TM-86038] p 184 A86-15350
- Computational fluid dynamics at NASA Ames and the numerical aerodynamic simulation program [NASA-TM-86769] p 190 A86-15626
- Numerical simulation of viscous supersonic flow over a generic fighter configuration [NASA-TM-86823] p 190 A86-15627
- Flow field survey near the rotational plane of an advanced design propeller on a JetStar airplane [NASA-TM-86037] p 207 A86-16196
- Mach number and flow-field calibration at the advanced design propeller location on the JetStar airplane [NASA-TM-84923] p 207 A86-16197
- Development of a knowledge acquisition tool for an expert system flight status monitor [NASA-TM-86802] p 263 A86-16944
- A simulation of rotor-stator interaction using the Euler equations and patched grids [NASA-TM-86821] p 264 A86-17014



- Fire-retardant decorative inks for aircraft interiors  
[NASA-TM-88198] p 313 N86-18441
- Ground vibration test results for Drones for Aerodynamic and Structural Testing (DAST)/Aeroelastic Research Wing (ARW-1R) aircraft  
[NASA-TM-85906] p 294 N86-19312
- Dynamics and controls flight testing of the X-29A airplane  
[NASA-TM-86803] p 295 N86-19313
- Hover and forward flight acoustics and performance of a small-scale helicopter rotor system  
[NASA-TM-88584] p 295 N86-19314
- Comparison of pilot effective time delay for cockpit controllers used on space shuttle and conventional aircraft  
[NASA-TM-86030] p 307 N86-19324
- Flight test of a resident backup software system  
[NASA-TM-86807] p 307 N86-19325
- The role of a real-time flight support facility in flight research programs  
[NASA-TM-86805] p 311 N86-19330
- The 1-(diorganooxophosphonyl)methyl-2, 4- and -2, 6-dinitro and diamino benzenes and their derivatives  
[NASA-CASE-ARC-11425-2] p 378 N86-20489
- Copolymers of vinyl styrylpyridines or vinyl stilbazoles with bismaleimide  
[NASA-CASE-ARC-11429-1-CU] p 378 N86-20580
- Segmented tubular cushion springs and spring assembly  
[NASA-CASE-ARC-11349-1] p 388 N86-20797
- Aminophenoxycyclotriphosphazene cured epoxy resins and the composites, laminates and structures thereof  
[NASA-CASE-ARC-11548-1] p 379 N86-21686
- Airborne tracking Sun photometer apparatus and system  
[NASA-CASE-ARC-11822-1] p 394 N86-21982
- Comparison of measured and calculated temperatures for a Mach 8 hypersonic wing test structure  
[NASA-TM-85918] p 435 N86-22563
- Locally linearized longitudinal and lateral-directional aerodynamic stability and control derivatives for the X-29A aircraft  
[NASA-TM-84919] p 416 N86-23566
- Minimum time and fuel flight profiles for an F-15 airplane with a Highly Integrated Digital Electronic Control (HIDEC) system  
[NASA-TM-86042] p 436 N86-23587
- Development experience with a simple expert system demonstrator for pilot emergency procedures  
[NASA-TM-85919] p 446 N86-23603
- Swashplate control system  
[NASA-CASE-ARC-11633-1] p 511 N86-24700
- Summary of results of NASA F-15 flight research program  
[NASA-TM-86811] p 539 N86-26277
- Decoupling control synthesis for an oblique-wing aircraft  
[NASA-TM-86801] p 595 N86-26339
- Aeroelastic control of oblique-wing aircraft  
[NASA-TM-86808] p 595 N86-26340
- Validation of a new flying quality criterion for the landing task  
[NASA-TM-88261] p 595 N86-26341
- Buckling behavior of Rene 41 tubular panels for a hypersonic aircraft wing  
[NASA-TM-86798] p 611 N86-26653
- Water tunnel results of leading-edge vortex flap tests on a delta wing vehicle  
p 558 N86-27208
- Computational aspects of unsteady flows  
p 561 N86-27232
- Transonic aerodynamic and aeroelastic characteristics of a variable sweep wing  
p 561 N86-27237
- Recent developments in rotary-balance testing of fighter aircraft configurations at NASA Ames Research Center  
p 562 N86-27242
- Nonlinear problems in flight dynamics involving aerodynamic bifurcations  
p 563 N86-27249
- Bifurcation theory applied to aircraft motions  
p 583 N86-27250
- Unsteady interactions of transonic airfoils with gusts and concentrated vortices  
p 585 N86-27261
- Application of CFD techniques toward the validation of nonlinear aerodynamic models  
p 585 N86-27265
- Highly Maneuverable Aircraft Technology (HiMAT) flight-flutter test program  
[NASA-TM-84907] p 596 N86-27290
- A time-based concept for terminal-area traffic management  
[NASA-TM-88243] p 622 N86-28049
- Geometry definition and grid generation for a complete fighter aircraft  
[NASA-TM-88242] p 622 N86-28050
- Development and validation of the crew-station system-integration research facility  
[NASA-TM-86841] p 622 N86-28051
- Hover in-ground-effect testing of a full-scale, tilt-nacelle V/STOL model  
[NASA-TM-88218] p 629 N86-28056
- A perspective of computational fluid dynamics  
[NASA-TM-88248] p 629 N86-28057
- Rotor/wing aerodynamic interactions in hover  
[NASA-TM-88255] p 629 N86-28060
- Patched-grid calculations with the Euler and Navier-Stokes equations: Theory and applications  
[NASA-TM-88228] p 630 N86-28062
- Time-based air traffic management using expert systems  
[NASA-TM-88234] p 634 N86-28068
- NASTRAN/FLEXSTAB procedure for static aeroelastic analysis  
[NASA-TM-84897] p 639 N86-28076
- Effects of blade-to-blade dissimilarities on rotor-body lead-lag dynamics  
[NASA-TM-86828] p 639 N86-28079
- Light weight fire resistant graphite composites  
[NASA-CASE-ARC-11615-1SB] p 664 N86-28131
- Nonlinear control of aircraft  
[NASA-TM-89225] p 655 N86-28958
- Transonic Navier-Stokes wing solution using a zonal approach. Part 1: Solution methodology and code validation  
[NASA-TM-88248-PT-1] p 692 N86-29765
- Flight control system development and flight test experience with the F-111 mission adaptive wing aircraft  
[NASA-TM-88265] p 714 N86-29813
- Experience with synchronous and asynchronous digital control systems  
[NASA-TM-88271] p 726 N86-29866
- Navier-Stokes computations for circulation controlled airfoils  
[AIAA-85-1587] p 744 N86-30995
- Navier-Stokes computations for exotic airfoils  
[AIAA-85-0109] p 745 N86-30996
- Elliptic generation of composite three-dimensional grids about realistic aircraft  
[NASA-TM-88240] p 763 N86-31527
- ATRAN35: An unsteady transonic code for clean wings  
[NASA-TM-86783] p 781 N86-31535
- Simulation evaluation of display/FLIR concepts for low-altitude, terrain-following helicopter operations  
[NASA-TM-86779] p 789 N86-31551
- High speed viscous flow calculations about complex configurations  
[NASA-TM-88237] p 850 N86-31827
- Transonic Navier-Stokes wing solutions using a zonal approach. Part 2: High angle-of-attack simulation  
[NASA-TM-88248-PT-2] p 782 N86-32392
- Simulator scene display evaluation device  
[NASA-CASE-ARC-11504-1] p 840 N86-32447
- National Aeronautics and Space Administration, Dryden (Hugh L.) Flight Research Center, Edwards, Calif.**
- CID flight/impact  
p 390 N86-21935
- An engineering approach to the use of expert systems technology in avionics applications  
[NASA-TM-88263] p 497 N86-24687
- Digital Electronic Engine Control (DEEC) Flight Evaluation in an F-15 Airplane  
[NASA-CP-2298] p 504 N86-25342
- Digital electronic engine control F-15 overview  
[PAPER-1] p 504 N86-25343
- Digital electronic engine control history  
[PAPER-2] p 504 N86-25344
- F-15 digital electronic engine control system description  
[PAPER-3] p 504 N86-25345
- NASA Lewis F100 engine testing  
[PAPER-4] p 504 N86-25346
- Effects of inlet distortion on a static pressure probe mounted on the engine hub in an F-15 airplane  
[PAPER-5] p 505 N86-25347
- Flight testing the digital electronic engine control in the F-15 airplane  
[PAPER-6] p 505 N86-25348
- Digital electronic engine control fault detection and accommodation flight evaluation  
[PAPER-7] p 505 N86-25349
- Airstart performance of a digital electronic engine control system on an F100 engine  
[PAPER-8] p 505 N86-25350
- Flight evaluation of a hydromechanical backup control for the digital electronic engine control system in an F100 engine  
[PAPER-9] p 505 N86-25351
- Backup control airstart performance on a digital electronic engine control-equipped F100-engine  
[PAPER-10] p 505 N86-25352
- Augmentor transient capability of an F100 engine equipped with a digital electronic engine control  
[PAPER-11] p 505 N86-25353
- Investigation of a nozzle instability on an F100 engine equipped with a digital electronic engine control  
[PAPER-12] p 506 N86-25354
- Real-time in-flight thrust calculation on a digital electronic engine control-equipped F100 engine in an F-15 airplane  
[PAPER-13] p 506 N86-25355
- Control technology for future aircraft propulsion systems  
[PAPER-14] p 506 N86-25356
- X-29A technology demonstrator flight test program overview  
[NASA-TM-86809] p 586 N86-26328
- Extraction of aerodynamic parameters for aircraft at extreme flight conditions  
p 563 N86-27248
- Application of parameter estimation to highly unstable aircraft  
[NASA-TM-88266] p 639 N86-28078
- Test and evaluation of the HIDEC engine uptrim algorithm  
[NASA-TM-88262] p 650 N86-28088
- Effect of time delay on flying qualities: An update  
[NASA-TM-88264] p 653 N86-28092
- Model-following control for an oblique-wing aircraft  
[NASA-TM-88269] p 726 N86-29867
- Eigensystem synthesis for active flutter suppression on an oblique-wing aircraft  
[NASA-TM-88275] p 727 N86-29868
- Modified US Army U-8F ground vibration test  
[NASA-TM-86741] p 717 N86-30723
- National Aeronautics and Space Administration, Flight Research Center, Edwards, Calif.**
- Flight evaluation of a digital electronic engine control in an F-15 airplane  
p 173 A86-17784
- The role of a real-time flight support facility in flight research programs  
[AIAA PAPER 86-0186] p 241 A86-19727
- Dynamics and controls flight testing of the X-29A airplane  
[AIAA PAPER 86-0167] p 237 A86-19728
- Development of a knowledge acquisition tool for an expert system flight status monitor  
[AIAA PAPER 86-0240] p 230 A86-19764
- A flightpath overshoot flying qualities metric for the landing task  
[AIAA PAPER 86-0334] p 238 A86-19820
- Flight test maneuver modeling and control  
[AIAA PAPER 86-0426] p 219 A86-19868
- Simulator evaluation of a remotely piloted vehicle visual landing task  
p 221 A86-20238
- A constant altitude flight survey method for mapping atmospheric ambient pressures and systematic radar errors  
p 380 A86-28507
- X-29 flight - Acid test for design predictions  
p 426 A86-31333
- X-29A advanced technology demonstrator program overview  
[AIAA PAPER 86-9727] p 428 A86-32076
- Flight test of a decoupler pylon for wing/store flutter suppression  
[AIAA PAPER 86-9730] p 428 A86-32077
- Real-time open-loop frequency response analysis of flight test data  
[AIAA PAPER 86-9738] p 443 A86-32084
- Cloud particle effects on laminar flow in the NASA LEFT program - Preliminary results  
[AIAA PAPER 86-9811] p 432 A86-32138
- Flight test trajectory controller synthesis with constrained eigenstructure assignment  
p 509 A86-35404
- Summary of results of NASA F-15 flight research program  
[AIAA PAPER 86-9761] p 496 A86-37064
- Development of a temperature-compensated hot-film anemometer system for boundary-layer transition detection on high-performance aircraft  
p 605 A86-38236
- Buckling behavior of Rene 41 tubular panels for a hypersonic aircraft wing  
[AIAA PAPER 86-0978] p 609 A86-38857
- Test and evaluation of the HIDEC engine uptrim algorithm  
[AIAA PAPER 86-1676] p 648 A86-42787
- X-29 initial flight test results  
p 709 A86-44942
- Development of control laws for a flight test maneuver autopilot  
p 725 A86-46460
- Effect of time delay on flying qualities - An update  
[AIAA PAPER 86-2202] p 823 A86-47482
- Flight control system development and flight test experience with the F-111 mission adaptive wing aircraft  
[AIAA PAPER 86-2237] p 824 A86-47489
- Eigensystem synthesis for active flutter suppression on an oblique-wing aircraft  
[AIAA PAPER 86-2243] p 824 A86-47491
- Model-following control for an oblique-wing aircraft  
[AIAA PAPER 86-2244] p 824 A86-47492

- Real-time flutter identification with close mode resolution  
[AIAA PAPER 86-2019] p 827 A86-47654  
Application of parameter estimation to highly unstable aircraft  
[AIAA PAPER 86-2020] p 827 A86-47655  
Validation of a new flying quality criterion for the landing task  
[AIAA PAPER 86-2126] p 828 A86-47672  
Flight test experience and controlled impact of a large, four-engine remotely piloted airplane  
p 794 A86-47781  
Flight flutter testing at Ames-Dryden  
p 797 A86-47802  
Development of HIDECA adaptive engine control systems  
[ASME PAPER 86-GT-252] p 816 A86-48278  
**National Aeronautics and Space Administration.**  
**Goddard Space Flight Center, Greenbelt, Md.**  
ELT antenna gain distributions under simulated crash conditions  
p 92 A86-12698  
Particulate contaminant relocation during shuttle ascent  
[NASA-TM-87794] p 600 N86-27351  
**National Aeronautics and Space Administration.** John F. Kennedy Space Center, Cocoa Beach, Fla.  
Video processor for air traffic control beacon system  
[NASA-CASE-KSC-11155-1] p 283 N86-19304  
**National Aeronautics and Space Administration.**  
Lyndon B. Johnson Space Center, Houston, Tex.  
The 1983 NASA/ASSEE Summer Faculty Fellowship Research Program research reports  
[NASA-CR-171904] p 130 N86-14078  
**National Aeronautics and Space Administration.**  
Langley Research Center, Hampton, Va.  
Juncture flow control using leading-edge fillets  
[AIAA PAPER 85-4087] p 84 A86-14454  
Review of recent research on interior noise of propeller aircraft  
p 97 A86-14527  
Airfoil design for Reynolds numbers between 50,000 and 500,000  
p 136 A86-18302  
Propeller slipstream/wing boundary layer effects at low Reynolds numbers  
p 139 A86-18324  
Aeroelastic model helicopter rotor testing in the Langley TDT  
p 183 A86-18402  
Modification to the NASA Langley 4- by 7-meter tunnel for improved rotorcraft aerodynamics and acoustics  
p 179 A86-18414  
Delta wings with shock-free cross flow  
p 145 A86-18528  
Approach for service life extension of explosive devices for aircraft escape systems  
p 243 A86-19349  
Divergence study of a high-aspect ratio, forward-swept wing  
[AIAA PAPER 86-0009] p 219 A86-19632  
Description of and results from camera systems for recording daytime lightning strikes to an airplane in flight  
[AIAA PAPER 86-0020] p 230 A86-19636  
Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes  
[AIAA PAPER 86-0021] p 213 A86-19637  
Summary of a high subsonic force/pressure experiment for 58 deg cambered/twisted thick delta wings  
[AIAA PAPER 86-0169] p 200 A86-19730  
Design of a natural laminar flow wing for a transonic corporate transport  
[AIAA PAPER 86-0314] p 200 A86-19807  
An evaluation of leading-edge flap performance on delta and double-delta wings at supersonic speeds  
[AIAA PAPER 86-0315] p 201 A86-19808  
Shaping of airplane fuselages for minimum drag  
[AIAA PAPER 86-0316] p 201 A86-19809  
Experimental study of effects of forebody geometry on high angle of attack static and dynamic stability  
[AIAA PAPER 86-0331] p 238 A86-19818  
Exploratory investigation of deflectable forebody strakes for high angle of attack yaw control  
[AIAA PAPER 86-0333] p 238 A86-19819  
Laboratory study of the effects of sidewall treatment, source directivity and temperature on the interior noise of a light aircraft fuselage  
[AIAA PAPER 86-0390] p 219 A86-19851  
Comparison of computations and experimental data for leading edge vortices - Effects of yaw and vortex flaps  
[AIAA PAPER 86-0439] p 202 A86-19880  
Evolution and status of CFD techniques for scramjet applications  
[AIAA PAPER 86-0180] p 248 A86-19970  
Laboratory study of cabin acoustic treatments installed in an aircraft fuselage  
p 221 A86-20158  
Design of an active flutter suppression system  
p 239 A86-20236  
Repeatability of mixed-mode adhesive debonding  
p 249 A86-20638  
Airfoil tip vortex formation noise  
p 331 A86-23134  
Composite statistical method for modeling wind gusts  
p 308 A86-23189  
Some lessons learned with wind tunnels  
[AIAA PAPER 86-0777] p 310 A86-24756  
A new direction in energy conversion - The all-electric aircraft  
p 319 A86-24830  
Interlaminar fracture of composites  
p 313 A86-24986  
Effects of digital altimetry on pilot workload  
[SAE PAPER 841489] p 327 A86-26019  
An attached flow design of a noninterfering leading-edge extension to a thick delta wing  
p 337 A86-28569  
Measurements of ocean wave spectra and modulation transfer function with the airborne two-frequency scatterometer  
p 393 A86-28618  
References and conference proceedings towards the understanding of fracture mechanics  
p 388 A86-29011  
The National Transonic Facility  
p 447 A86-31847  
Flight test of a decoupler pylon for wing/store flutter suppression  
[AIAA PAPER 86-9730] p 428 A86-32077  
Natural laminar flow flight experiments on a turbine engine nacelle fairing  
[AIAA PAPER 86-9756] p 429 A86-32097  
In-flight flow visualization of F-108B leading-edge vortex using the vapor-screen technique  
[AIAA PAPER 86-9785] p 431 A86-32118  
Cloud particle effects on laminar flow in the NASA LEFT program - Preliminary results  
[AIAA PAPER 86-9811] p 432 A86-32138  
Development of spin resistance criteria for light general aviation airplanes  
[AIAA PAPER 86-9812] p 443 A86-32139  
Unsteady transonic flow calculations for two-dimensional canard-wing configurations  
p 410 A86-32780  
Aerodynamic parameters estimated from flight and wind tunnel data  
p 410 A86-32782  
New and existing techniques for dynamic loads analyses of flexible airplanes  
p 432 A86-32787  
Euler and Navier-Stokes solutions for flow over a conical delta wing  
p 411 A86-32960  
Prediction of advanced propeller noise in the time domain  
p 469 A86-32963  
Turbulent boundary-layer wall pressure fluctuations downstream of a tandem LEBU  
p 457 A86-32964  
Mach reflection and aerodynamic choking in two-dimensional ducted flow  
p 411 A86-32967  
Calculation of transonic steady and oscillatory pressures on a low aspect ratio model and comparison with experiment  
p 412 A86-33227  
Recent transonic unsteady pressure measurements at the NASA Langley Research Center  
p 412 A86-33232  
Development of a flutter suppression control law by use of Linear Quadratic Gaussian and constrained optimization design techniques  
p 444 A86-33248  
An airborne multiple-beam 1.4 GHz pushbroom microwave radiometer  
p 498 A86-33583  
Weights assessment for orbit-on-demand vehicles  
[SAE PAPER 1674] p 515 A86-35217  
A preliminary study of the basic display/guidance requirements for flying near optimal trajectories  
p 499 A86-35366  
Estimation of transport airplane aerodynamics using multiple stepwise regression  
p 489 A86-35385  
Aerodynamic performance of a 27-percent-scale AH-64 wind-tunnel model with baseline/advanced rotor blades  
p 492 A86-35635  
Effect of fiber and matrix maximum strain on the energy absorption of composite materials  
p 516 A86-35640  
Crash response data system for the controlled impact demonstration (CID) of a full-scale transport aircraft  
p 500 A86-37045  
Nonlinear lift control at high speed and high angle of attack using vortex flow technology  
p 478 A86-37050  
Comparison of advanced turboprop and conventional jet and propeller aircraft flyover noise annoyance - Preliminary results  
p 528 A86-37059  
Implicit, vectorizable schemes for the flux-difference split, three-dimensional Navier-Stokes equations  
p 523 A86-37067  
Drop testing and analysis of six-foot diameter graphite-epoxy frames  
p 517 A86-37068  
Adaptive control robustness in flexible aircraft application  
p 511 A86-37070  
Techniques for increasing the update rate of real-time dynamic computer graphic displays  
p 523 A86-37072  
Survey of supersonic combustion ramjet research at Langley  
[AIAA PAPER 86-0159] p 503 A86-37079  
Advanced boundary layer transition measurement methods for flight applications  
[AIAA PAPER 86-9786] p 500 A86-37083  
Current wind tunnel capability and planned improvements at the NASA Langley Research Center  
[AIAA PAPER 86-0727] p 514 A86-37087  
NASA storm hazards research in lightning strikes to aircraft  
p 566 A86-37479  
Unsteady transonic flows past airfoils using the Euler equations  
[AIAA PAPER 86-1764] p 541 A86-37802  
Combined, nonlinear aerodynamic and structural method for the aeroelastic design of a three-dimensional wing in supersonic flow  
[AIAA PAPER 86-1769] p 542 A86-37806  
Planform effects for low-finesse ratio multibody configurations at supersonic speeds  
[AIAA PAPER 86-1799] p 544 A86-37825  
Supersonic airfoil optimization  
[AIAA PAPER 86-1818] p 545 A86-37837  
Application of NCOREL to aircraft configurations  
[AIAA PAPER 86-1830] p 577 A86-37843  
An implicit flux-difference splitting scheme for three-dimensional, incompressible Navier-Stokes solutions to leading edge vortex flows  
[AIAA PAPER 86-1839] p 546 A86-37847  
A comparison of experimental and numerical results for delta wings with vortex flaps  
[AIAA PAPER 86-1840] p 548 A86-37848  
National transonic facility Mach number system  
p 597 A86-38076  
Comparison of hot-wire measurement techniques in a Mach 3 pilot quiet tunnel  
p 605 A86-38235  
Retrofitting avionics - Closing the performance 'generation gap'  
[SAE PAPER 851813] p 589 A86-38324  
Leading-edge design for improved spin resistance of wings incorporating conventional and advanced airfoils  
[SAE PAPER 851816] p 578 A86-38325  
Pivotal strakes for high angle of attack control  
[SAE PAPER 851821] p 593 A86-38329  
The impact of technology on fighter aircraft requirements  
[SAE PAPER 851841] p 579 A86-38336  
A faster 'transition' to laminar flow  
[SAE PAPER 851855] p 548 A86-38347  
NASA experiments onboard the controlled impact demonstration  
[SAE PAPER 851885] p 568 A86-38352  
Aircraft Landing Dynamics Facility - A unique facility with new capabilities  
[SAE PAPER 851938] p 596 A86-38371  
The generation of tire cornering forces in aircraft with a free-swiveling nose gear  
[SAE PAPER 851939] p 581 A86-38372  
Navier-Stokes computations of lee-side flows over delta wings  
[AIAA PAPER 86-1049] p 548 A86-38420  
Effects of wind-tunnel noise on swept-cylinder transition at Mach 3.5  
[AIAA PAPER 86-1085] p 550 A86-38447  
Effects of cone surface waviness and freestream noise on transition in supersonic flow  
[AIAA PAPER 86-1086] p 550 A86-38448  
An investigation of the effects of the propeller slipstream of a laminar wing boundary layer  
[SAE PAPER 850859] p 551 A86-38502  
Structural analysis of the controlled impact demonstration of a jet transport airplane  
[AIAA PAPER 86-0939] p 583 A86-38836  
Equivalent plate analysis of aircraft wing box structures with general planform geometry  
[AIAA PAPER 86-0940] p 583 A86-38837  
Buckling behavior of Rene 41 tubular panels for a hypersonic aircraft wing  
[AIAA PAPER 86-0978] p 609 A86-38857  
Unsteady transonic flow calculations for wing-fuselage configurations  
[AIAA PAPER 86-0862] p 552 A86-38897  
Nonisentropic unsteady three dimensional small disturbance potential theory  
[AIAA PAPER 86-0863] p 552 A86-38898  
Application of the unsteady vortex-lattice method to the nonlinear two-degree-of-freedom aeroelastic equations  
[AIAA PAPER 86-0867] p 585 A86-38902  
A computational transonic flutter boundary tracking procedure  
[AIAA PAPER 86-0902] p 553 A86-38913  
Crash energy absorbing composite sub-floor structure  
[AIAA PAPER 86-0944] p 585 A86-38952  
Computer sizing of fighter aircraft  
[AIAA PAPER 85-0212] p 637 A86-40106  
Viscous effects on transonic airfoil stability and response  
p 623 A86-40110  
Unsteady transonic flow calculations for interfering lifting surface configurations  
p 623 A86-40118  
Development of a reusable, flight-weight cryogenic foam insulation system  
[AIAA PAPER 86-1189] p 658 A86-40612

- Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes p 634 A86-41695
- A forward-swept-wing fighter configuration designed by a transonic computational method p 638 A86-41696
- Application of a supersonic Euler code (SWINT) to wing-body-tail geometries p 624 A86-41697
- Measured and predicted heating distributions for biconics at Mach 10 p 624 A86-41734
- Effect of silane concentration on the supersonic combustion of a silane/methane mixture [AIAA PAPER 86-1396] p 663 A86-42610
- Study of hypersonic inlet flow fields with a three-dimensional Navier-Stokes code [AIAA PAPER 86-1426] p 624 A86-42635
- A detailed numerical model of a supersonic reacting mixing layer [AIAA PAPER 86-1427] p 671 A86-42636
- Dynamic pressure loads associated with twin supersonic plume resonance [AIAA PAPER 86-1539] p 646 A86-42701
- Flight research on natural laminar flow nacelles - A progress report [AIAA PAPER 86-1629] p 627 A86-42762
- Failure detection and accommodation in structural dynamics systems using analytic redundancy p 658 A86-42938
- X-ray fluorescence analysis of wear metals in used lubricating oils p 673 A86-43430
- Far-field boundary conditions for transonic lifting solutions to the Euler equations p 689 A86-44855
- An approximate model of vortex decay in the atmosphere p 689 A86-44889
- Application of the Baseline Rotonet system to the prediction of helicopter tone noise [AIAA PAPER 86-1904] p 750 A86-45405
- Counter-rotating propeller noise directivity and trends [AIAA PAPER 86-1927] p 751 A86-45418
- Pusher propeller noise directivity and trends [AIAA PAPER 86-1929] p 751 A86-45420
- Predicted and measured strain response of rectangular panels due to acoustic loading [AIAA PAPER 86-1931] p 751 A86-45421
- Shock noise from supersonic jets in simulated flight to Mach 0.4 [AIAA PAPER 86-1945] p 752 A86-45432
- Active control of propeller induced noise fields inside a flexible cylinder [AIAA PAPER 86-1957] p 711 A86-45442
- Advanced turboprop aircraft noise annoyance - A review of recent NASA research [AIAA PAPER 86-1959] p 752 A86-45444
- Concepts for reduction of blade-vortex interaction noise [AIAA PAPER 86-1855] p 753 A86-45477
- Surface pressure measurement during low speed two-dimensional blade-vortex interaction [AIAA PAPER 86-1856] p 753 A86-45478
- A feasibility study on the numerical modeling of interior noise fields [AIAA PAPER 86-1862] p 754 A86-45482
- Acoustic properties associated with rectangular geometry supersonic nozzles [AIAA PAPER 86-1867] p 754 A86-45487
- Aerodynamics via acoustics - Application of acoustic formulas for aerodynamic calculations [AIAA PAPER 86-1877] p 691 A86-45494
- Research in lightning swept-stroke attachment patterns and flight conditions with the NASA F-108B airplane p 791 A86-47318
- Time scale analysis of a closed-loop discrete optimal control system [AIAA PAPER 86-1995] p 852 A86-47417
- Simulation results of automatic restructurable flight control system concepts [AIAA PAPER 86-2032] p 821 A86-47422
- Evaluation of total energy-rate feedback for glidescope tracking in wind shear [AIAA PAPER 86-2035] p 822 A86-47424
- Design factors and considerations for a time-based flight management system [AIAA PAPER 86-2144] p 822 A86-47455
- Design considerations for flight test of a fault inferring nonlinear detection system algorithm for avionics sensors [AIAA PAPER 86-2030] p 810 A86-47511
- NASA B737 flight test results of the Total Energy Control System [AIAA PAPER 86-2143] p 826 A86-47516
- The interpretation of flying qualities requirements for flight control design [AIAA PAPER 86-2249] p 826 A86-47523
- Composites in today's and tomorrow's U.S. airliners p 841 A86-47603
- Use of flight simulation to develop terminal instrument procedures for transport category aircraft [AIAA PAPER 86-2072] p 837 A86-47662
- Pilot evaluation of experimental flight trajectories in the near-terminal area [AIAA PAPER 86-2074] p 838 A86-47664
- Effects of time delay and pitch control sensitivity in the flared landing [AIAA PAPER 86-2075] p 831 A86-47706
- Boundary-layer transition effects on airplane stability and control [AIAA PAPER 86-2229] p 831 A86-47708
- An artificial intelligence approach to onboard fault monitoring and diagnosis for aircraft applications [AIAA PAPER 86-2093] p 853 A86-48577
- Investigation of the level difference between sound pressure and sound intensity in an aircraft cabin under different fuselage conditions p 799 A86-48738
- The impact of emerging technologies on an advanced supersonic transport p 761 A86-48997
- Flight management concepts compatible with air traffic control p 788 A86-49018
- Algebraic grid generation about wing-fuselage bodies p 772 A86-49028
- Experimental study of effects of forebody geometry on high angle of attack static and dynamic stability and control p 833 A86-49039
- Forebody vortex management for yaw control at high angles of attack p 833 A86-49047
- Structural dynamics research in a full-scale transport aircraft crash test p 785 A86-49053
- Estimation of aerodynamic parameters from flight data of a high incidence research model p 834 A86-49057
- Integrated structure/control design - Present methodology and future opportunities p 854 A86-49094
- Applications of potential theory computations to transonic aeroelasticity p 775 A86-49105
- Topics in landing gear dynamics research at NASA Langley p 803 A86-49120
- Wing laminar boundary layer in the presence of a propeller slipstream p 776 A86-49122
- An entropy correction method for unsteady full potential flows with strong shocks [AIAA PAPER 86-1768] p 777 A86-49576
- High-angle-of-attack aerodynamics - Lessons learned [AIAA PAPER 86-1774] p 777 A86-49578
- Flowfield survey over a 75 deg swept delta wing at an angle of attack of 20.5 deg [AIAA PAPER 86-1775] p 777 A86-49579
- A new, improved method for separating turbulent boundary layer for aerodynamic performance prediction of trailing edge stall airfoils [AIAA PAPER 86-1832] p 779 A86-49590
- Advanced ATC - An aircraft perspective p 788 A86-49637
- Airfoil trailing-edge flow measurements p 780 A86-49803
- Implicit hybrid schemes for the flux-difference split, three-dimensional Navier-Stokes equations p 850 A86-50258
- F-106 data summary and model results relative to threat criteria and protection design analysis p 786 A86-50259
- A wide bandwidth electrostatic field sensor for lightning research p 850 A86-50260
- Laminar flow research applicable to subsonic aircraft p 781 A86-50269
- Effect of surface waviness on a supercritical laminar-flow-control airfoil [NASA-TM-85705] p 86 A86-12206
- Effect of measured material properties on the finite element analysis of an OH-58 composite tail boom [NASA-TM-86430] p 116 A86-12259
- Advanced emergency openings for commercial aircraft [NASA-TM-87580] p 91 A86-13305
- Abrasion behavior of aluminum and composite skin coupons, stiffened skins and stiffened panels representative of transport airplane structures [NASA-TP-2520] p 100 A86-13316
- Ground vibration test of the laminar flow control JStar airplane [NASA-TM-86398] p 100 A86-13321
- A preliminary evaluation of the generalized likelihood ratio for detecting and identifying control element failures in a transport aircraft [NASA-TM-87620] p 111 A86-13332
- Effects of digital altimetry on pilot workload [NASA-TM-86424] p 126 A86-13892
- The mission oriented terminal area simulation facility [NASA-TM-87621] p 128 A86-13944
- A method to stabilize linear systems using eigenvalue gradient information [NASA-TP-2479] p 128 A86-13946
- Theoretical and experimental flow fields for a supersonic cruise fighter forebody [NASA-TM-86450] p 146 A86-14218
- A fourth-order scheme for the unsteady compressible Navier-Stokes equations [NASA-CR-177994] p 147 A86-14221
- Semiempirical method for predicting vortex-induced rolling moments [NASA-TM-87579] p 147 A86-14222
- FLEXWAL: A computer program for predicting the wall modifications for two-dimensional, solid, adaptive-wall tunnels [NASA-TM-84648] p 150 A86-14250
- Determination of corrections to flow direction sensor measurements over an angle-of-attack range from 0 degree to 85 degrees [NASA-TM-86402] p 167 A86-14267
- Failure mechanisms of laminates transversely loaded by bolt push-through [NASA-TM-87603] p 184 A86-14314
- Hypersonic characteristics of an advanced aerospace plane at Mach 20.3 [NASA-TM-86435] p 152 A86-15245
- Investigation of a supersonic cruise fighter model flow field [NASA-TM-86361] p 152 A86-15248
- Design considerations for application of laminar flow control systems to transport aircraft p 155 A86-15270
- Turbulent drag reduction for external flows p 156 A86-15271
- Lifting surface theory for a helicopter rotor in forward flight p 156 A86-15287
- Aeroelastic considerations for torsionally soft rotors p 157 A86-15289
- Prediction of wing aeroelastic effects on aircraft lift and pitching moment characteristics [NASA-TM-87631] p 178 A86-15319
- Vortex wake alleviation studies with a variable twist wing [NASA-TP-2442] p 197 A86-16187
- Aerodynamic characteristics of a high-wing transport configuration with a over-the-wing nacelle-pylon arrangement [NASA-TP-2497] p 207 A86-16193
- Pressure distributions from high Reynolds number tests of a Boeing BAC 1 airfoil in the Langley 0.3-meter transonic cryogenic tunnel [NASA-TM-87600] p 208 A86-16199
- Some comparisons of US and USSR aircraft design developments [NASA-TM-87611] p 214 A86-16208
- Supersonic aerodynamic characteristics of some reentry concepts for angles of attack to 90 deg [NASA-TM-87645] p 243 A86-16243
- Image processing of aerodynamic data [NASA-TM-87629] p 255 A86-16553
- Stress analysis of 27% scale model of AH-64 main rotor hub [NASA-TM-87625] p 256 A86-16613
- Comparison of advanced turboprop and conventional jet and propeller aircraft flyover noise annoyance: Preliminary results [NASA-TM-87637] p 265 A86-17077
- Separation of airborne and structureborne noise radiated by plates constructed of conventional and composite materials with applications for prediction of interior noise paths in propeller driven aircraft [NASA-TM-87414] p 265 A86-18121
- Compressible, unsteady lifting-surface theory for a helicopter rotor in forward flight [NASA-TP-2503] p 277 A86-18289
- Low-speed wind-tunnel investigation of the effect of strakes and nose machines on lateral-directional stability of a fighter configuration [NASA-TM-87641] p 278 A86-19287
- Loads and aeroelasticity division research and technology accomplishments for FY 1985 and plans for FY 1986 [NASA-TM-87676] p 278 A86-19288
- Application of mathematical optimization procedures to a structural model of a large finite-element wing [NASA-TM-87597] p 322 A86-19661
- Acoustic guide for noise transmission testing of aircraft [NASA-CASE-LAR-13111-1-CU] p 332 A86-20086
- Status and capabilities of sonic boom simulators [NASA-TM-87664] p 332 A86-20088
- Aeroelasticity at the NASA Langley Research Center: Recent progress, new challenges [NASA-TM-87660] p 336 A86-20342
- Effect of underwing aft-mounted nacelles on the longitudinal aerodynamic characteristics of a high-wing transport airplane [NASA-TP-2447] p 339 A86-20345
- Installation effects of long-duct pylon-mounted nacelles on a twin-jet transport model with swept supercritical wing [NASA-TP-2457] p 339 A86-20346

- Aerodynamic characteristics of several current helicopter tail boom cross sections including the effect of spoilers  
[NASA-TP-2506] p 339 N86-20349
- Flight measurements of surface pressures on a flexible supercritical research wing  
[NASA-TP-2501] p 339 N86-20350
- The application to airfoils of a technique for reducing orifice-induced pressure error at high Reynolds numbers  
[NASA-TP-2537] p 339 N86-20351
- Effects of planform geometry on hover performance of a 2-meter-diameter model of a four-bladed rotor  
[NASA-TM-87607] p 340 N86-20358
- Airplane automatic control force trimming device for asymmetric engine failures  
[NASA-CASE-LAR-13280-1] p 369 N86-20397
- Strength of graphite/epoxy bolted wing-skin splice specimens subjected to outdoor exposure under constant load and yearly fatigue loading  
[NASA-TP-2542] p 378 N86-20508
- New techniques for experimental generation of two-dimensional blade-vortex interaction at low Reynolds numbers  
[NASA-TP-2551] p 401 N86-21280
- Integration effects of underwing forward- and rearward-mounted separate-flow, flow-through nacelles on a high-wing transport  
[NASA-TM-87627] p 342 N86-21514
- A new method for laminar boundary layer transition visualization in flight: Color changes in liquid crystal coatings  
[NASA-TM-87666] p 342 N86-21518
- STEP and STEPSPL: Computer programs for aerodynamic model structure determination and parameter estimation  
[NASA-TM-86410] p 370 N86-21549
- Effects of wing modification on an aircraft's aerodynamic parameters as determined from flight data  
[NASA-TM-87591] p 370 N86-21550
- Full-Scale Transport controlled Impact Demonstration  
[NASA-CP-2395] p 390 N86-21933
- CID overview  
p 390 N86-21934
- NASA experiments on the B-720 structure and seats  
p 390 N86-21936
- Structural loads preliminary results  
p 391 N86-21940
- Controlled impact demonstration on-board (interior) photographic system  
p 392 N86-21946
- CID-720 aircraft high-environment flight instrumentation system  
p 392 N86-21947
- Impact dynamics instrumentation  
p 392 N86-21948
- CID-720 aircraft Langley Research Center preflight hardware tests: Development, flight acceptance and qualification  
p 392 N86-21949
- Equivalent plate analysis of aircraft wing box structures with general planform geometry  
[NASA-TM-87697] p 392 N86-21954
- Airport-Noise Levels and Annoyance Model (ALAMO) user's guide  
[NASA-TM-87695] p 401 N86-22304
- Airport-Noise Levels and Annoyance Model (ALAMO) system's reference manual  
[NASA-TM-87694] p 401 N86-22305
- Low-speed wind-tunnel tests of single- and counter-rotation propellers  
[NASA-TM-87656] p 415 N86-22552
- Effects of some geometric variations on missile aerodynamic characteristics at supersonic speeds  
[NASA-TM-87683] p 415 N86-22553
- Supersonic axial-force characteristics of a rectangular-box cavity with various length-to-depth ratios in a flat plate  
[NASA-TM-87659] p 415 N86-22554
- A methodology for airplane parameter estimation and confidence interval determination in nonlinear estimation problems  
[NASA-RP-1153] p 445 N86-22579
- Low-speed stability and control characteristics of a transport model with aft-fuselage-mounted advanced turboprops  
[NASA-TP-2535] p 445 N86-22580
- A combined integrating and differentiating matrix formulation for boundary value problems on rectangular domains  
[NASA-CR-178074] p 466 N86-23350
- Some lessons learned with wind tunnels  
[NASA-TM-87710] p 408 N86-23555
- Static investigation of two STOL nozzle concepts with pitch thrust-vectoring capability  
[NASA-TP-2559] p 415 N86-23559
- Aerodynamic characteristics of a supersonic fighter aircraft model at Mach 0.40 to 2.47  
[NASA-TP-2580] p 416 N86-23561
- Effects of upper-surface nacelles on longitudinal aerodynamic characteristics of high-wing transport configuration  
[NASA-TP-2579] p 416 N86-23562
- User's guide for NASCRIN: A vectorized code for calculating two-dimensional supersonic internal flow fields  
[NASA-TM-85708] p 416 N86-23565
- Geometric and structural properties of a rectangular supercritical wing oscillated in pitch for measurement of unsteady transonic pressure distributions  
[NASA-TM-85673] p 416 N86-23567
- Statistical analysis of direct-strike lightning data (1980 to 1982)  
[NASA-TP-2252] p 463 N86-24090
- The 1982 direct strike lightning data  
[NASA-TM-84626] p 463 N86-24091
- Consideration of some factors affecting low-frequency fuselage noise transmission for propeller aircraft  
[NASA-TP-2552] p 469 N86-24393
- Unsteady transonic flow calculations for wing-fuselage configurations  
[NASA-TM-87707] p 478 N86-24657
- Nonisentropic unsteady three dimensional small disturbance potential theory  
[NASA-TM-87726] p 479 N86-24663
- Rotor performance characteristics from an aeroacoustic helicopter wind-tunnel test program  
[NASA-TM-87661] p 479 N86-24665
- Loads and motions of an F-106B flying through thunderstorms  
[NASA-TM-87671] p 483 N86-24672
- Ice detector  
[NASA-CASE-LAR-13403-1] p 483 N86-24673
- Ground vibration test of an F-16 airplane with modified decoupler pylons  
[NASA-TM-87634] p 496 N86-24685
- Lateral and longitudinal aerodynamic stability and control parameters of the basic vortex flap research aircraft as determined from flight test data  
[NASA-TM-87711] p 512 N86-24703
- Theoretical three-and four-axis gimbal robot wrists  
[NASA-TP-2564] p 533 N86-25168
- Aircraft Noise Prediction Program theoretical manual: Propeller aerodynamics and noise  
[NASA-TM-83199-PT-3] p 536 N86-25220
- Experimental study of the effects of installation on singleand counter-rotation propeller noise  
[NASA-TP-2541] p 536 N86-26162
- Langley aerospace test highlights, 1985  
[NASA-TM-87703] p 537 N86-26276
- Tables for correcting airfoil data obtained in the Langley 0.3-meter transonic cryogenic tunnel for sidewall boundary-layer effects  
[NASA-TM-87723] p 555 N86-26289
- Lightning discharge protection rod  
[NASA-CASE-LAR-13470-1] p 569 N86-26296
- Unsteady aerodynamics-fundamentals and applications to aircraft dynamics  
[NASA-TM-88768] p 555 N86-27182
- Vortex Flow Aerodynamics, volume 1  
[NASA-CP-2416-VOL-1] p 556 N86-27190
- Vortex lift research: Early contributions and some current challenges  
p 556 N86-27191
- Leading-edge vortex research: Some nonplanar concepts and current challenges  
p 556 N86-27192
- Recent extensions to the free-vortex-sheet theory for expanded convergence capability  
p 556 N86-27194
- In-flight and wind tunnel leading-edge vortex study on the F-106B airplane  
p 557 N86-27198
- Computation of leading-edge vortex flows  
p 558 N86-27205
- An overview of the fundamental aerodynamics branch's research activities in wing leading-edge vortex flows at supersonic speeds  
p 558 N86-27207
- Evaluation of 3 numerical methods for propulsion integration studies on transonic transport configurations  
[NASA-TM-87727] p 559 N86-27209
- Recent experiences of unsteady aerodynamic effects on aircraft flight dynamics at high angle of attack  
p 564 N86-27252
- Divergence study of a high-aspect ratio, forward-swept wing  
[NASA-TM-87682] p 588 N86-27279
- Aircraft liftmeter  
[NASA-CASE-LAR-12518-1] p 590 N86-27280
- Users guide: Steady-state aerodynamic-loads program for shuttle TPS tiles  
[NASA-TM-85724] p 800 N86-27406
- Optimized bolted joint  
[NASA-CASE-LAR-13250-1] p 612 N86-27630
- Airborne lidar measurements of El Chichon stratospheric aerosols  
[NASA-RP-1166] p 616 N86-27635
- Spectra of noise and amplified turbulence emanating from shock-turbulence interaction: Two scenarios  
[NASA-TM-88766] p 620 N86-27970
- Multiaxis aircraft control power from thrust vectoring at high angles of attack  
[NASA-TM-87741] p 629 N86-28054
- Loads calibrations of strain gage bridges on the DAST project Aeroelastic Research Wing (ARW-2)  
[NASA-TM-87677] p 639 N86-28075
- Implementation and flight tests for the Digital Integrated Automatic Landing System (DIALS). Part 2: Complete set of flight data  
[NASA-TM-87632-PT-2] p 653 N86-28093
- Feasibility study of optical boundary layer transition detection method  
[NASA-CR-178109] p 675 N86-28375
- Feasibility of a nuclear gauge for fuel quantity measurement aboard aircraft  
[NASA-TM-87706] p 675 N86-28385
- Improvement in the quality of flow visualization in the Langley 0.3-meter transonic cryogenic tunnel  
[NASA-TM-87730] p 675 N86-28389
- Wind-tunnel acoustic results of two rotor models with several tip designs  
[NASA-TM-87698] p 682 N86-28701
- Design considerations for flight test of a fault inferring nonlinear detection system algorithm for avionics sensors  
[NASA-TM-88998] p 637 N86-28933
- Implementation and flight tests for the Digital Integrated Automatic Landing System (DIALS). Part 1: Flight software equations, flight test description and selected flight test data  
[NASA-TM-87632-PT-1] p 653 N86-28950
- Interface of the transport systems research vehicle monochrome display system to the digital autonomous terminal access communication data bus  
[NASA-TM-87728] p 656 N86-28961
- Process for preparing essentially colorless polyimide film containing phenoxy-linked diamines  
[NASA-CASE-LAR-13353-1] p 666 N86-29039
- Evaluation of a quartz bourdon pressure gage of wind tunnel Mach number control system application  
[NASA-TM-88991] p 677 N86-29198
- Interaction of airborne and structureborne noise radiated by plates. Volume 2: Experimental study  
[NASA-TM-87747] p 683 N86-29632
- Interaction of airborne and structureborne noise radiated by plates. Volume 1: Analytical study  
[NASA-TM-87746] p 683 N86-29633
- Motion and interaction of decaying trailing vortices in spanwise shear wind  
[NASA-TP-2599] p 687 N86-29762
- Pseudo-time algorithms for the Navier-Stokes equations  
[NASA-CR-178127] p 694 N86-29776
- An entropy correction method for unsteady full potential flows with strong shocks  
[NASA-TM-87769] p 694 N86-29777
- Flight test of a decoupler pylon for wing/store flutter suppression  
[NASA-TM-87767] p 714 N86-29814
- Design and fabrication of large suction panels with perforated surfaces for laminar flow control testing in a transonic wind tunnel  
[NASA-TM-89011] p 715 N86-29815
- Adaptive wall wind tunnels: A selected, annotated bibliography  
[NASA-TM-87639] p 731 N86-29871
- Cryogenic wind tunnels for high Reynolds number testing  
[NASA-TM-87743] p 731 N86-29872
- Technique for measuring side forces on a banked aircraft with a free-swiveling nose gear  
[NASA-TM-87719] p 743 N86-30233
- Development of an algorithm to model an aircraft equipped with a generic CDTI display  
[NASA-TM-87732] p 748 N86-30349
- Sonic-boom research: Selected bibliography with annotation  
[NASA-TM-87685] p 756 N86-30470
- A new version of the helicopter aural detection program, ICHIN  
[NASA-TM-87745] p 756 N86-30471
- Development of a flutter suppression control law by use of linear quadratic Gaussian and constrained optimization design techniques  
p 728 N86-30647
- Comparison of experimental surface pressures with theoretical predictions on twin two-dimensional convergent-divergent nozzles  
[NASA-TM-87757] p 697 N86-30694
- Experimental and numerical results for a generic axisymmetric angle-engine afterbody with tails at transonic speeds  
[NASA-TM-87755] p 697 N86-30695

- Impact data from a transport aircraft during a controlled impact demonstration  
[NASA-TP-2589] p 718 N86-30721
- Aeroelastic considerations for torsionally soft rotors  
[NASA-TM-87687] p 745 N86-31070
- Geometrical description for a proposed aerassist flight experiment vehicle  
[NASA-TM-87714] p 749 N86-31237
- Acoustic treatment of the NASA Langley 4- by 7-meter tunnel: A feasibility study  
[NASA-TP-2563] p 757 N86-31337
- Advanced turboprop noise prediction: Development of a code at NASA Langley based on recent theoretical results  
[NASA-TM-88993] p 757 N86-31338
- Structureborne noise in aircraft: Modal tests  
[NASA-TM-87739] p 757 N86-31339
- Directivity and trends of noise generated by a propeller in a wake  
[NASA-TP-2609] p 757 N86-31341
- Low-speed aerodynamic characteristics of a 1/8-scale X-29A airplane model at high angles of attack and sideslip  
[NASA-TM-87722] p 781 N86-31532
- Flight test of passive wing/store flutter suppression  
[NASA-TM-87766] p 806 N86-31568
- Development of a takeoff performance monitoring system  
[NASA-TM-89001] p 835 N86-31591
- National Aeronautics and Space Administration. Lewis Research Center, Cleveland, Ohio.**
- Fiber optics for propulsion control systems  
[ASME PAPER 84-GT-97] p 105 A86-13054
- High-temperature thermocouple and heat flux gauge using a unique thin film hardware hot junction  
[ASME PAPER 85-GT-18] p 117 A86-13059
- Local heat-transfer measurements on a large scale-model turbine blade airfoil using a composite of a heater element and liquid crystals  
[ASME PAPER 85-GT-59] p 117 A86-13061
- Sensor failure detection for jet engines using analytical redundancy  
p 106 A86-14226
- Vibration analysis of rotating turbomachinery blades by an improved finite difference method  
p 106 A86-14338
- Ice shapes and the resulting drag increase for a NACA 0012 airfoil  
[AIAA PAPER 84-0109] p 90 A86-14427
- DEAN - A program for Dynamic Engine Analysis  
[AIAA PAPER 85-1354] p 106 A86-14430
- Subscale-model and full-scale engine mixed-flow exhaust system performance comparison  
p 106 A86-14528
- Ribbon-burner simulation of T-700 turbine shroud for ceramic-lined seals research  
p 106 A86-15225
- Experimental study of ceramic-coated tip seals for turbojet engines  
p 121 A86-15227
- Lubrication and performance of high-speed rolling-element bearings  
p 248 A86-19375
- The effect of acoustic reflections on combustor noise measurements  
p 265 A86-20364
- A review and analysis of boundary layer transition data for turbine application  
[ASME PAPER 85-GT-83] p 251 A86-22054
- NASA Lewis Research Center/university graduate research program on engine structures  
[ASME PAPER 85-GT-159] p 252 A86-22084
- Velocity and temperature decay characteristics of inverted-profile jets  
[AIAA PAPER 86-0312] p 206 A86-22693
- Formation and characterization of simulated small droplet icing clouds  
[AIAA PAPER 86-0409] p 254 A86-22700
- Aerodynamic detuning analysis of an unstalled supersonic turbofan cascade  
[ASME PAPER 85-GT-192] p 270 A86-22732
- Fuel deposit characteristics at low velocity  
[ASME PAPER 85-IGT-130] p 313 A86-23922
- Forced response analysis of an aerodynamically detuned supersonic turbomachine rotor  
p 363 A86-26902
- Aerospace applications of PMR polyimide composites  
p 377 A86-27730
- Aerodynamic and structural detuning of supersonic turbomachine rotors  
p 440 A86-31595
- Dynamic characteristics of an assembly of prop-fan blades  
[ASME PAPER 85-GT-134] p 441 A86-32956
- Influence of friction dampers on torsional blade flutter  
[ASME PAPER 85-GT-170] p 441 A86-32957
- The application of LQR synthesis techniques to the turbofan engine control problem  
p 502 A86-35614
- The aerodynamics of rotor blades with ice shapes accreted in hover and in level flight  
p 476 A86-35655
- The performance characteristics of simulated ice on rotorcraft airfoils  
p 482 A86-35656
- Performance degradation of helicopters due to icing - A review  
p 494 A86-35688
- Flow field and near and far sound field of a subsonic jet  
p 476 A86-35855
- Na<sub>2</sub>SO<sub>4</sub> induced corrosion of nickel at high temperature  
p 517 A86-37073
- Upper air forecasting for aviation in the United States  
p 615 A86-37501
- The STOL performance of a two-engine, USB powered-lift aircraft with cross-shafted fans  
[SAE PAPER 851839] p 578 A86-38336
- Passive control of aerodynamically forced vibrations of supersonic turbomachine rotors by splitter blades  
[AIAA PAPER 86-0844] p 590 A86-38892
- The measurement of aircraft performance and stability and control after flight through natural icing conditions  
[AIAA PAPER 86-9758] p 651 A86-40681
- Modeling wind tunnel effects on the radiation characteristics of acoustic sources  
p 682 A86-41689
- Numerical evaluation of propeller noise including nonlinear effects  
p 645 A86-41726
- An LU implicit scheme for high speed inlet analysis  
[AIAA PAPER 86-1520] p 625 A86-42687
- Improved Euler analysis of advanced turboprop propeller flows  
[AIAA PAPER 86-1521] p 625 A86-42688
- Advanced rotary engine components utilizing fiber reinforced Mg castings  
[AIAA PAPER 86-1559] p 683 A86-42712
- A numerical analysis applied to high angle of attack three-dimensional inlets  
[AIAA PAPER 86-1527] p 627 A86-42760
- Mode II fatigue crack growth specimen development  
p 736 A86-43566
- Fatigue life analysis of a turboprop reduction gearbox  
[ASME PAPER 85-DET-10] p 738 A86-45256
- An experimental investigation of reducing advanced turboprop cabin noise by wing shielding  
[AIAA PAPER 86-1966] p 711 A86-45449
- Computational engine structural analysis  
[ASME PAPER 86-GT-70] p 813 A86-48141
- Toward improved durability in advanced combustors and turbines - Progress in prediction of thermomechanical loads  
[ASME PAPER 86-GT-172] p 815 A86-48224
- Stratified charge rotary engine for general aviation  
[ASME PAPER 86-GT-181] p 815 A86-48231
- NASA's aircraft icing analysis program  
p 786 A86-49107
- Unified constitutive materials model development and evaluation for high-temperature structural analysis applications  
p 849 A86-49133
- An approach to the calculation of the pressure field produced by rigid wide chord dual rotation propellers of high solidity in compressible flow  
[AIAA PAPER 86-0467] p 856 A86-49566
- Plume characteristics of single-stream and dual-flow conventional and inverted-profile nozzles at equal thrust  
[AIAA PAPER 86-1809] p 778 A86-49585
- Small gas turbine combustor experimental study - Compliant metal/ceramic liner and performance evaluation  
[AIAA PAPER 86-1452] p 818 A86-49611
- Perspectives on dilution jet mixing  
[AIAA PAPER 86-1611] p 818 A86-49614
- Preliminary results of unsteady blade surface pressure measurements for the SR-3 propeller  
[AIAA PAPER 86-1893] p 780 A86-49625
- Fluid machines: Expanding the limits, past and future  
[NASA-TM-87161] p 107 N86-12227
- Wind tunnel turning vanes of modern design  
[NASA-TM-87146] p 113 N86-12239
- Polymer, metal and ceramic matrix composites for advanced aircraft engine applications  
[NASA-TM-87132] p 117 N86-13407
- Heat transfer and pressure drop performance of a finned-tube heat exchanger proposed for use in the NASA Lewis Altitude Wind Tunnel  
[NASA-TM-87151] p 123 N86-13677
- Preliminary measurement of the noise from the 2/9 scale model of the Large-scale Advanced Propfan (LAP) propeller, SR-7A  
[NASA-TM-87116] p 129 N86-14006
- Some design philosophy for reducing the community noise of advanced counter-rotation propellers  
[NASA-TM-87099] p 129 N86-14007
- Velocity and temperature decay characteristics of inverted-profile jets  
[NASA-TM-87159] p 147 N86-14223
- A model for closing the inviscid form of the average-passage equation system  
[NASA-TM-87199] p 147 N86-14224
- Formation and characterization of simulated small droplet icing clouds  
[NASA-TM-87180] p 188 N86-14554
- Dynamic response of film thickness in spiral-groove face seals  
[NASA-TP-2544] p 174 N86-15313
- Validation of viscous and inviscid computational methods for turbomachinery components  
[NASA-TM-87193] p 207 N86-16194
- A numerical simulation of the inviscid flow through a counter-rotating propeller  
[NASA-TM-87200] p 207 N86-16195
- Study of ice accretion on icing wind tunnel components  
[NASA-TM-87095] p 242 N86-16232
- Progress in the Lewis Research Center Altitude Wind Tunnel (AWT) Modeling Program  
[NASA-TM-87194] p 242 N86-16233
- Mass balancing of hollow fan blades  
[NASA-TM-87197] p 255 N86-16611
- Current wind tunnel capability and planned improvements at Lewis Research Center  
[NASA-TM-87190] p 311 N86-18329
- Partitioning and packing mathematical simulation models for calculation on parallel computers  
[NASA-TM-87170] p 330 N86-19008
- Laboratory experiments on active suppression of advanced turboprop noise  
[NASA-TM-87129] p 331 N86-19125
- Method for improving the fuel efficiency of a gas turbine engine  
[NASA-CASE-LEW-13142-2] p 364 N86-20389
- Piezoelectric deicing device  
[NASA-CASE-LEW-13773-2] p 388 N86-20671
- Programmable, automated transistor test system  
[NASA-TP-2554] p 389 N86-21755
- The measurement of aircraft performance and stability and control after flight through natural icing conditions  
[NASA-TM-87265] p 446 N86-22582
- Ceramic thermal barrier coatings for electric utility gas turbine engines  
[NASA-TM-87288] p 452 N86-22687
- A numerical analysis applied to high angle of attack three-dimensional inlets  
[NASA-TM-87298] p 478 N86-24658
- In-flight measurements of wing ice shapes and wing section drag increases caused by natural icing conditions  
[NASA-TM-87301] p 479 N86-24667
- Low-speed performance of an axisymmetric, mixed-compression, supersonic inlet with auxiliary inlets  
[NASA-TP-2557] p 503 N86-24694
- A real-time simulation evaluation of an advanced detection, isolation and accommodation algorithm for sensor failures in turbine engines  
[NASA-TM-87289] p 504 N86-24697
- Passive eddy-current damping as a means of vibration control in cryogenic turbomachinery  
[NASA-TP-2562] p 515 N86-24722
- Unsteady heat transfer and direct comparison to steady-state measurements in a rotor-wake experiment  
[NASA-TM-87220] p 524 N86-24934
- Testing of YUH-61A helicopter transmission in NASA Lewis 2240-kW (3000-hp) facility  
[NASA-TP-2538] p 525 N86-24992
- An estimate of the enroute noise of an advanced turboprop airplane NASA-TM-87302 E-3020 NAS 1.15:87302 HC A02/MF A01  
[NASA-TM-87302] p 535 N86-25217
- An experimental investigation of reducing advanced turboprop cabin noise by wing shielding  
[NASA-TM-87112] p 536 N86-25218
- Generation of spiral bevel gears with zero kinematical errors and computer aided tooth contact analysis  
[NASA-TM-87273] p 527 N86-25793
- Plume characteristics of single-stream and dual-flow conventional and inverted-profile nozzles at equal thrust  
[NASA-TM-87323] p 554 N86-26285
- Preliminary results of unsteady blade surface pressure measurements for the SR-3 propeller  
[NASA-TM-87352] p 559 N86-27213
- Laser fringe anemometry for aero engine components  
[NASA-TM-88798] p 629 N86-28053
- Uniform engine testing program phase 7: NASA Lewis Research Center second entry  
[NASA-TM-87272] p 650 N86-28085
- Experimental classical flutter results of a composite advanced turboprop model  
[NASA-TM-88792] p 678 N86-29271
- Modeling the effects of wind tunnel wall absorption on the acoustic radiation characteristics of propellers  
[NASA-TM-87333] p 683 N86-29630
- NASA's Aircraft Icing Analysis Program  
[NASA-TM-88791] p 786 N86-31548
- In-flight photogrammetric measurement of wing ice accretions  
[NASA-TM-87191] p 806 N86-31562

- Small gas turbine combustor experimental study: Compliant metal/ceramic liner and performance evaluation  
[NASA-TM-87304] p 819 N86-31582
- Aeropropulsion opportunities for the 21st century  
[NASA-TM-88817] p 819 N86-31585
- A parametric study of a gas-generator air turbo ramjet (ATR)  
[NASA-TM-88808] p 819 N86-31586
- An overview of the Small Engine Component Technology (SECT) studies  
[NASA-TM-88796] p 819 N86-31587
- Turbulent dispersion of the icing cloud from spray nozzles used in icing tunnels  
[NASA-TM-87316] p 820 N86-31588
- National Aeronautics and Space Administration.**  
**Marshall Space Flight Center, Huntsville, Ala.**
- Measurements of rotating bubble shapes in low-gravity environment  
p 251 A86-21996
- Characteristics pertaining to a stiffness cross-coupled Jeffcott model  
[ASME PAPER 85-DET-144] p 523 A86-37071
- An Orbital Maneuvering Vehicle simulator  
p 658 A86-40515
- New vistas in the determination of hydrogen in aerospace engine metal alloys  
[AIAA PAPER 86-1479] p 663 A86-42665
- Recent advances in Monte Carlo turbulence simulation  
p 792 A86-47638
- Turbine blade thermal fatigue testing Pratt and Whitney aircraft hollow core blades  
[NASA-TM-86528] p 174 N86-14271
- An integrated development facility for the calibration of low-energy charged particle flight instrumentation  
[NASA-TM-86526] p 458 N86-22914
- National Aeronautics and Space Administration.**  
**National Space Technology Labs., Bay Saint Louis, Miss.**
- Characterization of shallow ocean sediments using the airborne electromagnetic method  
p 393 A86-28065
- National Aeronautics and Space Administration.**  
**Pasadena Office, Calif.**
- Oxygen chemisorption cryogenic refrigerator  
[NASA-CASE-NPO-16734-1-CU] p 612 N86-27467
- National Aeronautics and Space Administration.**  
**Wallops Flight Center, Wallops Island, Va.**
- Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes  
[AIAA PAPER 86-0021] p 213 A86-19637
- Elimination of directional wave spectrum contamination from noise in elevation measurements  
p 641 A86-40854
- Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes  
p 634 A86-41695
- National Aerospace Lab., Amsterdam (Netherlands).**
- Fuel saving by optimal integration of on-board avionics and air traffic control  
[NLR-MP-84035-U] p 159 N86-14263
- Numerical methods  
p 154 N86-15259
- Implicit finite-difference methods for the calculation of unsteady transonic potential flow around two-dimensional airfoils: A discussion  
[NLR-MP-83063-U] p 208 N86-16202
- Application of time-linearized methods of oscillating wings in transonic flow and flutter  
[NLR-MP-84077-U] p 208 N86-16204
- Fatigue life monitoring of aircraft  
[NLR-MP-83069-U] p 226 N86-16211
- Noise nuisance calculations for Schiphol Airport on behalf of the Sensitivity Analysis and Zoning Calculations Working Group (GAZOB)  
[NLR-TR-85034-U] p 260 N86-16751
- Markov jump-diffusion models and decision-making free filtering  
[NLR-MP-83067-U] p 264 N86-17046
- Aeroacoustic research in the Netherlands related to aircraft development  
[NLR-MP-84049-U] p 265 N86-17081
- Application of a constrained inverse method in the aerodynamic design of a low speed wing-slat configuration  
[NLR-TR-83123-U] p 211 N86-17320
- A system for computer aided analysis and design of multielement airfoils: MAD  
[NLR-TR-83136-U] p 212 N86-17321
- Hardware/software Failure Mode Effect Analysis (FMEA) applied to airplane safety  
[NLR-MP-84073-U] p 215 N86-17325
- A sophisticated tracking algorithm for Air Traffic Control (ATC) surveillance radar data  
[NLR-MP-84004-U] p 216 N86-17334
- Comparison of a jump-diffusion tracker with a Kalman tracker: An evaluation with emphasis on air traffic control  
[NLR-TR-83063-U] p 216 N86-17335

- Damage-tolerant aircraft design  
[NLR-MP-84005-U] p 227 N86-17342
- Helicopter-ship qualification testing  
[NLR-MP-84062-U] p 227 N86-17343
- Operational application of the STALINS method for measuring take-off and landing trajectories  
[NLR-TR-83010-U] p 227 N86-17346
- Three-dimensional flight-path reconstruction by means of spline approximation  
[NLR-TR-83081-U] p 228 N86-17347
- Estimation of load exceedances of an aircraft under carriage with nonlinear properties excited by random runway unevenness  
[NLR-TR-84030-U] p 228 N86-17348
- Optimization in design processes: An informatics point of view  
[NLR-MP-84074-U] p 228 N86-17349
- The application of sensors in light tests  
[NLR-MP-84056-U] p 232 N86-17352
- Reliability aspects of software for digital avionics  
[NLR-TR-82126-U] p 232 N86-17354
- Activities report in aerospace research, with data concerning the scientific committee NLR-NIVR, international cooperation concerning AGARD, DNW, GARTEUR and cooperation with Indonesia  
p 257 N86-17588
- A survey of numerical methods for the calculation of inviscid, possibly rotational Euler flows around aeronautical configurations  
[NLR-TR-83130-U] p 258 N86-17699
- Boundary layer calculations on the leeward surface of a slender delta wing at incidence  
[NLR-TR-84001-U] p 258 N86-17700
- Quadrinomial distribution for the characterization of nondestructive inspection (NDI) reliability  
[NLR-MP-84064-U] p 258 N86-17774
- Fatigue rated fastener systems in aluminum alloy structural joints  
[NLR-MP-83045-U] p 259 N86-17809
- Noise assessment around Schiphol airport (the Netherlands) in 1981  
[NLR-TR-82034-U] p 260 N86-17915
- Computer Aided Design (CAD) at the National Aerospace Laboratory (Netherlands) with the accent on aircraft flight control systems  
[NLR-MP-84032-U] p 264 N86-18030
- An efficient filter for abruptly changing systems  
[NLR-MP-84071-U] p 264 N86-18056
- Engineering Data Interactive Presentation and Analysis System (EDIPAS): A general approach to engineering data management and analysis applied to wind tunnel testing  
[NLR-MP-83057-U] p 267 N86-18252
- Flight test evaluation of the Netherlands flight inspection aircraft  
[NLR-MP-84052-U] p 295 N86-19318
- Determination of limitations for helicopter ship-borne operations  
[NLR-MP-84072-U] p 295 N86-19319
- Determination of performance and stability characteristics from dynamic maneuvers with a transport aircraft using parameter identification techniques  
[NLR-MP-84024-U] p 308 N86-19326
- Wind shear investigation program at the NLR  
[NLR-MP-84027-U] p 325 N86-19808
- AGARD Cooperative Test Programme on titanium alloy engine disc material  
p 507 N86-25369
- TURBISTAN: A standard load sequence for aircraft engine discs  
p 526 N86-25380
- Laminar and turbulent boundary-layer calculations on the leeward surface of a slender delta wing at incidence  
[NLR-MP-84040-U] p 555 N86-26293
- Method for determining the time delay of the pitot-static tubing system of aircraft  
[NLR-TR-83075-U] p 589 N86-26335
- Failures in advanced flight control systems of future transport aircraft  
[NLR-TR-84108-U] p 595 N86-26343
- Engineering property comparisons for 2324-T39 and 2024-T351 aluminum alloy plate  
[NLR-TR-84021-U] p 603 N86-26429
- Effects of cladding and anodizing on flight simulation fatigue of 2024-T3 and 7475-T761 aluminum alloys  
[NLR-TR-85006-U] p 604 N86-26430
- The postbuckling behavior of blade-stiffened carbon epoxy panels loaded in compression  
[NLR-MP-85019-U] p 611 N86-26661
- Some tests to assess the effect of crack stoppers on the fatigue life of center-notched specimens  
[NLR-TR-84051-U] p 611 N86-26662
- Constant amplitude and flight simulation of fatigue tests on adhesive bonded lap joint specimens of 2024-T3 sheet material  
[NLR-TR-84090-U] p 612 N86-26663
- An efficient decision-making-free filter for processes with abrupt changes  
[NLR-MP-84080-U] p 618 N86-27018

## National Aerospace Lab., Tokyo (Japan).

- Unsteady airload computations for airfoil oscillating in attached and separated compressible flow  
p 561 N86-27238
- The use of mathematical optimization techniques by the designer  
[NLR-MP-85005-U] p 682 N86-28673
- Design of transonic airfoils with given pressure, subject to geometric constraints  
[NLR-TR-84064-U] p 633 N86-28928
- An introductory course on aircraft loading  
[NLR-MP-84090-U] p 641 N86-28943
- A study on the transmission of sound through flow ducts of varying cross section  
[NLR-TR-83128-U] p 683 N86-29636
- NLR experience in the application of active flutter suppression and gust load alleviation, applied to a wind tunnel model  
p 728 N86-30649
- Computations of separated subsonic and transonic flow about airfoils in unsteady motion  
[NLR-MP-84094-U] p 782 N86-31541
- Preliminary design of an automated Air Traffic Control (ATC) radar evaluation system  
[NPL-VG-84-009-L] p 789 N86-32419
- The generation of equal probability design load conditions, using Power Spectral Density (PSD) techniques  
[NLR-TR-85014-U] p 809 N86-32430
- Flight test instrumentation used in the Fokker F27 and F28 development and certification flight program  
[NLR-MP-84023-U] p 811 N86-32431
- TURBISTAN: A standard load sequence for aircraft engine discs  
[NLR-MP-85033-U] p 820 N86-32436
- Recent developments in propulsion aerodynamics  
[NLR-MP-85031-U] p 820 N86-32437
- Cost reductions from introduction of new life philosophies for aircraft engine discs  
[NLR-MP-85076-U] p 820 N86-32438
- Review of aeronautical fatigue investigations in the Netherlands during the period March 1983 - February 1985  
[NLR-MP-85025-U] p 851 N86-32779
- Short cracks in aerospace structures  
[NLR-MP-85054-U] p 851 N86-32781
- Simulation and optimization techniques in computer aided design  
[NLR-MP-85022-U] p 854 N86-33053
- An infrastructure for information processing for computer aided design  
[NLR-MP-85038-U] p 854 N86-33054
- National Aerospace Lab., Tokyo (Japan).**
- A method for calculating flow fields around moving bodies  
[NAL-TR-859T] p 88 N86-13288
- Grid generation for single airfoil using conformal mapping  
[NAL-TR-851T] p 146 N86-14217
- Dynamic characteristics of air data sensor systems: Altimeter, speedometer and alpha times beta vane  
[NAL-TR-852] p 172 N86-15312
- Numerical simulation of the leading-edge separation vortex over delta wing  
p 209 N86-17271
- Numerical simulation of unsteady flow around an airfoil by finite difference solution of Navier-Stokes equations  
p 209 N86-17273
- Investigations on efficient numerical method for subsonic lifting surfaces  
p 209 N86-17285
- Analysis of high Reynolds number transonic flow around an airfoil  
p 210 N86-17293
- Validation and comparison with experiment of a high Reynolds number transonic flow airfoil analysis code NSFOIL  
p 210 N86-17294
- A numerical solution of the transonic integral equation and its application to three-dimensional transonic wing design  
p 226 N86-17298
- Estimation of divergence and flutter boundaries on supersonic plate wing models from subcritical random responses due to air turbulence  
[NAL-TR-856] p 211 N86-17308
- Calibration of an on-ground aircraft tracking radar by aerial photogrammetry  
[NAL-TR-861] p 282 N86-18311
- Study on the digital position transducer with optical time-delay pulse  
[NAL-TR-878] p 322 N86-19583
- Numerical analysis of inviscid flows about wing-fuselage combinations. 2: Development of full potential flow code YOKUDO-P  
[NAL-TR-881] p 341 N86-20364
- Study on the digital position transducer with optical time-delay pulse  
[NAL-TR-878] p 388 N86-20759
- Covariance specification for the linear time-invariant output-feedback control systems using a Kalman filter  
[NAL-TR-882] p 399 N86-21219



- A viscous-inviscid interaction method to predict the aerodynamic performance of airfoils at transonic speed [NAL-TR-873] p 341 N86-21508
- Numerical analysis of inviscid flows about wing-fuselage combinations. Part 1: Development of grid generation code YOKUDO-G [NAL-TR-864] p 414 N86-22551
- Computation of 3-dimensional viscous transonic flows using the LU-ADI factored scheme [NAL-TR-889T] p 555 N86-27184
- Wind tunnel test and analysis on gust load alleviation of a high-aspect-ratio wing [NAL-TR-890] p 556 N86-27185
- An analysis of the limit cycle observed in the functional mockup test of the NAL QSTOL research aircraft [NAL-TR-893] p 587 N86-27277
- National Airspace System Program Office, Washington, D.C.**
- National airspace system, system requirements specification [AD-A157944] p 94 N86-13312
- National Bureau of Standards, Gaithersburg, Md.**
- Data sources for parameters used in predictive modeling of fire growth and smoke spread [PB86-130986] p 518 N86-24788
- Materials technology for electrical appliances: Magnetic and electrical properties of metals and alloys [PB86-184314] p 665 N86-28186
- National Bureau of Standards, Washington, D.C.**
- Publications of the National Bureau of Standards, 1984 catalog [PB85-245678] p 402 N86-21435
- National Center for Atmospheric Research, Boulder, Colo.**
- Microburst wind shear models from the Joint Airport Weather Studies (JAWS) [AD-A159758] p 324 N86-18910
- Relative accuracy of ALPEX aircraft data: An evaluation of the ALPEX intercomparison flight with the NCAR (National Center for Atmospheric Research) Electra, the NOAA (National Oceanic and Atmospheric Administration) P3 and the DFVLR (Deutsche Forschungs- und Versuchsanstalt fuer Luft- und Raumfahrt) Falcon [PB86-100823] p 394 N86-22067
- National Oceanic and Atmospheric Administration, Boulder, Colo.**
- Elimination of directional wave spectrum contamination from noise in elevation measurements p 641 A86-40854
- National Physical Lab., Teddington (England).**
- An experimental appraisal of the use of ground-plane microphones for aircraft noise measurement [NPL-AC-104] p 401 N86-22302
- Characterisation and influence of orientation and internal stress in acrylic aircraft materials [NPL-DMA(A)113] p 665 N86-28193
- National Research Council of Canada, Ottawa (Ontario).**
- Subsonic wall interference corrections for half-model tests using sparse wall pressure data [LR-816] p 276 N86-18287
- Dynamic nonlinear airloads: Representation and measurement p 563 N86-27251
- National Severe Storms Lab., Norman, Okla.**
- Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes [AIAA PAPER 86-0021] p 213 A86-19637
- Lightning strikes to a NASA airplane penetrating thunderstorms at low altitudes p 634 A86-41695
- National Transportation Safety Board, Washington, D. C.**
- Aircraft accident report: Vieques Air Link, Inc., Britten-Norman BN-21-6 Islander, N589SA, Vieques, Puerto Rico, August 2, 1984 [PB85-901408] p 159 N86-15276
- Aircraft accident report: Midair collision of Wings West Airlines Beech C-99 (N666U) and Aesthetec Inc., Rockwell Commander (N112SM), near San Luis Obispo, California, August 24, 1984 [NTSB/AAR-85/07] p 214 N86-16207
- General aviation crashworthiness project, phase 3: Acceleration loads and velocity changes of survivable general aviation accidents [NTSB/SR-85/02] p 280 N86-18306
- Aircraft accident reports: Brief formats, US civil and foreign aviation, issue number 1 of 1984 accidents [PB85-916920] p 281 N86-18309
- Aircraft accident reports: Brief format US Civil and Foreign Aviation, issue 2 of 1984 accidents [PB85-916921] p 281 N86-18310
- Safety study: Ultraviolet vehicle accidents [PB85-917001] p 343 N86-20377
- Aircraft accident report: Air Canada Flight 797, McDonnell Douglas DC-9-32, C-FTLU Greater Cincinnati International Airport, Covington, Kentucky, June 2, 1983 [PB86-910402] p 344 N86-21525
- Aircraft accident report: Galaxy Airlines, Inc., Lockheed Electra-L-188C, N5532, Reno, Nevada, January 21, 1985 [PB86-910401] p 344 N86-21526
- Aircraft accident/incident summary reports: Denver, Colorado, August 19, 1983; Blountville, Tennessee, July 16, 1983; Tucson, Arizona, February 6, 1983; Cockeysville, Maryland, April 28, 1984; Akron, Ohio, September 30, 1984; Seattle, Washington, October 18, 1984; Miami, Florida, November 11, 1983 [PB85-910409] p 483 N86-24675
- Aircraft accident/incident summary reports: Concord, California, July 14, 1984; Atlanta, Georgia, September 24, 1984; Jasper, Alabama, December 16, 1984; Avalon, California, January 30, 1984; Charlottesville, Virginia, February 17, 1984; Kansas City, Kansas, January 9, 1985 [PB86-910410] p 484 N86-25333
- Transportation safety recommendations adopted during the month of December 1985 [PB85-916612] p 569 N86-26301
- Safety report General Aviation Crashworthiness Project. Phase 3: Acceleration loads and velocity changes of survivable general aviation accidents [PB85-917016] p 569 N86-26302
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 3 of 1984 accidents [PB85-916922] p 570 N86-26303
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 4 of 1984 accidents [PB85-916923] p 570 N86-26304
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 5 of 1984 accidents [PB86-916901] p 570 N86-26305
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 6 of 1984 accidents [PB86-916902] p 570 N86-26306
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 7 of 1984 accidents [PB86-916903] p 570 N86-26307
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 8 of 1984 accidents [PB86-916904] p 570 N86-26308
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 9 of 1984 accidents [PB86-916905] p 570 N86-26309
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 11 of 1984 accidents [PB86-916907] p 571 N86-26310
- Aircraft accident reports, brief format, US Civil and Foreign Aviation Issue Number 13 of 1984 accidents [PB86-916909] p 571 N86-26311
- National Transportation Safety Board safety recommendation [NTSB-4102C/300A] p 571 N86-27267
- Aircraft accident reports: Brief format, US civil and foreign aviation, issue number 17 of 1983 accidents [PB85-916918] p 571 N86-27269
- Aircraft accident report: China Airlines Boeing 747-SP, N4522V 300 nautical miles northwest of San Francisco, California, February 19, 1985 [PB86-910403] p 634 N86-28069
- Aircraft accident reports: Brief format US Civil and Foreign Aviation, issue number 10 of 1984 accidents [PB86-916906] p 634 N86-28070
- Annual review of aircraft accident data. US air carrier operations: Calendar year 1982 [PB86-212529] p 634 N86-28929
- Safety recommendation [NTSB-A-86-22] p 699 N86-29790
- National Transportation Safety Board safety recommendation [NTSB-4360/33] p 699 N86-29791
- National Transportation Safety Board safety recommendation [NTSB-4357/1] p 699 N86-29792
- Aircraft accident report: Provincetown, Boston Airlines Flight 1039, Embraer Bandeirante, EMB-110P1, N96PB, Jacksonville, Florida, December 6, 1984 [PB86-910405] p 701 N86-30703
- National Weather Service, Garden City, N.Y.**
- CERR: An aviation verification program [PB85-204824] p 280 N86-16854
- National Weather Service, Silver Spring, Md.**
- AFOS (Automation of Field Operations and Services) monthly of terminal forecasts [PB85-236388] p 280 N86-16843
- Naval Aerospace Medical Research Lab., Pensacola, Fla.**
- The effects of vocal versus manual response modalities on multi-task performance [AD-A159830] p 321 N86-18588
- Naval Air Development Center, Warminster, Pa.**
- G protection by an extreme crouch position [AD-A157081] p 91 N86-12213
- Three-axis electrofluidic angular rate sensor for ejection seat steering thrust vector control [AD-A159413] p 159 N86-15277
- Effectiveness of fatigue life enhancing fasteners in the design and rework of aircraft structures [AD-A158676] p 293 N86-18316
- Naval Air Propulsion Test Center, Trenton, N.J.**
- Engine cyclic durability by analysis and testing: Highlights of the spring 1984 PEP Meeting p 506 N86-25362
- Naval Air Test Center, Patuxent River, Md.**
- United States Navy - Canadian forces solid state flight data recorder/crash position locator experiment on the B-720 controlled impact demonstration p 391 N86-21945
- Naval Ocean Research and Development Activity, Bay St. Louis, Miss.**
- Data analysis of airborne electromagnetic bathymetry [AD-A157132] p 125 N86-12744
- Naval Ocean Systems Center, San Diego, Calif.**
- Flutter analysis of low aspect ratio wings p 527 N86-25838
- Naval Postgraduate School, Monterey, Calif.**
- Computer aided instruction in engineering [AD-A158828] p 130 N86-13220
- Computer program for performance prediction of tandem-rotor helicopters [AD-A159193] p 167 N86-14268
- Proceedings of the 1985 ONR/NAVAIR Wave Rotor Research and Technology Workshop [AD-A161539] p 389 N86-20813
- Helicopter performance computer programs for HP-41 hand-held computer [AD-A162794] p 358 N86-21539
- A systems engineering methodology for the advanced tactical aircraft [AD-A162049] p 437 N86-23593
- Application of artificial intelligence to improve aircraft survivability [AD-A164172] p 483 N86-24674
- An analysis of S-3 SDLM (Standard Depot Level Maintenance) corrosion documentation procedures [AD-A165588] p 540 N86-26282
- Analyzing the cost effectiveness of using flight simulators in the Israeli Air Force [AD-A164864] p 599 N86-26346
- Development of a data acquisition system to aid in the aerodynamic study of various helicopter configurations [AD-A167717] p 781 N86-31539
- A trade-off study of tilt rotor aircraft versus helicopters using VASCOMP 2 and HESCOMP [AD-A167719] p 808 N86-31575
- Design of a vertical thrust stand for a remotely piloted model helicopter [AD-A167811] p 840 N86-31598
- Survivability considerations during aircraft conceptual design [AD-A168555] p 809 N86-32428
- Naval Research Lab., Washington, D. C.**
- The aircraft icing environment in wintertime, low ceiling conditions [AD-A160578] p 280 N86-18307
- Electrostatic charging of the CH-53E helicopter [AD-A161936] p 437 N86-23590
- Energy dissipation of liquids in rotating spherical tanks measured by a forced motion-spin table [AD-A161864] p 480 N86-23874
- An assessment of data quality and quantity from airborne cloud physics projects from 1974 through 1984 [DOT/FAA/CT-85/37] p 528 N86-25079
- Acoustic-vortex interactions in an idealized ramjet combustor p 659 N86-28242
- Naval Ship Research and Development Center, Annapolis, Md.**
- Preliminary evaluation of a compound cycle engine for shipboard gensets [NASA-CR-179451] p 611 N86-26629
- Naval Ship Research and Development Center, Bethesda, Md.**
- Development of pneumatic thrust-deflecting powered-lift systems [AIAA PAPER 86-0478] p 219 A86-19894
- An evaluation of four methods of numerical analysis for two-dimensional airfoil flows. Revision [AD-A157248] p 87 N86-12209
- Lift distribution on a high aspect ratio circulation control wing with root lift outout [AD-A157024] p 341 N86-20368
- Experiences with NASTRAN in a multidisciplinary optimization environment p 527 N86-25831
- Naval Surface Weapons Center, Silver Spring, Md.**
- Alternate altitude testing of solid cloth parachute systems [AD-A157088] p 150 N86-14251
- Generation of the starting plane flowfield for supersonic flow over a spherically capped body [AD-A161117] p 278 N86-18291



**Naval Underwater Systems Center, New London, Conn.**

Measurement and extraction of recurring waveforms: For applications to active transmissions, flow-noise, and helicopter-radiated noise problems  
[AD-A167400] p 856 N86-32249

**Naval Weapons Center, China Lake, Calif.**

Parachute recovery systems design manual, chapters 1 through 4 offprint  
[AD-A157839] p 87 N86-12210  
Analysis of particulates in the exhaust plume of a J52-P3 turbojet engine at military power  
[AD-A157840] p 107 N86-12231

**Navy Personnel Research and Development Center, San Diego, Calif.**

Development of a computer-managed readiness assessment system  
[AD-A162931] p 463 N86-24215

**Netherlands Agency for Aerospace Programs, Delft.**

Activities report in aircraft development and astronautics p 267 N86-17233

**Nevada Univ., Reno.**

Computations and turbulent flow modeling in support of helicopter rotor technology  
[NASA-CR-177095] p 742 N86-30090  
Aerodynamics of seeing on large transport aircraft  
[NASA-CR-177035] p 758 N86-31357

**New Mexico State Univ., Las Cruces.**

Horizontal display for vertical flight: A direction of motion experiment  
[AD-A161113] p 299 N86-19321

**New Mexico Univ., Albuquerque.**

Rubber removal specification development  
[FAA/PM-85/33] p 371 N86-21555  
Runway rubber removal specification development  
[DOT/FAA/PM-85/33] p 372 N86-21556  
Runway rubber removal specification development: Field evaluation results and data analysis  
[FAA/PM-85/32] p 448 N86-23607  
Fire extinguishing agents for oxygen-enriched atmospheres  
[AD-A166967] p 743 N86-30890

**New South Wales Univ., Kensington (Australia).**

High velocity gas jet noise control p 331 N86-19123  
Signal processing in the airborne receiver of the Interscan microwave landing system p 282 N86-19303

**New York Univ., New York.**

Computation of the transonic flow about a swept wing in the presence of an engine nacelle  
[NASA-CR-177113] p 630 N86-28911  
The method of complex characteristics for design of transonic blade sections  
[NASA-CR-176978] p 696 N86-30691

**Nielsen Engineering and Research, Inc., Mountain View, Calif.**

Lift augmentation via spanwise tip blowing - A numerical study  
[AIAA PAPER 86-0474] p 202 A86-19893  
Unsteady forces on counter-rotating propeller blades  
[AIAA PAPER 86-1804] p 590 A86-37827

**Nihon Univ., Tokyo (Japan).**

Numerical analysis about flow over an aerofoil with a large angle of attack p 210 N86-17291  
The analysis of practical transonic swept wings with and without boundary layer effects p 211 N86-17300

**North Carolina State Univ., Raleigh.**

Characterization of shallow ocean sediments using the airborne electromagnetic method p 393 A86-28065  
Unsteady transonic flows past airfoils using the Euler equations  
[AIAA PAPER 86-1764] p 541 A86-37802  
A three-dimensional boundary-layer method for flow over delta wings with leading-edge separation  
[SAE PAPER 851818] p 547 A86-38327  
Linear dynamic coupling in geared rotor systems  
[ASME PAPER 85-DET-11] p 608 A86-38617  
Forebody vortex management for yaw control at high angles of attack p 833 A86-49047  
A direct and inverse boundary layer method for subsonic flow over delta wings p 557 N86-27195

**Northrop Corp., Hawthorne, Calif.**

Digital fault-tolerant flight actuation systems  
[AFWAL-83-3041] p 362 N86-20406

**Northwestern Polytechnical Univ., Xian (China).**

A numerical analysis for vertical gust field induced by gust generator p 727 N86-30637  
Calculation of the load distribution, aerodynamic derivatives and dynamic characteristics of quasi-static elastic aircraft p 696 N86-30640  
Control law synthesis for gust load alleviation using linear quadratic Gaussian theory p 728 N86-30651  
Determination of natural vibration properties of a wing with winglet by experimental mode synthesis technique p 716 N86-30678

**Notre Dame Univ., Ind.**

Conference on Low Reynolds Number Airfoil Aerodynamics, Notre Dame, IN, June 16-18, 1985, Proceedings p 136 A86-16301  
An analysis of a separation bubble transition criterion at low Reynolds numbers p 137 A86-16309  
Visualization and flow surveys of the leading edge vortex structure on delta wing planforms  
[AIAA PAPER 86-0330] p 201 A86-19817  
Experimental determination of the laminar separation bubble characteristics on an airfoil at low Reynolds numbers  
[AIAA PAPER 86-1065] p 548 A86-38433  
Proceedings of the Conference on Low Reynolds Number Airfoil Aerodynamics  
[NASA-CR-177308] p 540 N86-26283  
An experimental investigation of vortex breakdown on a delta wing p 557 N86-27196

**O****Oak Ridge National Lab., Tenn.**

Navy aircraft support data systems study: ECAMS/NALCOMIS integration feasibility and procedure  
[DE85-018977] p 192 N86-15003

**Office National d'Etudes et de Recherches Aeronautiques, Paris (France).**

Study of the transition behavior of an airplane in the vicinity of bifurcation points p 566 N86-27266  
Ceramic heat exchangers for gas turbines or turbojet engines p 742 N86-29858

**Office National d'Etudes et de Recherches Aeronautiques, Paris (France).**

Numerical solutions of two-dimensional reference test cases p 154 N86-15262  
Parasitic and interference drag prediction and reduction p 156 N86-15272  
Critical analysis of turbulence restitution from acceleration measurements  
[ONERA-RT-3/3567-RY-C40-R] p 227 N86-17340  
Feasibility study of a device to control aircraft electromagnetic protection  
[ONERA-RS-10/3466-PY] p 257 N86-17637  
La Recherche Aeronautique, bimonthly bulletin, number 1985-1, 224/January-February  
[ESA-TT-915] p 458 N86-22729  
La recherche aerospaciale. Bimonthly bulletin, no. 1984-6, November - December 1984  
[ESA-TT-907] p 559 N86-27217  
A vortex point method for calculating inviscid incompressible flows around rotary wings p 612 N86-27219

Dynamic stall modeling of the NACA 0012 profile p 559 N86-27222

Helicopter noise  
Activities report in aerospace research  
[ETN-86-97190] p 622 N86-28907

Extension of a transonic three-dimensional unsteady small perturbation computing method  
[ONERA-RTS-23/3084-RY-048-R] p 633 N86-28927

Aeroelastic tests of OA 206 and OA 207 profiles  
[ONERA-RT-22/1841-RY-310-R] p 641 N86-28942

Boundary layer model to compute the edge effects in stratified composite plates  
[ONERA-RT-7/3542-RY-041-R] p 678 N86-29279

Influence of the angle of attack and flutter on the lift of a supercritical wing. Comparison between theory and experiment  
[ONERA-RT-24/3084-RY-044-R] p 695 N86-29786

Preliminary instrumentation for aeroelastic tests at the compressor level  
[ONERA-RT-95/7108-RY-054-R] p 743 N86-30219

Dynamic identification procedure and lift certification of light aircraft and gliders  
[ONERA-RT-12/1677-RY-090-R] p 809 N86-32429

Microphone probe tests in the S3CH wind tunnel for transonic propeller measurements in S1MA  
[ONERA-RT-19/3463-AYP] p 841 N86-32451

**Ohio State Univ., Columbus.**  
Aerodynamic measurements of an airfoil with simulated glaze ice  
[AIAA PAPER 86-0484] p 202 A86-19897

Airfoil aerodynamics in icing conditions p 204 A86-20164

The aerodynamics of rotor blades with ice shapes accreted in hover and in level flight p 476 A86-35655

The performance characteristics of simulated ice on rotorcraft airfoils p 482 A86-35656

Investigations of transonic trailing edge flows p 541 A86-37192

Simulation and analysis of antennas radiating in a complex environment p 572 A86-39535

Simulation of the enhanced traffic alert and collision avoidance system (TCAS 2)  
[NASA-CR-176328] p 93 N86-12216

Performance of resonant radar target identification algorithms using intra-class weighting functions p 321 N86-19490

Wind tunnel tests of rotor blade sections with replications of ice formations accreted in hover  
[NASA-CR-175089] p 420 N86-22558

A study of a collision avoidance system mounted on a curved ground plane  
[NASA-CR-176771] p 485 N86-24677

Experimental analyses of trailing edge flows  
[NASA-CR-176904] p 632 N86-28921

**Ohio Univ., Athens.**

Siting criteria for Microwave Landing Systems (MLS)  
[FAA/PM-86/18] p 636 N86-28073

Investigations for improving operational reliability and maintainability of ILS components. Volume 2: Figures and illustrations  
[FAA/PM-86/7.11-VOL-2] p 636 N86-28932

Investigations for improving operational reliability and maintainability of instrument landing system components. Volume 1: Text and appendices  
[DOT/FAA/PM-86/7.1-VOL-1] p 704 N86-29801

**Oklahoma State Univ., Stillwater.**

Multipark flow visualization of lateral jet injection into a swirling cross flow p 85 A86-14561

Correlation of transonic-cone preston-tube data and skin friction  
[NASA-CR-176902] p 693 N86-29771

**Oklahoma Univ., Norman.**

Analysis of airborne Doppler lidar, Doppler radar and tall tower measurements of atmospheric flows in quiescent and stormy weather  
[NASA-CR-3990] p 462 N86-23159

Optimization of tip store modeling  
[AD-A162119] p 417 N86-23571

Transmission line design for a power distribution system at 20 kHz for aircraft  
[NASA-CR-3987] p 721 N86-29818

**Old Dominion Coll., Norfolk, Va.**

An investigation of the feasibility of active boundary layer thickening for aircraft drag reduction  
[NASA-CR-177133] p 630 N86-28084

**Old Dominion Univ., Norfolk, Va.**

Influence of numerical dissipation in computing supersonic vortex-dominated flows  
[AIAA PAPER 86-1073] p 549 A86-38439

Effects of nonlinear damping on random response of beams to acoustic loading  
[AIAA PAPER 86-1004] p 609 A86-38945

The influence of source location on the structural-acoustic interaction of cylinders p 638 A86-41710

Response of symmetric rectangular composite laminates with nonlinear damping subjected to acoustic loading  
[AIAA PAPER 86-1933] p 738 A86-45422

Finite-volume and integral-equation techniques for transonic and supersonic vortex-dominated flows p 774 A86-49045

Numerical solutions of Navier-Stokes equations for a Butler wing  
[NASA-CR-174202] p 88 N86-13293

Investigation of chemically-reacting supersonic internal flows  
[NASA-CR-176363] p 188 N86-14532

Three-dimensional elastic-plastic finite-element analysis of fatigue crack propagation  
[NASA-CR-176415] p 189 N86-14687

Studies on the interference of wings and propeller slipstreams p 151 N86-15241

Vapor-screen flow-visualization experiments in the NASA Langley 0.3-m transonic cryogenic tunnel  
[NASA-CR-3984] p 478 N86-24661

**Operations Research, Inc., Rockville, Md.**

Tradeoff analysis of technology needs for public service helicopters  
[NASA-CR-3927] p 100 N86-13317

Analysis of helicopter noise data using international helicopter noise certification procedures  
[PB86-186533] p 620 N86-27972

**Oregon State Univ., Corvallis.**

Giebelstadt ain Germany (West). Limited surface observations climatic summary (LISOCs): Parts A, C-F  
[AD-A159664] p 324 N86-18902

First order analysis of the effect of pitching on the drag coefficient  
[DE86-006324] p 633 N86-28926

**Oxford Univ. (England).**

Multivariable control  
[OUEL-1589/85] p 284 N86-17007

Wake-passing in a turbine rotor cascade p 741 N86-29830

## P

- Pacific Missile Test Center, Point Mugu, Calif.  
Triaxial vibration system p 257 N86-16647
- Pennsylvania State Univ., University Park.  
Stability of limit cycles in frictionally damped and aerodynamically unstable rotor stages p 174 A86-19188
- A class of airfoils having finite trailing-edge pressure gradients p 270 A86-23184
- Influence of friction dampers on torsional blade flutter [ASME PAPER 85-GT-170] p 441 A86-32957
- A comparison of computational methods for three-dimensional, turbulent turbomachinery flow fields [AIAA PAPER 86-1599] p 626 A86-42740
- Aeroacoustics of contoured plug-nozzle supersonic jet flows [AIAA PAPER 86-1946] p 752 A86-45433
- Numerical approximation of the total drag of a body in a tube [AD-A159548] p 188 N86-14538
- Experimental study using nearfield acoustic holography of sound transmission through fuselage sidewall structures [NASA-CR-177162] p 683 N86-28702
- Perkin-Elmer Corp., Pomona, Calif.  
Development of a portable wear metal analyzer for field use [AD-A166013] p 622 N86-28906
- Pilatus Aircraft Ltd., Stans (Switzerland).  
Experience with aeroelastic analysis of a single engine turbo trainer using finite element methods p 743 N86-30646
- Pittsburgh Univ., Pa.  
Interactions between flow, heat and mass transfer during formation of carbon-fiber reinforced epoxy composites p 451 N86-22642
- Politecnico di Milano (Italy).  
Exact solutions to transonic and supersonic flows p 154 N86-15260
- Politecnico di Torino (Italy).  
Activities report of the Department of Aerospace Engineering p 470 N86-23491
- Prairie View Agricultural and Mechanical Coll., Tex.  
Development of a numerical procedure to map a general 3-d body onto a near-circle p 749 N86-31420
- Pratt and Whitney Aircraft, East Hartford, Conn.  
Preliminary design of a supersonic cruise aircraft high-pressure turbine [NASA-CR-174878] p 174 N86-14272
- Dynamic gas temperature measurement system. Volume 2: Operation and program manual [NASA-CR-168267] p 190 N86-15651
- Thermal barrier coating life prediction model development [NASA-CR-175087] p 452 N86-22713
- Life prediction and constitutive models for engine hot section anisotropic materials program [NASA-CR-174952] p 526 N86-25003
- Structural tailoring of engine blades (STAEBL) theoretical manual [NASA-CR-175112] p 582 N86-27283
- Structural tailoring of engine blades (STAEBL) user's manual [NASA-CR-175113] p 592 N86-27284
- Pratt and Whitney Aircraft, Middletown, Conn.  
Response of composite material shallow arch to concentrated load p 670 A86-41699
- Pratt and Whitney Aircraft, West Palm Beach, Fla.  
Further development of the dynamic gas temperature measurement system [AIAA PAPER 86-1648] p 672 A86-42770
- Fracture mechanics of multiple crack initiations. An application for fracture mechanics analysis of gas turbine engine disks [AD-A182998] p 442 N86-23601
- Altitude ignition/lean decel study [AD-A183052] p 518 N86-24781
- Pratt and Whitney Aircraft Group, East Hartford, Conn.  
Three-dimensional inviscid flow in mixers. II - Analysis of turbofan forced mixers p 692 A86-46316
- Pratt and Whitney Aircraft of Canada Ltd., Longueuil (Quebec).  
Pressure drop and heat transfer characteristics of circular and oblong low aspect ratio pin fins p 741 N86-29627
- PRC Kentron, Inc., Hampton, Va.  
Natural laminar flow flight experiments on a turbine engine nacelle fairing [AIAA PAPER 86-9756] p 429 A86-32097
- New and existing techniques for dynamic loads analyses of flexible airplanes p 432 A86-32787
- NASA experiments onboard the controlled impact demonstration [SAE PAPER 851885] p 566 A86-38352

- Structural analysis of the controlled impact demonstration of a jet transport airplane [AIAA PAPER 86-0939] p 583 A86-38836
- Integrated aeroservoelastic tailoring of lifting surfaces [AIAA PAPER 86-1005] p 594 A86-38948
- Dynamic pressure loads associated with twin supersonic plume resonance [AIAA PAPER 86-1539] p 646 A86-42701
- Flight research on natural laminar flow nacelles - A progress report [AIAA PAPER 86-1629] p 627 A86-42762
- Integrated structure/control design - Present methodology and future opportunities p 654 A86-49094
- NASA seat experiment and occupant responses p 390 N86-21939
- Digital filtering and acceleration pulse interpretation p 400 N86-21941
- Effect of emerging technology on a convertible, business/interceptor, supersonic-cruise jet [NASA-CR-178097] p 587 N86-27278
- Noise predictions of a high bypass turbofan engine using the Lockheed Near-Field Noise Prediction Program [NASA-CR-178148] p 756 N86-30469
- Princeton Univ., N. J.  
Stability and control of VTOL capable airships in hovering flight p 109 A86-14236
- Longitudinal flying qualities criteria for single-pilot instrument flight operations p 305 A86-23186
- A new approach to the free wake problem for hovering rotors p 475 A86-35633
- An LU implicit scheme for high speed inlet analysis [AIAA PAPER 86-1520] p 625 A86-42687
- Aeroelastic behavior of low aspect ratio metal and composite blades [ASME PAPER 86-GT-243] p 846 A86-48271
- Optimal control laws for microburst encounter p 834 A86-49070
- A demonstration expert system for implementing emergency procedures in a high-performance fighter aircraft [MAE-1749] p 568 N86-26295
- Integrated risk/cost planning models for the US Air Traffic system [NASA-CR-177274] p 573 N86-26312
- An optimization model for the US Air-Traffic System [NASA-CR-177277] p 574 N86-27271
- Three-dimensional shock wave and turbulent boundary layer interactions [AD-A167086] p 745 N86-31010
- Psycho-Linguistic Research Associates, Menlo Park, Calif.  
Comparison of voice types for helicopter voice warning systems [SAE PAPER 841611] p 328 A86-26030
- Selecting cockpit functions for speech I/O technology p 395 A86-26446
- Purdue Univ., West Lafayette, Ind.  
An experimental investigation of propeller wakes using a laser Doppler velocimeter [AIAA PAPER 86-0080] p 232 A86-19677
- Aeroelastic tailoring - Theory, practice, and promise [AIAA PAPER 84-0982] p 220 A86-20155
- Aerodynamic detuning analysis of an unstalled supersonic turbofan cascade [ASME PAPER 85-GT-192] p 270 A86-22732
- Forced response analysis of an aerodynamically detuned supersonic turbomachine rotor p 363 A86-26902
- Aerodynamic and structural detuning of supersonic turbomachine rotors p 440 A86-31595
- Unsteady forces on counter-rotating propeller blades [AIAA PAPER 86-1804] p 590 A86-37827
- Passive control of aerodynamically forced vibrations of supersonic turbomachine rotors by splitter blades [AIAA PAPER 86-0844] p 590 A86-38892
- Three dimensional unsteady aerodynamics and aeroelastic response of advanced turboprops [AIAA PAPER 86-0846] p 591 A86-38894
- Nonisentropic unsteady three dimensional small disturbance potential theory [AIAA PAPER 86-0863] p 552 A86-38896
- A computational transonic flutter boundary tracking procedure [AIAA PAPER 86-0902] p 553 A86-38913
- Integrated aeroservoelastic tailoring of lifting surfaces [AIAA PAPER 86-1005] p 594 A86-38948
- Frequency domain synthesis of a robust flutter suppression control law p 594 A86-39042
- Viscous effects on transonic airfoil stability and response p 623 A86-40110
- Direct and system effects of water ingestion into jet engine compressors p 644 A86-40739
- Transient engine performance with water ingestion [AIAA PAPER 86-1621] p 647 A86-42755

- Prediction of sound fields in cavities using boundary element methods [AIAA PAPER 86-1864] p 754 A86-45484
- On the flight dynamics of aeroelastic vehicles [AIAA PAPER 86-2077] p 828 A86-47666
- Splitter blades as an aeroelastic detuning mechanism for unstalled supersonic flutter of turbomachine rotors [ASME PAPER 86-GT-99] p 813 A86-48164
- Integrated structure/control design - Present methodology and future opportunities p 654 A86-49094
- Interactive aircraft flight control and aeroelastic stabilization [NASA-CR-178323] p 110 N86-12233
- Alerted monitors: Human operators aided by automated detectors [PB85-222750] p 126 N86-13906
- An experimental investigation of propeller wakes using a laser Doppler velocimeter p 277 N86-19283
- The integrated manual and automatic control of complex flight systems [NASA-CR-177086] p 654 N86-28952
- Multi-input, multi-output system control for experimental aircraft [NASA-CR-177017] p 654 N86-28955
- Optimal cooperative control synthesis of active displays [NASA-CR-177102] p 683 N86-29651
- A model for correlating flat plate film cooling effectiveness for rows of round holes p 741 N86-29640
- Tailoring methodology for aeroelastic stability and lateral control enhancement p 729 N86-30857
- The integrated manual and automatic control of complex flight systems [NASA-CR-176940] p 729 N86-30737
- A study of methods to predict and measure the transmission of sound through the walls of light aircraft [NASA-CR-177147] p 757 N86-31335
- Flight control synthesis for flexible aircraft using Eigenspace assignment [NASA-CR-178164] p 835 N86-31590
- An approach to integrated aeroservoelastic tailoring for stability p 836 N86-32439

## R

- Radio Technical Commission for Aeronautics, Washington, D. C.  
Minimum operational performance standards for airborne Distance Measuring Equipment (DME) operation within the radio frequency range of 960-1215 megahertz [RTCA/DO-189] p 362 N86-21542
- Minimum operational performance standards for airborne thunderstorm detection equipment [RTCA/DO-191] p 617 N86-27851
- Minimum operational performance standards for airborne area navigation equipment using Omega/VLF inputs [RTCA/DO-190] p 705 N86-30711
- Rafael Armament Development Authority, Haifa (Israel).  
Longitudinal flying qualities criteria for single-pilot instrument flight operations p 305 A86-23186
- RAND Corp., Santa Monica, Calif.  
Depot maintenance of aviation components: Contractor versus organic repair [AD-A162071] p 408 N86-23556
- Rensselaer Polytechnic Inst., Troy, N.Y.  
Early transonic ideas in the light of later developments [AD-A159101] p 153 N86-15250
- Emission FTIR analyses of thin microscopic patches of jet fuel residues deposited on heated metal surfaces [NASA-CR-176786] p 519 N86-25502
- Research Triangle Inst., Research Triangle Park, N.C.  
An empirical study of flight control software reliability [NASA-CR-178058] p 532 N86-25145
- An experiment in software reliability [NASA-CR-172553] p 682 N86-29547
- Resource International, Inc., Columbus, Ohio.  
Mechanistic methodology for airport pavement design with engineering fabrics. Volume 2: Advanced concepts, validation and criteria [DOT/FAA/PM-84/9, II-VOL-2] p 657 N86-28963
- Rice Univ., Houston, Tex.  
Numerical synthesis of tri-variate velocity realizations of turbulence p 387 A86-28654
- Optimal take-off trajectories in the presence of windshear p 708 A86-44386
- Optimization and acceleration guidance of flight trajectories in a windshear [AIAA PAPER 86-2038] p 822 A86-47425
- Optimization and gamma/theta guidance of flight trajectories in a windshear p 834 A86-49071

Rijksluchtvaartdienst, The Hague (Netherlands).  
Activities report in aeronautics p 198 N86-16189  
Report of the Working Group for Sensitivity Analysis and Zoning Calculations (GAZOB) p 259 N86-16749  
Analysis and conclusions of the working Group for Sensitivity Analysis and Zoning Calculations (GAZOB) p 259 N86-16750  
Future Aeronautical Communication System (FACS): Report [ETN-86-98959] p 673 N86-26309  
RJO Enterprises, Inc., Lanham, Md.  
Aircraft avionics suitable for advanced approach applications. Volume 1: Aircraft fleet equipage [DOT/FAA/PM-86/25.1] p 642 N86-28944  
RMS Technologies, Inc., Treviso, Pa.  
Galley and overhead compartment experiment results: Full-scale transport controlled impact demonstration [DOT/FAA/CT-85/33] p 343 N86-20378  
Rockwell International Corp., Columbus, Ohio.  
Aerodynamic characteristics of a propulsive wing-canard concept at STOL speeds [NASA-CR-177982] p 86 N86-12205  
Rockwell International Corp., Downey, Calif.  
Operational flight experience and disassembly/inspection results of Space Shuttle orbiter actuators p 800 N86-27354  
Rockwell International Corp., Los Angeles, Calif.  
Transonic aeroelastic analysis of the B-1 wing [AIAA PAPER 85-0690] p 708 N86-44886  
Rockwell International Science Center, Thousand Oaks, Calif.  
Ultrasonic characterization of microstructure in powder metal alloy p 489 N86-22964  
Nonlinear potential analysis techniques for supersonic-hypersonic aerodynamic design [NASA-CR-172299] p 417 N86-23569  
Rolls-Royce Ltd., Derby (England).  
The mechanical design of gas turbine blading in cast superalloys [PNR-90247] p 237 N86-16223  
An analysis of rig test disc failures [PNR-90276] p 237 N86-16224  
Certification of aeroengines fitted with full authority digital control [PNR-90287] p 237 N86-16225  
Is the traditional 150 hour endurance test outdated? [PNR-90288] p 237 N86-16226  
The material development, component manufacture, and post-service evaluation of RB211-524 cowl doors utilizing carbon fibre composite materials [PNR-90275] p 247 N86-16273  
The technical development of cooled gas turbine blades [PNR-90292] p 255 N86-16595  
Aircraft noise control: Prospects for the 21st century [PNR-90272] p 260 N86-16757  
Limitations of manual NDT systems and the no eyes concept [PNR-90291] p 459 N86-22985  
Damage tolerance concepts for critical engine components p 506 N86-25361  
Limitations of manual NDT systems and the No Eyes concept p 506 N86-25365  
An analysis of rig test disc failures p 527 N86-25381  
Design, development and operation of a high simultaneous capacity digital telemetry system p 613 N86-27632  
Royal Aircraft Establishment, Bedford (England).  
Calculation of transonic steady and oscillatory pressures on a low aspect ratio model and comparison with experiment p 412 N86-33227  
New rotary rig at RAE and experiments on HIRM p 582 N86-27243  
Royal Aircraft Establishment, Farnborough (England).  
A rapid method for estimating equivalent parabolic polars from wind-tunnel tests [AD-A159559] p 153 N86-15251  
Numerical solutions for three-dimensional cases: Delta wings p 155 N86-15264  
Prediction of the drag of wings at subsonic speeds by viscous/inviscid interaction techniques p 156 N86-15274  
Studies of the flow field near a NACA 4412 aerofoil at nearly maximum lift [RAE-TM-AERO-2026] p 211 N86-17307  
Standardised fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation [RAE-TR-84084] p 226 N86-17336  
Standardised fatigue loading sequences for helicopter rotors (Helix and Felix). Part 2: Final definition of Helix and Felix [RAE-TR-84085] p 226 N86-17337

A smoke generator for the absolute calibration of gas turbine engine smoke sampling and measuring systems [RAE-TM-P-1044] p 258 N86-17702  
Structural materials in aeronautics: Prospects and perspectives [RAE-TR-85077] p 357 N86-21532  
Crack growth in near-alpha titanium alloys p 526 N86-25371  
Correlation of predicted and free-flight responses near departure conditions of a high incidence research model p 584 N86-27255  
The impact of VHPIC on avionics system architecture, packaging and maintainability p 674 N86-28372  
A numerical study of the aerodynamic interference of a model support system used in the RAE 5 metre wind tunnel [AD-A165671] p 657 N86-28962  
UK work on safety fuels p 733 N86-30012  
Investigation of the aerodynamic performance and noise characteristics of a 1/5th scale model of the Dowty Rotol R212 propeller [RAE-TM-AERO-1983] p 756 N86-30468  
The design and wind tunnel demonstration of an active control system for gust load alleviation and flutter suppression p 728 N86-30650  
Royal Netherlands Aircraft Factories Fokker, Amsterdam.  
Principles and applications of the Fokker bond tester [ETN-86-98960] p 612 N86-27624  
Royal Netherlands Aircraft Factories Fokker, Schiphol-Oost.  
Simulation of a six degrees of freedom flight simulator motion system [UA-00-39] p 241 N86-16230  
Recent experiences in the analysis of aircraft cabin noise p 401 N86-21287  
On the way to extended noise reductions in propeller aircraft [B8573697] p 657 N86-33126  
Royal Signals and Radar Establishment, Malvern (England).  
Applications of expert systems p 330 N86-19634  
Mil-DAP: its architecture and role as a real time airborne digital signal processor p 681 N86-28359  
Rutgers Univ., New Brunswick, N. J.  
Calculation of three-dimensional shock/turbulent boundary-layer interaction generated by sharp fin p 142 N86-17135  
Modelling of three-dimensional shock wave turbulent boundary layer interactions p 669 N86-41261

## S

Seab-Scania, Linköping (Sweden).  
Flutter calculation by a new program p 728 N86-30645  
San Diego State Univ., Calif.  
The flowfield of a side-dump combustor p 673 N86-28237  
San Jose State Univ., Calif.  
An extreme clear air turbulence incidence associated with a strong downslope windstorm [AIAA PAPER 86-0329] p 259 N86-19816  
Flight test planning and parameter extraction for rotorcraft system identification [AIAA PAPER 86-9772] p 430 N86-32107  
Sanders Associates, Inc., Nashua, N. H.  
Advanced avionics computer architecture. Volume 1. Executive summary [AD-A158119] p 104 N86-12222  
Advanced avionics computer architecture. Volume 2. Instruction set architecture specification [AD-A158120] p 104 N86-12223  
Sandia National Labs., Albuquerque, N. Mex.  
New passive helicopter detector [DE85-015180] p 123 N86-12595  
Six degree of freedom simulation of fluid payload projectiles using numerically computed fluid moments [DE85-017183] p 206 N86-16200  
Introduction to deployable recovery systems [DE86-000048] p 211 N86-17310  
Development drop test results of the 15-ft-dia ribbon parachute and 73-ft-dia cross parachute for the US Army Natick Laboratory UHLCADS system [DE85-017614] p 341 N86-20371  
Airborne intruder detection considerations [DE86-006462] p 808 N86-31576  
SASC Technologies, Inc., Hampton, Va.  
Numerical simulation of precipitation induced downbursts p 615 N86-37496  
Schaefer (Georg) and Co., Schweinfurt (West Germany).  
Effects of unfavorable environmental conditions on the service life of jet engine and helicopter bearings p 677 N86-29238

Design and calculation of high speed engine bearings p 677 N86-29241  
Science Applications International Corp., Princeton, N.J.  
Progress in the development of parabolized Navier-Stokes (PNS) methodology for analyzing propulsive jet mixing problems [AIAA PAPER 86-1115] p 551 N86-38473  
Computational models for the analysis/design of hypersonic scramjet components. I - Combustor and nozzle models [AIAA PAPER 86-1595] p 647 N86-42737  
Parabolized Navier-Stokes analysis of three-dimensional supersonic and subsonic jet mixing problems p 780 N86-48904  
Scientific Research Associates, Inc., Glastonbury, Conn.  
A three-dimensional viscous flow analysis for the helicopter tip vortex generation process about square and round tipped blades [AIAA PAPER 86-0560] p 203 N86-19949  
Scientific Systems, Inc., Cambridge, Mass.  
Bifurcation techniques for nonlinear dynamic analysis of compressor stall phenomena p 501 N86-35403  
Vectorized thrust digital flight control for crew escape, volume 1 [AD-A166580] p 700 N86-29798  
Vectorized thrust digital flight control for crew escape, volume 2 [AD-A166596] p 700 N86-29799  
Selenia Industrie Associate S.p.A., Rome (Italy).  
Rivista Tecnica Selenia, volume 9, number 3, 1985 p 407 N86-22537  
The MRCA automatic test system p 407 N86-22538  
Complex systems integrated logistic support: Automatic Test Equipment (ATE) and test oriented language role p 407 N86-22539  
Selenia's contribution to the development of systems support: Microwave Automatic Test Equipment (ATE) p 407 N86-22540  
Implicit activities in the post development phase p 407 N86-22542  
Lines of evolution p 407 N86-22543  
An example of integrated logistic support applied also to production testing p 744 N86-30868  
Shenyang Aircraft Corp. (China).  
Experimental transonic pressure distributions of a flexible wing-aileron model and comparisons with results of several theoretical methods p 696 N86-30639  
Sherbrooke Univ. (Quebec).  
Experimental study of the effect of turbulence on dynamic stalling p 565 N86-27264  
Shock and Vibration Information Center (Defense), Washington, D. C.  
The Shock and Vibration Bulletin 55. Part 1: Welcome, keynote address, invited papers, isolation and damping and damping practices [AD-A160263] p 256 N86-16616  
The Shock and Vibration Bulletin 55. Part 2: Dynamic testing, flight vehicle dynamics, seismic loads and fluid-structure interaction [AD-A160264] p 257 N86-16646  
The Shock and Vibration Digest, volume 18, no. 1 [AD-A165726] p 612 N86-27468  
The Shock and Vibration Digest, volume 17, no. 8 [AD-A165115] p 612 N86-27471  
Sierra Nevada Corp., Reno.  
Development and flight test of a helicopter, X-band, portable precision landing system concept p 485 N86-35608  
Sikorsky Aircraft, Stratford, Conn.  
The performance characteristics of simulated ice on rotorcraft airfoils p 482 N86-35656  
Transmission acoustic vibration testing [AD-A159022] p 101 N86-13326  
Test results from a dynamic model dynaflex rotor p 167 N86-15285  
Development and application of a time-history analysis for rotorcraft dynamics based on a component approach p 168 N86-15291  
An examination of the relations between rotor vibratory loads and airframe vibrations p 177 N86-15299  
Adaptation of a modern medium helicopter (Sikorsky S-76) to higher harmonic control p 178 N86-15303  
Advanced technology helicopter landing gear preliminary design investigation [AD-A162097] p 437 N86-23594  
Simula, Inc., Phoenix, Ariz.  
Preliminary floor, seat, and dummy data p 391 N86-21942  
Crash-resistant crewseat limit-load optimization through dynamic testing with cadavers [AD-A164828] p 569 N86-26296

**Simula, Inc., Tempe, Ariz.**

- Seat experiment results of full-scale transport aircraft control impact demonstration [DOT/FAA/CT-85/25] p 701 N86-30702
- Smith Associates Consulting System Engineers Ltd., Cobham (England).**  
A self-organising control system for non-linear aircraft dynamics p 564 N86-27258
- Societe Francaise d'Instruments de Mesure, Velizy-Villacoublay (France).**  
Use of a CO<sub>2</sub> laser lidar for flight and penetration at very low altitudes p 610 N86-26326
- Societe Nationale d'Etudes et de Construction de Moteurs d'Aviation, Molsay-Cramayel (France).**  
Cooling techniques for turbojet pre-heater channels p 741 N86-29847
- Societe Nationale d'Etude et de Construction de Moteurs d'Aviation, Paris (France).**  
Prediction of the stability performance of a turboreactor combustion chamber [SNECMA-YKC-3289/85] p 651 N86-28949
- Societe Nationale des Poudres et Explosifs, Vert-Le-Petit (France).**  
New transparent solid material for helicopter windshields [SNPE-NT-37/85/CRB/NP] p 641 N86-28941
- Societe Nationale Industrielle Aerospaciale, Les Mureaux (France).**  
Systems safety: Phantom or reality [SNIAS-852-422-103] p 215 N86-17330
- Societe Nationale Industrielle Aerospaciale, Marignane (France).**  
The deiced super Puma [SNIAS-852-210-104] p 215 N86-17328  
Search and Rescue (SAR) System developed as part of the contract signed with the Irish Air Corps for the supply of 365 F Dauphin aircraft [SNIAS-852-210-105] p 215 N86-17329  
Strategies for dynamic modeling of a helicopter structure [SNIAS-852-210-101] p 228 N86-17350  
Helicopter internal noise treatment. Recent methodologies and practical applications [SNIAS-852-210-102] p 266 N86-18133  
Computing codes for development of helicopter crashworthy structures and test substantiation [SNIAS-861-210-106] p 640 N86-28084
- Societe Nationale Industrielle Aerospaciale, Paris (France).**  
Arenyl: A soluble mold technology [SNIAS-852-430-111] p 247 N86-16277  
The future of surface treatments in aeronautical construction [SNIAS-861-551-101] p 665 N86-29037  
Anemobarometry in flight control. A-320 aerodynamics. The turboreactors air inlet [SNIAS-861-111-114] p 808 N86-31565  
Anemobarometry: An essential element of flight control [SNIAS-861-111-114] p 835 N86-31566  
The A-320 aerodynamics. The turboreactor air inlet [NOTE-427.021/86] p 806 N86-31567  
Active control of helicopter vibrations. Flight evaluation of a vibration reduction system on a Gazelle SA 349 helicopter [SNIAS-861-210-108] p 836 N86-32444
- Societe Nationale Industrielle Aerospaciale, Saint-Medard-en-Jalles (France).**  
Nondestructive inspection: An efficient investment [SNIAS-852-430-110] p 247 N86-16276  
Composite materials: A source of innovation [SNIAS-852-430-113] p 248 N86-17493  
Design of nonaxisymmetric structures (turbojet engine nacelle element) [SNIAS-852-430-119] p 248 N86-17498  
Description of a nondestructive facility using holographic interferometry [SNIAS-852-430-105] p 258 N86-17726  
Holography: The nondestructive testing of composite structures p 458 N86-22611
- Societe Nationale Industrielle Aerospaciale, Suresnes (France).**  
Problems found when introducing new materials [SNIAS-852-551-101] p 198 N86-16190  
The applications of composite materials in the aeronautical domain [SNIAS-852-551-103] p 247 N86-16279
- Societe Nationale Industrielle Aerospaciale, Toulouse (France).**  
The design of composite structures [SNIAS-861-111-103] p 640 N86-28082  
The SIGMA cadcam software [SNIAS-861-111-110] p 640 N86-28083  
Eigenvalues assignment method: An application to designing an autopilot [SNIAS-861-111-106] p 653 N86-28095

- Main flight controls**  
[SNIAS-861-111-111] p 653 N86-28096  
Stress intensity factor in an integral or bonded stiffened panel using an analytical method [SNIAS-861-111-104] p 678 N86-28481  
Computation of the stress intensity factor in stiffened panels (built in or adhesive bonded stiffeners) [SNIAS-436.021/85] p 851 N86-32784
- Southampton Univ. (England).**  
The status of two-dimensional testing at high transonic speeds in the University of Southampton transonic self-streamlining wind tunnel [NASA-CR-3919] p 86 N86-12203  
Derivation of jack movement influence coefficients as a basis for selecting wall contours giving reduced levels of interference in flexible walled test sections [NASA-CR-177992] p 86 N86-12204
- Southeastern Center for Electrical Engineering Education, Inc., St. Cloud, Fla.**  
USAF/SCREE (United States Air Force/Southeastern Center for Electrical Engineering Education) Research Initiation Program research reports, volume 2 [AD-A161908] p 460 N86-23752
- Southwest Research Inst., San Antonio, Tex.**  
Propeller-induced structure-borne noise - Laboratory-based test apparatus [AIAA PAPER 86-1938] p 730 A86-45425  
Digital servocontroller system. Volume 4. Results and conclusions [AD-A159068] p 111 N86-13335  
Digital servocontroller system. Volume 1: Operations manual [AD-A158392] p 192 N86-14960  
Digital servocontroller system. Volume 2. Maintenance manual [AD-A159066] p 179 N86-15322  
High-temperature lubrication systems for ring/liner applications in advanced heat engines [AD-A164955] p 604 N86-26446
- Space Development Corp., Hampton, Va.**  
Data reduction, management, and analysis software for CID p 399 N86-21938
- Spectra Research Systems, Inc., Vandenberg AFB, Calif.**  
Feasibility study for a static aircraft flight [AD-A163129] p 466 N86-24233
- Spectra Technology, Inc., Bellevue, Wash.**  
Experiments on supersonic turbulent flow development in a square duct [AIAA PAPER 86-1038] p 548 A86-38412
- Spectron Development Labs., Inc., Costa Mesa, Calif.**  
Optical technique to study the impact of heavy rain on aircraft performance [NASA-CR-177989] p 123 N86-12580
- SRI International Corp., Menlo Park, Calif.**  
Physical distribution system for aircraft external fuel tanks-survey [AD-A158275] p 101 N86-13324
- Stanford Univ., Calif.**  
Analysis of interacting dual lifting ejector systems [AIAA PAPER 86-0478] p 233 A86-19895  
Numerical simulation of transonic separated flows over low-aspect ratio wings [AIAA PAPER 86-0508] p 206 A86-22704  
Influence of high-order dynamics on helicopter flight-control system bandwidth p 442 A86-31660  
Flight investigation of a multivariable model-following control system for rotorcraft [AIAA PAPER 86-9779] p 443 A86-32114  
Aeroelastic tailoring of composite wings with external stores [AIAA PAPER 86-1021] p 609 A86-38878  
Optimal landing of a helicopter in autorotation [AIAA PAPER 86-2287] p 793 A86-47705  
Development of a flight software testing methodology [NASA-CR-176391] p 128 N86-13922  
Dynamic assertion testing of flight control software [NASA-CR-176715] p 486 N86-23321  
Dynamic assertion testing of flight control software [NASA-CR-176712] p 486 N86-23322  
A methodology for testing fault-tolerant software [NASA-CR-176713] p 486 N86-23323  
Dynamic assertion testing of flight control software [NASA-CR-176716] p 486 N86-23325  
An analysis of blade vortex interaction aerodynamics and acoustics [NASA-CR-177018] p 630 N86-28912  
Analytical observations on the aerodynamics of a delta wing with leading edge flaps [NASA-CR-177022] p 630 N86-28913  
A study of the factors affecting boundary layer two-dimensionality in wind tunnels [NASA-CR-177023] p 631 N86-28914  
The lift of sharp-leading-edged delta wings with blowing [NASA-CR-176967] p 631 N86-28915

- Measurements on wing-tip blowing**  
[NASA-CR-176930] p 632 N86-28922  
A theory for lateral wing-tip blowing [NASA-CR-176931] p 632 N86-28923  
Flow past a flat plate with a vortex/sink combination [NASA-CR-176908] p 676 N86-29159  
A simplified model of the turbulent microburst [NASA-CR-177108] p 679 N86-29466  
Optimal landing of a helicopter in autorotation [NASA-CR-177082] p 714 N86-29809  
The design of multirate digital control systems [NASA-CR-177126] p 726 N86-29863  
Experimental results of the control of a vortical flow by tangential blowing [NASA-CR-176932] p 742 N86-30094
- State Univ. of New York, Buffalo.**  
Stress analysis of gas turbine engine structures using the boundary element method p 520 A86-34444
- Sterling (Walter V.), Inc., Palo Alto, Calif.**  
Transonic aeroelasticity of wings with tip stores [AIAA PAPER 86-1007] p 553 A86-38948
- Stevens Inst. of Tech., Hoboken, N. J.**  
Time domain design of robust controllers for LQG (Linear Quadratic Gaussian); application to large space structures [AD-A163635] p 533 N86-26074
- Strathclyde Univ., Glasgow (Scotland).**  
Assessing the effects of delaminations on the postbuckling strength of CRFP panels p 743 N86-30781
- Stuttgart Univ. (West Germany).**  
Airfoil design for Reynolds numbers between 50,000 and 500,000 p 136 A86-16302  
A Navier-Stokes procedure for simulation of two-dimensional and quasi two-dimensional grid flows p 149 N86-14236
- Suntech, Inc., Marcus Hook, Pa.**  
Turbine fuels from tar sands bitumen and heavy oil. Phase 1: Preliminary process analysis [AD-A161300] p 452 N86-22724
- Sverdrup Technology, Inc., Arnold Air Force Station, Tenn.**  
Method to detect ethylene glycol in gaseous mixtures [AD-A158109] p 116 N86-12272  
Crushing strength of aluminum oxide agglomerates [AD-A158051] p 124 N86-13756  
Analysis and verification of the icing scaling equations. Volume 1 [AD-A162226] p 437 N86-23595
- Sverdrup Technology, Inc., Cleveland, Ohio.**  
An LU implicit scheme for high speed inlet analysis [AIAA PAPER 86-1520] p 625 A86-42687  
Unified constitutive materials model development and evaluation for high-temperature structural analysis applications p 849 A86-49133  
Analytical determination of propeller performance degradation due to ice accretion [NASA-CR-175092] p 420 N86-23577  
Calibration of droplet sizing and liquid water content instruments: Survey and analysis [NASA-CR-175099] p 611 N86-26596
- Syracuse Univ., N. Y.**  
Aeroacoustics of contoured plug-nozzle supersonic jet flows [AIAA PAPER 86-1946] p 752 A86-45433  
Linear and nonlinear dynamic analysis of redundant load path bearingless rotor systems [NASA-CR-177098] p 682 N86-29579
- Systems Control, Inc., West Palm Beach, Fla.**  
VHF-AM communications equipment selection and installation practices for helicopters [DOT/FAA/PM-85/8] p 189 N86-15518
- Systems Control Technology, Inc., Palo Alto, Calif.**  
Development of a knowledge acquisition tool for an expert system flight status monitor [AIAA PAPER 86-0240] p 230 A86-19764  
Robust detection, isolation, and accommodation for sensor failures p 501 A86-35402  
Robust detection, isolation and accommodation for sensor failures [NASA-CR-174825] p 722 N86-30732
- Systems Research Labs., Inc., Dayton, Ohio.**  
Criteria for a state-of-the-art vision test system [AD-A157099] p 126 N86-12973  
Manufacturing technology for nondestructive evaluation (NDE) system to implement Retirement For Cause (RFC) procedures for gas turbine engine components p 507 N86-25368
- Systems Technology, Inc., Hawthorne, Calif.**  
Methodologies for the direct digital control of highly flexible vehicles [AD-A158448] p 188 N86-14615

## T

## Technion - Israel Inst. of Tech., Haifa.

Adaptive filtering of biodynamic stick feedthrough in manipulation tasks on board moving platforms  
[AIAA PAPER 86-2248] p 825 A86-47495

## Technische Hochschule, Aachen (West Germany).

Solutions of the Navier-Stokes equations for vortical flow  
p 148 N86-14231  
Numerical calculation of leading-edge vortices on a flat delta wing  
p 148 N86-14232  
Wind shear measurement on board a Morane 893  
p 394 N86-21084

Reconstruction of forcing functions based on measured structural responses  
p 732 N86-30884

## Technische Hochschule, Darmstadt (West Germany).

An implicit finite-difference procedure for the numerical solution of unsteady supersonic flow over a blunt body  
p 148 N86-14229

Investigations in the flow field of airfoils with various geometries in the domain of high angles of attack. Experimental investigations  
[REPT-A-13/85] p 418 N86-23576

## Technische Hogeschool, Delft (Netherlands).

An experimental investigation of the entrainment into a leading-edge vortex  
[VTH-LR-332] p 208 N86-16203

Calculations of transonic flows around single and multiple airfoils on a small computer  
[REPT-84-48] p 208 N86-16205

Design and evaluation of an instrumentation system for measurements in nonsteady symmetrical flight conditions with the Hawker Hunter MK 7  
[VTH-LR-308] p 232 N86-16215

Low speed aerodynamic characteristics of a two-dimensional sail wing with adjustable slack of the sail  
[VTH-LR-307] p 211 N86-17314

Design and fabrication of an advanced composite cellular wing box  
[VTH-LR-315] p 227 N86-17344

Lecture notes on fatigue, static tensile strength and stress corrosion of aircraft materials and structures. Part 2: Figures  
[VTH-LR-380-PT-2] p 227 N86-17345

Design of hat-stiffened composite panels under uniaxial compression and shear. Minimum mass optimization based on a simplified theory  
[VTH-LR-312] p 259 N86-17806

The conformal representation of the NACA 642A015 profile  
[VTH-M-502] p 277 N86-18296

Calculation of the external nacelle surface for single and double stream jet engines for civil aircraft  
[VTH-M-445] p 277 N86-18301

On the longest chord of the first Muller profile  
[VTH-M-486] p 277 N86-18303

Design method for the calculation of performances and flap movement of flexible wind turbine blades  
[VTH-M-453] p 323 N86-18795

An introduction to the application of Computer Aided Design (CAD) to the predesign of aircraft and the design of aircraft structures at the Aerospace Section  
[VTH-M-512] p 330 N86-19045

Report of noise measurements with 2 different microphone dispositions on airplane type Cessna F 172L  
[VTH-M-510] p 332 N86-19143

On the separated flow over a delta wing at high subsonic and transonic speeds  
[VTH-M-527] p 279 N86-19283

Elements of the aerodynamic theory of cyclogyro wing systems with concentrator effects  
[VTH-LR-338] p 279 N86-19294

Aeroelastic research on wind turbines  
[VTH-M-474] p 459 N86-23012

MEP: A program for cross section magnitudes of a multicell wing profile  
[VTH-M-487] p 459 N86-23013

Aeroelastic research on wind turbines  
[VTH-M-501] p 459 N86-23014

Aeroelastic research on wind turbines  
[VTH-M-517] p 459 N86-23016

Effects of aerodynamic lags on aircraft responses  
p 564 N86-27257

## Technische Hogeschool, Eindhoven (Netherlands).

A revision of the actuator disk concept and momentum theory  
[REPT-R-732-D] p 341 N86-20374

## Technische Univ., Aachen (West Germany).

Effect of film cooling on the aerodynamic performance of a turbine cascade  
p 742 N86-29859

## Technische Univ., Brunswick (West Germany).

Application of unsteady wing collocation methods to cascades in subsonic flow  
p 696 N86-30636

## Technische Univ., Munich (West Germany).

Evaluation of cyclic spin pit tests for the damage tolerance of disks  
p 507 N86-25379

Scoring tests of aircraft transmission lubricants at high speeds and high temperatures  
p 667 N86-29253

## Tel-Aviv Univ. (Israel).

An exact formulation of the unsteady aerodynamic theory of lifting surfaces undergoing arbitrary small motions in a supersonic flow field  
p 696 N86-30634

Recent results on the weight minimization of panels with a flutter speed constraint  
p 715 N86-30660

## Teledyne CAE, Toledo, Ohio.

Variable area radial turbine fabrication and test program  
[NASA-CR-175091] p 651 N86-28947

## Teledyne Continental Motors, Muskegon, Mich.

Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 1  
[NASA-CR-174923-VOL-1] p 108 N86-13328

Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 2  
[NASA-CR-174923-VOL-2] p 108 N86-13329

Lightweight two-stroke cycle aircraft diesel engine technology enablement program, volume 3  
[NASA-CR-174923-VOL-3] p 108 N86-13330

## Tennessee Univ., Knoxville.

Investigation of the dynamic response of aircraft to microburst (JAWS) wind shear  
p 445 N86-22578

## Tennessee Univ., Tusculum.

Analysis of data from NASA B-57B gust gradient program  
[NASA-CR-178736] p 446 N86-23604

## Test Wing (4950th), Wright-Patterson AFB, Ohio.

Fireproof hydraulic brake system  
[AD-A167774] p 786 N86-31549

## Texas A&amp;M Univ., College Station.

Propeller slipstream/wing boundary layer effects at low Reynolds numbers  
p 139 A86-16324

A numerical method for the design and analysis of counter-rotating propellers  
[AIAA PAPER 84-1205] p 233 A86-20389

An experimental study of the lift, drag and static longitudinal stability for a three lifting surface configuration  
[AIAA PAPER 86-0398] p 365 A86-26629

Performance degradation of helicopters due to icing - A review  
p 494 A86-35668

An investigation of the effects of the propeller slipstream of a laminar wing boundary layer  
[SAE PAPER 850659] p 551 A86-38502

Numerical evaluation of propeller noise including nonlinear effects  
p 645 A86-41726

An experimental study of a three lifting surface configuration  
p 775 A86-49104

Wing laminar boundary layer in the presence of a propeller slipstream  
p 776 A86-49122

A direct-inverse method for transonic and separated flows about airfoils  
[NASA-CR-176403] p 89 N86-13300

Experimental and theoretical study of propeller spinner/shank interference  
[NASA-CR-176954] p 694 N86-29773

Aerodynamic data banks for Clark-Y, NACA 4-digit and NACA 16-series airfoil families  
[NASA-CR-176883] p 697 N86-30693

## Texas Technological Coll., Lubbock.

A canonical form for nonlinear systems  
[NASA-CR-176974] p 748 N86-30371

## Texas Technological Univ., Lubbock.

Multipark flow visualization of lateral jet injection into a swirling cross flow  
p 85 A86-14561

Interpretation of F-108B in-flight lightning signatures  
[NASA-CR-176387] p 100 N86-13320

## Texas Univ., Austin.

Experimental study of the supersonic turbulent boundary layer on a blunt axisymmetric body  
[AD-A163736] p 479 N86-24669

## Textron Bell Helicopter, Fort Worth, Tex.

Six degree-of-freedom LIVE isolation systems, part 1  
[NASA-CR-177928] p 587 N86-28331

Flight service evaluation of composite components on the Bell helicopter model 206L  
[NASA-CR-178148] p 734 N86-30612

## Theory and Applications Unlimited Corp., Los Gatos, Calif.

Helicopter flight test demonstration of differential GPS  
p 345 A86-26438

Civil helicopter flight operations using differential GPS  
p 346 A86-26509

A new technique for terrain following/terrain avoidance guidance command generation  
p 574 N86-26325

Thomson-CSF, Issy les Moulineaux (France).  
Synthetic real-time relief display all-weather airborne missions  
p 589 N86-26321

## Thomson-CSF, Montrouge (France).

The application of high-performance integrated circuits for airport fire control radars  
p 674 N86-28369

## Tokyo Univ. (Japan).

Numerical simulation of vortices shed behind a rotating wing  
p 418 N86-23862

## Toledo Univ., Ohio.

A numerical and experimental investigation of electrochemical aircraft deicing  
[NASA-CR-175024] p 344 N86-20380

Control design for robust stability in linear regulators: Application to aerospace flight control  
[NASA-CR-176858] p 749 N86-31265

## Toronto Univ., Downsview (Ontario).

Automatic landing through the turbulent planetary boundary layer  
[UTIAS-289] p 283 N86-19305

Random-choice-method solutions for two-dimensional planar and axisymmetric steady supersonic flows  
[UTIAS-297] p 415 N86-22555

## Toronto Univ. (Ontario).

Flight simulation motion-base drive algorithms. Part 2: Selecting the system parameters  
[UTIAS-307] p 618 N86-27929

Spectra of noise and amplified turbulence emanating from shock-turbulence interaction: Two scenarios  
[NASA-TM-88766] p 620 N86-27970

## Transportation Research Board, Washington, D.C.

Surface properties-vehicle interaction  
[PB85-242576] p 255 N86-16428

## Transportation Systems Center, Cambridge, Mass.

The Stapleton microburst advisory service project: An operational viewpoint  
[AD-A161543] p 394 N86-21078

General aviation pilot and aircraft activity survey  
[AD-A161665] p 345 N86-21530

## Trondheim Univ. (Norway).

Formulation of the Euler boundary value problem  
p 154 N86-15258

TRW Electronics and Defense Sector, Redondo Beach, Calif.  
The future of bipolar technology for avionics  
p 674 N86-28341

## TRW, Inc., Cleveland, Ohio.

Multiaxial and thermomechanical fatigue considerations in damage tolerant design  
p 526 N86-25375

Turbomeca S. A. - Brevets Szydlowski, Bordes (France).  
Compressors study: Improving the efficiency of a high performance multistage compressor  
[ETN-86-97192] p 651 N86-28948

## U

## United Technologies Corp., East Hartford, Conn.

Stress analysis of gas turbine engine structures using the boundary element method  
p 520 A86-34444

Three-dimensional inviscid flow in mixers. I - Mixer analysis using a Cartesian grid  
p 554 A86-39090

ALESEP. Part 2: A computer program for the analysis of leading edge separation bubbles on infinite swept wings  
[NASA-CR-178015] p 479 N86-24664

## United Technologies Corp., Windsor Locks, Conn.

Propeller noise caused by blade tip radial forces  
[AIAA PAPER 86-1892] p 721 A86-45504

United Technologies Research Center, East Hartford, Conn.  
Isolated and interacting round parallel heated jets  
[AIAA PAPER 86-0281] p 264 A86-19790

Long term deposit formation in aviation turbine fuel at elevated temperature  
[AIAA PAPER 86-0525] p 243 A86-19929

Fuel deposit characteristics at low velocity  
[ASME PAPER 85-IGT-130] p 313 A86-23922

Dynamic characteristics of an assembly of prop-fan blades  
[ASME PAPER 85-GT-134] p 441 A86-32958

Hovering rotor airload prediction using a full potential flow analysis with realistic wake geometry  
p 475 A86-35636

Three-dimensional inviscid flow in mixers. I - Mixer analysis using a Cartesian grid  
p 554 A86-39090

Rotor noise due to atmospheric turbulence ingestion. II - Aeroacoustic results  
[AIAA PAPER 86-1803] p 750 A86-45404

Rotor noise due to atmospheric turbulence ingestion. I - Fluid mechanics  
[AIAA PAPER 86-1857] p 754 A86-45479

Three-dimensional inviscid flow in mixers. II - Analysis of turbofan forced mixers  
p 692 A86-46316

Overview of helicopter wake and airloads technology  
p 767 A86-48654

Analysis of potential helicopter vibration reduction concepts  
p 178 N86-15302

- Composite integral response sensing  
[AD-A163136] p 470 N86-24457
- Helicopter rotor noise due to ingestion of atmospheric turbulence  
[NASA-CR-3973] p 535 N86-25216
- Analysis of transitional separation bubbles on infinite swept wings  
[NASA-CR-3958] p 555 N86-26288
- Dynamic stall of swept and unswept oscillating wings  
p 580 N86-27226

## University Coll., London (England).

- Large-scale separation and hysteresis in cascades  
p 145 A86-18577

## University of Southern California, Los Angeles.

- A novel feedback concept for combustion instability in ramjets  
p 665 N86-28236

## University of Southern Colorado, Pueblo.

- Investigation of an advanced fault tolerant integrated avionics system  
[NASA-CR-176980] p 642 N86-28945

- Technology research for strapdown inertial experiment and digital flight control and guidance  
[NASA-CR-178907] p 703 N86-29800

## University of Western Michigan, Kalamazoo.

- Eigenanalysis synthesis for active flutter suppression on an oblique-wing aircraft  
[AIAA PAPER 86-2243] p 824 A86-47491
- Model-following control for an oblique-wing aircraft  
[AIAA PAPER 86-2244] p 824 A86-47492

## V

## VDO-Luftfahrtgeräte Werk Adolf Schindling G.m.b.H., Frankfurt (West Germany).

- Studies for the application of a flexible weight and balance (W/B) measuring facility for commercial aircraft  
[BMFT-FB-W-85-029] p 840 N86-31604

## Vickers PLC, Hampshire (England).

- Fatigue testing of tube to node butt welds envisaged for RAE Bedford flight simulator  
[REPT-23480/2/85] p 257 N86-16674

## Vigyan Research Associates, Inc., Hampton, Va.

- Shaping of airplane fuselages for minimum drag  
[AIAA PAPER 86-0316] p 201 A86-19809

- Exploratory investigation of deflectable forebody strakes for high angle of attack yaw control  
[AIAA PAPER 86-0333] p 238 A86-19819

- Numerical simulation of a controlled-flow tunnel for V/STOL testing  
p 371 A86-28561

- An attached flow design of a noninterfering leading-edge extension to a thick delta wing  
p 337 A86-28569

- Swept wing-tip shapes for low-speed airplanes  
[SAE PAPER 851770] p 548 A86-38305

- Effect of silane concentration on the supersonic combustion of a silane/methane mixture  
[AIAA PAPER 86-1396] p 663 A86-42610

- Flight research on natural laminar flow nacelles - A progress report  
[AIAA PAPER 86-1629] p 627 A86-42762

- Forebody vortex management for yaw control at high angles of attack  
p 833 A86-49047

- A new, improved method for separating turbulent boundary layer for aerodynamic performance prediction of trailing edge stall airfoils  
[AIAA PAPER 86-1832] p 779 A86-49590

- Introduction to cryogenic wind tunnels  
[NASA-CR-177966] p 113 N86-12238

- Method for the prediction of the installation aerodynamics of a propfan at subsonic speeds: User manual  
[NASA-CR-178057] p 340 N86-20360

- Subsonic flow investigations on a cranked wing designed for high maneuverability  
[NASA-CR-178046] p 340 N86-20361

- Design of fuselage shapes for natural laminar flow  
[NASA-CR-3870] p 480 N86-23852

- Basic studies on delta wing flow modifications by means of apex fences  
p 557 N86-27199

- Towards an advanced vortex flap system: The cavity flap  
p 557 N86-27200

- PAN AIR application to the F-106B  
[NASA-CR-178165] p 698 N86-30698

- Virginia Polytechnic Inst. and State Univ., Blacksburg.  
Calculation of unsteady fan rotor response caused by downstream flow distortions  
p 85 A86-14558

- Dual rectangular jets from a flat plate in a crossflow  
[AIAA PAPER 86-0477] p 255 A86-22703

- The response of airfoils to periodic disturbances - The unsteady Kutta condition  
[AIAA PAPER 84-0050] p 270 A86-23126

- A propeller model for studying trace velocity effects on interior noise  
p 284 A86-23191

- Efficient identification of critical stresses in structures subject to dynamic loads  
p 380 A86-26682

- Cryogenic tunnel measurement of total temperature and pressure  
p 387 A86-28570

- Evaluation of 16 measures of mental workload using a simulated flight task emphasizing mediational activity  
p 395 A86-28864

- Linear dynamic coupling in geared rotor systems  
[ASME PAPER 85-DET-11] p 608 A86-38617

- Application of the unsteady vortex-lattice method to the nonlinear two-degree-of-freedom aeroelastic equations  
[AIAA PAPER 86-0867] p 585 A86-38902

- Response of composite material shallow arch to concentrated load  
p 670 A86-41699

- The influence of source location on the structural-acoustic interaction of cylinders  
p 638 A86-41710

- Noise control characteristics of synchrophasing. I - Analytical investigation  
p 708 A86-44853

- Effects of an internal floor on low frequency sound transmission into aircraft cabins - An experimental investigation  
[AIAA PAPER 86-1939] p 711 A86-45426

- Structural influence of cabin floor on sound transmission into propeller aircraft - Analytical investigations  
[AIAA PAPER 86-1940] p 711 A86-45427

- Active control of propeller induced noise fields inside a flexible cylinder  
[AIAA PAPER 86-1957] p 711 A86-45442

- Experimental investigation of unsteady fan flow interaction with downstream struts  
[AIAA PAPER 86-1870] p 739 A86-45490

- Noise control characteristics of synchrophasing. II - Experimental investigation  
p 805 A86-49808

- Numerical and experimental studies of 3-D and unsteady turbulent body/appendage/propeller flows  
[AD-A157078] p 123 N86-12552

- Effects of velocity profile and inclination on dual-jet-induced pressures on a flat plate in a crosswind  
[NASA-CR-177361] p 87 N86-13287

- Development of LC-13C NMR  
[NASA-CR-176656] p 379 N86-21704

- Analysis of dynamic stability derivatives for high angle of attack aircraft  
p 414 N86-22546

- Thermodynamic evaluation of transonic compressor rotors using the finite volume approach  
[NASA-CR-176840] p 610 N86-26546

- Thermodynamic evaluation of transonic compressor rotors using the finite volume approach  
[NASA-CR-176947] p 722 N86-30731

- Aspect ratio effects on wings at low Reynolds numbers  
p 782 N86-32390

## Virginia Univ., Charlottesville.

- Separation bubble behavior for a NACA 23009 airfoil  
p 137 A86-16312

- Limiting performance of nonlinear systems with applications to helicopter vibration control  
[AD-A161457] p 370 N86-21551

## Von Karman Inst. for Fluid Dynamics,

- Rhode-Saint-Genese (Belgium).  
Numerical Techniques for Viscous Flow Calculations in Turbomachinery Bladings  
[VKI-LS-1986-02] p 744 N86-30988

## Vrije Universiteit, Brussels (Belgium).

- An internal variable assisted formulation of moisture sorption models for polymers and composites  
p 515 A86-34650

- The combined effects of stress and moisture on the structural integrity of composites  
p 667 A86-40344

- Velocity and turbulence measurements in dynamically stalled boundary layers on an oscillating airfoil  
p 560 N86-27226

## W

## Washington Univ., Seattle.

- Numerical simulation of a controlled-flow tunnel for V/STOL testing  
p 371 A86-28561

- Experiments on supersonic turbulent flow development in a square duct  
[AIAA PAPER 86-1038] p 548 A86-38412

- Use of NDE to evaluate reflection cracking in airfield pavements  
[AD-A164880] p 599 N86-27293

## Washington Univ., St. Louis, Mo.

- Coupled rotor-body vibrations with inplane degrees of freedom  
p 177 N86-15301

- Effect of dynamic stall and elastic parameters on the fundamental mechanisms of helicopter vibrations  
[AD-A160022] p 237 N86-17355

## Waterloo Univ. (Ontario).

- Transient motion of a hypersonic wedge, including time history effects  
p 443 A86-31662

- Critical evaluation of the unsteady aerodynamics approach to dynamic stability at high angles of attack  
[NASA-CR-177104] p 632 N86-28924

## Wear Sciences, Inc., Arnold, Md.

- High-temperature lubrication systems for ring/liner applications in advanced heat engines  
[AD-A164955] p 604 N86-26446

## Weather Corp., Weston, Mass.

- Development of airborne electric field and lightning detection instrumentation for aviation safety  
[AD-A167342] p 701 N86-30705

## Welding Inst., Cambridge (England).

- Fatigue testing of tube to node butt welds envisaged for RAE Bedford flight simulator  
[REPT-23480/2/85] p 257 N86-16674

## Westinghouse Electric Corp., Baltimore, Md.

- The impact of very high performance integrated circuits on avionics system readiness  
p 674 N86-28373

## Westinghouse Electric Corp., Lima, Ohio.

- Two-hundred to 300 KVA conditioned power system - development, phase 1  
[AD-A158820] p 125 N86-13832

## Westland Helicopters Ltd., Yeovil (England).

- Unsteady aerodynamics application to helicopter noise and vibration sources  
p 582 N86-27241

- Dynamic analysis: Correlation of theory with experiment  
[RP661] p 851 N86-31917

## Wichita State Univ., Kans.

- The use of curved higher order panels for vortex sheet modeling  
[AIAA PAPER 86-1812] p 544 A86-37833

- Further results of natural laminar flow flight test experiments  
[SAE PAPER 850862] p 581 A86-38504

- Particle trajectory computation on a 3-dimensional engine inlet  
[NASA-CR-175023] p 344 N86-20379

- Analyses and tests for design of an electro-impulse de-icing system  
[NASA-CR-174919] p 571 N86-27268

- De-icing of the altitude wind tunnel turning vanes by electro-magnetic impulse  
[NASA-CR-177260] p 599 N86-27291

- Weight estimation techniques for composite airplanes in general aviation industry  
[NASA-CR-178163] p 781 N86-31531

## Wichita Univ., Kans.

- Designing an electro-impulse de-icing system  
[AIAA PAPER 86-0545] p 220 A86-19940

- Woodrow Wilson International Center for Scholars, Washington, D.C.  
The effects on rotor nonuniform inflow harmonic content of uneven circumferential distribution of jet engine inlet guide vanes  
[AD-A164629] p 555 N86-26291

## Wu (Jiunn-Jenq), Sierra Madre, Calif.

- Experiments on high speed ejectors  
[NASA-CR-177419] p 721 N86-29820


## Y

## Yamaguchi Univ., Ube (Japan).

- The properties of a row of trailing vortices generated in the uniform flow. The path of trailing vortex  
[REPT-1] p 151 N86-14422

- The properties of a row of trailing vortices generated in the uniform flow. Shape of trailing vortex and its streamwise variation  
[REPT-2] p 151 N86-14423

### Typical Foreign Technology Index Listing



Listings in this index are arranged alphabetically by country of intellectual origin. The title of the document is used to provide a brief description of the subject matter. The page number and the accession number are included in each entry to assist the user in locating the citation in the abstract section.

## A

### ARGENTINA

- Behaviour of a rectangular wing in a supersonic flow - Dynamic pressure and normal force analysis in the range 1.3-4.0 Mach p 146 A86-19005
- Wind influence on the range of jet or propeller aircraft p 801 A86-48990

### AUSTRALIA

- Protecting gas turbine components - The relative durability of a conventional and a platinum-modified aluminate coating p 114 A86-13005
- Icing wind tunnel tests on the CSIRO liquid water probe p 102 A86-14220
- Longitudinal stability of a hovering, tethered rotorcraft p 109 A86-14235
- Modelling for fatigue crack growth prediction in aircraft p 161 A86-17011
- Turbulent-boundary-layer development in an adverse pressure gradient after an interaction with a normal shock wave p 141 A86-17031
- A case study in fatigue life extension - The main spar of RAAF Mirage IIIO wings p 225 A86-22165
- Equivalent stiffness and damping coefficients for squeeze film dampers p 319 A86-25751
- Flight testing of an ASW helicopter p 352 A86-26585
- Contact heat transfer - The last decade p 387 A86-28551
- Probabilistic fatigue and fracture design p 453 A86-29961
- Some aspects of variability in fatigue crack initiation and propagation in thick aluminium alloy sections p 522 A86-36176
- Compressive strength of impact damaged graphite epoxy laminates p 517 A86-37118
- An analysis of acoustic emission detected during fatigue testing of an aircraft p 670 A86-41596

A rationale for the safe operation of an aircraft fleet having known cracks in primary structure p 737 A86-43792

- Sinusoidal disturbance rejection with application to helicopter flight data estimation p 747 A86-44505
- Proposed control of compressor stall by pressure perturbation and blade design p 816 A86-49064
- A survey of aeronautical structural research in Australia p 76 A86-12199

[AD-A157211] Flutter clearance tests on a Tranavia PL-12/T-400 Skyfarmer p 110 A86-12234

[AD-A157212] Development and evaluation of a microburst test apparatus for use as a minimum destructive test for parachute material p 123 A86-12620

[AD-A158110] An analytical comparison of three visual approach slope indicators: VASIS, T-VASIS and PAPI [ARL/SYS-R-33] p 93 A86-13309

Algorithms for the reduction of wind-tunnel data derived from strain gauge force balances [ARL/AERO-R-164] p 113 A86-13337

An optimisation method for reconstruction of flight path trajectories from non-synchronous time-sampled observations by two cine cameras [ARL-SYS-R-34] p 167 A86-15279

Flutter generator control and force computer [AEL-0242-TM] p 178 A86-15318

A FORTRAN program for the determination of unsteady airforces on general combinations of interfering lifting surfaces oscillating in subsonic flow [ARL-STRUCT-R-412] p 206 A86-16191

The test loads sequences applied to the CT4 full scale fatigue test [AD-A160736] p 294 A86-18320

Resonance fatigue test of the empenage of a CT4 aircraft [AD-A160749] p 294 A86-18321

High velocity gas jet noise control p 331 A86-18123

Signal processing in the airborne receiver of the interscan microwave landing system p 282 A86-19303

A visualisation study of the vortex flow around double-delta wings [ARL-AERO-R-185] p 340 A86-20362

Comparison of airborne data acquisition systems at ARL (Aeronautical Research Laboratories) [AD-A161664] p 357 A86-21537

The Australian implementation of AMDAR/ACARS and the use of derived equivalent gust velocity as a turbulence indicator [AR-004-51] p 420 A86-22560

Report on interest expressed in some Australian Defence Establishment products displayed at the 1985 Paris Air Show [AD-A160807] p 498 A86-25341

The General Electric F404 - engine of the RAAF's new fighter [AD-A164562] p 592 A86-26338

Mirage A3-002 strain responses to ground calibration loadings between 1978 and 1985 [AD-A165846] p 640 A86-28080

Analysis of a mirror deck landing aid [AD-A167968] p 789 A86-31556

A mathematical model of the Sea King Mk.50 helicopter aerodynamics and kinematics [ARL-AERO-TM-379] p 808 A86-32425

### AUSTRIA

- Recycling of titanium scrap for the production of high-duty aerospace components p 382 A86-27211
- Can future aircraft maintenance be afforded? p 857 A86-47817

## B

### BELGIUM

- Dynamic analysis of structures with flexible rotors p 441 A86-33266
- Steady transonic flow p 413 A86-33408

An internal variable assisted formulation of moisture sorption models for polymers and composites p 515 A86-34650

The combined effects of stress and moisture on the structural integrity of composites p 667 A86-40344

Velocity and turbulence measurements in dynamically stalled boundary layers on an oscillating airfoil p 560 A86-27228

Dynamic analysis of structures with flexible rotors p 722 A86-30664

Numerical Techniques for Viscous Flow Calculations in Turbomachinery Bladings [VKI-LS-1986-02] p 744 A86-30988

### BRAZIL

The EMB-312 Tucano - A Brazilian trainer [SAE PAPER 851769] p 578 A86-38304

Application of laser-dual-focus velocimetry in a counterflow p 628 A86-43110

Use of acoustic intensity measurements in the characterization of jet noise sources p 855 A86-48740

## C

### CANADA

Canadian forces PCM telemetry processing and display system p 111 A86-13248

'But not with the greatest of ease' - A feasibility study of a human-powered ACV p 121 A86-14355

The in-flight simulation program at the NAE Flight Research Laboratory p 96 A86-14356

Development of modern turboprop engines p 106 A86-14358

Unsteady potential flow for oscillating airfoils p 83 A86-14359

A new fast solver procedure applied to the BGK computer program for transonic flow past an airfoil p 83 A86-14360

Comment on 'Aerodynamic estimation techniques for aerostats and airships' p 85 A86-14541

Experiments with several elements for viscous incompressible flows p 186 A86-16833

Advanced light emitting diode (LED) displays-paced by technology or systems application? p 171 A86-18458

The damage tolerance approach in the type approval process p 220 A86-20036

Helicopter fatigue monitoring using a single channel recorder p 220 A86-20038

Assessing cost-effective weight saving in aircraft operations p 220 A86-20039

Testing Canadian unique features of the CF-18 - The first year p 223 A86-21060

A Synthetic Aperture Radar (SAR) for commercial applications p 250 A86-21246

Fuel property effects upon exhaust smoke and the weak extinction characteristics of the Pratt and Whitney PT6A-65 engine [ASME PAPER 85-GT-27] p 234 A86-22018

Flame temperature estimation of conventional and future jet fuels [ASME PAPER 85-GT-31] p 248 A86-22020

Investigation of a tip clearance cascade in a water analogy ring [ASME PAPER 85-IGT-65] p 270 A86-22730

Compressibility corrections for multifoil sections p 270 A86-23193

Further development in stores separation data acquisition and reduction p 315 A86-23262

Gas turbine fuels and their influence on combustion p 312 A86-23274

Aircraft flow effects on cloud drop images and concentrations measured by the NAE Twin Otter p 322 A86-23289

A stable discrete-time adaptive observer applied to multivariable aircraft p 305 A86-23346

A cost-effective performance development of the PT6A-65 turboprop compressor [ASME PAPER 85-IGT-41] p 301 A86-23853

Development of a new technology small fan jet engine [ASME PAPER 85-IGT-139] p 303 A86-23931

The world aircraft industry p 269 A86-26114



Omega - Commercial experiences with a mature system p 345 A86-26442

Application of magneto-optic modulators to advanced avionic displays p 380 A86-28506

Direct derivative measurements in the presence of sting plunging p 371 A86-28560

Ship/rig personnel abandonment and helicopter crew/passenger immersion suits - The requirements in the North Atlantic p 396 A86-29100

A weak beam transmission electron microscopy study of a fatigue crack tip in a 2024 aluminum alloy p 450 A86-30033

Helicopter maintenance in the real world p 405 A86-30549

Transient motion of a hypersonic wedge, including time history effects p 443 A86-31662

Step relaxation method for modal test implemented with frequency-domain preprocessing p 457 A86-32975

A discrete adaptive observer for a multi-output aircraft control system p 444 A86-33180

SHARP (Stationary High Altitude Relay Platform) Telecommunications missions and systems p 519 A86-33943

SHARP (Stationary High Altitude Relay Platform) - Rectenna and low altitude tests p 519 A86-33944

Helicopter flight control with one hand p 529 A86-34923

Design of the CL-227 air vehicle p 487 A86-34924

A comparative study of an articulated integrated side-arm controller in a variable stability helicopter p 510 A86-35626

A transport model for flammability of premixed gases p 516 A86-36874

Canadair rotary wing, full scale engineering development. III p 575 A86-37330

Wing and conical body of arbitrary cross-section combinations in supersonic flow [AIAA PAPER 86-1826] p 545 A86-37841

Instrumentation and other issues in non-linear dynamic testing in wind tunnels p 597 A86-38248

Developments in airworthiness control for Canadian airlines [SAE PAPER 851784] p 620 A86-38308

Fine structure of subsonic jet noise p 619 A86-39069

Research on the technology of an airplane concept for a Stationary High-Altitude Relay Platform (SHARP) p 586 A86-39564

Low airspeed envelope determination of the CH-139 Jet Ranger helicopter p 586 A86-39565

Aerodynamic characteristics of an oscillating airfoil p 616 A86-39566

Next generation aircraft structures - The need for co-ordinated Canadian R & D programs p 539 A86-39567

Surge margin enhancement by a porous throat diffuser p 592 A86-39568

Cost-effective remote-site testing p 539 A86-39570

Textures developed in Al-Li-Cu-Mg alloy p 660 A86-40291

Prediction of fouled compressor performance using stage stacking techniques p 643 A86-40732

A fiber optic damage monitor p 670 A86-41605

Dynamic stall - The case of the vertical axis wind turbine p 746 A86-44150

A graphic terminal for air traffic control of Canadian military airports p 703 A86-44399

Automatic Inflation Modulation (A.I.M.) parachute up-date p 698 A86-44781

Fiber optic sensors for flexure measurement of aircraft structures p 739 A86-46135

Digital control loading and motion - The final word? p 732 A86-46149

Helicopter IFR director algorithm development and flight evaluation on the NAE airborne simulator [AIAA PAPER 86-2205] p 787 A86-47519

The effect of heave damping (ZW) on helicopter handling qualities [AIAA PAPER 86-2129] p 828 A86-47675

Scott emergency escape breathing device - Evaluation for use in Canadian forces aircraft p 784 A86-47731

Power turbine vane ring (PT6 engine) repair development [ASME PAPER 86-GT-2] p 812 A86-48102

Influence of rotor blade aerodynamic loading on the performance of a highly loaded turbine stage [ASME PAPER 86-GT-56] p 765 A86-48134

The effect of a downstream rotor on the measured performance of a transonic turbine nozzle [ASME PAPER 86-GT-103] p 814 A86-48166

Combustion gas properties. II - Prediction of partial pressures of CO<sub>2</sub> and H<sub>2</sub>O in combustion gases of aviation and diesel fuels [ASME PAPER 86-GT-163] p 843 A86-48216

Thick supercritical airfoils with low drag and NLF capability p 771 A86-48981

Potential flow models of airfoils with separated flow p 772 A86-49013

A study of the structural integrity of the Canadair Challenger at ditching p 785 A86-49054

Analysis of wind tunnel corrections for half-model tests of a transport aircraft using a doublet panel method p 839 A86-49060

Reference test cases and contributors p 154 A86-15261

Subsonic wall interference corrections for half-model tests using sparse wall pressure data [LR-618] p 276 A86-18287

Analysis of experimental data for a 21% thick natural laminar flow airfoil, NAE68-060-21:1 [NAE-AN-34] p 278 A86-19285

Wind tunnel calibration of a PMS (Particle Measuring Systems) canister instrumented for airflow measurement [AD-A161124] p 278 A86-19292

Automatic landing through the turbulent planetary boundary layer [UTIAS-289] p 283 A86-19305

Selection of a man-modelling CAD (Computer-Aided Design) [AD-A161342] p 400 A86-22159

Random-choice-method solutions for two-dimensional planar and axisymmetric steady supersonic flows [UTIAS-297] p 415 A86-22555

Recent improvements to the NAE 5 ft. x 5 ft. blowdown wind tunnel [AD-A162034] p 449 A86-23608

A review of the pilot backache problem in the CH113 Labrador helicopter [AD-A164011] p 530 A86-25113

Dynamic nonlinear airloads: Representation and measurement p 563 A86-27251

Experimental study of the effect of turbulence on dynamic stalling p 565 A86-27264

Flight simulation motion-base drive algorithms. Part 2: Selecting the system parameters [UTIAS-307] p 618 A86-27929

Spectra of noise and amplified turbulence emanating from shock-turbulence interaction: Two scenarios [NASA-TM-88786] p 620 A86-27970

Pressure drop and heat transfer characteristics of circular and oblong low aspect ratio pin fins p 741 A86-29827

## CHINA, PEOPLE'S REPUBLIC OF

Missile guidance based on Kalman filter estimation of target maneuver p 102 A86-12683

Weight optimization of stiffened cylinders under axial compression p 120 A86-14348

The numerical computation of aircraft response to arbitrary vertical gust distributions p 110 A86-14534

A linear multivariable dynamical model of a supersonic inlet-engine combination p 85 A86-14580

Dynamic response of a laminated plate with friction damping [ASME PAPER 85-DET-16] p 122 A86-16032

Fatigue life prediction under complex load using local strain approach and relative Miner's rule p 249 A86-20173

Measurement of elastic-plastic strain field at the curve surface crack tip p 249 A86-20175

Dynamic analysis of complex composite rotor systems with substructure transfer matrix method [ASME PAPER 85-GT-74] p 235 A86-22049

An improved simple method for designing optimum annular diffusers [ASME PAPER 85-GT-126] p 235 A86-22075

Investigation of jet-filming airblast atomizer [ASME PAPER 85-GT-185] p 252 A86-22099

Calculation of external and internal transonic flow field of a three-dimensional shielded S-shaped inlet p 205 A86-22303

Multi-knot Boolean sum interpolating surface interactive design of aircraft configuration p 263 A86-22305

Recursive instrumental variable algorithms for modal parameter estimation of structural system p 263 A86-22306

Terrain following avoidance technique of very low altitude penetration p 239 A86-22309

A vortex lattice method for jet wing performance with nonlinear wake and tip flow p 205 A86-22311

Gust alleviation using combined control laws p 239 A86-22317

Calculation of misalignment error of multi-joint holes of wing to fuselage p 253 A86-22318

Calculation of supersonic flows around a three-dimensional wing and a waisted body with characteristic method in stream surface coordinates p 206 A86-22319

Influence of nonlinear blade damping on helicopter ground resonance instability p 283 A86-23185

An experimental investigation of response of a turbojet engine to inlet distortion [ASME PAPER 85-IGT-12] p 301 A86-23832

Aerodynamic research on straight wall annular diffuser for turbofan augmentor [ASME PAPER 85-IGT-16] p 271 A86-23834

Discussion about dynamic simulation test of an aero-engine control system [ASME PAPER 85-IGT-30] p 308 A86-23845

Method of spare parts - Digital simulation of aircraft turbine engine control system [ASME PAPER 85-IGT-52] p 301 A86-23858

Optimal control change of state of aircraft turbine engine [ASME PAPER 85-IGT-53] p 301 A86-23859

The finite element stress analysis for solid-shell combined parts in aeroengines [ASME PAPER 85-IGT-72] p 317 A86-23873

Measurement of turbine blade temperature using pyrometer [ASME PAPER 85-IGT-78] p 317 A86-23879

Convergence of performance calculation of twin spool turbojet and turbofan [ASME PAPER 85-IGT-82] p 302 A86-23883

Rapid calculation of engine performance [ASME PAPER 85-IGT-83] p 302 A86-23884

Prediction of blade flutter in a tuned rotor [ASME PAPER 85-IGT-100] p 302 A86-23899

A survey of accelerated vibratory fatigue test method of aero-engine compressor blade [ASME PAPER 85-IGT-105] p 317 A86-23904

The solution of the thermal elastic-plastic problem of turbine disk by the incremental finite element method [ASME PAPER 85-IGT-112] p 317 A86-23909

Life prediction for the main shaft of aircraft turbine engine [ASME PAPER 85-IGT-136] p 303 A86-23928

The study of adaptive control augmentation system implemented with microcomputer p 306 A86-24577

Development in PM HHDH-Ti6Al4V technology for aircraft application p 375 A86-27224

A method for computer aided design of transonic turbine cascade p 409 A86-30734

Modelling an axial flow compressor in starting of a turbojet engine p 440 A86-30737

Experimental investigation on frequency response of a turbojet engine to turbulence-type dynamic distortion p 440 A86-30740

Calculation of recirculating flow behind flame-holders p 454 A86-30743

Investigation of vortex patterns on slender bodies at high angles of attack p 410 A86-32784

Airfoil design at sonic velocity p 411 A86-32989

An improvement to the numerical method for calculations of aircraft configuration longitudinal aerodynamic characteristics p 411 A86-32994

A numerical analysis for vertical gust field induced by gust generator p 432 A86-33237

Experimental transonic pressure distributions of a flexible wing-aileron model and comparisons with results of several theoretical methods p 432 A86-33239

Calculation of the load distribution, aerodynamic derivatives and dynamic characteristics of quasi-static elastic aircraft p 413 A86-33240

Control law synthesis for gust load alleviation using linear quadratic Gaussian theory p 445 A86-33253

Determination of natural vibration properties of a wing with winglet by experimental mode synthesis technique p 435 A86-33280

Numerical modeling of transonic flows over airfoils and cascades p 414 A86-33409

The development of Z-2 Remotely Piloted Helicopter p 575 A86-37328

Vibration test and identification of modal parameter of aircraft wing model p 605 A86-37406

Design features of automatic control system of D-4 RPV p 593 A86-37407

An investigation of improving high angle of attack performance and flap effectiveness of a configuration with delta wing by spanwise blowing [AIAA PAPER 86-1777] p 542 A86-37811

A mathematical model for calculation of effects of air humidity fuel composition and gas dissociation on engine performance and its actual application p 591 A86-38994

Temperature distribution investigation at the outlet of an annular combustor of P type turbojet engine p 591 A86-38998

Recurrent identification of unsteady aerodynamic forces of elastic vehicles p 554 A86-39782

Six-force-factor identification of helicopters p 586 A86-39783

An terrain-aided guidance system with high convergence speed p 573 A86-39786

The equivalent deterministic function of the Dryden's spectra of atmospheric turbulence and its application to the aircraft response problem p 595 A86-39788

- A simplified residual stress model for predicting fatigue crack growth behavior at coldworked fastener holes p 662 A86-40575
- Dilute gas-particle flow in a centrifugal compressor impeller p 668 A86-40733
- Particle trajectories in full 3D flow field of turbomachinery p 669 A86-40734
- Application of adaptive control to aircraft systems p 746 A86-43476
- Application of rotor induced velocity field of the vortex theory to the study of stability and controllability of helicopter with hingeless rotor p 705 A86-43477
- Identification and estimation of the random error models for inertial accelerometer and baro-altimeter p 717 A86-43481
- An optimal parameter estimation method compatible with stable parameter prediction in time domain p 746 A86-43482
- An inertial navigation system with single-axis stabilization p 702 A86-43484
- A second-order theory for three-dimensional unsteady flows and its application to thin wings with angle of attack at supersonic and hypersonic speeds p 687 A86-43485
- Improvement of servo systems for flight simulator p 706 A86-43487
- A survey of multiple targets tracking technique p 735 A86-43489
- Application of harmonic analysis method to research on rotor airloads p 706 A86-43490
- Stability analysis of composite stiffened layer plates under compression p 735 A86-43495
- Buckling and initial post buckling analysis of composite panels under axial compression p 735 A86-43496
- Controllability of redundant flight control system and pressure equalization of redundant servo actuators p 723 A86-43497
- Design and research of aircraft parameter-adaptive lateral command augmentation systems p 723 A86-43498
- Some problems in the finite-difference computation of three-dimensional transonic flows p 687 A86-43501
- Sensitivity analysis of parameters in solving inverse problem of structural dynamics p 736 A86-43502
- Optimization of stiffened panels under compression p 739 A86-45762
- A fast shape descriptor p 748 A86-46377
- Numerical calculations of inviscid transonic flows over wings p 692 A86-46415
- Incremental and iterative methods for solving fluid/structure interaction problems p 740 A86-47011
- Aircraft maintenance in China - Approaches to modernization p 760 A86-47615
- The dynamic response of a variable sweep aircraft in the course of changing geometry [AIAA PAPER 86-2234] p 829 A86-47694
- Numerical solution of transonic stream function equation on S1 stream surface in cascade [ASME PAPER 86-GT-110] p 765 A86-48172
- Impaction efficiencies of evaporating kerosene droplets on vee-gutter flame stabilizer [ASME PAPER 86-GT-174] p 815 A86-48225
- A method for transonic inverse cascade design with a stream function equation [ASME PAPER 86-GT-189] p 766 A86-48239
- The helicopter technology of China p 761 A86-48652
- A study of the rotor wake in nap-of-the-earth p 767 A86-48653
- A study of stability and control of a hingeless rotor helicopter with non-uniform induced velocity field p 831 A86-48655
- Finite element analysis and optimum design of semi-monocoque airframe structures. I - Finite element analysis p 847 A86-48656
- Program system of computer-aided design of helicopter rotor blade airfoil p 796 A86-48659
- The physical understanding on helicopter air and ground resonance p 798 A86-48660
- Numerical analysis of aeroelastic stability problem of helicopter rotor blade p 796 A86-48662
- Calculating method for Z - 9 helicopters mooring load p 799 A86-48668
- Use and maintenance of helicopters on the plateau p 785 A86-48669
- Helicopter parameter identification technology research under the considerably disturbing condition p 831 A86-48670
- Design of a supercritical airfoil p 771 A86-48982
- Precise solution for rational transfer parameters of flight vehicles p 801 A86-49022
- Manufacturing technology of composite torque box of vertical fin p 848 A86-49068
- Experimental investigation of electrostatic fire and explosion accidents after aircraft landing and preventive design p 786 A86-49083
- Research on active suppression technology for wing/aileron flutter p 835 A86-49098
- Intersection of an oblique shock wave with a cylindrical afterbody p 775 A86-49098
- Some aspects of the reliability analysis of aircraft structures p 849 A86-49127
- Japanese report on China's F-8 fighter p 111 N86-12405
- BLR studies on conic model with LDA in FL-1 wind tunnel p 87 N86-12434
- China report: Science and technology [JPRS-CST-85-029] p 122 N86-12446
- Wingtip sails tested on Y-5 aircraft p 99 N86-12450
- Acta aeronautica et astronautica sinica (selected articles) p 135 N86-12416
- [AD-A158454] Configuration and longitudinal wind tunnel testing [J] of forward-swept wings p 181 N86-14449
- China report: Science and technology [JPRS-CST-86-007] p 435 N86-22570
- Improved Y-7, Y-12 aircraft described p 436 N86-22572
- Details of Y-121 STOL aircraft presented p 436 N86-22573
- China report: Science and technology [JPRS-CST-86-004] p 458 N86-22735
- Status of aircraft engine research at NPU reviewed p 441 N86-22736
- Shanghai's outdoor aeroengine test facility detailed p 448 N86-22737
- Fuzzy inference system to diagnose aircraft hydraulic faults p 407 N86-22775
- Acta Aerodynamica Sinica (selected articles) [AD-A162993] p 417 N86-23575
- Investigation of rolling-up and interaction of leading-edge and trailing-edge vortex sheets on a slender delta wing [AD-A163692] p 479 N86-24668
- Eigenstructure assignment and its application in design of flight control systems p 511 N86-24701
- [NASA-TM-88411] Wind tunnel technology for the development of future commercial aircraft p 514 N86-24710
- [NASA-TM-88390] An experimental investigation on location of boundary layer transition on the NACA 0012 using surface hot film gauges p 524 N86-24636
- [NASA-TM-88285] Normal force characteristics of sharp nosed bodies of revolution at high angles of attack in subsonic and transonic flow p 527 N86-25555
- Aerospace knowledge magazine (selected articles) [AD-A164720] p 539 N86-26278
- Introduction to the recent developments of China's civil aviation [AD-A166194] p 687 N86-26763
- A numerical analysis for vertical gust field induced by gust generator p 727 N86-30637
- Experimental transonic pressure distributions of a flexible wing-aileron model and comparisons with results of several theoretical methods p 696 N86-30639
- Calculation of the load distribution, aerodynamic derivatives and dynamic characteristics of quasi-static elastic aircraft p 696 N86-30640
- Control law synthesis for gust load alleviation using linear quadratic Gaussian theory p 728 N86-30651
- Determination of natural vibration properties of a wing with winglet by experimental mode synthesis technique p 716 N86-30678
- International Aviation (selected articles) [AD-A166748] p 687 N86-30690
- Liquid hydrogen fueled passenger aircraft [AD-A166229] p 717 N86-30724
- International Aviation (selected articles) [AD-A166298] p 763 N86-31528
- CZECHOSLOVAKIA**
- Mathematical solution for unsteady subsonic flow past a thin profile in a channel p 140 A86-16851
- Application of mechanics to flight-simulator problems p 179 A86-16853
- The past, the present, and the future of aircraft test and diagnostic technology p 179 A86-16854
- An aircraft maintenance and repair strategy using a test and diagnostic system p 133 A86-16855
- Evaluation of tape recordings from an airborne digital recorder p 170 A86-16858
- A study of the operating condition of aircraft from the recordings of the onboard recording equipment p 133 A86-16859
- Processing of airborne tape recordings with the aid of user programs for monitoring the technical condition of aircraft p 133 A86-16860
- Using diagnostic systems to collect data on the reliability of aircraft p 133 A86-16861
- The possibility of using a flight recorder for the analysis of pilot performance p 170 A86-16862
- Diagnostic methods for gas-turbine aircraft powerplants p 300 A86-23751
- Determination of diagnostic parameters for the in situ diagnostics of the air-gas path of the AI-25TL engine p 300 A86-23752
- Sound generation by an energetically inhomogeneous gas flow in a gas-turbine aircraft engine p 300 A86-23753
- Simulation of the vibration transmission path and the use of a mathematical model of vibration transmission for the vibrational diagnostics of an aircraft engine p 301 A86-23754
- In situ methods for crack detection in the master connecting rods of M 462 RF aircraft engines p 316 A86-23755
- A holographic study of the vibrational modes of aircraft engine rotors p 301 A86-23756
- A possible approach to the diagnostics of the hydraulic servomechanism of the aircraft control system p 285 A86-23757
- Using wear products for assessing and predicting the condition of aircraft jet engines p 316 A86-23759
- Testability of aircraft p 269 A86-23760
- Airborne diagnostic equipment p 297 A86-23762
- The measuring and control units of airborne recording systems p 297 A86-23763
- The possibility of using the on-board computer for in-flight diagnostics p 297 A86-23765
- Locating and demagnetizing magnetized aircraft components following a lightning stroke p 286 A86-23767
- Methods for determining the weight and the center of gravity of aircraft - The platform balance of the Aeronautical Research and Test Institute p 286 A86-23768
- A study of the service life of fail-safe airframe structures on the basis of routine inspections and crack size assessment p 286 A86-23769
- New aspects of the small-perturbation method in aerodynamics p 271 A86-23770
- The use of analytical methods to assess aircraft maneuverability p 305 A86-23771
- Flight-mechanics problems solvable by a research flight simulator p 308 A86-23773
- Practical difficulties in the theoretical design of low-speed profiles p 271 A86-23775
- Means to increase the lift on aircraft wing profiles p 271 A86-23776
- Development of numerical methods of external high-speed aerodynamics p 271 A86-23777
- Distribution of optimal circulation on a propeller blade with a nonlinear dependence on the number of blades and with allowance tapering p 271 A86-23778
- Pressure fluctuations on the external surface of an aircraft p 271 A86-23780
- Problems in rudder design for small transport aircraft p 306 A86-23781
- Short crack development in mechanical structures p 453 A86-30027
- Fractographic study of fatigue crack kinetics in bodies and structures p 454 A86-30034
- Short crack problems in gas turbine disks p 440 A86-30063
- Holographic mode shape investigation of aircraft engine impellers p 672 A86-43105
- Experience with laboratory LDA by measuring flow fields in rotating turbomachinery p 672 A86-43109
- Validation on nonstationary aerodynamics models for longitudinal aeroplane motion on the basis of flight measurements p 833 A86-49026
- A contribution to airworthiness certification of gas turbine disks p 849 A86-49136
- Selection of fatigue S-N curves within the framework of new aircraft development p 804 A86-49137
- Safe service life scattering coefficient j sub N (and/or eta sub 4) and the S-N curve p 804 A86-49138
- Design of a nonlinear lever-type mechanism for aircraft control systems p 835 A86-49139
- Strain-gauge autopilot altitude corrector p 811 A86-49142
- Experience with stress analysis during airframe fatigue tests p 840 A86-49143
- Application of strain gauge amplifiers and computer technology to the strength testing of aircraft p 849 A86-49144
- Contactless measurement of the torque of an aircraft engine p 849 A86-49145
- Practical applications of Tesla semiconductor pressure sensors p 849 A86-49148
- Application of strain gauge methods to determination of in-flight loads of structure groups of small transport aircraft p 811 A86-49149

## D

## DENMARK

Noise emission from jet aircraft during take-off roll with respect to noise exposure calculations

p 467 A86-31957

A radar analysis program for evaluating and monitoring primary and secondary radar systems

p 423 A86-32601

## F

## FINLAND

Application of low temperature curing prepregs and vacuum bag molding techniques to the manufacturing of a composite wing

[AIAA PAPER 86-1019] p 609 A86-38876

## FRANCE

Atom-probe microanalysis of a nickel-base superalloy

p 114 A86-12989

A study of the flow around a wing equipped with a spoiler

p 83 A86-14186

The 'Super Etendard' is always of interest

p 97 A86-14423

Forging in the aerospace industry

p 121 A86-14424

Theoretical and experimental study of low Reynolds number transitional separation bubbles

p 137 A86-16310

The application of laser anemometry to the study of transonic shock boundary-layer interactions

p 139 A86-16352

L.D.A. measurements in the turbulent near-wake of blunt bodies

p 139 A86-16371

Attached cavitation and the boundary layer - Experimental investigation and numerical treatment

p 186 A86-17032

28 years of flight testing helicopters

p 161 A86-17381

Solution of the Euler equations - Explicit schemes acceleration by a multigrid method

[ONERA, TP NO. 1985-129] p 142 A86-17627

Experimental investigation of three dimensional separation on an ellipsoid-cylinder body at incidence

[AIAA PAPER 85-1686] p 143 A86-17636

Experimental investigation of three dimensional separation on an ellipsoid-cylinder body at incidence

[AIAA PAPER 85-1686] p 143 A86-17845

On the numerical solution of nonlinear problems in fluid dynamics by least squares and finite element methods. II - Applications to transonic flow simulations

p 144 A86-17886

Shock wave/turbulent boundary layer interaction and its control

[ONERA, TP NO. 1985-165] p 145 A86-18535

Computation of unsteady transonic flows with an implicit numerical method for solving the Euler equations

p 145 A86-18686

Noise generated by a stretching vortex

p 193 A86-18689

The evolution of the cockpit displays in commercial airlines

p 172 A86-18694

The disturbance of aircraft navigation and communication systems by atmospheric static electricity

p 160 A86-18695

Interference with aeronautical aids to navigation (frequencies of 108-118 MHz) by high power FM radio broadcasts (88-108 MHz)

p 160 A86-18696

Delamination threshold and loading effect in fiber glass epoxy composite

p 244 A86-20636

Local area command/control networks: The design of an on-board network - ANTINEA

p 215 A86-21327

A redundant strapdown reference for advanced aircraft flight control systems

p 239 A86-21840

Life cycle cost and availability in military aeronautics

p 266 A86-21872

Transonic blade to blade calculations in an axial, radial or mixed flow cascade equipped with splitter blades

[ASME PAPER 85-GT-86] p 205 A86-22057

Analysis of gamma ray families and jets up to 10 to the 7th GeV obtained during 1000 hours exposure of emulsion chambers on the Concorde

p 333 A86-22863

New nose-in aircraft guidance/docking system developed

p 308 A86-23380

Studies of the aerodynamics of flaps and spoilers in unsteady flow

[ONERA, TP NO. 1985-149] p 272 A86-24627

A viscous-inviscid interaction model for transonic unsteady flow

[ONERA, TP NO. 1985-152] p 272 A86-24830

Progress in the analysis of atmospheric turbulence

[ONERA, TP NO. 1985-164] p 323 A86-24631

The effectiveness of various control surfaces in quasi-steady and unsteady flows - Applications

[ONERA, TP NO. 1985-147] p 306 A86-24633

Solution of the Navier-Stokes equations in a compressible fluid by an implicit method

[ONERA, TP NO. 1985-148] p 272 A86-24634

A numerical analysis of singular stress fields at the free edge of layered composites

[ONERA, TP NO. 1985-154] p 313 A86-24636

Optical fibers application to visualization of flow separation inside an aircraft intake in wind tunnel

[ONERA, TP NO. 1985-158] p 309 A86-24638

Recent advances in helicopter aerodynamics

[ONERA, TP NO. 1985-166] p 273 A86-24642

Measurements accuracy with 3D laser velocimetry

[ONERA, TP NO. 1985-171] p 318 A86-24846

Radial distribution circulation of a rotor in hover measured by laser velocimeter

p 276 A86-26110

Tomorrow ... Concorde's successor?

p 293 A86-26299

Conference on Steels and Special Alloys in Aeronautics, 11th, Le Bourget, France, June 8, 1985, Proceedings

p 372 A86-26326

New developments in the materials used in airliner, helicopter and spacecraft structures

p 372 A86-26327

What does the future hold for 1990's new airframe materials

p 373 A86-26328

Development of materials used in landing gear

p 373 A86-26329

The evolution of turbine blade materials

p 373 A86-26330

Materials in thrust reversers

p 373 A86-26332

The new aluminium alloys for the aeronautical industry

p 373 A86-26334

The thermo-mechanical processing during closed die forging - A method of improving aeronautical materials

p 380 A86-26336

The development of high strength stainless steels for the aeronautical industry

p 373 A86-26337

Properties and potential aerospace applications of E Z 3 CNDA 13-08 steel. II

p 374 A86-26338

Frequency synthesis type airborne transmitters

p 347 A86-27819

Rotating aerodynamic exciters for in-flight flutter testing

p 353 A86-27820

A new system simultaneously covering en route navigation and landing

p 348 A86-27898

Errare humanum est ... sed perseverare diabolicum or navigation errors of the 747 and the 'heading' position

p 348 A86-27900

Head-up/head-down transition - Measurement of transition times

p 396 A86-29092

Three-dimensional and unsteady boundary-layer computations

p 338 A86-29415

Fast motion simulation

p 454 A86-30359

Coming up - The 330 and 340

p 426 A86-31221

Unsteady stall modelling in three-dimensional flow

p 409 A86-32154

Shape optimization of axisymmetric structures

p 458 A86-33453

First tests of an onboard MLS receiver

p 484 A86-33988

Survey of crashworthiness achievements on Aerospace helicopters

p 493 A86-35642

The importance of dynamic stall in aerodynamic modeling of the Darius rotor

p 528 A86-36448

What is the choice for primary aircraft structures - Composite or aluminum materials?

p 518 A86-36750

Decoupling of nonlinear systems, noncommutative generatrix series, and Lie algebras

p 618 A86-37395

The hazards of ash clouds to civil air transport

p 566 A86-37477

Windshear detection using a Doppler acoustic sounder (SODAR)

p 614 A86-37484

Instrumentation and testing techniques in the T2 transonic cryogenic wind tunnel at the ONERA/CERT

p 597 A86-38228

Aircraft ground support equipment standardization - The pros and cons of 'functional' vs 'technical' standardization

[SAE PAPER 851794] p 620 A86-38317

Experimental study of a turbulent horseshoe vortex using a three-component laser velocimeter

[AIAA PAPER 86-1069] p 548 A86-38436

Off-design operation of turbomachines

p 591 A86-38956

MLS - The pilot's point of view

p 572 A86-39557

Air traffic control (ATC) and vessel traffic systems (VTS)

p 572 A86-39558

A minimum route time (MRT) program for microcomputers

p 572 A86-39561

The presence of the Trident III on Antarctica

p 573 A86-39562

Computerisation of air information services in France

p 635 A86-40229

The French air traffic control system today - A paradox

p 635 A86-40230

Production of aluminium-lithium alloy with high specific properties

p 659 A86-40255

A model for the equivalent bending characteristics of a composite beam

p 667 A86-40361

Carbon-carbon composites for braking

p 661 A86-40364

Sampling of solid particles in clouds

p 668 A86-40720

Experimental and numerical study of the response of an axial compressor to distorted inlet flow

[ONERA, TP NO. 1986-38] p 644 A86-40736

Large and small structures in the computation of transition to fully developed turbulent flows

p 669 A86-41254

Numerical study of the trailing edge region in slip flow regime

p 624 A86-42548

Theoretical and experimental analysis of highspeed propeller aerodynamics

[AIAA PAPER 86-1549] p 626 A86-42706

A simple crack closure model for predicting fatigue crack growth under flight simulation loading

p 737 A86-43796

Calculation of transonic rotor noise using a frequency domain formulation

[AIAA PAPER 86-1901] p 750 A86-45402

Trends in civil avionics for the near future

p 718 A86-46141

ILS goal - Automatic landings, safety

p 703 A86-46142

Viscous-inviscid interaction solvers and computation of highly separated flows

[ONERA, TP NO. 1986-4] p 691 A86-46152

The methods implemented at ONERA to improve airplane ground vibration tests

[ONERA, TP NO. 1986-8] p 713 A86-46153

Requirements and recommendations for the development of theoretical codes and experimental facilities in the near future

[ONERA, TP NO. 1986-10] p 731 A86-46155

Modeling three-dimensional flows in terms of viscous-inviscid interaction by means of the MSZ method

[ONERA, TP NO. 1986-29] p 692 A86-46171

A simulation of an integrated flight control/air-ground cannon firing system

[ONERA, TP NO. 1986-31] p 725 A86-46173

New modal identification methods applied to aeronautical structures

[ONERA, TP NO. 1986-35] p 713 A86-46177

10 years of rotor flows studies at ONERA - State of the art and future studies

[ONERA, TP NO. 1986-49] p 692 A86-46185

Comparison of angular and metric guidance laws for tactical missiles

p 726 A86-46489

International Aerospace and Ground Conference on Lightning and Static Electricity, 10th, and Congress International Aeronautique, 17th, Paris, France, June 10-13, 1985, Proceedings

p 844 A86-47292

Induced surface currents and fields on a conducting body by a lightning strike (frequency domain)

p 844 A86-47296

Induced current surface density after a direct lightning strike on an aircraft

p 790 A86-47297

Location of lightning strokes on aircraft in storm field with measured electrical, microphysical and dynamical properties

p 783 A86-47299

High voltage laboratory tests and lightning phenomena

p 844 A86-47312

New methods for in-flight vibration testing

p 820 A86-47369

Digitalization of avionics in today's and tomorrow's aircraft and implications on aircraft maintenance

[ASME PAPER 86-GT-191] p 815 A86-48241

Evaluation and reduction of drag

[AAAF PAPER NT 85-01] p 766 A86-48452

Transition to three-dimensional flow and laminarization of the boundary layer on a swept-back wing

[AAAF PAPER NT 85-03] p 766 A86-48454

Reduction of turbulent drag - Turbulence manipulators

[AAAF PAPER NT 85-04] p 766 A86-48455

Tests on CAST 7 and CAST 10 profiles in the T2 adaptive-wall cryogenic wind tunnel - Study of the Reynolds-number effect in natural and triggered transitions

[AAAF PAPER NT 85-06] p 838 A86-48457

Theoretical and experimental analysis of separations on helicopter fuselages

[AAAF PAPER NT 85-08] p 766 A86-48458

Unsteady aerodynamics - Fundamental aspects and applications to aircraft dynamics

[AAAF PAPER NT 85-16] p 767 A86-48465

- Dynamic response of the A.310 in flight to control-surface loading  
[AAAF PAPER NT 85-18] p 797 A86-48467
- Identification of unsteady response in rudders at low velocities  
[AAAF PAPER NT 85-19] p 797 A86-48468
- Analysis and simulation of the MLS landing signal - Echo separation  
p 788 A86-48564
- A parallel processing method for solving the unsteady Navier-Stokes equations at high Reynolds numbers  
p 847 A86-48647
- Computing codes for development of helicopter crashworthy structures and test substantiation  
p 798 A86-48657
- Aeroelasticity today and tomorrow  
[ONERA, TP NO. 1986-105] p 800 A86-48978
- The race for speed from the beginning of aviation to the present day  
p 761 A86-48980
- Leading edge vortex flow over a 75 degree-swept delta wing Experimental and computational results  
[ONERA, TP NO. 1986-122] p 773 A86-49042
- The F2 wind tunnel of the Fauga-Mauzac Test Center  
[ONERA, TP NO. 1986-104] p 839 A86-49075
- Single crystal superalloys for turbine blades in advanced aircraft engines  
[ONERA, TP NO. 1986-102] p 843 A86-49077
- The M53 turbofan control system - A strong basis for the development of the future digital control systems  
p 817 A86-49088
- Steady and unsteady investigations of spoiler and flap aerodynamics in two dimensional subsonic flows  
[ONERA, TP NO. 1986-101] p 776 A86-49106
- New design procedures applied to landing gear development  
p 803 A86-49117
- Prediction of single-rotation prop-fan noise by a frequency domain scheme  
[ONERA, TP NO. 1986-100] p 818 A86-49125
- Recent in-flight data and electromagnetic response of an aircraft structure struck by lightning  
p 804 A86-49132
- Design bureaus: The brain drainers. I - Toulouse - Aircraft mobilize a task force over 1700-strong  
p 763 A86-49464
- Vortex influence on oscillating airfoil at high angle-of-attack  
[AIAA PAPER 86-1837] p 779 A86-49592
- Computation of the potential flow over airfoils with cusped or thin trailing edges  
p 780 A86-49623
- Study of the influence of an oscillating spoiler on the surrounding aerodynamic field  
[IMFL-3119] p 90 A86-13303
- Aircraft crashing. Analysis and identification methods. Presentation of a solution method  
[IMFL-4116] p 91 A86-13308
- West Europe report: Science and technology  
[JPRS-WST-85-031] p 123 A86-13616
- Certification granted to Franco-Italian ATR 42  
p 92 A86-13617
- ATR 42 production work in French, Italian plants detailed  
p 76 A86-13618
- Vortices and pressure waves at trailing edges  
[ISL-CO-224/84] p 153 A86-15252
- Damping of the rolling motion of full caliber fin-stabilized projectiles in supersonic flight  
[ISL-CO-233/84] p 153 A86-15253
- Quasi nonstretching hypervelocity jets  
[ISL-CO-236/84] p 153 A86-15254
- Test cases for inviscid flow field methods  
[AGARD-AR-211] p 153 A86-15256
- Numerical solutions of two-dimensional reference test cases  
p 154 A86-15262
- Aircraft Drag Prediction and Reduction  
[AGARD-R-723] p 155 A86-15266
- Parasitic and interference drag prediction and reduction  
p 156 A86-15272
- West Europe report: Science and technology  
[JPRS-WST-85-024] p 189 A86-15447
- French program CHARME develops propan aircraft  
p 169 A86-15450
- Study of high speed combustion flows by laser velocimetry  
[NASA-CR-176439] p 190 A86-15668
- Problems found when introducing new materials  
[SNIAS-852-551-101] p 196 A86-16190
- Flight dynamics and aircraft piloting  
[ESA-TT-874] p 240 A86-16229
- Nondestructive inspection: An efficient investment  
[SNIAS-852-430-110] p 247 A86-16276
- Aremyl: A soluble mold technology  
[SNIAS-852-430-111] p 247 A86-16277
- The applications of composite materials in the aeronautical domain  
[SNIAS-852-551-103] p 247 A86-16279
- AGARD Corrosion Handbook. Volume 1: Corrosion, causes and case histories  
[AGARD-AG-278-VOL-1] p 248 A86-16374
- The deiced super Puma  
[SNIAS-852-210-104] p 215 A86-17328
- Search and Rescue (SAR) System developed as part of the contract signed with the Irish Air Corps for the supply of 365 F Dauphin aircraft  
[SNIAS-852-210-105] p 215 A86-17329
- Systems safety: Phantom or reality  
[SNIAS-852-422-103] p 215 A86-17330
- Critical analysis of turbulence restitution from acceleration measurements  
[ONERA-RT-3/3567-RY-C40-R] p 227 A86-17340
- Strategies for dynamic modeling of a helicopter structure  
[SNIAS-852-210-101] p 228 A86-17350
- Evaluation of the Ciba-Geigy R6376 IM6 prepreg  
[DGT-26.649] p 248 A86-17485
- Study of composite material curing molds  
[DGT-26.817] p 248 A86-17486
- Composite materials: A source of innovation  
[SNIAS-852-430-113] p 248 A86-17493
- Design of nonaxisymmetric structures (turbojet engine nacelle element)  
[SNIAS-852-430-119] p 248 A86-17498
- Feasibility study of a device to control aircraft electromagnetic protection  
[ONERA-RS-10/3466-PY] p 257 A86-17637
- Description of a nondestructive facility using holographic interferometry  
[SNIAS-852-430-105] p 258 A86-17726
- Analysis of the noise emitted by a tail rotor  
p 266 A86-18129
- Helicopter internal noise treatment. Recent methodologies and practical applications  
[SNIAS-852-210-102] p 266 A86-18133
- Long-duration flights using infrared Montgolfieres  
p 323 A86-18861
- Experimental and theoretical study of incompressible flow around a wing profile with a spoiler. Contributions of laser velocimetry and the Dvorak method  
[ISL-R-116/84] p 279 A86-19297
- Technical evaluation report on the Fluid Dynamics Panel Symposium on Aerodynamics and Acoustics of Propellers  
[AGARD-AR-213] p 279 A86-19298
- Transonic unsteady aerodynamics and its aeroelastic applications  
[AGARD-CP-374-ADD-1] p 279 A86-19299
- Experimental study of the acoustic fields far and near a Microturbo TRS 18 turboreactor  
[ISL-R-113/84] p 333 A86-20095
- Fault Tolerant Hardware/Software Architecture for Flight Critical Function  
[AGARD-LS-143] p 369 A86-20399
- Dependable avionic data transmission  
p 362 A86-20405
- Producibility and cost studies of aviation kerosene  
[AGARD-AR-227] p 379 A86-20580
- Procedure for utilizing the lift and thrust forces of ornithopters  
[NASA-TT-77682] p 357 A86-21534
- Robustness of discrete-time dynamical systems: Application to the multivariable digital control of combat aircraft  
[ESA-TT-906] p 446 A86-22583
- Holography: The nondestructive testing of composite structures  
p 458 A86-22611
- New space paints  
p 451 A86-22621
- La Recherche Aerospatiale, bimonthly bulletin, number 1985-1, 224/January-February  
[ESA-TT-915] p 458 A86-22729
- Propulsion and Energetics Panel Working Group 14 on suitable averaging techniques in non-uniform internal flows  
[AD-A133968] p 503 A86-24692
- Damage Tolerance Concepts for Critical Engine Components  
[AGARD-CP-393] p 506 A86-25360
- Guidance-Control-Navigation Automation for Night All-Weather Tactical Operations  
[AGARD-CP-387] p 573 A86-26316
- Synthetic real-time relief display all-weather airborne missions  
p 589 A86-26321
- Use of a CO2 laser lidar for flight and penetration at very low altitudes  
p 610 A86-26326
- A mission navigation and control system for modern military helicopters  
p 574 A86-26327
- Aircraft drag prediction and reduction. Addendum 1: Computational drag analyses and minimization; mission impossible?  
[AGARD-R-723-ADD-1] p 556 A86-27187
- La recherche aerospatiale. Bimonthly bulletin, no. 1984-6, November - December 1984  
[ESA-TT-907] p 559 A86-27217
- A vortex point method for calculating inviscid incompressible flows around rotary wings  
p 612 A86-27219
- Dynamic stall modeling of the NACA 0012 profile  
p 559 A86-27222
- Helicopter noise  
p 560 A86-27223
- Unsteady Aerodynamics-Fundamentals and Applications to Aircraft Dynamics  
[AGARD-CP-386] p 560 A86-27224
- Wing profile in stalled position subject to a flow of alternating potential and strong vortex  
p 560 A86-27229
- Recent developments in techniques for dynamic simulation for the identification of stability parameters  
p 562 A86-27246
- Study of the transition behavior of an airplane in the vicinity of bifurcation points  
p 566 A86-27266
- Operational flight experience and disassembly/inspection results of Space Shuttle orbiter actuators  
p 600 A86-27354
- Impact damage to composite structures  
[AGARD-R-729] p 604 A86-27425
- Static aeroelasticity in combat aircraft  
[AGARD-R-725] p 613 A86-27678
- The design of composite structures  
[SNIAS-861-111-103] p 640 A86-28082
- The SIGMA cadcam software  
[SNIAS-861-111-110] p 640 A86-28083
- Computing codes for development of helicopter crashworthy structures and test substantiation  
[SNIAS-861-210-106] p 640 A86-28084
- Eigenvalues assignment method: An application to designing an autopilot  
[SNIAS-861-111-106] p 653 A86-28095
- Main flight controls  
[SNIAS-861-111-111] p 653 A86-28096
- Cryogenic wind tunnels: Problems of continuous operation at low temperatures  
[NASA-TM-88446] p 656 A86-28099
- The impact of Very High Performance Integrated Circuits on Radar, Guidance and Avionics Systems  
[AGARD-CP-380] p 674 A86-28337
- The application of high-performance integrated circuits for airport fire control radars  
p 674 A86-28369
- Stress intensity factor in an integral or bonded stiffened panel using an analytical method  
[SNIAS-861-111-104] p 676 A86-28481
- Activities report in aerospace research  
[ETN-86-97190] p 622 A86-28907
- Extension of a transonic three-dimensional unsteady small perturbation computing method  
[ONERA-RTS-23/3064-RY-048-R] p 633 A86-28927
- New transparent solid material for helicopter windshields  
[SNPE-NT-37/85/CRB/NP] p 641 A86-28941
- Aeroelastic tests of OA 206 and OA 207 profiles  
[ONERA-RT-22/1841-RY-310-R] p 641 A86-28942
- Compressors study: Improving the efficiency of a high performance multistage compressor  
[ETN-86-97192] p 651 A86-28948
- Prediction of the stability performance of a turboreactor combustion chamber  
[SNECMA-YKC-3269/85] p 651 A86-28949
- Tests with three-dimensional adjustments in the rectangular working section of the French T2 wind tunnel with an AS 07-type swept-back wing model  
[NASA-TM-88442] p 657 A86-28964
- The future of surface treatments in aeronautical construction  
[SNIAS-861-551-101] p 665 A86-29037
- Shock-wave boundary layer interactions  
[AGARD-AG-280] p 676 A86-29173
- Aircraft and Bearing Tribological Systems  
[AGARD-CP-394] p 677 A86-29236
- Boundary layer model to compute the edge effects in stratified composite plates  
[ONERA-RT-7/3542-RY-041-R] p 678 A86-29279
- Influence of the angle of attack and flutter on the lift of a supercritical wing. Comparison between theory and experiment  
[ONERA-RT-24/3064-RY-044-R] p 695 A86-29786
- Analogue signal conditioning for flight test instrumentation  
[AGARD-AG-160-VOL-17] p 719 A86-29816
- Cooling techniques for turbojet pre-heater channels  
p 741 A86-29847
- Ceramic heat exchangers for gas turbines or turbine engines  
p 742 A86-29858
- Preliminary instrumentation for aeroelastic tests at the compressor level  
[ONERA-RT-95/7108-RY-054-R] p 743 A86-30219
- Interaction between EMP (Electromagnetic Pulse), lightning and static electricity with aircraft and missile avionics systems  
[AGARD-LS-144] p 702 A86-30708
- The influence of large-scale computing on aircraft structural design  
[AGARD-R-726] p 717 A86-30726

- Aircraft response to turbulence  
[AGARD-R-738] p 729 A86-30739
- Anemobarometry in flight control. A-320 aerodynamics. The turboactuators air inlet  
[SNIAS-861-111-114] p 806 A86-31565
- Anemobarometry: An essential element of flight control  
p 835 A86-31566
- The A-320 aerodynamics. The turboactuator air inlet  
[NOTE-427.021/86] p 806 A86-31567
- On control concept for in-flight simulation including actuator nonlinearities and time delays  
[ESA-TT-948] p 836 A86-31583
- Interferometric holographic cinematography  
[ISL-CO-219/85] p 851 A86-31872
- Aerodynamics of aircraft afterbody: Report of the working group on aerodynamics of aircraft afterbody  
[AGARD-AR-226] p 782 A86-32408
- Dynamic identification procedure and lift certification of light aircraft and gliders  
[ONERA-RT-12/1877-RY-090-R] p 809 A86-32429
- Active control of helicopter vibrations. Flight evaluation of a vibration reduction system on a Gazelle SA 349 helicopter  
[SNIAS-861-210-108] p 836 A86-32444
- Microphone probe tests in the S3CH wind tunnel for transonic propeller measurements in S1MA  
[ONERA-RT-19/3483-AYP] p 841 A86-32451
- Computation of the stress intensity factor in stiffened panels (built in or adhesive bonded stiffeners)  
[SNIAS-436.021/85] p 851 A86-32784
- Fatigue resistance of high quality steels under multiaxial load  
[ETN-86-97878] p 851 A86-32785

## G

## GERMANY, FEDERAL REPUBLIC OF

- Experimental evaluation of heavy fan-high-pressure compressor interaction in a three-shaft engine. I - Experimental setup and results  
[ASME PAPER 85-GT-173] p 104 A86-13053
- The use of automated riveting systems in aircraft construction  
p 95 A86-13127
- A programmable data acquisition system with integrated test and calibration facilities  
p 102 A86-13215
- Telemetry from experimental rescue- and recovery systems  
p 95 A86-13219
- Metals and plastics - State of the art and perspectives  
[MBB-Z-49-85-OE] p 116 A86-14474
- Uncertainty and control - Some activities at DFVLR  
p 127 A86-14827
- Multi-model approaches to robust control system design  
p 127 A86-14830
- Test of jet engine turbine blades by thermography  
p 106 A86-15410
- Pressure fluctuations on rotor blades generated by blade-vortex interaction  
p 86 A86-16122
- The effect of higher harmonic control (HHC) on a four-bladed hingeless model rotor  
p 99 A86-16124
- Thermal barrier coatings for jet engine improvement  
p 183 A86-16278
- Airfoil design for Reynolds numbers between 50,000 and 500,000  
p 136 A86-16302
- Experiments on unsteady flows about wing sections  
p 138 A86-16318
- Claude Dornier - Pioneer of aviation; Academic Seminar, Technische Universität München, Munich, West Germany, October 24, 1984, Papers  
p 195 A86-16325
- Model for analytically describing edge vortices  
p 140 A86-16867
- A review of adaptive wall wind tunnels  
p 179 A86-17067
- Flame rig testing of thermal barrier coatings and correlation with engine results  
p 173 A86-17491
- False diffusion in three-dimensional flow calculations  
p 143 A86-17653
- DFVLR, Annual Report 1984  
p 135 A86-19284
- Endurance increase by cyclic control  
p 221 A86-20235
- Geometry generation for transonic design  
p 221 A86-20932
- Euler solvers as an analysis tool for aircraft aerodynamics  
p 204 A86-20939
- General Aviation and Regional Air Traffic - Components of the Traffic System, Symposium, Friedrichshafen, West Germany, March 28, 29, 1985, Reports  
p 197 A86-21325
- PM techniques for making near-net-shape titanium alloy components  
p 246 A86-21756
- Symposium Gyro Technology 1984; Proceedings of the Symposium, Universität Stuttgart, West Germany, September 11, 12, 1984  
p 250 A86-21826
- Interdependence of centrifugal compressor blade geometry and relative flow field  
[ASME PAPER 85-GT-85] p 251 A86-22056
- 3-D design of turbine airfoils  
[ASME PAPER 85-GT-188] p 236 A86-22101
- Magnetic tape recording under severe environmental conditions  
p 314 A86-22216
- The data transmission and processing equipment of a high-precision trajectory measurement system  
p 296 A86-22728
- The telemetry system of the DFVLR experimental aircraft ATTAS  
p 281 A86-22729
- Economical in-flight calibration of air data sensors using inertial navigation units as reference  
p 284 A86-23270
- The effect of compressibility on slender vortices  
p 317 A86-23944
- Heat transfer problems in aero-engines  
p 272 A86-24470
- Sensor system concept for future fighter and strike aircraft  
p 297 A86-24583
- Optimization of stepped input signals in the frequency domain for parametric identification  
p 329 A86-24586
- Proposal for the choice of state variables for equations of motion of aircraft in moving air  
p 306 A86-24588
- Comparative measurements of the unsteady pressures and the tip-vortex parameters on four oscillating wing tip models  
p 273 A86-24708
- The accuracy problem of airplane development force testing in cryogenic wind tunnels  
[AIAA PAPER 86-0776] p 310 A86-24765
- Navier-Stokes solutions using finite volume procedures  
p 274 A86-25005
- Navier-Stokes procedure for simulating two-dimensional and quasi-two-dimensional cascade flow  
p 274 A86-25006
- Communication with land vehicles and aircraft via satellite  
p 319 A86-25016
- D-CALM - New research aircraft for remote sensing  
p 287 A86-25020
- The prop-fan introduces a new engine generation  
p 304 A86-25021
- The laminar wing - A way for improving the economy of commercial aircraft  
p 274 A86-25022
- Future helicopter developments  
p 269 A86-25023
- Computer-aided 'somatography' for the ergonomic design of the ATTAS experimental cockpit  
p 287 A86-25024
- Inertial navigation - The beginnings of an ingenious invention  
p 282 A86-25025
- Improvement of two blade sections for helicopter rotors  
p 288 A86-26103
- A consistent mathematical model to simulate steady and unsteady rotor-blade aerodynamics  
p 276 A86-26108
- Comparative measurements of the unsteady pressures and the tip-vortex parameters of four oscillating wing tip models  
p 276 A86-26109
- Theoretical prediction of running-time measurements in unsteady flow  
p 276 A86-26112
- DFVLR flying qualities research using operational helicopters  
p 307 A86-26147
- DFVLR helicopter in-flight simulator for flying quality research  
p 310 A86-26148
- An engineering approach to the inverse transonic wing design problem  
p 338 A86-26409
- Experimental system identification for experimental/analytical correlation and modelling  
p 381 A86-26883
- Strength profile in Al-Li plate material  
p 374 A86-27198
- Titanium: Science and technology; Proceedings of the Fifth International Conference on Titanium, Munich, West Germany, September 10-14, 1984. Volumes 1-4  
p 374 A86-27201
- Titanium investment casting - Production, properties and applications  
p 382 A86-27204
- Requirements for recycling of valuable chips from and for aircraft manufacturing  
p 374 A86-27209
- Ten years of front-fan blade forging  
p 382 A86-27227
- Producibility of aircraft structural parts by superplastic forming and diffusion bonding  
p 382 A86-27272
- Fatigue behaviour of titanium materials in aircraft engines  
p 375 A86-27275
- EB repair welding of a critical aircraft part made from the nonweldable titanium alloy 3.7184.7 (Ti-41.4-Mo-4-Sn-2-Si)  
p 382 A86-27278
- Embrittled trailing edges of compressor blades (titanium alloy Ti6Al-4V and Ti6Al2Sn4Zr2Mo) of gas turbine aero-engines  
p 376 A86-27279
- The fretting fatigue behaviour of the titanium alloy Ti-6Al-4V  
p 376 A86-27370
- Fretting fatigue testing with a fretting bridge equipment  
p 383 A86-27371
- Stress analysis, amplitudes of slip, reliability
- High temperature fatigue behavior of IMI 885  
p 376 A86-27385
- Semi-empirical simulation of steady and unsteady rotor blade aerodynamic loading  
p 336 A86-27656
- Structural dynamic aspects of rotor antiresonant isolation  
p 353 A86-27683
- Flight Test Instrumentation System FTIS for type-certification of the Indonesian aircraft CN 235  
p 358 A86-27818
- A procedure for the evaluation and analysis of the operational practicability and effectiveness of automated traffic flow control procedures for the near terminal area  
p 347 A86-27829
- Production-theoretical study of air traffic output production  
p 402 A86-27834
- The use of microcomputers in inertial navigation systems with strapdown sensors and for measurement systems of average accuracy  
p 347 A86-27849
- Flight mechanics contributions to the time-based trajectory control in the aircraft longitudinal plane  
p 348 A86-27852
- Synthetic lubricants and working fluids; International Colloquium, 4th, Esslingen, West Germany, January 10-12, 1984, Reports  
p 378 A86-28096
- Concept and performance analysis of a strapdown northfinder  
p 349 A86-28361
- Steady and unsteady transonic pressure distributions on NACA 0012  
p 337 A86-28565
- Numerical methods in fluid dynamics  
p 388 A86-29471
- Flight test of a velocity augmented strapdown navigation system LHN-81  
p 421 A86-30314
- Periodic control for minimum-fuel aircraft trajectories  
p 427 A86-31657
- Inter-noise 85; Proceedings of the Fourteenth International Conference on Noise Control Engineering, Munich, West Germany, September 18-20, 1985, Volumes 1 & 2  
p 467 A86-31954
- Noise of military aircraft in the range of airports and at low level flights  
p 468 A86-31961
- Comparison of different aircraft noise exposure indices in flight corridors near airports  
p 468 A86-31964
- The German-Dutch wind tunnel - An aerocoustics experimenter's dream  
p 468 A86-31965
- New research aircraft for DFVLR  
p 428 A86-32074
- The IA 63 trainer  
p 428 A86-32075
- Flight path measurement of helicopters using a strap-down navigation system  
[AIAA PAPER 86-9733] p 422 A86-32080
- The MBB flight test centre and its facilities  
[AIAA PAPER 86-9746] p 447 A86-32090
- Flight test techniques used for carriage load measurements at large underfuselage store configurations on Tornado combat A/C  
[AIAA PAPER 86-9755] p 429 A86-32096
- Investigation of main landing gear tire temperatures during taxi-out at heavy take-off masses  
[AIAA PAPER 86-9778] p 430 A86-32113
- Tornado avionic flight testing  
[AIAA PAPER 86-9805] p 431 A86-32134
- Detectability of low flying targets in real terrain using a diffraction model  
p 457 A86-32605
- New CFAR-processor based on an ordered statistic  
p 457 A86-32618
- Experimental analysis of a pitot-type air intake  
p 410 A86-32777
- Interaction between controlling, planning, and fault managing in complex man-machine systems  
p 463 A86-33184
- International Symposium on Aeroelasticity and Structural Dynamics, 2nd, Rheinisch-Westfälische Technische Hochschule, Aachen, West Germany, April 1-3, 1985, Collected Papers  
[DGLR BERICHT 85-02] p 406 A86-33226
- Calculation of 3-d unsteady transonic potential flows by a field panel method  
p 412 A86-33229
- Application of transonic unsteady methods for calculation of flutter airloads  
p 412 A86-33230
- Steady and unsteady pressure distributions on various profiles in separated subsonic and transonic flow  
p 413 A86-33233
- An improved potential gradient method for the calculation of unsteady aerodynamic pressures on oscillating wings in supersonic flow  
p 413 A86-33234
- Application of unsteady wing collocation methods to cascades in subsonic flow  
p 413 A86-33236
- Windtunnel test and laboratory simulation of a load alleviation system for a modern transport aircraft  
p 445 A86-33252
- Variation of anisotropic behaviour in structural optimization  
p 434 A86-33258
- Effects of anisotropic design on the static aeroelasticity of a swept wing  
p 434 A86-33263
- Aeroelastic problems and structural design of a tailless CFC-sailplane  
p 434 A86-33264

- Simulation of aircraft taxi testing on the AGILE shaker test facility p 448 A86-33265
- Structural dynamic aspects of rotor nodal isolation p 434 A86-33267
- International Helicopter Forum, 15th and International Aerospace Exhibition, Hanover, West Germany, May 20-27, 1984, Reports p 407 A86-33300
- New developments in antennas of classical radio navigational and landing systems p 484 A86-33741
- Development of the BO 105 LS p 487 A86-34920
- From wind tunnel to large aircraft [DGLR PAPER 85-088] p 487 A86-35151
- Details on the optimization of cruising drag of the Airbus A320 [DGLR PAPER 85-089] p 487 A86-35152
- Roll-damping measurements on two flight body configurations in the Goettingen DFVLR-AVA transonic wind tunnel [DGLR PAPER 85-090] p 508 A86-35153
- Determination of wing deformation in wind tunnel models using stress measurement section technology [DGLR PAPER 85-091] p 534 A86-35154
- Development trends in the case of high-performance aircraft [DGLR PAPER 85-106] p 473 A86-35163
- Measurements regarding the emission angle dependence of propeller-acoustic pressure/time signals, taking into account passing flight conditions [DGLR PAPER 85-112] p 534 A86-35165
- Helicopter test installation RoTeSt in DNW - Application and results [DGLR PAPER 85-113] p 513 A86-35166
- Analytic representation of steady and unsteady aerodynamic coefficients of modern helicopter rotors [DGLR PAPER 85-114] p 474 A86-35167
- Procedures for the digital simulation of helicopter propulsion systems [DGLR PAPER 85-115] p 501 A86-35168
- Comparative investigation of optimization procedures in aircraft preliminary design [DGLR PAPER 85-119] p 487 A86-35170
- A comparison of solutions of the complete potential equation and the Euler equations for the transonic flow around the DFVLR-F4-wing [DGLR PAPER 85-121] p 475 A86-35171
- A vortex lattice method for calculating nonlinear aerodynamic characteristics of interfering airfoils [DGLR PAPER 85-122] p 475 A86-35172
- Configuration aspects of modern high-performance aircraft [DGLR PAPER 85-130] p 488 A86-35176
- LMR-83 - Inertial measurement unit for flight regulation and navigation [DGLR PAPER 85-132] p 508 A86-35177
- Comparison of Al alloys and carbon fiber composite materials in aircraft construction [DGLR PAPER 85-136] p 515 A86-35179
- ARALL (Aramid Reinforced Aluminium Laminates) - A hybrid composite with a great resistance against fatigue crack propagation [DGLR PAPER 85-137] p 515 A86-35180
- The prop-fan - Initiation for a new generation of propulsion systems [DGLR PAPER 85-166] p 501 A86-35188
- Optimization of seaplanes [DGLR PAPER 85-170] p 488 A86-35189
- Computer-controlled navigation for aeromagnetic survey flights during the GANOVEX IV Antarctic expedition during the southern summer of 1984/85 p 484 A86-35293
- The flying simulator and technology carrier ATTAS from DFVLR p 490 A86-35520
- Comparison of the strength and damage tolerance of aluminium alloys p 516 A86-36178
- Analytical tools for systematic transonic design p 477 A86-36201
- Application of elliptic continuation method for transonic aerofoil design and experimental verification p 477 A86-36206
- Inverse design of supercritical nozzles and cascades p 477 A86-36207
- Method to determine the complete three-dimensional elastic compliance matrix of composite materials p 517 A86-37134
- Aerodynamics and radar-signature - A theoretical approach to estimate the radar-signature of complex aircraft configurations compatible with aerodynamic panel-methods [AIAA PAPER 86-1770] p 577 A86-37807
- Alpha Jet Training System single aircraft concept [SAE PAPER 851766] p 598 A86-38301
- Influence of FBW - Control laws on structural design of modern transport aircraft [AIAA PAPER 86-0953] p 584 A86-38846
- Dynamic interactions between active control systems and a flexible aircraft structure [AIAA PAPER 86-0960] p 594 A86-38932
- Experimental and theoretical study of the effect of wave propagation on the positional accuracy of Omega navigation in Germany p 572 A86-38974
- A computer-augmented procedure for commercial aircraft configuration development and optimization p 637 A86-40114
- Aerodynamic investigations toward an adaptive airfoil for a transonic transport aircraft p 623 A86-40115
- Integrated navigation, communication, and surveillance systems based on standard distance measuring equipment p 635 A86-40116
- Age hardening behavior of DTD XXXA p 660 A86-40305
- Carbon fibres and their composites p 661 A86-40487
- Technical status and future prospects of carbon fibres and their application in composites with polymer matrix (CFRPs) p 661 A86-40488
- Autoclave, compression moulding p 668 A86-40495
- Experiences in FRG in aerospace application p 661 A86-40498
- A study of optimizing cutting tool performance in high tensile strength materials p 668 A86-40527
- The calculation of the entropy distribution along cloud traverses using aircraft measurements p 678 A86-40555
- Effect of engine technology on advanced fighter design and cost p 644 A86-41691
- Design of a carbon-fiber reinforced wing for the Alpha-Jet major panel tests p 638 A86-41692
- Runway requirements in instrument flight traffic at regional airports and commercial landing areas p 635 A86-41873
- Turbofan and propfan as basis for future economic propulsion concepts [AIAA PAPER 86-1474] p 645 A86-42662
- Airbus Industrie A310 and A300-600 experience with practical applications of damage tolerance design in fuselage primary structure p 707 A86-43787
- Maintenance system by means of damage tolerance principle p 736 A86-43791
- The optimization of seaplanes - New chances and requirements regarding flying boats p 707 A86-43930
- Flow of real fluids p 737 A86-44801
- The reverse-flow theorem for transonic flow p 688 A86-44802
- On aerodynamic sound generation by airfoil-vortex interaction p 688 A86-44803
- On slender vortices p 689 A86-44810
- Tornado high speed terrain following testing in mountainous terrain and bad weather p 710 A86-44945
- Calculation of the potential flow around wing profiles with the aid of a continuously differentiable vortex distribution p 689 A86-44979
- Investigation of the ignition characteristics of hydrogen/air mixtures in the case of combustion induced by oblique shocks p 732 A86-45185
- The classical streamline curvature method in the supersonic range - A numerically ill-posed boundary value problem p 690 A86-45189
- The effect on radiated noise of non-zero propeller rotational plane attitude [AIAA PAPER 86-1926] p 750 A86-45417
- Experimental results of the noise radiation of propellers in non-uniform flows [AIAA PAPER 86-1928] p 751 A86-45419
- Aerodynamic technologies for general aviation aircraft p 713 A86-46198
- CFRP-wing for the Alpha jet p 686 A86-46199
- Electromagnetic interaction of external impulse fields with aircraft p 790 A86-47295
- Special protection circuits against transient currents for aircraft systems p 791 A86-47326
- Lightning stroke tests at the CFRP horizontal stabilizer of alpha jet p 792 A86-47331
- Live tests on static electricity in fuelling of aircraft p 783 A86-47334
- AIRMEC '85 - Aviation equipment servicing: Aircraft and helicopter maintenance; International Exhibition and Conference, 4th, Dusseldorf, West Germany, February 26-March 3, 1985, Conference Reports p 759 A86-47601
- A round-up on CFRP p 841 A86-47602
- Potential of BITE's and what it means to aircraft maintenance p 759 A86-47607
- Early corrosion detection and prevention measures p 760 A86-47612
- Anthropometric conditions for the construction of a helicopter cockpit p 794 A86-47768
- Obstacle warning radar for helicopters - An anthropotechnical problem p 787 A86-47769
- Flight testing a transonic wing with maneuver flaps and a direct side force control system for CAS aircraft p 794 A86-47782
- Flight testing of the Tornado Terrain Following Radar System in bad weather p 795 A86-47783
- Results of technology programs for general aviation aircraft at Dornier p 795 A86-47787
- Analysis of the costs and weight effects of CFK on air transport structure p 842 A86-48087
- Comparison of methods for lifetime calculations of highly loaded aero-engine discs [ASME PAPER 86-GT-102] p 814 A86-48165
- Premixing gas and air to reduce NOx emissions with existing proven gas turbine combustion chambers [ASME PAPER 86-GT-157] p 814 A86-48211
- An approach to an integrated control system for a modern fighter aircraft engine [ASME PAPER 86-GT-277] p 816 A86-48298
- Aircraft/engine integration for an advanced fighter considering mission specifics [ASME PAPER 86-GT-295] p 797 A86-48308
- Measurement of the pressure coefficient at a square wing in transonic-supersonic flows and comparison with theoretical results p 787 A86-48568
- Dynamic aspects in the design of advanced rotor systems p 798 A86-48663
- Handling qualities and flight performance - Implication of the operational envelope p 799 A86-48672
- Investigations on high Reynolds number laminar flow airfoils p 771 A86-48983
- Influence of EFCS-control laws on structural design of modern transport aircraft p 800 A86-48984
- Fibre optic damage detection in composite structures p 848 A86-48988
- Fire safety investigations for material selection and design of a carbon fibre reinforced fuselage structure p 785 A86-48989
- Reducing fuel consumption by cyclic control p 832 A86-48991
- Airbus-assembly concepts to improve productivity and flexibility in aircraft construction p 781 A86-48999
- Efficient solution of three-dimensional Euler equations using embedded grids p 771 A86-49007
- Optimum-Optimorum integrated wing-fuselage configuration for supersonic transport aircraft of second generation p 801 A86-49010
- Low cost inertial reference system based on fiber gyros with GPS-aiding p 788 A86-49016
- Test and flight evaluation of precision distance measuring equipment p 788 A86-49017
- Design criteria for flight control systems p 833 A86-49023
- Flight path reconstruction - A powerful tool for data compatibility check p 833 A86-49041
- Aeroacoustics at the German-Dutch wind tunnel p 839 A86-49061
- On the fast repair of aircraft panel components p 762 A86-49066
- Automated systems for the manufacture of Airbus Vertical Stabilizer Spar box in composite materials p 762 A86-49067
- Take-off and landing in a downburst p 786 A86-49069
- Flow field study on a supercritical airfoil using a pressure probe and a two-component Laser-Doppler-Anemometer p 775 A86-49074
- Aeroelastic tailoring for flutter constraints p 802 A86-49081
- Performance evaluation of a linear recursive technique for aircraft altitude prediction in airborne collision avoidance systems p 811 A86-49085
- Digital engine control units for an fighter engine and an auxiliary power unit - A comparison p 817 A86-49089
- Propfan and turbofan - Antagonism or synthesis p 817 A86-49092
- The prediction of lift inferred from downstream vorticity measurements p 775 A86-49102
- On the computation of wing lift interference caused by high bypass engines p 778 A86-49109
- Regression rate study for a solid fuel ramjet p 818 A86-49113
- Shimmy problems of landing gears caused by elastic deformation of tires p 803 A86-49118
- Take-off prediction for the Airbus A300-600 and the A310 compared with flight test results p 804 A86-49121
- Modern developments in rotorcraft technology [MBB-UD-458-85-OE] p 805 A86-49509
- BK 117 flight tests for certification of an expanded flight envelope [MBB-UD-452-85-OE] p 805 A86-50253
- Applications of thermal imager devices incl. modelling aspects [MBB-UD-462-85-OE] p 850 A86-50254
- Development of the BO 105 LS [MBB-UD-456-85-OE] p 805 A86-50255
- Structural design and analysis aspects of composite helicopter components [MBB-UD-454-85-OE] p 806 A86-50256



- Aircraft protection against lightning strikes p 806 N86-50347
- The state of development research in numerical aerodynamics in West Germany [DGLR-84-01] p 147 N86-14225
- Summary report on the working group for conference 1: Solutions of the Navier-Stokes equations p 147 N86-14226
- Summary report on the working group on conference 2: Solutions of the Euler equations p 148 N86-14227
- An implicit finite-difference procedure for the numerical solution of unsteady supersonic flow over a blunt body p 148 N86-14229
- Solutions of the Navier-Stokes equations for vortical flow p 148 N86-14231
- Numerical calculation of leading-edge vortices on a flat delta wing p 148 N86-14232
- Simulation of three-dimensional viscous transonic flows p 148 N86-14233
- Calculation of axisymmetric laminar supersonic flows over blunt bodies p 148 N86-14234
- Solutions of the Navier-Stokes equations with the finite volume method p 148 N86-14235
- A Navier-Stokes procedure for simulation of two-dimensional and quasi two-dimensional grid flows p 149 N86-14236
- Procedure for solution of the Navier-Stokes equations at Dornier GmbH p 149 N86-14238
- Comparison of the Euler and potential solutions for supersonic flows over delta wings p 149 N86-14239
- Trailing edge flow with transonic profiles p 149 N86-14240
- A new Euler algorithm based on characteristic flux extrapolation p 149 N86-14241
- Procedure for solution of the Euler equations at Dornier GmbH p 149 N86-14242
- Application of a dynamic grid adaptation in the ASWR procedure p 149 N86-14243
- Development of multigrid algorithms for problems from fluid dynamics p 187 N86-14244
- Contribution to the potential calculation of anisotropic compression shocks in a plane case p 150 N86-14245
- A procedure for solution of full potential equations with correction of the trailing edge condition p 150 N86-14246
- Shock design for refined recalculations p 150 N86-14247
- Review of research in numerical aerodynamics at the DFVLR in Brunswick p 150 N86-14248
- Procedure for solution of the full potential equation at Dornier GmbH p 150 N86-14249
- Calculation of separated laminar supersonic flows over blunt bodies of revolution at zero angle of attack [DFVLR-FB-85-30] p 151 N86-14256
- Integrated wing engine system (IFAS), phase 2 [BMFT-FB-W-85-008] p 151 N86-14257
- The effect of supply parameters on the volume of future aircraft movements p 158 N86-14258
- Results of the expert study of accidents during operation of German aircraft in the homeland and abroad as well as of foreign aircraft in the homeland p 158 N86-14261
- Results of the expert study of accidents during operation of German aircraft in the homeland and abroad as well as of foreign aircraft in the homeland p 158 N86-14262
- Avionics system for future civil helicopters [BMFT-FB-W-85-005] p 160 N86-14266
- Investigations of the aircraft landing process using a computerized simulation model based on the Monte Carlo method [DFVLR-FB-85-27] p 167 N86-14269
- Development of new combustor technologies for application to alternative aeroengine fuels, phase 1 [BMFT-FB-W-85-004] p 184 N86-14402
- Activities report in aerospace research p 135 N86-15240
- Numerical solutions for three-dimensional cases: Swept wings p 154 N86-15263
- Transonic drag rise and drag reduction by active/passive boundary layer control p 156 N86-15275
- MBB studies variable-camber wing for Airbus p 189 N86-15449
- Results of icing flights in winter 1983/84: Ice accretion thickness in correlation with cloud physical parameters, object and cloud parameters [DFVLR-FB-85-39] p 191 N86-15838
- On second propagation in radial fan casings [DFVLR-FB-85-32] p 194 N86-16053
- Air and space flight. Dream and facts [MBB-FILM-382] p 198 N86-16188
- Investigation of the aerodynamic forces on bluff bodies at high Reynolds numbers [ESA-TT-914] p 209 N86-16206
- Hot corrosion in aircraft engines [ESA-TT-887] p 237 N86-16227
- Maximum-likelihood estimation of parameters in linear systems from flight test data. A FORTRAN program [ESA-TT-896] p 264 N86-16989
- Activities in air traffic control p 216 N86-17331
- Construction of a measuring method using fiber optics and an LTN-90 laser gyro strapdown system for BO-195 helicopters [DFVLR-MITT-85-10] p 216 N86-17333
- Aerodynamic design trends for commercial aircraft [NASA-TM-77978] p 227 N86-17338
- Environment-friendly propeller aircraft with a maximum weight of 5700 kg, and motor gliders: Publication of the noise values p 227 N86-17341
- Development of a piezoelectric quartz pressure sensor for avionics with excellent long term stability (with final demonstration of the results on a prototype) [BMFT-FB-W-85-010] p 232 N86-17353
- Sound excitation during vortex-airfoil interaction [MPIS-MITT-80] p 266 N86-18130
- Calculation of ice accretion on cylindrical rods according to Bain's model, and comparison with experimental results [DFVLR-FB-85-46] p 325 N86-18933
- Wind shear measurement on board a Morane 893 p 394 N86-21084
- Propulsion and control propellers with thruster nozzles primarily for aircraft applications [NASA-TM-77715] p 342 N86-21511
- Algorithms for the automatic four-dimensional guidance of aircraft, taking into account the current wind situation [ESA-TT-908] p 352 N86-21531
- Vertically operating flight vehicle for drilling and agricultural use [NASA-TM-77713] p 357 N86-21535
- Theoretical and experimental investigations of flow vector measurements with angle-of-attack and sideslip sensors on DFVLR meteorological research aircraft [DFVLR-FB-85-50] p 358 N86-21541
- A contribution to the digital compensation of periodic disturbances with frequencies in bounded intervals [DFVLR-FB-85-55] p 370 N86-21553
- The icing research aircraft DO28, D-IFMP of DFVLR, and its measuring equipment [DFVLR-MITT-85-12] p 394 N86-22064
- Activities report of the aerospace industry in West Germany [ISSN-0176-5086] p 403 N86-22450
- Investigations in the flow field of airfoils with various geometries in the domain of high angles of attack. Experimental investigations [REPT-A-13/85] p 418 N86-23576
- Results of the technical investigation of accidents during the operation of German aircraft at home and abroad, and of foreign aircraft in Germany p 420 N86-23578
- Standardized fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation. Part 2: Final definition of Helix and Felix [LBF-FB-167] p 436 N86-23585
- Comparison of aluminum alloys concerning strength and damage tolerance [MBB-UT-111/85] p 452 N86-23714
- Activities report in aerospace in West Germany [ISSN-0070-3966] p 471 N86-24592
- Selections from Flug Revue und Flugwelt International. A. On the border of Time-hypersonic flight. B. NASA programs pave the way for the hypersonic aircraft. C. Shuttle flight 61-B; construction in space. D. Faster than a bullet; hypersonic military aircraft [NASA-TM-88418] p 474 N86-24652
- Fracture mechanics and LCF-properties of engine discs of Ti 6Al-4V, Inconel 718 and Udimet 700 P/M-HIP p 507 N86-25378
- Evaluation of cyclic spin pit tests for the damage tolerance of disks p 507 N86-25379
- FLIR, NVG and HMS/D systems for helicopter operation: Review p 619 N86-26804
- Unsteady boundary-layer separation on airfoils performing large-amplitude oscillations: Dynamic stall p 561 N86-27231
- Wind tunnel and flight test analysis and evaluation of the buffet phenomena for the alpha jet transonic wing p 561 N86-27239
- Unsteady vortex airfoil interaction p 562 N86-27240
- Standard dynamics model experiments with the DFVLR/AVA transonic derivative balance p 562 N86-27245
- Generation of two-dimensional gust fields in subsonic wind-tunnels p 563 N86-27247
- Gust alleviation on a transport airplane p 585 N86-27259
- Identification of aircraft characteristics including gust induced dynamic effects p 585 N86-27263
- Improvement of strapdown system performance by means of numerical methods [BMFT-FB-W-85-011] p 575 N86-27275
- Development, construction, and manufacturing of wind tunnel models for aerodynamic investigations [BMFT-FB-W-85-012] p 600 N86-27296
- Control systems for the Airbus design and functional experience [ETN-86-96936] p 653 N86-28094
- Processing and meteorological evaluation of research flights with DFVLR motor gliders using the software package RAMF [DFVLR-FB-85-57] p 678 N86-28588
- The effect of a splitter plate as boundary layer removal system in half-model testing [DFVLR-FB-85-64] p 657 N86-28969
- Properties, applications, future of European gyro sensors p 678 N86-29082
- Effects of unfavorable environmental conditions on the service life of jet engine and helicopter bearings p 677 N86-29238
- Aero-engine gears: Manufacturing cracks and their effect on operation p 677 N86-29239
- Tribology in aircraft systems: Basic principles and applications p 677 N86-29240
- Design and calculation of high speed engine bearings p 677 N86-29241
- Multifunctional requirements for a gearbox secondary power system in a modern fighter aircraft and its components and interface requirements p 678 N86-29243
- Requirements on lubrication oil from the view of a helicopter manufacturer p 666 N86-29244
- Aircraft engine oils and their behaviour at high temperatures p 667 N86-29251
- Scoring tests of aircraft transmission lubricants at high speeds and high temperatures p 667 N86-29253
- Transient thermal behaviour of a compressor rotor with ventilation: Test results under simulated engine conditions p 741 N86-29856
- Effect of film cooling on the aerodynamic performance of a turbine cascade p 742 N86-29859
- Aerodynamic effect of coolant ejection in the rear part of transonic rotor blades p 742 N86-29861
- Active flutter suppression on a delta wing model structure [DFVLR-FB-86-01] p 727 N86-29870
- The Second International Symposium on Aeroelasticity and Structural Dynamics [DGLR-85-02] p 687 N86-30627
- Calculation of three-dimensional transonic potential flows by a field panel method p 695 N86-30629
- Application of transonic unsteady methods for calculation of flutter airloads p 727 N86-30630
- Steady and unsteady pressure distribution on various profiles in separated subsonic and transonic flow p 695 N86-30632
- An improved potential gradient method for the calculation of unsteady aerodynamic pressures on oscillating wings in supersonic flow p 695 N86-30633
- Theoretical flutter investigations on a plane cascade in incompressible flow p 727 N86-30635
- Application of unsteady wing collocation methods to cascades in subsonic flow p 696 N86-30636
- The application of practical optimization techniques in the preliminary structural design of a forward-swept wing p 715 N86-30654
- Variation of anisotropic behavior in structural optimization p 715 N86-30656
- Effects of anisotropic design on the static aeroelasticity of a swept wing p 687 N86-30661
- Aeroelastic problems and structural design of a tailless Carbon Fiber Composite (CFC) sailplane p 715 N86-30662
- Simulation of aircraft taxi testing on the AGILE shaker test facility p 731 N86-30663
- Structural dynamic aspects of rotor nodal isolation p 715 N86-30665
- Advances in ground vibration testing using a combination of phase resonance and phase separation methods p 743 N86-30669
- Reconstruction of forcing functions based on measured structural responses p 732 N86-30684
- Gust load prediction and alleviation on a fighter aircraft [AGARD-R-728] p 729 N86-30741
- Design of a basic profile for a slightly swept wing. Part 2: Experimental investigation on the airfoil DFVLR-W1 in the Brunswick Transonic Wind Tunnel (TWB) [ESA-TT-916-PT-2] p 782 N86-31542
- Aerodynamic design methods for modern transport aircraft [ESA-TT-923] p 782 N86-31543
- A feasibility study for the use of electronic flight strips in Air Traffic Control (ATC) controller workstations [ESA-TT-928] p 789 N86-31558



- Technology demonstration for investigation of the new possibilities of amphibious flying boats, phase 2 [BMFT-FB-W-85-022] p 808 N86-31577
- Investigations in landing process of aircraft by means of the Monte-Carlo method [ESA-TT-951] p 808 N86-31578
- User's manual for the Falcon system [ESA-TT-936] p 808 N86-31579
- New technology propulsion (ANT) for general aviation aircraft, phase 1 [BMFT-FB-W-85-031] p 820 N86-31589
- Studies for the application of a flexible weight and balance (W/B) measuring facility for commercial aircraft [BMFT-FB-W-85-029] p 840 N86-31804
- Identification of gust input and gust response characteristics from Do 28 TNT flight test data [ESA-TT-919] p 837 N86-32445
- Servo-actuator for sampled-data feedback disturbance rejection [DFVLR-FB-86-08] p 837 N86-32446
- GERMANY, PEOPLES DEMOCRATIC REPUBLIC OF**
- The employment of operative aircraft dispatchers p 134 A86-18721
- Aircraft compartment preheating device LUVU 100 p 180 A86-18722
- The Microwave Landing System (MLS) p 160 A86-18723
- Aspects of current interest concerning the development of world air traffic. II p 135 A86-18724
- Turbofan engines for commercial aircraft p 173 A86-18725
- GREECE**
- Using roll-angle measurements to track aircraft maneuvers p 92 A86-12677
- Modelling of the vortex-airfoil interaction p 565 N86-27262

## H

- HONG KONG**
- Chinese space and aviation industries score major breakthroughs [NASA-TM-87973] p 459 N86-23749
- HUNGARY**
- Method for determining the ISO-noise levels by simulated aircraft flight operations p 856 A86-49099
- Load examination of vehicle-body of reinforced cylindrical shell in case of kinematic load p 849 A86-49128

## I

- INDIA**
- Hypersonic flow past non-slender wedges, cones and ogives in oscillation p 76 A86-13047
- Combustion related to solid-fuel ramjets p 116 A86-14566
- Feasibility of simplifying coupled lag-flap-torsional models for rotor blade stability in forward flight p 98 A86-16123
- Engine-out take-off climb - An old airworthiness problem reviewed p 161 A86-17061
- Stability of large damped flexible spacecraft with stored angular momentum p 182 A86-18355
- Simple technique moistureproofs ILS localizer antenna array p 282 A86-23379
- Flat rating concept introduced in the GTX engine p 304 A86-26071
- Advances in simulation, control and guidance and other systems for manned and unmanned aircraft p 269 A86-26072
- Feasibility of simplifying coupled lag-flap-torsional models for rotor blade stability in forward flight p 290 A86-26138
- Design considerations for Doppler VOR ground station antenna arrangement p 349 A86-28360
- Unified approach for modelling fatigue crack growth and some observations on behaviour under flight simulation loading p 453 A86-29954
- Fatigue crack propagation from an inclined crack under combined mode loading p 450 A86-30013
- Variation of effective stress range ratio under simple variable amplitude loading p 453 A86-30014
- Fatigue crack growth in patched plates under constant amplitude and flight simulation loadings p 454 A86-30092
- Investigation of an aircraft accident by fractographic analysis p 418 A86-30097
- Frequency-domain application of Gauss-Newton method to extract aircraft longitudinal parameters p 442 A86-31125
- Free vibration characteristics of periodically stiffened panels with damped stringers p 456 A86-31773

- Parameters of a dedicated weather radar for terminal air navigation, traffic control and safety p 423 A86-32616
- Computationally simple adaptive tracking filters based on weighted averages p 457 A86-32642
- Experimental and theoretical study of wings with blunt trailing edges p 410 A86-32789
- Vibration characteristics of aircraft engine-bladed-disk assembly p 502 A86-35865
- P T A - Design considerations for an airframe system and detailed design of fuel subsystem p 590 A86-37331
- Performance deterioration during rotating stall in axial compressors p 644 A86-40738
- Unified supersonic/hypersonic similitude for oscillating wedges and plane ogives p 689 A86-44880
- Numerical solution of the supersonic laminar flow over a two-dimensional compression corner using an implicit approach p 690 A86-45054
- A review of dynamic inflow and its effect on experimental correlations p 157 N86-15293
- Fatigue crack propagation under spectrum loading [NAL-TM-MT-8502] p 322 N86-19656
- Jet plume temperature effects on afterbody pressure distribution and drag [NAL-TM-FM-8502] p 340 N86-20354
- Side force characteristics of a 20 deg cone at high angles of attack [NAL-TM-AE-8503] p 340 N86-20356
- Modal analysis of a typical fighter aircraft using transient testing technique [NAL-TM-ST-8517] p 356 N86-20385
- Parametric Bi-cubic surface patch for computer aided geometric design of aircraft and/or other three-dimensional geometries [NAL-TM-AE-8505] p 399 N86-21168
- Computation of transfer function matrices [NAL-TM-SE-8509] p 399 N86-21232
- A preliminary note on the development of a three dimensional potential code in Cartesian Coordinates [NAL-TM-AE-8504] p 399 N86-21233
- Analysis of wings with leading edge and/or trailing edge segmented (spanwise) flaps using planar horse shoe vortex lattice method [NAL-TM-AE-8507] p 559 N86-27212
- A computer programme for DATCOM methods of estimation of lateral stability and control derivatives [NAL-TM-AE-8601] p 596 N86-27289
- A low speed tunnel semi-free dynamic flying study of the high angle of attack pitch derivatives of HF-24 using MLE procedure [NAL-TRM-SE-8603] p 782 N86-32393
- Six degree of freedom simulation software [NAL-PD-SE-8614] p 854 N86-33042
- INTERNATIONAL ORGANIZATION**
- Effects of tip and wall contouring on the three-dimensional flow field in an annular turbine nozzle guide vane. I - Experimental investigation [ASME PAPER 85-GT-71] p 77 A86-13065
- Impact of advanced materials on aircraft design weights - The weight improvement factor [SAWE PAPER 1836] p 488 A86-35202
- Front seat on the future p 509 A86-35583
- Overview p 559 A86-40252
- Sophistication and safety in a semi-automated air traffic control system p 635 A86-41874
- Applications of satellite communications technologies to International Civil Aviation p 702 A86-43708
- A320 flight controls p 724 A86-44946
- How one A/C manufacturer transits to composites p 759 A86-47804
- Airbus A 320 - New concept of aircraft control p 796 A86-47797
- A simulation facility for assessing the next generation of 4-D air traffic control procedures p 788 A86-49034
- Avionics fault data acquisition - A concept for civil transport aircraft p 810 A86-49051
- Crashworthiness of airframes [AGARD-R-737] p 702 N86-30709
- Store separation flight testing [AGARD-AG-300-VOL-5] p 717 N86-30727
- Determination of antennae patterns and radar reflection characteristics of aircraft [AGARD-AG-300-VOL-4] p 744 N86-30931
- ISRAEL**
- Improved drag element for wind tunnel sting balances p 112 A86-14532
- Flutter and divergence aeroelastic characteristics for composite forward swept cantilevered wing p 97 A86-14536
- Portable computerized tester improves flight-line maintenance p 121 A86-15528
- Nonplanar, subsonic, three-dimensional oscillatory piecewise continuous kernel function method p 162 A86-17779

- A nonlinear model of aeroelastic behaviour of rotor blades in forward flight p 290 A86-26139
- Avner Electronic Magnetic Compass and low cost navigation system p 358 A86-26504
- YF16CCV flight control system reconfiguration design using quantitative feedback theory p 368 A86-28395
- Fatigue behaviour of advanced aluminium alloy lugs of 7475-T761 with and without initial cracks p 450 A86-30030
- On the exact solution of the linearized lifting-surface problem of an elliptic wing p 409 A86-31132
- An exact formulation of the unsteady aerodynamic theory of lifting surfaces undergoing arbitrary small motions in a supersonic flow field p 413 A86-33235
- Static aeroelastic analysis using aircraft vibration modes p 432 A86-33241
- Rapid vibration mode analysis of aircraft with external stores p 435 A86-33281
- Ground effect on slender wings at moderate and high angles of attack p 623 A86-40108
- Weight minimization of orthotropic flat panels subjected to a flutter speed constraint p 671 A86-41715
- Robust simplified adaptive control for a class of multivariable continuous-time systems p 680 A86-42860
- The role of structural and aerodynamic damping on the aeroelastic behavior of wings p 708 A86-44894
- Frequency and time domain designs of a strapdown vertical determination system [AIAA PAPER 86-2148] p 810 A86-47457
- Adaptive filtering of biodynamic stick feedthrough in manipulation tasks on board moving platforms [AIAA PAPER 86-2248] p 825 A86-47495
- Concept of automated aircraft guidance system for air-to-air missions [AIAA PAPER 86-2285] p 787 A86-47703
- Near-optimal feedback control for three-dimensional interceptions p 854 A86-48992
- Effects of spanwise blowing on pressure distribution and leading-edge vortex stability p 774 A86-49046
- Analysis of strake-slender-wing configurations using slender-wing theory p 774 A86-49049
- Theoretical considerations of the specific impulse of ramjet engines p 817 A86-49111
- On the motion of spray drops in the wake of an agricultural aircraft p 777 A86-49441
- An exact formulation of the unsteady aerodynamic theory of lifting surfaces undergoing arbitrary small motions in a supersonic flow field p 696 N86-30634
- Static aeroelastic analysis using aircraft vibration modes p 743 N86-30641
- Recent results on the weight minimization of panels with a flutter speed constraint p 715 N86-30680
- Rapid vibration mode analysis of aircraft with external stores p 716 N86-30679
- ITALY**
- Fracture toughness characterization of light alloys for aeronautical use p 114 A86-12761
- Wing aspect ratio optimization related to payload and to fuel consumption of transport propeller airplanes [SAWE PAPER 1615] p 98 A86-14975
- Experimental analysis of tip vortex by laser Doppler anemometry p 140 A86-16387
- Experimental characterization of cracks at straight attachment lugs p 186 A86-16821
- Radars in air traffic control - A status report p 216 A86-21607
- Computer controlled variable pressure reducing/shut-off valve for aircraft ECS [SAE PAPER 851360] p 285 A86-23545
- Three component hot-wire measurements in the wake of a rotor model p 320 A86-26111
- Investigation on a small scale model of ducted composite counterrotating rotor p 289 A86-26119
- Composites in the development of Agusta helicopters p 320 A86-26121
- Manufacturing control over the reproduction of high integrity parts - A way to improve the safety of aeronautical products p 320 A86-26122
- Optimum helicopter in the flight spectrum p 290 A86-26123
- The project for anti-tank helicopter p 290 A86-26124
- A first step for reducing helicopter IFR approach minima Agusta A109 IFR CAT II certification p 280 A86-26127
- Safety aspects in stores management systems p 299 A86-26132
- Antenna siting on helicopters p 282 A86-26133
- Helicopter active control with blade stall alleviation modal capability p 307 A86-26136
- Analytical and experimental results of the ground resonance phenomenon for A.129 p 291 A86-26142
- Tests on whole A129 engine bay simulating the inertia and aerodynamic loads p 292 A86-26164

- Simulation concepts and testing of the tail rotor fly-by-wire system of the A129 helicopter p 292 A86-26165
- A perturbative lambda formulation p 337 A86-28535
- Multiradar tracking in the new ATC system at Mazatlan (Mexico) area control center p 424 A86-32640
- Wing aspect ratio optimization problems for transport turbojet airplanes [SAWE PAPER 1660] p 488 A86-35206
- Meteorol-derived quantitative measurements on volcanic ash plumes for warning to aviation p 566 A86-37478
- Radar data processing. Volume 2 - Advanced topics and applications p 605 A86-38224
- Effect of moisture on thermal properties of composite materials for aerospace applications p 661 A86-40345
- A large displacement formulation for anisotropic beam analysis p 671 A86-42075
- Damage tolerance and durability in the design of a short-haul turboprop aircraft p 707 A86-43790
- Dynamic and flutter analysis using F.E.M. of the GP-180 p 713 A86-47128
- Stripping and painting a plane - Technological and economic aspects p 760 A86-47614
- Development of an experimental correlation for transonic turbine flow [ASME PAPER 86-GT-108] p 785 A86-48170
- Analytical and experimental investigation on advanced composite wing box structures in bending including effects of initial imperfections and crushing pressure p 848 A86-49003
- Evaluation of pressure distributions on an aircraft by two different panel methods and comparison with experimental measurements p 774 A86-49044
- Control of interior noise in advanced turbopropeller aircraft p 802 A86-49100
- Exact solutions to transonic and supersonic flows p 154 A86-15260
- Remote sensing of oil on sea: Lidar and passive IR experiments p 320 A86-18370
- Rivista Technica Selenia, volume 9, number 3, 1985 p 407 A86-22537
- The MRCA automatic test system p 407 A86-22538
- Complex systems integrated logistic support: Automatic Test Equipment (ATE) and test oriented languages role p 407 A86-22539
- Selenia's contribution to the development of systems support: Microwave Automatic Test Equipment (ATE) p 407 A86-22540
- Implicit activities in the post development phase p 407 A86-22542
- Lines of evolution p 407 A86-22543
- Activities report of the Department of Aerospace Engineering p 470 A86-23491
- Small defect characterization in powder metallurgy materials p 526 A86-25373
- Possible impacts of VHSIC on MIL-STD-1553B data transmission management p 674 A86-28371
- Aerialia: Avionics, optoelectronics research, ATR 42 p 642 A86-29080
- An example of integrated logistic support applied also to production testing p 744 A86-30898

## J

## JAPAN

- Numerical analysis of fully three-dimensional periodic flows through a turbine stage [ASME PAPER 85-GT-57] p 78 A86-13060
- Strain measurement of the USB-flap structures of NAL STOL aircraft p 95 A86-13315
- A solution of inverse problem for multi-element aerofoils through application of panel method p 83 A86-13546
- Changes of flying skills during non-flight periods p 125 A86-13944
- Doublet strip method for oscillating swept tapered wings in incompressible flow p 85 A86-14537
- Manufacturing advance towards high strain fibers p 182 A86-16203
- Investigations of transonic Ludwig tubes. III - Effects of plenum exhaust system on starting process of tunnel test section p 140 A86-16838
- Acoustic recognition of aircraft types in flight p 193 A86-18121
- Computation of dynamic stall of NACA0012 airfoil by block pentadiagonal matrix scheme [AIAA PAPER 86-0116] p 199 A86-19687
- Practical applications of new LU-ADI scheme for the three-dimensional Navier-Stokes computation of transonic viscous flows [AIAA PAPER 86-0513] p 203 A86-19922

- Dispersion process of jet engine exhaust plume. II - Buoyant jet p 234 A86-20448
- Recent developments in carbon fibre composite p 244 A86-21296
- Production and development of secondary flows and losses within a three dimensional turbine stator cascade [ASME PAPER 85-GT-217] p 205 A86-22115
- Aeroacoustics of an advanced propeller design under takeoff and landing conditions p 284 A86-23190
- Reliability and structural inspection program for transport aeroplanes p 269 A86-25176
- Research and development of FJR 710 turbo fan engine - Second phase p 304 A86-25177
- Effect of sweep angle on static aeroelasticity - Theory for physical meanings p 288 A86-25180
- Energy saving in aircraft p 288 A86-25188
- Doublet strip method for oscillating rectangular wings in subsonic flow p 274 A86-25189
- Experimental study of the effects on the turbofan engine by the distortion p 304 A86-25192
- A world review on air breathing engine altitude test facilities p 310 A86-25197
- Improved doublet lattice method for oscillating swept tapered wings in incompressible flow p 274 A86-25200
- An analytical method of the characteristics of the turbofan engine components p 304 A86-25201
- Deep stall characteristics of the MU-300 p 306 A86-25203
- Aerodynamic characteristics of general aviation at high angle of attack with the propeller slip stream p 306 A86-25204
- Stall flutter of helicopter blade p 306 A86-25205
- Recent computational fluid dynamics works about high angle of attack aerodynamics with separation vortex p 274 A86-25206
- Review of theory of vortex separated from a leading edge of a delta wing p 275 A86-25207
- Trends of active control technology p 307 A86-25213
- Effects of measurement errors on estimation of the probability of vertical overlap p 280 A86-25214
- Research on sonic inlet p 331 A86-25217
- Vibration problems of jet engine rotor systems p 304 A86-25219
- Aerodynamic performances of fabric surface airfoils p 275 A86-25224
- On hypersonic flow around winged-vehicles at high angles of attack p 275 A86-25227
- A study on the propulsive force of wings in non-steady motion by the theorem of momentum p 275 A86-25233
- A study of ramjet engine. III - Air inlet performance as the engine component p 304 A86-25234
- Figures of out surface of an airplane model p 288 A86-25237
- Two-dimensional scheme 'DLM-C' to examine subsonic unsteady lifting surface schemes for finite span p 275 A86-25239
- Aerodynamic characteristics of slender wing-gap-body combinations. II p 275 A86-25240
- Dynamic response of windturbine to yawed wind p 323 A86-26140
- Nonlinear analysis for dynamic behaviours of a coupled rotational vibration system near its critical speed p 291 A86-26143
- Effect of processing and heat treatment on the mechanical properties of Ti-6Al-2Sn-4Zr-6Mo alloy p 375 A86-27231
- Aeroelastic tailoring study in aircraft design p 383 A86-27741
- Some recent research and development of composites in Japan p 377 A86-27765
- Flight tests of MLS elevation guidance p 348 A86-27899
- Recombination of vortex filaments and its role in aerodynamic noise p 408 A86-30213
- A correction of the angle of incidence for a two-dimensional wing model in the closed test section p 409 A86-31020
- Improved numerical method for lifting airfoils with oscillating control surfaces in subsonic flow p 409 A86-31021
- Outer surface of airplane and computational grid for flow analysis in physical space p 409 A86-31022
- An interpretation of airplane general motion and control as inverse problem p 443 A86-31661
- What should be known on the environmental impact assessment for a planning airport p 462 A86-31962
- Development and flight testing of the T-2 control configured vehicle [AIAA PAPER 86-9763] p 429 A86-32101
- On the development of equiobservable forms with application to adaptive control p 465 A86-33134
- Adaptive flight control of unstable helicopters during transition p 444 A86-33178

- On the vertical turns sustaining corner velocity p 507 A86-33979
- Studies on turning errors of the magnetic compass in flight experiments p 499 A86-34276
- The superposition distortion index p 500 A86-34279
- An application of self-tuning regulator to GLA system of an aircraft p 508 A86-34926
- Aerodynamic characteristics of a circulation controlled symmetrical airfoil with dual jet p 541 A86-37196
- The external drag of a simple axisymmetric body of revolution in subsonic and supersonic flow with variable mass flowthrough ratios [AIAA PAPER 86-1828] p 545 A86-37842
- Spreading of two-stream supersonic turbulent mixing layers p 546 A86-37801
- Wind tunnel free-flight test by a vertical drop technique at a hypersonic Mach number of 7 p 598 A86-38253
- A calculation method for unsteady aerodynamic forces in the Laplace domain and its application to root loci [AIAA PAPER 86-0866] p 553 A86-38901
- A wind tunnel study of active control technology on a high aspect ratio wing [AIAA PAPER 86-0956] p 594 A86-38930
- Weibull-distributed ground clutter in the frequency domain p 671 A86-41883
- Development of 'CADEGA' CAD system for aero engine design p 645 A86-42425
- Computation of two-dimensional transonic cascade flow using a new Navier-Stokes solver [AIAA PAPER 86-1381] p 624 A86-42805
- On a method for pilot dynamics identification reflecting feedback structures p 747 A86-43511
- Measurements of fluctuations of surface heat transfer rate in the interacting region of oblique shock wave and turbulent boundary layer p 688 A86-43512
- Fluctuations of wall pressure in the interacting region of oblique shock wave and turbulent boundary layer p 688 A86-43514
- Flows past a rotating circular cylinder at high Reynolds number p 688 A86-43533
- An analysis of bending wave propagation on impact in a rotating fan blade p 736 A86-43534
- An adaptive flight control system design for CGV with an unknown interactor matrix p 723 A86-43536
- Tone-like noise from an isolated two dimensional airfoil [AIAA PAPER 86-1947] p 752 A86-45434
- Broad band noise from an isolated two dimensional airfoil [AIAA PAPER 86-1948] p 752 A86-45435
- Experimental study of flight effect on fan noise. I - A study of inflow control device for simulating in-flight fan noise in static test p 721 A86-46024
- Disturbance attenuation by a frequency-shaped linear-quadratic-regulator method p 725 A86-46453
- A discrete-time multivariable model-following method applied to decoupled flight control [AIAA PAPER 85-1978] p 725 A86-46454
- Synthesis of an adaptive flight controller under unknown deterministic disturbances [AIAA PAPER 86-2157] p 823 A86-47464
- Identification of pilot dynamics in a system with a choice of feedback structures [AIAA PAPER 86-2250] p 825 A86-47496
- A theoretical solution of three-dimensional flows in subsonic, transonic and supersonic turbomachines - An exact solution and its numerical method [ASME PAPER 86-GT-111] p 785 A86-48173
- A study on NOx emissions from gas turbine combustor [ASME PAPER 86-GT-168] p 814 A86-48220
- Optimum design technique for rotating wheels [ASME PAPER 86-GT-255] p 846 A86-48281
- Lighter-than-air aircraft as control configured vehicle p 801 A86-48998
- Configuration and trajectory of hypersonic transport with aerothermodynamic control p 804 A86-49124
- Calculations of high speed propeller performances using finite difference methods p 818 A86-49126
- Airplane landing behaviors controlled by man-pilots p 835 A86-49244
- Turbulent transonic flow for NACA 0012/RAE 2822 airfoils under Baldwin-Lomax model p 776 A86-49245
- Failure detection in a flight control system by the modified sequential probability ratio test p 854 A86-49507
- Navier-Stokes simulation of transonic flow over wing-fuselage combinations [AIAA PAPER 86-1831] p 779 A86-49589
- Introduction to operational ASDAR system p 125 A86-12915
- A method for calculating flow fields around moving bodies [NAL-TR-858T] p 88 A86-13288

Grid generation for single airfoil using conformal mapping  
[NAL-TR-851T] p 148 N86-14217

The properties of a row of trailing vortices generated in the uniform flow. The path of trailing vortex  
[REPT-1] p 151 N86-14422

The properties of a row of trailing vortices generated in the uniform flow. Shape of trailing vortex and its streamwise variation  
[REPT-2] p 151 N86-14423

Dynamic characteristics of air data sensor systems: Altimeter, speedometer and alpha times beta vane  
[NAL-TR-852] p 172 N86-15312

Numerical simulation of the leading-edge separation vortex over delta wing  
p 209 N86-17271

Numerical simulation of unsteady flow around an airfoil by finite difference solution of Navier-Stokes equations  
p 209 N86-17273

Transonic internal flow about an airfoil oscillating in pitch: Comparisons between computation and experiment  
p 209 N86-17278

Investigations on efficient numerical method for subsonic lifting surfaces  
p 209 N86-17285

Numerical analysis for steady transonic flows past an airfoil using AF scheme  
p 209 N86-17289

Numerical solution of viscous compressible flows past an airfoil using unconditionally stable explicit method  
p 210 N86-17290

Numerical analysis about flow over an airfoil with a large angle of attack  
p 210 N86-17291

Numerical analysis of transonic flow around two-dimensional airfoil by solving Navier-Stokes equations  
p 210 N86-17292

Analysis of high Reynolds number transonic flow around an airfoil  
p 210 N86-17293

Validation and comparison with experiment of a high Reynolds number transonic flow airfoil analysis code NSFOIL  
p 210 N86-17294

The comparison of the transonic airfoil calculation by NSFOIL with the wind tunnel test data at high Reynolds number  
p 210 N86-17295

The role of computational fluid dynamics in aeronautical engineering  
[REPT-2] p 257 N86-17296

Application of computational aerodynamics to wing design  
p 226 N86-17297

A numerical solution of the transonic integral equation and its application to three-dimensional transonic wing design  
p 226 N86-17298

A wing design based on the three-dimensional transonic inverse method and the comparison with the wind tunnel testing data  
p 226 N86-17299

The analysis of practical transonic swept wings with and without boundary layer effects  
p 211 N86-17300

Estimation of divergence and flutter boundaries on supersonic plate wing models from subcritical random responses due to air turbulence  
[NAL-TR-856] p 211 N86-17308

Calibration of an on-ground aircraft tracking radar by aerial photogrammetry  
[NAL-TR-861] p 282 N86-18311

Powdered, sintered alloy materials described: Development of titanium alloys  
p 314 N86-18447

Study on the digital position transducer with optical time-delay pulse  
[NAL-TR-878] p 322 N86-19583

Fundamental investigation on the impact strength of hollow fan blades  
[NAL-TR-879] p 322 N86-19657

Research on the aerodynamic characteristics of vehicles by free flight testing at supersonic speeds  
[NAL-TR-876] p 339 N86-20353

Numerical analysis of inviscid flows about wing-fuselage combinations. 2: Development of full potential flow code YOKUDO-P  
[NAL-TR-881] p 341 N86-20364

Study on the digital position transducer with optical time-delay pulse  
[NAL-TR-878] p 388 N86-20759

Covariance specification for the linear time-invariant output-feedback control systems using a Kalman filter  
[NAL-TR-882] p 399 N86-21219

A viscous-inviscid interaction method to predict the aerodynamic performance of airfoils at transonic speed  
[NAL-TR-873] p 341 N86-21508

Comparison of computational results of a few representative three-dimensional transonic potential flow analysis programs  
[NASA-TM-77963] p 341 N86-21509

Japan report: Science and technology  
[JPRS-JST-86-001] p 389 N86-21723

Numerical analysis of inviscid flows about wing-fuselage combinations. Part 1: Development of grid generation code YOKUDO-G  
[NAL-TR-884] p 414 N86-22551

Japan report: Science and technology  
[JPRS-JST-86-007] p 480 N86-23773

Rollout of XT-4 intermediate class training aircraft  
p 438 N86-23774

Numerical simulation of vortices shed behind a rotating wing  
p 418 N86-23862

Computation of 3-dimensional viscous transonic flows using the LU-ADI factored scheme  
[NAL-TR-889T] p 555 N86-27184

Wind tunnel test and analysis on gust load alleviation of a high-aspect-ratio wing  
[NAL-TR-890] p 556 N86-27185

An analysis of the limit cycle observed in the functional mockup test of the NAL QSTOL research aircraft  
[NAL-TR-893] p 587 N86-27277

Optical technology for flight control systems  
[NASA-TM-88400] p 655 N86-28960

## L

**LATVIA**

Current concepts of composite applications in aircraft and engines  
p 312 N86-23690

## N

**NETHERLANDS**

The right combination unlocks aerospace EMC  
p 112 N86-13848

Liability of air traffic control agencies and airport operators in civil law jurisdictions  
p 130 N86-14372

Application of pulsed reflection holography to material testing  
p 122 N86-16090

Research on laminar separation bubbles at Delft University of Technology in relation to low Reynolds number airfoil aerodynamics  
p 137 N86-16308

Vortex-fitted potential and vortex-captured Euler solution for leading-edge vortex flow  
p 142 N86-17149

Application of NLR's calculation methods to transonic flow about oscillating wings  
p 143 N86-17778

Development of an airborne CCD scanner for land and sea applications  
p 231 N86-21163

Hardware/software FMEA applied to airplane safety  
p 253 N86-22396

Wind tunnel wall influence considering two-dimensional high-lift configurations  
p 308 N86-23187

Determination of limitations for helicopter ship-borne operations  
p 280 N86-26151

ARALL - A light weight structural material for impact and fatigue sensitive structures  
p 313 N86-26158

Corrosion protection of helicopters through organic coatings  
p 313 N86-26159

STALINS method for takeoff and landing trajectory measurements  
p 356 N86-28566

Comparison of discrete and continuous gust methods for airplane design loads determination  
p 356 N86-28567

Aircraft noise - Different ways to monitor the noise load  
p 467 N86-31959

RASP - A system generating very accurate position markers during flight testing  
[AIAA PAPER 86-9802] p 422 N86-32131

Optimum supersonic wings with subsonic leading edges  
p 410 N86-32785

Minimax frequency domain optimization of multivariable linear feedback systems  
p 465 N86-33127

NLR experience in the application of active flutter suppression and gust load alleviation, applied to a wind-tunnel model  
p 444 N86-33250

Fatigue failure of jet engine drive shafts  
p 500 N86-33970

Simulation and measurement of engine influences in a two-jet aircraft model using model engines  
[DGLR PAPER 85-092] p 513 N86-35155

Inverse method with geometric constraints for transonic airfoil design  
p 477 N86-36202

Optimization in design processes - An informatics point of view  
p 531 N86-36208

The influence of esters on elastomer seals  
[SAE PAPER 851868] p 602 N86-38535

Incoherent imaging of radar targets  
p 667 N86-40215

Policing aviation safety in the Netherlands  
p 633 N86-40567

Flightpath reconstruction and systematic radar error estimation from multi-radar range-azimuth measurements  
p 636 N86-42966

The significance of flight-simulation fatigue tests  
p 706 N86-43779

Damage tolerance test program of the Fokker 100  
p 708 N86-43786

Design of an integrated control system for flutter margin augmentation and gust load alleviation, tested on a dynamic windtunnel model  
[AIAA PAPER 86-2242] p 824 N86-47490

Flight simulation of MLS interception procedures applicable to laterally segmented approach paths  
[AIAA PAPER 86-2073] p 837 N86-47663

Engine condition monitoring at KLM Royal Dutch Airlines  
[ASME PAPER 86-GT-300] p 816 N86-48312

Applications of computer-aided engineering to subsonic aircraft design in a university environment  
p 801 N86-48986

Flight simulation techniques with emphasis on the generation of high fidelity 6 DOF motion cues  
p 839 N86-49024

Fatigue fracture in landing gear steels  
p 803 N86-49115

Calculation of 2-D unsteady transonic full potential flow about oscillating airfoils by two complementary approaches  
[AIAA PAPER 86-1821] p 778 N86-49586

Fuel saving by optimal integration of on-board avionics and air traffic control  
[NLR-MP-84035-U] p 159 N86-14263

Numerical methods  
p 154 N86-15259

Activities report in aeronautics  
p 198 N86-16189

Implicit finite-difference methods for the calculation of unsteady transonic potential flow around two-dimensional airfoils: A discussion  
[NLR-MP-83063-U] p 208 N86-16202

An experimental investigation of the entrainment into a leading-edge vortex  
[VTH-LR-332] p 208 N86-16203

Application of time-linearized methods of oscillating wings in transonic flow and flutter  
[NLR-MP-84077-U] p 208 N86-16204

Calculations of transonic flows around single and multi-element airfoils on a small computer  
[REPT-84-48] p 208 N86-16205

Fatigue life monitoring of aircraft  
[NLR-MP-83069-U] p 226 N86-16211

Design and evaluation of an instrumentation system for measurements in nonsteady symmetrical flight conditions with the Hawker Hunter MK 7  
[VTH-LR-308] p 232 N86-16215

Simulation of a six degrees of freedom flight simulator motion system  
[UA-00-39] p 241 N86-16230

German-Dutch wind tunnel (DNW). Present and future applications for industrial developments  
p 242 N86-16235

Aeroacoustic calibration of the German-Dutch Wind Tunnel (DNW) open jet  
[DNW-TR-82-03] p 242 N86-16236

Acoustic evaluation of the German-Dutch Wind Tunnel (DNW) shear layer correction using a model jet  
[DNW-TR-82-04] p 242 N86-16237

Aerodynamical calibration of the German-Dutch Wind Tunnel (DNW): A review of testing techniques and results  
[DNW-PA-82062] p 242 N86-16238

Report of the Working Group for Sensitivity Analysis and Zoning Calculations (GAZOB)  
p 259 N86-16749

Analysis and conclusions of the working Group for Sensitivity Analysis and Zoning Calculations (GAZOB)  
p 259 N86-16750

Noise nuisance calculations for Schiphol Airport on behalf of the Sensitivity Analysis and Zoning Calculations Working Group (GAZOB)  
[NLR-TR-85034-U] p 260 N86-16751

Markov jump-diffusion models and decision-making free filtering  
[NLR-MP-83067-U] p 264 N86-17046

Aeroacoustic research in the Netherlands related to aircraft development  
[NLR-MP-84049-U] p 265 N86-17081

Activities report in aircraft development and astronautics  
p 267 N86-17233

Low speed aerodynamic characteristics of a two-dimensional sail wing with adjustable slack of the sail  
[VTH-LR-307] p 211 N86-17314

Application of a constrained inverse method in the aerodynamic design of a low speed wing-slat configuration  
[NLR-TR-83123-U] p 211 N86-17320

A system for computer aided analysis and design of multielement airfoils: MAD  
[NLR-MP-83136-U] p 212 N86-17321

Hardware/software Failure Mode Effect Analysis (FMEA) applied to airplane safety  
[NLR-MP-84073-U] p 215 N86-17325

A sophisticated tracking algorithm for Air Traffic Control (ATC) surveillance radar data  
[NLR-MP-84004-U] p 216 N86-17334

Comparison of a jump-diffusion tracker with a Kalman tracker: An evaluation with emphasis on air traffic control [NLR-TR-83063-U] p 216 N86-17335

Damage-tolerant aircraft design [NLR-MP-84005-U] p 227 N86-17342

Helicopter-ship qualification testing [NLR-MP-84062-U] p 227 N86-17343

Design and fabrication of an advanced composite cellular wing box [VTH-LR-315] p 227 N86-17344

Lecture notes on fatigue, static tensile strength and stress corrosion of aircraft materials and structures. Part 2: Figures [VTH-LR-360-PT-2] p 227 N86-17345

Operational application of the STALINS method for measuring take-off and landing trajectories [NLR-TR-83010-U] p 227 N86-17346

Three-dimensional flight-path reconstruction by means of spline approximation [NLR-TR-83091-U] p 228 N86-17347

Estimation of load exceedances of an aircraft under carriage with nonlinear properties excited by random runway unevenness [NLR-TR-84030-U] p 228 N86-17348

Optimization in design processes: An informatics point of view [NLR-MP-84074-U] p 228 N86-17349

The application of sensors in light tests [NLR-MP-84056-U] p 232 N86-17352

Reliability aspects of software for digital avionics [NLR-TR-82126-U] p 232 N86-17354

Activities report in aerospace research, with data concerning the scientific committee NLR-NIVR, international cooperation concerning AGARD, DNW, GARTEUR and cooperation with Indonesia p 257 N86-17588

A survey of numerical methods for the calculation of inviscid, possibly rotational Euler flows around aeronautical configurations [NLR-TR-83130-U] p 258 N86-17699

Boundary layer calculations on the leeward surface of a slender delta wing at incidence [NLR-TR-84001-U] p 258 N86-17700

Quadrinomial distribution for the characterization of nondestructive inspection (NDI) reliability [NLR-MP-84064-U] p 258 N86-17774

Design of hat-stiffened composite panels under uniaxial compression and shear. Minimum mass optimization based on a simplified theory [VTH-LR-312] p 259 N86-17806

Fatigue rated fastener systems in aluminum alloy structural joints [NLR-MP-83045-U] p 259 N86-17809

Noise assessment around Schiphol airport (the Netherlands) in 1981 [NLR-TR-82034-U] p 260 N86-17915

Computer Aided Design (CAD) at the National Aerospace Laboratory (Netherlands) with the accent on aircraft flight control systems [NLR-MP-84032-U] p 264 N86-18030

An efficient filter for abruptly changing systems [NLR-MP-84071-U] p 264 N86-18056

Application of active noise reduction for hearing protection and speech intelligibility improvement [IZF-1985-7] p 266 N86-18131

Engineering Data Interactive Presentation and Analysis System (EDIPAS): A general approach to engineering data management and analysis applied to wind tunnel testing [NLR-MP-83057-U] p 267 N86-18252

The conformal representation of the NACA 64A015 profile [VTH-M-502] p 277 N86-18296

Calculation of the external nacelle surface for single and double stream jet engines for civil aircraft [VTH-M-445] p 277 N86-18301

On the longest chord of the first Muller profile [VTH-M-486] p 277 N86-18303

Design method for the calculation of performances and flap movement of flexible wind turbine blades [VTH-M-453] p 323 N86-18795

An introduction to the application of Computer Aided Design (CAD) to the pre-design of aircraft and the design of aircraft structures at the Aerospace Section [VTH-M-512] p 330 N86-19045

Report of noise measurements with 2 different microphone dispositions on airplane type Cessna F 172L [VTH-M-510] p 332 N86-19143

On the separated flow over a delta wing at high subsonic and transonic speeds [VTH-M-527] p 279 N86-19293

Elements of the aerodynamic theory of cyclogyro wing systems with concentrator effects [VTH-LR-338] p 279 N86-19294

Flight test evaluation of the Netherlands flight inspection aircraft [NLR-MP-84052-U] p 295 N86-19318

Determination of limitations for helicopter ship-borne operations [NLR-MP-84072-U] p 295 N86-19319

Determination of performance and stability characteristics from dynamic maneuvers with a transport aircraft using parameter identification techniques [NLR-MP-84024-U] p 308 N86-19326

Wind shear investigation program at the NLR [NLR-MP-84027-U] p 325 N86-19808

A revision of the actuator disk concept and momentum theory [REPT-R-732-D] p 341 N86-20374

Recent experiences in the analysis of aircraft cabin noise p 401 N86-21287

Comparative evaluation of redundant flight data recorded by a Digital Airborne Integrated Data System Recorder (DAR) on board an Airbus A-310 aircraft p 439 N86-22575

Aeroelastic research on wind turbines [VTH-M-474] p 459 N86-23012

MEP: A program for cross section magnitudes of a multicell wing profile [VTH-M-487] p 459 N86-23013

Aeroelastic research on wind turbines [VTH-M-501] p 459 N86-23014

Aeroelastic research on wind turbines [VTH-M-517] p 459 N86-23016

AGARD Cooperative Test Programme on titanium alloy engine disc material p 507 N86-25369

TURBISTAN: A standard load sequence for aircraft engine discs p 526 N86-25380

Laminar and turbulent boundary-layer calculations on the leeward surface of a slender delta wing at incidence [NLR-MP-84040-U] p 555 N86-26293

Method for determining the time delay of the pitot-static tubing system of aircraft [NLR-TR-83075-U] p 589 N86-26335

Failures in advanced flight control systems of future transport aircraft [NLR-TR-84108-U] p 595 N86-26343

Engineering property comparisons for 2324-T39 and 2024-T351 aluminum alloy plate [NLR-TR-84021-U] p 603 N86-26429

Effects of cladding and anodizing on flight simulation fatigue of 2024-T3 and 7475-T761 aluminum alloys [NLR-TR-85006-U] p 604 N86-26430

The postbuckling behavior of blade-stiffened carbon epoxy panels loaded in compression [NLR-MP-85019-U] p 611 N86-26661

Some tests to assess the effect of crack stoppers on the fatigue life of center-notched specimens [NLR-TR-84051-U] p 611 N86-26662

Constant amplitude and flight simulation of fatigue tests on adhesive bonded lap joint specimens of 2024-T3 sheet material [NLR-TR-84090-U] p 612 N86-26663

An efficient decision-making-free filter for processes with abrupt changes [NLR-MP-84080-U] p 618 N86-27018

Unsteady airload computations for airfoil oscillating in attached and separated compressible flow p 561 N86-27238

Effects of aerodynamic lags on aircraft responses p 564 N86-27257

Principles and applications of the Fokker bond tester [ETN-86-96960] p 612 N86-27624

Future Aeronautical Communication System (FACS): Report [ETN-86-96959] p 673 N86-28309

The use of mathematical optimization techniques by the designer [NLR-MP-85005-U] p 682 N86-28673

Design of transonic airfoils with given pressure, subject to geometric constraints [NLR-TR-84064-U] p 633 N86-28928

An introductory course on aircraft loading [NLR-MP-84090-U] p 641 N86-28943

A study on the transmission of sound through flow ducts of varying cross section [NLR-TR-83128-U] p 683 N86-29636

NLR experience in the application of active flutter suppression and gust load alleviation, applied to a wind tunnel model p 728 N86-30649

The black box. Silence is silver, speech is golden [ETN-86-97394] p 702 N86-30706

Computations of separated subsonic and transonic flow about airfoils in unsteady motion [NLR-MP-84094-U] p 782 N86-31541

Flight data recorders (FDR) and/or cockpit Voice Recorders (CVR) in the Lockheed Orion P-3C Update 2 [ETN-86-97395] p 811 N86-31561

Preliminary design of an automated Air Traffic Control (ATC) radar evaluation system [NPL-VG-84-009-L] p 789 N86-32419

The generation of equal probability design load conditions, using Power Spectral Density (PSD) techniques [NLR-TR-85014-U] p 809 N86-32430

Flight test instrumentation used in the Fokker F27 and F28 development and certification flight program [NLR-MP-84023-U] p 811 N86-32431

TURBISTAN: A standard load sequence for aircraft engine discs [NLR-MP-85033-U] p 820 N86-32436

Recent developments in propulsion aerodynamics [NLR-MP-85031-U] p 820 N86-32437

Cost reductions from introduction of new life philosophies for aircraft engine discs [NLR-MP-85076-U] p 820 N86-32438

Review of aeronautical fatigue investigations in the Netherlands during the period March 1983 - February 1985 [NLR-MP-85025-U] p 851 N86-32779

Short cracks in aerospace structures [NLR-MP-85054-U] p 851 N86-32781

Simulation and optimization techniques in computer aided design [NLR-MP-85022-U] p 854 N86-33053

An infrastructure for information processing for computer aided design [NLR-MP-85038-U] p 854 N86-33054

On the way to extended noise reductions in propeller aircraft [B8573697] p 857 N86-33126

**NEW ZEALAND**

Waves due to a steadily moving source on a floating ice plate p 124 A86-13535

A VME bus microcomputer system for experiment control and analysis on board an aircraft p 297 A86-23313

**NORWAY**

The effect of water ingress on buoyancy and thermal quality of survival suits p 261 A86-19333

Formulation of the Euler boundary value problem p 154 N86-15258

## P

## POLAND

Dynamics of non-autonomous spatial motion of an aeroplane with deformable control systems p 109 A86-13931

A method for numerical analysis of the aerodynamic characteristics of an aeroplane wing in the subcritical range of the flying velocity p 83 A86-13933

Influence of the dropping conditions on container motion near the carrier and on the impact parameters p 158 A86-19069

A study of aircraft motion stability in steady spin p 176 A86-19070

Comparative analysis of two methods for evaluating the loads acting on the tail plane during a symmetric manoeuvre p 287 A86-25095

An analysis of the influence of the duration and sharpness of a symmetric manoeuvre on the load acting on the tail plane p 287 A86-25096

Detection and recognition of hazardous weather conditions by primary surveillance radar p 457 A86-32614

A method for numerical analysis of the dynamics of a controlled rotor blade of a helicopter p 486 A86-33998

Velocity distribution around a wing in a wind tunnel Verification of a calculation method by means of a laser anemometer p 476 A86-35925

Gas and erosion corrosion of the combustion chambers of aircraft engines p 592 A86-39725

The effect of rain and contamination of the front surface on the in-flight behavior of aircraft during roll II p 688 A86-43938

Influence of turbine-engine design on flight safety p 720 A86-43939

Numerical modelling of the dynamics of aerobatic manoeuvres p 724 A86-45144

The dynamics of limiting helicopter manoeuvres at a very low altitude p 724 A86-45748

Ground resonance of a helicopter during the take-off and landing run p 712 A86-45749

Statistical analysis of the influence of service parameters on the aeroacoustic effects p 712 A86-45750

An analysis of the motion of an aircraft on the ground p 725 A86-46367

Vibration analysis of a helicopter fuselage by means of mathematical models p 725 A86-46368

Simulation of the algorithms of a navigation computer p 748 A86-46369

- Solid-beam model of a deformable aircraft for natural-vibration studies p 804 A86-49444  
**PORTUGAL**  
 Heat exchangers in regenerative gas turbine cycles p 741 N86-29857

**R****ROMANIA (RUMANIA)**

- Computation of aeronautical structures p 120 A86-14157  
 Drag reduction of perforated axisymmetric bodies in supersonic flow p 144 A86-18047  
 Aircraft and rockets: Design concepts p 410 A86-32324  
 The passive control of the shock waves on transonic airfoils p 411 A86-32990  
 The method of fundamental solutions in aerodynamics. II - Applications to the theory of lifting surfaces in supersonic flow p 477 A86-36285  
 Preliminary design of low authority SAS. I p 510 A86-36772  
 Preliminary design of low authority SAS. II p 724 A86-45058  
 An iterative method for statically indeterminate structures of flight vehicle p 738 A86-45059  
 On the optimization of flutter characteristics of laminated anisotropic cylindrical shells p 848 A86-49082

**S****SOUTH AFRICA, REPUBLIC OF**

- A hot air tunnel for base bleed experimentation p 597 A86-38252  
 Aircraft flutter analysis (The Fourth John Weston Memorial Lecture) p 724 A86-44932  
 Comparison of modal analysis methods on a light aircraft p 730 A86-44933  
 Structural modification by modal correction p 738 A86-44934  
 The selection and acquisition of commercial aircraft fleets p 686 A86-44935  
 A comparison of pod and tail mounted ramjets p 818 A86-49112

**SPAIN**

- The private enterprise factor in regional airlines p 421 A86-31004  
 Survival of helicopter accidents p 419 A86-31005  
 Aerial navigation p 421 A86-31006  
 Considerations on the influence of positioning on the quality of GPS information p 421 A86-31007  
 Restrictions on the dispositions of navigation aids p 422 A86-31009  
 Maneuvers for aircraft noise reduction in takeoff, climb, and landing approach operations p 467 A86-31010  
 Accident of the DC-10 EC-DEG aircraft at Malaga on September 13, 1982 p 419 A86-31011  
 The extension of the Madeira airport runway - A unique task p 447 A86-31012  
 Effects of intense rainfall on the aerodynamics of an airfoil profile p 409 A86-31013  
 Acoustical design economic tradeoff for transport aircraft p 468 A86-32783  
 Cancellation zone in supersonic lifting wing theory p 780 A86-49824  
 High frequency-heated air turbojet [NASA-TM-77710] p 364 A86-21543  
 Advanced composite structures in commercial transport aircraft [AI/TE3-384/82-ISSUE-2] p 451 A86-22648  
 Chemical control for Airbus composites. HPLC standardization [I-104/84] p 664 A86-28133

**SWEDEN**

- Three-dimensional solutions to the Euler equations with one million grid points p 142 A86-17150  
 Camera flight tests and image evaluation p 230 A86-19591  
 Engine/airframe health and usage monitoring an alternate approach via advanced vibration monitoring systems p 296 A86-23255  
 Mechanical design and evaluation of a slotted CFRP waveguide antenna p 383 A86-27703  
 How Sweden decided to build the Gripen p 405 A86-31340  
 Simulation of inviscid vortex-stretched turbulent shear-layer flow p 411 A86-32979  
 Flutter calculation by a new program p 444 A86-33246  
 Inviscid vortex-stretched turbulent shear-layer flow computed around a cranked delta wing p 475 A86-35253  
 Flight test with a terrain aided navigation system p 571 A86-37334

- Airfoil optimization p 623 A86-40107  
 Indicial coefficients for a cropped delta wing in incompressible flow p 623 A86-40111  
 Coarsening of delta prime, T1, S prime phases and mechanical properties of two Al-Li-Cu-Mg alloys p 660 A86-40303  
 A differential dynamic programming method with an abrupt penalty integrand for solving tolerance problems p 680 A86-42877  
 The OASIS structural optimization system p 672 A86-43090  
 Computer aided engineering in structural design and optimization p 738 A86-43759  
 Fatigue and damage tolerance work during the aircraft design process p 708 A86-43777  
 Transonic computations about complex configurations using coupled inner and outer flow equations p 771 A86-49008  
 Disordered vortex flow computed around a cranked delta wing at subsonic speed and high incidence p 772 A86-49027  
 Failure analysis of aircraft windshields subjected to bird impact p 802 A86-49055  
 Numerical design parameter study for slotted walls in transonic wind tunnels p 839 A86-49059  
 Method of analysing data on a swept wing aircraft in flight p 775 A86-49103  
 The control and use of residual stresses in aircraft structural parts p 849 A86-49114  
 Measurements of landing gear loads of a commuter airliner p 803 A86-49119  
 Calculation of static elastic effects on a modern high performance fighter aircraft [AIAA PAPER 86-1771] p 777 A86-49577  
 Transonic wind tunnel tests of a swept supercritical wing-body model, PT 8 p 211 A86-17316  
 Measurement of noise from airplanes traveling at heights 3500 to 6000m [FFA-TN-1982-24] p 401 A86-22312  
 New dynamic testing techniques and related results at FFA p 562 A86-27244  
 Transonic and supersonic wind tunnel tests on schematic missile configurations with two different nose lengths [FFA-TN-1984-62] p 630 A86-28066  
 Probabilistic damage tolerance analysis of aircraft structures [FFA-TN-1985-68] p 640 A86-28081  
 Aerodynamics of the Viggen 37 aircraft. Part 1: General characteristics at low speed [NASA-TM-88403] p 632 A86-28925  
 Auditory helicopter detection and localization; a literature review focusing on search for helicopters [FOA-C-50033-H2] p 757 A86-30474  
 Flutter calculation by a new program p 728 A86-30645  
 A comparison between acoustic mode measurements and acoustic finite element analysis performed for SAAB SF 340 [FFA-TN-1986-22] p 856 A86-33125
- SWITZERLAND**  
 Altimeters to meet military low level needs p 102 A86-13548  
 Manufacturers prepare for Europe's new fighters p 75 A86-13549  
 Stealth p 134 A86-17434  
 Testing time for AMX - The close support specialist moves towards production p 162 A86-17435  
 Canard Mirage on test p 225 A86-22261  
 One man and 3,000 million operations a second - Preparing for the LHX cockpit p 286 A86-24988  
 Lavi - Advanced fighter and industrial springboard p 287 A86-24990  
 What technologies await the future airliner? p 405 A86-31038  
 The 7J7 - Boeing's answer to the Airbus A320 p 426 A86-31039  
 Airborne radar - The greater watershed p 438 A86-31343  
 Su-27 - Sukhoi plays its flanker p 427 A86-31344  
 Aerospaciale AS.350 B1 - The mountain squirrel p 427 A86-31345  
 New interfaces in the cockpit p 427 A86-31346  
 Aerospace planes and trans-atmospheric vehicles - Recent US studies revive dormant technologies p 449 A86-31348  
 Battle of the hushkits - All quieter on western front p 440 A86-31349  
 Materials and processes; Proceedings of the Fifth Technology Conference, Montreux, Switzerland, June 12-14, 1984. Volumes 1&2 p 450 A86-31475  
 Experience with aeroelastic analysis of a single engine turbo trainer using finite elements methods p 433 A86-33247

- How US companies are attacking production costs p 605 A86-37323  
 Axisymmetric three-dimensional flow in the cooled gas turbine p 720 A86-44925  
 Avanti to fly soon p 713 A86-48405  
 Planning for minimum overhaul time p 760 A86-47616  
 A general computational method for simulation and prediction of transient behavior of gas turbines [ASME PAPER 86-GT-180] p 815 A86-48230  
 Quality assurance in the reconditioning of gas turbine and compressor blading components [ASME PAPER 86-GT-298] p 847 A86-48311  
 Can Europe meet the challenge of LHX? p 797 A86-48370  
 Airports build for future traffic amid new security concern p 838 A86-48371  
 Secondary radar leads - Monopulse points the way p 787 A86-48372  
 Parametric determination of lift interference for three-dimensional models in the Emmen (Switzerland) aircraft works wind tunnel [F+W-FO-1740] p 277 A86-18304  
 Performance computation of turbofan and turbojet engines in off-design conditions [F+W-FO-1746] p 305 A86-19323  
 Experience with aeroelastic analysis of a single engine turbo trainer using finite element methods p 743 A86-30648

**T****TAIWAN**

- Wind shear induced by solitary waves in the lower atmosphere [IAF PAPER 85-410] p 125 A86-15886  
 Optimal control of deterministic systems via shifted Legendre polynomials p 530 A86-34140  
 The dynamic instability of plate structures p 605 A86-37348  
 Use of block-pulse functions in the optimal control of deterministic systems p 747 A86-45728

**U****U.S.S.R.**

- Methods of constructing R-curves and application of these curves for evaluation of materials (Review) p 117 A86-13011  
 Radiative gasdynamic processes in imploding discharges in a plasmodynamic magnetoplasma compressor p 129 A86-13031  
 Calculation of flows in two- and three-dimensional nozzles by an approximate factorization method p 77 A86-13294  
 A marching explicit-implicit procedure for calculating supersonic flow past bodies p 78 A86-13296  
 The linear theory of a profile in a compressible gas with additional jet flow p 78 A86-13351  
 Symmetric transonic flow past wings of large aspect ratios p 78 A86-13352  
 A study of flow near a shock wave intersection line p 78 A86-13353  
 The effect of the incalculable flow regime of air scoops on flow past a wing p 78 A86-13354  
 Estimation of the probability of a flight parameter exceeding a specified value under conditions of atmospheric turbulence p 108 A86-13355  
 Panel design for optimum strength and stability with allowance for the nonuniformity of heating p 119 A86-13357  
 Selecting the principal parameters of a wedge-profiled wing p 78 A86-13358  
 Aerodynamic characteristics of a finite-aspect-ratio wing in hypersonic flow of a radiating gas p 78 A86-13359  
 Flow of a diatomic rarefied gas around a cone p 78 A86-13360  
 An algorithm for calculating the coupling between matrices of elastic influence coefficients for two systems of computational points p 119 A86-13362  
 Some solutions to the Karman equation describing flow past the salient points of a profile p 79 A86-13363  
 Calculation of supersonic inviscid flow past a plane air intake element with an isolated head wave p 79 A86-13364  
 Estimation of the deviation limits of the aircraft path parameters during automatic landing p 108 A86-13365  
 Consideration of the multiplicity of critical spots in a structure in estimating the durability and the service life p 119 A86-13367  
 Wing structure design for maximum aileron efficiency p 95 A86-13368

- Equations of rolling for a wheel with an elastic tire p 96 A86-13389
- A study of flutter on the basis of frequency tests at subcritical regimes p 109 A86-13370
- Characteristics of the lifting properties of aircraft with sweptforward wings at supersonic velocities p 96 A86-13371
- A joint analysis of the boundary layer and inviscid flow around the axisymmetric rear section of a fuselage p 79 A86-13373
- A numerical analysis of the characteristics of a Tollmien-Schlichting wave packet in a boundary layer on a flat plate p 79 A86-13374
- Profiling of supersonic ducts with specified nonisentropic parameters at the exit p 79 A86-13375
- A numerical study of axisymmetric flow past a disk p 79 A86-13377
- A study of the normal of a delta-wing aircraft at large angles of attack during unsteady motion p 79 A86-13379
- A combined method for the analysis of the aerodynamic forces acting on an oscillating flight vehicle in supersonic flow p 79 A86-13380
- Statistical formulation of the objectives of the aerodynamic experiment p 80 A86-13381
- An experimental study of a vacuum water-air ejector with a multichannel liquid-supply nozzle ensuring jet-pair collision p 119 A86-13382
- Estimation of the fluctuation amplitude of the angle of attack of a flight vehicle with nonlinear damping characteristics in the presence of atmospheric turbulence p 114 A86-13386
- A property of the elastic vibrations of nearly symmetric systems p 119 A86-13387
- A model for the life variance of a structural element under irregular loading p 119 A86-13388
- Certain characteristics of parachute-wing aerodynamics p 80 A86-13389
- Propagation of small perturbations during the interaction of nonviscous jets p 80 A86-13390
- The effect of the bluntness and the half-angle of a cone on the turbulent transition of a boundary layer at free-stream Mach 6 p 80 A86-13391
- A method for measuring the direction and the Mach number of a three-dimensional supersonic nozzle p 80 A86-13392
- Certain criteria and formulas for the analysis of flexural-torsional flutter p 109 A86-13394
- An analysis of separated flow of an ideal fluid past a finite-aspect-ratio mechanized wing p 80 A86-13395
- Construction of equivalent profiles and approximate calculation of transonic flow past the root section of a swept wing p 80 A86-13396
- Determination of the shape of a profile from a specified chord diagram of Mach numbers in transonic flow p 80 A86-13397
- Using the shock-expansion method for calculating the aerodynamic characteristics of flight vehicles p 81 A86-13398
- A study of heat transfer on wedges with a swept leading edge and a sharply bent generatrix p 81 A86-13399
- Diffuser parameter optimization for low Reynolds numbers using experimental data p 111 A86-13400
- Using suction for increasing Mach numbers in a perforated test section with a subsonic nozzle p 112 A86-13405
- The effect of a perforated wall on incompressible flow past a U-shaped vortex p 81 A86-13406
- Critical values of the Mach number of a radial airfoil cascade p 105 A86-13408
- A method for arranging nodes along the lines of a computational grid during the numerical solution of problems in mathematical physics p 127 A86-13409
- Using isoperimetric inequalities for the two-sided estimation of the torsional stiffness of a prismatic bar p 119 A86-13410
- Linear theory of an equivalent profile in the problem concerning the influence of porous flow boundaries p 81 A86-13411
- The use of reverse flow to calculate transonic flow past bodies p 81 A86-13412
- Asymptotic solution of the fluid-flow problem in the core of a vortex sheet p 81 A86-13413
- Acoustic characteristics of models of ejector suppressors of jet noise p 129 A86-13416
- Minimization of aircraft flight time for a given distance with return to the original point p 109 A86-13417
- Application of the state-space method to analyze the stability of digital systems p 127 A86-13418
- Allowance for initial conditions in static and dynamic calculations of structures by the finite element method p 119 A86-13419
- Analytical method for considering the elasticity of the blades in the aerodynamic calculation of a helicopter propeller p 96 A86-13421
- Effect of cantilevers on the lift characteristics of a thin swept wing and vortex-wake stability p 81 A86-13422
- Calculation of supersonic flow past a three-dimensional configuration using integral relationships p 81 A86-13423
- Certain problems of fluid flow near the core of a spiral discontinuity p 120 A86-13424
- Calculation of flow around rotating circular cascades with allowance for circumferential flow nonuniformity induced by a perturbation at the inlet p 82 A86-13426
- Theory of self-similar regimes of supersonic flow in an axisymmetric channel with a sudden expansion p 82 A86-13427
- Influence of unsteady flow effects on the length of operation of a hypersonic shock tunnel p 112 A86-13428
- Formation of asymmetric separated flow past slender bodies of revolution at large angles of attack p 82 A86-13429
- Separated flow past a sharp edge according to a reverse-jet scheme p 120 A86-13430
- Certain properties of two-dimensional flows in the case of flow past bodies with jets p 82 A86-13431
- Compact gas ejector of a high degree of compression with spiral arrangement of the nozzles p 82 A86-13433
- Method for calculating the equilibrium spin of an aircraft p 109 A86-13435
- Calculation of equilibrium turn p 109 A86-13436
- Design of a minimum-weight gliding wing p 96 A86-13437
- Optimization of structural load-bearing designs using anisotropic models according to aeroelasticity conditions p 96 A86-13438
- Supersonic gas flow past a V-shaped wing p 82 A86-13440
- Subsonic thermal wind tunnel with an Eiffel chamber p 112 A86-13443
- Calculation of unsteady flow in a two-stage gas turbine engine p 105 A86-13444
- Technological support for aircraft production p 75 A86-13446
- Design of the flow path of aircraft gas-turbine engines p 105 A86-13447
- Air traffic prediction and optimal control of air transportation system p 90 A86-13452
- Aerohydrodynamics p 82 A86-13456
- Studies in the history and theory of the development of science and technology in the fields of aviation, rocketry, and space. Number 3 p 131 A86-13462
- Cutouts in load-bearing structures p 120 A86-13463
- Environment protection in connection with air transportation p 124 A86-13467
- The drag of a thermally insulated plate in a stream of a compressible gas under mixed flow conditions p 120 A86-13671
- The effect of the deflector type on internal heat transfer in blades with transverse coolant flow p 120 A86-13673
- Dynamic strength problems in aerospace equipment p 120 A86-13690
- Quasi-solutions of an inverse boundary value problem of hydroaerodynamics p 120 A86-13983
- A numerical method for calculating internal subsonic swirling flows of an ideal gas p 85 A86-14679
- The performance of composite structures p 121 A86-14680
- Measurement of the heterogeneous recombination probability of oxygen atoms in the course of supersonic dissociated gas flow interaction with solid body surfaces p 85 A86-14743
- Experimental study of gas flow around blunt objects p 85 A86-15980
- A method for measuring pressure distribution by means of indicating coatings p 140 A86-16687
- The effect of a shock layer on the viscous resistance of star-shaped bodies with flat side faces p 140 A86-16691
- The temperature dependence of the electrical conductivity of jet fuels with antistatic additives p 183 A86-16750
- The dynamics of elastic bars under conditions of arbitrary kinematic excitation p 185 A86-16761
- Self-similar supersonic gas flows through a permeable screen p 140 A86-16784
- Stability of the steady-state gliding of a flight vehicle p 175 A86-16787
- Structure of a supersonic turbulent boundary layer during its interaction with a shock wave p 141 A86-17096
- Supercritical mode of the nonlinear interaction of subsonic and supersonic inviscid jets in a two-dimensional channel p 142 A86-17098
- Characteristics of the design of VTOL jet aircraft p 162 A86-17600
- The effect of the curvature of the external contours of turbine blade profiles on their aerodynamic characteristics p 144 A86-18152
- Elastoelasticity and dynamics of the helicopter structure p 166 A86-18733
- An introduction to the theory of nonlinear vibrations of aircraft structures p 187 A86-18739
- The oxygen equipment of passenger aircraft p 166 A86-18740
- Information-measurement complexes of flight vehicles p 172 A86-18743
- Heat transfer in cooled parts of aircraft gas-turbine engines p 174 A86-18745
- A compressible laminar boundary layer on a plane triangular plate with an attached shock wave p 146 A86-18902
- Flow past caret wings with flaps p 146 A86-18903
- Determination of the intensity of a free vortex sheet in the context of airfoil theory p 146 A86-18904
- Heat transfer at the lateral surface of a blunt cone during the absorption of the entropy layer by a laminar or a turbulent boundary layer p 187 A86-18907
- Simple approximations of functions with additional constraints p 192 A86-18918
- Spatial orientation of an aircraft during the execution of lateral maneuvers p 175 A86-18987
- Analytical estimation of the variance of error in determining geographic-meridian direction by the gyrocompass method with random oscillation of the base p 160 A86-18990
- Critical permeability parameter in supersonic gradient flow p 146 A86-19148
- Aircraft reliability, safety, and lifetime p 166 A86-19290
- A solution to the problem of flow past wings with allowance for flow separation on the basis of a system of Euler equations p 205 A86-21345
- Determination of the service life of aviation oils p 312 A86-23450
- Lapunov function for studying the stability in the whole of nonlinear systems p 331 A86-23576
- Optimal control of integral-functional equations p 329 A86-23581
- The problem of optimizing the final design modifications of stochastic oscillatory systems p 316 A86-23651
- Calculation of the heating of a liquid component partially filling a container p 316 A86-23653
- Aerodynamic design of an airfoil with allowance for the condition of nonseparated flow p 270 A86-23660
- A theory of large and finite displacements of bars p 316 A86-23662
- Surfaces on a nonrectangular frame p 316 A86-23663
- The effect of the velocity profile at the diffuser inlet on the flow pattern p 300 A86-23664
- A quick method for estimating heat transfer to a coolant p 316 A86-23666
- Emission characteristics of a section of the combustion chamber of a gas-turbine engine with various modifications of the burners p 300 A86-23670
- Longitudinal potential distribution in a jet of an ionized gas p 331 A86-23674
- Aerodynamics of swept wings with medium and small aspect ratios. II p 272 A86-23948
- Frequency methods of aircraft identification p 306 A86-24148
- Optimal lifting surfaces of wings of complex configurations at supersonic flight velocities p 288 A86-25423
- Aerodynamics of lifting surfaces in steady flow p 275 A86-25599
- Energy dissipation connected with vibrations of mechanical systems p 381 A86-27076
- Mathematical models for studying aircraft vibrations with allowance for structural hysteresis p 365 A86-27081
- The damping capacity of layered materials p 374 A86-27084
- Matrix equations of the spatial flight of an asymmetrical rigid body p 365 A86-27446
- Application of fuzzy logic to the estimation of software reliability for computer systems p 396 A86-27472
- Noise immunity of signals with minimum FSK p 383 A86-27492
- A loss of dynamic stability of the torsional vibrations of blades due to cascade flutter p 364 A86-27543
- Problems of aircraft reliability p 383 A86-28303
- Accelerated testing as a means of ensuring the reliability of aircraft equipment p 335 A86-28306
- Control of the flight testing of aircraft as a means of increasing their reliability p 397 A86-28307
- Reliability and maintenance of aircraft p 384 A86-28309
- Optimum maintenance of aircraft systems on the basis of their condition with allowance for measurement errors p 354 A86-28310



- A combined optimal algorithm for filtering and calculating navigation coordinates p 348 A86-28311
- Reliability of aircraft navigation p 348 A86-28312
- Reliability of the plates and shells of aircraft p 384 A86-28314
- Applying I. G. Bubnov's method to the solution of the natural vibration problem for a conical sandwich panel p 384 A86-28315
- Problems in the dynamics of aircraft structures exposed to intensive acoustic loading p 384 A86-28316
- A unified method for evaluating the strength and reliability of the blades of the axial-flow compressors and gas turbines of aircraft engines p 384 A86-28317
- Dynamic stability of elastic structures under random influences p 384 A86-28318
- The life of reinforced thin-walled structures in a random force field p 384 A86-28319
- Characteristics of the effect of the powerplant jet streams on the design of VTOL aircraft p 354 A86-28320
- Problems in the stability and dynamics of aircraft structures with physicomachanical singularities p 384 A86-28321
- The effect of changes in the static strength of a structure during service on the reliability of aircraft p 384 A86-28322
- Aircraft of special configurations p 335 A86-28521
- Aerodynamics of aircraft elements p 337 A86-28525
- Aerodynamics. Part 1 - Fundamentals of theory. Aerodynamics of an airfoil and a wing p 338 A86-28840
- Aerodynamics. Part 2 - Methods of aerodynamic calculations p 338 A86-28841
- Strength analysis of flight vehicles p 356 A86-28842
- Fatigue of structural materials at high-frequency cycle loading p 453 A86-30019
- The aeromechanics of aircraft: Flight dynamics (2nd revised and enlarged edition) p 442 A86-30925
- Plastic torsion of hollow elements of aircraft p 455 A86-31374
- A general criterion in design p 455 A86-31412
- A study of the effect of certain factors on the fatigue strength of structural irregularities in the airframe of aircraft p 427 A86-31413
- A study of an iteration method for the analysis of plates with parallel stiffness ribs as systems of superelements p 455 A86-31417
- A mathematical model for structures consisting of elastic shell sections connected by open girders p 456 A86-31420
- Stability of a nonlinear stochastic system under periodic excitation p 444 A86-32657
- Flow structure at the windward side of conical wings with an attached shock wave at the leading edge p 410 A86-32739
- Estimation of the state parameters of nonlinear dynamic systems p 465 A86-33047
- Calculation of structural elements of aircraft: Sandwich plates and shells p 458 A86-33292
- Free-surface flows p 458 A86-33293
- Statistical dynamics and control optimization of flight vehicles p 449 A86-33299
- Thermophysics of decomposing materials p 451 A86-33323
- Aerodynamics and molecular gas dynamics p 414 A86-33480
- Rising of the Ferrie point on the windward side of delta wings p 474 A86-34485
- Fatigue life in a coupled problem concerning the motion of a flexible wing p 474 A86-35082
- Radar characteristics of flight vehicles p 485 A86-35464
- Practical diagnostics of aircraft gas turbines p 502 A86-35472
- A reliability concept in structural optimization of flight vehicles p 494 A86-35977
- The optimal take-off run of an aircraft on an unpaved surface p 494 A86-35978
- Calculation of the dynamic response of a flight vehicle using a discrete-continuous model p 476 A86-35979
- The effect of the electrode gap geometry on current distribution during electrochemical rounding of edges p 522 A86-35980
- The effect of the admissible centering misalignment of a transport aircraft on its mass p 495 A86-35981
- Classification of flight vehicles according to the type of propulsion - Determination of the type and number of lift solutions p 473 A86-35983
- Locally optimal control in systems with delay p 510 A86-35984
- Calculation of the aerodynamic characteristics of three-dimensional wings of finite span in a potential incompressible flow p 476 A86-35985
- Analysis of a three-dimensional stationary turbulent boundary layer on the root section of a wing without allowance for compressibility p 476 A86-35991
- Limiting values of the specific parameters of a ramjet engine p 502 A86-35992
- Group studies of equations of the laminar boundary layer on a rotating wing p 476 A86-35994
- Using the perturbation method for determining the design parameters for aircraft parts p 522 A86-35997
- The possibility of using ion implantation for increasing the life of the compressor blades of gas-turbine aircraft engines p 522 A86-35998
- Some characteristics of structure formation in forged semifinished products of V93pch aluminum alloy p 522 A86-35999
- Investigation of heat transfer in separation regions in supersonic flow in a Laval nozzle p 477 A86-36458
- Characteristics of the interaction of interference and diffraction flows at supersonic velocities p 478 A86-36459
- Maximum-range passive flight p 535 A86-36467
- Probabilistic modeling of fields of atmospheric turbulence and sea roughness with reference to the study of complex systems p 528 A86-36480
- The possibility of achieving high productivity with vector-pipeline processors in solving problems of mathematical physics p 531 A86-36574
- The effect of random forces on nonlinear oscillating systems p 535 A86-36710
- Digital correction of the readings of an aircraft fuel-measurement system p 500 A86-36725
- Calculation of the steady-state transverse vibrations of the system rotors-housing of a gas-turbine engine p 503 A86-36741
- Heat transfer and drag of a body in the far supersonic wake p 554 A86-39657
- Lifting bodies designed for flow behind axisymmetric conical shock waves p 554 A86-39660
- Characteristics of synthetic aperture radars p 610 A86-39663
- Processes for the manufacture of aviation instrument components (2nd revised and enlarged edition) p 610 A86-39979
- Investigations in the history and theory of the development of aviation and space science and technology. Number 4 p 620 A86-39984
- Substantiation of regimes for accelerated equivalent tests of gas-turbine aeroengines p 644 A86-41549
- Influence of molybdenum, tungsten, and cobalt on the corrosion of high-temperature strength nickel alloys in molten salts p 663 A86-41988
- Solution of problems of conjugate heat transfer during flow past bodies of different shape p 673 A86-43370
- Calculation of the balancing efficiency of flexible rotors of compressor units on low-cycle balancing machines p 673 A86-43379
- Influence of structural changes on the fuel-consumption efficiency of a transport aircraft p 638 A86-43380
- Calculation of the characteristics of a multistage gas turbine with allowance for the circumferential nonuniformity of inlet temperature p 649 A86-43381
- Generalization of experimental data on the internal hydraulic resistance of laminated porous materials p 650 A86-43383
- Rotational-translational subsonic motion of a finite-span wing in an ideal gas p 626 A86-43384
- Theory of the motion of propeller blades for large displacements p 639 A86-43385
- Identification of frequency characteristics during bench tests p 681 A86-43387
- Layout of electrical equipment on an aircraft with allowance for equipment size constraints in the framework of computer-aided design p 639 A86-43389
- The development of a model for the unstable operation of a turbocompressor and the design of a device to protect a gas turbine engine against stalling and surging p 650 A86-43390
- Modeling the combustion zone of gas-turbine-engine combustion chambers p 650 A86-43393
- Small film-evaporation type combustion chamber for a low-power gas turbine engine p 650 A86-43395
- Mathematical model of the interaction of a single unsteady supersonic jet with a moving barrier of finite size p 628 A86-43401
- Effect of longitudinal-contour shape on the aerodynamic characteristics of lifting bodies at supersonic and hypersonic flight velocities p 628 A86-43402
- Investigation of the structure of a supersonic jet issuing from a free-vortex nozzle by means of pulsed holographic interferometry p 628 A86-43403
- Experimental study of supersonic flow around a single-stage wedge with cheeks at sideslip angles p 628 A86-43404
- Thermal stability of gas turbine blades with protective coatings p 673 A86-43410
- A method for the analytical determination of accelerated test schedules for compressor blades working in a corrosive medium p 673 A86-43411
- Effect of different hydrogen-injection techniques on its burnup in a supersonic air flow p 664 A86-43420
- Features of the flow structure around polygonal lifting bodies at supersonic velocities p 628 A86-43421
- Cosmic-ray dose characteristics on the flight paths of high-altitude aircraft p 758 A86-43672
- Hypersonic viscous shock layer on a surface with an abrupt variation of catalytic activity p 737 A86-43994
- VLF radio navigation systems p 703 A86-44279
- Flight testing of the navigation and flight control complexes of aircraft and helicopters p 708 A86-44283
- Methods of the assembly of aircraft instrumentation and systems p 685 A86-44284
- Fundamentals of aviation technology and airport equipment p 685 A86-44291
- The effect of deposits on the cooling efficiency of gas-turbine engine blades p 720 A86-44897
- A system for introducing mutual corrections into the airborne temperature and air-speed meters p 738 A86-45208
- The accuracy of air-temperature and flight-altitude measurements aboard meteorological aircraft p 718 A86-45209
- A quasi-one-dimensional model for the evolution of the turbulent wake of a body in a stratified medium p 738 A86-45231
- Calculation of the explosion of a rapidly flying body p 738 A86-45344
- Scheme for calculating an almost-axisymmetric gas flow and supersonic flow past the end of a cylinder at a small angle of attack p 690 A86-45345
- Controllability theory of discrete dynamic systems p 748 A86-46401
- Optimization of onboard systems of data acquisition and processing p 810 A86-48531
- The adjustment of a turbojet engine compressor by the rotation of the guide vanes with the objective of reducing fuel consumption during throttle operation p 816 A86-48757
- Calculation of the loading of the airframe in flight due to multidimensional turbulence p 799 A86-48759
- Methods for minimizing Boolean functions in the automation of experimental studies of the survivability of aircraft structures p 853 A86-48760
- A study of the relationship between nonlinear changes in the lifting force and the vortex structure of flow around a low aspect ratio wing at large angles of attack p 767 A86-48762
- Selecting the shape of the middle surface of the pylons and the mounting angles of single nacelles under the wing of subsonic aircraft p 800 A86-48767
- Hypothesis of two-dimensional cross sections for a wing of finite span at supersonic velocities p 767 A86-48769
- Self-oscillatory regimes of aircraft motion during spin-roll coupling p 832 A86-48775
- Method for determining the efficiency of utilization of the material in a thin-wall aircraft structure according to the strength conditions p 847 A86-48776
- Effect of cantilever sweep on the aerodynamic characteristics of a wing with a projection in separated flow p 768 A86-48779
- Effect of the nonequilibrium character of the flow around a blunt plate with a bend on its aerodynamic characteristics p 768 A86-48783
- Determination of the required number of channels for controlling aircraft wing loading for several cases of calculation p 768 A86-48787
- Divergence of an anisotropic sweptforward wing p 768 A86-48788
- The effect of the aspect ratio of the cylindrical section on the fuselage drag at transonic flight velocities p 768 A86-48801
- The drag of a pair of bodies at supersonic flight velocities p 768 A86-48802
- Oscillation equations for a helicopter rotor blade p 800 A86-48805
- Method for calculating pressure distribution on the surfaces of wings with slit mechanization p 768 A86-48806
- Method for calculating subsonic ideal-gas flow past an aircraft p 768 A86-48807
- Method for the visualization of subsonic gas flows p 769 A86-48808
- Acceleration of the convergence of methods for calculating two- and three-dimensional transonic flow past bodies in an unbounded stream p 769 A86-48809
- Determination of off-design flowrates according to the position of branching points on an under-the-wing (over-the-wing) air intake p 769 A86-48812
- Similarity criteria for a circulation control airfoil p 769 A86-48815



Determination of the aerodynamic characteristics of separated flow past a wing with allowance for slight unsteadiness induced by changes in angle of attack p 789 A86-48816

Transonic flow past the root section of a wing with sweepback and sweepforward p 789 A86-48817

Nonuniqueness of laminar separated flow around an airfoil at angle of attack in the Kirchhoff scheme p 789 A86-48822

Experimental investigation of a boundary layer on a schematic aircraft model p 789 A86-48824

Determination of the shape of a jet issuing from a cylinder of finite length around which a supersonic stream flows at small angle of attack p 770 A86-48825

A certain type of self-oscillation of aircraft landing-gear wheels p 800 A86-48829

Method for the calculation and design of fuselage flaps made of composite materials p 847 A86-48830

The use of the magnetic aerohydrodynamic analogy method to simulate three-dimensional flow past aircraft, taking powerplant operation into account p 770 A86-48833

Wave drag of a supersonic air intake at high subsonic velocities p 770 A86-48834

Symmetric and nonsymmetric separated flow past a low aspect ratio wing with a fuselage p 770 A86-48838

Flow of an ideal fluid in the core of a vortex sheet p 770 A86-48839

An analysis of flow of a nonviscous incompressible fluid past a wing of finite thickness in the presence of a screen p 770 A86-48841

A study of the characteristics of separated flow past wings and lifting systems p 770 A86-48842

The effect of equilibrium air properties and Mach number on the aerodynamic characteristics of a flight vehicle p 770 A86-48843

Determination of the statistical characteristics of aircraft motion during an automatic approach p 832 A86-48844

Determination of the required stiffness characteristics for a large aspect ratio wing from the conditions of static strength and aileron efficiency p 800 A86-48845

Shape optimization of aircraft structural elements with stress raisers p 848 A86-48846

The effect of a kinetic air model on the aerodynamic characteristics of airfoils with flaps p 771 A86-48849

Modeling the elasticity of a wing structure p 800 A86-48850

Details of analysis of airplane structure acoustic loading in flight testing p 804 A86-49129

The problem of flow past a plane delta wing with power-law injection at its surface p 776 A86-49174

Prediction of the life of stressed structures - A comprehensive study of the aircraft landing gear p 804 A86-49288

The effect of a fault on the stiffness and the natural frequency of a plate in bending p 850 A86-49918

The effect of the monoethers of dicarboxylic acids on the antiwear properties of jet fuels p 843 A86-49963

An analysis of the quality of aviation lubricants by liquid and gas-liquid chromatography p 844 A86-49964

Experimental study of the combustion of gas-air mixtures in a channel and the diffusion combustion in a slipstream at high velocities [AD-A157495] p 116 N86-12271

Radio-absorbing materials [AD-A157496] p 122 N86-12495

Gravimetric surveying with Mi-8 helicopters p 125 N86-12680

Aircraft of the future [NASA-TM-77952] p 100 N86-13318

USSR report: Space [JPRS-USP-85-005] p 131 N86-14111

AN-22 test bed for advanced propeller technology p 174 N86-14274

Effects of vibration-induced cavitation of physicochemical characteristics of aircraft fuel p 184 N86-15346

Basic characteristics of radar antenna with synthesized aperture tracking arbitrary motion of aircraft p 189 N86-15575

Method of calculating angular dimensions of flight vehicle cockpit canopy casings p 191 N86-15886

Work on putting computer and CRTs in airliner control panels p 172 N86-15947

Establishment and use of time unification system for civil aviation p 258 N86-17648

USSR report: Transportation [JPRS-UTR-85-014] p 270 N86-18284

Aviarmont's efforts to introduce laser technology p 320 N86-18286

USSR report: Transportation [JPRS-SUKH-85-015] p 294 N86-18323

Sukhoi design bureau builds sport plane made of plastic p 294 N86-18324

Features of planned IL-96-300, IL-114 aircraft p 294 N86-18325

Improving commercial aircraft training simulators p 295 N86-18936

Analytical evaluations of accuracy in determining and predicting parameters of artificial Earth satellite motion using altimeter measurement data p 312 N86-20196

AN-30 photography airplane outfitted for cloud-seeding missions p 393 N86-20888

Vortex conception of rotor and mutual effect of screw/propellers [NASA-TM-77979] p 342 N86-21510

Numerical analysis of nonequilibrium flow about airfoil in thin shock layer approximation p 343 N86-22258

Scientists on aircraft development trends p 407 N86-22545

USSR report: Transportation [JPRS-UTR-86-004] p 435 N86-22565

Chief on unfavorable year for Soviet air traffic control p 424 N86-22566

More on new IL-96, IL-114 aircraft p 435 N86-22567

Tupolev bureau developing TU-204 passenger jet: Tupolev on features p 435 N86-22568

Details of new Ka-126 helicopter p 435 N86-22569

Programmable hand calculators in aviation sport p 465 N86-23309

Hypersonic flow around a wing at large angles of attack with detached compression jump p 480 N86-25534

Supersonic flow around blunt perforated shields p 480 N86-25558

Flow around delta wings with broken-line leading edges p 481 N86-25560

Movement of flexible wing at supersonic velocity under influence of random gust p 481 N86-25562

AN-124 airplane's cargo-handling and automation equipment p 527 N86-25600

Information on new AN-124 giant cargo plane p 498 N86-25601

Data on Mi-26 helicopter p 498 N86-25602

Role of optimization methods in improvement of flight control for airplanes p 513 N86-25603

Simulation problem of controlling lateral movement of aircraft during landing approach p 534 N86-26160

Parametric optimization of algorithm for estimating values of one class of unsteady random processes p 534 N86-26161

Materials technology for electrical appliances: Magnetic and electrical properties of metals and alloys [PB86-184314] p 665 N86-28186

Apparatus for the preparation of air [AD-A165603] p 673 N86-28266

USSR report: Transportation [JPRS-UTR-86-007] p 622 N86-28908

Aeroflot officials roundtable on section's technical progress p 623 N86-28909

General designer Balabuyev on AN-124 Russian features p 623 N86-28910

**UNITED ARAB REPUBLIC**

Control methodology for stochastic system characteristics modulation [AIAA PAPER 86-0335] p 262 A86-19821

A stochastic decentralized flight control system [AIAA PAPER 86-1994] p 821 A86-47416

**UNITED KINGDOM**

Hardware integrity p 126 A86-13049

Aerodynamics - The role of the computer p 76 A86-13050

The design, performance and analysis of a high work capacity transonic turbine [ASME PAPER 85-GT-15] p 105 A86-13058

Simulation of the effects of shock wave passing on a turbine rotor blade [ASME PAPER 85-GT-112] p 77 A86-13067

Military avionics p 102 A86-13269

Boundary-layer development on the afterbody of an engine nacelle p 82 A86-13532

Requirements for gyroscopes for inertial navigation p 93 A86-13576

7J7 - Boeing sets the pace p 97 A86-14361

Microbursts - A hazard for aircraft p 124 A86-14816

The laminar airliner - Prospects and problems p 98 A86-14822

Precision casting at Rolls-Royce p 121 A86-14973

Measurements in the turbulent boundary layer on an 'infinite' swept wing p 86 A86-16102

Experience with a new approach to rotor aeroelasticity p 99 A86-16125

Carbon fibres: Uses and prospects; Proceedings of the Third International Conference, London, England, October 8-10, 1985 p 182 A86-16201

Parts integration - Advantages and problems p 133 A86-16207

On the teaching of the principles of wing flexure-torsion flutter p 185 A86-16248

Static and dynamic pitch stability of a blunted cone with forward facing aerodynamic spike in hypersonic flow p 135 A86-16249

On the effects of boundary-layer transition on a cylindrical afterbody at incidence in low-speed flow p 135 A86-16250

Mean flow properties measured around an aerofoil close to its maximum lift p 140 A86-16395

Structural materials in aeronautics - Prospects and perspectives p 183 A86-16866

Longitudinal vortices imbedded in turbulent boundary layers. I - Single vortex p 186 A86-17043

A linearized theory for swirling supersonic jets and its application to shock-cell noise p 186 A86-17137

Big Picture - Answer to the big problem? p 170 A86-17172

Airline efficiency p 157 A86-17174

For agile read active p 175 A86-17175

Design against corrosion p 161 A86-17382

Coating requirements in gas turbine engines p 173 A86-17490

The fighter. II p 162 A86-17522

The fighter. III p 162 A86-17523

Avionics update 1986 p 170 A86-17524

2001 Phantom odyssey p 162 A86-17525

Helicopter fatigue - The changing scene p 165 A86-18445

The application of fatigue damage tolerance concepts to helicopters - The approach proposed by the UK military airworthiness authorities p 165 A86-18447

Intake aerodynamics p 145 A86-18450

Wide-angle, low-altitude flight simulator vision system for cockpit research and aircrew training p 180 A86-18453

Advanced technology cockpit simulator p 180 A86-18462

Lizzy - The first British liquid propellant rocket motor p 195 A86-18481

Unsteady transonic flows in an axial flow compressor p 145 A86-18529

Influence of rough runways on undercarriage design p 166 A86-19277

Natural selection in transport aircraft propulsion p 174 A86-19278

A new generation advanced I.R. Linescan Sensor system p 229 A86-19585

Evolution of real time airborne reconnaissance p 229 A86-19586

Towards robust image matching algorithms p 230 A86-19620

Small scale wind tunnel testing of model propellers [AIAA PAPER 86-0392] p 233 A86-19853

The electrodynamic operation of electro-impulse deicing systems [AIAA PAPER 86-0547] p 220 A86-19941

A new method of analyzing wave propagation in periodic structures - Applications to periodic Timoshenko beams and stiffened plates p 249 A86-20792

Elimination of buffeting on the rear fuselage of the Hercules tanker p 221 A86-20822

Computational methods in viscous flows p 250 A86-21026

Probe and drogue refuelling large receiver aircraft p 223 A86-21062

Plessey displays in air traffic control p 216 A86-21608

The quantification and improvement of the thermal stability of aviation turbine fuel [ASME PAPER 85-GT-33] p 247 A86-22022

The effect of fuel composition upon combustion performance in a Rolls Royce Tyne combustor [ASME PAPER 85-GT-39] p 234 A86-22028

Full coverage discrete hole film cooling - The influence of hole size [ASME PAPER 85-GT-47] p 251 A86-22035

Heat transfer measurements with film cooling on a turbine blade profile in cascade [ASME PAPER 85-GT-117] p 251 A86-22070

Developing concepts in the rotordynamic analysis of aero gas turbines [ASME PAPER 85-GT-230] p 236 A86-22126

The little turbine business p 236 A86-22200

Some thoughts on the vibration testing of helicopter equipment in the UK p 283 A86-23022

Airborne radar. I - Air-to-surface p 296 A86-23293

Prediction and measurement of near fields for antennas on structures p 316 A86-23403

The A320 wing - Designing for commercial success p 286 A86-23799

An overview of civil helicopter operations - Past, present and future p 279 A86-23800

Further applications of the Lucas fan spray fuel injection combustion system [ASME PAPER 85-IGT-116] p 302 A86-23912

- Investigation into the cause of failure of a turboprop impeller in service  
[ASME PAPER 85-IGT-147] p 303 A86-23938
- Excitation of blade vibration by flow induced acoustic resonances in axial-flow compressors  
p 303 A86-24712
- Aeroelastic oscillations caused by transitional boundary layers and their attenuation  
[AIAA PAPER 86-0736] p 266 A86-24731
- Rotorcraft trends. II - Requirements and monitoring  
p 287 A86-25089
- Aircraft design at Kingston Polytechnic  
p 333 A86-25090
- Test cases for the plane potential flow past multi-element aerofoils  
p 275 A86-25670
- Supersonic passenger decade  
p 288 A86-25848
- 1985 - A turning point for safety?  
p 280 A86-25849
- Affordable safety  
p 269 A86-25850
- Structural airworthiness - A decade of developments  
p 288 A86-25925
- An experimental investigation of the influence of a range of aerofoil design features on dynamic stall onset  
p 288 A86-26104
- Some calculations of tip vortex - Blade loadings  
p 276 A86-26107
- Prediction of auditory masking in helicopter noise  
p 289 A86-26115
- The development and application of finite element stress analysis techniques at Westland Helicopters Ltd  
p 330 A86-26118
- Airworthiness aspects of fatigue in helicopters  
p 280 A86-26128
- CRT displays in modern helicopter data presentation  
p 299 A86-26129
- Visually coupled EO system developed for the RAE Sea King XV371  
p 299 A86-26130
- A computer based study of helicopter agility, including the influence of an active tailplane  
p 291 A86-26146
- Wide-angle, low-altitude flight simulator vision system for cockpit research and aircrew training  
p 311 A86-26152
- The health and usage monitoring system of the Westland 30 series 300 helicopter  
p 299 A86-26153
- The design of an advanced engineering gearbox  
p 320 A86-26155
- Electrical connections and antenna performance of a large composite fuselage module in the high frequency range  
p 292 A86-26157
- Helicopter manoeuvre stability - A new twist  
p 307 A86-26160
- A review of RAE experimental techniques for rotor dynamics and aerodynamics  
p 292 A86-26161
- Tests on a new dynamically scaled model rotor in the RAE 24 ft Wind Tunnel  
p 292 A86-26162
- Design and testing of a large scale helicopter fuselage model in the RAE 5 metre pressurized wind tunnel  
p 292 A86-26163
- Development testing of integrated avionics systems using dynamic environment simulation  
p 330 A86-26166
- Helicopter vibration flight testing - The rotortuner approach  
p 293 A86-26169
- BASIC aerodynamics  
p 338 A86-26474
- Modal test requirements for coupled structure analysis using experimentally-derived component models  
p 380 A86-26678
- Strength in adversity  
p 335 A86-27020
- Applications of titanium and titanium alloys  
p 374 A86-27202
- Engineer's Guide to Titanium Castings  
p 382 A86-27203
- An evaluation of centrifugally cast Ti-4Al-4Mo-2Sn-0.5Si (IMI 550) alloy  
p 374 A86-27207
- Properties of diffusion bonded butt joints in Ti-6Al-4V and Ti-4Al-4Mo-2Sn-0.5Si (IMI 550) alloys  
p 375 A86-27260
- The strain controlled fatigue behaviour of a near-alpha titanium alloy  
p 376 A86-27383
- Developments in high temperature alloys  
p 376 A86-27388
- A wake model for high resolution airloads  
p 336 A86-27666
- Life prediction for aromatic polyamide reinforcements  
p 377 A86-27691
- ATRA42 - First of a family  
p 353 A86-28060
- Colour design in aviation cartography  
p 358 A86-28066
- Light aircraft - The way ahead in design and operation; Proceedings of the Symposium, Loughborough, England, March 31, April 1, 1984  
p 354 A86-28093
- Structural impact and crashworthiness; Proceedings of the International Conference, Imperial College of Science and Technology, London, England, July 16-20, 1984. Volume 1 Keynote Lectures. Volume 2 - Conference Papers  
p 383 A86-28276
- Future applications and prospects for flight simulation; Proceedings of the Spring Convention, London, England, May 9, 10, 1984  
p 370 A86-28278
- Helicopter Airworthiness Symposium, 19th, London, England, December 19, 1984, Proceedings  
p 354 A86-28281
- A Modular Stress Management System (MSMS) with worldwide applications  
p 359 A86-28367
- Variable control policies for future aerospace vehicles  
p 367 A86-28386
- Design of direct digital flight-mode control systems for high-performance aircraft using step-response matrices  
p 367 A86-28387
- Forecasting for civil aviation. I  
p 393 A86-29002
- Vortex flows in aerodynamics  
p 338 A86-29417
- Factors affecting the design of military aircraft structures in carbon fibre reinforced composites  
p 449 A86-29972
- Trends in the design of airfield radars  
p 421 A86-31008
- A stress intensity factor solution due to holes ahead of growing cracks in thin sheet material  
p 454 A86-31123
- The 'minituff' surface flow visualisation method - Experience of use in the RAE 5m pressurised low-speed wind tunnel  
p 447 A86-31124
- New symmetrical condensed node for three-dimensional solution of electromagnetic-wave problems by TLM  
p 455 A86-31187
- Navigation in aerial commerce  
p 422 A86-31323
- The economics of the North Atlantic air traffic system  
p 419 A86-31324
- Airlines and the new technology aircraft - A discussion paper  
p 419 A86-31325
- Radio communication between manoeuvring platforms  
p 456 A86-31921
- A quiet STOLport? Convincing the public  
p 462 A86-31963
- Progress towards international standardisation of aircraft noise contour calculations  
p 468 A86-31966
- The development of dichromated gelatin for holographic optical element applications  
p 468 A86-32312
- Performance analysis of airborne pulse Doppler radar  
p 423 A86-32578
- Advances in secondary surveillance radar systems  
p 423 A86-32581
- The design, construction and early trials of a novel airborne surveillance radar  
p 424 A86-32635
- Assessing the intelligibility and acceptability of voice communication systems  
p 424 A86-32624
- Dispersion strengthened P/M aluminium alloys  
p 451 A86-33223
- The choice of techniques used for flight flutter clearance with particular reference to the BAe 146 and BAe 125  
p 433 A86-33245
- Finite state modelling of aeroelastic systems for active control applications - A general theory  
p 444 A86-33249
- The design and wind tunnel demonstration of an active control system for gust load alleviation and flutter suppression  
p 445 A86-33251
- Structural optimisation programs and methods  
p 434 A86-33257
- Comparison of some time domain methods for structural system identification  
p 457 A86-33279
- The Soviet fighter - Four decades of development  
p 486 A86-33989
- A note on the prediction of flying boat take-off  
p 487 A86-34158
- The induced downwash and lift on a wing of high aspect ratio in unsteady motion  
p 474 A86-34160
- Fokker 50 - Replacing a legend  
p 487 A86-34475
- Gearbox configuration analysis  
p 521 A86-35611
- The health and usage monitoring of helicopter systems - The next generation  
p 491 A86-35613
- The design of the EH101 for safety and performance  
p 491 A86-35629
- An intercomparison of turbulence data obtained by two aircraft during KonTur  
p 528 A86-36308
- Sukhoi frogfoot  
p 495 A86-36333
- Stealth comes stealthily  
p 495 A86-36334
- Structural materials in aeronautics - Prospects and perspectives  
p 516 A86-36335
- Thermal scene generators  
p 522 A86-36805
- Front-line power  
p 503 A86-37096
- The material development, component manufacture and post-service evaluation of RB 211-524 cowl doors utilising carbon fibre composite materials  
p 523 A86-37106
- Structural certification and in-service flight experience of the RB 211-524 fan cowl doors utilising carbon fibre composite materials  
p 496 A86-37108
- Postbuckling failure of composite panels  
p 523 A86-37112
- Remotely piloted vehicles; International Conference, 5th, Bristol, England, September 9-11, 1985, Proceedings and Supplementary Papers  
p 575 A86-37326
- The risk to third party personnel from RPV operations  
p 586 A86-37327
- High altitude unmanned aircraft for meteorological applications - HIMET  
p 575 A86-37329
- A thermal imaging payload for RPV applications  
p 588 A86-37333
- A real-time simulation of a non-linear RPV incorporating head-up type colour graphics  
p 593 A86-37335
- Ground control station for RPVs  
p 571 A86-37336
- A new compressed air launching system  
p 596 A86-37337
- The Phoenix air vehicle, its launch and recovery  
p 576 A86-37340
- Thermal zoom optics for R.P.V. sensors  
p 588 A86-37341
- The Phoenix sensor turret system  
p 588 A86-37342
- Applications of sensor payloads  
p 588 A86-37343
- 'A flywheel powered RPV launcher - Putting theory into practice'  
p 590 A86-37344
- A spring in the air  
p 590 A86-37345
- A unified formulation of rotor load prediction methods  
p 576 A86-37774
- Three-dimensional interaction of wakes and boundary layers  
p 545 A86-37838
- [AIAA PAPER 86-1820]  
p 577 A86-37939
- EAP - Fighter blueprint  
p 567 A86-37940
- Putting a price on safety  
p 601 A86-38266
- Aviation fuels technology  
p 578 A86-38303
- Hawk - The British fighting trainer  
[SAE PAPER 851768]
- European aircraft steering systems  
[SAE PAPER 851940]  
p 581 A86-38373
- The interaction between a strong longitudinal vortex and a turbulent boundary layer  
[AIAA PAPER 86-1071]  
p 549 A86-38437
- Some aspects of fluorocarbon elastomer compatibility with gas turbine lubricants  
[SAE PAPER 851799]  
p 601 A86-38529
- Deposition in gas turbine oil systems. I - Analysis and classification  
[SAE PAPER 851869]  
p 602 A86-38536
- The influence of JFTOT operating parameters on the assessment of fuel thermal stability  
[SAE PAPER 851871]  
p 602 A86-38538
- Evaluation of JFTOT tube deposits by carbon burnoff  
[SAE PAPER 851994]  
p 602 A86-38539
- Time runs out for the clockwork cockpit  
p 583 A86-38701
- Aircraft wheel design and proving  
p 583 A86-38721
- A unified procedure for meeting power-spectral-density and statistical-discrete-gust requirements for flight in turbulence  
[AIAA PAPER 86-1011]  
p 584 A86-38969
- The indirect boundary integral formulation for elliptic, hyperbolic and non-linear fluid flows  
p 553 A86-38971
- STOLport London - A design for safety  
p 655 A86-40226
- Airport surface navigation and traffic control  
p 635 A86-40227
- The market price for air safety  
p 633 A86-40228
- Health and usage monitoring techniques for greater safety in helicopter operations  
p 621 A86-40232
- Aluminium-lithium alloys III; Proceedings of the Third International Aluminium-Lithium Conference, Oxford University, England, July 8-11, 1985  
p 659 A86-40251
- Adhesive bonding of aluminium-lithium alloys  
p 660 A86-40267
- Comparison of corrosion behaviour of lithium-containing aluminium alloys and conventional aerospace alloys  
p 660 A86-40280
- Development of properties within high-strength aluminium-lithium alloys  
p 660 A86-40304
- Effect of precipitation on mechanical properties of Al-Li-Cu-Mg-Zr alloy  
p 661 A86-40306
- Deformation and fracture in Al-Li base alloys  
p 661 A86-40312
- Beech's enterprising Starship  
p 637 A86-40471
- Naces - Today's ultimate seat  
p 637 A86-40472
- Experiences in UK and France in aerospace application  
p 621 A86-40499
- Regulation by the Civil Aviation Authority of air safety in the United Kingdom  
p 633 A86-40565
- Radio telephony - A case for growing concern  
p 635 A86-40569
- Language problems in air traffic control  
p 635 A86-40570
- Structural materials in aeronautics. II - Prospects and perspectives  
p 662 A86-40619
- Factors relating to deterioration based on Rolls-Royce RB 211 in service performance  
p 643 A86-40730
- Computer aided control system design using a multiobjective optimization approach  
p 679 A86-40760

- The design and implementation of multivariable variable structure control systems p 679 A86-40762
- The design of a sliding mode controller for dutch roll damping in a non-linear aircraft system p 651 A86-40766
- The design of multi-functional flight controllers for structural load alleviation p 651 A86-40767
- On the relationship between robustness tests and their application to helicopter control system designs p 652 A86-40771
- Digital simulation of regulated electrical power supplies for military applications p 669 A86-40775
- Two approaches to hyperplane design in multivariable variable structure control systems p 680 A86-41934
- After the big turbofans p 645 A86-42089
- Experimental investigation of the turbulent boundary layer at high Reynolds numbers and a Mach number of 0.8 p 624 A86-42168
- Software position and velocity limiting for a synergistic six degree-of-freedom motion system p 655 A86-42170
- From a strike to a kill p 634 A86-42423
- New alloys from the quantum engineer p 663 A86-42424
- Turboprop and open rotor propulsion for the future [AIAA PAPER 86-1472] p 645 A86-42660
- Advances in aero engine dynamics [AIAA PAPER 86-1677] p 648 A86-42788
- Protective coating systems for high-temperature gas turbine components; Proceedings of the Conference, London, England, November 13, 14, 1984 p 664 A86-43134
- Use of protective coatings in aero gas turbine engines p 664 A86-43147
- Durability and damage tolerance in aircraft design; Proceedings of the Thirteenth Symposium, Pisa, Italy, May 22-24, 1985 p 706 A86-43776
- Continued airworthiness of damage tolerant aircraft p 707 A86-43788
- Fracture diagrams for stiffened aircraft structures - Effects of material non-linearity p 737 A86-43794
- The certification of airframes and components in metals and composites p 737 A86-43798
- Expert systems for mechanical fault diagnosis p 737 A86-43896
- New technologies for a European fighter p 708 A86-44004
- Forecasting for civil aviation. II p 746 A86-44380
- The fire-hard airliner p 698 A86-44400
- World aerospace profile 1986 p 686 A86-44919
- Certification flight testing of civilian helicopters in the United Kingdom p 710 A86-44947
- Active minimisation of acoustic potential energy in harmonically excited cylindrical enclosed sound fields [AIAA PAPER 86-1958] p 752 A86-45443
- Aircraft noise measurement - Alternatives to the standard 1-2 metres microphone height [AIAA PAPER 86-1960] p 752 A86-45445
- Broadband noise - Its prediction and likely importance for advanced propfans [AIAA PAPER 86-1963] p 753 A86-45447
- Features of discrete tones generated by jet flows over Coanda surfaces [AIAA PAPER 86-1885] p 691 A86-45485
- The noise emitted by turbulent jets in close proximity to solid surfaces p 755 A86-45489
- Theoretical prediction of single rotation propeller noise [AIAA PAPER 86-1891] p 756 A86-45503
- A study of the rotor/rotor interaction tones from a contra-rotating propeller driven aircraft [AIAA PAPER 86-1894] p 756 A86-45505
- The vibration and stability of symmetrically-laminated composite rectangular plates subjected to in-plane stresses p 739 A86-45694
- Corporate flying, Italian style p 712 A86-45753
- Sniffing out trouble p 699 A86-45757
- More than a Mirage p 712 A86-45758
- Precision casting of aero gas turbine components p 739 A86-45816
- Mechanical design of gas turbine blading in cast superalloys p 721 A86-45819
- Spiral vortex flow over a swept-back wing p 691 A86-46004
- Soviet attack helicopters p 712 A86-46005
- A come-back in canards p 712 A86-46125
- The protected volume of airspace generated by an airborne collision avoidance system p 703 A86-46146
- New levels of realism achieved in visuals for flight simulation p 739 A86-46148
- Aircraft hydraulic systems: An introduction to the analysis of systems and components p 713 A86-46850
- The observation of high frequency B(dot) and D(dot) transients excited on a fuselage by an impulse generator p 790 A86-47306
- The energy requirements of an aircraft triggered discharge p 844 A86-47315
- Aspects of lightning protection schemes for radomes p 792 A86-47338
- A parameter insensitive technique for aircraft sensor fault analysis using eigenstructure assignment and analytical redundancy [AIAA PAPER 86-2029] p 809 A86-47420
- Working with today's BITE - One airline's experience p 759 A86-47608
- Ageing aircraft as seen by an authority p 783 A86-47611
- Modern crack detection methods - The use of low frequency eddy currents to assist structural integrity auditing p 845 A86-47613
- Recursive real-time identification of step-response matrices of high-performance aircraft for adaptive digital flight control [AIAA PAPER 86-2017] p 826 A86-47652
- Some aspects of supersonic flow over a cavity cascade [AIAA PAPER 86-2025] p 764 A86-47659
- Acceleration performance of helicopter engines [ASME PAPER 86-GT-121] p 814 A86-48180
- The performance of a reverse flow combustor using JP 10 fuel [ASME PAPER 86-GT-148] p 814 A86-48202
- Conical grid plate flame stabilizers - Stability and emissions for liquid fuels [ASME PAPER 86-GT-156] p 842 A86-48210
- The aerodynamic potential of anti-sound p 855 A86-48977
- Future trends in propulsion p 816 A86-48979
- Automated structural optimisation at Warton p 854 A86-48987
- The British Aerospace Experimental Aircraft Programme and the role of system development cockpits p 801 A86-48986
- The design and construction of a post buckled carbon fibre wing box structure p 848 A86-49001
- Active flutter suppression p 832 A86-49004
- Active control technology for civil transport p 832 A86-49005
- Designing a load alleviation system for a modern civil aircraft p 832 A86-49006
- The high lift development of the A320 aircraft p 772 A86-49012
- An experimental study of turbulent wake/boundary layer mixing flows p 772 A86-49014
- Materials in aerospace - Can the emerging thermoplastics meet the challenge? p 843 A86-49020
- Advanced polymer composites for high temperature applications p 843 A86-49021
- Handling qualities for unstable combat aircraft p 833 A86-49025
- Boundary layer calculation and viscous-inviscid coupling p 773 A86-49031
- Wake/boundary-layer interactions in two and three dimensions p 773 A86-49032
- On the duration of low speed dynamic stall p 773 A86-49033
- Managing airworthiness p 785 A86-49035
- Certification of advanced experimental aircraft p 785 A86-49036
- Plastic or metal - The judgement factors p 762 A86-49037
- The estimation of the stability and control characteristics of a canard configured combat aircraft having a forward swept wing p 834 A86-49056
- Advances in turbine technology p 817 A86-49079
- The role of flow field computation in improving turbomachinery p 775 A86-49080
- The airline engineering role in the management of safety p 762 A86-49084
- Case studies of the effects on non-linearities on the accuracy of gas turbine control p 817 A86-49090
- Potential application of advanced propulsion systems to civil aircraft p 802 A86-49093
- Active noise control p 803 A86-49101
- The development of a fibre optic data bus for helicopters p 811 A86-49131
- Harrier the viffer p 763 A86-49881
- Truncated Taylor series solutions to a generalized Burgers' equation p 856 A86-49716
- The status of two-dimensional testing at high transonic speeds in the University of Southampton transonic self-streamlining wind tunnel [NASA-CR-3919] p 86 A86-12203
- Derivation of jack movement influence coefficients as a basis for selecting wall contours giving reduced levels of interference in flexible walled test sections [NASA-CR-177992] p 86 A86-12204
- The experimental determination of the subsonic aerodynamic characteristics of an Ogive-Cylinder body including a comparison with theoretical estimates, volume 1 [CAR-8509] p 151 N86-15242
- A rapid method for estimating equivalent parabolic polars from wind-tunnel tests [AD-A159559] p 153 N86-15251
- Numerical solutions for three-dimensional cases: Delta wings p 155 N86-15264
- Prediction of the drag of wings at subsonic speeds by viscous/inviscid interaction techniques p 156 N86-15274
- Evaluation of 23 inch radar viewing unit for Heathrow approach control room [CAA-PAPER-85011] p 216 N86-16209
- The mechanical design of gas turbine blading in cast superalloys [PNR-90247] p 237 N86-16223
- An analysis of rig test disc failures [PNR-90276] p 237 N86-16224
- Certification of aeroengines fitted with full authority digital control [PNR-90287] p 237 N86-16225
- Is the traditional 150 hour endurance test outdated? [PNR-90288] p 237 N86-16226
- The material development, component manufacture, and post-service evaluation of RB211-524 cowl doors utilizing carbon fibre composite materials [PNR-90275] p 247 N86-16273
- The two-fluid model of turbulent combustion applied to an idealised one-dimensional, unsteady, confined, pre-mixed flame [PDR/CFDU/IC/21] p 247 N86-16315
- The technical development of cooled gas turbine blades [PNR-90292] p 255 N86-16595
- Fatigue testing of tube to node butt welds envisaged for RAE Bedford flight simulator [REPT-23480/2/85] p 257 N86-16674
- Aircraft noise control: Prospects for the 21st century [PNR-90272] p 260 N86-16757
- Multivariable control [OUEL-1589/85] p 264 N86-17007
- Estimation of drag due to inoperative turbo-jet and turbo-fan engines using data item nos. 81009 and 84004 [ESDU-84005] p 211 N86-17305
- Studies of the flow field near a NACA 4412 airfoil at nearly maximum lift [RAE-TM-AERO-2026] p 211 N86-17307
- Standardised fatigue loading sequences for helicopter rotors (Helix and Felix). Part 1: Background and fatigue evaluation [RAE-TR-84084] p 226 N86-17336
- Standardised fatigue loading sequences for helicopter rotors (Helix and Felix). Part 2: Final definition of Helix and Felix [RAE-TR-84085] p 226 N86-17337
- Estimation of sideforce, yawing moment and rolling moment derivatives due to rate of yaw for complete aircraft at subsonic speeds [ESDU-84002] p 240 N86-17357
- Hot Gas Laboratory twin nozzle calibration [BAE-ARG-200] p 258 N86-17666
- A smoke generator for the absolute calibration of gas turbine engine smoke sampling and measuring systems [RAE-TM-P-1044] p 258 N86-17702
- Applications of expert systems p 330 N86-19634
- Growth of cracks under constant amplitude fatigue loading: Example calculations [ESDU-84001] p 322 N86-19642
- Interpolation of heights and slopes from a digital terrain elevation model [BAE-BT-13198] p 352 N86-20382
- Digital fly-by-wire experience p 361 N86-20401
- Structural materials in aeronautics: Prospects and perspectives [RAE-TR-85077] p 357 N86-21532
- A programme of research into the aerodynamics, stability and control characteristics of a combat aircraft having a forward swept wing p 357 N86-21533
- An experimental appraisal of the use of ground-plane microphones for aircraft noise measurement [NPL-AC-104] p 401 N86-22302
- Vortex boundary-layer interactions [NASA-CR-176701] p 415 N86-22556
- The development of aluminum-lithium alloys for aerospace applications p 451 N86-22616
- Phosphorus anti-wear additives in helicopter transmissions [IC-TS015/85] p 452 N86-22710
- Limitations of manual NDT systems and the no eyes concept [PNR-90291] p 459 N86-22985

The behaviour and performance of leading edge vortex flaps  
[CAR-8801] p 479 N86-24686

Pressure based separation in the upper airspace  
[CAR-8614] p 486 N86-24679

Increments in aerofoil maximum lift coefficient due to deployment of various high-lift devices  
[ESDU-85033] p 480 N86-25325

Conversion of air-data system pressure errors into height and speed corrections  
[ESDU-85036] p 497 N86-25338

Damage tolerance concepts for critical engine components p 506 N86-25361

Limitations of manual NDT systems and the No Eyes concept p 506 N86-25365

Aspects of small crack growth p 518 N86-25370

Crack growth in near-alpha titanium alloys p 526 N86-25371

An analysis of rig test disc failures p 527 N86-25381

A solid-state map display for rapid response operation p 589 N86-26323

Night vision by NVG with FLIR p 619 N86-26811

Unsteady aerodynamics-fundamentals and applications to aircraft dynamics  
[NASA-TM-88768] p 555 N86-27182

Unsteady aerodynamics application to helicopter noise and vibration sources p 562 N86-27241

New rotary rig at RAE and experiments on HIRM p 562 N86-27243

On the interface between unsteady aerodynamics, dynamics and control p 564 N86-27254

Correlation of predicted and free-flight responses near departure conditions of a high incidence research model p 564 N86-27255

A self-organising control system for non-linear aircraft dynamics p 564 N86-27258

Design, development and operation of a high simultaneous capacity digital telemetry system p 613 N86-27632

Characterisation and influence of orientation and internal stress in acrylic aircraft materials  
[NPL-DMA(A)113] p 665 N86-28193

Mil-DAP: Its architecture and role as a real time airborne digital signal processor p 681 N86-28359

The impact of VHPIC on avionic system architecture, packaging and maintainability p 674 N86-28372

The impact of artificial intelligence on airborne maritime reconnaissance p 675 N86-28374

A numerical study of the aerodynamic interference of a model support system used in the RAE 5 metre wind tunnel  
[AD-A185671] p 657 N86-28962

Crack growth in titanium alloys under the conjoint action of high and low cycle fatigue  
[AD-A186429] p 665 N86-29028

Future trends in helicopter transmission lubricants p 666 N86-29250

Wake-passing in a turbine rotor cascade p 741 N86-29830

UK work on safety fuels p 733 N86-30012

Investigation of the aerodynamic performance and noise characteristics of a 1/5th scale model of the Dowty Rotol R212 propeller  
[RAE-TM-AERO-1983] p 756 N86-30468

The choice of techniques used for flight flutter clearance with particular reference to the BAe 146 and BAe 125 p 728 N86-30644

Finite state modelling of aeroelastic systems for active control applications: A general theory p 749 N86-30648

The design and wind tunnel demonstration of an active control system for gust load alleviation and flutter suppression p 728 N86-30650

Structural optimization programs and methods p 715 N86-30655

Assessing the effects of delaminations on the postbuckling strength of CRFP panels p 743 N86-30781

Dynamic analysis: Correlation of theory with experiment  
[RP661] p 851 N86-31917

An improved optical viewing system for a flight simulator  
[MS-8025] p 840 N86-32448

Various approaches in solving stability problems for symmetric angle-ply laminates under combined loading p 848 A86-49040

## Y

## YUGOSLAVIA

Flight stability and controllability. II - Aircraft longitudinal stability p 239 A86-21318


Noise of the general aviation airplanes influence on environment of the airclub, airfields and on crews p 461 A86-31955

# CONTRACT NUMBER INDEX

AERONAUTICAL ENGINEERING / A Continuing Bibliography  
1986 Cumulative Index

January 1987

## Typical Contract Number Index Listing



Listings in this index are arranged alphabetically by contract number. Under each contract number, the accession numbers denoting documents that have been produced as a result of research done under that contract are arranged in ascending order with the AIAA accession numbers appearing first. The accession number denotes the number by which the citation is identified in the abstract section. Preceding the accession number is the page number on which the citation may be found.

NAS3-23288	p 64	N86-11521	AF-FOSR-86-0121	p 551	N86-38465	DFG-HA-514/63-2	p 418	N86-23576
			ARPA ORDER 3345	p 332	N86-19136	DFG-SFB-85	p 732	N86-45185
			A81/K/145	p 266	N86-18131	DFG-WA-42413	p 475	N86-35172
			BMFT-LFF-83408	p 336	N86-27656	DNA001-79-C-0155	p 643	N86-40728
				p 474	N86-35167	DNA001-81-C-0058	p 643	N86-40728
			BMFT-LKV-8330	p 751	N86-45419	DOT-FA01-82-Y-10513	p 615	N86-37495
			BMFT-0101-ZA/WF/WRD-174/4	p 612	N86-27624	DOT-FA01-84-C-00017	p 424	N86-32925
			DA PROJ. 206-38	p 185	N86-15416	DOT-FA01-84-Z-02051	p 616	N86-37504
			DA PROJ. 1L1-61101-AH-45	p 651	N86-28947	DOT-FA03-80-A-00215	p 247	N86-22706
			DA PROJ. 1L1-61102-AH-45	p 116	N86-12259	DOT-FA03-81-A-00785	p 254	N86-22690
				p 100	N86-13316	DOT-FA03-84-P-01649	p 530	N86-36852
				p 339	N86-20349		p 530	N86-36879
				p 340	N86-20358	DOT-FA77WAI-817	p 486	N86-25334
				p 757	N86-31339		p 574	N86-27272
			DA PROJ. 1L1-62209-AH-76	p 101	N86-13325	DRET-79-436	p 786	N86-48657
				p 295	N86-19316	DRET-80-414	p 186	N86-17032
				p 437	N86-23594	DRET-81-513	p 186	N86-17032
				p 479	N86-24665	DRET-82-318	p 83	N86-14186
				p 569	N86-26298		p 279	N86-19297
			DA PROJ. 1L2-63201-DB-72	p 101	N86-13328	DRET-82-342	p 651	N86-26948
			DA PROJ. 136-6	p 189	N86-15310	DRET-82-432	p 276	N86-26110
			DA PROJ. 667-0	p 325	N86-18923	DRET-83-025	p 266	N86-18129
			DAAG29-82-K-0094	p 289	N86-26117	DRET-83-123	p 257	N86-17637
			DAAG29-83-K-0050	p 387	N86-28553	DRET-83-129	p 641	N86-26941
			DAAG29-78-G-0200	p 142	N86-17129	DRET-83-250	p 90	N86-13303
			DAAG29-78-G-0036	p 689	N86-44890	DRET-83-308	p 783	N86-47299
			DAAG29-80-C-0092	p 576	N86-37773	DRET-83-34-355	p 851	N86-32784
			DAAG29-82-K-0029	p 643	N86-40727	DRET-83-34-502	p 651	N86-26949
				p 643	N86-40731	DRET-83-452	p 91	N86-13306
				p 643	N86-40735	DRET-84-047	p 83	N86-14186
				p 765	N86-48188	DRET-84-1214	p 851	N86-32785
			DAAG29-82-K-0090	p 204	N86-20946	DRET-84-34-001	p 783	N86-47299
			DAAG29-82-K-0093	p 353	N86-27654		p 633	N86-28927
				p 454	N86-30500		p 678	N86-28279
			DAAG29-82-K-0094	p 84	N86-14457	DTFA01-80-Y-10546	p 394	N86-22061
				p 97	N86-14458	DTG23-80-C-20012	p 719	N86-30728
				p 137	N86-16307	DTFA01-80-C-10080	p 189	N86-15518
				p 521	N86-35643		p 700	N86-29796
				p 494	N86-35665	DTFA01-81-C-10043	p 657	N86-28963
				p 608	N86-38833	DTFA01-81-Y-10555	p 352	N86-20383
			DAAG29-82-K-0164	p 370	N86-21551	DTFA01-82-Y-10513	p 324	N86-18910
			DAAG29-83-K-0002	p 366	N86-27662	DTFA01-82-Y-10521	p 704	N86-29802
			DAAG29-83-K-0050	p 342	N86-21521	DTFA01-83-C-20025	p 636	N86-28932
			DAAG29-83-K-0133	p 237	N86-17355		p 704	N86-29801
			DAAG29-84-K-0048	p 822	N86-47442	DTFA01-834-10564	p 469	N86-24392
			DAAG29-84-K-0131	p 201	N86-19833	DTFA01-84-C-00001	p 283	N86-19306
			DAAG29-84-M-0432	p 479	N86-24669		p 704	N86-29804
			DAAG29-85-C-0002	p 550	N86-38456	DTFA01-84-Y-01051	p 642	N86-28944
				p 295	N86-19315	DTFA01-85-Y-01034	p 705	N86-30714
			DAAG29-85-K-0228	p 584	N86-38893	DTFA01-86-Y-01010	p 540	N86-27178
			DAAG46-79-C-0043	p 183	N86-18434	DTFA03-80-A-00215	p 185	N86-15412
			DAAK51-79-C-0016	p 589	N86-26298		p 700	N86-29795
			DAAK51-82-C-0040	p 101	N86-13326	DTFA03-80-00215	p 734	N86-30015
			DAAK51-83-C-0016	p 492	N86-35638	DTFA03-81-C-00040	p 734	N86-30013
			DAAK51-83-C-0038	p 502	N86-35615		p 343	N86-20378
			DAAK51-83-C-0039	p 492	N86-35632		p 701	N86-30702
				p 101	N86-13325	DTFA03-83-A-00309	p 528	N86-25079
			DAAK51-83-C-0040	p 437	N86-23594	DTFA03-84-C-00004	p 483	N86-25331
			DAAK70-82-C-0001	p 604	N86-26446	DTFA03-84-C-0004	p 787	N86-32416
			DAAK70-85-C-0007	p 604	N86-26446	DTFA03-84-C-00052	p 379	N86-21615
			DAAK70-85-C-0014	p 437	N86-23589	DTFA3-80-A-00215	p 734	N86-30024
			DAAK70-86-C-0011	p 569	N86-26299	DTRS-57-84-C-00100	p 345	N86-21530
			DAAE18-81-G-0082	p 92	N86-13217	DTRS56-83-C-00047	p 126	N86-13906
			DAAE18-81-G-0088	p 75	N86-15341	DTRS57-80-C-00190	p 677	N86-29218
			DAJA45-83-C-0021	p 789	N86-31554	DTRS57-83-C-00097	p 636	N86-28073
			DARPA ORDER 3983	p 580	N86-27228	EUROCONTROL-A0/12/AN/82	p 636	N86-42966
			DE-AC02-76CH-00016	p 442	N86-23601	FMV-F-K-82223-75-007-07-001	p 211	N86-17316
			DE-AC02-76ER-03077	p 184	N86-14391		p 630	N86-28066
				p 455	N86-31356	FMV-F-K-82223-76-001-21-001	p 211	N86-17316
				p 630	N86-28911		p 630	N86-28066
				p 696	N86-30691	FMV-F-K-82223-80-001-21-001	p 211	N86-17316
			DE-AC03-76SF-00068	p 114	N86-12825	F08635-82-C-0131	p 107	N86-12230
			DE-AC04-76DP-00789	p 214	N86-20168	F08635-82-K-0375	p 231	N86-20505
				p 123	N86-12595	F08635-83-C-0067	p 185	N86-15415
				p 208	N86-16200	F08635-83-C-0287	p 470	N86-24457
				p 211	N86-17310	F08635-83-C-0480	p 243	N86-20244
				p 341	N86-20371	F08635-84-K-0145	p 599	N86-27293
				p 633	N86-28926	F08637-84-M-1743	p 599	N86-27294
				p 808	N86-31576	F09603-83-C-1680	p 809	N86-47325
			DE-AC05-84OR-21400	p 192	N86-15003	F09603-85-C-1224	p 425	N86-23582
			DE-AC09-76SR-00001	p 604	N86-27465		p 704	N86-29806
			DE-FG01-82CE-15144	p 723	N86-30735		p 705	N86-29807
			DEN3-167	p 606	N86-38310	F19628-80-C-0042	p 425	N86-23581
AF PROJ. 112-3	p 181	N86-14279						
AF PROJ. 2054	p 113	N86-13339						
AF PROJ. 230-5	p 330	N86-20006						
AF PROJ. 2307	p 735	N86-30838						
AF PROJ. 2313	p 126	N86-13890						
AF PROJ. 2403	p 417	N86-23570						
AF PROJ. 2404	p 110	N86-12235						
AF PROJ. 304-8	p 378	N86-20522						
AF PROJ. 3048	p 379	N86-21707						
AF PROJ. 3066	p 107	N86-12229						
AF PROJ. 5D30	p 332	N86-19136						
AF PROJ. 5T10	p 332	N86-19136						
AF PROJ. 614	p 311	N86-18333						
AF PROJ. 6670	p 325	N86-18924						
AF PROJ. 7231	p 181	N86-15328						
	p 333	N86-20094						
AF PROJECT 2307P102	p 105	N86-13569						
AF PROJECT 2403	p 354	N86-28400						
AF TASK A3103100	p 440	N86-31586						
AF-FOSR-1033100	p 823	N86-47475						
AF-FOSR-1033100	p 853	N86-47479						
AF-FOSR-0134	p 303	N86-24226						
AF-FOSR-0155-82	p 153	N86-15250						
AF-FOSR-0158-83	p 467	N86-24354						
AF-FOSR-0184-83	p 417	N86-23571						
AF-FOSR-0222-82	p 685	N86-28236						
AF-FOSR-0245-83	p 514	N86-25385						
AF-FOSR-0267-80	p 694	N86-29778						
AF-FOSR-80-0107	p 457	N86-32973						
AF-FOSR-80-0265	p 440	N86-31586						
AF-FOSR-81-0027	p 138	N86-18319						
AF-FOSR-81-0037	p 145	N86-18534						
	p 199	N86-19899						
	p 690	N86-45190						
	p 780	N86-49801						
AF-FOSR-82-0040	p 142	N86-17135						
	p 669	N86-41261						
AF-FOSR-82-0108	p 137	N86-16307						
AF-FOSR-83-0057	p 205	N86-21033						
AF-FOSR-83-0083	p 844	N86-47315						
AF-FOSR-83-0158	p 464	N86-31312						
AF-FOSR-83-0198	p 143	N86-17826						
AF-FOSR-83-0356	p 106	N86-14562						
AF-FOSR-84-0099	p 552	N86-38880						
	p 689	N86-44875						
AF-FOSR-84-0112	p 681	N86-43000						
AF-FOSR-84-0371	p 823	N86-47485						
AF-FOSR-85-0008	p 318	N86-24246						
	p 609	N86-38934						
AF-FOSR-85-0158	p 547	N86-38326						
AF-FOSR-85-0208	p 826	N86-47652						

CONTRACT

F19628-84-C-0001	p 703	A86-43862	F41-451	p 159	N86-15277	p 711	A86-45427
	p 744	N86-30908	F41-461	p 314	N86-18451	p 805	A86-49808
F19628-85-C-0002	p 332	N86-19136	F49620-78-C-0080	p 458	A86-33419	p 711	A86-45483
	p 486	N86-25334	F49620-78-C-0084	p 543	A86-37823	p 478	N86-24659
	p 574	N86-27272	F49620-81-C-0043	p 721	N86-29820	p 751	A86-45430
F19628-85-C-0071	p 636	N86-28930	F49620-81-K-0018	p 745	N86-31010	p 754	A86-45486
F19628-85-K-0028	p 262	A86-22626	F49620-82-C-0020	p 553	A86-39052	p 188	N86-14532
F29601-81-C-0013	p 743	N86-30890	F49620-82-C-0025	p 694	N86-29782	p 781	N86-31531
F29601-84-C-0060	p 371	N86-21555	F49620-82-C-0035	p 198	A86-19631	p 546	A86-37847
	p 372	N86-21556		p 367	A86-28393	p 284	A86-23191
	p 448	N86-23607		p 411	A86-32978	p 708	A86-44386
F33615-C-82-3402	p 700	N86-29798		p 480	N86-23752	p 822	A86-47425
F33615-78-C-0026	p 598	N86-26344	F49620-82-C-0043	p 585	A86-38910	p 834	A86-49071
F33615-78-C-2063	p 807	N86-31570	F49620-82-C-0065	p 482	N86-23997	p 573	N86-26312
	p 807	N86-31571	F49620-82-K-0009	p 368	A86-28490	p 574	N86-27271
	p 807	N86-31572	F49620-83-C-0019	p 688	A86-44238	p 103	N86-12220
	p 807	N86-31573	F49620-83-C-0048	p 780	A86-49807	p 189	N86-14687
F33615-78-C-3209	p 116	A86-16100	F49620-83-C-0116	p 665	N86-29028	p 372	N86-20485
F33615-78-C-3601	p 219	A86-19904	F49620-83-C-0118	p 417	N86-23573	p 182	A86-17780
F33615-79-C-1935	p 104	N86-12222	F49620-83-K-0009	p 551	A86-38464	p 749	N86-31285
	p 104	N86-12223		p 764	A86-47898	p 357	N86-20386
F33615-79-C-2067	p 813	A86-48158	F49620-83-K-0023	p 85	A86-14556	p 754	A86-45484
F33615-79-C-3206	p 389	N86-21918	F49620-83-K-0034	p 549	A86-38443	p 757	N86-31333
F33615-78-C-3212	p 606	A86-38335		p 417	N86-23572	p 536	N86-26163
F33615-79-C-3618	p 297	A86-23729	F49620-84-C-0027	p 200	A86-19789	p 549	A86-38439
F33615-80-C-0512	p 262	A86-22023	F49620-84-C-0065	p 551	A86-38457	p 774	A86-49045
F33615-80-C-3623	p 354	A86-28400		p 764	A86-47700	p 232	N86-17351
	p 362	N86-20408	F49620-84-C-0123	p 585	A86-38910	p 549	A86-38439
F33615-80-C-5092	p 606	A86-38335	F49620-85-C-0055	p 200	A86-19753	p 774	A86-49045
F33615-80-C-5160	p 442	N86-23601	F49620-85-C-0090	p 585	A86-38947	p 270	A86-23184
F33615-81-C-201	p 366	A86-28372	F49620-85-C-0099	p 584	A86-38851	p 110	A86-14530
F33615-81-C-2030	p 649	A86-42823	F49620-85-C-0131	p 690	A86-45411	p 290	A86-26141
F33615-81-C-2035	p 604	N86-27461	F49620-85-K-0007	p 747	A86-45473	p 679	N86-29508
F33615-81-C-2080	p 622	N86-28906	F49620-82-C-0055	p 561	N86-27232	p 395	A86-28864
F33615-81-C-2090	p 237	N86-16222	F58-528	p 321	N86-18588	p 535	A86-35621
F33615-81-C-3620	p 360	A86-28505	GNCC2-278	p 676	N86-29152	p 655	N86-28958
F33615-81-C-5002	p 668	A86-41581	K-1053	p 639	N86-28079	p 748	N86-30371
	p 670	A86-41582	MDA903-82-C-0218	p 221	A86-20163	p 655	N86-28958
F33615-81-C-5015	p 735	N86-30838	MDA903-84-C-0031	p 175	N86-15316	p 748	N86-30371
F33615-82-C-0002	p 388	N86-20658	MIPR-FY-1456-85-00032	p 779	A86-49593	p 413	A86-33238
	p 439	N86-23596	MOD(RAE)-A12/1684	p 452	N86-22710	p 552	A86-38900
F33615-82-C-0511	p 126	N86-12973	MOD-A81A/2083	p 792	A86-47338	p 696	N86-30638
F33615-82-C-0520	p 825	A86-47495	MOD-RAE(F)MT-69/2/10	p 685	N86-28193	p 239	N86-18228
F33615-82-C-2214	p 681	A86-42996	MOD-2028/0153/XR/STR	p 848	A86-49001	p 329	A86-25035
F33615-82-C-2234	p 125	N86-13832	MOD-2037/0230/XR/STR	p 523	A86-37112	p 352	A86-26587
F33615-82-C-3216	p 584	A86-38865	MOD-2101/063/XR/ST	p 832	A86-49004	p 683	N86-29651
F33615-82-C-3402	p 700	N86-29799	MOD-85A/431	p 840	N86-32448	p 128	N86-13922
F33615-82-C-3406	p 355	A86-28514	MODA26B/10	p 851	N86-31917	p 466	N86-23321
	p 324	N86-18909	NAGW-468	p 393	A86-28618	p 466	N86-23322
F33615-82-C-3604	p 532	A86-36894	NAGW-575	p 443	A86-31662	p 466	N86-23323
F33615-82-C-3614	p 188	N86-14615		p 632	N86-28924	p 466	N86-23325
F33615-82-C-5022	p 318	A86-24236	NAGW-581	p 415	N86-22556	p 87	N86-13287
F33615-82-C-5056	p 293	N86-18318	NAG1-104	p 581	A86-38504	p 201	N86-19817
F33615-82-C-5078	p 603	A86-39617	NAG1-121	p 630	N86-28064	p 557	N86-27196
F33615-82-D-0601	p 395	A86-28442	NAG1-129	p 752	A86-45433	p 714	N86-29810
F33615-82-K-3408	p 158	N86-14259	NAG1-134	p 631	N86-28918	p 543	A86-37815
F33615-82-K-3609	p 594	A86-39041	NAG1-156	p 85	A86-14558	p 640	N86-28935
F33615-82-K-3610	p 759	A86-47444	NAG1-157	p 594	A86-38946	p 693	N86-29768
F33615-83-C-0500	p 326	A86-25652		p 594	A86-39042	p 233	A86-20233
F33615-83-C-1036	p 365	A86-28342	NAG1-190	p 110	N86-12233	p 654	N86-28953
F33615-83-C-1083	p 361	A86-28515	NAG1-198	p 466	N86-24277	p 654	N86-28956
F33615-83-C-2322	p 497	N86-24688	NAG1-199	p 619	A86-39057	p 682	N86-29580
F33615-83-C-2329	p 518	N86-24781	NAG1-216	p 511	N86-24702	p 721	N86-29819
F33615-83-C-2352	p 452	N86-22724	NAG1-217	p 683	N86-28702	p 533	N86-25169
F33615-83-C-2359	p 344	N86-21528		p 239	A86-20236	p 716	N86-30718
F33615-83-C-3000	p 747	A86-45736		p 508	A86-35380	p 682	N86-29579
F33615-83-C-3033	p 202	A86-19893	NAG1-224	p 825	A86-47494	p 681	A86-43000
F33615-83-C-3045	p 218	A86-19320	NAG1-240	p 380	A86-26682	p 630	N86-28911
F33615-83-C-3201	p 192	N86-14980	NAG1-254	p 400	A86-26888	p 696	N86-30691
	p 179	N86-15322		p 828	A86-47666	p 654	N86-28951
F33615-83-C-3208	p 379	N86-21662	NAG1-26	p 835	N86-31590	p 726	N86-29664
F33615-83-C-3232	p 618	A86-38807	NAG1-270	p 201	A86-19810	p 697	N86-30697
F33615-83-C-3603	p 792	A86-47485	NAG1-273	p 204	A86-20946	p 141	A86-17059
	p 827	A86-47665	NAG1-288	p 204	A86-20946	p 693	N86-29771
	p 831	A86-47706	NAG1-28	p 368	A86-28490	p 109	A86-14236
F33615-83-C-3608	p 395	A86-28444	NAG1-308	p 100	N86-13320	p 525	N86-24955
F33615-83-C-3617	p 350	A86-28389	NAG1-344	p 480	N86-25328	p 114	A86-12925
F33615-83-C-3619	p 532	A86-36894		p 139	A86-16324	p 114	A86-12925
F33615-83-C-5036	p 451	A86-33068		p 385	A86-26629	p 813	A86-48163
F33615-83-K-2316	p 303	A86-24226		p 551	A86-38502	p 519	N86-25502
F33615-84-C-0066	p 598	N86-26344	NAG1-345	p 775	A86-49104	p 387	A86-28854
F33615-84-C-3604	p 824	A86-47483		p 776	A86-49122	p 174	A86-19198
F33615-84-C-3627	p 360	A86-28505		p 201	A86-19809	p 619	N86-27930
F33615-84-K-3602	p 397	A86-28368		p 595	N86-26342	p 494	A86-35668
F33615-84-K-3606	p 533	N86-26074	NAG1-358	p 836	N86-32440	p 518	N86-24818
F33615-85-C-2513	p 648	A86-42789		p 202	A86-19880	p 220	A86-19940
F33615-85-C-3009	p 841	A86-47902		p 546	A86-37848	p 571	N86-27268
F33615-85-C-3619	p 830	A86-47895	NAG1-372	p 692	A86-46793	p 846	A86-48271
F33657-81-C-0212	p 381	A86-27151		p 552	A86-38898	p 233	A86-20369
F33657-81-C-0368	p 217	A86-19303		p 553	A86-38913	p 645	A86-41726
F33657-83-C-2201	p 371	A86-28459	NAG1-375	p 623	A86-40110	p 755	A86-45492
	p 371	A86-28460	NAG1-390	p 479	N86-24663	p 755	A86-45493
F34601-82-C-2981	p 489	A86-35405		p 576	A86-37772	p 363	A86-26905
F41-400	p 159	N86-15277		p 638	A86-41710	p 420	N86-22558
F41-411	p 437	N86-23590		p 708	A86-44853	p 420	N86-22559
F41-420	p 293	N86-18316		p 711	A86-45426	p 670	A86-41673

CONTRACT NUMBER INDEX

NGL-31-001-252

NAG3-481	p 647	A86-42755	NAS1-17170	p 147	N86-14221	NAS3-24082	p 722	N86-30733
NAG3-488	p 701	N86-30022	NAS1-17171	p 254	A86-22681	NAS3-24105	p 625	A86-42688
NAG3-48	p 527	N86-25783	NAS1-17250	p 86	N86-12205		p 420	N86-23577
NAG3-490	p 591	A86-38894	NAS1-17293	p 414	N86-22550		p 611	N86-26596
NAG3-508	p 721	N86-29818	NAS1-17335	p 675	N86-28375	NAS3-24228	p 672	A86-42770
NAG3-50	p 130	N86-13219	NAS1-17345	p 90	N86-12212	NAS3-24339	p 626	A86-42709
NAG3-517	p 379	N86-21704	NAS1-17409	p 481	A86-35365		p 755	A86-45500
NAG3-549	p 85	A86-14561	NAS1-17411	p 615	A86-37496		p 755	A86-45501
NAG3-55	p 525	N86-24960		p 368	A86-28394	NAS3-24346	p 611	N86-26829
NAG3-566	p 344	N86-20379		p 821	A86-47422	NAS3-24349	p 503	N86-24695
NAG3-593	p 610	N86-26546		p 652	N86-28090	NAS3-24385	p 606	A86-38311
	p 722	N86-30731	NAS1-17420	p 340	N86-20361	NAS3-24386	p 517	N86-24760
NAG3-607	p 599	N86-27201	NAS1-17442	p 691	A86-45428	NAS3-24387	p 675	N86-28463
NAG3-666	p 598	A86-39948	NAS1-17493	p 446	N86-22581	NAS3-24533	p 232	A86-19878
NAG3-697	p 650	N86-28946	NAS1-17528	p 488	A86-35203	NAS3-24542	p 646	A86-42702
NAG3-72	p 344	N86-20380	NAS1-17556	p 821	A86-47419	NAS3-24544	p 638	A86-42704
NAG3-85	p 181	N86-15323		p 93	N86-13310	NAS3-24545	p 646	A86-42703
NAG4-1	p 654	N86-28952		p 485	N86-24678	NAS3-272	p 694	N86-29773
	p 729	N86-30737	NAS1-17635	p 352	N86-20384		p 697	N86-30693
NASA ORDER A40174-C	p 721	N86-29620	NAS1-17686	p 796	A86-47800	NAS5-27832	p 260	N86-17616
NASA ORDER L-77177-B	p 136	A86-16301		p 148	N86-14220	NAS5-28132	p 718	A86-46676
	p 540	N86-26283	NAS1-17719	p 439	N86-22574	NAS5-28274	p 718	A86-46676
NASA ORDER RE-152-293	p 247	A86-22706	NAS1-17797	p 545	A86-37840	NAS7-917	p 734	N86-30015
NASA ORDER RE-65-459	p 241	A86-22687		p 546	A86-38305	NAS7-918	p 241	A86-22687
NASA TASK 505-45-00-04-59	p 241	A86-22687	NAS1-17826	p 340	N86-20360		p 254	A86-22690
NASW-3247	p 527	N86-25823	NAS1-17892	p 470	N86-24394		p 247	A86-22706
NASW-3455	p 130	N86-13235	NAS1-17919	p 113	N86-12238		p 152	N86-15249
NASW-3542	p 341	N86-21509		p 698	N86-30698		p 185	N86-15412
NASW-3554	p 100	N86-13317	NAS1-17921	p 730	A86-45425		p 283	N86-19306
NASW-4004	p 227	N86-17398	NAS1-17926	p 201	A86-19809		p 396	N86-22113
	p 342	N86-21516		p 460	N86-23852		p 734	N86-30013
	p 364	N86-21543	NAS1-17931	p 180	N86-14278	NAS8-34867	p 746	N86-30285
	p 474	N86-24652	NAS1-17932	p 123	N86-12580	NAS8-34749	p 482	N86-23159
	p 511	N86-24701	NAS1-17951	p 675	N86-28377	NAS8-35186	p 393	N86-21089
	p 514	N86-24710	NAS1-17993	p 609	A86-38945	NAS8-35347	p 446	N86-23604
	p 524	N86-24936		p 738	A86-45422	NAS8-36177	p 446	N86-23604
NASW-4005	p 342	N86-21510	NAS1-18000	p 711	A86-45450	NAS9-14000	p 600	N86-27354
	p 459	N86-23749		p 587	N86-27278	NAVY ORDER 0002	p 254	A86-22402
	p 656	N86-28099		p 756	N86-30469	NAS8AA-DR-064	p 529	N86-25956
	p 632	N86-28925	NAS1-18020	p 710	A86-45408	NCA2-IR-745-404	p 199	A86-19693
	p 655	N86-28960	NAS1-18065	p 745	N86-30999	NCA2-OR-170-202	p 356	A86-28562
NASW-4006	p 100	N86-13318	NAS1-18107	p 466	N86-23350	NCA2-OR-440-301	p 498	A86-33802
	p 342	N86-21511		p 694	N86-29776	NCA2-OR-745-309	p 206	A86-22704
	p 357	N86-21534	NAS2-11150	p 475	A86-35636	NCCCI-92	p 673	A86-43430
	p 357	N86-21535	NAS2-11169	p 416	N86-23568	NCC1-15	p 670	A86-41699
	p 657	N86-28964	NAS2-11178	p 110	A86-14531	NCC1-22	p 547	A86-38327
NASW-581	p 549	A86-38437	NAS2-11255	p 355	A86-28559		p 557	N86-27195
NAS1-11234	p 606	A86-38335	NAS2-11285	p 204	A86-20159	NCC1-46	p 547	A86-38327
NAS1-11668	p 314	N86-18448	NAS2-11341	p 328	A86-28030	NCC1-68	p 68	N86-13293
NAS1-12426	p 86	N86-12202		p 395	A86-28446	NCC1-69	p 113	N86-12237
	p 87	N86-12208	NAS2-11555	p 86	N86-13291		p 113	N86-12240
NAS1-13172	p 606	A86-38335	NAS2-11725	p 355	A86-28559	NCC2-106	p 793	A86-47705
NAS1-14632	p 639	N86-28077	NAS2-11730	p 475	A86-35633		p 714	N86-29809
NAS1-14880	p 636	N86-28074	NAS2-11851	p 772	A86-49009	NCC2-112	p 693	N86-29766
NAS1-14904	p 203	A86-19949	NAS2-11877	p 219	A86-19668	NCC2-149	p 630	N86-28912
NAS1-15069	p 184	N86-14317		p 509	A86-35404		p 676	N86-29159
NAS1-15148	p 314	N86-18449		p 501	A86-35412	NCC2-150	p 233	A86-19695
NAS1-15279	p 734	N86-30812	NAS2-11973	p 636	N86-28931	NCC2-181	p 193	A86-17776
NAS1-15325	p 176	N86-14277	NAS2-11978	p 792	A86-47704	NCC2-19	p 693	N86-29770
	p 168	N86-15305	NAS2-12056	p 714	N86-29811	NCC2-238	p 716	N86-30722
NAS1-15864	p 305	A86-23186	NAS2-9830	p 204	A86-20953	NCC2-242	p 86	N86-13294
NAS1-15864	p 436	N86-23586	NAS3-20357	p 174	N86-14272	NCC2-255	p 631	N86-28916
NAS1-16000	p 86	N86-12204	NAS3-21987	p 193	A86-16466	NCC2-258	p 631	N86-28917
	p 408	N86-23554		p 193	A86-16469	NCC2-259	p 693	N86-29769
NAS1-16078	p 436	N86-23586	NAS3-22006	p 235	A86-22081	NCC2-270	p 679	N86-29486
NAS1-16202	p 486	N86-25335	NAS3-22137	p 469	N86-23371	NCC2-271	p 632	N86-28922
NAS1-16300	p 641	N86-28939		p 469	N86-23372		p 632	N86-28923
	p 641	N86-28940	NAS3-22139	p 745	N86-31030	NCC2-277	p 642	N86-28945
NAS1-16303	p 178	N86-15320	NAS3-22218	p 108	N86-13328	NCC2-288	p 654	N86-28955
NAS1-16394	p 682	A86-43036		p 108	N86-13329	NCC2-293	p 240	N86-17358
NAS1-16489	p 532	N86-25145		p 108	N86-13330	NCC2-294	p 631	N86-28914
	p 682	N86-29547	NAS3-22525	p 592	N86-27283	NCC2-297	p 430	A86-32107
NAS1-16521	p 332	N86-20069		p 592	N86-27284	NCC2-338	p 729	N86-30738
NAS1-16535	p 551	A86-38473	NAS3-22763	p 502	A86-35614	NCC2-341	p 631	N86-28915
	p 647	A86-42737	NAS3-23039	p 554	A86-39090	NCC2-355	p 697	N86-30696
	p 780	A86-49604		p 692	A86-48316	NCC2-361	p 654	N86-28957
NAS1-16579	p 180	N86-15278	NAS3-23051	p 721	A86-45504	NCC2-382	p 758	N86-31357
	p 231	N86-16212		p 592	N86-27282	NCC2-41	p 703	N86-29800
NAS1-16585	p 479	N86-24664		p 781	N86-31536	NCC2-74	p 630	N86-28913
	p 555	N86-26286	NAS3-23055	p 480	N86-23936	NCC2-75	p 619	A86-39058
	p 264	A86-19790		p 461	N86-23937		p 644	A86-41708
NAS1-16758	p 577	A86-37843		p 461	N86-23938	NCC4-1	p 632	N86-28920
NAS1-16857	p 606	A86-38335	NAS3-23173	p 651	N86-28947		p 640	N86-28936
NAS1-16893	p 617	N86-27855	NAS3-23520	p 525	N86-24991		p 641	N86-28937
NAS1-16969	p 587	N86-26331	NAS3-23697	p 520	A86-34444		p 655	N86-28959
NAS1-16978	p 401	N86-22306	NAS3-23712	p 194	N86-15113		p 726	N86-29885
	p 469	N86-24392	NAS3-23720	p 721	A86-45504		p 729	N86-30736
NAS1-17070	p 145	A86-18528	NAS3-23939	p 526	N86-25003	NGL-05-020-243	p 609	A86-38878
	p 147	N86-14221	NAS3-23944	p 452	N86-22713	NGL-22-009-124	p 233	A86-20233
	p 466	N86-23350	NAS3-24078	p 501	A86-35400		p 682	N86-29580
	p 694	N86-29776		p 255	N86-16486	NGL-22-009-383	p 722	N86-30730
NAS1-17096	p 750	A86-45404	NAS3-24079	p 501	A86-35402	NGL-22-009-840	p 214	A86-19860
	p 754	A86-45479		p 722	N86-30732		p 598	A86-39948
	p 535	N86-25216	NAS3-24089	p 501	A86-35403		p 634	A86-41694
NAS1-17102	p 239	A86-20237	NAS3-24091	p 243	A86-19929	NGL-31-001-252	p 305	A86-23186
NAS1-17130	p 682	A86-43036		p 313	A86-23922		p 634	A86-49070



NGR-14-001-008	p 529	N86-25958	N00014-81-K-0439	p 529	A86-36175	327-05-02	p 131	N86-14213
NGR-16-002-038	p 693	N86-29772		p 299	N86-19321	505-31-01	p 88	N86-13292
NGR-22-009-818	p 274	A86-25084	N00014-81-K-0742	p 262	A86-22628		p 88	N86-13296
NGR-48-002-141	p 548	A86-38412	N00014-81-K-2037	p 138	A86-16317		p 152	N86-15244
NGT-34-002-800	p 541	A86-37802	N00014-82-C-0607	p 355	A86-28559		p 152	N86-15248
NGT-36-004-800	p 145	A86-18577	N00014-82-C-2373	p 684	N86-28168		p 190	N86-15626
NGT-44-001-800	p 130	N86-14078	N00014-82-K-0037	p 318	A86-23951		p 190	N86-15627
NGT-47-003-029	p 478	N86-24681	N00014-82-K-0198	p 108	N86-13331		p 264	N86-17014
NGT36-001-800	p 130	N86-13219	N00014-82-K-0311	p 543	A86-37824		p 622	N86-28050
NGT36-001-801	p 130	N86-13219	N00014-82-K-0315	p 138	A86-16316	505-31-04	p 524	N86-24934
NIVR-1725	p 612	N86-26663	N00014-83-C-0100	p 408	N86-23556	505-31-13-01	p 86	N86-12202
NIVR-1745	p 595	N86-26343	N00014-83-C-0725	p 169	N86-15311		p 87	N86-12208
NIVR-1816	p 228	N86-17347	N00014-83-C-0764	p 138	A86-16315	505-31-21	p 90	N86-13304
	p 308	N86-19326	N00014-83-C-2311	p 185	N86-15416	505-31-23-06	p 150	N86-14250
	p 212	N86-17321	N00014-83-K-0239	p 138	A86-16314	505-31-23-13	p 197	N86-16187
NIVR-1819	p 604	N86-26430		p 138	A86-16320	505-31-33-11	p 536	N86-25220
NIVR-1891	p 259	N86-17809	N00014-83-K-0372	p 139	A86-16322	505-31-33-55	p 332	N86-20088
NIVR-1892	p 227	N86-17346	N00014-84-C-0104	p 123	N86-12552	505-31-53-10	p 86	N86-12203
NIVR-1899	p 211	N86-17320	N00014-84-C-0354	p 748	N86-30371		p 180	N86-14278
NIVR-1906	p 603	N86-26429	N00014-84-C-0359	p 627	A86-42822	505-31-53	p 208	N86-16199
NIVR-1944	p 212	N86-17321	N00014-84-C-0766	p 659	N86-28241	505-31-54	p 745	N86-31030
NIVR-1947	p 228	N86-17348	N00014-84-K-0093	p 723	N86-30734	505-31-83-01	p 147	N86-14221
NIVR-1994	p 782	N86-31541		p 137	A86-16313		p 466	N86-23350
NIVR-1995	p 809	N86-32430	N00014-84-K-0181	p 139	A86-16323		p 694	N86-29776
NIVR-311.4-1946	p 683	N86-29636	N00014-84-K-0373	p 198	A86-19835	505-33-33	p 314	N86-18448
NIVR-312.2-1019	p 611	N86-26661		p 138	A86-16317	505-33-41	p 294	N86-19312
NR PROJ. F58-523	p 81	N86-12213	N00014-84-K-0434	p 458	A86-33419		p 639	N86-28076
NR PROJECT 049-506	p 262	A86-22626		p 739	A86-45437	505-33-43-07	p 100	N86-13321
NR PROJECT 061-201	p 547	A86-38326	N00014-84-K-0470	p 363	A86-26601		p 336	N86-20342
NR PROJECT 061-256	p 186	A86-17043	N00014-85-C-0707	p 659	N86-28240		p 416	N86-23567
NSERC-A-1080	p 465	A86-33134	N00014-85-G-0123	p 658	N86-28239	505-33-43-08	p 496	N86-24685
	p 444	A86-33178		p 701	N86-30705	505-33-43-09	p 339	N86-20350
NSERC-A-4209	p 516	A86-36874	N00014-85-K-0011	p 136	A86-16301	505-33-43-13	p 277	N86-18289
NSERC-A-5825	p 465	A86-33134	N00014-85-K-0190	p 540	N86-26283	505-33-43	p 128	N86-13946
	p 444	A86-33178	N00014-85-K-0195	p 547	A86-38326		p 714	N86-29814
NSERC-U-0375	p 83	A86-14360	N00019-75-C-0424	p 321	N86-18699	505-33-53-03	p 806	N86-31568
NSF ATM-79-21080	p 323	A86-26175	N00019-80-G-0033	p 143	A86-17738		p 332	N86-20089
NSF ATM-80-20415	p 783	A86-47332	N00019-82-C-0439	p 198	A86-19635	505-33-53-05	p 469	N86-24393
NSF ATM-80-25598	p 323	A86-23292	N00019-82-G-0107	p 585	A86-38950	505-33-53-09	p 390	N86-21933
NSF ATM-81-09828	p 529	N86-25956	N00019-82-G-0412	p 254	A86-22402	505-33-7B	p 100	N86-13316
NSF ATM-82-09884	p 783	A86-47332	N00024-79-C-6043	p 801	A86-37708	505-33-7C	p 117	N86-13407
NSF ATM-83-05096	p 614	A86-37466	N00024-85-C-5301	p 180	A86-18440	505-33-7D	p 255	N86-16611
NSF ATM-83-11145	p 323	A86-23292	N00024-85-C-6041	p 787	A86-47517	505-34-01	p 525	N86-24991
NSF ATM-83-11175	p 614	A86-37466	N0014-76-C-1136	p 188	N86-14538		p 174	N86-15313
NSF CEE-81-00491	p 501	A86-35403	N0014-84-K-0093	p 236	A86-22679	505-34-02	p 276	N86-14276
NSF CPE-83-02232	p 114	A86-12925		p 555	N86-26291		p 240	N86-17358
NSF DCR-84-01098	p 573	N86-26312	N0014-84-K-0373	p 748	N86-30371	505-34-03-02	p 255	N86-16486
NSF DMS-83-20430	p 630	N86-28911		p 136	A86-16306	505-34-03-06	p 722	N86-30732
	p 696	N86-30691	N00140-80-C-2269	p 200	A86-19731	505-34-03-07	p 445	N86-22579
NSF DMS-84-13129	p 825	A86-47494	N00140-83-C-8894	p 673	N86-28237		p 370	N86-21550
NSF ECF-82-05337	p 396	A86-26577	N00140-83-C-9119	p 842	A86-48159	505-34-13-12	p 111	N86-13332
NSF ECS-80-07102	p 262	A86-22626	N00167-83-C-0114	p 520	A86-34410		p 160	N86-15278
NSF ECS-83-03333	p 747	A86-45736	N00600-82-D-8362	p 842	A86-48123	505-34-13-34	p 231	N86-16212
NSF ECS-84-15591	p 823	A86-47475	N60921-79-C-0180	p 777	A86-49573	505-34-33	p 183	N86-24090
	p 853	A86-47479	N61339-84-C-0069	p 101	N86-13324	505-34-33-01	p 463	N86-26276
NSF ENG-75-03694	p 141	A86-17055	N62289-81-C-0297	p 668	A86-40403		p 401	N86-22304
NSF ENG-77-23541	p 141	A86-17055	N62289-82-C-0728	p 466	N86-24233	505-35-13-04	p 90	N86-12212
NSF INT-84-14714	p 408	A86-30213	N62289-83-C-0220	p 662	A86-41052	505-35-13-06	p 126	N86-13892
NSF MCS-82-00788	p 204	A86-20946	N62289-84-C-0437	p 365	A86-26642	505-35-13-53	p 401	N86-22306
NSF MCS-82-07217	p 380	A86-26682	N66314-72-A-3029	p 828	A86-47874		p 489	N86-24392
NSF MEA-81-11676	p 408	A86-30213	N68335-83-C-0739	p 202	A86-19892	505-40-14	p 307	N86-19324
NSF MEA-81-8565	p 772	A86-49011	RB-RLB-1982-1-3.3	p 113	N86-12242	505-40-22	p 194	N86-15113
NSF MEA-83-15193	p 283	A86-23185	RB-RLD-84/83-1.3.1	p 314	N86-18451	505-40-62	p 108	N86-13328
NSF OCE-83-10639	p 323	A86-23291	RRO-2403	p 232	N86-17354		p 108	N86-13329
NSG-1174	p 89	N86-13300	SERC-GR/B/00336	p 789	N86-32419	505-40-7A	p 123	N86-13677
NSG-1419	p 137	A86-16309	SERC-GR/B/87827	p 260	N86-16751	505-40-74	p 242	N86-16233
	p 548	A86-38433	SERC-GR/C/77653	p 260	N86-17915	505-40-8K	p 651	N86-28947
NSG-1498	p 572	A86-39535	SERC-GR/D/25620	p 595	N86-26343	505-40-90-01	p 146	N86-14218
	p 93	N86-12216	SNECMA-285.806-VY	p 389	N86-20813		p 152	N86-15248
	p 485	N86-24677	STPA-83-95-013	p 251	A86-22035		p 207	N86-16193
NSG-1583	p 289	A86-26113	STPA-83-95-019	p 251	A86-22035		p 339	N86-20345
NSG-1629	p 546	A86-37846	STPA-83-95024	p 842	A86-48210	505-40-90	p 147	N86-14223
	p 556	N86-27193	STPA-83-96-028	p 367	A86-28387	505-42-11-04-55	p 152	N86-15249
NSG-2260	p 371	A86-28561		p 842	A86-48210		p 167	N86-15280
NSG-2266	p 654	N86-28954	STPA-84-95-005	p 743	N86-30219	505-42-23-09	p 239	N86-16228
NSG-2291	p 742	N86-30090	STPA-84-95015	p 641	N86-28942	505-42-23-56	p 339	N86-20349
NSG-2298	p 541	A86-37192	STU-AU-2168	p 809	N86-32429	505-42-39-03	p 91	N86-13305
	p 632	N86-28921	STU-84-4563	p 653	N86-28095	505-42-39-24	p 587	N86-26331
NSG-3036	p 856	A86-49806	S12-66	p 248	N86-17486	505-42-51	p 256	N86-16613
NSG-3075	p 190	N86-15625	USBR-7-07-83-V0001	p 779	A86-49592	505-43-01	p 100	N86-13319
NSG-3135	p 232	A86-19677	W-31-109-ENG-38	p 695	N86-29786		p 87	N86-13287
	p 590	A86-37827	W-7405-ENG-48	p 227	N86-17340		p 89	N86-13299
NSG-3231	p 265	A86-20795	W-7405-ENG-82	p 653	N86-28095	505-43-03-02	p 629	N86-28056
NSG-3239	p 608	A86-38617		p 401	N86-22312	505-43-13-01	p 86	N86-12205
NSG-3266	p 626	A86-42740	141-30-30-01	p 640	N86-28081		p 278	N86-19287
NSG-4002	p 726	N86-29863	314-60	p 87	N86-12209	505-43-23-09	p 781	N86-21532
NSG-4019	p 714	N86-29812	324-01-00	p 576	A86-37465	505-43-23-10	p 415	N86-22554
NSG-7172	p 86	N86-12203	324-01	p 124	N86-13704		p 340	N86-20358
N00014-76-C-0634	p 145	A86-18577		p 399	N86-21260	505-43-43-01	p 408	N86-23554
N00014-76-C-1136	p 655	N86-28958		p 669	A86-41576		p 781	N86-31531
N00014-76-G-0032	p 186	A86-17043		p 469	N86-22964			
N00014-79-C-0285	p 460	N86-23873		p 675	N86-28385			
N00014-79-C-0953	p 355	A86-28559		p 311	N86-19330			
N00014-80-C-0312	p 323	A86-26175		p 123	N86-12580			
N00014-80-C-0647	p 400	N86-22208		p 460	N86-23852			
N00014-81-C-0443	p 611	N86-26603						

# CONTRACT NUMBER INDEX

999-53-02

505-43-52 ..... p 503 N86-24694  
 505-43-83-06 ..... p 418 N86-23565  
 505-43-90-04 ..... p 147 N86-14222  
 505-43-90-07 ..... p 342 N86-21514  
 ..... p 416 N86-23561  
 ..... p 436 N86-23586  
 505-45-03-01 ..... p 463 N86-24091  
 505-45-03-02 ..... p 313 N86-18441  
 505-45-11 ..... p 483 N86-24672  
 505-45-13-01 ..... p 641 N86-28940  
 505-45-33-01 ..... p 446 N86-22581  
 505-45-33-04 ..... p 128 N86-13944  
 505-45-33-11 ..... p 641 N86-28939  
 ..... p 352 N86-20384  
 ..... p 486 N86-25335  
 505-45-33-56 ..... p 167 N86-14267  
 ..... p 415 N86-22552  
 505-45-43-02 ..... p 414 N86-22550  
 505-45-43-05 ..... p 242 N86-16232  
 505-45-54 ..... p 571 N86-27268  
 ..... p 129 N86-14006  
 ..... p 129 N86-14007  
 ..... p 331 N86-19125  
 ..... p 536 N86-25218  
 ..... p 782 N86-32392  
 505-45-58 ..... p 629 N86-28057  
 ..... p 630 N86-28062  
 ..... p 781 N86-31535  
 505-60-00 ..... p 479 N86-24664  
 505-60-01 ..... p 555 N86-26288  
 ..... p 675 N86-28375  
 ..... p 698 N86-30698  
 505-60-21-01 ..... p 687 N86-29782  
 505-60-21-02 ..... p 478 N86-24661  
 505-60-21 ..... p 715 N86-29615  
 505-60-31-01 ..... p 675 N86-28377  
 505-60-31-04 ..... p 756 N86-30469  
 505-60-31-07 ..... p 89 N86-13298  
 505-60-31 ..... p 745 N86-30999  
 ..... p 692 N86-29765  
 ..... p 850 N86-31827  
 505-60 ..... p 731 N86-29871  
 ..... p 731 N86-29872  
 505-61-01-02 ..... p 255 N86-16553  
 ..... p 675 N86-28389  
 ..... p 677 N86-29198  
 505-61-01-05 ..... p 342 N86-21518  
 ..... p 836 N86-32440  
 ..... p 745 N86-31070  
 505-61-41-02 ..... p 757 N86-31337  
 ..... p 479 N86-24665  
 ..... p 629 N86-28060  
 505-61-51-03 ..... p 340 N86-20361  
 505-61-51-06 ..... p 721 N86-29820  
 505-61-51-10 ..... p 595 N86-26341  
 505-61-51 ..... p 639 N86-28078  
 ..... p 653 N86-28092  
 ..... p 504 N86-24697  
 505-61-51-01 ..... p 207 N86-16194  
 ..... p 629 N86-28053  
 ..... p 683 N86-29630  
 505-61-51-05 ..... p 113 N86-12239  
 ..... p 330 N86-19008  
 505-61-71-05 ..... p 311 N86-18329  
 ..... p 650 N86-28085  
 505-61-71 ..... p 525 N86-24990  
 ..... p 525 N86-24992  
 505-62-01 ..... p 340 N86-20360  
 ..... p 415 N86-23559  
 ..... p 416 N86-23562  
 ..... p 559 N86-27209  
 ..... p 629 N86-28054  
 ..... p 687 N86-30694  
 ..... p 687 N86-30695  
 505-62-01 ..... p 478 N86-24658  
 505-62-01-04 ..... p 378 N86-20508  
 505-62-21 ..... p 452 N86-22687  
 ..... p 452 N86-22713  
 ..... p 392 N86-21954  
 505-62-3A ..... p 683 N86-29632  
 ..... p 683 N86-29633  
 ..... p 518 N86-24816  
 505-62-38 ..... p 478 N86-24657  
 ..... p 479 N86-24663  
 ..... p 694 N86-29777  
 505-62-51 ..... p 146 N86-14220  
 ..... p 588 N86-27279  
 505-62-91-01 ..... p 178 N86-15319  
 ..... p 357 N86-20386  
 ..... p 639 N86-28075  
 ..... p 716 N86-30721  
 505-63-01-01 ..... p 743 N86-30233  
 505-63-01-02 ..... p 756 N86-30471  
 505-63-11 ..... p 835 N86-31590  
 505-63-11-01 ..... p 370 N86-21549  
 505-63-11-02 ..... p 726 N86-29866

505-66-11 ..... p 497 N86-24687  
 505-66-1 ..... p 634 N86-28068  
 505-66-21-01 ..... p 466 N86-24277  
 505-66-21-06 ..... p 637 N86-28933  
 505-66-41-04 ..... p 653 N86-28093  
 ..... p 653 N86-28950  
 ..... p 439 N86-22574  
 ..... p 835 N86-31591  
 505-66-41-05 ..... p 636 N86-28074  
 ..... p 748 N86-30349  
 ..... p 307 N86-19325  
 505-66-41-21 ..... p 611 N86-26596  
 ..... p 344 N86-20379  
 ..... p 420 N86-22558  
 ..... p 446 N86-22582  
 ..... p 420 N86-23577  
 ..... p 479 N86-24667  
 ..... p 786 N86-31548  
 ..... p 806 N86-31562  
 ..... p 420 N86-22558  
 ..... p 214 N86-16208  
 ..... p 243 N86-16243  
 ..... p 819 N86-31586  
 ..... p 587 N86-27278  
 ..... p 415 N86-22553  
 ..... p 408 N86-23555  
 505-66-11 ..... p 107 N86-12227  
 ..... p 147 N86-14224  
 ..... p 207 N86-16195  
 ..... p 339 N86-20351  
 ..... p 749 N86-31237  
 505-66-11 ..... p 533 N86-25168  
 ..... p 396 N86-22113  
 ..... p 512 N86-24703  
 ..... p 152 N86-15247  
 ..... p 152 N86-15245  
 ..... p 435 N86-22563  
 ..... p 611 N86-26653  
 ..... p 322 N86-19661  
 ..... p 389 N86-21755  
 ..... p 515 N86-24722  
 ..... p 555 N86-26289  
 ..... p 478 N86-24659  
 ..... p 401 N86-21280  
 ..... p 554 N86-26285  
 ..... p 278 N86-19288  
 ..... p 656 N86-28961  
 ..... p 94 N86-13311  
 ..... p 789 N86-31551  
 ..... p 682 N86-28701  
 ..... p 622 N86-28051  
 ..... p 539 N86-26277  
 ..... p 714 N86-29813  
 ..... p 176 N86-14275  
 ..... p 436 N86-23587  
 ..... p 504 N86-25342  
 ..... p 650 N86-28088  
 ..... p 586 N86-26328  
 ..... p 446 N86-23603  
 ..... p 184 N86-15350  
 ..... p 263 N86-16844  
 ..... p 416 N86-23566  
 ..... p 595 N86-26340  
 ..... p 596 N86-27290  
 ..... p 174 N86-14272  
 ..... p 190 N86-15625  
 ..... p 595 N86-26339  
 ..... p 726 N86-29667  
 ..... p 86 N86-12206  
 ..... p 470 N86-24394  
 ..... p 184 N86-14317  
 ..... p 184 N86-14314  
 ..... p 480 N86-25328  
 ..... p 503 N86-24695  
 ..... p 535 N86-25217  
 ..... p 559 N86-27213  
 ..... p 781 N86-31536  
 ..... p 757 N86-31341  
 ..... p 757 N86-31339  
 ..... p 207 N86-16196  
 ..... p 207 N86-16197  
 ..... p 757 N86-31338  
 ..... p 285 N86-17077  
 ..... p 445 N86-22580  
 ..... p 536 N86-26162  
 ..... p 678 N86-29271  
 ..... p 819 N86-31582  
 ..... p 819 N86-31587  
 ..... p 152 N86-15243  
 ..... p 533 N86-25169  
 ..... p 295 N86-19313  
 ..... p 283 N86-19306  
 ..... p 616 N86-27835  
 ..... p 756 N86-30470  
 ..... p 600 N86-27406  
 ..... p 188 N86-14555


999-53-02 ..... p 88 N86-13291

# REPORT NUMBER INDEX

AERONAUTICAL ENGINEERING / A Continuing Bibliography  
1986 Cumulative Index

January 1987

## Typical Report Number Index Listing



Listings in this index are arranged alphabetically by report number. The page number indicates the page on which the citation is located. The accession number denotes the number by which the citation is identified. An asterisk (\*) indicates that the item is a NASA report. A pound sign (#) indicates that the item is available on microfiche.

A-85137 ..... p 435 N86-22563 \* #  
A-85346 ..... p 152 N86-15244 \* #  
A-85356 ..... p 89 N86-13299 \* #  
A-85359 ..... p 781 N86-31535 \* #  
A-85376 ..... p 264 N86-17014 \* #  
A-85393 ..... p 639 N86-28079 \* #  
A-85397 ..... p 152 N86-15247 \* #  
A-85410 ..... p 622 N86-28051 \* #  
A-85414 ..... p 313 N86-18441 \* #  
A-85436 ..... p 190 N86-15627 \* #  
A-86127 ..... p 629 N86-28056 \* #  
A-86165 ..... p 783 N86-31527 \* #  
A-86188 ..... p 634 N86-28068 \* #  
A-86199 ..... p 850 N86-31827 \* #  
A-86206 ..... p 692 N86-29765 \* #  
A-86208 ..... p 622 N86-28050 \* #  
A-86222 ..... p 782 N86-32392 \* #  
A-86224 ..... p 629 N86-28057 \* #  
A-86246 ..... p 629 N86-28060 \* #  
  
AAAF PAPER NT 85-01 ..... p 786 A86-48452 #  
AAAF PAPER NT 85-03 ..... p 786 A86-48454 #  
AAAF PAPER NT 85-04 ..... p 786 A86-48455 #  
AAAF PAPER NT 85-06 ..... p 838 A86-48457 #  
AAAF PAPER NT 85-08 ..... p 786 A86-48458 #  
AAAF PAPER NT 85-16 ..... p 787 A86-48465 #  
AAAF PAPER NT 85-18 ..... p 797 A86-48467 #  
AAAF PAPER NT 85-19 ..... p 797 A86-48468 #  
  
AAMRL-TR-85-049 ..... p 181 N86-15328 #  
AAMRL-TR-86-009 ..... p 744 N86-30907 #  
  
AAS 84-176 ..... p 372 A86-28802 #  
  
AC-36-3D ..... p 620 N86-27969 #  
AC-70/7460-1G ..... p 371 N86-20410 #  
  
ACEE-01-FR-3132 ..... p 639 N86-28077 \* #  
  
ACSC-85-1750 ..... p 125 N86-12968 #  
ACSC-86-1575 ..... p 687 N86-29764 #  
ACSC-86-2585 ..... p 704 N86-29805 #  
  
AD-A133988 ..... p 503 N86-24682 #  
AD-A156821 ..... p 226 N86-17336 #  
AD-A156822 ..... p 226 N86-17337 #  
AD-A156820 ..... p 125 N86-12968 #  
AD-A156828 ..... p 130 N86-13220 #  
AD-A156834 ..... p 113 N86-12241 #  
AD-A157024 ..... p 341 N86-20368 #  
AD-A157068 ..... p 150 N86-14251 #  
AD-A157078 ..... p 123 N86-12552 #  
AD-A157081 ..... p 91 N86-12213 #  
AD-A157095 ..... p 128 N86-13051 #  
AD-A157099 ..... p 126 N86-12973 #

AD-A157108 ..... p 107 N86-12229 #  
AD-A157132 ..... p 125 N86-12744 #  
AD-A157147 ..... p 99 N86-12219 #  
AD-A157211 ..... p 76 N86-12199 #  
AD-A157212 ..... p 110 N86-12234 #  
AD-A157215 ..... p 78 N86-12200 #  
AD-A157248 ..... p 87 N86-12209 #  
AD-A157495 ..... p 116 N86-12271 #  
AD-A157496 ..... p 122 N86-12495 #  
AD-A157643 ..... p 107 N86-12230 #  
AD-A157716 ..... p 101 N86-13323 #  
AD-A157750 ..... p 211 N86-17307 #  
AD-A157839 ..... p 87 N86-12210 #  
AD-A157840 ..... p 107 N86-12231 #  
AD-A157854 ..... p 104 N86-12221 #  
AD-A157944 ..... p 94 N86-13312 #  
AD-A157983 ..... p 113 N86-13339 #  
AD-A158004 ..... p 181 N86-15324 #  
AD-A158005 ..... p 178 N86-15321 #  
AD-A158051 ..... p 124 N86-13756 #  
AD-A158075 ..... p 168 N86-15306 #  
AD-A158076 ..... p 168 N86-15307 #  
AD-A158077 ..... p 169 N86-15308 #  
AD-A158079 ..... p 169 N86-15309 #  
AD-A158084 ..... p 175 N86-15315 #  
AD-A158100 ..... p 110 N86-12235 #  
AD-A158101 ..... p 113 N86-12242 #  
AD-A158109 ..... p 116 N86-12272 #  
AD-A158110 ..... p 123 N86-12620 #  
AD-A158119 ..... p 104 N86-12222 #  
AD-A158120 ..... p 104 N86-12223 #  
AD-A158129 ..... p 533 N86-25169 \* #  
AD-A158227 ..... p 169 N86-15310 #  
AD-A158275 ..... p 101 N86-13324 #  
AD-A158392 ..... p 192 N86-14960 #  
AD-A158438 ..... p 158 N86-14259 #  
AD-A158448 ..... p 188 N86-14615 #  
AD-A158454 ..... p 135 N86-14216 #  
AD-A158514 ..... p 175 N86-15316 #  
AD-A158803 ..... p 111 N86-13334 #  
AD-A158816 ..... p 101 N86-13325 #  
AD-A158820 ..... p 125 N86-13832 #  
AD-A158849 ..... p 126 N86-13890 #  
AD-A158853 ..... p 108 N86-13331 #  
AD-A158887 ..... p 188 N86-14514 #  
AD-A159022 ..... p 101 N86-13326 #  
AD-A159057 ..... p 185 N86-15415 #  
AD-A159066 ..... p 179 N86-15322 #  
AD-A159068 ..... p 111 N86-13335 #  
AD-A159073 ..... p 185 N86-15416 #  
AD-A159101 ..... p 153 N86-15250 #  
AD-A159115 ..... p 94 N86-13314 #  
AD-A159193 ..... p 167 N86-14268 #  
AD-A159218 ..... p 192 N86-14982 #  
AD-A159246 ..... p 101 N86-13327 #  
AD-A159292 ..... p 195 N86-15205 #  
AD-A159304 ..... p 189 N86-15528 #  
AD-A159311 ..... p 182 N86-14282 #  
AD-A159312 ..... p 237 N86-16222 #  
AD-A159370 ..... p 255 N86-16521 #  
AD-A159395 ..... p 231 N86-16214 #  
AD-A159413 ..... p 159 N86-15277 #  
AD-A159426 ..... p 181 N86-15328 #  
AD-A159511 ..... p 158 N86-14260 #  
AD-A159545 ..... p 181 N86-14279 #  
AD-A159548 ..... p 188 N86-14538 #  
AD-A159559 ..... p 153 N86-15251 #  
AD-A159571 ..... p 169 N86-15311 #  
AD-A159656 ..... p 323 N86-18894 #  
AD-A159658 ..... p 324 N86-18896 #  
AD-A159682 ..... p 324 N86-18900 #  
AD-A159684 ..... p 324 N86-18902 #  
AD-A159676 ..... p 293 N86-18316 #  
AD-A159685 ..... p 330 N86-20006 #  
AD-A159739 ..... p 324 N86-18909 #  
AD-A159758 ..... p 324 N86-18910 #  
AD-A159830 ..... p 321 N86-18588 #  
AD-A159835 ..... p 331 N86-19127 #  
AD-A159881 ..... p 324 N86-18912 #  
AD-A159896 ..... p 333 N86-20090 #  
AD-A159974 ..... p 314 N86-18451 #  
AD-A160022 ..... p 237 N86-17355 #  
AD-A160146 ..... p 282 N86-18312 #

AD-A160263 ..... p 256 N86-18616 #  
AD-A160284 ..... p 257 N86-18646 #  
AD-A160375 ..... p 325 N86-18921 #  
AD-A160380 ..... p 325 N86-18923 #  
AD-A160420 ..... p 325 N86-18924 #  
AD-A160497 ..... p 293 N86-18317 #  
AD-A160578 ..... p 280 N86-18307 #  
AD-A160586 ..... p 332 N86-19136 #  
AD-A160601 ..... p 293 N86-18318 #  
AD-A160638 ..... p 248 N86-16374 #  
AD-A160661 ..... p 295 N86-18314 #  
AD-A160662 ..... p 295 N86-18315 #  
AD-A160664 ..... p 294 N86-18319 #  
AD-A160684 ..... p 277 N86-18294 #  
AD-A160718 ..... p 155 N86-15266 #  
AD-A160722 ..... p 87 N86-12207 #  
AD-A160736 ..... p 294 N86-18320 #  
AD-A160743 ..... p 321 N86-18569 #  
AD-A160749 ..... p 294 N86-18321 #  
AD-A160789 ..... p 321 N86-18699 #  
AD-A160807 ..... p 498 N86-25341 #  
AD-A160830 ..... p 321 N86-18630 #  
AD-A160837 ..... p 281 N86-18306 #  
AD-A160862 ..... p 294 N86-18322 #  
AD-A160905 ..... p 311 N86-18333 #  
AD-A160950 ..... p 344 N86-21527 #  
AD-A161062 ..... p 295 N86-19316 #  
AD-A161094 ..... p 344 N86-21528 #  
AD-A161112 ..... p 333 N86-20084 #  
AD-A161113 ..... p 299 N86-18321 #  
AD-A161117 ..... p 278 N86-19291 #  
AD-A161124 ..... p 278 N86-19292 #  
AD-A161153 ..... p 333 N86-20165 #  
AD-A161155 ..... p 283 N86-18306 #  
AD-A161300 ..... p 452 N86-22724 #  
AD-A161339 ..... p 336 N86-21500 #  
AD-A161342 ..... p 400 N86-22159 #  
AD-A161366 ..... p 379 N86-21662 #  
AD-A161374 ..... p 400 N86-22206 #  
AD-A161457 ..... p 370 N86-21551 #  
AD-A161513 ..... p 342 N86-21521 #  
AD-A161539 ..... p 389 N86-20613 #  
AD-A161543 ..... p 394 N86-21078 #  
AD-A161622 ..... p 394 N86-22061 #  
AD-A161637 ..... p 345 N86-21529 #  
AD-A161664 ..... p 357 N86-21537 #  
AD-A161665 ..... p 345 N86-21530 #  
AD-A161667 ..... p 379 N86-21707 #  
AD-A161683 ..... p 384 N86-21547 #  
AD-A161709 ..... p 361 N86-20388 #  
AD-A161783 ..... p 402 N86-22441 #  
AD-A161799 ..... p 368 N86-20658 #  
AD-A161858 ..... p 460 N86-23873 #  
AD-A161864 ..... p 460 N86-23874 #  
AD-A161876 ..... p 417 N86-23570 #  
AD-A161883 ..... p 425 N86-23582 #  
AD-A161886 ..... p 279 N86-18296 #  
AD-A161908 ..... p 460 N86-23752 #  
AD-A161935 ..... p 437 N86-23589 #  
AD-A161936 ..... p 437 N86-23590 #  
AD-A161949 ..... p 437 N86-23591 #  
AD-A161950 ..... p 369 N86-20399 #  
AD-A161953 ..... p 279 N86-18299 #  
AD-A161961 ..... p 439 N86-23586 #  
AD-A161966 ..... p 425 N86-23583 #  
AD-A161967 ..... p 93 N86-13309 #  
AD-A162034 ..... p 449 N86-23608 #  
AD-A162049 ..... p 437 N86-23593 #  
AD-A162054 ..... p 167 N86-15279 #  
AD-A162071 ..... p 408 N86-23556 #  
AD-A162097 ..... p 437 N86-23594 #  
AD-A162119 ..... p 417 N86-23571 #  
AD-A162128 ..... p 153 N86-15256 #  
AD-A162168 ..... p 417 N86-23572 #  
AD-A162204 ..... p 470 N86-24579 #  
AD-A162226 ..... p 437 N86-23595 #  
AD-A162238 ..... p 470 N86-24580 #  
AD-A162241 ..... p 483 N86-24221 #  
AD-A162244 ..... p 185 N86-15412 #  
AD-A162249 ..... p 462 N86-23907 #  
AD-A162282 ..... p 470 N86-24584 #  
AD-A162334 ..... p 417 N86-23573 #  
AD-A162336 ..... p 463 N86-24100 #

REPORT

AD-A162451	p 378	N86-20522	#	AD-A166329	p 719	N86-29817	#	AD-D011891	p 175	N86-15317	#
AD-A162486	p 398	N86-22110	#	AD-A166429	p 985	N86-29028	#	AD-D011913	p 190	N86-15647	#
AD-A162764	p 379	N86-20580	#	AD-A166485	p 704	N86-29804	#	AD-D011915	p 378	N86-20569	#
AD-A162792	p 402	N86-22443	#	AD-A166504	p 704	N86-29805	#	AD-D011935	p 321	N86-18728	#
AD-A162794	p 358	N86-21539	#	AD-A166580	p 700	N86-29798	#	AD-D011980	p 361	N86-20387	#
AD-A162834	p 467	N86-24354	#	AD-A166596	p 700	N86-29799	#	AD-D011980	p 358	N86-21540	#
AD-A162914	p 278	N86-19285	#	AD-A166597	p 735	N86-30821	#	AD-D011983	p 459	N86-22947	#
AD-A162931	p 463	N86-24215	#	AD-A166659	p 758	N86-31454	#	AD-D011998	p 364	N86-21548	#
AD-A162939	p 442	N86-23599	#	AD-A166662	p 340	N86-20358	#	AD-D011999	p 435	N86-22584	#
AD-A162993	p 417	N86-23575	#	AD-A166724	p 687	N86-29764	#	AD-D012003	p 504	N86-24696	#
AD-A162996	p 442	N86-23601	#	AD-A166748	p 687	N86-30890	#	AD-D012007	p 441	N86-22577	#
AD-A163052	p 518	N86-24781	#	AD-A166755	p 719	N86-30728	#	AD-D012017	p 525	N86-24984	#
AD-A163129	p 466	N86-24233	#	AD-A166759	p 723	N86-30734	#	AD-D012051	p 425	N86-23584	#
AD-A163136	p 470	N86-24457	#	AD-A166771	p 371	N86-21555	#	AD-D012077	p 424	N86-23580	#
AD-A163151	p 674	N86-28337	#	AD-A166803	p 717	N86-30725	#	AD-D012155	p 497	N86-24689	#
AD-A163218	p 587	N86-28332	#	AD-A166815	p 704	N86-29806	#	AD-D012156	p 524	N86-24944	#
AD-A163232	p 616	N86-28714	#	AD-A166816	p 705	N86-29807	#	AD-D012186	p 604	N86-27457	#
AD-A163245	p 610	N86-26501	#	AD-A166832	p 701	N86-30704	#	AD-D012194	p 656	N86-28102	#
AD-A163341	p 352	N86-20383	#	AD-A166888	p 698	N86-30700	#	AD-D012218	p 721	N86-29822	#
AD-A163379	p 610	N86-26480	#	AD-A166899	p 705	N86-30714	#	AD-D012240	p 789	N86-31552	#
AD-A163483	p 189	N86-15518	#	AD-A166916	p 705	N86-30715	#	AD-D012276	p 850	N86-31860	#
AD-A163494	p 518	N86-24821	#	AD-A166967	p 743	N86-30890	#	AD-D012295	p 851	N86-32746	#
AD-A163542	p 497	N86-24688	#	AD-A166976	p 719	N86-30729	#				
AD-A163561	p 524	N86-24883	#	AD-A166981	p 744	N86-30907	#	AD-E301723	p 113	N86-12241	#
AD-A163609	p 540	N86-26283	#	AD-A166991	p 744	N86-30908	#	AD-E301723	p 130	N86-13220	#
AD-A163635	p 533	N86-26074	#	AD-A167002	p 420	N86-22580	#	AD-E401390	p 182	N86-14282	#
AD-A163692	p 479	N86-24668	#	AD-A167004	p 340	N86-20362	#	AD-E440298	p 324	N86-18912	#
AD-A163722	p 486	N86-24681	#	AD-A167086	p 745	N86-31010	#	AD-E500724	p 175	N86-15316	#
AD-A163736	p 479	N86-24669	#	AD-A167113	p 807	N86-31569	#	AD-E750871	p 704	N86-29805	#
AD-A163828	p 532	N86-25149	#	AD-A167149	p 763	N86-31529	#	AD-E750890	p 483	N86-24674	#
AD-A163829	p 525	N86-24997	#	AD-A167342	p 701	N86-30705	#	AD-E801193	p 330	N86-20006	#
AD-A163844	p 533	N86-25151	#	AD-A167356	p 807	N86-31570	#	AD-E801242	p 470	N86-24457	#
AD-A163877	p 512	N86-24705	#	AD-A167400	p 856	N86-32249	#	AD-E900455	p 107	N86-12231	#
AD-A163962	p 480	N86-24670	#	AD-A167443	p 807	N86-31571	#	AD-E900488	p 87	N86-12210	#
AD-A164011	p 530	N86-25113	#	AD-A167444	p 807	N86-31572	#				
AD-A164017	p 512	N86-24708	#	AD-A167445	p 807	N86-31573	#	AD-F250300	p 195	N86-15205	#
AD-A164035	p 524	N86-24897	#	AD-A167446	p 620	N86-27972	#	AD-F250300	p 189	N86-15528	#
AD-A164050	p 533	N86-26030	#	AD-A167575	p 808	N86-31574	#	AD-F303692	p 168	N86-15306	#
AD-A164084	p 84	N86-14453	#	AD-A167717	p 781	N86-31539	#	AD-F303692	p 168	N86-15307	#
AD-A164104	p 497	N86-24680	#	AD-A167719	p 808	N86-31575	#	AD-F303692	p 169	N86-15308	#
AD-A164108	p 512	N86-24707	#	AD-A167727	p 836	N86-31592	#	AD-F303692	p 169	N86-15309	#
AD-A164108	p 512	N86-25384	#	AD-A167774	p 786	N86-31549	#	AD-F303715	p 603	N86-26384	#
AD-A164111	p 512	N86-24708	#	AD-A167780	p 789	N86-31554	#				
AD-A164172	p 483	N86-24874	#	AD-A167811	p 840	N86-31598	#	AD-TR-85-54-VOL-1	p 425	N86-23583	#
AD-A164196	p 537	N86-25300	#	AD-A167867	p 789	N86-31555	#				
AD-A164209	p 533	N86-25174	#	AD-A167977	p 840	N86-31602	#	AEDC-TR-85-16	p 124	N86-13756	#
AD-A164225	p 514	N86-25385	#	AD-A167988	p 789	N86-31558	#	AEDC-TR-85-30-VOL-1	p 437	N86-23595	#
AD-A164247	p 84	N86-14455	#	AD-A168237	p 343	N86-20378	#	AEDC-TR-85-39	p 116	N86-12272	#
AD-A164267	p 84	N86-14457	#	AD-A168282	p 528	N86-25079	#	AEDC-TR-86-2	p 701	N86-30704	#
AD-A164279	p 97	N86-14458	#	AD-A168555	p 809	N86-32428	#	AEDC-TR-86-4	p 599	N86-27295	#
AD-A164316	p 83	N86-14451	#	AD-A168846	p 787	N86-32416	#				
AD-A164322	p 480	N86-25329	#	AD-A995286	p 357	N86-21536	#	AEDC-TSR-85-P17	p 698	N86-30700	#
AD-A164367	p 497	N86-25339	#					AEDC-TSR-85-V16	p 255	N86-16521	#
AD-A164419	p 425	N86-30498	#	AD-B094170L	p 232	N86-17352	#				
AD-A164516	p 498	N86-25340	#	AD-B094263L	p 284	N86-18056	#	AEL-0242-TM	p 178	N86-15318	#
AD-A164532	p 604	N86-27481	#	AD-B094265L	p 227	N86-17343	#				
AD-A164552	p 616	N86-26715	#	AD-B094268L	p 267	N86-18252	#	AEROCHEM-TP-451	p 185	N86-15416	#
AD-A164562	p 592	N86-26338	#	AD-B094318L	p 159	N86-14263	#				
AD-A164577	p 598	N86-26344	#	AD-B094351L	p 216	N86-17334	#	AFAMRL-TR-85-004	p 126	N86-12973	#
AD-A164629	p 555	N86-26291	#	AD-B094470L	p 228	N86-17348	#	AFAMRL-TR-85-056	p 333	N86-20094	#
AD-A164656	p 735	N86-30838	#	AD-B094615L	p 258	N86-17774	#				
AD-A164688	p 206	N86-18191	#	AD-B094707L	p 227	N86-17342	#	AFATL-TR-85-37	p 470	N86-24457	#
AD-A164719	p 611	N86-26603	#	AD-B094791L	p 258	N86-17700	#	AFATL-TR-85-53	p 330	N86-20006	#
AD-A164720	p 539	N86-26278	#	AD-B094840L	p 211	N86-17320	#				
AD-A164727	p 539	N86-26279	#	AD-B094851L	p 208	N86-18204	#	AFESC/ESL-TR-84-42	p 599	N86-27293	#
AD-A164810	p 201	N86-19833	#	AD-B094864L	p 258	N86-17699	#	AFESC/ESL-TR-84-59	p 113	N86-13339	#
AD-A164822	p 540	N86-26280	#	AD-B094895L	p 212	N86-17321	#	AFESC/ESL-TR-84-61	p 107	N86-12230	#
AD-A164828	p 569	N86-26298	#	AD-B094910L	p 226	N86-18211	#	AFESC/ESL-TR-85-13	p 185	N86-15415	#
AD-A164864	p 599	N86-26346	#	AD-B094991L	p 266	N86-18131	#	AFESC/ESL-TR-85-14	p 616	N86-26715	#
AD-A164880	p 599	N86-27293	#	AD-B095056L	p 215	N86-17325	#	AFESC/ESL-TR-85-41	p 616	N86-26714	#
AD-A164907	p 573	N86-26315	#	AD-B095199L	p 228	N86-17349	#	AFESC/ESL-TR-85-46	p 599	N86-27294	#
AD-A164940	p 540	N86-26281	#	AD-B095233L	p 259	N86-17809	#				
AD-A164955	p 604	N86-26448	#	AD-B095245L	p 228	N86-17347	#	AFFDL-TR-75-89-REV-2	p 169	N86-15310	#
AD-A165045	p 560	N86-27224	#	AD-B095846L	p 308	N86-19326	#				
AD-A165055	p 599	N86-27294	#	AD-B095849L	p 295	N86-19319	#	AFFTC-TR-85-19	p 104	N86-12221	#
AD-A165073	p 575	N86-27273	#	AD-B096125L	p 325	N86-19808	#				
AD-A165115	p 612	N86-27471	#	AD-B096126L	p 295	N86-19318	#	AFGL-ERP-905	p 325	N86-18924	#
AD-A165235	p 599	N86-27295	#	AD-B097129L	p 216	N86-17333	#	AFGL-ERP-909	p 325	N86-18923	#
AD-A165289	p 603	N86-26384	#	AD-B098092L	p 603	N86-26429	#	AFGL-ERP-914	p 325	N86-18921	#
AD-A165388	p 587	N86-26334	#	AD-B098524L	p 633	N86-28928	#	AFGL-ERP-917	p 463	N86-24100	#
AD-A165483	p 589	N86-26299	#	AD-B098536L	p 683	N86-29636	#				
AD-A165588	p 540	N86-26282	#	AD-B098551L	p 283	N86-19305	#	AFGL-TR-85-0012	p 325	N86-18924	#
AD-A165603	p 673	N86-28266	#	AD-B098564L	p 682	N86-28673	#	AFGL-TR-85-0049	p 325	N86-18923	#
AD-A165671	p 657	N86-28962	#	AD-B098660L	p 611	N86-26661	#	AFGL-TR-85-0100	p 325	N86-18921	#
AD-A165726	p 612	N86-27468	#	AD-B098661L	p 618	N86-27018	#	AFGL-TR-85-0121	p 463	N86-24100	#
AD-A165808	p 664	N86-28168	#	AD-B098691L	p 555	N86-26293	#				
AD-A165846	p 640	N86-28080	#	AD-B098995L	p 641	N86-28943	#	AFHRL-TP-85-18	p 126	N86-13890	#
AD-A165891	p 727	N86-29869	#	AD-B099926L	p 611	N86-28662	#	AFHRL-TP-85-20	p 388	N86-20658	#
AD-A165897	p 676	N86-29119	#					AFHRL-TP-85-27	p 181	N86-14279	#
AD-A166013	p 622	N86-28906	#	AD-D011762	p 107	N86-12228	#	AFHRL-TP-85-28	p 311	N86-18333	#
AD-A166188	p 694	N86-29778	#	AD-D011793	p 107	N86-12225	#	AFHRL-TP-85-43	p 598	N86-26344	#
AD-A166194	p 687	N86-29763	#	AD-D011794	p 99	N86-12217	#				
AD-A166229	p 717	N86-30724	#	AD-D011851	p 107	N86-12232	#	AFHRL-TR-84-60	p 439	N86-23596	#
AD-A166286	p 694	N86-29782	#	AD-D011853	p 123	N86-12585	#				
AD-A166296	p 783	N86-31528	#	AD-D011858	p 181	N86-15671	#	AFIT/CI/NR-85-101T	p 321	N86-18599	#
AD-A166307	p 742	N86-30128	#	AD-D011876	p 91	N86-13307	#	AFIT/CI/NR-85-61T	p 178	N86-15321	#

## REPORT NUMBER INDEX

## AIAA PAPER 86-0736

AFIT/CI/NR-85-85T	p 533	N86-25169	#	AFWAL-TR-85-3000	p 402	N86-22443	#	AIAA PAPER 86-0012	p 198	A86-19635	#
AFIT/CI/NR-85-87T	p 175	N86-15315	#	AFWAL-TR-85-3050-PT-1	p 379	N86-21662	#	AIAA PAPER 86-0020	p 230	A86-19636	#
AFIT/CI/NR-85-93T	p 181	N86-15324	#	AFWAL-TR-85-3052	p 324	N86-18909	#	AIAA PAPER 86-0021	p 213	A86-19637	#
AFIT/CI/NR-86-27T	p 719	N86-29617	#	AFWAL-TR-85-3055	p 442	N86-23599	#	AIAA PAPER 86-0077	p 219	A86-19674	#
AFIT/CI/NR-86-53T	p 807	N86-31569	#	AFWAL-TR-85-3093	p 533	N86-26074	#	AIAA PAPER 86-0079	p 198	A86-19676	#
AFIT/CI/NR-86-56T	p 836	N86-31592	#	AFWAL-TR-85-3102	p 727	N86-29689	#	AIAA PAPER 86-0080	p 232	A86-19677	#
AFIT/DS/PH/84-3	p 587	N86-26332	#	AFWAL-TR-85-3116-VOL-1	p 700	N86-29796	#	AIAA PAPER 86-0081	p 232	A86-19678	#
AFIT/GAE/AA/85D-13	p 497	N86-24690	#	AFWAL-TR-85-3118-VOL-2	p 700	N86-29799	#	AIAA PAPER 86-0109	p 199	A86-19683	#
AFIT/GAE/AA/85D-14	p 512	N86-24705	#	AFWAL-TR-85-4045	p 293	N86-18318	#	AIAA PAPER 86-0112	p 199	A86-19686	#
AFIT/GAE/AA/85D-4	p 480	N86-25329	#	AFWAL-TR-85-4093	p 665	N86-29028	#	AIAA PAPER 86-0116	p 199	A86-19687	#
AFIT/GAE/AA/85D-6	p 587	N86-26334	#	AFWAL-TR-85-4096	p 518	N86-24821	#	AIAA PAPER 86-0117	p 199	A86-19688	#
AFIT/GAE/AA/85J-2	p 497	N86-25339	#	AFWAL-TR-85-4110	p 442	N86-23601	#	AIAA PAPER 86-0118	p 199	A86-19689	#
AFIT/GAE/AA/85J-3	p 480	N86-24670	#	AFWAL-TR-85-4124	p 735	N86-30638	#	AIAA PAPER 86-0119	p 199	A86-19700	#
AFIT/GAE/ENG/85D-1	p 512	N86-24706	#	AFWAL-TR-85-4138	p 603	N86-26384	#	AIAA PAPER 86-0122	p 199	A86-19702	#
AFIT/GCS/MA/85D-3	p 533	N86-26030	#	AFWAL-TR-86-2000	p 758	N86-31454	#	AIAA PAPER 86-0123	p 241	A86-19703	#
AFIT/GCS/MA/85D-6	p 533	N86-25151	#	AGARD-83-3041	p 362	N86-20406	#	AIAA PAPER 86-0158	p 236	A86-22679	#
AFIT/GCS/MA/85J-2	p 192	N86-14982	#	AGARD-AG-160-VOL-17	p 719	N86-29616	#	AIAA PAPER 86-0159	p 503	A86-37079	#
AFIT/GE/EE/85D-38	p 512	N86-24706	#	AGARD-AG-278-VOL-1	p 248	N86-16374	#	AIAA PAPER 86-0160	p 248	A86-19970	#
AFIT/GE/ENG/85D-10	p 533	N86-25174	#	AGARD-AG-280	p 678	N86-29173	#	AIAA PAPER 86-0166	p 241	A86-19727	#
AFIT/GE/ENG/85D-1	p 498	N86-25340	#	AGARD-AG-300-VOL-4	p 744	N86-30931	#	AIAA PAPER 86-0167	p 237	A86-19728	#
AFIT/GE/ENG/85D-21	p 512	N86-25384	#	AGARD-AG-300-VOL-5	p 717	N86-30727	#	AIAA PAPER 86-0168	p 238	A86-19729	#
AFIT/GE/ENG/85D-53	p 532	N86-25149	#	AGARD-AR-182(FR)	p 503	N86-24692	#	AIAA PAPER 86-0169	p 200	A86-19730	#
AFIT/GE/ENG/85D-7	p 525	N86-24967	#	AGARD-AR-211	p 153	N86-15256	#	AIAA PAPER 86-0170	p 200	A86-19731	#
AFIT/GE/ENG/85S-1	p 524	N86-24897	#	AGARD-AR-213	p 279	N86-18296	#	AIAA PAPER 86-0180	p 213	A86-19737	#
AFIT/GLM/LSM/85S-1	p 281	N86-18308	#	AGARD-AR-222	p 555	N86-27182	#	AIAA PAPER 86-0203	p 254	A86-22681	#
AFIT/GLM/LSM/85S-59	p 336	N86-21500	#	AGARD-AR-226	p 782	N86-32406	#	AIAA PAPER 86-0212	p 200	A86-19753	#
AFIT/GLM/LSM/85S-79	p 402	N86-22441	#	AGARD-AR-227	p 379	N86-20580	#	AIAA PAPER 86-0240	p 230	A86-19764	#
AFIT/GLM/LSP/85S-44	p 321	N86-18630	#	AGARD-CP-374-ADD-1	p 279	N86-18299	#	AIAA PAPER 86-0242	p 254	A86-22684	#
AFIT/GNE/PH/85M-4	p 101	N86-13327	#	AGARD-CP-380	p 674	N86-26337	#	AIAA PAPER 86-0255	p 200	A86-19774	#
AFIT/GOR/OS/85D-3	p 763	N86-31529	#	AGARD-CP-386	p 580	N86-27224	#	AIAA PAPER 86-0279	p 200	A86-19789	#
AFIT/GSM/ENS/85S-32	p 282	N86-18312	#	AGARD-CP-387	p 573	N86-26316	#	AIAA PAPER 86-0281	p 264	A86-19790	#
AFIT/GSM/LSQ/85S-23	p 470	N86-24580	#	AGARD-CP-393	p 508	N86-25360	#	AIAA PAPER 86-0291	p 241	A86-22687	#
AFIT/GSM/LSY/85S-11	p 361	N86-20388	#	AGARD-CP-394	p 677	N86-29236	#	AIAA PAPER 86-0307	p 254	A86-22690	#
AFIT/GSM/LSY/85S-28	p 470	N86-24584	#	AGARD-LS-143	p 369	N86-20399	#	AIAA PAPER 86-0310	p 206	A86-22692	#
AFIT/GSM/LSY/85S-29	p 333	N86-20165	#	AGARD-LS-144	p 702	N86-30708	#	AIAA PAPER 86-0312	p 206	A86-22693	#
AFIT/GSM/LSY/85S-8	p 364	N86-21547	#	AGARD-R-723-ADD-1	p 558	N86-27187	#	AIAA PAPER 86-0314	p 200	A86-19807	#
AFIT/GSM/XPX/85S-24	p 463	N86-24221	#	AGARD-R-723	p 155	N86-15296	#	AIAA PAPER 86-0315	p 201	A86-19808	#
AFOSR-85-0694TR	p 153	N86-15250	#	AGARD-R-725	p 613	N86-27678	#	AIAA PAPER 86-0316	p 201	A86-19809	#
AFOSR-85-0905TR-VOL-2	p 480	N86-23752	#	AGARD-R-726	p 717	N86-30726	#	AIAA PAPER 86-0317	p 201	A86-19810	#
AFOSR-85-1058TR	p 462	N86-23997	#	AGARD-R-728	p 729	N86-30741	#	AIAA PAPER 86-0323	p 213	A86-19813	#
AFOSR-85-1061TR	p 417	N86-23572	#	AGARD-R-729	p 604	N86-27425	#	AIAA PAPER 86-0324	p 213	A86-19814	#
AFOSR-85-1082TR	p 417	N86-23573	#	AGARD-R-737	p 702	N86-30709	#	AIAA PAPER 86-0327	p 214	A86-19815	#
AFOSR-85-1089TR	p 417	N86-23571	#	AGARD-R-738	p 729	N86-30739	#	AIAA PAPER 86-0329	p 259	A86-19816	#
AFOSR-85-1165TR	p 467	N86-24354	#	AGARD-722-PAPER-1	p 113	N86-12238	#	AIAA PAPER 86-0330	p 201	A86-19817	#
AFOSR-85-1229TR	p 514	N86-25365	#	AI-TR-269	p 652	N86-26090	#	AIAA PAPER 86-0331	p 238	A86-19818	#
AFOSR-85-1242TR	p 745	N86-31010	#	AI/TE3-384/82-ISSUE-2	p 451	N86-22648	#	AIAA PAPER 86-0333	p 238	A86-19819	#
AFOSR-86-0056TR	p 694	N86-29778	#	AIAA PAPER 80-2018	p 826	A86-47653	#	AIAA PAPER 86-0334	p 238	A86-19820	#
AFOSR-86-0096TR	p 694	N86-29782	#	AIAA PAPER 84-0050	p 270	A86-23126	#	AIAA PAPER 86-0335	p 262	A86-19821	#
AFSR-2	p 734	N86-30812	#	AIAA PAPER 84-0109	p 90	A86-14427	#	AIAA PAPER 86-0336	p 204	A86-19822	#
AFSR-3	p 184	N86-14317	#	AIAA PAPER 84-0972	p 670	A86-41714	#	AIAA PAPER 86-0354	p 201	A86-19833	#
AFWAL-TR-82-2022	p 717	N86-30725	#	AIAA PAPER 84-0982	p 220	A86-20155	#	AIAA PAPER 86-0390	p 219	A86-19851	#
AFWAL-TR-84-2030	p 107	N86-12229	#	AIAA PAPER 84-1205	p 233	A86-20369	#	AIAA PAPER 86-0392	p 233	A86-19853	#
AFWAL-TR-84-2065	p 125	N86-13832	#	AIAA PAPER 84-2168	p 410	A86-32959	#	AIAA PAPER 86-0393	p 265	A86-22699	#
AFWAL-TR-84-2109	p 237	N86-16222	#	AIAA PAPER 84-2190	p 221	A86-20157	#	AIAA PAPER 86-0396	p 201	A86-19855	#
AFWAL-TR-84-3000	p 402	N86-22443	#	AIAA PAPER 85-0212	p 637	A86-40106	#	AIAA PAPER 86-0398	p 365	A86-26629	#
AFWAL-TR-84-3035	p 158	N86-14259	#	AIAA PAPER 85-0370	p 337	A86-27669	#	AIAA PAPER 86-0409	p 254	A86-22700	#
AFWAL-TR-84-3084	p 417	N86-23570	#	AIAA PAPER 85-0496	p 243	A86-20244	#	AIAA PAPER 86-0410	p 214	A86-19860	#
AFWAL-TR-84-3104	p 188	N86-14615	#	AIAA PAPER 85-0690	p 708	A86-44866	#	AIAA PAPER 86-0423	p 283	A86-19865	#
AFWAL-TR-84-3109	p 110	N86-12235	#	AIAA PAPER 85-1262	p 112	A86-14480	#	AIAA PAPER 86-0426	p 219	A86-19868	#
AFWAL-TR-84-3117-VOL-1	p 192	N86-14960	#	AIAA PAPER 85-1354	p 106	A86-14430	#	AIAA PAPER 86-0428	p 201	A86-19870	#
AFWAL-TR-84-3117-VOL-2	p 179	N86-15322	#	AIAA PAPER 85-1405	p 720	A86-45375	#	AIAA PAPER 86-0429	p 202	A86-19871	#
AFWAL-TR-84-3117-VOL-4	p 111	N86-13335	#	AIAA PAPER 85-1589	p 173	A86-17843	#	AIAA PAPER 86-0431	p 202	A86-19873	#
AFWAL-TR-85-1041-VOL-1	p 104	N86-12222	#	AIAA PAPER 85-1669	p 143	A86-17826	#	AIAA PAPER 86-0439	p 202	A86-19880	#
AFWAL-TR-85-1041-VOL-2	p 104	N86-12223	#	AIAA PAPER 85-1686	p 143	A86-17836	#	AIAA PAPER 86-0440	p 206	A86-22701	#
AFWAL-TR-85-2000	p 758	N86-31454	#	AIAA PAPER 85-1686	p 143	A86-17845	#	AIAA PAPER 86-0485	p 233	A86-19886	#
AFWAL-TR-85-2013	p 452	N86-22724	#	AIAA PAPER 85-1705	p 144	A86-17847	#	AIAA PAPER 86-0487	p 856	A86-49566	#
AFWAL-TR-85-2043	p 622	N86-28906	#	AIAA PAPER 85-1712	p 144	A86-17849	#	AIAA PAPER 86-0473	p 202	A86-19892	#
AFWAL-TR-85-2045	p 379	N86-21707	#	AIAA PAPER 85-1978	p 725	A86-46454	#	AIAA PAPER 86-0474	p 202	A86-19893	#
AFWAL-TR-85-2049	p 604	N86-27461	#	AIAA PAPER 85-3061	p 173	A86-17829	#	AIAA PAPER 86-0475	p 206	A86-22702	#
AFWAL-TR-85-2051	p 378	N86-20522	#	AIAA PAPER 85-3072	p 83	A86-14432	#	AIAA PAPER 86-0478	p 219	A86-19894	#
AFWAL-TR-85-2054	p 518	N86-24781	#	AIAA PAPER 85-3089	p 103	A86-14433	#	AIAA PAPER 86-0477	p 255	A86-22703	#
AFWAL-TR-85-2057	p 344	N86-21528	#	AIAA PAPER 85-3095	p 127	A86-14434	#	AIAA PAPER 86-0478	p 233	A86-19895	#
AFWAL-TR-85-2060-VOL-1	p 807	N86-31571	#	AIAA PAPER 85-4013	p 97	A86-14436	#	AIAA PAPER 86-0481	p 343	A86-26640	#
AFWAL-TR-85-2060-VOL-2-PT-2	p 807	N86-31572	#	AIAA PAPER 85-4048	p 192	A86-17830	#	AIAA PAPER 86-0484	p 202	A86-19897	#
AFWAL-TR-85-2060-VOL-2-PT-1	p 807	N86-31570	#	AIAA PAPER 85-4053	p 83	A86-14451	#	AIAA PAPER 86-0490	p 365	A86-26642	#
AFWAL-TR-85-2060-VOL-3-PT-2	p 807	N86-31573	#	AIAA PAPER 85-4064	p 84	A86-14452	#	AIAA PAPER 86-0491	p 238	A86-19902	#
AFWAL-TR-85-2072	p 497	N86-24688	#	AIAA PAPER 85-4078	p 84	A86-14453	#	AIAA PAPER 86-0492	p 219	A86-19903	#
AFWAL-TR-85-2077	p 735	N86-30821	#	AIAA PAPER 85-4087	p 84	A86-14454	#	AIAA PAPER 86-0493	p 238	A86-19904	#
				AIAA PAPER 85-5010	p 84	A86-14455	#	AIAA PAPER 86-0498	p 239	A86-19905	#
				AIAA PAPER 85-5012	p 84	A86-14456	#	AIAA PAPER 86-0507	p 203	A86-19908	#
				AIAA PAPER 85-5013	p 84	A86-14457	#	AIAA PAPER 86-0508	p 206	A86-22704	#
				AIAA PAPER 85-5015	p 97	A86-14458	#	AIAA PAPER 86-0513	p 203	A86-19922	#
				AIAA PAPER 86-0001	p 363	A86-26601	#	AIAA PAPER 86-0525	p 243	A86-19929	#
				AIAA PAPER 86-0008	p 198	A86-19631	#	AIAA PAPER 86-0545	p 220	A86-19940	#
				AIAA PAPER 86-0009	p 219	A86-19632	#	AIAA PAPER 86-0546	p 352	A86-26647	#
				AIAA PAPER 86-0010	p 198	A86-19633	#	AIAA PAPER 86-0547	p 220	A86-19941	#
								AIAA PAPER 86-0580	p 203	A86-19949	#
								AIAA PAPER 86-0582	p 203	A86-19951	#
								AIAA PAPER 86-0573	p 247	A86-22706	#
								AIAA PAPER 86-0586	p 203	A86-19964	#
								AIAA PAPER 86-0587	p 233	A86-19965	#
								AIAA PAPER 86-0590	p 203	A86-19966	#
								AIAA PAPER 86-0602	p 351	A86-29578	#
								AIAA PAPER 86-072			

AIAA PAPER 86-0738	p 273	A86-24732	#	AIAA PAPER 86-1473	p 656	A86-42661	#	AIAA PAPER 86-1824	p 545	A86-37840	#
AIAA PAPER 86-0750	p 309	A86-24739	#	AIAA PAPER 86-1474	p 645	A86-42662	#	AIAA PAPER 86-1826	p 545	A86-37841	#
AIAA PAPER 86-0751	p 309	A86-24740	#	AIAA PAPER 86-1479	p 663	A86-42665	#	AIAA PAPER 86-1828	p 545	A86-37842	#
AIAA PAPER 86-0753	p 309	A86-24742	#	AIAA PAPER 86-1496	p 648	A86-42672	#	AIAA PAPER 86-1829	p 779	A86-49588	#
AIAA PAPER 86-0759	p 514	A86-37090	#	AIAA PAPER 86-1519	p 625	A86-42686	#	AIAA PAPER 86-1830	p 577	A86-37843	#
AIAA PAPER 86-0760	p 309	A86-24746	#	AIAA PAPER 86-1520	p 625	A86-42687	#	AIAA PAPER 86-1831	p 779	A86-49589	#
AIAA PAPER 86-0768	p 523	A86-37091	#	AIAA PAPER 86-1521	p 625	A86-42688	#	AIAA PAPER 86-1832	p 779	A86-49590	#
AIAA PAPER 86-0776	p 310	A86-24765	#	AIAA PAPER 86-1523	p 625	A86-42689	#	AIAA PAPER 86-1834	p 779	A86-49591	#
AIAA PAPER 86-0777	p 310	A86-24756	#	AIAA PAPER 86-1527	p 627	A86-42780	#	AIAA PAPER 86-1836	p 548	A86-37848	#
AIAA PAPER 86-0780	p 286	A86-24759	#	AIAA PAPER 86-1530	p 648	A86-42694	#	AIAA PAPER 86-1837	p 779	A86-49592	#
AIAA PAPER 86-0781	p 273	A86-24760	#	AIAA PAPER 86-1536	p 648	A86-42696	#	AIAA PAPER 86-1838	p 779	A86-49593	#
AIAA PAPER 86-0844	p 590	A86-38892	#	AIAA PAPER 86-1537	p 671	A86-42699	#	AIAA PAPER 86-1839	p 548	A86-37847	#
AIAA PAPER 86-0845	p 584	A86-38893	#	AIAA PAPER 86-1538	p 626	A86-42700	#	AIAA PAPER 86-1840	p 548	A86-37848	#
AIAA PAPER 86-0846	p 591	A86-38894	#	AIAA PAPER 86-1539	p 648	A86-42701	#	AIAA PAPER 86-1854	p 753	A86-45476	#
AIAA PAPER 86-0856	p 618	A86-38897	#	AIAA PAPER 86-1543	p 648	A86-42702	#	AIAA PAPER 86-1855	p 753	A86-45477	#
AIAA PAPER 86-0862	p 552	A86-38897	#	AIAA PAPER 86-1544	p 648	A86-42703	#	AIAA PAPER 86-1856	p 753	A86-45478	#
AIAA PAPER 86-0863	p 552	A86-38898	#	AIAA PAPER 86-1545	p 638	A86-42704	#	AIAA PAPER 86-1857	p 754	A86-45479	#
AIAA PAPER 86-0865	p 552	A86-38900	#	AIAA PAPER 86-1549	p 626	A86-42706	#	AIAA PAPER 86-1858	p 858	A86-49575	#
AIAA PAPER 86-0866	p 553	A86-38901	#	AIAA PAPER 86-1551	p 647	A86-42708	#	AIAA PAPER 86-1861	p 754	A86-45481	#
AIAA PAPER 86-0867	p 585	A86-38902	#	AIAA PAPER 86-1552	p 626	A86-42709	#	AIAA PAPER 86-1862	p 754	A86-45482	#
AIAA PAPER 86-0890	p 603	A86-38822	#	AIAA PAPER 86-1553	p 647	A86-42710	#	AIAA PAPER 86-1863	p 711	A86-45483	#
AIAA PAPER 86-0897	p 585	A86-38950	#	AIAA PAPER 86-1559	p 663	A86-42712	#	AIAA PAPER 86-1864	p 754	A86-45484	#
AIAA PAPER 86-0899	p 585	A86-38910	#	AIAA PAPER 86-1595	p 647	A86-42737	#	AIAA PAPER 86-1865	p 691	A86-45485	#
AIAA PAPER 86-0901	p 553	A86-38912	#	AIAA PAPER 86-1599	p 626	A86-42740	#	AIAA PAPER 86-1866	p 754	A86-45486	#
AIAA PAPER 86-0902	p 553	A86-38913	#	AIAA PAPER 86-1609	p 671	A86-42749	#	AIAA PAPER 86-1867	p 754	A86-45487	#
AIAA PAPER 86-0921	p 608	A86-38831	#	AIAA PAPER 86-1611	p 618	A86-49614	#	AIAA PAPER 86-1869	p 755	A86-45489	#
AIAA PAPER 86-0923	p 608	A86-38833	#	AIAA PAPER 86-1613	p 647	A86-42751	#	AIAA PAPER 86-1870	p 739	A86-45490	#
AIAA PAPER 86-0935	p 591	A86-38927	#	AIAA PAPER 86-1615	p 626	A86-42753	#	AIAA PAPER 86-1871	p 755	A86-45491	#
AIAA PAPER 86-0939	p 583	A86-38836	#	AIAA PAPER 86-1621	p 647	A86-42755	#	AIAA PAPER 86-1872	p 755	A86-45492	#
AIAA PAPER 86-0940	p 583	A86-38837	#	AIAA PAPER 86-1622	p 626	A86-42756	#	AIAA PAPER 86-1873	p 755	A86-45493	#
AIAA PAPER 86-0941	p 849	A86-49572	#	AIAA PAPER 86-1623	p 647	A86-42757	#	AIAA PAPER 86-1877	p 691	A86-45494	#
AIAA PAPER 86-0944	p 585	A86-38952	#	AIAA PAPER 86-1624	p 647	A86-42758	#	AIAA PAPER 86-1887	p 755	A86-45500	#
AIAA PAPER 86-0946	p 583	A86-38840	#	AIAA PAPER 86-1626	p 648	A86-42759	#	AIAA PAPER 86-1888	p 755	A86-45501	#
AIAA PAPER 86-0947	p 603	A86-38841	#	AIAA PAPER 86-1628	p 627	A86-42761	#	AIAA PAPER 86-1891	p 756	A86-45503	#
AIAA PAPER 86-0952	p 600	A86-38845	#	AIAA PAPER 86-1629	p 627	A86-42762	#	AIAA PAPER 86-1892	p 721	A86-45504	#
AIAA PAPER 86-0953	p 584	A86-38846	#	AIAA PAPER 86-1647	p 656	A86-42769	#	AIAA PAPER 86-1893	p 780	A86-49625	#
AIAA PAPER 86-0956	p 584	A86-38930	#	AIAA PAPER 86-1648	p 672	A86-42770	#	AIAA PAPER 86-1894	p 756	A86-45505	#
AIAA PAPER 86-0957	p 585	A86-38931	#	AIAA PAPER 86-1668	p 672	A86-42781	#	AIAA PAPER 86-1897	p 756	A86-45507	#
AIAA PAPER 86-0960	p 594	A86-38932	#	AIAA PAPER 86-1669	p 684	A86-42782	#	AIAA PAPER 86-1900	p 750	A86-45401	#
AIAA PAPER 86-0962	p 609	A86-38934	#	AIAA PAPER 86-1670	p 684	A86-42783	#	AIAA PAPER 86-1901	p 750	A86-45402	#
AIAA PAPER 86-0971	p 584	A86-38851	#	AIAA PAPER 86-1671	p 648	A86-42784	#	AIAA PAPER 86-1902	p 750	A86-45403	#
AIAA PAPER 86-0973	p 608	A86-38853	#	AIAA PAPER 86-1674	p 652	A86-42785	#	AIAA PAPER 86-1903	p 750	A86-45404	#
AIAA PAPER 86-0978	p 609	A86-38857	#	AIAA PAPER 86-1675	p 648	A86-42786	#	AIAA PAPER 86-1904	p 750	A86-45405	#
AIAA PAPER 86-0981	p 603	A86-38859	#	AIAA PAPER 86-1676	p 648	A86-42787	#	AIAA PAPER 86-1905	p 710	A86-45406	#
AIAA PAPER 86-0983	p 584	A86-38861	#	AIAA PAPER 86-1677	p 648	A86-42788	#	AIAA PAPER 86-1906	p 710	A86-45407	#
AIAA PAPER 86-0989	p 584	A86-38865	#	AIAA PAPER 86-1678	p 648	A86-42789	#	AIAA PAPER 86-1907	p 750	A86-45408	#
AIAA PAPER 86-0997	p 777	A86-49573	#	AIAA PAPER 86-1679	p 649	A86-42790	#	AIAA PAPER 86-1914	p 690	A86-45410	#
AIAA PAPER 86-1004	p 609	A86-38945	#	AIAA PAPER 86-1682	p 649	A86-42792	#	AIAA PAPER 86-1915	p 690	A86-45411	#
AIAA PAPER 86-1005	p 584	A86-38946	#	AIAA PAPER 86-1726	p 656	A86-42814	#	AIAA PAPER 86-1918	p 691	A86-45413	#
AIAA PAPER 86-1006	p 585	A86-38947	#	AIAA PAPER 86-1731	p 649	A86-42818	#	AIAA PAPER 86-1926	p 750	A86-45417	#
AIAA PAPER 86-1007	p 553	A86-38948	#	AIAA PAPER 86-1732	p 656	A86-42819	#	AIAA PAPER 86-1927	p 751	A86-45418	#
AIAA PAPER 86-1008	p 591	A86-38949	#	AIAA PAPER 86-1744	p 627	A86-42822	#	AIAA PAPER 86-1928	p 751	A86-45419	#
AIAA PAPER 86-1011	p 584	A86-38969	#	AIAA PAPER 86-1745	p 649	A86-42823	#	AIAA PAPER 86-1929	p 751	A86-45420	#
AIAA PAPER 86-1019	p 609	A86-38876	#	AIAA PAPER 86-1746	p 627	A86-42824	#	AIAA PAPER 86-1931	p 751	A86-45421	#
AIAA PAPER 86-1021	p 609	A86-38878	#	AIAA PAPER 86-1747	p 627	A86-42825	#	AIAA PAPER 86-1933	p 738	A86-45422	#
AIAA PAPER 86-1025	p 552	A86-38880	#	AIAA PAPER 86-1752	p 649	A86-42826	#	AIAA PAPER 86-1938	p 730	A86-45425	#
AIAA PAPER 86-1038	p 548	A86-38412	#	AIAA PAPER 86-1754	p 684	A86-42827	#	AIAA PAPER 86-1939	p 711	A86-45426	#
AIAA PAPER 86-1049	p 548	A86-38420	#	AIAA PAPER 86-1756	p 638	A86-42829	#	AIAA PAPER 86-1940	p 711	A86-45427	#
AIAA PAPER 86-1065	p 548	A86-38433	#	AIAA PAPER 86-1757	p 649	A86-42830	#	AIAA PAPER 86-1941	p 691	A86-45428	#
AIAA PAPER 86-1069	p 548	A86-38436	#	AIAA PAPER 86-1764	p 541	A86-37802	#	AIAA PAPER 86-1943	p 751	A86-45430	#
AIAA PAPER 86-1071	p 549	A86-38437	#	AIAA PAPER 86-1765	p 542	A86-37803	#	AIAA PAPER 86-1944	p 751	A86-45431	#
AIAA PAPER 86-1073	p 549	A86-38439	#	AIAA PAPER 86-1766	p 542	A86-37804	#	AIAA PAPER 86-1945	p 752	A86-45432	#
AIAA PAPER 86-1080	p 549	A86-38443	#	AIAA PAPER 86-1767	p 542	A86-37805	#	AIAA PAPER 86-1946	p 752	A86-45433	#
AIAA PAPER 86-1081	p 549	A86-38444	#	AIAA PAPER 86-1768	p 777	A86-49576	#	AIAA PAPER 86-1947	p 752	A86-45434	#
AIAA PAPER 86-1082	p 549	A86-38445	#	AIAA PAPER 86-1769	p 542	A86-37806	#	AIAA PAPER 86-1948	p 752	A86-45435	#
AIAA PAPER 86-1084	p 549	A86-38446	#	AIAA PAPER 86-1770	p 577	A86-37807	#	AIAA PAPER 86-1951	p 739	A86-45437	#
AIAA PAPER 86-1085	p 550	A86-38447	#	AIAA PAPER 86-1771	p 777	A86-49577	#	AIAA PAPER 86-1957	p 711	A86-45442	#
AIAA PAPER 86-1086	p 550	A86-38448	#	AIAA PAPER 86-1773	p 542	A86-37809	#	AIAA PAPER 86-1958	p 752	A86-45443	#
AIAA PAPER 86-1087	p 550	A86-38449	#	AIAA PAPER 86-1774	p 777	A86-49578	#	AIAA PAPER 86-1959	p 752	A86-45444	#
AIAA PAPER 86-1088	p 550	A86-38450	#	AIAA PAPER 86-1775	p 777	A86-49579	#	AIAA PAPER 86-1980	p 752	A86-45445	#
AIAA PAPER 86-1095	p 550	A86-38456	#	AIAA PAPER 86-1777	p 542	A86-37811	#	AIAA PAPER 86-1983	p 753	A86-45447	#
AIAA PAPER 86-1096	p 551	A86-38457	#	AIAA PAPER 86-1780	p 778	A86-49580	#	AIAA PAPER 86-1984	p 753	A86-45448	#
AIAA PAPER 86-1104	p 551	A86-38464	#	AIAA PAPER 86-1781	p 577	A86-37813	#	AIAA PAPER 86-1986	p 711	A86-45449	#
AIAA PAPER 86-1105	p 551	A86-38465	#	AIAA PAPER 86-1782	p 577	A86-37814	#	AIAA PAPER 86-1987	p 711	A86-45450	#
AIAA PAPER 86-1115	p 551	A86-38473	#	AIAA PAPER 86-1783	p 577	A86-37815	#	AIAA PAPER 86-1988	p 753	A86-45451	#
AIAA PAPER 86-1134	p 857	A86-49571	#	AIAA PAPER 86-1784	p 543	A86-37816	#	AIAA PAPER 86-1994	p 821	A86-47416	#
AIAA PAPER 86-1139	p 672	A86-43328	#	AIAA PAPER 86-1790	p 543	A86-37820	#	AIAA PAPER 86-1995	p 852	A86-47417	#
AIAA PAPER 86-1140	p 684	A86-43329	#	AIAA PAPER 86-1791	p 543	A86-37821	#	AIAA PAPER 86-1996	p 852	A86-47418	#
AIAA PAPER 86-1143	p 622	A86-43332	#	AIAA PAPER 86-1793	p 543	A86-37823	#	AIAA PAPER 86-2000	p 841	A86-47902	#
AIAA PAPER 86-1145	p 684	A86-43333	#	AIAA PAPER 86-1794	p 778	A86-49581	#	AIAA PAPER 86-2017	p 826	A86-47652	#
AIAA PAPER 86-1170	p 658	A86-40581	#	AIAA PAPER 86-1796	p 543	A86-37824	#	AIAA PAPER 86-2019	p 827	A86-47654	#
AIAA PAPER 86-1189	p 658	A86-40812	#	AIAA PAPER 86-1798	p 778	A86-49582	#	AIAA PAPER 86-2020	p 827	A86-47655	#
AIAA PAPER 86-1381	p 598	A86-39948	#	AIAA PAPER 86-1799	p 544	A86-37825	#	AIAA PAPER 86-2025	p 764	A86-47659	#
AIAA PAPER 86-1384	p 624	A86-42605	#	AIAA PAPER 86-1802	p 544	A86-37826	#	AIAA PAPER 86-2026	p 827	A86-47660	#
AIAA PAPER 86-1386	p 655	A86-42606	#	AIAA PAPER 86-1804	p 590	A86-37827	#	AIAA PAPER 86-2027	p 827	A86-47661	#
AIAA PAPER 86-1396	p 663	A86-42610	#	AIAA PAPER 86-1805	p 593	A86-37828	#	AIAA PAPER 86-2028	p 821	A86-47419	#
AIAA PAPER 86-1426	p 624	A86-42635	#	AIAA PAPER 86-1807	p 778	A86-49584	#	AIAA PAPER 86-2029	p 809	A86-47420	#
AIAA PAPER 86-1427	p 671	A86-42636	#	AIAA PAPER 86-1808	p 544	A86-37830	#	AIAA PAPER 86-2030	p 810	A86-47511	#
AIAA PAPER 86-1452	p 618	A86-49611	#	AIAA PAPER 86-1809	p 778	A86-49585	#	AIAA PAPER 86-2031	p 821	A86-47421	#
AIAA PAPER 86-1455	p 625	A86-42653	#	AIAA PAPER 86-1810	p 544	A86-37831	#</				



AIAA PAPER 86-2075	p 831	A86-47706 *	AIAA PAPER 86-9772	p 430	A86-32107 *	ARL-STRU-TM-415	p 294	N86-18320 #
AIAA PAPER 86-2076	p 827	A86-47665 *	AIAA PAPER 86-9773	p 430	A86-32108 #	ARL-STRUC-R-418	p 420	N86-22560 #
AIAA PAPER 86-2077	p 828	A86-47666 *	AIAA PAPER 86-9774	p 430	A86-32109 #	ARL-STRUC-TM-425	p 640	N86-26080 #
AIAA PAPER 86-2084	p 822	A86-47437 #	AIAA PAPER 86-9777	p 430	A86-32112 #	ARL-STRUCT-R-412	p 206	N86-16191 #
AIAA PAPER 86-2085	p 853	A86-47505 #	AIAA PAPER 86-9778	p 430	A86-32115 #	ARL-SYS-R-34	p 187	N86-15279 #
AIAA PAPER 86-2088	p 852	A86-47439 #	AIAA PAPER 86-9779	p 443	A86-32114 *	ARL/AERO-PROP-TM-430	p 357	N86-21537 #
AIAA PAPER 86-2092	p 822	A86-47442 *	AIAA PAPER 86-9781	p 430	A86-32116 #	ARL/AERO-R-164	p 113	N86-13337 #
AIAA PAPER 86-2093	p 853	A86-48577 *	AIAA PAPER 86-9782	p 430	A86-32118 *	ARL/PSU/TM-85-108	p 188	N86-14538 #
AIAA PAPER 86-2095	p 759	A86-47444 *	AIAA PAPER 86-9785	p 431	A86-32118 *	ARL/STRUC-TM-394	p 76	N86-12199 #
AIAA PAPER 86-2126	p 828	A86-47672 *	AIAA PAPER 86-9786	p 500	A86-37083 *	ARL/STRUC-TM-400	p 110	N86-12234 #
AIAA PAPER 86-2128	p 828	A86-47674 #	AIAA PAPER 86-9787	p 431	A86-32119 #	ARL/STRUC-TM-412	p 294	N86-18321 #
AIAA PAPER 86-2129	p 828	A86-47675 #	AIAA PAPER 86-9788	p 440	A86-32120 *	ARL/SYS-R-33	p 93	N86-13309 #
AIAA PAPER 86-2130	p 828	A86-47676 *	AIAA PAPER 86-9790	p 441	A86-32121 #	ARL/SYS-TM-86	p 789	N86-31556 #
AIAA PAPER 86-2131	p 828	A86-47677 #	AIAA PAPER 86-9795	p 449	A86-32124 #	ARLCD-TR-85025	p 182	N86-14282 #
AIAA PAPER 86-2134	p 841	A86-47679 #	AIAA PAPER 86-9797	p 436	A86-32126 #	ARO-18643.10-EG	p 370	N86-21551 #
AIAA PAPER 86-2143	p 826	A86-47516 *	AIAA PAPER 86-9798	p 422	A86-32127 #	ARO-19787.3-EG	p 342	N86-21521 #
AIAA PAPER 86-2144	p 822	A86-47455 *	AIAA PAPER 86-9799	p 439	A86-32128 #	ARO-20538.3-EG	p 237	N86-17355 #
AIAA PAPER 86-2146	p 787	A86-47517 #	AIAA PAPER 86-9801	p 465	A86-32130 #	ARO-22362.1-EG	p 479	N86-24686 #
AIAA PAPER 86-2147	p 823	A86-47456 *	AIAA PAPER 86-9802	p 422	A86-32131 #	ASD-TR-86-5004	p 719	N86-30729 #
AIAA PAPER 86-2148	p 810	A86-47457 #	AIAA PAPER 86-9803	p 431	A86-32132 #	ASLE PREPRINT 86-AM-7A-1	p 732	A86-45395 #
AIAA PAPER 86-2157	p 823	A86-47464 #	AIAA PAPER 86-9804	p 431	A86-32133 #	ASME PAPER 84-GT-97	p 105	A86-13054 *
AIAA PAPER 86-2158	p 823	A86-47465 #	AIAA PAPER 86-9805	p 431	A86-32134 #	ASME PAPER 85-DET-104	p 318	A86-24230 #
AIAA PAPER 86-2160	p 852	A86-47466 *	AIAA PAPER 86-9807	p 448	A86-32135 #	ASME PAPER 85-DET-10	p 738	A86-45256 *
AIAA PAPER 86-2180	p 829	A86-47083 #	AIAA PAPER 86-9808	p 443	A86-32136 #	ASME PAPER 85-DET-110	p 318	A86-24231 #
AIAA PAPER 86-2195	p 823	A86-47475 #	AIAA PAPER 86-9810	p 431	A86-32137 #	ASME PAPER 85-DET-11	p 608	A86-38817 *
AIAA PAPER 86-2196	p 852	A86-47476 #	AIAA PAPER 86-9811	p 432	A86-32138 *	ASME PAPER 85-DET-133	p 318	A86-24236 #
AIAA PAPER 86-2197	p 853	A86-47477 #	AIAA PAPER 86-9812	p 443	A86-32139 *	ASME PAPER 85-DET-144	p 523	A86-37071 *
AIAA PAPER 86-2199	p 853	A86-47479 #	AIAA PAPER 86-9814	p 439	A86-32140 #	ASME PAPER 85-DET-16	p 122	A86-18032 #
AIAA PAPER 86-2201	p 823	A86-47481 #	AIAA PAPER 86-9817	p 422	A86-32142 #	ASME PAPER 85-DET-184	p 318	A86-24246 #
AIAA PAPER 86-2202	p 823	A86-47482 *	AIAA PAPER 86-9818	p 432	A86-32143 #	ASME PAPER 85-DET-19	p 303	A86-24226 #
AIAA PAPER 86-2203	p 824	A86-47483 #	AIAA PAPER 86-9819	p 439	A86-32144 #	ASME PAPER 85-G-65	p 77	A86-13063 #
AIAA PAPER 86-2204	p 853	A86-47484 *	AIAA PAPER 86-9822	p 443	A86-32146 #	ASME PAPER 85-GT-112	p 77	A86-13067 #
AIAA PAPER 86-2205	p 787	A86-47519 #	AIAA PAPER 86-9824	p 432	A86-32147 #	ASME PAPER 85-GT-117	p 251	A86-22070 #
AIAA PAPER 86-2206	p 792	A86-47485 #	AIAA PAPER 86-9825	p 465	A86-32148 #	ASME PAPER 85-GT-118	p 252	A86-22071 #
AIAA PAPER 86-2226	p 829	A86-47689 #	AIAA PAPER 86-9827	p 408	A86-32149 #	ASME PAPER 85-GT-120	p 252	A86-22073 #
AIAA PAPER 86-2227	p 829	A86-47690 *	AIAA PAPER 86-9828	p 448	A86-32150 #	ASME PAPER 85-GT-124	p 235	A86-22074 #
AIAA PAPER 86-2229	p 831	A86-47708 *	AIAA-PAPER-86-0334	p 176	N86-14276 *	ASME PAPER 85-GT-126	p 235	A86-22075 #
AIAA PAPER 86-2230	p 784	A86-47691 #	AIAA-PAPER-86-0663	p 479	N86-24683 #	ASME PAPER 85-GT-127	p 266	A86-22076 #
AIAA PAPER 86-2231	p 829	A86-47692 #	AIAA-84-2303	p 757	N86-31336 *	ASME PAPER 85-GT-134	p 441	A86-32958 *
AIAA PAPER 86-2232	p 829	A86-47693 #	AIAA-85-0109	p 745	N86-30996 #	ASME PAPER 85-GT-137	p 235	A86-22081 *
AIAA PAPER 86-2234	p 829	A86-47694 #	AIAA-85-1587	p 744	N86-30995 #	ASME PAPER 85-GT-159	p 252	A86-22084 *
AIAA PAPER 86-2236	p 824	A86-47486 #	AIAA-86-0044	p 113	N86-12239 *	ASME PAPER 85-GT-15	p 105	A86-13058 #
AIAA PAPER 86-2237	p 824	A86-47489 *	AIAA-86-0166	p 311	N86-18330 *	ASME PAPER 85-GT-170	p 441	A86-32957 *
AIAA PAPER 86-2242	p 824	A86-47490 #	AIAA-86-0167	p 295	N86-19313 *	ASME PAPER 85-GT-173	p 104	A86-13053 #
AIAA PAPER 86-2243	p 824	A86-47491 #	AIAA-86-0240	p 263	N86-18944 *	ASME PAPER 85-GT-175	p 235	A86-22091 #
AIAA PAPER 86-2244	p 824	A86-47492 *	AIAA-86-0312	p 147	N86-14223 #	ASME PAPER 85-GT-176	p 236	A86-22092 #
AIAA PAPER 86-2246	p 825	A86-47493 #	AIAA-86-0682	p 478	N86-24657 *	ASME PAPER 85-GT-184	p 224	A86-22098 #
AIAA PAPER 86-2247	p 825	A86-47494 *	AIAA-86-0940-CP	p 392	N86-21954 *	ASME PAPER 85-GT-185	p 252	A86-22099 #
AIAA PAPER 86-2248	p 825	A86-47495 *	AIAA-86-0978	p 611	N86-26853 #	ASME PAPER 85-GT-188	p 236	A86-22101 #
AIAA PAPER 86-2249	p 826	A86-47523 *	AIAA-86-1542	p 819	N86-31587 *	ASME PAPER 85-GT-18	p 117	A86-13059 #
AIAA PAPER 86-2250	p 825	A86-47496 #	AIAA-86-1627	p 478	N86-24658 *	ASME PAPER 85-GT-190	p 104	A86-13051 #
AIAA PAPER 86-2251	p 825	A86-47497 #	AIAA-86-1779	p 629	N86-28054 *	ASME PAPER 85-GT-192	p 270	A86-22732 *
AIAA PAPER 86-2253	p 826	A86-47509 #	AIAA-86-1797-CP	p 697	N86-30695 *	ASME PAPER 85-GT-211	p 224	A86-22112 #
AIAA PAPER 86-2277	p 830	A86-47695 #	AIAA-86-1803-CP	p 697	N86-30694 *	ASME PAPER 85-GT-217	p 205	A86-22115 #
AIAA PAPER 86-2278	p 830	A86-47696 #	AIAA-86-1809	p 554	N86-26285 *	ASME PAPER 85-GT-218	p 236	A86-22116 #
AIAA PAPER 86-2279	p 830	A86-47697 #	AIAA-86-1814	p 559	N86-27209 *	ASME PAPER 85-GT-219	p 205	A86-22117 #
AIAA PAPER 86-2280	p 784	A86-47698 #	AIAA-86-1876	p 683	N86-26630 *	ASME PAPER 85-GT-230	p 236	A86-22126 #
AIAA PAPER 86-2281	p 784	A86-47699 #	AIAA-86-1883	p 559	N86-27213 *	ASME PAPER 85-GT-231	p 234	A86-22018 #
AIAA PAPER 86-2282	p 784	A86-47700 #	AIAA-86-2020-CP	p 639	N86-28078 *	ASME PAPER 85-GT-27	p 246	A86-22020 #
AIAA PAPER 86-2283	p 830	A86-47701 #	AIAA-86-2126-CP	p 595	N86-26341 *	ASME PAPER 85-GT-31	p 247	A86-22022 #
AIAA PAPER 86-2284	p 830	A86-47702 #	AIAA-86-2237-CP	p 714	N86-29613 *	ASME PAPER 85-GT-33	p 262	A86-22023 #
AIAA PAPER 86-2285	p 787	A86-47703 #	AIAA-86-2239-CP	p 726	N86-29686 *	ASME PAPER 85-GT-34	p 247	A86-22024 #
AIAA PAPER 86-2286	p 792	A86-47704 *	AIAA-86-2243-CP	p 727	N86-29688 *	ASME PAPER 85-GT-35	p 234	A86-22025 #
AIAA PAPER 86-2287	p 793	A86-47705 *	AIAA-86-2244CP	p 726	N86-29687 *	ASME PAPER 85-GT-36	p 234	A86-22026 #
AIAA PAPER 86-2288	p 831	A86-47709 #	AIAA-86-9758	p 448	N86-22582 *	ASME PAPER 85-GT-39	p 234	A86-22028 #
AIAA PAPER 86-2289	p 821	A86-47402 *	AIAA-86-9761	p 539	N86-26277 *	ASME PAPER 85-GT-40	p 235	A86-22029 #
AIAA PAPER 86-9727	p 428	A86-32076 *	AMA-86-2-II	p 636	N86-26931 *	ASME PAPER 85-GT-47	p 251	A86-22035 #
AIAA PAPER 86-9728	p 496	A86-37081 #	ANL-85-35	p 124	N86-13704 #	ASME PAPER 85-GT-57	p 78	A86-13060 #
AIAA PAPER 86-9729	p 496	A86-37082 #	AR-003-963	p 93	N86-13309 #	ASME PAPER 85-GT-59	p 117	A86-13061 *
AIAA PAPER 86-9730	p 428	A86-32077 *	AR-003-969	p 167	N86-15279 #	ASME PAPER 85-GT-64	p 77	A86-13062 #
AIAA PAPER 86-9731	p 422	A86-32078 #	AR-003-967	p 208	N86-16191 #	ASME PAPER 85-GT-69	p 94	A86-13052 #
AIAA PAPER 86-9732	p 464	A86-32079 #	AR-004-017	p 113	N86-13337 #	ASME PAPER 85-GT-71	p 77	A86-13065 #
AIAA PAPER 86-9733	p 422	A86-32080 #	AR-004-040	p 498	N86-25341 #	ASME PAPER 85-GT-74	p 235	A86-22049 #
AIAA PAPER 86-9734	p 464	A86-32081 #	AR-004-047	p 340	N86-20362 #	ASME PAPER 85-GT-83	p 251	A86-22054 *
AIAA PAPER 86-9735	p 428	A86-32082 #	AR-004-156	p 178	N86-15318 #	ASME PAPER 85-GT-85	p 251	A86-22057 #
AIAA PAPER 86-9737	p 429	A86-32083 #	AR-004-467	p 808	N86-32425 #	ASME PAPER 85-GT-86	p 247	A86-22062 #
AIAA PAPER 86-9738	p 443	A86-32084 *	AR-004-51	p 420	N86-22560 #	ASME PAPER 85-GT-100	p 302	A86-23899 #
AIAA PAPER 86-9739	p 406	A86-32085 #	AR-1294	p 341	N86-20368 #	ASME PAPER 85-GT-105	p 317	A86-23904 #
AIAA PAPER 86-9740	p 406	A86-32086 #	AR-1	p 452	N86-22713 *	ASME PAPER 85-GT-112	p 317	A86-23909 #
AIAA PAPER 86-9742	p 406	A86-32087 #	AR-3	p 113	N86-12241 #	ASME PAPER 85-IQT-115	p 313	A86-23911 #
AIAA PAPER 86-9744	p 406	A86-32088 #	AR-85-1	p 571	N86-27288 *			
AIAA PAPER 86-9745	p 447	A86-32089 #	AR-86-1	p 781	N86-31531 #			
AIAA PAPER 86-9746	p 447	A86-32090 #	ARAP-577	p 745	N86-30999 *			
AIAA PAPER 86-9747	p 447	A86-32091 #	ARL-AERO-PROP-TM-426	p 592	N86-26336 #			
AIAA PAPER 86-9748	p 448	A86-32092 #	ARL-AERO-PROP-TM-429	p 498	N86-25341 #			
AIAA PAPER 86-9753	p 406	A86-32094 #	ARL-AERO-R-165	p 340	N86-20362 #			
AIAA PAPER 86-9755	p 429	A86-32096 #	ARL-AERO-TM-379	p 808	N86-32425 #			
AIAA PAPER 86-9756	p 429	A86-32097 *						
AIAA PAPER 86-9757	p 429	A86-32098 #						
AIAA PAPER 86-9758	p 651	A86-40861 *						
AIAA PAPER 86-9759	p 438	A86-32099 #						
AIAA PAPER 86-9761	p 496	A86-37084 *						
AIAA PAPER 86-9763	p 429	A86-32101 #						
AIAA PAPER 86-9765	p 429	A86-32102 #						
AIAA PAPER 86-9766	p 429	A86-32103 #						
AIAA PAPER 86-9769	p 448	A86-32105 #						



ASME PAPER 85-IGT-116	p 302	A86-23912	#	B-222851	p 787	N86-32418	#	CAR-8509	p 151	N86-15242	#
ASME PAPER 85-IGT-121	p 302	A86-23917	#	B-222862	p 702	N86-30707	#	CAR-8601	p 479	N86-24686	#
ASME PAPER 85-IGT-12	p 301	A86-23632	#	BAE-ARG-200	p 258	N86-17666	#	CAR-8614	p 486	N86-24679	#
ASME PAPER 85-IGT-130	p 313	A86-23922	*	BAE-BT-13198	p 352	N86-20382	#	CCAD-TR-85-2	p 342	N86-21521	#
ASME PAPER 85-IGT-136	p 303	A86-23928	#	BBN-5352	p 160	N86-15278	*	CERL-TR-N-85/14	p 398	N86-22110	#
ASME PAPER 85-IGT-139	p 303	A86-23931	#	BEL-85-1/ONR-85-1	p 299	N86-19321	#	CERL-TR-P-85/13	p 94	N86-13314	#
ASME PAPER 85-IGT-141	p 317	A86-23933	#	BFLRF-189	p 604	N86-26446	#	CFD-9	p 693	N86-29772	*
ASME PAPER 85-IGT-147	p 303	A86-23936	#	BMFT-FB-W-85-004	p 184	N86-14402	#	CNA-PP-430	p 169	N86-15311	#
ASME PAPER 85-IGT-150	p 303	A86-23941	#	BMFT-FB-W-85-005	p 160	N86-14266	#	CONF-850785-9	p 123	N86-12595	#
ASME PAPER 85-IGT-16	p 271	A86-23934	#	BMFT-FB-W-85-008	p 151	N86-14257	#	CONF-8510115-1	p 184	N86-14391	#
ASME PAPER 85-IGT-30	p 308	A86-23845	#	BMFT-FB-W-85-010	p 232	N86-17353	#	CONF-860345-1	p 604	N86-27465	#
ASME PAPER 85-IGT-41	p 301	A86-23853	#	BMFT-FB-W-85-011	p 575	N86-27275	#	CONF-860519-4	p 808	N86-31578	#
ASME PAPER 85-IGT-52	p 301	A86-23858	#	BMFT-FB-W-85-012	p 600	N86-27296	#	CR-R-855020	p 190	N86-15625	*
ASME PAPER 85-IGT-53	p 301	A86-23859	#	BMFT-FB-W-85-022	p 808	N86-31577	#	CRC-546	p 569	N86-26299	#
ASME PAPER 85-IGT-57	p 301	A86-23861	#	BMFT-FB-W-85-029	p 840	N86-31604	#	CRINC-FRL-602-2	p 480	N86-25328	*
ASME PAPER 85-IGT-65	p 270	A86-22730	#	BMFT-FB-W-85-031	p 820	N86-31589	#	CRINC-FRL-714-1	p 654	N86-28951	*
ASME PAPER 85-IGT-67	p 312	A86-23868	#	BNL-36465	p 184	N86-14391	#	CRINC-5171-1	p 693	N86-29766	*
ASME PAPER 85-IGT-72	p 317	A86-23873	#	BR90678	p 756	N86-30468	#	CSDL-R-1799	p 93	N86-13310	*
ASME PAPER 85-IGT-78	p 317	A86-23879	#	BR95024	p 258	N86-17702	#	CSDL-R-1849	p 485	N86-24678	*
ASME PAPER 85-IGT-82	p 302	A86-23883	#	BR95787	p 226	N86-17336	#	D-82	p 151	N86-14256	#
ASME PAPER 85-IGT-83	p 302	A86-23884	#	BR95846	p 226	N86-17337	#	D-8402-3	p 148	N86-14220	*
ASME PAPER 85-IGT-87	p 302	A86-23888	#	BR95858	p 257	N86-16674	#	DCIEM-85-C-36	p 400	N86-22159	#
ASME PAPER 85-IGT-9	p 271	A86-23830	#	BR96009	p 211	N86-17307	#	DCIEM-85-R-49	p 530	N86-25113	#
ASME PAPER 86-DE-6	p 818	A86-48620	#	BR96206	p 452	N86-22710	#	DCQ-1/85	p 665	N86-29037	#
ASME PAPER 86-GT-102	p 814	A86-48165	#	BR96992	p 840	N86-32448	#	DERAT-12/5015-DN	p 657	N86-28964	*
ASME PAPER 86-GT-103	p 814	A86-48166	#	BR97157	p 851	N86-31917	#	DERAT-9/5007-DY	p 658	N86-28099	*
ASME PAPER 86-GT-108	p 785	A86-48170	#	BR97329	p 357	N86-21532	#	DE85-014294	p 124	N86-13704	#
ASME PAPER 86-GT-110	p 785	A86-48172	#	BR97527	p 657	N86-28962	#	DE85-014825	p 184	N86-14391	#
ASME PAPER 86-GT-111	p 785	A86-48173	#	BR9563474	p 227	N86-17345	#	DE85-015160	p 123	N86-12595	#
ASME PAPER 86-GT-117	p 785	A86-48178	#	BR9566200	p 216	N86-17334	#	DE85-016977	p 192	N86-15003	#
ASME PAPER 86-GT-121	p 814	A86-48180	#	BR9566269	p 267	N86-18252	#	DE85-017183	p 208	N86-16200	#
ASME PAPER 86-GT-125	p 797	A86-48184	#	BR9566372	p 208	N86-16202	#	DE85-017814	p 341	N86-20371	#
ASME PAPER 86-GT-130	p 785	A86-48188	#	BR9566435	p 159	N86-14263	#	DE86-000048	p 211	N86-17310	#
ASME PAPER 86-GT-146	p 814	A86-48202	#	BR9566529	p 264	N86-17048	#	DE86-001781	p 399	N86-21260	#
ASME PAPER 86-GT-156	p 842	A86-48210	#	BR9568090	p 264	N86-18030	#	DE86-001965	p 604	N86-27465	#
ASME PAPER 86-GT-157	p 814	A86-48211	#	BR9568094	p 265	N86-17081	#	DE86-006324	p 633	N86-28926	#
ASME PAPER 86-GT-163	p 843	A86-48216	#	BR9568096	p 232	N86-17352	#	DE86-006482	p 808	N86-31576	#
ASME PAPER 86-GT-168	p 814	A86-48220	#	BR9568102	p 227	N86-17343	#	DE86-007289	p 723	N86-30735	#
ASME PAPER 86-GT-172	p 815	A86-48224	*	BR9568105	p 228	N86-16211	#	DFVLR-FB-84-40	p 352	N86-21531	#
ASME PAPER 86-GT-174	p 815	A86-48225	#	BR9568106	p 264	N86-18056	#	DFVLR-FB-84-48	p 837	N86-32445	#
ASME PAPER 86-GT-180	p 815	A86-48230	#	BR9568107	p 215	N86-17325	#	DFVLR-FB-85-01-PT-2	p 782	N86-31542	#
ASME PAPER 86-GT-181	p 815	A86-48231	*	BR9568108	p 228	N86-17347	#	DFVLR-FB-85-05	p 782	N86-31543	#
ASME PAPER 86-GT-189	p 786	A86-48239	#	BR9568109	p 264	N86-18056	#	DFVLR-FB-85-08	p 789	N86-31558	#
ASME PAPER 86-GT-191	p 815	A86-48241	#	BR9568109	p 215	N86-17325	#	DFVLR-FB-85-24	p 836	N86-31593	#
ASME PAPER 86-GT-1	p 812	A86-48101	#	BR9568391	p 228	N86-17347	#	DFVLR-FB-85-27	p 167	N86-14269	#
ASME PAPER 86-GT-212	p 815	A86-48252	#	BR9568392	p 258	N86-17699	#	DFVLR-FB-85-30	p 808	N86-31578	#
ASME PAPER 86-GT-228	p 786	A86-48262	#	BR9568394	p 232	N86-17354	#	DFVLR-FB-85-32	p 151	N86-14256	#
ASME PAPER 86-GT-243	p 846	A86-48271	*	BR9568522	p 227	N86-17342	#	DFVLR-FB-85-39	p 194	N86-16053	#
ASME PAPER 86-GT-24	p 812	A86-48116	#	BR9568524	p 258	N86-17774	#	DFVLR-FB-85-46	p 191	N86-15838	#
ASME PAPER 86-GT-252	p 816	A86-48278	*	BR9568529	p 228	N86-17348	#	DFVLR-FB-85-48	p 325	N86-18933	#
ASME PAPER 86-GT-255	p 846	A86-48281	#	BR9569022	p 216	N86-17335	#	DFVLR-FB-85-50	p 358	N86-21541	#
ASME PAPER 86-GT-262	p 843	A86-48285	#	BR9569023	p 227	N86-17346	#	DFVLR-FB-85-55	p 370	N86-21553	#
ASME PAPER 86-GT-266	p 847	A86-48286	#	BR9569025	p 258	N86-17700	#	DFVLR-FB-85-57	p 678	N86-28588	#
ASME PAPER 86-GT-277	p 816	A86-48296	#	BR9569026	p 212	N86-17321	#	DFVLR-FB-85-64	p 657	N86-28969	#
ASME PAPER 86-GT-285	p 816	A86-48302	#	BR9569027	p 211	N86-17320	#	DFVLR-FB-86-01	p 727	N86-29870	#
ASME PAPER 86-GT-28	p 812	A86-48119	#	BR9569322	p 208	N86-16204	#	DFVLR-FB-86-08	p 837	N86-32446	#
ASME PAPER 86-GT-295	p 797	A86-48306	#	BR9569323	p 259	N86-17809	#	DGLR BERICHT 85-02	p 406	A86-33226	#
ASME PAPER 86-GT-299	p 847	A86-48311	#	BR9569324	p 228	N86-17349	#	DGLR PAPER 85-088	p 487	A86-35151	#
ASME PAPER 86-GT-2	p 812	A86-48102	#	BR9571447	p 325	N86-19808	#	DGLR PAPER 85-089	p 487	A86-35152	#
ASME PAPER 86-GT-300	p 816	A86-48312	#	BR9571448	p 295	N86-19318	#	DGLR PAPER 85-090	p 508	A86-35153	#
ASME PAPER 86-GT-36	p 842	A86-48123	#	BR9572246	p 308	N86-19326	#	DGLR PAPER 85-091	p 474	A86-35154	#
ASME PAPER 86-GT-37	p 812	A86-48124	#	BR9572249	p 295	N86-19319	#	DGLR PAPER 85-092	p 513	A86-35155	#
ASME PAPER 86-GT-38	p 812	A86-48125	#	BR9573697	p 857	N86-33126	#	DGLR PAPER 85-106	p 473	A86-35163	#
ASME PAPER 86-GT-3	p 812	A86-48103	#	BR9578223	p 612	N86-26663	#	DGLR PAPER 85-112	p 534	A86-35165	#
ASME PAPER 86-GT-46	p 846	A86-48130	#	BR9578224	p 611	N86-26662	#	DGLR PAPER 85-113	p 513	A86-35166	#
ASME PAPER 86-GT-52	p 813	A86-48132	#	BR9578225	p 603	N86-26429	#	DGLR PAPER 85-114	p 474	A86-35167	#
ASME PAPER 86-GT-56	p 785	A86-48134	#	BR9577052	p 611	N86-26661	#	DGLR PAPER 85-115	p 501	A86-35168	#
ASME PAPER 86-GT-70	p 813	A86-48141	*	BR9577053	p 555	N86-26293	#	DGLR PAPER 85-119	p 487	A86-35170	#
ASME PAPER 86-GT-76	p 813	A86-48144	#	BR9578427	p 604	N86-26430	#	DGLR PAPER 85-121	p 475	A86-35171	#
ASME PAPER 86-GT-80	p 813	A86-48146	#	BR9578430	p 682	N86-26673	#	DGLR PAPER 85-122	p 475	A86-35172	#
ASME PAPER 86-GT-90	p 813	A86-48156	#	BR9578435	p 618	N86-27018	#				
ASME PAPER 86-GT-94	p 842	A86-48159	#	BR9680346	p 683	N86-29636	#				
ASME PAPER 86-GT-98	p 813	A86-48163	*	BR9680349	p 633	N86-28928	#				
ASME PAPER 86-GT-99	p 813	A86-48164	*	BR9680423	p 641	N86-28943	#				
				BR9681067	p 811	N86-32431	#				
ATC-136	p 486	N86-25334	#	BR9684045	p 782	N86-31541	#				
AU-AWC-85-157	p 195	N86-15205	#	BR9684046	p 854	N86-33054	#				
AVSCOM-TM-86-B-1	p 479	N86-24665	*	BR9684738	p 851	N86-32779	#				
AVSCOM-TR-85-B-3	p 339	N86-20349	*	BR9684743	p 820	N86-32437	#				
AVSCOM-TR-85-B-5	p 116	N86-12259	#	BR9685116	p 820	N86-32438	#				
AVSCOM-TR-85-B-6	p 340	N86-20358	*	BR9685117	p 820	N86-32436	#				
AVSCOM-TR-85-B-7	p 100	N86-13316	*	BR9685120	p 854	N86-33053	#				
AVSCOM-TR-85-B-8	p 256	N86-16613	*	BR9685122	p 851	N86-32781	#				
AVSCOM-TR-85-E-2	p 676	N86-29119	#	BR9685499	p 809	N86-32430	#				
AVSCOM-TR-86-C-13	p 651	N86-28947	*	BR9685725							
AVSCOM-TR-86-C-20	p 611	N86-26829	*								
AWS/TC-85/001	p 324	N86-18912	#	C-47-652-AC/GH-AT	p 198	N86-16190	#				
B-215115	p 91	N86-12215	#	CAA-PAPER-85011	p 216	N86-16209	#				
B-215379	p 104	N86-12224	#	CALSPAN-6857-M-1	p 611	N86-26803	#				
B-219729	p 159	N86-14264	#								
B-219969	p 449	N86-23809	#								

## REPORT NUMBER INDEX

FAA-EE-86-02

DGLR PAPER 85-130	p 488	A86-35176	#	E-2692	p 129	N86-14007	#	ETN-86-96979	p 603	N86-26429	#
DGLR PAPER 85-132	p 508	A86-35177	#	E-2696	p 190	N86-15625	#	ETN-86-96982	p 612	N86-26663	#
DGLR PAPER 85-136	p 515	A86-35179	#	E-2713	p 536	N86-25218	#	ETN-86-96983	p 595	N86-26343	#
DGLR PAPER 85-137	p 515	A86-35180	#	E-2718	p 129	N86-14006	#	ETN-86-96984	p 604	N86-26430	#
DGLR PAPER 85-166	p 501	A86-35188	#	E-2740	p 331	N86-19125	#	ETN-86-97051	p 630	N86-28066	#
DGLR PAPER 85-170	p 488	A86-35189	#	E-2746	p 117	N86-13407	#	ETN-86-97055	p 640	N86-28081	#
DGLR-PAPER-84-127	p 514	N86-24710	#	E-2757	p 524	N86-24934	#	ETN-86-97080	p 664	N86-28133	#
DGLR-84-01	p 147	N86-14225	#	E-2762	p 515	N86-24722	#	ETN-86-97104	p 756	N86-30468	#
DGLR-85-02	p 687	N86-30627	#	E-2785	p 207	N86-16194	#	ETN-86-97105	p 657	N86-28962	#
DGT-26.649	p 248	N86-17485	#	E-2788	p 389	N86-21755	#	ETN-86-97132	p 665	N86-28193	#
DGT-26.817	p 248	N86-17486	#	E-2771	p 503	N86-24684	#	ETN-86-97140	p 640	N86-28082	#
DNW-PA-82062	p 242	N86-16238	#	E-2775	p 113	N86-12239	#	ETN-86-97141	p 676	N86-28481	#
DNW-TR-82-03	p 242	N86-16236	#	E-2793	p 107	N86-12227	#	ETN-86-97143	p 653	N86-28095	#
DNW-TR-82-04	p 242	N86-16237	#	E-2801	p 525	N86-24992	#	ETN-86-97146	p 640	N86-28083	#
DOE/CE-15144/T2	p 723	N86-30735	#	E-2808	p 330	N86-19008	#	ETN-86-97147	p 653	N86-28096	#
DOE/ER-03077/267	p 630	N86-28911	#	E-2812	p 683	N86-20630	#	ETN-86-97154	p 640	N86-28084	#
DOE/ER-03077/273	p 696	N86-30691	#	E-2826	p 188	N86-14554	#	ETN-86-97176	p 665	N86-29037	#
DOT-FAA-CT-86-1	p 344	N86-20379	#	E-2844	p 311	N86-18329	#	ETN-86-97190	p 622	N86-28907	#
DOT-TSC-FAA-85-6	p 344	N86-21527	#	E-2847	p 808	N86-31562	#	ETN-86-97192	p 651	N86-28948	#
DOT-TSC-FAA-85-8	p 394	N86-21078	#	E-2850	p 242	N86-16233	#	ETN-86-97196	p 651	N86-28949	#
DOT/FAA/ASF-100-85/01	p 344	N86-21527	#	E-2851	p 255	N86-16611	#	ETN-86-97197	p 641	N86-28941	#
DOT/FAA/CT-TN85/58	p 575	N86-27273	#	E-2854	p 147	N86-14224	#	ETN-86-97199	p 633	N86-28927	#
DOT/FAA/CT-TN85/63	p 486	N86-24681	#	E-2855	p 207	N86-16195	#	ETN-86-97201	p 641	N86-28942	#
DOT/FAA/CT-TN85/80	p 573	N86-26315	#	E-2859	p 525	N86-24990	#	ETN-86-97202	p 678	N86-29279	#
DOT/FAA/CT-TN86/10	p 789	N86-31555	#	E-2862	p 527	N86-25793	#	ETN-86-97234	p 656	N86-33125	#
DOT/FAA/CT-85-4	p 734	N86-30024	#	E-2971	p 448	N86-22582	#	ETN-86-97241	p 757	N86-30474	#
DOT/FAA/CT-85/10-REV	p 618	N86-27926	#	E-2994	p 650	N86-29085	#	ETN-86-97258	p 851	N86-31917	#
DOT/FAA/CT-85/10-REV	p 787	N86-32416	#	E-2995	p 452	N86-22687	#	ETN-86-97274	p 743	N86-30219	#
DOT/FAA/CT-85/25	p 701	N86-30702	#	E-3004	p 504	N86-24697	#	ETN-86-97276	p 695	N86-29786	#
DOT/FAA/CT-85/33	p 343	N86-20378	#	E-3013	p 478	N86-24658	#	ETN-86-97294	p 702	N86-30706	#
DOT/FAA/CT-85/35	p 700	N86-29795	#	E-3016	p 479	N86-24687	#	ETN-86-97395	p 811	N86-31581	#
DOT/FAA/CT-85/37	p 528	N86-25079	#	E-3020	p 819	N86-31582	#	ETN-86-97411	p 687	N86-30627	#
DOT/FAA/CT-85/9-REV	p 483	N86-25331	#	E-3025	p 535	N86-25217	#	ETN-86-97454	p 657	N86-28969	#
DOT/FAA/CT-86/5	p 699	N86-29794	#	E-3047	p 611	N86-26596	#	ETN-86-97455	p 727	N86-29670	#
DOT/FAA/PM-84/14	p 352	N86-20383	#	E-3047	p 820	N86-31588	#	ETN-86-97466	p 808	N86-31577	#
DOT/FAA/PM-84/9,II-VOL-2	p 657	N86-28963	#	E-3060	p 554	N86-26285	#	ETN-86-97471	p 840	N86-31604	#
DOT/FAA/PM-85-16	p 394	N86-22061	#	E-3106	p 559	N86-27213	#	ETN-86-97472	p 820	N86-31589	#
DOT/FAA/PM-85/18	p 324	N86-18910	#	E-3121	p 786	N86-31548	#	ETN-86-97482	p 744	N86-30968	#
DOT/FAA/PM-85/21	p 394	N86-21078	#	E-3127	p 678	N86-29271	#	ETN-86-97502	p 857	N86-33126	#
DOT/FAA/PM-85/8	p 189	N86-15518	#	E-3131	p 619	N86-31587	#	ETN-86-97503	p 683	N86-29636	#
DOT/FAA/PM-86/13	p 733	N86-30007	#	E-3135	p 629	N86-28053	#	ETN-86-97504	p 633	N86-28928	#
DOT/FAA/PM-86/17	p 540	N86-27178	#	E-3156	p 819	N86-31586	#	ETN-86-97506	p 641	N86-28943	#
DOT/FAA/PM-86/25,1	p 642	N86-28944	#	E-3177	p 819	N86-31585	#	ETN-86-97569	p 782	N86-31542	#
DOT/FAA/PM-86/7,1-VOL-1	p 704	N86-29801	#	E-3628	p 242	N86-16232	#	ETN-86-97571	p 782	N86-31543	#
DOT/FAA/PM-86/8	p 636	N86-28930	#	ECAC-CR-86-027	p 636	N86-28930	#	ETN-86-97572	p 789	N86-31558	#
DOT/FAA/PN-85/33	p 372	N86-21556	#	ECAC-PR-84-003	p 425	N86-23581	#	ETN-86-97581	p 836	N86-31583	#
DOT/FAA/VS-86/1.1	p 699	N86-29793	#	EDR-12118	p 722	N86-30733	#	ETN-86-97583	p 806	N86-31578	#
DOT/OST/P34-85/021	p 126	N86-13906	#	EES-85-9	p 573	N86-26312	#	ETN-86-97592	p 806	N86-31565	#
DP-MS-85-83	p 604	N86-27465	#	ESA-TT-874	p 240	N86-16229	#	ETN-86-97593	p 836	N86-32444	#
DRIC-BR-96801	p 153	N86-15251	#	ESA-TT-887	p 237	N86-16227	#	ETN-86-97628	p 851	N86-31872	#
DTNSRDC-PASD-CR-1886	p 611	N86-26629	#	ESA-TT-896	p 284	N86-16989	#	ETN-86-97641	p 809	N86-32429	#
DTNSRDC-85/030	p 341	N86-20368	#	ESA-TT-906	p 446	N86-22583	#	ETN-86-97685	p 811	N86-32431	#
DTNSRDC/CMLD-CR-47-85	p 101	N86-13324	#	ESA-TT-907	p 559	N86-27217	#	ETN-86-97686	p 782	N86-31541	#
DTNSRDC/SPD-1139-01-REV	p 87	N86-12209	#	ESA-TT-908	p 352	N86-21531	#	ETN-86-97670	p 854	N86-33053	#
DYN/83/10	p 851	N86-31917	#	ESA-TT-914	p 209	N86-16208	#	ETN-86-97672	p 851	N86-32779	#
D180-28860-1-VOL-1	p 807	N86-31571	#	ESA-TT-915	p 458	N86-22729	#	ETN-86-97675	p 820	N86-32437	#
D180-28861-1	p 807	N86-31570	#	ESA-TT-916-PT-2	p 782	N86-31542	#	ETN-86-97676	p 820	N86-32436	#
D180-28862-VOL-2-PT-2	p 807	N86-31572	#	ESA-TT-919	p 837	N86-32445	#	ETN-86-97677	p 854	N86-33064	#
D6-51153	p 168	N86-15305	#	ESA-TT-923	p 782	N86-31543	#	ETN-86-97685	p 820	N86-32438	#
D6-51501	p 242	N86-16236	#	ESA-TT-926	p 789	N86-31558	#	ETN-86-97779	p 789	N86-32419	#
D6-51502	p 242	N86-16237	#	ESA-TT-936	p 808	N86-31579	#	ETN-86-97800	p 808	N86-31579	#
D6-51825	p 176	N86-14277	#	ESA-TT-948	p 836	N86-31593	#	ETN-86-97818	p 837	N86-32446	#
D6-52321	p 641	N86-28940	#	ESA-TT-951	p 808	N86-31578	#	ETN-86-97873	p 841	N86-32451	#
D6-52895	p 417	N86-23573	#	ESA-85-95383	p 559	N86-27217	#	ETN-86-97877	p 851	N86-32784	#
D6-53020	p 314	N86-18449	#	ESA-86-96877	p 678	N86-28588	#	ETN-86-97878	p 851	N86-32785	#
D6-53021	p 314	N86-18448	#	ESA-86-96887	p 600	N86-27296	#	ETN-86-98032	p 851	N86-32781	#
D6-53071	p 478	N86-24859	#	ESA-86-96961	p 611	N86-26662	#	ETN-86-98036	p 809	N86-32430	#
D6-57212	p 352	N86-20384	#	ESD-TR-85237	p 332	N86-19136	#	ETN-86-98075	p 837	N86-32445	#
E-2623	p 123	N86-13677	#	ESDU-84001	p 322	N86-19842	#	E86-10022	p 260	N86-17816	#
E-2681	p 147	N86-14223	#	ESDU-84002	p 240	N86-17357	#	F+W-FO-1740	p 277	N86-18304	#
E-2683	p 174	N86-15313	#	ESDU-84005	p 211	N86-17305	#	F+W-FO-1746	p 305	N86-19323	#
				ESDU-85033	p 480	N86-25325	#	FAA-AC-25.939-1	p 504	N86-24696	#
				ESDU-85036	p 497	N86-25338	#	FAA-AC-25-7	p 587	N86-26329	#
				ESL-TR-85-26	p 743	N86-30890	#	FAA-AC-36-1D	p 401	N86-21279	#
				ESL-TR-85-63	p 448	N86-23907	#	FAA-AC/25.994-1	p 806	N86-31564	#
				ESL-TR-85-67	p 371	N86-21555	#	FAA-ACS-84-2-21	p 158	N86-14260	#
				ESL-TR-85-67	p 372	N86-21556	#	FAA-APO-85-7	p 128	N86-13051	#
				ETN-86-96555	p 840	N86-32448	#	FAA-ARP-11	p 113	N86-12241	#
				ETN-86-96936	p 853	N86-28094	#	FAA-ARP-85-1	p 113	N86-12241	#
				ETN-86-96959	p 873	N86-28309	#	FAA-CT-86-19	p 611	N86-26596	#
				ETN-86-96980	p 812	N86-27624	#	FAA-DL5-85-2	p 283	N86-19306	#
				ETN-86-96989	p 555	N86-26293	#	FAA-DL5-86-1	p 704	N86-29804	#
				ETN-86-96970	p 618	N86-27018	#	FAA-EE-85-4	p 616	N86-28714	#
				ETN-86-96975	p 682	N86-28673	#	FAA-EE-86-01	p 620	N86-27972	#
				ETN-86-96977	p 611	N86-26661	#	FAA-EE-86-02	p 840	N86-31802	#
				ETN-86-96978	p 589	N86-26336	#				

**FAA-MS-85-1**

FAA-MS-85-1 ..... p 345 N86-21530 #

FAA-PM-84-30 ..... p 425 N86-23581 #

FAA-84-03-F ..... p 379 N86-21615 #

FAA/AC-25-8 ..... p 716 N86-30719 #

FAA/AP-86/02 ..... p 705 N86-30714 #

FAA/CT-TN85/19 ..... p 705 N86-30715 #

FAA/CT-85-32 ..... p 677 N86-29218 #

FAA/CT-85/12 ..... p 185 N86-15412 #

FAA/CT-85/23 ..... p 91 N86-12214 #

FAA/CT-85/23 ..... p 345 N86-21529 #

FAA/CT-85/7 ..... p 379 N86-21615 #

FAA/CT-86/2 ..... p 705 N86-30712 #

FAA/CT-86/7 ..... p 735 N86-30883 #

FAA/EE-85-6 ..... p 333 N86-20090 #

FAA/EE-85-7 ..... p 331 N86-19127 #

FAA/PM-85/2 ..... p 574 N86-27272 #

FAA/PM-85/30 ..... p 486 N86-25334 #

FAA/PM-85/32 ..... p 448 N86-23607 #

FAA/PM-85/33 ..... p 371 N86-21555 #

FAA/PM-86/15 ..... p 636 N86-28931 #

FAA/PM-86/18 ..... p 636 N86-28073 #

FAA/PM-86/24 ..... p 704 N86-29602 #

FAA/PM-86/28 ..... p 700 N86-29796 #

FAA/PM-86/35 ..... p 811 N86-31580 #

FAA/PM-86/7.11-VOL-2 ..... p 636 N86-28932 #

FAA/PM-862 ..... p 705 N86-30712 #

FAA/VS-86/1,2 ..... p 700 N86-29797 #

FFA-TI-AU-2166 ..... p 401 N86-22312 #

FFA-TN-1982-24 ..... p 211 N86-17316 #

FFA-TN-1984-82 ..... p 630 N86-28066 #

FFA-TN-1985-68 ..... p 640 N86-28081 #

FFA-TN-1986-22 ..... p 656 N86-33125 #

FJSRL-TR-96-0001 ..... p 742 N86-30128 #

FOA-C-50033-H2 ..... p 757 N86-30474 #

FTD-ID(RS)T-0134-86 ..... p 673 N86-28266 #

FTD-ID(RS)T-0639-85 ..... p 417 N86-23575 #

FTD-ID(RS)T-0643-85 ..... p 687 N86-30690 #

FTD-ID(RS)T-0644-85 ..... p 763 N86-31528 #

FTD-ID(RS)T-0662-85 ..... p 717 N86-30724 #

FTD-ID(RS)T-1006-85 ..... p 539 N86-26276 #

FTD-ID(RS)T-1041-85 ..... p 479 N86-24668 #

FTD-ID(RS)T-1165-85 ..... p 687 N86-29763 #

FTD-ID(RS)T-1323-84 ..... p 116 N86-12271 #

FTD-ID(RS)T-1326-84 ..... p 122 N86-12495 #

FTD-ID(RS)T-1515-84 ..... p 135 N86-14216 #

GAO/NSIAD-85-94 ..... p 104 N86-12224 #

GAO/RCED-85-153 ..... p 449 N86-23609 #

GAO/RCED-85-157 ..... p 159 N86-14264 #

GAO/RCED-85-24 ..... p 91 N86-12215 #

GAO/RCED-86-105FS ..... p 787 N86-32418 #

GAO/RCED-86-152BR ..... p 702 N86-30707 #

GARRETT-21-5889 ..... p 611 N86-26629 #

GCNP/AIR/INFO-85/1 ..... p 540 N86-27179 #

GCO/GH/CL-442.026/85 ..... p 640 N86-28082 #

GPO-46-725 ..... p 402 N86-21447 #

GPO-46-870 ..... p 214 N86-17324 #

GPO-48-026 ..... p 265 N86-17076 #

GPO-51-341 ..... p 278 N86-19284 #

GRR-6216-013 ..... p 705 N86-29807 #

GRR-6216-014 ..... p 704 N86-29806 #

H-1183 ..... p 596 N86-27290 #

H-1201 ..... p 604 N86-25342 #

H-1203 ..... p 416 N86-23566 #

H-1222 ..... p 207 N86-16197 #

H-1222 ..... p 307 N86-19324 #

H-1226 ..... p 207 N86-16196 #

H-1235 ..... p 184 N86-15350 #

H-1242 ..... p 436 N86-23587 #

H-1261 ..... p 294 N86-19312 #

H-1271 ..... p 435 N86-22563 #

H-1272 ..... p 446 N86-23603 #

H-1297 ..... p 717 N86-30723 #

H-1322 ..... p 176 N86-14276 #

H-1325 ..... p 533 N86-25169 #

H-1327 ..... p 611 N86-26653 #

H-1328 ..... p 176 N86-14275 #

H-1332 ..... p 263 N86-16944 #

H-1333 ..... p 295 N86-19313 #

H-1335 ..... p 311 N86-19330 #

H-1338 ..... p 307 N86-19325 #

H-1339 ..... p 595 N86-26339 #

H-1341 ..... p 539 N86-26277 #

H-1346 ..... p 595 N86-26340 #

H-1347 ..... p 586 N86-26328 #

H-1351 ..... p 653 N86-26082 #

H-1357 ..... p 595 N86-26341 #

H-1359 ..... p 727 N86-29668 #

H-1362 ..... p 726 N86-29667 #

H-1363 ..... p 650 N86-28088 #

H-1364 ..... p 497 N86-24687 #

H-1365 ..... p 639 N86-28078 #

H-1366 ..... p 714 N86-29613 #

H-1372 ..... p 726 N86-29666 #

HEL-TM-17-85 ..... p 610 N86-26501 #

HHI-84-284 ..... p 101 N86-13325 #

HL85-19 ..... p 757 N86-31335 #

HSER-9333 ..... p 781 N86-31536 #

I-104/84 ..... p 664 N86-28133 #

IABG-TF-1425-PT-1 ..... p 226 N86-17336 #

IABG-TF-1425-PT-2 ..... p 226 N86-17337 #

IABG-TF-1425/1 ..... p 436 N86-23585 #

IABG-TF-1425/2 ..... p 436 N86-23585 #

IAF PAPER 85-410 ..... p 125 N86-15886 #

IAF PAPER 85-453 ..... p 131 N86-15913 #

IC-TS015/85 ..... p 452 N86-22710 #

ICAF-1442-PT-1 ..... p 226 N86-17336 #

ICAF-1442-PT-2 ..... p 226 N86-17337 #

ICAS-84-5.8.2 ..... p 265 N86-17081 #

ICASE-85-44 ..... p 147 N86-14221 #

ICASE-86-12 ..... p 466 N86-23350 #

ICASE-86-37 ..... p 694 N86-29776 #

IDA-P-1840 ..... p 175 N86-15316 #

IDA/HQ-85-29944 ..... p 175 N86-15316 #

IMFL-3119 ..... p 90 N86-13303 #

IMFL-4116 ..... p 91 N86-13308 #

IR-684105 ..... p 446 N86-22581 #

ISA-504 ..... p 586 N86-26328 #

ISBN-0-309-03809-X ..... p 255 N86-16428 #

ISBN-0-85679-463-5 ..... p 240 N86-17357 #

ISBN-0-85679-464-3 ..... p 322 N86-19642 #

ISBN-0-85679-467-8 ..... p 211 N86-17305 #

ISBN-0-85679-539-9 ..... p 480 N86-25325 #

ISBN-0-85679-542-9 ..... p 497 N86-25338 #

ISBN-0-9477-67-24-X ..... p 151 N86-15242 #

ISBN-0-947767-34-7 ..... p 479 N86-24666 #

ISBN-0-947767-39-8 ..... p 486 N86-24679 #

ISBN-3-922010-25-3 ..... p 147 N86-14225 #

ISBN-3-922010-26-8 ..... p 687 N86-30627 #

ISBN-82-835-0370-1 ..... p 674 N86-28337 #

ISBN-82-835-0380-5 ..... p 506 N86-25360 #

ISBN-82-835-0381-3 ..... p 573 N86-26316 #

ISBN-82-835-0382-1 ..... p 580 N86-27224 #

ISBN-82-835-1497-1 ..... p 153 N86-15256 #

ISBN-82-835-1501-3 ..... p 279 N86-19299 #

ISBN-82-835-1504-8 ..... p 379 N86-20580 #

ISBN-82-835-1505-6 ..... p 248 N86-16374 #

ISBN-82-835-1507-2 ..... p 155 N86-15266 #

ISBN-82-835-1508-0 ..... p 279 N86-19298 #

ISBN-82-835-1509-9 ..... p 677 N86-29236 #

ISBN-82-835-1510-2 ..... p 369 N86-20399 #

ISBN-82-835-1515-3 ..... p 555 N86-27182 #

ISBN-82-835-1516-1 ..... p 613 N86-27678 #

ISBN-82-835-1517-X ..... p 604 N86-27425 #

ISBN-82-835-1519-6 ..... p 676 N86-29173 #

ISBN-82-835-1520-X ..... p 719 N86-29816 #

ISBN-82-835-1524-2 ..... p 556 N86-27187 #

ISBN-82-835-2110-2 ..... p 503 N86-24692 #

ISBN82-835-0393-7 ..... p 729 N86-30739 #

ISBN82-835-1522-6 ..... p 717 N86-30726 #

ISBN82-835-1523-4 ..... p 717 N86-30727 #

ISBN82-835-1525-0 ..... p 702 N86-30709 #

ISBN82-835-1528-5 ..... p 702 N86-30706 #

ISBN82-835-1530-7 ..... p 744 N86-30693 #

ISBN82-835-1532-3 ..... p 729 N86-30741 #

ISL-CO-219/85 ..... p 851 N86-31872 #

ISL-CO-224/84 ..... p 153 N86-15252 #

ISL-CO-232/84 ..... p 190 N86-15668 #

ISL-CO-233/84 ..... p 153 N86-15253 #

ISL-CO-236/84 ..... p 153 N86-15254 #

ISL-R-113/84 ..... p 333 N86-20095 #

ISL-R-116/84 ..... p 279 N86-19297 #

ISSN-0021-4683 ..... p 655 N86-28960 #

ISSN-0070-3966 ..... p 471 N86-24592 #

ISSN-0082-5255 ..... p 283 N86-19305 #

ISSN-0082-5255 ..... p 415 N86-22555 #

ISSN-0082-5255 ..... p 618 N86-27929 #

ISSN-0082-5255 ..... p 620 N86-27970 #

ISSN-0141-397X ..... p 240 N86-17357 #

ISSN-0141-397X ..... p 480 N86-25325 #

ISSN-0141-3996 ..... p 322 N86-19642 #

ISSN-0141-4054 ..... p 211 N86-17305 #

ISSN-0141-4054 ..... p 497 N86-25338 #

ISSN-0143-7143 ..... p 401 N86-22302 #

ISSN-0143-7313 ..... p 665 N86-28193 #

ISSN-0170-1339 ..... p 151 N86-14257 #

ISSN-0170-1339 ..... p 180 N86-14266 #

ISSN-0170-1339 ..... p 184 N86-14402 #

ISSN-0170-1339 ..... p 232 N86-17353 #

ISSN-0170-1339 ..... p 575 N86-27275 #

ISSN-0170-1339 ..... p 600 N86-27296 #

ISSN-0170-1339 ..... p 808 N86-31577 #

ISSN-0170-1339 ..... p 820 N86-31589 #

ISSN-0170-1339 ..... p 840 N86-31604 #

ISSN-0171-1342 ..... p 151 N86-14256 #

ISSN-0171-1342 ..... p 167 N86-14269 #

ISSN-0171-1342 ..... p 191 N86-15838 #

ISSN-0171-1342 ..... p 194 N86-16053 #

ISSN-0171-1342 ..... p 325 N86-18933 #

ISSN-0171-1342 ..... p 358 N86-21541 #

ISSN-0171-1342 ..... p 370 N86-21553 #

ISSN-0171-1342 ..... p 678 N86-28568 #

ISSN-0171-1342 ..... p 657 N86-28969 #

ISSN-0171-1342 ..... p 727 N86-29670 #

ISSN-0171-1342 ..... p 837 N86-32446 #

ISSN-0176-5086 ..... p 403 N86-22450 #

ISSN-0176-7739 ..... p 216 N86-17333 #

ISSN-0176-7739 ..... p 394 N86-22064 #

ISSN-0347-7665 ..... p 757 N86-30474 #

ISSN-0374-1257 ..... p 266 N86-18130 #

ISSN-0389-4010 ..... p 88 N86-13288 #

ISSN-0389-4010 ..... p 148 N86-14217 #

ISSN-0389-4010 ..... p 172 N86-15312 #

ISSN-0389-4010 ..... p 211 N86-17308 #

ISSN-0389-4010 ..... p 282 N86-18311 #

ISSN-0389-4010 ..... p 322 N86-19583 #

ISSN-0389-4010 ..... p 322 N86-19657 #

ISSN-0389-4010 ..... p 339 N86-20353 #

ISSN-0389-4010 ..... p 341 N86-20364 #

ISSN-0389-4010 ..... p 388 N86-20759 #

ISSN-0389-4010 ..... p 399 N86-21219 #

ISSN-0389-4010 ..... p 414 N86-22551 #

ISSN-0389-4010 ..... p 555 N86-27184 #

ISSN-0389-4010 ..... p 556 N86-27185 #

ISSN-0389-4010 ..... p 587 N86-27277 #

ISSN-0721-5320 ..... p 436 N86-25385 #

ISU-ERI-AMES-84483 ..... p 693 N86-29772 #

IZF-1985-7 ..... p 266 N86-18131 #

JIAA-TR-58 ..... p 676 N86-29159 #

JIAA-TR-60 ..... p 632 N86-28923 #

JIAA-TR-64 ..... p 632 N86-28922 #

JIAA-TR-68 ..... p 631 N86-28915 #

JIAA-TR-71 ..... p 742 N86-30094 #

JM/86-2 ..... p 610 N86-26546 #

JM/86-6 ..... p 722 N86-30731 #

JPL-D-2534 ..... p 700 N86-29795 #

JPL-D-2581 ..... p 734 N86-30024 #

JPL-PUB-D-2582 ..... p 185 N86-15412 #

JPL-PUB-85-100 ..... p 396 N86-22113 #

JPL-PUB-85-64 ..... p 152 N86-15249 #

JPL-PUB-85-74 ..... p 283 N86-19306 #

JPRS-CST-85-029 ..... p 122 N86-12446 #

JPRS-CST-85-035 ..... p 122 N86-12399 #

JPRS-CST-86-004 ..... p 458 N86-22735 #

JPRS-CST-86-007 ..... p 435 N86-22570 #

JPRS-JST-86-001 ..... p 369 N86-21723 #

JPRS-JST-86-007 ..... p 480 N86-23773 #

**REPORT NUMBER INDEX**

## REPORT NUMBER INDEX

NAS 1.15:87620

JPRS-USP-85-005	p 131	N86-14111	#	LT-83-155	p 436	N86-23586	#	NAS 1.15:85705	p 86	N86-12206	#
JPRS-UTR-85-014	p 270	N86-18284	#	MAE-1749	p 569	N86-26295	#	NAS 1.15:85708	p 416	N86-23565	#
JPRS-UTR-85-015	p 294	N86-18323	#	MBB-FILM-382	p 198	N86-16188	#	NAS 1.15:85724	p 600	N86-27406	#
JPRS-UTR-86-004	p 435	N86-22565	#	MBB-TE-2-1370	p 151	N86-14257	#	NAS 1.15:85806	p 294	N86-19312	#
JPRS-UTR-86-007	p 622	N86-26908	#	MBB-UD-426/84	p 160	N86-14266	#	NAS 1.15:85918	p 435	N86-22563	#
JPRS-WST-85-024	p 189	N86-15447	#	MBB-UD-452-85-OE	p 805	A86-50253	#	NAS 1.15:85919	p 448	N86-23603	#
JPRS-WST-85-031	p 123	N86-13616	#	MBB-UD-454-85-OE	p 806	A86-50256	#	NAS 1.15:86030	p 307	N86-19324	#
KU-FRL-407-10	p 714	N86-29612	#	MBB-UD-456-85-OE	p 805	A86-50255	#	NAS 1.15:86037	p 207	N86-16196	#
KU-FRL-6132-2	p 836	N86-32440	#	MBB-UD-458-85-OE	p 805	A86-49509	#	NAS 1.15:86038	p 184	N86-15350	#
KU-FRL-6132-3	p 595	N86-26342	#	MBB-UD-462-85-OE	p 850	A86-50254	#	NAS 1.15:86042	p 436	N86-23587	#
KU-FRL-623-1	p 88	N86-13294	#	MBB-UT-111/85	p 452	N86-23714	#	NAS 1.15:86043	p 152	N86-15248	#
L-14994	p 469	N86-24393	#	MBB-Z-49-85-OE	p 116	A86-14474	#	NAS 1.15:86050	p 148	N86-14218	#
L-15664	p 339	N86-20345	#	MISC-2037	p 425	N86-23582	#	NAS 1.15:86526	p 458	N86-22914	#
L-15678	p 418	N86-23565	#	MPIS-MITT-80	p 266	N86-18130	#	NAS 1.15:86528	p 174	N86-14271	#
L-15686	p 463	N86-24090	#	MRL-R-959	p 123	N86-12620	#	NAS 1.15:86683	p 90	N86-13304	#
L-15759	p 167	N86-14267	#	MS-8025	p 840	N86-32448	#	NAS 1.15:86716	p 152	N86-15248	#
L-15870	p 197	N86-16187	#	MTI-85TR48	p 293	N86-18318	#	NAS 1.15:86741	p 717	N86-30723	#
L-15877	p 339	N86-20350	#	MTR-85W65	p 283	N86-19308	#	NAS 1.15:86764	p 100	N86-13318	#
L-15884	p 152	N86-15248	#	MTR-86W11	p 704	N86-29804	#	NAS 1.15:86766	p 89	N86-13297	#
L-15914	p 146	N86-14218	#	MTR-9622-VOL-1	p 744	N86-30908	#	NAS 1.15:86769	p 190	N86-15626	#
L-15919	p 781	N86-31532	#	NADC-84182-80	p 91	N86-12213	#	NAS 1.15:86777	p 88	N86-13286	#
L-15930	p 322	N86-19661	#	NADC-85053-80	p 159	N86-15277	#	NAS 1.15:86778	p 87	N86-12207	#
L-15932	p 339	N86-20346	#	NADC-85112-80	p 293	N86-18316	#	NAS 1.15:86779	p 152	N86-15244	#
L-15937	p 536	N86-25220	#	NAE-AN-31	p 449	N86-23608	#	NAS 1.15:86783	p 789	N86-31551	#
L-15949	p 100	N86-13321	#	NAE-AN-32	p 278	N86-19292	#	NAS 1.15:86795	p 781	N86-31535	#
L-15953	p 152	N86-15245	#	NAE-AN-34	p 278	N86-19295	#	NAS 1.15:86798	p 176	N86-14278	#
L-15959	p 207	N86-16193	#	NAEC-92-190	p 314	N86-18451	#	NAS 1.15:86799	p 611	N86-26853	#
L-15964	p 128	N86-13946	#	NAL-PD-SE-8614	p 854	N86-33042	#	NAS 1.15:86801	p 176	N86-14275	#
L-15969	p 116	N86-12259	#	NAL-TM-AE-8503	p 340	N86-20356	#	NAS 1.15:86802	p 595	N86-26339	#
L-15976	p 277	N86-18289	#	NAL-TM-AE-8504	p 399	N86-21233	#	NAS 1.15:86803	p 283	N86-16844	#
L-15978	p 339	N86-20349	#	NAL-TM-AE-8505	p 399	N86-21168	#	NAS 1.15:86805	p 295	N86-19313	#
L-15981	p 401	N86-21280	#	NAL-TM-AE-8507	p 559	N86-27212	#	NAS 1.15:86807	p 311	N86-19330	#
L-15986	p 147	N86-14222	#	NAL-TM-AE-8601	p 596	N86-27289	#	NAS 1.15:86808	p 307	N86-19325	#
L-15989	p 126	N86-13892	#	NAL-TM-FM-8502	p 340	N86-20354	#	NAS 1.15:86809	p 595	N86-26340	#
L-16002	p 339	N86-20351	#	NAL-TM-MT-8502	p 322	N86-19656	#	NAS 1.15:86811	p 586	N86-26328	#
L-16004	p 445	N86-22580	#	NAL-TM-SE-8509	p 399	N86-21232	#	NAS 1.15:86821	p 539	N86-26277	#
L-16009	p 445	N86-22579	#	NAL-TM-ST-8517	p 356	N86-20385	#	NAS 1.15:86822	p 188	N86-14555	#
L-16010	p 208	N86-16199	#	NAL-TR-851T	p 146	N86-14217	#	NAS 1.15:86823	p 264	N86-17014	#
L-16012	p 91	N86-13305	#	NAL-TR-852	p 172	N86-15312	#	NAS 1.15:86825	p 190	N86-15627	#
L-16014	p 483	N86-24672	#	NAL-TR-856	p 211	N86-17308	#	NAS 1.15:86826	p 89	N86-13299	#
L-16017	p 416	N86-23561	#	NAL-TR-858T	p 88	N86-13288	#	NAS 1.15:86828	p 639	N86-28079	#
L-16018	p 100	N86-13318	#	NAL-TR-861	p 282	N86-18311	#	NAS 1.15:86830	p 152	N86-15247	#
L-16020	p 340	N86-20358	#	NAL-TR-864	p 414	N86-22551	#	NAS 1.15:86833	p 152	N86-15243	#
L-16026	p 342	N86-21514	#	NAL-TR-873	p 341	N86-21508	#	NAS 1.15:86835	p 76	N86-13286	#
L-16037	p 757	N86-31337	#	NAL-TR-876	p 339	N86-20353	#	NAS 1.15:86837	p 131	N86-14213	#
L-16040	p 687	N86-29782	#	NAL-TR-878	p 322	N86-19583	#	NAS 1.15:86841	p 622	N86-28051	#
L-16042	p 533	N86-25168	#	NAL-TR-879	p 388	N86-20759	#	NAS 1.15:86847	p 94	N86-13311	#
L-16046	p 536	N86-26162	#	NAL-TR-881	p 322	N86-19657	#	NAS 1.15:87095	p 242	N86-16232	#
L-16048	p 390	N86-21933	#	NAL-TR-882	p 341	N86-20364	#	NAS 1.15:87099	p 129	N86-14007	#
L-16051	p 278	N86-19287	#	NAL-TR-889T	p 399	N86-21219	#	NAS 1.15:87112	p 536	N86-25218	#
L-16062	p 416	N86-23562	#	NAL-TR-890	p 555	N86-27184	#	NAS 1.15:87116	p 129	N86-14006	#
L-16065	p 378	N86-20508	#	NAL-TR-893	p 556	N86-27185	#	NAS 1.15:87129	p 331	N86-19125	#
L-16065	p 496	N86-24885	#	NAL-TR-899	p 587	N86-27277	#	NAS 1.15:87132	p 117	N86-13407	#
L-16075	p 415	N86-22554	#	NAL-TR-851T	p 146	N86-14217	#	NAS 1.15:87151	p 113	N86-12239	#
L-16077	p 415	N86-22552	#	NAL-TR-856	p 211	N86-17308	#	NAS 1.15:87159	p 123	N86-13677	#
L-16078	p 479	N86-24665	#	NAL-TR-858T	p 88	N86-13288	#	NAS 1.15:87161	p 147	N86-14223	#
L-16081	p 682	N86-28701	#	NAL-TR-861	p 282	N86-18311	#	NAS 1.15:87170	p 107	N86-12227	#
L-16084	p 731	N86-29671	#	NAL-TR-864	p 414	N86-22551	#	NAS 1.15:87180	p 330	N86-19008	#
L-16107	p 616	N86-27835	#	NAL-TR-873	p 341	N86-21508	#	NAS 1.15:87190	p 188	N86-14554	#
L-16108	p 675	N86-28389	#	NAL-TR-876	p 339	N86-20353	#	NAS 1.15:87191	p 311	N86-18329	#
L-16117	p 556	N86-27190	#	NAL-TR-878	p 322	N86-19583	#	NAS 1.15:87193	p 806	N86-31562	#
L-16125	p 716	N86-30721	#	NAL-TR-879	p 388	N86-20759	#	NAS 1.15:87194	p 207	N86-16194	#
L-16127	p 756	N86-30470	#	NAL-TR-881	p 322	N86-19657	#	NAS 1.15:87197	p 242	N86-16233	#
L-16131	p 757	N86-31341	#	NAL-TR-882	p 341	N86-20364	#	NAS 1.15:87199	p 255	N86-16611	#
L-16132	p 675	N86-28385	#	NAL-TR-889T	p 399	N86-21219	#	NAS 1.15:87200	p 147	N86-14224	#
L-16137	p 743	N86-30233	#	NAL-TR-890	p 555	N86-27184	#	NAS 1.15:87220	p 207	N86-16195	#
L-165052	p 415	N86-23559	#	NAL-TR-893	p 556	N86-27185	#	NAS 1.15:87265	p 524	N86-24934	#
LBF-FB-167-PT-1	p 226	N86-17336	#	NAL-TR-899	p 587	N86-27277	#	NAS 1.15:87272	p 446	N86-22582	#
LBF-FB-167-PT-2	p 226	N86-17337	#	NAL-TR-851T	p 146	N86-14217	#	NAS 1.15:87273	p 650	N86-28085	#
LBF-FB-167	p 436	N86-23585	#	NAL-TR-852	p 172	N86-15312	#	NAS 1.15:87278	p 527	N86-25793	#
LC-85-10046	p 255	N86-16428	#	NAL-TR-856	p 211	N86-17308	#	NAS 1.15:87289	p 452	N86-22687	#
LC-85-50115	p 191	N86-14826	#	NAL-TR-858T	p 88	N86-13288	#	NAS 1.15:87298	p 504	N86-24697	#
LC-85-52396	p 529	N86-25956	#	NAL-TR-861	p 282	N86-18311	#	NAS 1.15:87298	p 478	N86-24658	#
LIDS-P-1461	p 682	N86-29580	#	NAL-TR-864	p 414	N86-22551	#	NAS 1.15:87301	p 479	N86-24667	#
LIDS-P-1547	p 721	N86-29619	#	NAL-TR-873	p 341	N86-21508	#	NAS 1.15:87302	p 535	N86-25217	#
LIDS-P-1551	p 654	N86-28956	#	NAL-TR-876	p 339	N86-20353	#	NAS 1.15:87304	p 819	N86-31582	#
LIDS-TH-1530	p 654	N86-28953	#	NAL-TR-878	p 322	N86-19583	#	NAS 1.15:87316	p 820	N86-31588	#
LITEF-105-793	p 575	N86-27275	#	NAL-TR-879	p 388	N86-20759	#	NAS 1.15:87323	p 554	N86-26285	#
LMSC/F035806	p 462	N86-23997	#	NAL-TR-881	p 322	N86-19657	#	NAS 1.15:87333	p 683	N86-29630	#
LR-30776-REV	p 483	N86-25331	#	NAL-TR-882	p 341	N86-20364	#	NAS 1.15:87352	p 559	N86-27213	#
LR-30777-REV	p 618	N86-27926	#	NAL-TR-889T	p 399	N86-21219	#	NAS 1.15:87414	p 265	N86-18121	#
LR-30777-REV	p 787	N86-32418	#	NAL-TR-890	p 555	N86-27184	#	NAS 1.15:87579	p 147	N86-14222	#
LR-30904	p 184	N86-14317	#	NAL-TR-893	p 556	N86-27185	#	NAS 1.15:87580	p 91	N86-13305	#
LR-616	p 278	N86-18287	#	NAL-TR-851T	p 146	N86-14217	#	NAS 1.15:87591	p 370	N86-21550	#
				NAL-TR-852	p 172	N86-15312	#	NAS 1.15:87597	p 322	N86-19661	#
				NAL-TR-856	p 211	N86-17308	#	NAS 1.15:87600	p 208	N86-16199	#
				NAL-TR-858T	p 88	N86-13288	#	NAS 1.15:87603	p 184	N86-14314	#
				NAL-TR-861	p 282	N86-18311	#	NAS 1.15:87607	p 340	N86-20358	#
				NAL-TR-864	p 414	N86-22551	#	NAS 1.15:87611	p 214	N86-16206	#
				NAL-TR-873	p 341	N86-21508	#	NAS 1.15:87620	p 111	N86-13332	#
				NAL-TR-876	p 339	N86-20353	#				
				NAL-TR-878	p 322	N86-19583	#				
				NAL-TR-879	p 388	N86-20759	#				
				NAL-TR-881	p 322	N86-19657	#				
				NAL-TR-882	p 341	N86-20364	#				
				NAL-TR-889T	p 399	N86-21219	#				
				NAL-TR-890	p 555	N86-27184	#				
				NAL-TR-893	p 556	N86-27185	#				
				NAL-TR-851T	p 146	N86-14217	#				
				NAL-TR-852	p 172	N86-15312	#				
				NAL-TR-856	p 211						

NAS 1.15:87621	p 126	N86-13944 *	NAS 1.15:88993	p 757	N86-31338 *	NAS 1.26:176883	p 697	N86-30693 *
NAS 1.15:87625	p 256	N86-18613 *	NAS 1.15:88998	p 637	N86-28933 *	NAS 1.26:176902	p 693	N86-29771 *
NAS 1.15:87627	p 342	N86-21514 *	NAS 1.15:89001	p 835	N86-31591 *	NAS 1.26:176903	p 693	N86-29772 *
NAS 1.15:87629	p 255	N86-16553 *	NAS 1.15:89011	p 715	N86-29615 *	NAS 1.26:176904	p 632	N86-29921 *
NAS 1.15:87631	p 178	N86-15319 *	NAS 1.15:89225	p 655	N86-28958 *	NAS 1.26:176906	p 716	N86-30718 *
NAS 1.15:87632-PT-1	p 653	N86-28950 *	NAS 1.21:485	p 716	N86-30720 *	NAS 1.26:176907	p 703	N86-29800 *
NAS 1.15:87632-PT-2	p 653	N86-28083 *	NAS 1.21:7037(196)	p 408	N86-23552 *	NAS 1.26:176908	p 676	N86-29159 *
NAS 1.15:87634	p 496	N86-24685 *	NAS 1.21:7037(198)	p 408	N86-23553 *	NAS 1.26:176930	p 632	N86-28922 *
NAS 1.15:87637	p 265	N86-17077 *	NAS 1.26:159251	p 639	N86-28077 *	NAS 1.26:176931	p 632	N86-28923 *
NAS 1.15:87639	p 731	N86-29671 *	NAS 1.26:168051	p 168	N86-15305 *	NAS 1.26:176932	p 742	N86-30094 *
NAS 1.15:87641	p 278	N86-19287 *	NAS 1.26:166069	p 436	N86-23568 *	NAS 1.26:176940	p 729	N86-30737 *
NAS 1.15:87645	p 243	N86-16243 *	NAS 1.26:166123	p 178	N86-15320 *	NAS 1.26:176942	p 714	N86-29811 *
NAS 1.15:87656	p 415	N86-22552 *	NAS 1.26:166479	p 418	N86-23568 *	NAS 1.26:176947	p 722	N86-30731 *
NAS 1.15:87659	p 415	N86-22554 *	NAS 1.26:166619	p 240	N86-17358 *	NAS 1.26:176952	p 714	N86-29812 *
NAS 1.15:87660	p 336	N86-20342 *	NAS 1.26:166620	p 533	N86-25169 *	NAS 1.26:176954	p 694	N86-29773 *
NAS 1.15:87661	p 479	N86-24665 *	NAS 1.26:168267	p 190	N86-15651 *	NAS 1.26:176962	p 726	N86-29865 *
NAS 1.15:87664	p 332	N86-20068 *	NAS 1.26:171904	p 130	N86-14078 *	NAS 1.26:176963	p 631	N86-29819 *
NAS 1.15:87666	p 342	N86-21518 *	NAS 1.26:172127	p 817	N86-27855 *	NAS 1.26:176967	p 631	N86-29815 *
NAS 1.15:87671	p 483	N86-24672 *	NAS 1.26:172221	p 178	N86-14277 *	NAS 1.26:176968	p 631	N86-29816 *
NAS 1.15:87676	p 278	N86-19288 *	NAS 1.26:172299	p 417	N86-23569 *	NAS 1.26:176969	p 678	N86-29152 *
NAS 1.15:87677	p 639	N86-28075 *	NAS 1.26:172553	p 682	N86-29547 *	NAS 1.26:176970	p 693	N86-29769 *
NAS 1.15:87683	p 415	N86-22553 *	NAS 1.26:172593	p 636	N86-28074 *	NAS 1.26:176971	p 693	N86-29770 *
NAS 1.15:87685	p 756	N86-30470 *	NAS 1.26:172600	p 314	N86-18448 *	NAS 1.26:176973	p 726	N86-29864 *
NAS 1.15:87687	p 745	N86-31070 *	NAS 1.26:174202	p 88	N86-13293 *	NAS 1.26:176974	p 748	N86-30371 *
NAS 1.15:87688	p 401	N86-22305 *	NAS 1.26:174845	p 480	N86-23936 *	NAS 1.26:176976	p 714	N86-29810 *
NAS 1.15:87695	p 401	N86-22304 *	NAS 1.26:174846	p 461	N86-23937 *	NAS 1.26:176977	p 631	N86-29817 *
NAS 1.15:87697	p 392	N86-21954 *	NAS 1.26:174847	p 461	N86-23938 *	NAS 1.26:176978	p 696	N86-30691 *
NAS 1.15:87698	p 682	N86-28701 *	NAS 1.26:174710	p 525	N86-24991 *	NAS 1.26:176980	p 642	N86-29845 *
NAS 1.15:87703	p 537	N86-26276 *	NAS 1.26:174788	p 592	N86-27282 *	NAS 1.26:176994	p 655	N86-29859 *
NAS 1.15:87706	p 675	N86-28385 *	NAS 1.26:174789	p 781	N86-31536 *	NAS 1.26:176995	p 632	N86-29820 *
NAS 1.15:87707	p 478	N86-24657 *	NAS 1.26:174797	p 255	N86-16486 *	NAS 1.26:176996	p 640	N86-29836 *
NAS 1.15:87710	p 408	N86-23555 *	NAS 1.26:174817	p 469	N86-23371 *	NAS 1.26:176997	p 641	N86-29837 *
NAS 1.15:87711	p 512	N86-24703 *	NAS 1.26:174818	p 469	N86-23372 *	NAS 1.26:176999	p 729	N86-30738 *
NAS 1.15:87714	p 749	N86-31237 *	NAS 1.26:174825	p 722	N86-30732 *	NAS 1.26:177002	p 679	N86-29508 *
NAS 1.15:87719	p 743	N86-30233 *	NAS 1.26:174826	p 130	N86-13219 *	NAS 1.26:177016	p 630	N86-29812 *
NAS 1.15:87722	p 781	N86-31532 *	NAS 1.26:174869	p 745	N86-31030 *	NAS 1.26:177017	p 654	N86-29855 *
NAS 1.15:87723	p 555	N86-26289 *	NAS 1.26:174878	p 174	N86-14272 *	NAS 1.26:177022	p 630	N86-29813 *
NAS 1.15:87726	p 479	N86-24663 *	NAS 1.26:174911	p 701	N86-30022 *	NAS 1.26:177023	p 631	N86-29814 *
NAS 1.15:87727	p 559	N86-27209 *	NAS 1.26:174919	p 571	N86-27268 *	NAS 1.26:177025	p 654	N86-29856 *
NAS 1.15:87728	p 656	N86-28961 *	NAS 1.26:174923-VOL-1	p 108	N86-13328 *	NAS 1.26:177028	p 654	N86-29857 *
NAS 1.15:87730	p 675	N86-28389 *	NAS 1.26:174923-VOL-2	p 108	N86-13329 *	NAS 1.26:177032	p 693	N86-29768 *
NAS 1.15:87732	p 748	N86-30349 *	NAS 1.26:174923-VOL-3	p 108	N86-13330 *	NAS 1.26:177033	p 758	N86-31357 *
NAS 1.15:87739	p 757	N86-31339 *	NAS 1.26:174952	p 526	N86-25003 *	NAS 1.26:177080	p 721	N86-29819 *
NAS 1.15:87741	p 629	N86-28054 *	NAS 1.26:174967	p 675	N86-28463 *	NAS 1.26:177082	p 714	N86-29809 *
NAS 1.15:87743	p 731	N86-29672 *	NAS 1.26:175008	p 194	N86-15113 *	NAS 1.26:177086	p 654	N86-29852 *
NAS 1.15:87745	p 756	N86-30471 *	NAS 1.26:175020	p 503	N86-24695 *	NAS 1.26:177095	p 742	N86-30090 *
NAS 1.15:87746	p 683	N86-29632 *	NAS 1.26:175023	p 344	N86-20379 *	NAS 1.26:177098	p 682	N86-29579 *
NAS 1.15:87747	p 683	N86-29632 *	NAS 1.26:175024	p 344	N86-20380 *	NAS 1.26:177100	p 682	N86-29580 *
NAS 1.15:87755	p 697	N86-30695 *	NAS 1.26:175048	p 518	N86-24818 *	NAS 1.26:177102	p 683	N86-29651 *
NAS 1.15:87757	p 697	N86-30694 *	NAS 1.26:175061	p 517	N86-24780 *	NAS 1.26:177103	p 640	N86-29835 *
NAS 1.15:87766	p 806	N86-31568 *	NAS 1.26:175082	p 722	N86-30733 *	NAS 1.26:177104	p 632	N86-29824 *
NAS 1.15:87767	p 714	N86-29814 *	NAS 1.26:175087	p 452	N86-22713 *	NAS 1.26:177108	p 679	N86-29466 *
NAS 1.15:87769	p 694	N86-29777 *	NAS 1.26:175088	p 420	N86-22559 *	NAS 1.26:177110	p 693	N86-29768 *
NAS 1.15:87794	p 600	N86-27351 *	NAS 1.26:175089	p 420	N86-22558 *	NAS 1.26:177112	p 654	N86-29853 *
NAS 1.15:87973	p 459	N86-23749 *	NAS 1.26:175091	p 651	N86-28947 *	NAS 1.26:177113	p 630	N86-29811 *
NAS 1.15:88193	p 88	N86-13292 *	NAS 1.26:175092	p 420	N86-23577 *	NAS 1.26:177121	p 654	N86-29854 *
NAS 1.15:88198	p 313	N86-18441 *	NAS 1.26:175099	p 611	N86-26596 *	NAS 1.26:177126	p 726	N86-29863 *
NAS 1.15:88201	p 89	N86-13298 *	NAS 1.26:175112	p 592	N86-27283 *	NAS 1.26:177133	p 630	N86-29804 *
NAS 1.15:88218	p 629	N86-28056 *	NAS 1.26:175113	p 592	N86-27284 *	NAS 1.26:177141	p 650	N86-29846 *
NAS 1.15:88226	p 630	N86-28062 *	NAS 1.26:175861	p 260	N86-17816 *	NAS 1.26:177147	p 757	N86-31335 *
NAS 1.15:88234	p 634	N86-28068 *	NAS 1.26:176320	p 113	N86-12240 *	NAS 1.26:177162	p 683	N86-28702 *
NAS 1.15:88237	p 850	N86-31827 *	NAS 1.26:176322	p 130	N86-13235 *	NAS 1.26:177164	p 654	N86-29851 *
NAS 1.15:88240	p 763	N86-31527 *	NAS 1.26:176323	p 110	N86-12233 *	NAS 1.26:177260	p 599	N86-27291 *
NAS 1.15:88242	p 622	N86-28050 *	NAS 1.26:176328	p 93	N86-12216 *	NAS 1.26:177272	p 595	N86-26342 *
NAS 1.15:88243	p 622	N86-28049 *	NAS 1.26:176353	p 103	N86-12220 *	NAS 1.26:177274	p 573	N86-26312 *
NAS 1.15:88246	p 629	N86-28057 *	NAS 1.26:176355	p 88	N86-13294 *	NAS 1.26:177277	p 574	N86-27271 *
NAS 1.15:88248-PT-1	p 692	N86-29765 *	NAS 1.26:176363	p 188	N86-14532 *	NAS 1.26:177280	p 619	N86-27930 *
NAS 1.15:88248-PT-2	p 782	N86-32392 *	NAS 1.26:176387	p 100	N86-13320 *	NAS 1.26:177308	p 540	N86-26283 *
NAS 1.15:88255	p 629	N86-28060 *	NAS 1.26:176391	p 128	N86-13922 *	NAS 1.26:177361	p 87	N86-13287 *
NAS 1.15:88261	p 595	N86-26341 *	NAS 1.26:176403	p 89	N86-13300 *	NAS 1.26:177377	p 239	N86-16228 *
NAS 1.15:88262	p 650	N86-28068 *	NAS 1.26:176415	p 189	N86-14687 *	NAS 1.26:177395	p 88	N86-13291 *
NAS 1.15:88263	p 497	N86-24687 *	NAS 1.26:176424	p 181	N86-15323 *	NAS 1.26:177408	p 636	N86-29831 *
NAS 1.15:88264	p 653	N86-28092 *	NAS 1.26:176432	p 185	N86-15412 *	NAS 1.26:177419	p 721	N86-29820 *
NAS 1.15:88265	p 714	N86-29813 *	NAS 1.26:176439	p 190	N86-15668 *	NAS 1.26:177428	p 587	N86-26331 *
NAS 1.15:88266	p 639	N86-28078 *	NAS 1.26:176443	p 152	N86-15249 *	NAS 1.26:177492	p 314	N86-18449 *
NAS 1.15:88269	p 726	N86-29867 *	NAS 1.26:176501	p 232	N86-17351 *	NAS 1.26:177960	p 184	N86-14317 *
NAS 1.15:88271	p 726	N86-29866 *	NAS 1.26:176520	p 372	N86-20485 *	NAS 1.26:177966	p 113	N86-12238 *
NAS 1.15:88275	p 727	N86-29868 *	NAS 1.26:176530	p 283	N86-19306 *	NAS 1.26:177982	p 86	N86-12205 *
NAS 1.15:88285	p 524	N86-24936 *	NAS 1.26:176615	p 338	N86-20344 *	NAS 1.26:177983	p 93	N86-13310 *
NAS 1.15:88390	p 514	N86-24710 *	NAS 1.26:176656	p 379	N86-21704 *	NAS 1.26:177986	p 231	N86-16212 *
NAS 1.15:88400	p 655	N86-28960 *	NAS 1.26:176659	p 396	N86-22113 *	NAS 1.26:177989	p 123	N86-12580 *
NAS 1.15:88403	p 632	N86-28925 *	NAS 1.26:176701	p 415	N86-22556 *	NAS 1.26:177992	p 86	N86-12204 *
NAS 1.15:88411	p 511	N86-24701 *	NAS 1.26:176709	p 294	N86-18319 *	NAS 1.26:177994	p 147	N86-14221 *
NAS 1.15:88418	p 474	N86-24652 *	NAS 1.26:176712	p 466	N86-23322 *	NAS 1.26:177998	p 146	N86-14220 *
NAS 1.15:88442	p 657	N86-28964 *	NAS 1.26:176713	p 466	N86-23323 *	NAS 1.26:178003	p 113	N86-12237 *
NAS 1.15:88446	p 656	N86-28099 *	NAS 1.26:176715	p 466	N86-23321 *	NAS 1.26:178004	p 332	N86-20069 *
NAS 1.15:88584	p 295	N86-19314 *	NAS 1.26:176718	p 466	N86-23325 *	NAS 1.26:178015	p 479	N86-24684 *
NAS 1.15:88766	p 620	N86-27970 *	NAS 1.26:176765	p 525	N86-24955 *	NAS 1.26:178030	p 486	N86-25335 *
NAS 1.15:88768	p 555	N86-27182 *	NAS 1.26:176771	p 485	N86-24677 *	NAS 1.26:178031	p 641	N86-29940 *
NAS 1.15:88791	p 786	N86-31548 *	NAS 1.26:176773	p 511	N86-24702 *	NAS 1.26:178032	p 352	N86-20384 *
NAS 1.15:88792	p 678	N86-29271 *	NAS 1.26:176786	p 519	N86-25502 *	NAS 1.26:178037	p 641	N86-29839 *
NAS 1.15:88796	p 819	N86-31587 *	NAS 1.26:176794	p 529	N86-25956 *	NAS 1.26:178043	p 439	N86-22574 *
NAS 1.15:88798	p 629	N86-28053 *	NAS 1.26:176829	p 536	N86-26163 *	NAS 1.26:178046	p 340	N86-20361 *
NAS 1.15:88808	p 819	N86-31586 *	NAS 1.26:176840	p 610	N86-26546 *	NAS 1.26:178047	p 357	N86-20386 *
NAS 1.15:88817	p 819	N86-31585 *	NAS 1.26:176858	p 749	N86-31265 *	NAS 1.26:178057	p 340	N86-20380 *
NAS 1.15:88991	p 677	N86-29198 *	NAS 1.26:176879	p 722	N86-30730 *	NAS 1.26:178058	p 532	N86-25145 *

NAS 1.26:178082	p 401	N86-22308 *	NAS 1.71:NPO-16734-1-CU	p 612	N86-27467 *	NASA-CR-176415	p 189	N86-14687 *
NAS 1.26:178084	p 652	N86-28090 *				NASA-CR-176424	p 181	N86-15323 *
NAS 1.26:178074	p 466	N86-23350 *	NAS-SR-1000	p 94	N86-13312 #	NASA-CR-176432	p 185	N86-15412 *
NAS 1.26:178075	p 466	N86-24277 *				NASA-CR-176439	p 190	N86-15668 *
NAS 1.26:178079	p 470	N86-24394 *	NASA-CASE-ARC-11349-1	p 388	N86-20797 *	NASA-CR-176443	p 152	N86-15249 *
NAS 1.26:178083	p 485	N86-24678 *	NASA-CASE-ARC-11425-2	p 378	N86-20499 *	NASA-CR-176501	p 232	N86-17351 *
NAS 1.26:178097	p 587	N86-27278 *	NASA-CASE-ARC-11429-1-CU	p 378	N86-20580 *	NASA-CR-176520	p 372	N86-20485 *
NAS 1.26:178109	p 675	N86-28375 *	NASA-CASE-ARC-11504-1	p 840	N86-32447 *	NASA-CR-176530	p 283	N86-19306 *
NAS 1.26:178118	p 631	N86-28918 *	NASA-CASE-ARC-11548-1	p 379	N86-21688 *	NASA-CR-176615	p 338	N86-20344 *
NAS 1.26:178127	p 694	N86-29778 *	NASA-CASE-ARC-11615-15B	p 664	N86-28131 *	NASA-CR-176656	p 379	N86-21704 *
NAS 1.26:178146	p 756	N86-30469 *	NASA-CASE-ARC-11622-1	p 394	N86-21982 *	NASA-CR-176659	p 396	N86-22113 *
NAS 1.26:178148	p 734	N86-30612 *	NASA-CASE-ARC-11633-1	p 511	N86-24700 *	NASA-CR-176701	p 415	N86-22556 *
NAS 1.26:178163	p 781	N86-31531 *				NASA-CR-176709	p 294	N86-18319 *
NAS 1.26:178164	p 835	N86-31590 *	NASA-CASE-KSC-11155-1	p 283	N86-19304 *	NASA-CR-176712	p 466	N86-23322 *
NAS 1.26:178165	p 698	N86-30698 *				NASA-CR-176713	p 466	N86-23323 *
NAS 1.26:178736	p 446	N86-23604 *	NASA-CASE-LAR-12518-1	p 590	N86-27280 *	NASA-CR-176715	p 466	N86-23321 *
NAS 1.26:179451	p 611	N86-26629 *	NASA-CASE-LAR-13111-1-CU	p 332	N86-20086 *	NASA-CR-176716	p 466	N86-23325 *
NAS 1.26:179653	p 716	N86-30722 *	NASA-CASE-LAR-13250-1	p 612	N86-27630 *	NASA-CR-176765	p 525	N86-24955 *
NAS 1.26:179654	p 729	N86-30738 *	NASA-CASE-LAR-13290-1	p 389	N86-20397 *	NASA-CR-176771	p 485	N86-24677 *
NAS 1.26:179655	p 697	N86-30698 *	NASA-CASE-LAR-13353-1	p 666	N86-29039 *	NASA-CR-176773	p 511	N86-24702 *
NAS 1.26:179657	p 697	N86-30697 *	NASA-CASE-LAR-13403-1	p 483	N86-24673 *	NASA-CR-176796	p 519	N86-25502 *
NAS 1.26:20987	p 721	N86-29818 *	NASA-CASE-LAR-13470-1	p 569	N86-26296 *	NASA-CR-176794	p 529	N86-25505 *
NAS 1.26:3675	p 408	N86-23554 *				NASA-CR-176829	p 536	N86-26183 *
NAS 1.26:3762	p 436	N86-23586 *	NASA-CASE-LEW-13142-2	p 364	N86-20389 *	NASA-CR-176840	p 610	N86-26546 *
NAS 1.26:3805	p 87	N86-12206 *	NASA-CASE-LEW-13773-2	p 388	N86-20671 *	NASA-CR-176858	p 749	N86-31265 *
NAS 1.26:3806	p 86	N86-12202 *				NASA-CR-176879	p 722	N86-30730 *
NAS 1.26:3934	p 180	N86-15278 *	NASA-CASE-NPO-16734-1-CU	p 612	N86-27467 *	NASA-CR-176883	p 697	N86-30683 *
NAS 1.26:3919	p 86	N86-12203 *				NASA-CR-176902	p 693	N86-29771 *
NAS 1.26:3927	p 100	N86-13317 *	NASA-CP-2298	p 504	N86-25342 *	NASA-CR-176903	p 693	N86-29772 *
NAS 1.26:3936	p 190	N86-15625 *	NASA-CP-2395	p 390	N86-21933 *	NASA-CR-176904	p 632	N86-28921 *
NAS 1.26:3937	p 180	N86-14278 *	NASA-CP-2400	p 167	N86-15280 *	NASA-CR-176906	p 716	N86-30718 *
NAS 1.26:3944	p 90	N86-12212 *	NASA-CP-2416-VOL-1	p 556	N86-27190 *	NASA-CR-176907	p 703	N86-28900 *
NAS 1.26:3954	p 414	N86-22550 *	NASA-CP-2419	p 527	N86-25823 *	NASA-CR-176908	p 676	N86-29159 *
NAS 1.26:3956	p 555	N86-26288 *				NASA-CR-176930	p 632	N86-28922 *
NAS 1.26:3960	p 462	N86-23159 *	NASA-CR-159251	p 639	N86-28077 *	NASA-CR-176931	p 632	N86-28923 *
NAS 1.26:3961	p 393	N86-21069 *	NASA-CR-168051	p 168	N86-15305 *	NASA-CR-176932	p 742	N86-30094 *
NAS 1.26:3965	p 469	N86-24392 *	NASA-CR-168068	p 436	N86-23588 *	NASA-CR-176940	p 729	N86-30737 *
NAS 1.26:3967	p 525	N86-24990 *	NASA-CR-168123	p 178	N86-15320 *	NASA-CR-176942	p 714	N86-29811 *
NAS 1.26:3968	p 446	N86-22581 *	NASA-CR-168479	p 416	N86-23568 *	NASA-CR-176947	p 722	N86-30731 *
NAS 1.26:3970	p 480	N86-23852 *	NASA-CR-168619	p 240	N86-17358 *	NASA-CR-176952	p 714	N86-29812 *
NAS 1.26:3971	p 746	N86-30285 *	NASA-CR-168620	p 533	N86-25169 *	NASA-CR-176954	p 684	N86-29773 *
NAS 1.26:3973	p 535	N86-25216 *	NASA-CR-168267	p 190	N86-15651 *	NASA-CR-176962	p 726	N86-29865 *
NAS 1.26:3975	p 478	N86-24659 *	NASA-CR-171904	p 130	N86-14078 *	NASA-CR-176963	p 631	N86-28919 *
NAS 1.26:3984	p 478	N86-24661 *	NASA-CR-172127	p 617	N86-27855 *	NASA-CR-176967	p 631	N86-28915 *
NAS 1.26:3991	p 480	N86-25326 *	NASA-CR-172221	p 176	N86-14277 *	NASA-CR-176968	p 631	N86-28916 *
NAS 1.26:4003	p 675	N86-28377 *	NASA-CR-172299	p 417	N86-23568 *	NASA-CR-176969	p 676	N86-29152 *
NAS 1.26:4004	p 745	N86-30999 *	NASA-CR-172553	p 682	N86-29547 *	NASA-CR-176970	p 693	N86-29769 *
NAS 1.26:4014	p 636	N86-32440 *	NASA-CR-172563	p 636	N86-28074 *	NASA-CR-176971	p 693	N86-29770 *
NAS 1.26:84919	p 416	N86-23668 *	NASA-CR-172800	p 314	N86-18448 *	NASA-CR-176973	p 726	N86-29864 *
NAS 1.26:87682	p 686	N86-27279 *	NASA-CR-174202	p 88	N86-13293 *	NASA-CR-176974	p 748	N86-30371 *
NAS 1.55:2296	p 504	N86-25342 *	NASA-CR-174845	p 480	N86-23936 *	NASA-CR-176976	p 714	N86-29810 *
NAS 1.55:2395	p 390	N86-21933 *	NASA-CR-174846	p 461	N86-23937 *	NASA-CR-176977	p 631	N86-28917 *
NAS 1.55:2400	p 167	N86-15280 *	NASA-CR-174847	p 461	N86-23938 *	NASA-CR-176978	p 696	N86-30691 *
NAS 1.55:2416-VOL-1	p 556	N86-27190 *	NASA-CR-174710	p 525	N86-24691 *	NASA-CR-176980	p 642	N86-28945 *
NAS 1.55:2419	p 527	N86-25823 *	NASA-CR-174768	p 592	N86-27282 *	NASA-CR-176984	p 655	N86-28959 *
NAS 1.60:2252	p 463	N86-24090 *	NASA-CR-174789	p 781	N86-31536 *	NASA-CR-176985	p 632	N86-28920 *
NAS 1.60:2442	p 197	N86-16187 *	NASA-CR-174797	p 255	N86-16486 *	NASA-CR-176986	p 640	N86-28936 *
NAS 1.60:2447	p 339	N86-20345 *	NASA-CR-174817	p 489	N86-23371 *	NASA-CR-176987	p 641	N86-28937 *
NAS 1.60:2457	p 339	N86-20346 *	NASA-CR-174818	p 489	N86-23372 *	NASA-CR-176989	p 729	N86-30736 *
NAS 1.60:2479	p 128	N86-13946 *	NASA-CR-174825	p 722	N86-30732 *	NASA-CR-177002	p 679	N86-29506 *
NAS 1.60:2497	p 207	N86-18193 *	NASA-CR-174826	p 130	N86-13219 *	NASA-CR-177016	p 630	N86-28912 *
NAS 1.60:2501	p 339	N86-20350 *	NASA-CR-174869	p 745	N86-31030 *	NASA-CR-177017	p 654	N86-28955 *
NAS 1.60:2503	p 277	N86-18289 *	NASA-CR-174878	p 174	N86-14272 *	NASA-CR-177022	p 630	N86-28913 *
NAS 1.60:2506	p 339	N86-20349 *	NASA-CR-174911	p 701	N86-30022 *	NASA-CR-177023	p 631	N86-28914 *
NAS 1.60:2520	p 100	N86-13316 *	NASA-CR-174919	p 571	N86-27268 *	NASA-CR-177025	p 654	N86-28956 *
NAS 1.60:2535	p 445	N86-22580 *	NASA-CR-174923-VOL-1	p 108	N86-13328 *	NASA-CR-177028	p 654	N86-28957 *
NAS 1.60:2537	p 339	N86-20351 *	NASA-CR-174923-VOL-2	p 108	N86-13329 *	NASA-CR-177032	p 693	N86-29768 *
NAS 1.60:2538	p 525	N86-24992 *	NASA-CR-174923-VOL-3	p 108	N86-13330 *	NASA-CR-177035	p 758	N86-31357 *
NAS 1.60:2541	p 536	N86-26162 *	NASA-CR-174952	p 526	N86-25003 *	NASA-CR-177080	p 721	N86-29819 *
NAS 1.60:2542	p 378	N86-20506 *	NASA-CR-174967	p 675	N86-28463 *	NASA-CR-177082	p 714	N86-29809 *
NAS 1.60:2544	p 174	N86-15313 *	NASA-CR-175008	p 194	N86-15113 *	NASA-CR-177086	p 654	N86-28952 *
NAS 1.60:2551	p 401	N86-21280 *	NASA-CR-175020	p 503	N86-24695 *	NASA-CR-177095	p 742	N86-30080 *
NAS 1.60:2552	p 469	N86-24393 *	NASA-CR-175023	p 344	N86-20379 *	NASA-CR-177098	p 682	N86-29579 *
NAS 1.60:2554	p 389	N86-21755 *	NASA-CR-175024	p 344	N86-20380 *	NASA-CR-177100	p 682	N86-29580 *
NAS 1.60:2557	p 503	N86-24694 *	NASA-CR-175048	p 518	N86-24818 *	NASA-CR-177102	p 693	N86-29651 *
NAS 1.60:2559	p 415	N86-23559 *	NASA-CR-175061	p 517	N86-24760 *	NASA-CR-177103	p 640	N86-28935 *
NAS 1.60:2562	p 515	N86-24722 *	NASA-CR-175062	p 722	N86-30733 *	NASA-CR-177104	p 632	N86-28924 *
NAS 1.60:2563	p 757	N86-31337 *	NASA-CR-175067	p 452	N86-22713 *	NASA-CR-177108	p 679	N86-29486 *
NAS 1.60:2564	p 533	N86-25168 *	NASA-CR-175068	p 420	N86-22559 *	NASA-CR-177110	p 693	N86-29766 *
NAS 1.60:2579	p 416	N86-23562 *	NASA-CR-175069	p 420	N86-22558 *	NASA-CR-177112	p 654	N86-28953 *
NAS 1.60:2580	p 416	N86-23561 *	NASA-CR-175091	p 651	N86-28947 *	NASA-CR-177113	p 630	N86-28911 *
NAS 1.60:2589	p 716	N86-30721 *	NASA-CR-175092	p 420	N86-23577 *	NASA-CR-177121	p 654	N86-28954 *
NAS 1.60:2599	p 687	N86-29762 *	NASA-CR-175099	p 611	N86-26596 *	NASA-CR-177126	p 726	N86-29663 *
NAS 1.60:2609	p 757	N86-31341 *	NASA-CR-175112	p 592	N86-27283 *	NASA-CR-177133	p 630	N86-28064 *
NAS 1.61:1133	p 311	N86-18328 *	NASA-CR-175113	p 592	N86-27284 *	NASA-CR-177141	p 650	N86-28946 *
NAS 1.61:1153	p 445	N86-22579 *	NASA-CR-175161	p 260	N86-17816 *	NASA-CR-177147	p 757	N86-31335 *
NAS 1.61:1166	p 616	N86-27635 *	NASA-CR-176320	p 113	N86-12240 *	NASA-CR-177162	p 683	N86-28702 *
NAS 1.71:ARC-11349-1	p 388	N86-20797 *	NASA-CR-176322	p 130	N86-13235 *	NASA-CR-177164	p 654	N86-28951 *
NAS 1.71:ARC-11425-2	p 378	N86-20499 *	NASA-CR-176323	p 110	N86-12233 *	NASA-CR-177260	p 599	N86-27291 *
NAS 1.71:ARC-11548-1	p 379	N86-21086 *	NASA-CR-176326	p 93	N86-12216 *	NASA-CR-177272	p 595	N86-26342 *
NAS 1.71:ARC-11622-1	p 394	N86-21982 *	NASA-CR-176353	p 103	N86-12220 *	NASA-CR-177274	p 573	N86-26312 *
NAS 1.71:ARC-11833-1	p 511	N86-24700 *	NASA-CR-176355	p 88	N86-13294 *	NASA-CR-177277	p 574	N86-27271 *
NAS 1.71:LAR-13111-1-CU	p 332	N86-20086 *	NASA-CR-176363	p 188	N86-14532 *	NASA-CR-177280	p 619	N86-27930 *
NAS 1.71:LAR-13280-1	p 369	N86-20397 *	NASA-CR-176387	p 100	N86-13320 *	NASA-CR-177308	p 540	N86-26283 *
NAS 1.71:LAR-13403-1	p 483	N86-24673 *	NASA-CR-176391	p 128	N86-13922 *	NASA-CR-177361	p 87	N86-13287 *
NAS 1.71:LAR-13470-1	p 569	N86-26296 *	NASA-CR-176403	p 89	N86-13300 *	NASA-CR-177377	p 239	N86-16228 *



NASA-CR-177385	p 88	N86-13291 *	#	NASA-TM-84848	p 150	N86-14250 *	#	NASA-TM-87597	p 322	N86-19661 *	#
NASA-CR-177408	p 638	N86-28931 *	#	NASA-TM-84897	p 639	N86-28078 *	#	NASA-TM-87600	p 208	N86-16199 *	#
NASA-CR-177419	p 721	N86-29820 *	#	NASA-TM-84907	p 598	N86-27290 *	#	NASA-TM-87603	p 184	N86-14314 *	#
NASA-CR-177928	p 587	N86-28331 *	#	NASA-TM-84919	p 416	N86-23568 *	#	NASA-TM-87607	p 340	N86-20358 *	#
NASA-CR-177929	p 314	N86-18449 *	#	NASA-TM-84923	p 207	N86-18197 *	#	NASA-TM-87611	p 214	N86-16208 *	#
NASA-CR-177960	p 184	N86-14317 *	#	NASA-TM-85673	p 416	N86-23567 *	#	NASA-TM-87620	p 111	N86-13332 *	#
NASA-CR-177966	p 113	N86-12238 *	#	NASA-TM-85705	p 86	N86-12206 *	#	NASA-TM-87621	p 128	N86-13944 *	#
NASA-CR-177962	p 86	N86-12205 *	#	NASA-TM-85708	p 416	N86-23565 *	#	NASA-TM-87625	p 256	N86-18613 *	#
NASA-CR-177963	p 93	N86-13310 *	#	NASA-TM-85724	p 800	N86-27406 *	#	NASA-TM-87627	p 342	N86-21514 *	#
NASA-CR-177966	p 231	N86-18212 *	#	NASA-TM-85906	p 294	N86-19312 *	#	NASA-TM-87629	p 255	N86-18553 *	#
NASA-CR-177969	p 123	N86-12580 *	#	NASA-TM-85918	p 435	N86-22563 *	#	NASA-TM-87631	p 178	N86-15319 *	#
NASA-CR-177992	p 86	N86-12204 *	#	NASA-TM-85919	p 446	N86-23603 *	#	NASA-TM-87632-PT-1	p 653	N86-28950 *	#
NASA-CR-177994	p 147	N86-14221 *	#	NASA-TM-86030	p 307	N86-19324 *	#	NASA-TM-87632-PT-2	p 653	N86-28093 *	#
NASA-CR-177998	p 148	N86-14220 *	#	NASA-TM-86037	p 207	N86-16196 *	#	NASA-TM-87634	p 496	N86-24685 *	#
NASA-CR-178003	p 113	N86-12237 *	#	NASA-TM-86038	p 184	N86-15350 *	#	NASA-TM-87637	p 265	N86-17077 *	#
NASA-CR-178004	p 332	N86-20089 *	#	NASA-TM-86042	p 436	N86-23587 *	#	NASA-TM-87639	p 731	N86-29871 *	#
NASA-CR-178015	p 479	N86-24664 *	#	NASA-TM-86042	p 152	N86-15248 *	#	NASA-TM-87641	p 278	N86-19287 *	#
NASA-CR-178030	p 486	N86-25335 *	#	NASA-TM-86036	p 100	N86-13321 *	#	NASA-TM-87645	p 243	N86-16243 *	#
NASA-CR-178031	p 641	N86-28940 *	#	NASA-TM-86040	p 167	N86-14267 *	#	NASA-TM-87656	p 415	N86-22552 *	#
NASA-CR-178032	p 352	N86-20384 *	#	NASA-TM-86410	p 370	N86-21549 *	#	NASA-TM-87659	p 415	N86-22554 *	#
NASA-CR-178037	p 641	N86-28939 *	#	NASA-TM-86424	p 126	N86-13892 *	#	NASA-TM-87660	p 336	N86-20342 *	#
NASA-CR-178043	p 439	N86-22574 *	#	NASA-TM-86430	p 116	N86-12259 *	#	NASA-TM-87661	p 479	N86-24685 *	#
NASA-CR-178046	p 340	N86-20361 *	#	NASA-TM-86435	p 152	N86-15245 *	#	NASA-TM-87664	p 332	N86-20088 *	#
NASA-CR-178047	p 357	N86-20386 *	#	NASA-TM-86450	p 146	N86-14218 *	#	NASA-TM-87666	p 342	N86-21518 *	#
NASA-CR-178057	p 340	N86-20380 *	#	NASA-TM-86526	p 458	N86-22914 *	#	NASA-TM-87671	p 483	N86-24672 *	#
NASA-CR-178058	p 532	N86-25145 *	#	NASA-TM-86528	p 174	N86-14271 *	#	NASA-TM-87676	p 278	N86-19288 *	#
NASA-CR-178062	p 401	N86-22306 *	#	NASA-TM-86583	p 90	N86-13304 *	#	NASA-TM-87677	p 639	N86-28075 *	#
NASA-CR-178064	p 652	N86-28090 *	#	NASA-TM-86716	p 152	N86-15246 *	#	NASA-TM-87682	p 588	N86-27279 *	#
NASA-CR-178074	p 466	N86-23350 *	#	NASA-TM-86741	p 717	N86-30723 *	#	NASA-TM-87683	p 415	N86-22553 *	#
NASA-CR-178075	p 466	N86-24277 *	#	NASA-TM-86764	p 100	N86-13319 *	#	NASA-TM-87685	p 756	N86-30470 *	#
NASA-CR-178079	p 470	N86-24394 *	#	NASA-TM-86766	p 89	N86-13297 *	#	NASA-TM-87687	p 745	N86-31070 *	#
NASA-CR-178083	p 485	N86-24678 *	#	NASA-TM-86789	p 190	N86-15626 *	#	NASA-TM-87694	p 401	N86-22304 *	#
NASA-CR-178097	p 587	N86-27278 *	#	NASA-TM-86774	p 88	N86-13296 *	#	NASA-TM-87695	p 392	N86-21954 *	#
NASA-CR-178109	p 675	N86-28375 *	#	NASA-TM-86777	p 87	N86-12207 *	#	NASA-TM-87697	p 682	N86-28701 *	#
NASA-CR-178118	p 631	N86-28918 *	#	NASA-TM-86778	p 152	N86-15244 *	#	NASA-TM-87698	p 537	N86-26276 *	#
NASA-CR-178127	p 694	N86-29776 *	#	NASA-TM-86779	p 789	N86-31551 *	#	NASA-TM-87703	p 675	N86-28385 *	#
NASA-CR-178146	p 756	N86-30469 *	#	NASA-TM-86783	p 781	N86-31535 *	#	NASA-TM-87706	p 478	N86-24657 *	#
NASA-CR-178148	p 734	N86-30812 *	#	NASA-TM-86795	p 176	N86-14276 *	#	NASA-TM-87707	p 408	N86-23555 *	#
NASA-CR-178163	p 781	N86-31531 *	#	NASA-TM-86798	p 611	N86-26653 *	#	NASA-TM-87710	p 512	N86-24703 *	#
NASA-CR-178164	p 835	N86-31590 *	#	NASA-TM-86799	p 178	N86-14275 *	#	NASA-TM-87711	p 749	N86-31237 *	#
NASA-CR-178165	p 698	N86-30698 *	#	NASA-TM-86801	p 595	N86-26339 *	#	NASA-TM-87714	p 743	N86-30233 *	#
NASA-CR-178736	p 448	N86-23604 *	#	NASA-TM-86802	p 263	N86-16844 *	#	NASA-TM-87719	p 781	N86-31532 *	#
NASA-CR-178451	p 611	N86-26629 *	#	NASA-TM-86803	p 295	N86-19313 *	#	NASA-TM-87722	p 555	N86-26289 *	#
NASA-CR-178653	p 716	N86-30722 *	#	NASA-TM-86805	p 311	N86-19330 *	#	NASA-TM-87726	p 479	N86-24663 *	#
NASA-CR-178654	p 729	N86-30738 *	#	NASA-TM-86807	p 307	N86-19325 *	#	NASA-TM-87727	p 559	N86-27209 *	#
NASA-CR-178655	p 697	N86-30696 *	#	NASA-TM-86808	p 595	N86-26340 *	#	NASA-TM-87728	p 656	N86-28961 *	#
NASA-CR-178657	p 697	N86-30697 *	#	NASA-TM-86809	p 586	N86-26328 *	#	NASA-TM-87730	p 675	N86-28389 *	#
NASA-CR-3675	p 408	N86-23554 *	#	NASA-TM-86811	p 539	N86-26277 *	#	NASA-TM-87732	p 748	N86-30349 *	#
NASA-CR-3762	p 436	N86-23586 *	#	NASA-TM-86816	p 188	N86-14555 *	#	NASA-TM-87739	p 757	N86-31339 *	#
NASA-CR-3805	p 87	N86-12208 *	#	NASA-TM-86821	p 264	N86-17014 *	#	NASA-TM-87741	p 629	N86-28054 *	#
NASA-CR-3806	p 86	N86-12202 *	#	NASA-TM-86823	p 190	N86-15627 *	#	NASA-TM-87743	p 731	N86-29872 *	#
NASA-CR-3834	p 180	N86-15278 *	#	NASA-TM-86825	p 89	N86-13299 *	#	NASA-TM-87745	p 756	N86-30471 *	#
NASA-CR-3919	p 86	N86-12203 *	#	NASA-TM-86828	p 639	N86-28079 *	#	NASA-TM-87746	p 683	N86-29633 *	#
NASA-CR-3927	p 100	N86-13317 *	#	NASA-TM-86830	p 152	N86-15247 *	#	NASA-TM-87747	p 683	N86-29632 *	#
NASA-CR-3936	p 190	N86-15625 *	#	NASA-TM-86833	p 152	N86-15243 *	#	NASA-TM-87755	p 697	N86-30695 *	#
NASA-CR-3937	p 180	N86-14278 *	#	NASA-TM-86835	p 76	N86-13286 *	#	NASA-TM-87757	p 697	N86-30694 *	#
NASA-CR-3944	p 90	N86-12212 *	#	NASA-TM-86837	p 131	N86-14213 *	#	NASA-TM-87766	p 806	N86-31568 *	#
NASA-CR-3954	p 414	N86-22550 *	#	NASA-TM-86841	p 822	N86-28051 *	#	NASA-TM-87767	p 714	N86-29814 *	#
NASA-CR-3956	p 555	N86-26288 *	#	NASA-TM-86847	p 94	N86-13311 *	#	NASA-TM-87769	p 694	N86-29777 *	#
NASA-CR-3960	p 462	N86-23159 *	#	NASA-TM-87095	p 242	N86-16232 *	#	NASA-TM-87794	p 600	N86-27351 *	#
NASA-CR-3961	p 393	N86-21069 *	#	NASA-TM-87099	p 129	N86-14007 *	#	NASA-TM-87973	p 459	N86-23749 *	#
NASA-CR-3965	p 469	N86-24392 *	#	NASA-TM-87112	p 536	N86-25218 *	#	NASA-TM-88193	p 88	N86-13292 *	#
NASA-CR-3967	p 525	N86-24990 *	#	NASA-TM-87116	p 129	N86-14006 *	#	NASA-TM-88196	p 313	N86-18441 *	#
NASA-CR-3968	p 446	N86-22581 *	#	NASA-TM-87129	p 331	N86-19125 *	#	NASA-TM-88201	p 89	N86-13298 *	#
NASA-CR-3970	p 480	N86-23852 *	#	NASA-TM-87132	p 117	N86-13407 *	#	NASA-TM-88218	p 629	N86-28056 *	#
NASA-CR-3971	p 748	N86-30285 *	#	NASA-TM-87146	p 113	N86-12239 *	#	NASA-TM-88228	p 630	N86-28062 *	#
NASA-CR-3973	p 535	N86-25216 *	#	NASA-TM-87151	p 123	N86-13677 *	#	NASA-TM-88234	p 634	N86-28068 *	#
NASA-CR-3975	p 478	N86-24659 *	#	NASA-TM-87159	p 147	N86-14223 *	#	NASA-TM-88237	p 850	N86-31827 *	#
NASA-CR-3984	p 478	N86-24661 *	#	NASA-TM-87161	p 107	N86-12227 *	#	NASA-TM-88240	p 763	N86-31527 *	#
NASA-CR-3987	p 721	N86-29818 *	#	NASA-TM-87170	p 330	N86-19008 *	#	NASA-TM-88242	p 622	N86-28050 *	#
NASA-CR-3991	p 480	N86-25328 *	#	NASA-TM-87180	p 188	N86-14554 *	#	NASA-TM-88243	p 622	N86-28049 *	#
NASA-CR-4003	p 675	N86-28377 *	#	NASA-TM-87190	p 311	N86-18329 *	#	NASA-TM-88246	p 629	N86-28057 *	#
NASA-CR-4004	p 745	N86-30999 *	#	NASA-TM-87191	p 806	N86-31562 *	#	NASA-TM-88248-PT-1	p 692	N86-29765 *	#
NASA-CR-4014	p 836	N86-32440 *	#	NASA-TM-87193	p 207	N86-16194 *	#	NASA-TM-88248-PT-2	p 782	N86-32392 *	#
NASA-NEWS-RELEASE-86-92	p 681	N86-28628 *	#	NASA-TM-87194	p 242	N86-16233 *	#	NASA-TM-88255	p 629	N86-28060 *	#
NASA-NEWS-RELEASE-86-92	p 681	N86-28628 *	#	NASA-TM-87197	p 255	N86-16611 *	#	NASA-TM-88261	p 585	N86-26341 *	#
NASA-RP-1133	p 311	N86-18328 *	#	NASA-TM-87199	p 147	N86-14224 *	#	NASA-TM-88262	p 585	N86-28088 *	#
NASA-RP-1153	p 445	N86-22579 *	#	NASA-TM-87200	p 207	N86-16195 *	#	NASA-TM-88263	p 497	N86-24687 *	#
NASA-RP-1166	p 616	N86-27835 *	#	NASA-TM-87220	p 524	N86-24934 *	#	NASA-TM-88264	p 653	N86-28092 *	#
NASA-RP-1166	p 616	N86-27835 *	#	NASA-TM-87265	p 446	N86-22582 *	#	NASA-TM-88265	p 714	N86-29813 *	#
NASA-RP-1166	p 616	N86-27835 *	#	NASA-TM-87272	p 650	N86-28085 *	#	NASA-TM-88266	p 639	N86-28078 *	#
NASA-SP-485	p 716	N86-30720 *	#	NASA-TM-87273	p 527	N86-25793 *	#	NASA-TM-88269	p 726	N86-29867 *	#
NASA-SP-7037(196)	p 408	N86-23552 *	#	NASA-TM-87288	p 452	N86-22667 *	#	NASA-TM-88271	p 726	N86-29866 *	#
NASA-SP-7037(196)	p 408	N86-23553 *	#	NASA-TM-87289	p 504	N86-24697 *	#	NASA-TM-88275	p 727	N86-29868 *	#
NASA-SP-7037(196)	p 408	N86-23553 *	#	NASA-TM-87298	p 478	N86-24658 *	#	NASA-TM-88285	p 524	N86-24936 *	#
NASA-TM-77682	p 357	N86-21534 *	#	NASA-TM-87301	p 479	N86-24667 *	#	NASA-TM-88390	p 514	N86-24710 *	#
NASA-TM-77710	p 364	N86-21543 *	#	NASA-TM-87302	p 535	N86-25217 *	#	NASA-TM-88400	p 655	N86-28960 *	#
NASA-TM-77713	p 357	N86-21535 *	#	NASA-TM-87304	p 819	N86-31582 *	#	NASA-TM-88403	p 632	N86-28925 *	#
NASA-TM-77715	p 342	N86-21511 *	#	NASA-TM-87316	p 820	N86-31588 *	#	NASA-TM-88411	p 511	N86-24701 *	#
NASA-TM-77952	p 100	N86-13318 *	#	NASA-TM-87323	p 554	N86-26285 *	#	NASA-TM-88418	p 474	N86-24652 *	#
NASA-TM-77962	p 342	N86-21516 *	#	NASA-TM-87333	p 883	N86-29630 *	#	NASA-TM-88442	p 657	N86-28964 *	#
NASA-TM-77963	p 341	N86-21509 *	#	NASA-TM-87342	p 559	N86-27213 *	#	NASA-TM-88446	p 656	N86-28099 *	#
NASA-TM-77976	p 227	N86-17338 *	#	NASA-TM-87351	p 285	N86-18121 *	#	NASA-TM-88584	p 295	N86-19314 *	#
NASA-TM-77979	p 342	N86-21510 *	#	NASA-TM-87579	p 147	N86-14222 *	#	NASA-TM-88766	p 620	N86-27970 *	#
NASA-TM-83199-PT-3	p 536	N86-25220 *	#	NASA-TM-87580	p 91	N86-13305 *	#	NASA-TM-88768	p 555	N86-27182 *	#



## REPORT NUMBER INDEX

PB85-222750

NASA-TM-88791	p 786	N86-31548 *	NLR-TR-83091-U	p 228	N86-17347	NTSB/SR-85/02	p 280	N86-18308 #
NASA-TM-88792	p 678	N86-29271 *	NLR-TR-83123-U	p 211	N86-17320	NTSB/SS-85/01	p 343	N86-20377 #
NASA-TM-88798	p 819	N86-31587 *	NLR-TR-83128-U	p 683	N86-29836	NUSC-TM-861043	p 856	N86-32249 #
NASA-TM-88798	p 629	N86-28053 *	NLR-TR-83130-U	p 258	N86-17699	NWC-TP-6575-CH-1/4	p 87	N86-12210 #
NASA-TM-88808	p 819	N86-31586 *	NLR-TR-83136-U	p 212	N86-17321	NWC-TP-6618	p 107	N86-12231 #
NASA-TM-88817	p 819	N86-31585 *	NLR-TR-84001-U	p 258	N86-17700	OA-34/3075	p 657	N86-28864 *
NASA-TM-88891	p 677	N86-29198 *	NLR-TR-84021-U	p 603	N86-26429	OA-9/5007-AYD	p 656	N86-28099 *
NASA-TM-88893	p 757	N86-31338 *	NLR-TR-84030-U	p 228	N86-17348	OE-85-14	p 108	N86-13331 #
NASA-TM-88898	p 637	N86-28933 *	NLR-TR-84043-U-PT-1	p 228	N86-17336	ONERA-NT-1984-2	p 446	N86-22583 #
NASA-TM-89001	p 835	N86-31591 *	NLR-TR-84043-U-PT-1	p 436	N86-23585	ONERA-P-1978-6-REV	p 240	N86-16229 #
NASA-TM-89011	p 715	N86-29815 *	NLR-TR-84043-U-PT-2	p 228	N86-17337	ONERA-P-1983-1	p 240	N86-16229 #
NASA-TM-89225	p 655	N86-28958 *	NLR-TR-84043-U-PT-2	p 436	N86-23585	ONERA-RS-10/3468-PY	p 257	N86-17637 #
NASA-TP-2252	p 483	N86-24080 *	NLR-TR-84051-U	p 611	N86-26662	ONERA-RT-12/1677-RY-090-R	p 809	N86-32429 #
NASA-TP-2442	p 197	N86-16187 *	NLR-TR-84064-U	p 633	N86-28928	ONERA-RT-19/3463-AYP	p 841	N86-32451 #
NASA-TP-2447	p 339	N86-20345 *	NLR-TR-84090-U	p 612	N86-26683	ONERA-RT-22/1841-RY-310-R	p 841	N86-28942 #
NASA-TP-2457	p 339	N86-20346 *	NLR-TR-84108-U	p 595	N86-26343	ONERA-RT-22/1841-RY-311-G	p 841	N86-28942 #
NASA-TP-2479	p 128	N86-13948 *	NLR-TR-85006-U	p 604	N86-26430	ONERA-RT-24/3064-RY-044-R	p 895	N86-28786 #
NASA-TP-2497	p 207	N86-16193 *	NLR-TR-85014-U	p 809	N86-32430	ONERA-RT-3/3567-RY-C40-R	p 227	N86-17340 #
NASA-TP-2501	p 339	N86-20350 *	NLR-TR-85034-U	p 260	N86-16751	ONERA-RT-7/3542-RY-041-R	p 678	N86-28279 #
NASA-TP-2503	p 277	N86-18289 *	NMERI-TA3-19	p 743	N86-30890	ONERA-RT-85/7108-RY-054-R	p 743	N86-30219 #
NASA-TP-2506	p 339	N86-20349 *	NMERI-WA5-6(5.04)	p 448	N86-23607	ONERA-RTS-23/3064-RY-048-R	p 633	N86-28927 #
NASA-TP-2520	p 100	N86-13316 *	NOAA-NWS-ERCP-30	p 260	N86-16854	ONERA, TP NO. 1985-129	p 142	A86-17827 #
NASA-TP-2535	p 445	N86-22580 *	NOAA-NWS-TDL-CP-85-1	p 260	N86-16843	ONERA, TP NO. 1985-147	p 306	A86-24633 #
NASA-TP-2537	p 339	N86-20351 *	NORDA-93	p 125	N86-12744	ONERA, TP NO. 1985-148	p 272	A86-24634 #
NASA-TP-2538	p 525	N86-24992 *	NOTE-427.021/86	p 806	N86-31567	ONERA, TP NO. 1985-149	p 272	A86-24627 #
NASA-TP-2541	p 536	N86-26162 *	NPL-AC-104	p 401	N86-22302	ONERA, TP NO. 1985-152	p 272	A86-24630 #
NASA-TP-2542	p 378	N86-20508 *	NPL-DMA(A)113	p 685	N86-28193	ONERA, TP NO. 1985-154	p 313	A86-24636 #
NASA-TP-2544	p 174	N86-15313 *	NPL-VG-84-009-L	p 789	N86-32419	ONERA, TP NO. 1985-158	p 309	A86-24638 #
NASA-TP-2551	p 401	N86-21280 *	NPRDC-TR-86-8	p 463	N86-24215	ONERA, TP NO. 1985-164	p 323	A86-24631 #
NASA-TP-2552	p 469	N86-24393 *	NPS554-85-011	p 540	N86-26282	ONERA, TP NO. 1985-165	p 145	A86-18535 #
NASA-TP-2554	p 389	N86-21755 *	NPS67-85-008	p 389	N86-20813 *	ONERA, TP NO. 1985-166	p 273	A86-24642 #
NASA-TP-2557	p 503	N86-24684 *	NRC-24882	p 449	N86-23608	ONERA, TP NO. 1985-171	p 318	A86-24646 #
NASA-TP-2559	p 415	N86-23559 *	NRC-24922	p 278	N86-19292	ONERA, TP NO. 1985-23	p 205	A86-22057 #
NASA-TP-2562	p 515	N86-24722 *	NRC-25076	p 278	N86-19285	ONERA, TP NO. 1986-100	p 818	A86-49125 #
NASA-TP-2563	p 757	N86-31337 *	NRC-25132	p 276	N86-18287	ONERA, TP NO. 1986-101	p 776	A86-49106 #
NASA-TP-2564	p 533	N86-25168 *	NRL-MR-5650	p 280	N86-18307	ONERA, TP NO. 1986-102	p 843	A86-49077 #
NASA-TP-2579	p 416	N86-23562 *	NRL-8932	p 480	N86-23874	ONERA, TP NO. 1986-105	p 800	A86-48978 #
NASA-TP-2580	p 416	N86-23561 *	NRL-8951	p 528	N86-25079	ONERA, TP NO. 1986-106	p 731	A86-46155 #
NASA-TP-2589	p 716	N86-30721 *	NRLMR-5676	p 437	N86-23590	ONERA, TP NO. 1986-122	p 773	A86-49042 #
NASA-TP-2590	p 687	N86-29762 *	NSTB/AAB-85/21	p 281	N86-18310	ONERA, TP NO. 1986-29	p 692	A86-46171 #
NASA-TP-2609	p 757	N86-31341 *	NSWC/TR-84-484	p 278	N86-19291	ONERA, TP NO. 1986-31	p 725	A86-46173 #
NAUFP-202-3	p 130	N86-13219 *	NSWC/TR-85-24	p 150	N86-14251	ONERA, TP NO. 1986-35	p 713	A86-46177 #
NAVTRASYSCEN-85-C-0069	p 466	N86-24233 #	NTSB-A-86-22	p 699	N86-29790	ONERA, TP NO. 1986-38	p 644	A86-40736 #
NA84-0148	p 86	N86-12205 *	NTSB-A-86-23	p 699	N86-29790	ONERA, TP NO. 1986-39	p 548	A86-38436 #
NBS/SP-305-SUPPL-16	p 402	N86-21435 #	NTSB-AAB-85-23	p 570	N86-26304	ONERA, TP NO. 1986-49	p 692	A86-46185 #
NBSIR-85/3223	p 518	N86-24788 #	NTSB-AAB-86-01	p 570	N86-26305	ONERA, TP NO. 1986-4	p 691	A86-46152 #
NCAR/TN-238 + STR	p 394	N86-22067 #	NTSB-AAB-86-02	p 570	N86-26306	ONERA, TP NO. 1986-64	p 626	A86-42706 #
NLR-MP-83045-U	p 259	N86-17809 #	NTSB-AAB-86-03	p 570	N86-26307	ONERA, TP NO. 1986-78	p 750	A86-45402 #
NLR-MP-83057-U	p 287	N86-18252 #	NTSB-AAB-86-04	p 570	N86-26308	ONERA, TP NO. 1986-8	p 713	A86-46153 #
NLR-MP-83063-U	p 208	N86-16202 #	NTSB-AAB-86-05	p 570	N86-26309	ORI-TR-2459	p 100	N86-13317 *
NLR-MP-83067-U	p 264	N86-17046 #	NTSB-AAB-86-06	p 571	N86-26310	ORNL/TM-9856	p 192	N86-15003 #
NLR-MP-83069-U	p 226	N86-18211 #	NTSB-AAB-86-07	p 571	N86-26311	OU-AEC-81-1	p 636	N86-28073 #
NLR-MP-84004-U	p 216	N86-17334 #	NTSB-AAB-86-08	p 571	N86-26312	OU/AEC/EER-79-1-VOL-1	p 704	N86-29801 #
NLR-MP-84005-U	p 227	N86-17342 #	NTSB-AAB-86-09	p 571	N86-26313	OU/AEC/EER-79-1-VOL-2	p 636	N86-28932 #
NLR-MP-84023-U	p 811	N86-32431 #	NTSB-AAR-85-02-SUM	p 484	N86-25333	OUEL-1589/85	p 264	N86-17007 #
NLR-MP-84024-U	p 308	N86-19326 #	NTSB-AAR-86-03	p 634	N86-28069	P/W/GPO-FR-18710	p 518	N86-24781 #
NLR-MP-84027-U	p 325	N86-19808 #	NTSB-ARC-86-01	p 634	N86-28929	PAPER-10	p 505	N86-25352 *
NLR-MP-84032-U	p 264	N86-18030 #	NTSB-REC-85-12	p 569	N86-26301	PAPER-11	p 505	N86-25353 *
NLR-MP-84035-U	p 159	N86-14263 #	NTSB-SR-85-02	p 569	N86-26302	PAPER-12	p 506	N86-25354 *
NLR-MP-84040-U	p 555	N86-26293 #	NTSB-4102C/300A	p 571	N86-27267	PAPER-13	p 506	N86-25355 *
NLR-MP-84049-U	p 265	N86-17081 #	NTSB-4357/1	p 699	N86-29792	PAPER-14	p 506	N86-25356 *
NLR-MP-84052-U	p 295	N86-19318 #	NTSB-4360/33	p 699	N86-29791	PAPER-1	p 504	N86-25343 *
NLR-MP-84056-U	p 232	N86-17352 #	NTSB/AAB-85/18	p 571	N86-27269	PAPER-2	p 504	N86-25344 *
NLR-MP-84062-U	p 227	N86-17343 #	NTSB/AAB-85/20	p 281	N86-18309	PAPER-3	p 504	N86-25345 *
NLR-MP-84064-U	p 258	N86-17774 #	NTSB/AAR-85/01/SUM	p 483	N86-24675	PAPER-4	p 504	N86-25346 *
NLR-MP-84071-U	p 264	N86-18056 #	NTSB/AAR-85/07	p 214	N86-16207	PAPER-5	p 505	N86-25347 *
NLR-MP-84072-U	p 295	N86-19318 #	NTSB/AAR-85/08	p 159	N86-15276	PAPER-6	p 654	N86-28957 *
NLR-MP-84073-U	p 215	N86-17325 #	NTSB/AAR-86-01	p 344	N86-21526	PAPER-7	p 505	N86-25348 *
NLR-MP-84074-U	p 228	N86-17349 #	NTSB/AAR-86-02	p 344	N86-21525	PAPER-8	p 505	N86-25349 *
NLR-MP-84077-U	p 208	N86-16204 #	NTSB/AAR-86-04	p 701	N86-30703	PAPER-9	p 505	N86-25351 *
NLR-MP-84080-U	p 618	N86-27018 #				PB85-148880	p 191	N86-14826 #
NLR-MP-84090-U	p 641	N86-26943 #				PB85-195444	p 81	N86-12215 #
NLR-MP-84094-U	p 782	N86-31541 #				PB85-204824	p 280	N86-16854 #
NLR-MP-85005-U	p 682	N86-28673 #				PB85-222503	p 104	N86-12224 #
NLR-MP-85019-U	p 611	N86-26681 #				PB85-222750	p 126	N86-13908 #
NLR-MP-85022-U	p 854	N86-33053 #						
NLR-MP-85025-U	p 851	N86-32779 #						
NLR-MP-85031-U	p 820	N86-32437 #						
NLR-MP-85033-U	p 820	N86-32436 #						
NLR-MP-85038-U	p 854	N86-33054 #						
NLR-MP-85054-U	p 851	N86-32781 #						
NLR-MP-85076-U	p 820	N86-32438 #						
NLR-TR-82034-U	p 260	N86-17915 #						
NLR-TR-82126-U	p 232	N86-17354 #						
NLR-TR-83010-U	p 227	N86-17348 #						
NLR-TR-83063-U	p 216	N86-17335 #						
NLR-TR-83075-U	p 589	N86-28335 #						

PB85-236388	p 260	N86-16843	#	REPT-R-732-D	p 341	N86-20374	#	SAE PAPER 851318	p 285	A86-23508	#
PB85-241198	p 159	N86-14264	#					SAE PAPER 851319	p 285	A86-23509	#
PB85-242576	p 255	N86-16428	#	REPT-TE-374/0723/85	p 452	N86-23714	#	SAE PAPER 851320	p 285	A86-23510	#
PB85-245678	p 402	N86-21435	#					SAE PAPER 851321	p 285	A86-23511	#
PB85-901408	p 159	N86-15276	#	REPT-001120-1	p 514	N86-25385	#	SAE PAPER 851360	p 285	A86-23545	#
PB85-910409	p 483	N86-24675	#	REPT-0353-3	p 757	N86-31335	#	SAE PAPER 851786	p 598	A86-38301	#
PB85-916612	p 569	N86-26301	#	REPT-1383R	p 125	N86-13832	#	SAE PAPER 851788	p 578	A86-38303	#
PB85-916918	p 571	N86-27269	#	REPT-1723-MAE	p 745	N86-31010	#	SAE PAPER 851789	p 578	A86-38304	#
PB85-916920	p 589	N86-28301	#	REPT-1	p 151	N86-14422	#	SAE PAPER 851770	p 546	A86-38305	#
PB85-916921	p 571	N86-18309	#	REPT-23480/2/85	p 257	N86-16674	#	SAE PAPER 851771	p 546	A86-38306	#
PB85-916922	p 281	N86-18310	#	REPT-2959-01-1-3759	p 789	N86-31554	#	SAE PAPER 851772	p 578	A86-38307	#
PB85-916923	p 570	N86-26303	#	REPT-2	p 151	N86-14423	#	SAE PAPER 851780	p 490	A86-35442	#
PB85-917001	p 570	N86-26304	#	REPT-2	p 257	N86-17296	#	SAE PAPER 851784	p 620	A86-38308	#
PB85-917016	p 343	N86-20377	#	REPT-332	p 675	N86-26377	#	SAE PAPER 851785	p 601	A86-38309	#
PB86-100623	p 569	N86-26302	#	REPT-4054/R128	p 470	N86-24394	#	SAE PAPER 851786	p 606	A86-38310	#
PB86-123965	p 394	N86-22067	#	REPT-412U-2084-12	p 682	N86-29547	#	SAE PAPER 851787	p 606	A86-38311	#
PB86-129665	p 451	N86-22651	#	REPT-412U-2084-14	p 682	N86-29547	#	SAE PAPER 851789	p 547	A86-38313	#
PB86-130986	p 449	N86-23609	#	REPT-412U-2084-22	p 532	N86-25145	#	SAE PAPER 851790	p 547	A86-38314	#
PB86-131638	p 518	N86-24788	#	REPT-4348/1-80A	p 699	N86-29790	#	SAE PAPER 851791	p 547	A86-38315	#
PB86-159704	p 529	N86-25956	#	REPT-4950/FTR-86-1	p 786	N86-31549	#	SAE PAPER 851793	p 547	A86-38316	#
PB86-184314	p 540	N86-27179	#	REPT-516	p 216	N86-16209	#	SAE PAPER 851794	p 620	A86-38317	#
PB86-186533	p 665	N86-28186	#	REPT-6012	p 231	N86-16212	#	SAE PAPER 851795	p 606	A86-38318	#
PB86-195070	p 620	N86-27872	#	REPT-716199-8	p 485	N86-24677	#	SAE PAPER 851796	p 598	A86-38319	#
PB86-197506	p 702	N86-30707	#	REPT-7921	p 719	N86-30728	#	SAE PAPER 851797	p 607	A86-38327	#
PB86-212529	p 787	N86-32418	#	REPT-84-48	p 206	N86-16205	#	SAE PAPER 851798	p 607	A86-38328	#
PB86-910401	p 634	N86-28929	#	REPT-85047	p 76	N86-13286	#	SAE PAPER 851799	p 601	A86-38329	#
PB86-910402	p 344	N86-21526	#	REPT-85122	p 167	N86-15280	#	SAE PAPER 851804	p 606	A86-38330	#
PB86-910403	p 344	N86-21525	#	REPT-85131	p 90	N86-13304	#	SAE PAPER 851805	p 606	A86-38331	#
PB86-910404	p 634	N86-28069	#	REPT-85213	p 152	N86-15246	#	SAE PAPER 851806	p 489	A86-35436	#
PB86-910405	p 701	N86-30703	#	REPT-85288	p 100	N86-13319	#	SAE PAPER 851807	p 484	A86-35437	#
PB86-910410	p 484	N86-25333	#	REPT-85318	p 89	N86-13297	#	SAE PAPER 851808	p 490	A86-35438	#
PB86-916901	p 570	N86-26305	#	REPT-85321	p 190	N86-15626	#	SAE PAPER 851811	p 589	A86-38322	#
PB86-916902	p 570	N86-26306	#	REPT-85340	p 88	N86-13296	#	SAE PAPER 851812	p 593	A86-38323	#
PB86-916903	p 570	N86-26307	#	REPT-85345	p 87	N86-12207	#	SAE PAPER 851813	p 589	A86-38324	#
PB86-916904	p 570	N86-26308	#	REPT-85347	p 188	N86-14555	#	SAE PAPER 851816	p 578	A86-38325	#
PB86-916905	p 570	N86-26309	#	REPT-85349	p 789	N86-31551	#	SAE PAPER 851817	p 547	A86-38326	#
PB86-916906	p 634	N86-28070	#	REPT-85404	p 152	N86-15243	#	SAE PAPER 851818	p 547	A86-38327	#
PB86-916907	p 571	N86-26310	#	REPT-85409	p 131	N86-14213	#	SAE PAPER 851820	p 548	A86-38328	#
PB86-916908	p 571	N86-26311	#	REPT-85424	p 94	N86-13311	#	SAE PAPER 851821	p 593	A86-38329	#
PDR/CFDU/IC/21	p 247	N86-16315	#	REPT-86B0432	p 800	N86-27351	#	SAE PAPER 851825	p 593	A86-38331	#
PNR-90247	p 237	N86-16223	#	REPT-86045	p 88	N86-13292	#	SAE PAPER 851826	p 594	A86-38332	#
PNR-90272	p 260	N86-16757	#	REPT-86064	p 89	N86-13298	#	SAE PAPER 851827	p 594	A86-38333	#
PNR-90275	p 247	N86-16273	#	REPT-86112	p 630	N86-28062	#	SAE PAPER 851829	p 590	A86-38334	#
PNR-90276	p 237	N86-16224	#	REPT-8	p 314	N86-18448	#	SAE PAPER 851830	p 606	A86-38335	#
PNR-90287	p 237	N86-16225	#	RP661	p 851	N86-31917	#	SAE PAPER 851832	p 607	A86-38336	#
PNR-90288	p 237	N86-16226	#					SAE PAPER 851833	p 601	A86-38337	#
PNR-90291	p 459	N86-22985	#	RTCA/DO-140	p 705	N86-30711	#	SAE PAPER 851834	p 602	A86-38338	#
PNR-90292	p 255	N86-16595	#	RTCA/DO-189	p 362	N86-21542	#	SAE PAPER 851835	p 608	A86-38339	#
PR-ATC-133	p 574	N86-27272	#	RTCA/DO-190	p 705	N86-30711	#	SAE PAPER 851836	p 509	A86-35443	#
PR-10	p 459	N86-23014	#	RTCA/DO-191	p 617	N86-27851	#	SAE PAPER 851837	p 485	A86-35444	#
PR-11	p 459	N86-23018	#					SAE PAPER 851839	p 578	A86-38336	#
PR-9	p 459	N86-23012	#	R84AEB378-VOL-1	p 460	N86-23936	#	SAE PAPER 851840	p 578	A86-38337	#
PRF-520-1288-0353	p 757	N86-31335	#	R84AEB379-VOL-2	p 461	N86-23937	#	SAE PAPER 851841	p 579	A86-38338	#
PW/ED/FR-18778	p 442	N86-23601	#	R84AEB380-VOL-3	p 461	N86-23938	#	SAE PAPER 851842	p 579	A86-38339	#
PWA-5774-39	p 592	N86-27284	#	R84AEB460	p 237	N86-16222	#	SAE PAPER 851843	p 579	A86-38340	#
PWA-5774-40	p 592	N86-27283	#	R84AEB570	p 469	N86-23371	#	SAE PAPER 851844	p 579	A86-38341	#
PWA-5923-14	p 174	N86-14272	#	R84AEB570	p 469	N86-23372	#	SAE PAPER 851846	p 579	A86-38342	#
PWA-5968-19	p 526	N86-25003	#	R84AEB570	p 469	N86-23372	#	SAE PAPER 851847	p 567	A86-38343	#
P86-10152	p 681	N86-28628	#	R8602	p 439	N86-22574	#	SAE PAPER 851848	p 567	A86-38344	#
P86-10182	p 806	N86-31563	#					SAE PAPER 851850	p 589	A86-38345	#
QR-11	p 260	N86-17816	#	SAE PAPER 841463	p 298	A86-26006	#	SAE PAPER 851851	p 589	A86-38346	#
RAE-MAT/STRUCT-100-PT-2	p 226	N86-17337	#	SAE PAPER 841464	p 298	A86-26007	#	SAE PAPER 851855	p 548	A86-38347	#
RAE-MAT/STRUCT-101-PT-1	p 226	N86-17336	#	SAE PAPER 841465	p 298	A86-26008	#	SAE PAPER 851858	p 482	A86-35451	#
RAE-TM-AERO-1983	p 756	N86-30468	#	SAE PAPER 841466	p 327	A86-26009	#	SAE PAPER 851859	p 482	A86-35452	#
RAE-TM-AERO-2026	p 211	N86-17307	#	SAE PAPER 841467	p 298	A86-26010	#	SAE PAPER 851867	p 602	A86-38354	#
RAE-TM-AERO-2034	p 153	N86-15251	#	SAE PAPER 841471	p 326	A86-26002	#	SAE PAPER 851868	p 602	A86-38355	#
RAE-TM-AERO-2046	p 657	N86-28982	#	SAE PAPER 841472	p 326	A86-26003	#	SAE PAPER 851869	p 602	A86-38356	#
RAE-TM-P-1044	p 258	N86-17702	#	SAE PAPER 841473	p 327	A86-26009	#	SAE PAPER 851870	p 608	A86-38357	#
RAE-TR-84084	p 226	N86-17336	#	SAE PAPER 841492	p 327	A86-26016	#	SAE PAPER 851871	p 602	A86-38358	#
RAE-TR-84084	p 436	N86-23585	#	SAE PAPER 841494	p 298	A86-26012	#	SAE PAPER 851876	p 499	A86-35439	#
RAE-TR-84085	p 226	N86-17337	#	SAE PAPER 841533	p 327	A86-26004	#	SAE PAPER 851881	p 579	A86-38349	#
RAE-TR-84085	p 436	N86-23585	#	SAE PAPER 841534	p 327	A86-26005	#	SAE PAPER 851882	p 579	A86-38350	#
RAE-TR-85077	p 357	N86-21532	#	SAE PAPER 841609	p 328	A86-26028	#	SAE PAPER 851884	p 567	A86-38351	#
RAND/N-2225-NAVY	p 408	N86-23556	#	SAE PAPER 841610	p 310	A86-26029	#	SAE PAPER 851885	p 568	A86-38352	#
RDD:85:4101-12-01:01	p 194	N86-15113	#	SAE PAPER 841611	p 328	A86-26030	#	SAE PAPER 851886	p 568	A86-38353	#
RE-681	p 86	N86-12202	#	SAE PAPER 841613	p 328	A86-26024	#	SAE PAPER 851887	p 568	A86-38354	#
RE-682	p 87	N86-12208	#	SAE PAPER 841629	p 298	A86-26032	#	SAE PAPER 851888	p 580	A86-38355	#
RE-707	p 694	N86-29782	#	SAE PAPER 841633	p 327	A86-26018	#	SAE PAPER 851890	p 539	A86-38356	#
REPT-A-13/85	p 418	N86-23576	#	SAE PAPER 841634	p 328	A86-26022	#	SAE PAPER 851895	p 606	A86-38358	#
				SAE PAPER 841638	p 328	A86-26023	#	SAE PAPER 851899	p 580	A86-38362	#
				SAE PAPER 850851	p 598	A86-38511	#	SAE PAPER 851900	p 530	A86-36940	#
				SAE PAPER 850853	p 97	A86-14449	#	SAE PAPER 851901	p 513	A86-36941	#
				SAE PAPER 850854	p 582	A86-38513	#	SAE PAPER 851903	p 532	A86-36942	#
				SAE PAPER 850856	p 582	A86-38514	#	SAE PAPER 851904	p 532	A86-36943	#
				SAE PAPER 850859	p 551	A86-38502	#	SAE PAPER 851909	p 580	A86-38364	#
				SAE PAPER 850861	p 551	A86-38503	#	SAE PAPER 851910	p 580	A86-38365	#
				SAE PAPER 850862	p 581	A86-38504	#	SAE PAPER 851911	p 580	A86-38366	#
				SAE PAPER 850864	p 552	A86-38505	#	SAE PAPER 851913	p 580	A86-38367	#
				SAE PAPER 850865	p 581	A86-38506	#	SAE PAPER 851918	p 473	A86-35448	#
				SAE PAPER 850866	p 552	A86-38507	#	SAE PAPER 851919	p 482	A86-35449	#
				SAE PAPER 850867	p 582	A86-38508	#	SAE PAPER 851920	p 482	A86-35450	#
				SAE PAPER 850868	p 582	A86-38516	#	SAE PAPER 851921	p 529	A86-35431	#
				SAE PAPER 850893	p 583	A86-38520	#	SAE PAPER 851923	p 529	A86-35432	#
				SAE PAPER 850904	p 607	A86-38522	#	SAE PAPER 851936	p 580	A86-38369	#
				SAE PAPER 850905	p 607	A86-38523	#	SAE PAPER 851937	p 598	A86-38370	#
				SAE PAPER 851316	p 300	A86-23506	#	SAE PAPER 851938	p 598	A86-38371	#

SAE PAPER 851939	p 581	A86-38372 *	#	SPIE-506	p 129	A86-15340	#	US-PATENT-APPL-SN-739354	p 378	N86-20569	#
SAE PAPER 851940	p 581	A86-38373	#	SPIE-526	p 456	A86-32314	#	US-PATENT-APPL-SN-748180	p 388	N86-20797	#
SAE PAPER 851941	p 581	A86-38374	#	SPIE-548	p 748	A86-46706	#	US-PATENT-APPL-SN-748248	p 425	N86-23584	#
SAE PAPER 851942	p 581	A86-38375	#	SR-33	p 93	N86-13309	#	US-PATENT-APPL-SN-751695	p 332	N86-20066	#
SAE PAPER 851944	p 513	A86-38944	#	SRS0069-0001	p 466	N86-24233	#	US-PATENT-APPL-SN-752767	p 123	N86-12585	#
SAE PAPER 851950	p 618	A86-38376	#	STI-TR-1193-1	p 188	N86-14615	#	US-PATENT-APPL-SN-753462	p 107	N86-12232	#
SAE PAPER 851959	p 480	A86-35455	#	SU-CRC-TR-85-15	p 466	N86-23325 *	#	US-PATENT-APPL-SN-757994	p 175	N86-15317	#
SAE PAPER 851960	p 482	A86-35456	#	SU-CRC-TR-85-22	p 466	N86-23323 *	#	US-PATENT-APPL-SN-764820	p 358	N86-21540	#
SAE PAPER 851984	p 532	A86-36945	#	SU-CSL-TN-85-274	p 466	N86-23325 *	#	US-PATENT-APPL-SN-768232	p 364	N86-21548	#
SAE PAPER 851985	p 498	A86-36946	#	SU-CSL-TN-85-282	p 466	N86-23323 *	#	US-PATENT-APPL-SN-784986	p 441	N86-22577	#
SAE PAPER 851971	p 568	A86-38381	#	SU-HICSS-19	p 466	N86-23321 *	#	US-PATENT-APPL-SN-788189	p 435	N86-22564	#
SAE PAPER 851972	p 568	A86-38382	#	SU-JIAA-TR-59	p 679	N86-29466 *	#	US-PATENT-APPL-SN-790556	p 369	N86-20397 *	#
SAE PAPER 851974	p 601	A86-38384	#	SU-JIAA-TR-66	p 631	N86-28914 *	#	US-PATENT-APPL-SN-797581	p 721	N86-29622	#
SAE PAPER 851977	p 508	A86-35457	#	SU-JIAA-TR-67	p 630	N86-28912 *	#	US-PATENT-APPL-SN-804183	p 524	N86-24944	#
SAE PAPER 851994	p 602	A86-38539	#	SU-JIAA-TR-74	p 630	N86-28913 *	#	US-PATENT-APPL-SN-805006	p 497	N86-24689	#
SAE SP-621	p 581	A86-38501	#	SU-SUDAAR-553	p 726	N86-29663 *	#	US-PATENT-APPL-SN-806572	p 379	N86-21686 *	#
SAE SP-622	p 582	A86-38509	#	SVIC-BULL-55-PT-1	p 256	N86-16616	#	US-PATENT-APPL-SN-823712	p 394	N86-21982 *	#
SAE SP-623	p 582	A86-38515	#	SVIC-BULL-55-PT-2	p 257	N86-16646	#	US-PATENT-APPL-SN-823872	p 789	N86-31552	#
SAE SP-633	p 607	A86-38526	#	SWRI-14-7676-080-VOL-1	p 192	N86-14960	#	US-PATENT-APPL-SN-832114	p 851	N86-32746	#
SAE SP-634	p 473	A86-38639	#	SWRI-14-7676-080-VOL-2	p 179	N86-15322	#	US-PATENT-APPL-SN-846429	p 483	N86-24673 *	#
SAND-84-2183	p 341	N86-20371	#	SWRI-14-7676-080-VOL-2	p 179	N86-15322	#	US-PATENT-APPL-SN-846439	p 511	N86-24700 *	#
SAND-85-1166	p 208	N86-16200	#	SWT-TR-85-1	p 694	N86-29778	#	US-PATENT-APPL-SN-855982	p 612	N86-27487 *	#
SAND-85-1180	p 211	N86-17310	#	TAMRF-3224-85-12	p 89	N86-13300 *	#	US-PATENT-APPL-SN-855983	p 589	N86-26266 *	#
SAND-85-1670C	p 123	N86-12595	#	TAO-33842	p 436	N86-23588 *	#	US-PATENT-CLASS-244-110	p 656	N86-28102	#
SAND-85-2236	p 808	N86-31576	#	TDCK-93143	p 266	N86-18131	#	US-PATENT-CLASS-244-134-D	p 388	N86-20671 *	#
SAND-85-7003	p 633	N86-28926	#	TE-2-1363	p 600	N86-27296	#	US-PATENT-CLASS-244-135	p 107	N86-12225	#
SAR-21	p 158	N86-14280	#	TN-85-7104-306-23	p 88	N86-13291 *	#	US-PATENT-CLASS-244-181	p 590	N86-27280	#
SAR-716199-3	p 93	N86-12216 *	#	TOP-6-1-002	p 231	N86-16214	#	US-PATENT-CLASS-251-62	p 321	N86-18728	#
SAWE PAPER 1615	p 96	A86-14975	#	TOP-6-4-007	p 188	N86-14514	#	US-PATENT-CLASS-264-204	p 666	N86-29039 *	#
SAWE PAPER 1635	p 488	A86-35201	#	TR-06-85	p 400	N86-22208	#	US-PATENT-CLASS-264-216	p 666	N86-29039 *	#
SAWE PAPER 1636	p 488	A86-35202	#	TR-213-1	p 255	N86-16486 *	#	US-PATENT-CLASS-264-236	p 666	N86-29039 *	#
SAWE PAPER 1639	p 488	A86-35203 *	#	TR-681103	p 178	N86-15320 *	#	US-PATENT-CLASS-264-347	p 666	N86-29039 *	#
SAWE PAPER 1645	p 531	A86-35204	#	TR-85413	p 701	N86-30702	#	US-PATENT-CLASS-310-324	p 388	N86-20671 *	#
SAWE PAPER 1660	p 488	A86-35206	#	TR-85422	p 569	N86-26298	#	US-PATENT-CLASS-324-225	p 190	N86-15647	#
SAWE PAPER 1661	p 499	A86-35207	#	TR-8601	p 723	N86-30734	#	US-PATENT-CLASS-340-948	p 424	N86-23580	#
SAWE PAPER 1682	p 488	A86-35208	#	TRB/TRR-1000	p 255	N86-16428	#	US-PATENT-CLASS-340-968	p 361	N86-20387	#
SAWE PAPER 1685	p 488	A86-35210	#	TSC-FAA-85-7	p 345	N86-21530	#	US-PATENT-CLASS-343-6.8-R	p 590	N86-27280 *	#
SAWE PAPER 1689	p 513	A86-35213	#	TT-79-52021	p 665	N86-28186	#	US-PATENT-CLASS-356-73	p 283	N86-19304 *	#
SAWE PAPER 1674	p 515	A86-35217	#	UA-00-39	p 241	N86-16230	#	US-PATENT-CLASS-364-433	p 840	N86-32447 *	#
SAWE PAPER 1677	p 489	A86-35219	#	UCID-20553	p 399	N86-21260	#	US-PATENT-CLASS-364-435	p 590	N86-27280 *	#
SAWE PAPER 1679	p 489	A86-35220	#	UDR-TR-84-09	p 158	N86-14259	#	US-PATENT-CLASS-364-481	p 850	N86-31660	#
SAWE PAPER 1680	p 521	A86-35221	#	UDR-TR-85-131	p 103	N86-12220 *	#	US-PATENT-CLASS-369-25.35	p 388	N86-20671 *	#
SAWE PAPER 1682	p 489	A86-35223	#	UNDAS-CP-77B123	p 540	N86-26283 *	#	US-PATENT-CLASS-403-312	p 612	N86-27630 *	#
SAWE PAPER 1683	p 489	A86-35224	#	US-CLASS-60-39.07	p 364	N86-20389 *	#	US-PATENT-CLASS-403-388	p 612	N86-27630 *	#
SAWE PAPER 1684	p 521	A86-35225	#	US-PATENT CLASS-137-114	p 525	N86-24984	#	US-PATENT-CLASS-403-408.1	p 612	N86-27630 *	#
SAWE PAPER 1685	p 516	A86-35226	#	US-PATENT-APPL-SN-413101	p 364	N86-20389 *	#	US-PATENT-CLASS-416-92	p 504	N86-24686	#
SC-149	p 362	N86-21542	#	US-PATENT-APPL-SN-425201	p 283	N86-19304 *	#	US-PATENT-CLASS-426-116	p 664	N86-28131 *	#
SCT-85-5449	p 722	N86-30732 *	#	US-PATENT-APPL-SN-435515	p 850	N86-31860	#	US-PATENT-CLASS-426-408	p 664	N86-28131 *	#
SDL-85-2424-1F	p 123	N86-12580 *	#	US-PATENT-APPL-SN-444004	p 190	N86-15647	#	US-PATENT-CLASS-428-921	p 664	N86-28131 *	#
SER-510148	p 437	N86-23594	#	US-PATENT-APPL-SN-473392	p 424	N86-23580	#	US-PATENT-CLASS-524-548	p 378	N86-20580	#
SLD-85-2285-47F	p 675	N86-28375 *	#	US-PATENT-APPL-SN-512063	p 321	N86-18728	#	US-PATENT-CLASS-525-186	p 378	N86-20580 *	#
SME PAPER MF85-501	p 319	A86-24663	#	US-PATENT-APPL-SN-519421	p 656	N86-28102	#	US-PATENT-CLASS-526-265	p 378	N86-20580 *	#
SME PAPER MF85-506	p 319	A86-24667	#	US-PATENT-APPL-SN-539352	p 525	N86-24984	#	US-PATENT-CLASS-526-282	p 378	N86-20580 *	#
SMRP-RP-210	p 191	N86-14826	#	US-PATENT-APPL-SN-553339	p 378	N86-20580	#	US-PATENT-CLASS-526-285	p 664	N86-28131 *	#
SMRP-RP-217	p 529	N86-25956 *	#	US-PATENT-APPL-SN-565481	p 840	N86-32447 *	#	US-PATENT-CLASS-528-183	p 666	N86-29039 *	#
SNECMA-YKC-3269/85	p 651	N86-28949	#	US-PATENT-APPL-SN-566445	p 459	N86-22947	#	US-PATENT-CLASS-528-222	p 666	N86-29039 *	#
SNIAS-438.021/85	p 851	N86-32784	#	US-PATENT-APPL-SN-573182	p 612	N86-27630 *	#	US-PATENT-CLASS-528-341	p 666	N86-29039 *	#
SNIAS-852-210-101	p 228	N86-17350	#	US-PATENT-APPL-SN-577412	p 361	N86-20387	#	US-PATENT-CLASS-60-39.02	p 364	N86-20389 *	#
SNIAS-852-210-102	p 266	N86-18133	#	US-PATENT-APPL-SN-578388	p 590	N86-27280 *	#	US-PATENT-CLASS-60-39.094	p 459	N86-22947	#
SNIAS-852-210-104	p 215	N86-17328	#	US-PATENT-APPL-SN-5816380	p 504	N86-24698	#	US-PATENT-CLASS-60-736	p 364	N86-20389 *	#
SNIAS-852-210-105	p 215	N86-17329	#	US-PATENT-APPL-SN-621308	p 604	N86-27457	#	US-PATENT-CLASS-73-178T	p 590	N86-27280 *	#
SNIAS-852-422-103	p 215	N86-17330	#	US-PATENT-APPL-SN-638541	p 388	N86-20671 *	#	US-PATENT-CLASS-81-460	p 99	N86-12217	#
SNIAS-852-430-105	p 258	N86-17726	#	US-PATENT-APPL-SN-641152	p 378	N86-20499 *	#	US-PATENT-4,510,846	p 99	N86-12217	#
SNIAS-852-430-110	p 247	N86-16276	#	US-PATENT-APPL-SN-643524	p 666	N86-29039 *	#	US-PATENT-4,511,105	p 107	N86-12225	#
SNIAS-852-430-111	p 247	N86-16277	#	US-PATENT-APPL-SN-667685	p 91	N86-13307	#	US-PATENT-4,528,925	p 378	N86-20580 *	#
SNIAS-852-430-113	p 248	N86-17493	#	US-PATENT-APPL-SN-680611	p 191	N86-15671	#	US-PATENT-4,528,926	p 190	N86-15647	#
SNIAS-852-430-119	p 248	N86-17496	#	US-PATENT-APPL-SN-706682	p 664	N86-28131 *	#	US-PATENT-4,534,538	p 321	N86-18728	#
SNIAS-852-551-101	p 198	N86-16190	#	US-PATENT-APPL-SN-729388	p 107	N86-12226	#	US-PATENT-4,538,635	p 525	N86-24984	#
SNIAS-852-551-103	p 247	N86-16279	#					US-PATENT-4,539,809	p 459	N86-22947	#
SNIAS-861-111-103	p 640	N86-28082	#					US-PATENT-4,540,339	p 504	N86-24698	#
SNIAS-861-111-104	p 676	N86-28481	#					US-PATENT-4,540,986	p 283	N86-19304 *	#
SNIAS-861-111-106	p 653	N86-28095	#					US-PATENT-4,545,553	p 388	N86-20671 *	#
SNIAS-861-111-110	p 640	N86-28083	#					US-PATENT-4,546,353	p 361	N86-20387	#
SNIAS-861-111-111	p 653	N86-28096	#					US-PATENT-4,550,561	p 364	N86-20389 *	#
SNIAS-861-111-114	p 806	N86-31565	#					US-PATENT-4,554,543	p 424	N86-23580	#
SNIAS-861-210-106	p 640	N86-28084	#					US-PATENT-4,566,658	p 658	N86-28102	#
SNIAS-861-210-108	p 836	N86-32444	#					US-PATENT-4,571,689	p 850	N86-31860	#
SNIAS-861-551-101	p 865	N86-29037	#					US-PATENT-4,579,475	p 612	N86-27630 *	#
SNPE-NT-37/85/CRB/NP	p 641	N86-28941	#					US-PATENT-4,586,140	p 590	N86-27280 *	#
SPIE-485	p 127	A86-15278	#					US-PATENT-4,595,548	p 666	N86-29039 *	#
SPIE-496	p 228	A86-19576	#					US-PATENT-4,598,007	p 664	N86-28131 *	#
								US-PATENT-4,605,303	p 840	N86-32447 *	#
								US-PATENT-526-265	p 378	N86-20580 *	#
								USAAEFA-83-20	p 101	N86-13323	#
								USAAEFA-84-11	p 294	N86-18322	#
								USAAVRADCOM-TR-83-D-34	p 101	N86-13328	#
								USAAVSCOM-TM-85-F-7	p 537	N86-25300	#
								USAAVSCOM-TM-86-A-3	p 639	N86-28079 *	#
								USAAVSCOM-TM-86-B-3	p 757	N86-31339 *	#
								USAAVSCOM-TR-84-D-20	p 101	N86-13325	#


USAAVSCOM-TR-85-A-10	p 188	N86-14555	* #
USAAVSCOM-TR-85-D-11	p 569	N86-26298	#
USAAVSCOM-TR-85-D-15	p 295	N86-19316	#
USAAVSCOM-TR-85-D-4	p 437	N86-23594	#
USAAVSCOM-TR-85-E-3	p 524	N86-24883	#
USAAVSCOM-TR-85-F-1	p 525	N86-24991	* #
USAAVSCOM-TR-86-B-1	p 745	N86-31070	* #
USAAVSCOM-TR-86-C-23	p 819	N86-31587	* #
USAAVSCOM-TR-86-C-2	p 527	N86-25793	* #
USAAVSCOM-TR-86-C-4	p 518	N86-24818	* #
USAF-TN-85-8	p 111	N86-13334	#
USAF-TR-85-11	p 540	N86-26261	#
USAF-TR-85-2	p 78	N86-12200	#
USAF-TR-85-9	p 189	N86-15528	#
USAFETAC/DS-84/037	p 324	N86-18900	#
USAFETAC/DS-84/038	p 324	N86-18898	#
USAFETAC/DS-85/003	p 323	N86-18894	#
USAFETAC/DS-85/005	p 324	N86-18902	#
USAVSCOM-TR-85-A-06	p 87	N86-12207	* #
USCG-D-27-85	p 719	N86-30728	#
UTIAS-TN-280	p 620	N86-27970	* #
UTIAS-289	p 283	N86-19305	#
UTIAS-297	p 415	N86-22555	#
UTIAS-307	p 618	N86-27929	#
UTRC/R85-926546-20	p 470	N86-24457	#
VKI-LS-1986-02	p 744	N86-30988	#
VTH-LR-307	p 211	N86-17314	#
VTH-LR-308	p 232	N86-16215	#
VTH-LR-312	p 259	N86-17806	#
VTH-LR-315	p 227	N86-17344	#
VTH-LR-332	p 208	N86-16203	#
VTH-LR-338	p 279	N86-19294	#
VTH-LR-360-PT-2	p 227	N86-17345	#
VTH-M-445	p 277	N86-18301	#
VTH-M-453	p 323	N86-18795	#
VTH-M-474	p 459	N86-23012	#
VTH-M-486	p 277	N86-18303	#
VTH-M-487	p 459	N86-23013	#
VTH-M-501	p 459	N86-23014	#
VTH-M-502	p 277	N86-18296	#
VTH-M-510	p 332	N86-19143	#
VTH-M-512	p 330	N86-19045	#
VTH-M-517	p 459	N86-23016	#
VTH-M-527	p 279	N86-19293	#
VTL-TR-196-8	p 654	N86-26954	* #
WES-MP-GL-85-26	p 610	N86-26480	#
WRI-PRO-306-07	p 632	N86-28924	* #
WT-1328-EX	p 357	N86-21536	#

# ACCESSION NUMBER INDEX

AERONAUTICAL ENGINEERING / A Continuing Bibliography  
1986 Cumulative Index

January 1987

## Typical Accession Number Index Listing



Listings in this index are arranged alphanumerically by accession number. The page number listed to the right indicates the page on which the citation is located. An asterisk (\*) indicates that the item is a NASA report. A pound sign (#) indicates that the item is available on microfiche.

A86-12677 #	p 92	A86-13264 #	p 95	A86-14456 #	p 84	A86-16278 #	p 183
A86-12683 #	p 102	A86-13269 #	p 102	A86-14457 #	p 84	A86-16301 * #	p 136
A86-12688 * #	p 92	A86-13275 #	p 95	A86-14458 #	p 87	A86-16302 * #	p 136
A86-12761 #	p 114	A86-13294 #	p 77	A86-14474 #	p 116	A86-16303 #	p 136
A86-12925 * #	p 114	A86-13296 #	p 78	A86-14480 #	p 112	A86-16304 #	p 136
A86-12989 #	p 114	A86-13315 #	p 95	A86-14498 #	p 97	A86-16305 #	p 136
A86-13005 #	p 114	A86-13336 #	p 118	A86-14527 * #	p 97	A86-16306 #	p 136
A86-13011 #	p 117	A86-13338 #	p 118	A86-14528 * #	p 106	A86-16307 #	p 137
A86-13031 #	p 129	A86-13342 #	p 118	A86-14529 #	p 85	A86-16308 #	p 137
A86-13047 #	p 76	A86-13351 #	p 78	A86-14530 * #	p 110	A86-16309 * #	p 137
A86-13049 #	p 126	A86-13352 #	p 78	A86-14531 * #	p 110	A86-16310 #	p 137
A86-13050 #	p 76	A86-13353 #	p 78	A86-14532 #	p 112	A86-16312 * #	p 137
A86-13051 #	p 104	A86-13354 #	p 78	A86-14533 #	p 110	A86-16313 #	p 137
A86-13052 #	p 84	A86-13355 #	p 108	A86-14534 #	p 110	A86-16314 #	p 138
A86-13053 #	p 104	A86-13357 #	p 119	A86-14536 #	p 97	A86-16315 #	p 138
A86-13054 * #	p 105	A86-13358 #	p 78	A86-14537 #	p 85	A86-16316 #	p 138
A86-13058 #	p 105	A86-13359 #	p 78	A86-14538 #	p 121	A86-16317 #	p 138
A86-13059 * #	p 117	A86-13360 #	p 78	A86-14539 #	p 121	A86-16318 #	p 138
A86-13060 #	p 76	A86-13362 #	p 119	A86-14541 #	p 85	A86-16319 #	p 138
A86-13061 * #	p 117	A86-13363 #	p 79	A86-14544 #	p 121	A86-16320 #	p 138
A86-13062 #	p 77	A86-13364 #	p 79	A86-14556 #	p 85	A86-16322 #	p 139
A86-13063 #	p 77	A86-13365 #	p 108	A86-14558 * #	p 85	A86-16323 #	p 139
A86-13065 #	p 77	A86-13367 #	p 119	A86-14559 #	p 85	A86-16324 * #	p 139
A86-13067 #	p 77	A86-13368 #	p 95	A86-14560 #	p 85	A86-16325 #	p 185
A86-13076 #	p 115	A86-13369 #	p 96	A86-14561 * #	p 85	A86-16352 #	p 139
A86-13082 #	p 115	A86-13370 #	p 109	A86-14562 #	p 106	A86-16371 #	p 139
A86-13101 #	p 115	A86-13371 #	p 96	A86-14566 #	p 116	A86-16387 #	p 140
A86-13103 #	p 115	A86-13373 #	p 79	A86-14679 #	p 85	A86-16395 #	p 140
A86-13106 #	p 84	A86-13374 #	p 79	A86-14680 #	p 121	A86-16406 * #	p 183
A86-13111 #	p 117	A86-13375 #	p 79	A86-14743 #	p 85	A86-16469 * #	p 183
A86-13118 #	p 115	A86-13377 #	p 79	A86-14816 #	p 124	A86-16687 #	p 140
A86-13125 #	p 126	A86-13379 #	p 79	A86-14822 #	p 96	A86-16691 #	p 140
A86-13127 #	p 95	A86-13380 #	p 79	A86-14827 #	p 127	A86-16750 #	p 183
A86-13135 #	p 118	A86-13381 #	p 80	A86-14830 #	p 127	A86-16761 #	p 185
A86-13147 #	p 118	A86-13382 #	p 119	A86-14873 #	p 121	A86-16784 #	p 140
A86-13170 #	p 115	A86-13386 #	p 114	A86-14975 #	p 98	A86-16787 #	p 175
A86-13171 #	p 118	A86-13387 #	p 119	A86-15220 * #	p 116	A86-16821 #	p 186
A86-13172 #	p 115	A86-13388 #	p 119	A86-15225 * #	p 106	A86-16833 #	p 186
A86-13173 #	p 105	A86-13389 #	p 80	A86-15227 * #	p 121	A86-16838 #	p 140
A86-13174 #	p 115	A86-13390 #	p 80	A86-15278 #	p 127	A86-16851 #	p 140
A86-13180 #	p 118	A86-13391 #	p 80	A86-15283 #	p 128	A86-16853 #	p 179
A86-13202 #	p 102	A86-13392 #	p 80	A86-15285 #	p 75	A86-16854 #	p 179
A86-13213 #	p 95	A86-13393 #	p 109	A86-15308 #	p 90	A86-16855 #	p 133
A86-13214 #	p 111	A86-13395 #	p 80	A86-15314 #	p 103	A86-16858 #	p 170
A86-13215 #	p 102	A86-13396 #	p 80	A86-15340 #	p 129	A86-16859 #	p 133
A86-13216 #	p 92	A86-13397 #	p 80	A86-15341 #	p 75	A86-16860 #	p 133
A86-13217 #	p 92	A86-13398 #	p 81	A86-15342 #	p 103	A86-16861 #	p 133
A86-13219 #	p 95	A86-13399 #	p 81	A86-15378 #	p 103	A86-16862 #	p 170
A86-13221 #	p 118	A86-13400 #	p 111	A86-15410 #	p 106	A86-16866 #	p 183
A86-13224 #	p 92	A86-13405 #	p 112	A86-15526 #	p 112	A86-16867 #	p 140
A86-13225 #	p 92	A86-13406 #	p 81	A86-15528 #	p 121	A86-17011 #	p 161
A86-13226 #	p 93	A86-13408 #	p 105	A86-15584 #	p 122	A86-17031 #	p 141
A86-13227 #	p 93	A86-13409 #	p 127	A86-15598 #	p 96	A86-17032 #	p 186
A86-13230 #	p 83	A86-13410 #	p 119	A86-15599 #	p 103	A86-17043 #	p 186
A86-13248 #	p 111	A86-13411 #	p 81	A86-15600 #	p 75	A86-17065 #	p 141
				A86-15688 #	p 125	A86-17068 #	p 141
				A86-15913 #	p 131	A86-17069 #	p 181
				A86-15980 #	p 85	A86-17083 #	p 157
				A86-15989 #	p 98	A86-17087 #	p 179
				A86-16000 #	p 98	A86-17088 #	p 161
				A86-16032 #	p 122	A86-17070 #	p 181
				A86-16040 #	p 122	A86-17071 #	p 188
				A86-16058 * #	p 129	A86-17098 #	p 141
				A86-16090 #	p 122	A86-17098 #	p 142
				A86-16095 #	p 98	A86-17129 #	p 142
				A86-16098 #	p 75	A86-17132 * #	p 142
				A86-16097 #	p 98	A86-17134 #	p 142
				A86-16100 #	p 116	A86-17135 * #	p 142
				A86-16102 #	p 86	A86-17137 #	p 186
				A86-16122 #	p 86	A86-17138 #	p 183
				A86-16123 #	p 99	A86-17149 #	p 142
				A86-16124 #	p 99	A86-17172 #	p 170
				A86-16125 #	p 99	A86-17174 #	p 157
				A86-16201 #	p 182	A86-17175 #	p 175
				A86-16203 #	p 182	A86-17379 #	p 133
				A86-16207 #	p 133	A86-17380 #	p 133
				A86-16208 #	p 182	A86-17381 #	p 161
				A86-16210 #	p 161	A86-17382 #	p 161
				A86-16213 #	p 161	A86-17434 #	p 134
				A86-16234 #	p 182		
				A86-16248 #	p 185		
				A86-16249 #	p 135		
				A86-16250 #	p 135		

A86-17435	#	p 182	A86-18457	#	p 168	A86-19578	#	p 229	A86-20157	#	p 221	A86-21986	#	p 251
A86-17490	#	p 173	A86-18458	#	p 171	A86-19580	#	p 229	A86-20158	#	p 221	A86-22018	#	p 234
A86-17491	#	p 173	A86-18459	#	p 171	A86-19581	#	p 229	A86-20159	#	p 204	A86-22020	#	p 246
A86-17499	#	p 183	A86-18460	#	p 171	A86-19583	#	p 229	A86-20162	#	p 214	A86-22022	#	p 247
A86-17522	#	p 182	A86-18461	#	p 171	A86-19585	#	p 229	A86-20163	#	p 221	A86-22023	#	p 262
A86-17523	#	p 182	A86-18462	#	p 180	A86-19586	#	p 229	A86-20164	#	p 204	A86-22024	#	p 234
A86-17524	#	p 170	A86-18463	#	p 171	A86-19587	#	p 229	A86-20165	#	p 221	A86-22025	#	p 234
A86-17525	#	p 182	A86-18464	#	p 171	A86-19588	#	p 230	A86-20166	#	p 214	A86-22028	#	p 234
A86-17600	#	p 182	A86-18465	#	p 175	A86-19591	#	p 230	A86-20173	#	p 249	A86-22029	#	p 235
A86-17627	#	p 142	A86-18481	#	p 195	A86-19597	#	p 230	A86-20175	#	p 249	A86-22035	#	p 251
A86-17636	#	p 143	A86-18528	#	p 145	A86-19608	#	p 262	A86-20233	#	p 233	A86-22049	#	p 235
A86-17653	#	p 143	A86-18529	#	p 145	A86-19617	#	p 230	A86-20235	#	p 221	A86-22054	#	p 251
A86-17654	#	p 143	A86-18534	#	p 145	A86-19620	#	p 230	A86-20236	#	p 239	A86-22056	#	p 251
A86-17698	#	p 162	A86-18535	#	p 145	A86-19631	#	p 198	A86-20237	#	p 239	A86-22057	#	p 205
A86-17738	#	p 143	A86-18537	#	p 194	A86-19632	#	p 219	A86-20238	#	p 221	A86-22062	#	p 247
A86-17750	#	p 173	A86-18538	#	p 194	A86-19633	#	p 198	A86-20244	#	p 243	A86-22070	#	p 251
A86-17776	#	p 193	A86-18551	#	p 159	A86-19635	#	p 198	A86-20364	#	p 265	A86-22071	#	p 252
A86-17777	#	p 173	A86-18552	#	p 172	A86-19636	#	p 230	A86-20369	#	p 233	A86-22073	#	p 252
A86-17778	#	p 143	A86-18577	#	p 145	A86-19637	#	p 213	A86-20371	#	p 233	A86-22074	#	p 235
A86-17779	#	p 182	A86-18686	#	p 145	A86-19674	#	p 219	A86-20411	#	p 214	A86-22075	#	p 235
A86-17780	#	p 182	A86-18689	#	p 193	A86-19676	#	p 198	A86-20448	#	p 234	A86-22076	#	p 268
A86-17781	#	p 192	A86-18694	#	p 172	A86-19677	#	p 232	A86-20505	#	p 231	A86-22081	#	p 235
A86-17783	#	p 193	A86-18695	#	p 160	A86-19678	#	p 232	A86-20516	#	p 249	A86-22084	#	p 252
A86-17784	#	p 173	A86-18696	#	p 160	A86-19693	#	p 199	A86-20518	#	p 263	A86-22091	#	p 235
A86-17787	#	p 162	A86-18721	#	p 134	A86-19696	#	p 199	A86-20520	#	p 215	A86-22092	#	p 236
A86-17788	#	p 193	A86-18722	#	p 180	A86-19697	#	p 199	A86-20579	#	p 244	A86-22098	#	p 224
A86-17790	#	p 162	A86-18723	#	p 180	A86-19698	#	p 199	A86-20636	#	p 244	A86-22099	#	p 252
A86-17791	#	p 186	A86-18724	#	p 135	A86-19699	#	p 199	A86-20638	#	p 249	A86-22101	#	p 236
A86-17826	#	p 143	A86-18725	#	p 173	A86-19700	#	p 199	A86-20649	#	p 249	A86-22112	#	p 224
A86-17829	#	p 173	A86-18733	#	p 166	A86-19702	#	p 199	A86-20685	#	p 259	A86-22115	#	p 205
A86-17830	#	p 192	A86-18739	#	p 187	A86-19703	#	p 241	A86-20687	#	p 263	A86-22116	#	p 236
A86-17843	#	p 173	A86-18740	#	p 166	A86-19727	#	p 241	A86-20792	#	p 249	A86-22117	#	p 205
A86-17845	#	p 143	A86-18743	#	p 172	A86-19728	#	p 237	A86-20795	#	p 265	A86-22126	#	p 236
A86-17847	#	p 144	A86-18745	#	p 174	A86-19729	#	p 238	A86-20822	#	p 221	A86-22127	#	p 224
A86-17849	#	p 144	A86-18843	#	p 158	A86-19730	#	p 200	A86-20921	#	p 249	A86-22128	#	p 187
A86-17886	#	p 144	A86-18848	#	p 194	A86-19731	#	p 200	A86-20932	#	p 221	A86-22129	#	p 267
A86-17889	#	p 144	A86-18849	#	p 195	A86-19737	#	p 213	A86-20939	#	p 204	A86-22130	#	p 267
A86-18047	#	p 144	A86-18902	#	p 146	A86-19753	#	p 200	A86-20946	#	p 204	A86-22131	#	p 224
A86-18121	#	p 193	A86-18903	#	p 146	A86-19764	#	p 230	A86-20953	#	p 204	A86-22132	#	p 225
A86-18124	#	p 186	A86-18904	#	p 148	A86-19774	#	p 200	A86-21026	#	p 250	A86-22133	#	p 225
A86-18152	#	p 144	A86-18907	#	p 187	A86-19789	#	p 200	A86-21033	#	p 205	A86-22134	#	p 252
A86-18355	#	p 182	A86-18918	#	p 192	A86-19790	#	p 264	A86-21051	#	p 221	A86-22135	#	p 267
A86-18401	#	p 163	A86-18967	#	p 175	A86-19807	#	p 200	A86-21052	#	p 222	A86-22136	#	p 236
A86-18402	#	p 163	A86-18990	#	p 160	A86-19808	#	p 201	A86-21053	#	p 222	A86-22137	#	p 268
A86-18403	#	p 163	A86-19005	#	p 146	A86-19809	#	p 201	A86-21054	#	p 222	A86-22138	#	p 268
A86-18404	#	p 163	A86-19052	#	p 195	A86-19810	#	p 201	A86-21055	#	p 197	A86-22141	#	p 267
A86-18405	#	p 163	A86-19069	#	p 158	A86-19813	#	p 213	A86-21056	#	p 222	A86-22142	#	p 252
A86-18406	#	p 157	A86-19070	#	p 176	A86-19814	#	p 213	A86-21057	#	p 222	A86-22143	#	p 252
A86-18407	#	p 170	A86-19148	#	p 146	A86-19815	#	p 214	A86-21058	#	p 222	A86-22144	#	p 253
A86-18408	#	p 163	A86-19198	#	p 174	A86-19816	#	p 259	A86-21059	#	p 223	A86-22165	#	p 225
A86-18409	#	p 187	A86-19277	#	p 166	A86-19817	#	p 201	A86-21060	#	p 223	A86-22178	#	p 253
A86-18410	#	p 187	A86-19278	#	p 174	A86-19818	#	p 238	A86-21061	#	p 223	A86-22188	#	p 241
A86-18411	#	p 163	A86-19284	#	p 135	A86-19819	#	p 238	A86-21062	#	p 223	A86-22189	#	p 241
A86-18412	#	p 179	A86-19290	#	p 166	A86-19820	#	p 238	A86-21063	#	p 223	A86-22192	#	p 253
A86-18413	#	p 134	A86-19301	#	p 212	A86-19821	#	p 262	A86-21064	#	p 223	A86-22200	#	p 236
A86-18414	#	p 179	A86-19302	#	p 260	A86-19833	#	p 201	A86-21065	#	p 224	A86-22261	#	p 225
A86-18416	#	p 164	A86-19303	#	p 217	A86-19851	#	p 219	A86-21163	#	p 231	A86-22262	#	p 225
A86-18417	#	p 134	A86-19305	#	p 217	A86-19853	#	p 233	A86-21234	#	p 231	A86-22263	#	p 225
A86-18418	#	p 164	A86-19306	#	p 217	A86-19855	#	p 201	A86-21246	#	p 250	A86-22303	#	p 205
A86-18419	#	p 164	A86-19307	#	p 217	A86-19860	#	p 214	A86-21296	#	p 244	A86-22305	#	p 263
A86-18420	#	p 164	A86-19308	#	p 217	A86-19865	#	p 263	A86-21306	#	p 224	A86-22306	#	p 263
A86-18421	#	p 164	A86-19309	#	p 261	A86-19868	#	p 219	A86-21318	#	p 239	A86-22309	#	p 239
A86-18422	#	p 164	A86-19310	#	p 261	A86-19870	#	p 201	A86-21325	#	p 197	A86-22311	#	p 205
A86-18423	#	p 170	A86-19311	#	p 217	A86-19871	#	p 202	A86-21327	#	p 215	A86-22317	#	p 239
A86-18424	#	p 164	A86-19312	#	p 243	A86-19873	#	p 202	A86-21345	#	p 205	A86-22318	#	p 253
A86-18425	#	p 134	A86-19313	#	p 243	A86-19880	#	p 202	A86-21513	#	p 250	A86-22319	#	p 206
A86-18426	#	p 187	A86-19314	#	p 217	A86-19888	#	p 233	A86-21606	#	p 215	A86-22378	#	p 225
A86-18427	#	p 165	A86-19316	#	p 217	A86-19892	#	p 202	A86-21607	#	p 216	A86-22382	#	p 253
A86-18428	#	p 165	A86-19317	#	p 218	A86-19893	#	p 202	A86-21608	#	p 216	A86-22384	#	p 253
A86-18429	#	p 179	A86-19318	#	p 218	A86-19894	#	p 219	A86-21701	#	p 214	A86-22386	#	p 231
A86-18430	#	p 134	A86-19319	#	p 212	A86-19895	#	p 233	A86-21707	#	p 244	A86-22391	#	p 253
A86-18431	#	p 187	A86-19320	#	p 218	A86-19897	#	p 202	A86-21709	#	p 250	A86-22396	#	p 253
A86-18432	#	p 183	A86-19323	#	p 212	A86-19902	#	p 238	A86-21710	#	p 244	A86-22398	#	p 263
A86-18433	#	p 183	A86-19324	#	p 240	A86-19903	#	p 238	A86-21712	#	p 224	A86-22399	#	p 267
A86-18435	#	p 170	A86-19326	#	p 212	A86-19905	#	p 219	A86-21714	#	p 250	A86-22400	#	p 225
A86-18436	#	p 187	A86-19328	#	p 240	A86-19908	#	p 239	A86-21719	#	p 245	A86-22402	#	p 254
A86-18437	#	p 183	A86-19329	#	p 261	A86-19909	#	p 203	A86-21722	#	p 245	A86-22407	#	p 254
A86-18438	#	p 192	A86-19331	#	p 218	A86-19922	#	p 203	A86-21726	#	p 245	A86-22426	#	p 262
A86-18439	#	p 180	A86-19333	#	p 261	A86-19929	#	p 243	A86-21729	#	p 245	A86-22679	#	p 236
A86-18440	#	p 180	A86-19334	#	p 212	A86-19940	#	p 220	A86-21734	#	p 245	A86-22681	#	p 254
A86-18441	#	p 180	A86-19335	#	p 213	A86-19941	#	p 220	A86-21735	#	p 245	A86-22684	#	p 254
A86-18442	#	p 134	A86-19336	#	p 261	A86-19949	#	p 203	A86-21736	#	p 246	A86-22687	#	p 241
A86-18443	#	p 165	A86-19339	#	p 218	A86-19951	#	p 203	A86-21737	#	p 246	A86-22690	#	p 254
A86-18444	#	p 165	A86-19340	#	p 240	A86-19964	#	p 203	A86-21741	#	p 246	A86-22692	#	p 206
A86-18445	#	p 165	A86-19343	#	p 261	A86-19965	#	p 233	A86-21742	#	p 246	A86-22693	#	p 206
A86-18446	#	p 165	A86-19344	#	p 261	A86-19966	#	p 203	A86-21753	#	p 246	A86-22699	#	p 265
A86-18447	#	p 165	A86-19345	#	p 262	A86-19970	#	p 248	A86-21756	#	p 246	A86-22700	#	p 254
A86-18448	#	p 168	A86-19349	#	p 243	A86-20036	#	p 220	A86-21826	#	p			

## ACCESSION NUMBER INDEX

## A86-28340

A86-22730	#	p 270	A86-23775	#	p 271	A86-25025	#	p 282	A86-26136	#	p 307	A86-27211	#	p 382
A86-22732	*	p 270	A86-23776	#	p 271	A86-25035	*	p 329	A86-26138	#	p 290	A86-27224	#	p 375
A86-22863	#	p 333	A86-23777	#	p 271	A86-25084	*	p 274	A86-26139	#	p 290	A86-27227	#	p 382
A86-23001	#	p 314	A86-23778	#	p 271	A86-25089	#	p 287	A86-26140	#	p 323	A86-27231	#	p 375
A86-23003	#	p 315	A86-23780	#	p 271	A86-25090	#	p 333	A86-26141	*	p 290	A86-27247	#	p 382
A86-23011	#	p 315	A86-23781	#	p 306	A86-25095	#	p 287	A86-26142	#	p 291	A86-27260	#	p 375
A86-23015	#	p 315	A86-23798	#	p 286	A86-25098	#	p 287	A86-26143	#	p 291	A86-27264	#	p 375
A86-23020	#	p 279	A86-23800	#	p 279	A86-25176	#	p 289	A86-26144	*	p 291	A86-27271	#	p 383
A86-23022	#	p 283	A86-23823	#	p 312	A86-25177	#	p 304	A86-26145	#	p 291	A86-27272	#	p 382
A86-23126	*	p 270	A86-23830	#	p 271	A86-25180	#	p 288	A86-26146	#	p 291	A86-27274	#	p 375
A86-23133	#	p 270	A86-23832	#	p 301	A86-25188	#	p 288	A86-26147	#	p 307	A86-27275	#	p 375
A86-23134	*	p 331	A86-23834	#	p 271	A86-25189	#	p 274	A86-26148	#	p 310	A86-27278	#	p 382
A86-23184	#	p 270	A86-23845	#	p 306	A86-25192	#	p 304	A86-26149	*	p 310	A86-27279	#	p 376
A86-23185	#	p 283	A86-23853	#	p 301	A86-25197	#	p 310	A86-26151	#	p 290	A86-27300	#	p 376
A86-23186	#	p 305	A86-23858	#	p 301	A86-25200	#	p 274	A86-26152	#	p 311	A86-27371	#	p 383
A86-23187	#	p 308	A86-23859	#	p 301	A86-25201	#	p 304	A86-26153	#	p 299	A86-27383	#	p 376
A86-23189	*	p 308	A86-23861	#	p 301	A86-25203	#	p 306	A86-26154	#	p 305	A86-27384	#	p 376
A86-23190	#	p 284	A86-23868	#	p 312	A86-25204	#	p 306	A86-26155	#	p 320	A86-27385	#	p 376
A86-23191	#	p 284	A86-23873	#	p 317	A86-25205	#	p 306	A86-26156	#	p 305	A86-27388	#	p 376
A86-23192	#	p 284	A86-23879	#	p 317	A86-25206	#	p 274	A86-26157	#	p 292	A86-27448	#	p 385
A86-23193	#	p 270	A86-23883	#	p 302	A86-25207	#	p 275	A86-26158	#	p 313	A86-27472	#	p 396
A86-23252	#	p 284	A86-23884	#	p 302	A86-25213	#	p 307	A86-26159	#	p 313	A86-27482	#	p 383
A86-23253	#	p 315	A86-23888	#	p 302	A86-25214	#	p 280	A86-26160	#	p 307	A86-27543	#	p 384
A86-23254	#	p 284	A86-23890	#	p 302	A86-25217	#	p 331	A86-26161	#	p 292	A86-27648	#	p 403
A86-23255	#	p 298	A86-23904	#	p 317	A86-25219	#	p 304	A86-26162	#	p 292	A86-27651	#	p 335
A86-23256	#	p 315	A86-23909	#	p 317	A86-25224	#	p 275	A86-26163	#	p 292	A86-27652	#	p 377
A86-23260	#	p 284	A86-23911	#	p 313	A86-25227	#	p 275	A86-26164	#	p 292	A86-27653	#	p 383
A86-23262	#	p 315	A86-23912	#	p 302	A86-25233	#	p 275	A86-26165	#	p 292	A86-27654	#	p 353
A86-23263	#	p 329	A86-23917	#	p 302	A86-25234	#	p 304	A86-26166	#	p 330	A86-27656	#	p 336
A86-23264	#	p 329	A86-23922	*	p 313	A86-25237	#	p 288	A86-26167	#	p 293	A86-27657	#	p 353
A86-23265	#	p 308	A86-23928	#	p 303	A86-25239	#	p 275	A86-26168	#	p 293	A86-27658	*	p 400
A86-23266	#	p 315	A86-23931	#	p 303	A86-25240	#	p 275	A86-26169	#	p 293	A86-27659	*	p 366
A86-23267	#	p 284	A86-23933	#	p 317	A86-25243	#	p 286	A86-26170	#	p 307	A86-27660	#	p 386
A86-23268	#	p 281	A86-23938	#	p 303	A86-25259	#	p 275	A86-26171	#	p 323	A86-27661	*	p 353
A86-23270	#	p 284	A86-23941	#	p 303	A86-25261	#	p 326	A86-26175	#	p 269	A86-27662	#	p 386
A86-23271	#	p 285	A86-23944	#	p 317	A86-25262	#	p 326	A86-26274	#	p 269	A86-27663	#	p 353
A86-23272	#	p 298	A86-23948	#	p 272	A86-25267	#	p 275	A86-26299	#	p 293	A86-27664	#	p 386
A86-23273	#	p 299	A86-23951	#	p 318	A86-25268	#	p 319	A86-26326	#	p 372	A86-27666	#	p 336
A86-23274	#	p 312	A86-24148	#	p 306	A86-25269	#	p 288	A86-26327	#	p 373	A86-27667	#	p 337
A86-23275	#	p 298	A86-24226	#	p 303	A86-25270	#	p 288	A86-26328	#	p 373	A86-27668	#	p 337
A86-23281	#	p 318	A86-24230	#	p 318	A86-25271	#	p 280	A86-26329	#	p 373	A86-27669	*	p 337
A86-23289	#	p 322	A86-24231	#	p 318	A86-25280	#	p 289	A86-26330	#	p 373	A86-27671	#	p 377
A86-23291	#	p 323	A86-24236	#	p 318	A86-25285	#	p 320	A86-26332	#	p 373	A86-27702	#	p 377
A86-23292	#	p 323	A86-24246	#	p 318	A86-25286	#	p 288	A86-26334	#	p 373	A86-27703	#	p 383
A86-23293	#	p 298	A86-24470	#	p 272	A86-25295	#	p 326	A86-26336	#	p 380	A86-27730	*	p 377
A86-23313	#	p 297	A86-24471	#	p 272	A86-26002	#	p 326	A86-26337	#	p 373	A86-27741	#	p 383
A86-23343	#	p 329	A86-24522	#	p 272	A86-26003	#	p 326	A86-26338	#	p 374	A86-27754	#	p 377
A86-23346	#	p 305	A86-24533	#	p 282	A86-26004	#	p 327	A86-26370	#	p 363	A86-27759	#	p 377
A86-23350	#	p 300	A86-24577	#	p 306	A86-26005	#	p 327	A86-26371	#	p 363	A86-27765	#	p 377
A86-23376	#	p 281	A86-24583	#	p 297	A86-26006	#	p 298	A86-26409	#	p 336	A86-27784	#	p 346
A86-23379	#	p 282	A86-24586	#	p 329	A86-26007	#	p 298	A86-26427	#	p 402	A86-27789	#	p 347
A86-23380	#	p 308	A86-24596	#	p 306	A86-26008	#	p 298	A86-26438	*	p 345	A86-27804	#	p 347
A86-23403	#	p 316	A86-24598	#	p 272	A86-26009	#	p 327	A86-26440	#	p 345	A86-27813	#	p 347
A86-23450	#	p 312	A86-24627	#	p 272	A86-26010	#	p 298	A86-26442	#	p 345	A86-27816	#	p 358
A86-23506	#	p 300	A86-24630	#	p 272	A86-26012	#	p 298	A86-26443	#	p 346	A86-27819	#	p 347
A86-23508	#	p 285	A86-24631	#	p 323	A86-26016	#	p 327	A86-26444	#	p 346	A86-27820	#	p 353
A86-23509	#	p 285	A86-24633	#	p 306	A86-26018	#	p 327	A86-26474	#	p 336	A86-27829	#	p 347
A86-23510	#	p 285	A86-24634	#	p 272	A86-26019	*	p 327	A86-26501	#	p 346	A86-27834	#	p 402
A86-23511	#	p 285	A86-24636	#	p 313	A86-26022	#	p 328	A86-26504	#	p 358	A86-27849	#	p 347
A86-23545	#	p 285	A86-24638	#	p 309	A86-26023	#	p 328	A86-26507	#	p 346	A86-27852	#	p 348
A86-23576	#	p 331	A86-24642	#	p 273	A86-26024	#	p 328	A86-26509	*	p 346	A86-27898	#	p 348
A86-23581	#	p 329	A86-24646	#	p 318	A86-26026	#	p 328	A86-26544	#	p 380	A86-27900	#	p 348
A86-23585	#	p 316	A86-24663	#	p 319	A86-26029	#	p 310	A86-26577	#	p 398	A86-28000	#	p 343
A86-23653	#	p 316	A86-24667	#	p 319	A86-26030	*	p 328	A86-26586	#	p 398	A86-28060	#	p 353
A86-23660	#	p 270	A86-24703	#	p 273	A86-26031	#	p 328	A86-26587	*	p 352	A86-28065	*	p 393
A86-23662	#	p 316	A86-24708	#	p 273	A86-26032	#	p 298	A86-26601	#	p 363	A86-28066	#	p 358
A86-23663	#	p 316	A86-24712	#	p 303	A86-26071	#	p 304	A86-26629	*	p 365	A86-28069	#	p 354
A86-23664	#	p 300	A86-24726	#	p 309	A86-26072	#	p 299	A86-26640	#	p 343	A86-28093	#	p 378
A86-23666	#	p 316	A86-24729	#	p 273	A86-26103	#	p 288	A86-26647	#	p 352	A86-28276	#	p 383
A86-23670	#	p 300	A86-24731	#	p 286	A86-26104	#	p 288	A86-26682	*	p 380	A86-28280	#	p 397
A86-23674	#	p 331	A86-24732	#	p 273	A86-26105	*	p 289	A86-26678	#	p 380	A86-28281	#	p 354
A86-23680	#	p 312	A86-24739	#	p 309	A86-26106	*	p 276	A86-26679	#	p 380	A86-28303	#	p 383
A86-23708	#	p 329	A86-24740	#	p 309	A86-26107	#	p 276	A86-26683	#	p 381	A86-28306	#	p 335
A86-23724	#	p 326	A86-24742	#	p 309	A86-26108	#	p 276	A86-26688	*	p 400	A86-28307	#	p 397
A86-23728	*	p 297	A86-24746	#	p 309	A86-26109	#	p 276	A86-26692	*	p 383	A86-28309	#	p 384
A86-23729	#	p 297	A86-24756	*	p 310	A86-26110	#	p 276	A86-26905	*	p 363	A86-28310	#	p 354
A86-23738	#	p 326	A86-24759	#	p 286	A86-26111	#	p 320	A86-26937	#	p 381	A86-28311	#	p 348
A86-23750	#	p 308	A86-24780	#	p 273	A86-26112	#	p 276	A86-27020	#	p 335	A86-28312	#	p 348
A86-23751	#	p 300	A86-24785	#	p 310	A86-26113	*	p 289	A86-27076	#	p 381	A86-28314	#	p 384
A86-23752	#	p 300	A86-24827	#	p 298	A86-26114	#	p 289	A86-27081	#	p 385	A86-28315	#	p 384
A86-23753	#	p 300	A86-24828	#	p 319	A86-26115	#	p 289	A86-27126	#	p 374	A86-28316	#	p 384
A86-23754	#	p 301	A86-24829	#	p 319	A86-26116	#	p 289	A86-27128	#	p 381	A86-28317	#	p 384
A86-23755	#	p 316	A86-24830	*	p 319	A86-26117	#	p 289	A86-27145	#	p 335	A86-28318	#	p 384
A86-23756	#	p 301	A86-24841	#	p 311	A86-26118	#	p 330	A86-27157	#	p 381	A86-28320	#	p 354
A86-23757	#	p 285	A86-24861	#	p 304	A86-26119	#	p 289	A86-27198	#	p 374	A86-28322	#	p 384
A86-23759	#	p 316	A86-24986	*	p 313	A86-26120	*	p 290	A86-27201	#	p 374	A86-28326	#	p 348
A86-23760	#	p 289	A86-24988	#	p 286	A86-26121	#	p 320	A86-27202	#	p 374	A86-28330	#	p 385
A86-23762	#	p 297	A86-24989	#	p 287	A86-26122	#	p 320	A86-27203	#	p 382	A86-28332	#	p 385



A86-28341	#	p 385	A86-28551	#	p 387	A86-31022	#	p 408	A86-32107	#	p 430	A86-33134	#	p 465
A86-28342	#	p 385	A86-28553	#	p 387	A86-31038	#	p 405	A86-32108	#	p 430	A86-33178	#	p 444
A86-28343	#	p 385	A86-28558	#	p 337	A86-31039	#	p 428	A86-32109	#	p 430	A86-33180	#	p 444
A86-28344	#	p 386	A86-28559	*	p 355	A86-31123	#	p 454	A86-32112	#	p 430	A86-33184	#	p 463
A86-28346	#	p 358	A86-28560	#	p 371	A86-31124	#	p 447	A86-32113	#	p 430	A86-33223	#	p 451
A86-28348	#	p 397	A86-28561	*	p 371	A86-31125	#	p 442	A86-32114	*	p 443	A86-33226	#	p 406
A86-28356	#	p 349	A86-28562	*	p 356	A86-31132	#	p 409	A86-32115	#	p 430	A86-33227	*	p 412
A86-28357	#	p 349	A86-28563	#	p 356	A86-31187	#	p 455	A86-32116	#	p 430	A86-33228	#	p 412
A86-28358	#	p 349	A86-28564	*	p 343	A86-31221	#	p 428	A86-32118	*	p 431	A86-33229	#	p 412
A86-28360	#	p 349	A86-28565	#	p 337	A86-31225	#	p 461	A86-32119	#	p 431	A86-33230	#	p 412
A86-28361	#	p 349	A86-28566	#	p 356	A86-31252	#	p 464	A86-32120	*	p 440	A86-33231	#	p 412
A86-28362	#	p 359	A86-28567	#	p 356	A86-31253	#	p 455	A86-32121	#	p 441	A86-33232	*	p 412
A86-28363	#	p 359	A86-28568	#	p 393	A86-31258	#	p 455	A86-32124	#	p 449	A86-33233	#	p 413
A86-28364	#	p 359	A86-28569	*	p 337	A86-31259	#	p 455	A86-32126	#	p 438	A86-33234	#	p 413
A86-28367	#	p 359	A86-28570	*	p 387	A86-31262	#	p 464	A86-32127	#	p 422	A86-33235	#	p 413
A86-28368	#	p 397	A86-28571	#	p 343	A86-31312	#	p 464	A86-32128	#	p 439	A86-33236	#	p 413
A86-28369	#	p 350	A86-28618	*	p 393	A86-31323	#	p 422	A86-32130	#	p 465	A86-33237	#	p 432
A86-28370	#	p 350	A86-28637	#	p 337	A86-31324	#	p 419	A86-32131	#	p 422	A86-33238	*	p 413
A86-28371	#	p 359	A86-28651	#	p 387	A86-31325	#	p 419	A86-32132	#	p 431	A86-33239	#	p 432
A86-28372	#	p 396	A86-28654	*	p 387	A86-31328	#	p 440	A86-32133	#	p 431	A86-33240	#	p 413
A86-28373	#	p 396	A86-28666	#	p 387	A86-31330	#	p 405	A86-32134	#	p 431	A86-33241	#	p 432
A86-28376	#	p 396	A86-28742	#	p 387	A86-31331	#	p 426	A86-32135	#	p 448	A86-33242	#	p 433
A86-28377	#	p 396	A86-28802	#	p 372	A86-31332	*	p 426	A86-32136	#	p 443	A86-33243	*	p 433
A86-28378	#	p 396	A86-28842	#	p 361	A86-31333	*	p 426	A86-32137	#	p 431	A86-33244	#	p 433
A86-28379	#	p 396	A86-28864	*	p 395	A86-31334	*	p 426	A86-32138	#	p 432	A86-33245	#	p 433
A86-28380	#	p 367	A86-29002	#	p 393	A86-31336	#	p 427	A86-32139	*	p 443	A86-33246	#	p 444
A86-28384	#	p 367	A86-29011	*	p 388	A86-31340	#	p 405	A86-32140	#	p 439	A86-33247	#	p 444
A86-28385	#	p 350	A86-29058	#	p 396	A86-31341	#	p 427	A86-32142	#	p 422	A86-33248	*	p 444
A86-28386	#	p 367	A86-29092	#	p 396	A86-31343	#	p 438	A86-32143	#	p 432	A86-33249	#	p 444
A86-28387	#	p 367	A86-29100	#	p 396	A86-31344	#	p 427	A86-32144	#	p 439	A86-33250	#	p 444
A86-28388	#	p 397	A86-29299	#	p 356	A86-31345	#	p 427	A86-32146	#	p 443	A86-33251	#	p 445
A86-28389	#	p 350	A86-29300	#	p 351	A86-31346	#	p 427	A86-32147	#	p 432	A86-33252	#	p 445
A86-28390	#	p 359	A86-29415	#	p 338	A86-31348	#	p 449	A86-32148	#	p 465	A86-33253	#	p 445
A86-28391	#	p 350	A86-29417	#	p 338	A86-31349	#	p 440	A86-32149	#	p 406	A86-33256	#	p 433
A86-28392	#	p 367	A86-29474	#	p 338	A86-31356	#	p 455	A86-32150	#	p 448	A86-33257	#	p 434
A86-28393	#	p 367	A86-29578	#	p 351	A86-31374	#	p 455	A86-32154	#	p 409	A86-33258	#	p 434
A86-28394	*	p 368	A86-29783	#	p 351	A86-31412	#	p 455	A86-32312	#	p 468	A86-33259	#	p 434
A86-28395	#	p 368	A86-29823	#	p 356	A86-31413	#	p 427	A86-32314	#	p 456	A86-33261	#	p 434
A86-28396	#	p 368	A86-29824	#	p 356	A86-31417	#	p 455	A86-32318	#	p 456	A86-33263	#	p 434
A86-28397	#	p 354	A86-29840	#	p 338	A86-31420	#	p 456	A86-32320	#	p 456	A86-33264	#	p 434
A86-28398	#	p 354	A86-29841	#	p 338	A86-31475	#	p 450	A86-32321	#	p 456	A86-33265	#	p 448
A86-28400	#	p 354	A86-29842	#	p 356	A86-31586	#	p 440	A86-32324	#	p 410	A86-33266	#	p 441
A86-28401	#	p 368	A86-29864	#	p 438	A86-31595	*	p 440	A86-32371	#	p 485	A86-33267	#	p 434
A86-28402	#	p 355	A86-29868	#	p 405	A86-31656	#	p 464	A86-32377	#	p 482	A86-33279	#	p 457
A86-28403	#	p 397	A86-29870	#	p 453	A86-31657	#	p 427	A86-32450	#	p 482	A86-33280	#	p 435
A86-28405	#	p 355	A86-29872	#	p 418	A86-31680	*	p 442	A86-32578	#	p 423	A86-33281	#	p 435
A86-28413	#	p 397	A86-29916	#	p 446	A86-31681	#	p 443	A86-32579	#	p 423	A86-33282	#	p 458
A86-28419	#	p 398	A86-29917	#	p 447	A86-31682	*	p 443	A86-32581	#	p 423	A86-33283	#	p 458
A86-28420	#	p 398	A86-29936	#	p 418	A86-31773	#	p 456	A86-32601	#	p 423	A86-33289	#	p 449
A86-28421	#	p 398	A86-29954	#	p 453	A86-31847	*	p 447	A86-32603	#	p 456	A86-33290	#	p 458
A86-28425	#	p 402	A86-29961	#	p 453	A86-31848	#	p 405	A86-32605	#	p 457	A86-33293	#	p 458
A86-28430	#	p 398	A86-29981	#	p 453	A86-31849	#	p 427	A86-32614	#	p 457	A86-33299	#	p 449
A86-28442	#	p 395	A86-29972	#	p 449	A86-31921	#	p 456	A86-32616	#	p 423	A86-33300	#	p 407
A86-28443	#	p 350	A86-30008	#	p 450	A86-31954	#	p 467	A86-32618	#	p 457	A86-33303	#	p 451
A86-28444	#	p 395	A86-30013	#	p 450	A86-31955	#	p 461	A86-32626	#	p 423	A86-33408	#	p 413
A86-28446	*	p 395	A86-30014	#	p 453	A86-31956	#	p 419	A86-32627	#	p 423	A86-33409	#	p 414
A86-28447	#	p 351	A86-30019	#	p 453	A86-31957	#	p 467	A86-32631	#	p 424	A86-33419	#	p 458
A86-28453	#	p 395	A86-30027	#	p 453	A86-31959	#	p 467	A86-32635	#	p 424	A86-33427	#	p 420
A86-28454	#	p 355	A86-30030	#	p 450	A86-31960	#	p 467	A86-32642	#	p 457	A86-33453	#	p 458
A86-28455	#	p 355	A86-30033	#	p 450	A86-31981	#	p 468	A86-32657	#	p 444	A86-33480	#	p 414
A86-28456	#	p 398	A86-30034	#	p 454	A86-31982	#	p 462	A86-32739	#	p 410	A86-33583	*	p 498
A86-28457	#	p 370	A86-30060	#	p 425	A86-31983	#	p 462	A86-32776	#	p 432	A86-33590	*	p 498
A86-28458	#	p 371	A86-30091	#	p 454	A86-31984	#	p 468	A86-32777	#	p 410	A86-33741	#	p 484
A86-28459	#	p 371	A86-30092	#	p 454	A86-31985	#	p 468	A86-32778	#	p 468	A86-33780	#	p 481
A86-28460	#	p 371	A86-30093	#	p 440	A86-31986	#	p 468	A86-32779	#	p 410	A86-33799	#	p 481
A86-28462	#	p 371	A86-30097	#	p 418	A86-32067	#	p 428	A86-32780	*	p 410	A86-33802	*	p 498
A86-28463	#	p 380	A86-30213	#	p 408	A86-32068	#	p 419	A86-32781	#	p 410	A86-33805	#	p 529
A86-28464	#	p 380	A86-30312	#	p 438	A86-32070	#	p 419	A86-32782	*	p 410	A86-33814	#	p 499
A86-28465	#	p 380	A86-30314	#	p 421	A86-32074	#	p 428	A86-32783	#	p 468	A86-33943	#	p 519
A86-28470	#	p 351	A86-30315	#	p 438	A86-32075	#	p 428	A86-32784	#	p 410	A86-33944	#	p 519
A86-28473	#	p 351	A86-30351	#	p 464	A86-32076	*	p 428	A86-32785	#	p 410	A86-33970	#	p 500
A86-28478	#	p 390	A86-30358	#	p 421	A86-32077	*	p 428	A86-32786	#	p 432	A86-33979	#	p 507
A86-28479	#	p 398	A86-30369	#	p 454	A86-32078	#	p 422	A86-32787	*	p 482	A86-33988	#	p 484
A86-28483	#	p 398	A86-30488	#	p 421	A86-32079	#	p 464	A86-32788	#	p 410	A86-33989	#	p 486
A86-28485	#	p 355	A86-30498	*	p 425	A86-32080	#	p 422	A86-32789	#	p 424	A86-33996	#	p 486
A86-28486	#	p 398	A86-30499	*	p 442	A86-32081	#	p 464	A86-32823	#	p 424	A86-34112	#	p 514
A86-28487	#	p 399	A86-30500	#	p 454	A86-32082	#	p 428	A86-32824	#	p 424	A86-34140	#	p 530
A86-28490	*	p 368	A86-30549	#	p 405	A86-32083	#	p 429	A86-32825	#	p 424	A86-34158	#	p 474
A86-28492	#	p 368	A86-30550	#	p 426	A86-32084	*	p 443	A86-32925	*	p 441	A86-34180	#	p 507
A86-28496	#	p 368	A86-30734	#	p 409	A86-32085	#	p 406	A86-32957	#	p 441	A86-34193	#	p 508
A86-28499	#	p 368	A86-30737	#	p 440	A86-32086	#	p 406	A86-32959	#	p 410	A86-34194	#	p 515
A86-28505	#	p 380	A86-30740	#	p 440	A86-32087	#	p 406	A86-32960	*	p 411	A86-34195	#	p 487
A86-28506	#	p 380	A86-30743	#	p 454	A86-32088	#	p 406	A86-32963	#	p 469	A86-34276	#	p 499
A86-28507	*	p 380	A86-30825	#	p 442	A86-32089	#	p 447	A86-32966	#	p 411	A86-34279	#	p 500
A86-28508	#	p 364	A86-31004	#	p 421	A86-32090	#	p 447	A86-32973	#	p 457	A86-34407	#	p 519
A86-28509	#	p 368	A86-31005	#	p 419	A86-32091	#	p 447	A86-32975	#	p 457	A86-34410	#	p 520
A86-28510	#	p 369	A86-31006	#	p 421	A86-32092	#	p 448	A86-32978	#	p 411	A86-34411	#	p 474
A86-28511	#	p 361	A86-31007	#	p 421	A86-32094	#	p 406	A86-32979	#	p 411	A86-34444	*	p 520
A86-														

## ACCESSION NUMBER INDEX

## A86-38539

A86-34923	#	p 529	A86-35811	#	p 521	A86-36805	#	p 522	A86-37484	#	p 614	A86-38326	#	p 547
A86-34924	#	p 487	A86-35812	#	p 502	A86-36818	#	p 495	A86-37485	#	p 614	A86-38327	#	p 547
A86-34926	#	p 508	A86-35813	#	p 491	A86-36819	#	p 495	A86-37487	#	p 614	A86-38328	#	p 548
A86-35082	#	p 474	A86-35814	#	p 502	A86-36820	#	p 495	A86-37489	#	p 567	A86-38329	#	p 563
A86-35146	#	p 534	A86-35815	#	p 502	A86-36821	#	p 495	A86-37490	#	p 567	A86-38331	#	p 563
A86-35151	#	p 487	A86-35817	#	p 534	A86-36822	#	p 496	A86-37491	#	p 615	A86-38332	#	p 564
A86-35152	#	p 487	A86-35818	#	p 534	A86-36852	#	p 530	A86-37495	#	p 615	A86-38333	#	p 564
A86-35153	#	p 508	A86-35819	#	p 535	A86-36871	#	p 511	A86-37496	#	p 615	A86-38334	#	p 564
A86-35154	#	p 474	A86-35820	#	p 491	A86-36874	#	p 516	A86-37497	#	p 615	A86-38335	#	p 606
A86-35155	#	p 513	A86-35821	#	p 535	A86-36879	#	p 530	A86-37498	#	p 615	A86-38336	#	p 578
A86-35163	#	p 473	A86-35822	#	p 510	A86-36887	#	p 523	A86-37500	#	p 615	A86-38337	#	p 578
A86-35165	#	p 534	A86-35823	#	p 510	A86-36894	#	p 532	A86-37501	#	p 615	A86-38338	#	p 579
A86-35166	#	p 513	A86-35824	#	p 491	A86-36899	#	p 473	A86-37504	#	p 616	A86-38339	#	p 579
A86-35167	#	p 474	A86-35825	#	p 510	A86-36903	#	p 530	A86-37511	#	p 616	A86-38340	#	p 579
A86-35168	#	p 501	A86-35826	#	p 510	A86-36904	#	p 513	A86-37555	#	p 572	A86-38341	#	p 579
A86-35170	#	p 487	A86-35827	#	p 491	A86-36941	#	p 532	A86-37625	#	p 567	A86-38342	#	p 579
A86-35171	#	p 475	A86-35828	#	p 491	A86-36943	#	p 532	A86-37708	#	p 601	A86-38343	#	p 567
A86-35172	#	p 475	A86-35829	#	p 491	A86-36944	#	p 513	A86-37769	#	p 541	A86-38344	#	p 567
A86-35176	#	p 488	A86-35830	#	p 492	A86-36945	#	p 532	A86-37770	#	p 576	A86-38345	#	p 589
A86-35177	#	p 508	A86-35831	#	p 492	A86-36946	#	p 496	A86-37772	#	p 576	A86-38346	#	p 569
A86-35179	#	p 515	A86-35832	#	p 492	A86-37045	#	p 500	A86-37773	#	p 576	A86-38347	#	p 548
A86-35180	#	p 515	A86-35833	#	p 475	A86-37050	#	p 528	A86-37774	#	p 541	A86-38349	#	p 579
A86-35188	#	p 501	A86-35834	#	p 475	A86-37059	#	p 511	A86-37801	#	p 541	A86-38350	#	p 579
A86-35189	#	p 488	A86-35835	#	p 492	A86-37061	#	p 496	A86-37802	#	p 542	A86-38351	#	p 567
A86-35201	#	p 488	A86-35836	#	p 475	A86-37064	#	p 523	A86-37803	#	p 542	A86-38352	#	p 568
A86-35202	#	p 488	A86-35837	#	p 492	A86-37067	#	p 517	A86-37804	#	p 542	A86-38353	#	p 568
A86-35203	#	p 488	A86-35838	#	p 493	A86-37068	#	p 511	A86-37805	#	p 542	A86-38354	#	p 568
A86-35204	#	p 531	A86-35839	#	p 516	A86-37070	#	p 523	A86-37806	#	p 577	A86-38355	#	p 580
A86-35206	#	p 488	A86-35840	#	p 516	A86-37071	#	p 523	A86-37807	#	p 542	A86-38356	#	p 539
A86-35207	#	p 499	A86-35841	#	p 493	A86-37072	#	p 517	A86-37808	#	p 542	A86-38357	#	p 606
A86-35208	#	p 488	A86-35842	#	p 521	A86-37073	#	p 503	A86-37811	#	p 577	A86-38358	#	p 580
A86-35210	#	p 488	A86-35843	#	p 536	A86-37078	#	p 496	A86-37813	#	p 577	A86-38359	#	p 580
A86-35213	#	p 513	A86-35844	#	p 536	A86-37081	#	p 496	A86-37814	#	p 543	A86-38362	#	p 580
A86-35217	#	p 515	A86-35845	#	p 537	A86-37082	#	p 500	A86-37815	#	p 543	A86-38363	#	p 580
A86-35219	#	p 489	A86-35847	#	p 493	A86-37083	#	p 514	A86-37820	#	p 543	A86-38366	#	p 580
A86-35220	#	p 489	A86-35848	#	p 493	A86-37087	#	p 514	A86-37821	#	p 543	A86-38367	#	p 580
A86-35221	#	p 521	A86-35849	#	p 493	A86-37090	#	p 523	A86-37822	#	p 543	A86-38369	#	p 580
A86-35223	#	p 489	A86-35850	#	p 499	A86-37091	#	p 503	A86-37823	#	p 544	A86-38370	#	p 598
A86-35224	#	p 489	A86-35851	#	p 521	A86-37096	#	p 523	A86-37824	#	p 544	A86-38371	#	p 598
A86-35225	#	p 521	A86-35852	#	p 493	A86-37098	#	p 523	A86-37825	#	p 544	A86-38372	#	p 581
A86-35226	#	p 516	A86-35853	#	p 493	A86-37106	#	p 496	A86-37826	#	p 590	A86-38373	#	p 581
A86-35253	#	p 475	A86-35854	#	p 493	A86-37108	#	p 523	A86-37827	#	p 593	A86-38374	#	p 581
A86-35293	#	p 484	A86-35855	#	p 476	A86-37112	#	p 517	A86-37828	#	p 544	A86-38375	#	p 618
A86-35326	#	p 531	A86-35856	#	p 482	A86-37118	#	p 524	A86-37830	#	p 544	A86-38376	#	p 568
A86-35334	#	p 501	A86-35858	#	p 521	A86-37119	#	p 517	A86-37831	#	p 544	A86-38381	#	p 568
A86-35342	#	p 508	A86-35859	#	p 522	A86-37136	#	p 517	A86-37832	#	p 544	A86-38382	#	p 601
A86-35358	#	p 531	A86-35860	#	p 522	A86-37137	#	p 517	A86-37833	#	p 545	A86-38384	#	p 548
A86-35360	#	p 508	A86-35861	#	p 493	A86-37178	#	p 506	A86-37834	#	p 545	A86-38412	#	p 548
A86-35365	#	p 481	A86-35862	#	p 494	A86-37177	#	p 617	A86-37837	#	p 545	A86-38420	#	p 548
A86-35366	#	p 499	A86-35863	#	p 494	A86-37178	#	p 506	A86-37838	#	p 545	A86-38433	#	p 548
A86-35367	#	p 481	A86-35864	#	p 494	A86-37179	#	p 617	A86-37840	#	p 545	A86-38436	#	p 548
A86-35368	#	p 482	A86-35865	#	p 494	A86-37180	#	p 617	A86-37841	#	p 545	A86-38437	#	p 548
A86-35369	#	p 484	A86-35866	#	p 500	A86-37182	#	p 541	A86-37842	#	p 545	A86-38439	#	p 548
A86-35370	#	p 508	A86-35868	#	p 494	A86-37193	#	p 588	A86-37843	#	p 577	A86-38443	#	p 549
A86-35383	#	p 508	A86-35869	#	p 476	A86-37194	#	p 617	A86-37846	#	p 546	A86-38444	#	p 549
A86-35384	#	p 509	A86-35870	#	p 502	A86-37196	#	p 541	A86-37847	#	p 546	A86-38445	#	p 549
A86-35385	#	p 489	A86-35875	#	p 476	A86-37323	#	p 805	A86-37848	#	p 577	A86-38446	#	p 550
A86-35400	#	p 501	A86-35877	#	p 494	A86-37328	#	p 575	A86-37849	#	p 546	A86-38447	#	p 550
A86-35402	#	p 501	A86-35878	#	p 494	A86-37329	#	p 575	A86-37901	#	p 577	A86-38448	#	p 550
A86-35403	#	p 501	A86-35879	#	p 476	A86-37330	#	p 575	A86-37939	#	p 577	A86-38449	#	p 550
A86-35404	#	p 509	A86-35880	#	p 522	A86-37331	#	p 590	A86-37940	#	p 567	A86-38450	#	p 550
A86-35405	#	p 489	A86-35881	#	p 495	A86-37332	#	p 593	A86-38069	#	p 597	A86-38455	#	p 550
A86-35409	#	p 531	A86-35883	#	p 473	A86-37329	#	p 575	A86-38076	#	p 597	A86-38457	#	p 551
A86-35412	#	p 501	A86-35884	#	p 510	A86-37330	#	p 575	A86-38224	#	p 605	A86-38464	#	p 551
A86-35431	#	p 529	A86-35885	#	p 476	A86-37331	#	p 593	A86-38228	#	p 597	A86-38465	#	p 551
A86-35432	#	p 529	A86-35886	#	p 502	A86-37332	#	p 571	A86-38235	#	p 605	A86-38473	#	p 551
A86-35436	#	p 489	A86-35889	#	p 476	A86-37333	#	p 593	A86-38236	#	p 605	A86-38501	#	p 581
A86-35437	#	p 484	A86-35892	#	p 522	A86-37334	#	p 596	A86-38237	#	p 605	A86-38502	#	p 551
A86-35438	#	p 490	A86-35894	#	p 522	A86-37335	#	p 575	A86-38248	#	p 597	A86-38503	#	p 551
A86-35439	#	p 499	A86-35897	#	p 522	A86-37336	#	p 596	A86-38252	#	p 598	A86-38504	#	p 581
A86-35442	#	p 490	A86-35898	#	p 529	A86-37337	#	p 576	A86-38253	#	p 546	A86-38505	#	p 582
A86-35443	#	p 509	A86-35899	#	p 522	A86-37338	#	p 576	A86-38258	#	p 601	A86-38506	#	p 582
A86-35444	#	p 485	A86-36175	#	p 516	A86-37339	#	p 588	A86-38266	#	p 598	A86-38507	#	p 582
A86-35448	#	p 473	A86-36176	#	p 522	A86-37340	#	p 588	A86-38301	#	p 598	A86-38508	#	p 582
A86-35449	#	p 482	A86-36178	#	p 516	A86-37341	#	p 588	A86-38303	#	p 578	A86-38509	#	p 582
A86-35450	#	p 482	A86-36201	#	p 477	A86-37342	#	p 588	A86-38304	#	p 578	A86-38511	#	p 582
A86-35451	#	p 482	A86-36202	#	p 477	A86-37343	#	p 588	A86-38305	#	p 546	A86-38513	#	p 582
A86-35452	#	p 482	A86-36206	#	p 477	A86-37344	#	p 590	A86-38306	#	p 546	A86-38514	#	p 582
A86-35455	#	p 490	A86-36207	#	p 531	A86-37345	#	p 805	A86-38307	#	p 578	A86-38515	#	p 582
A86-35456	#	p 482	A86-36208	#	p 477	A86-37348	#	p 618	A86-38308	#	p 620	A86-38518	#	p 582
A86-35457	#	p 509	A86-36285	#	p 528	A86-37395	#	p 605	A86-38309	#	p 601	A86-38520	#	p 583
A86-35464	#	p 485	A86-36306	#	p 495	A86-37406	#	p 593	A86-38310	#	p 606	A86-38522	#	p 607
A86-35472	#	p 502	A86-36333	#	p 495	A86-37407	#	p 613	A86-38311	#	p 606	A86-38523	#	p 607
A86-35520	#	p 490	A86-36334	#	p 516	A86-37451	#	p 613	A86-38312	#	p 547	A86-38526	#	p 607
A86-35563	#	p 509	A86-36335	#	p 502	A86-37454	#	p 613	A86-38313	#	p 547	A86-38527	#	p 607
A86-35565	#	p 490	A86-36336	#	p 528	A86-37455	#	p 613	A86-38314	#	p 547	A86-38528	#	p 607
A86-35601	#	p 473	A86-36448	#	p 477	A86-37458	#	p 614	A86-38315	#	p 547	A86-38529	#	p 607
A86-35602	#	p 509	A86-36459	#	p 535	A86-37459	#	p 614	A86-38316	#	p			

A86-38617	#	p 608	A86-40111	#	p 623	A86-41581	#	p 669	A86-42787	#	p 648	A86-43789	#	p 736
A86-38701	#	p 583	A86-40112	#	p 623	A86-41582	#	p 670	A86-42788	#	p 648	A86-43790	#	p 707
A86-38721	#	p 583	A86-40113	#	p 637	A86-41596	#	p 670	A86-42789	#	p 648	A86-43791	#	p 736
A86-38807	#	p 618	A86-40114	#	p 637	A86-41605	#	p 670	A86-42790	#	p 649	A86-43792	#	p 737
A86-38822	#	p 603	A86-40115	#	p 623	A86-41631	#	p 670	A86-42792	#	p 649	A86-43793	#	p 737
A86-38831	#	p 608	A86-40116	#	p 635	A86-41673	#	p 670	A86-42814	#	p 656	A86-43794	#	p 737
A86-38833	#	p 608	A86-40118	#	p 623	A86-41684	#	p 682	A86-42818	#	p 649	A86-43795	#	p 707
A86-38836	#	p 583	A86-40119	#	p 642	A86-41685	#	p 663	A86-42819	#	p 656	A86-43796	#	p 737
A86-38837	#	p 583	A86-40121	#	p 624	A86-41688	#	p 637	A86-42822	#	p 627	A86-43798	#	p 737
A86-38840	#	p 583	A86-40133	#	p 642	A86-41689	#	p 682	A86-42823	#	p 649	A86-43862	#	p 703
A86-38841	#	p 603	A86-40215	#	p 667	A86-41690	#	p 624	A86-42824	#	p 627	A86-43889	#	p 747
A86-38845	#	p 600	A86-40226	#	p 655	A86-41691	#	p 644	A86-42825	#	p 627	A86-43890	#	p 685
A86-38846	#	p 584	A86-40227	#	p 635	A86-41692	#	p 638	A86-42826	#	p 649	A86-43896	#	p 737
A86-38851	#	p 584	A86-40228	#	p 633	A86-41693	#	p 624	A86-42827	#	p 684	A86-43906	#	p 685
A86-38853	#	p 608	A86-40229	#	p 635	A86-41694	#	p 634	A86-42829	#	p 638	A86-43910	#	p 720
A86-38857	#	p 609	A86-40230	#	p 635	A86-41695	#	p 634	A86-42830	#	p 649	A86-43930	#	p 707
A86-38859	#	p 603	A86-40232	#	p 621	A86-41696	#	p 638	A86-42860	#	p 680	A86-43938	#	p 688
A86-38861	#	p 584	A86-40251	#	p 659	A86-41697	#	p 624	A86-42871	#	p 680	A86-43939	#	p 720
A86-38865	#	p 584	A86-40252	#	p 659	A86-41699	#	p 670	A86-42877	#	p 680	A86-43994	#	p 737
A86-38869	#	p 584	A86-40255	#	p 659	A86-41708	#	p 644	A86-42899	#	p 680	A86-44001	#	p 707
A86-38876	#	p 609	A86-40256	#	p 660	A86-41710	#	p 638	A86-42912	#	p 680	A86-44003	#	p 707
A86-38878	#	p 609	A86-40267	#	p 660	A86-41714	#	p 670	A86-42913	#	p 652	A86-44004	#	p 708
A86-38880	#	p 552	A86-40280	#	p 660	A86-41715	#	p 671	A86-42937	#	p 652	A86-44005	#	p 720
A86-38892	#	p 590	A86-40291	#	p 660	A86-41726	#	p 645	A86-42938	#	p 658	A86-44006	#	p 685
A86-38893	#	p 584	A86-40303	#	p 660	A86-41734	#	p 624	A86-42957	#	p 680	A86-44007	#	p 720
A86-38894	#	p 591	A86-40304	#	p 660	A86-41782	#	p 679	A86-42966	#	p 636	A86-44150	#	p 746
A86-38897	#	p 552	A86-40305	#	p 660	A86-41800	#	p 621	A86-42968	#	p 681	A86-44238	#	p 688
A86-38898	#	p 552	A86-40308	#	p 661	A86-41873	#	p 635	A86-43000	#	p 681	A86-44279	#	p 703
A86-38900	#	p 552	A86-40312	#	p 661	A86-41874	#	p 635	A86-43002	#	p 638	A86-44283	#	p 708
A86-38901	#	p 553	A86-40344	#	p 667	A86-41883	#	p 671	A86-43003	#	p 681	A86-44284	#	p 685
A86-38902	#	p 585	A86-40345	#	p 661	A86-41894	#	p 680	A86-43038	#	p 682	A86-44291	#	p 685
A86-38910	#	p 585	A86-40353	#	p 667	A86-41976	#	p 638	A86-43084	#	p 672	A86-44380	#	p 746
A86-38912	#	p 553	A86-40361	#	p 667	A86-41977	#	p 638	A86-43090	#	p 672	A86-44386	#	p 708
A86-38913	#	p 553	A86-40364	#	p 661	A86-41988	#	p 663	A86-43105	#	p 672	A86-44399	#	p 703
A86-38927	#	p 591	A86-40403	#	p 668	A86-42075	#	p 671	A86-43109	#	p 672	A86-44400	#	p 696
A86-38930	#	p 594	A86-40471	#	p 637	A86-42099	#	p 645	A86-43110	#	p 628	A86-44422	#	p 685
A86-38931	#	p 585	A86-40472	#	p 637	A86-42168	#	p 624	A86-43134	#	p 664	A86-44442	#	p 686
A86-38932	#	p 594	A86-40477	#	p 655	A86-42170	#	p 655	A86-43147	#	p 664	A86-44458	#	p 730
A86-38934	#	p 609	A86-40478	#	p 621	A86-42423	#	p 634	A86-43328	#	p 672	A86-44460	#	p 708
A86-38945	#	p 609	A86-40487	#	p 661	A86-42424	#	p 663	A86-43329	#	p 684	A86-44505	#	p 747
A86-38946	#	p 594	A86-40488	#	p 661	A86-42425	#	p 645	A86-43332	#	p 622	A86-44697	#	p 720
A86-38947	#	p 585	A86-40495	#	p 668	A86-42548	#	p 624	A86-43333	#	p 684	A86-44776	#	p 708
A86-38948	#	p 553	A86-40498	#	p 661	A86-42605	#	p 624	A86-43370	#	p 673	A86-44777	#	p 688
A86-38949	#	p 591	A86-40499	#	p 621	A86-42606	#	p 655	A86-43379	#	p 673	A86-44781	#	p 696
A86-38950	#	p 585	A86-40509	#	p 668	A86-42610	#	p 663	A86-43380	#	p 638	A86-44801	#	p 737
A86-38952	#	p 585	A86-40515	#	p 658	A86-42635	#	p 624	A86-43381	#	p 649	A86-44802	#	p 688
A86-38956	#	p 591	A86-40527	#	p 668	A86-42636	#	p 671	A86-43383	#	p 650	A86-44803	#	p 688
A86-38966	#	p 609	A86-40555	#	p 678	A86-42653	#	p 625	A86-43384	#	p 628	A86-44805	#	p 749
A86-38971	#	p 553	A86-40565	#	p 633	A86-42654	#	p 625	A86-43385	#	p 639	A86-44810	#	p 689
A86-38974	#	p 572	A86-40567	#	p 633	A86-42655	#	p 625	A86-43387	#	p 681	A86-44853	#	p 708
A86-38994	#	p 591	A86-40569	#	p 635	A86-42657	#	p 645	A86-43389	#	p 639	A86-44855	#	p 689
A86-38996	#	p 591	A86-40570	#	p 635	A86-42658	#	p 671	A86-43390	#	p 650	A86-44872	#	p 720
A86-39034	#	p 618	A86-40575	#	p 662	A86-42659	#	p 645	A86-43393	#	p 650	A86-44874	#	p 689
A86-39041	#	p 594	A86-40581	#	p 658	A86-42660	#	p 645	A86-43395	#	p 650	A86-44875	#	p 689
A86-39042	#	p 594	A86-40612	#	p 658	A86-42661	#	p 656	A86-43401	#	p 628	A86-44879	#	p 689
A86-39043	#	p 594	A86-40619	#	p 662	A86-42662	#	p 645	A86-43402	#	p 628	A86-44880	#	p 689
A86-39048	#	p 572	A86-40681	#	p 651	A86-42665	#	p 663	A86-43403	#	p 628	A86-44886	#	p 708
A86-39052	#	p 553	A86-40712	#	p 668	A86-42672	#	p 645	A86-43404	#	p 628	A86-44889	#	p 708
A86-39053	#	p 554	A86-40720	#	p 668	A86-42686	#	p 625	A86-43410	#	p 673	A86-44890	#	p 689
A86-39054	#	p 554	A86-40726	#	p 642	A86-42687	#	p 625	A86-43411	#	p 673	A86-44891	#	p 689
A86-39057	#	p 619	A86-40727	#	p 643	A86-42688	#	p 625	A86-43420	#	p 664	A86-44894	#	p 708
A86-39058	#	p 619	A86-40728	#	p 643	A86-42689	#	p 625	A86-43421	#	p 628	A86-44899	#	p 686
A86-39069	#	p 619	A86-40729	#	p 643	A86-42694	#	p 646	A86-43426	#	p 673	A86-44925	#	p 720
A86-39079	#	p 591	A86-40730	#	p 643	A86-42698	#	p 646	A86-43430	#	p 746	A86-44932	#	p 724
A86-39086	#	p 591	A86-40731	#	p 643	A86-42699	#	p 671	A86-43476	#	p 705	A86-44933	#	p 730
A86-39090	#	p 554	A86-40732	#	p 643	A86-42700	#	p 626	A86-43477	#	p 717	A86-44934	#	p 738
A86-39535	#	p 572	A86-40733	#	p 668	A86-42701	#	p 646	A86-43481	#	p 746	A86-44935	#	p 709
A86-39553	#	p 569	A86-40734	#	p 669	A86-42702	#	p 646	A86-43482	#	p 702	A86-44936	#	p 709
A86-39557	#	p 572	A86-40735	#	p 643	A86-42703	#	p 646	A86-43484	#	p 687	A86-44938	#	p 709
A86-39558	#	p 572	A86-40736	#	p 644	A86-42704	#	p 638	A86-43485	#	p 706	A86-44940	#	p 709
A86-39561	#	p 572	A86-40737	#	p 644	A86-42706	#	p 626	A86-43487	#	p 735	A86-44941	#	p 709
A86-39562	#	p 573	A86-40738	#	p 644	A86-42708	#	p 647	A86-43489	#	p 706	A86-44942	#	p 710
A86-39564	#	p 586	A86-40739	#	p 644	A86-42709	#	p 626	A86-43490	#	p 735	A86-44943	#	p 710
A86-39565	#	p 586	A86-40760	#	p 679	A86-42710	#	p 647	A86-43495	#	p 735	A86-44944	#	p 724
A86-39566	#	p 616	A86-40762	#	p 679	A86-42712	#	p 663	A86-43496	#	p 723	A86-44945	#	p 710
A86-39567	#	p 539	A86-40766	#	p 651	A86-42737	#	p 647	A86-43497	#	p 723	A86-44946	#	p 710
A86-39568	#	p 592	A86-40767	#	p 651	A86-42740	#	p 626	A86-43498	#	p 723	A86-44947	#	p 710
A86-39570	#	p 539	A86-40771	#	p 652	A86-42749	#	p 671	A86-43501	#	p 687	A86-44948	#	p 710
A86-39597	#	p 586	A86-40774	#	p 680	A86-42751	#	p 647	A86-43511	#	p 747	A86-44950	#	p 710
A86-39617	#	p 603	A86-40775	#	p 669	A86-42753	#	p 626	A86-43512	#	p 688	A86-44954	#	p 689
A86-39657	#	p 554	A86-40854	#	p 641	A86-42755	#	p 647	A86-43514	#	p 688	A86-45054	#	p 690
A86-39660	#	p 554	A86-41034	#	p 633	A86-42756	#	p 626	A86-43534	#	p 688	A86-45058	#	p 724
A86-39683	#	p 610	A86-41035	#	p 678	A86-42757	#	p 647	A86-43536	#	p 723	A86-45059	#	p 738
A86-39725	#	p 592	A86-41037	#	p 621	A86-42758	#	p 647	A86-43566	#	p 736	A86-45063	#	p 686
A86-39762	#	p 554	A86-41051	#	p 662	A86-42759	#	p 648	A86-43672	#	p 758	A86-45064	#	p 710
A86-39763	#	p 586	A86-41052	#	p 662	A86-42760	#	p 627	A86-43708	#	p 702	A86-45065	#	p 686
A86-39766	#	p 573	A86-41053	#	p 662	A86-42761	#	p 627	A86-43759	#	p 736	A86-45067	#	p 717
A86-39768	#	p 595	A86-41254	#	p 669	A86-42762	#	p 627	A86-43776	#	p			

## ACCESSION NUMBER INDEX

A86-48976

A86-45209	#	p 718	A86-46142	#	p 703	A86-47455	*	p 822	A86-47725	#	p 846	A86-48298	#	p 816
A86-45231	#	p 738	A86-46146	#	p 703	A86-47456	*	p 823	A86-47727	#	p 793	A86-48302	#	p 816
A86-45256	#	p 738	A86-46148	#	p 739	A86-47457	#	p 810	A86-47728	#	p 793	A86-48308	#	p 797
A86-45344	#	p 738	A86-46149	#	p 732	A86-47464	#	p 823	A86-47730	#	p 783	A86-48311	#	p 847
A86-45345	#	p 690	A86-46150	#	p 718	A86-47465	#	p 823	A86-47731	#	p 784	A86-48312	#	p 816
A86-45375	#	p 720	A86-46152	#	p 691	A86-47466	#	p 852	A86-47733	#	p 793	A86-48366	#	p 816
A86-45395	#	p 732	A86-46153	#	p 713	A86-47475	#	p 823	A86-47736	#	p 793	A86-48370	#	p 797
A86-45401	#	p 750	A86-46155	#	p 731	A86-47476	#	p 852	A86-47738	#	p 784	A86-48371	#	p 838
A86-45402	#	p 750	A86-46171	#	p 692	A86-47477	#	p 853	A86-47743	#	p 793	A86-48372	#	p 787
A86-45403	#	p 750	A86-46173	#	p 725	A86-47479	#	p 853	A86-47744	#	p 784	A86-48428	#	p 796
A86-45404	#	p 750	A86-46177	#	p 713	A86-47481	#	p 823	A86-47745	#	p 784	A86-48452	#	p 796
A86-45405	#	p 750	A86-46185	#	p 692	A86-47482	#	p 823	A86-47756	#	p 784	A86-48454	#	p 796
A86-45406	#	p 710	A86-46198	#	p 713	A86-47488	#	p 824	A86-47757	#	p 793	A86-48455	#	p 796
A86-45407	#	p 710	A86-46199	#	p 696	A86-47489	#	p 824	A86-47759	#	p 784	A86-48457	#	p 838
A86-45408	#	p 750	A86-46316	#	p 692	A86-47490	#	p 824	A86-47760	#	p 784	A86-48458	#	p 796
A86-45410	#	p 690	A86-46367	#	p 725	A86-47491	#	p 824	A86-47763	#	p 781	A86-48465	#	p 787
A86-45411	#	p 690	A86-46368	#	p 725	A86-47498	#	p 824	A86-47768	#	p 794	A86-48467	#	p 797
A86-45413	#	p 691	A86-46369	#	p 748	A86-47499	#	p 824	A86-47769	#	p 787	A86-48468	#	p 797
A86-45417	#	p 750	A86-46377	#	p 748	A86-47499	#	p 824	A86-47776	#	p 794	A86-48531	#	p 810
A86-45418	#	p 751	A86-46401	#	p 748	A86-47499	#	p 824	A86-47777	#	p 794	A86-48564	#	p 788
A86-45419	#	p 751	A86-46405	#	p 713	A86-47499	#	p 825	A86-47778	#	p 794	A86-48566	#	p 787
A86-45420	#	p 751	A86-46415	#	p 692	A86-47499	#	p 825	A86-47779	#	p 794	A86-48576	#	p 797
A86-45421	#	p 751	A86-46453	#	p 725	A86-47499	#	p 825	A86-47780	#	p 810	A86-48577	*	p 853
A86-45422	#	p 738	A86-46454	#	p 725	A86-47499	#	p 825	A86-47781	*	p 794	A86-48581	#	p 788
A86-45425	#	p 730	A86-46456	#	p 725	A86-47499	#	p 825	A86-47782	#	p 794	A86-48590	#	p 855
A86-45426	#	p 711	A86-46457	#	p 703	A86-47499	#	p 825	A86-47783	#	p 795	A86-48594	#	p 796
A86-45427	#	p 711	A86-46458	#	p 713	A86-47499	#	p 825	A86-47784	*	p 795	A86-48595	#	p 853
A86-45428	#	p 691	A86-46459	#	p 725	A86-47501	#	p 826	A86-47785	#	p 795	A86-48596	*	p 855
A86-45430	#	p 751	A86-46461	#	p 713	A86-47510	#	p 826	A86-47786	#	p 812	A86-48597	#	p 855
A86-45431	#	p 751	A86-46469	#	p 726	A86-47517	#	p 787	A86-47787	#	p 795	A86-48647	#	p 847
A86-45432	#	p 752	A86-46469	#	p 739	A86-47519	#	p 787	A86-47788	#	p 810	A86-48651	#	p 781
A86-45433	#	p 752	A86-46469	#	p 718	A86-47523	#	p 826	A86-47789	#	p 795	A86-48652	#	p 761
A86-45434	#	p 752	A86-46469	#	p 740	A86-47525	#	p 845	A86-47790	#	p 810	A86-48653	#	p 767
A86-45435	#	p 752	A86-46469	#	p 748	A86-47525	#	p 845	A86-47791	#	p 838	A86-48654	*	p 767
A86-45437	#	p 739	A86-46469	#	p 718	A86-47525	#	p 845	A86-47792	#	p 838	A86-48655	#	p 831
A86-45442	#	p 711	A86-46469	#	p 726	A86-47525	#	p 841	A86-47793	#	p 795	A86-48656	#	p 847
A86-45443	#	p 752	A86-46469	#	p 731	A86-47525	#	p 841	A86-47794	#	p 796	A86-48657	#	p 796
A86-45444	#	p 752	A86-46469	#	p 740	A86-47525	#	p 759	A86-47795	#	p 796	A86-48658	#	p 847
A86-45445	#	p 752	A86-46469	#	p 748	A86-47525	#	p 759	A86-47796	#	p 796	A86-48659	#	p 796
A86-45447	#	p 753	A86-46469	#	p 692	A86-47525	#	p 759	A86-47797	#	p 796	A86-48660	#	p 796
A86-45448	#	p 753	A86-46469	#	p 732	A86-47525	#	p 760	A86-47798	*	p 831	A86-48662	#	p 796
A86-45449	#	p 711	A86-46469	#	p 733	A86-47525	#	p 760	A86-47799	#	p 796	A86-48663	#	p 796
A86-45450	#	p 711	A86-46469	#	p 713	A86-47525	#	p 763	A86-47800	*	p 796	A86-48664	#	p 796
A86-45451	#	p 753	A86-46469	#	p 740	A86-47525	#	p 760	A86-47801	#	p 796	A86-48665	#	p 799
A86-45473	#	p 747	A86-46469	#	p 730	A86-47525	#	p 845	A86-47802	*	p 797	A86-48666	#	p 799
A86-45476	#	p 753	A86-46469	#	p 713	A86-47525	#	p 760	A86-47803	#	p 841	A86-48667	*	p 799
A86-45477	#	p 753	A86-46469	#	p 719	A86-47525	#	p 760	A86-47804	#	p 855	A86-48668	#	p 799
A86-45478	#	p 753	A86-46469	#	p 740	A86-47525	#	p 760	A86-47805	#	p 838	A86-48669	#	p 785
A86-45479	#	p 754	A86-46469	#	p 740	A86-47525	#	p 857	A86-47806	#	p 846	A86-48670	#	p 831
A86-45481	#	p 754	A86-46469	#	p 740	A86-47525	#	p 792	A86-47807	#	p 842	A86-48671	#	p 832
A86-45482	#	p 754	A86-46469	#	p 731	A86-47525	#	p 826	A86-47808	#	p 812	A86-48672	#	p 799
A86-45483	#	p 711	A86-46469	#	p 713	A86-47525	#	p 826	A86-47809	#	p 812	A86-48673	#	p 838
A86-45484	#	p 754	A86-46469	#	p 740	A86-47525	#	p 827	A86-47810	#	p 812	A86-48674	#	p 832
A86-45485	#	p 691	A86-46469	#	p 844	A86-47525	#	p 827	A86-47811	#	p 812	A86-48675	*	p 799
A86-45486	#	p 754	A86-46469	#	p 783	A86-47525	#	p 827	A86-47812	#	p 812	A86-48676	#	p 855
A86-45487	#	p 754	A86-46469	#	p 790	A86-47525	#	p 827	A86-47813	#	p 812	A86-48677	#	p 816
A86-45489	#	p 755	A86-46469	#	p 844	A86-47525	#	p 764	A86-47814	#	p 842	A86-48678	#	p 799
A86-45490	#	p 739	A86-46469	#	p 844	A86-47525	#	p 827	A86-47815	#	p 812	A86-48679	#	p 853
A86-45491	#	p 755	A86-46469	#	p 790	A86-47525	#	p 827	A86-47816	#	p 812	A86-48680	#	p 767
A86-45492	#	p 755	A86-46469	#	p 783	A86-47525	#	p 837	A86-47817	#	p 812	A86-48681	#	p 800
A86-45493	#	p 755	A86-46469	#	p 837	A86-47525	#	p 837	A86-47818	#	p 846	A86-48682	#	p 767
A86-45494	#	p 691	A86-46469	#	p 790	A86-47525	#	p 838	A86-47819	#	p 813	A86-48683	#	p 787
A86-45495	#	p 755	A86-46469	#	p 790	A86-47525	#	p 827	A86-47820	#	p 785	A86-48684	#	p 832
A86-45500	#	p 755	A86-46469	#	p 790	A86-47525	#	p 828	A86-47821	*	p 813	A86-48685	#	p 847
A86-45501	#	p 755	A86-46469	#	p 790	A86-47525	#	p 828	A86-47822	#	p 813	A86-48686	#	p 796
A86-45503	#	p 756	A86-46469	#	p 790	A86-47525	#	p 828	A86-47823	#	p 813	A86-48687	#	p 768
A86-45504	#	p 721	A86-46469	#	p 791	A86-47525	#	p 828	A86-47824	#	p 814	A86-48688	#	p 768
A86-45505	#	p 756	A86-46469	#	p 844	A86-47525	#	p 828	A86-47825	#	p 814	A86-48689	#	p 768
A86-45507	#	p 756	A86-46469	#	p 844	A86-47525	#	p 828	A86-47826	#	p 814	A86-48690	#	p 768
A86-45573	#	p 730	A86-46469	#	p 791	A86-47525	#	p 841	A86-47827	*	p 814	A86-48691	#	p 800
A86-45674	#	p 730	A86-46469	#	p 809	A86-47525	#	p 829	A86-47828	#	p 785	A86-48692	#	p 768
A86-45684	#	p 739	A86-46469	#	p 809	A86-47525	#	p 829	A86-47829	#	p 785	A86-48693	#	p 769
A86-45702	#	p 691	A86-46469	#	p 791	A86-47525	#	p 764	A86-47830	#	p 814	A86-48694	#	p 769
A86-45703	#	p 758	A86-46469	#	p 845	A86-47525	#	p 829	A86-47831	#	p 797	A86-48695	#	p 769
A86-45704	#	p 686	A86-46469	#	p 792	A86-47525	#	p 829	A86-47832	#	p 785	A86-48696	#	p 769
A86-45728	#	p 747	A86-46469	#	p 783	A86-47525	#	p 829	A86-47833	#	p 814	A86-48697	#	p 769
A86-45736	#	p 747	A86-46469	#	p 792	A86-47525	#	p 830	A86-47834	#	p 797	A86-48698	#	p 769
A86-45748	#	p 724	A86-46469	#	p 783	A86-47525	#	p 830	A86-47835	#	p 785	A86-48699	#	p 769
A86-45749	#	p 712	A86-46469	#	p 783	A86-47525	#	p 830	A86-47836	#	p 785	A86-48700	#	p 769
A86-45750	#	p 712	A86-46469	#	p 792	A86-47525	#	p 830	A86-47837	#	p 814	A86-48701	#	p 769
A86-45753	#	p 712	A86-46469	#	p 783	A86-47525	#	p 830	A86-47838	#	p 814	A86-48702	#	p 769
A86-45757	#	p 699	A86-46469	#	p 792	A86-47525	#	p 830	A86-47839	#	p 814	A86-48703	#	p 769
A86-45758	#	p 712	A86-46469	#	p 820	A86-47525	#	p 764	A86-47840	#	p 814	A86-48704	#	p 769
A86-45762	#	p 739	A86-46469	#	p 852	A86-47525	#	p 764	A86-47841	#	p 814	A86-48705	#	p 769
A86-45818	#	p 739	A86-46469	#	p 821	A86-47525	#	p 764	A86-47842	#	p 814	A86-48706	#	p 769
A86-45819	#	p 721	A86-46469	#	p 821	A86-47525	#	p 830	A86-47843	#	p 815	A86-48707	#	p 769
A86-46002	#	p 724	A86-46469	#	p 852	A86-47525	#	p 830	A86-47844	#	p 815	A86-48708	#	p 769
A86-46004	#	p 691	A86-46469	#	p 821	A86-47525	#	p 787	A86-47845	#	p 815	A86-4870		

## ACCESSION NUMBER INDEX

**G-8**

**N86-22556**

G-2

N86-22558	#	p 420	N86-23607	#	p 448	N86-25151	#	p 533	N86-26306	#	p 570	N86-27244	#	p 562
N86-22559	#	p 420	N86-23608	#	p 449	N86-25168	#	p 533	N86-26307	#	p 570	N86-27245	#	p 562
N86-22560	#	p 420	N86-23609	#	p 449	N86-25169	#	p 533	N86-26308	#	p 570	N86-27246	#	p 562
N86-22563	#	p 435	N86-23714	#	p 452	N86-25174	#	p 533	N86-26309	#	p 570	N86-27247	#	p 563
N86-22564	#	p 435	N86-23749	#	p 458	N86-25216	#	p 535	N86-26310	#	p 571	N86-27248	#	p 563
N86-22565	#	p 435	N86-23752	#	p 460	N86-25217	#	p 535	N86-26311	#	p 571	N86-27249	#	p 563
N86-22566	#	p 424	N86-23773	#	p 460	N86-25218	#	p 536	N86-26312	#	p 573	N86-27250	#	p 563
N86-22567	#	p 435	N86-23774	#	p 438	N86-25220	#	p 536	N86-26315	#	p 573	N86-27251	#	p 563
N86-22568	#	p 435	N86-23852	#	p 460	N86-25300	#	p 537	N86-26316	#	p 573	N86-27252	#	p 564
N86-22569	#	p 435	N86-23862	#	p 418	N86-25325	#	p 480	N86-26318	#	p 573	N86-27253	#	p 564
N86-22570	#	p 435	N86-23873	#	p 460	N86-25326	#	p 480	N86-26320	#	p 586	N86-27254	#	p 564
N86-22572	#	p 436	N86-23874	#	p 460	N86-25329	#	p 480	N86-26321	#	p 589	N86-27255	#	p 564
N86-22573	#	p 436	N86-23936	#	p 460	N86-25331	#	p 483	N86-26322	#	p 589	N86-27256	#	p 564
N86-22574	#	p 439	N86-23937	#	p 461	N86-25333	#	p 484	N86-26323	#	p 589	N86-27257	#	p 564
N86-22575	#	p 439	N86-23938	#	p 461	N86-25334	#	p 486	N86-26324	#	p 573	N86-27258	#	p 564
N86-22577	#	p 441	N86-23971	#	p 461	N86-25335	#	p 486	N86-26325	#	p 574	N86-27259	#	p 565
N86-22578	#	p 445	N86-23977	#	p 462	N86-25338	#	p 497	N86-26326	#	p 610	N86-27261	#	p 565
N86-22579	#	p 445	N86-24090	#	p 463	N86-25339	#	p 497	N86-26327	#	p 574	N86-27262	#	p 565
N86-22580	#	p 445	N86-24091	#	p 463	N86-25340	#	p 498	N86-26328	#	p 586	N86-27263	#	p 565
N86-22581	#	p 446	N86-24100	#	p 463	N86-25341	#	p 498	N86-26329	#	p 587	N86-27264	#	p 565
N86-22582	#	p 446	N86-24215	#	p 463	N86-25342	#	p 504	N86-26331	#	p 587	N86-27265	#	p 565
N86-22583	#	p 446	N86-24221	#	p 463	N86-25343	#	p 504	N86-26332	#	p 587	N86-27266	#	p 566
N86-22611	#	p 458	N86-24233	#	p 466	N86-25344	#	p 504	N86-26334	#	p 587	N86-27267	#	p 571
N86-22616	#	p 451	N86-24277	#	p 466	N86-25345	#	p 504	N86-26335	#	p 589	N86-27268	#	p 571
N86-22621	#	p 451	N86-24354	#	p 467	N86-25346	#	p 504	N86-26336	#	p 592	N86-27269	#	p 571
N86-22642	#	p 451	N86-24392	#	p 469	N86-25347	#	p 505	N86-26339	#	p 595	N86-27299	#	p 571
N86-22648	#	p 451	N86-24393	#	p 469	N86-25348	#	p 505	N86-26340	#	p 595	N86-27271	#	p 574
N86-22651	#	p 451	N86-24394	#	p 470	N86-25349	#	p 505	N86-26341	#	p 595	N86-27272	#	p 574
N86-22667	#	p 452	N86-24457	#	p 470	N86-25350	#	p 505	N86-26342	#	p 595	N86-27273	#	p 575
N86-22710	#	p 452	N86-24579	#	p 470	N86-25351	#	p 505	N86-26343	#	p 595	N86-27275	#	p 575
N86-22713	#	p 452	N86-24580	#	p 470	N86-25352	#	p 505	N86-26344	#	p 596	N86-27277	#	p 587
N86-22724	#	p 452	N86-24584	#	p 470	N86-25353	#	p 505	N86-26346	#	p 599	N86-27278	#	p 587
N86-22729	#	p 458	N86-24584	#	p 470	N86-25355	#	p 506	N86-26384	#	p 603	N86-27279	#	p 588
N86-22735	#	p 458	N86-24592	#	p 471	N86-25355	#	p 506	N86-26429	#	p 603	N86-27280	#	p 590
N86-22736	#	p 441	N86-24652	#	p 474	N86-25356	#	p 506	N86-26430	#	p 604	N86-27282	#	p 592
N86-22737	#	p 448	N86-24657	#	p 478	N86-25360	#	p 506	N86-26448	#	p 604	N86-27283	#	p 592
N86-22775	#	p 407	N86-24658	#	p 478	N86-25362	#	p 506	N86-26480	#	p 610	N86-27284	#	p 592
N86-22914	#	p 458	N86-24659	#	p 478	N86-25361	#	p 506	N86-26501	#	p 610	N86-27289	#	p 596
N86-22947	#	p 459	N86-24661	#	p 478	N86-25362	#	p 506	N86-26546	#	p 610	N86-27290	#	p 596
N86-22984	#	p 469	N86-24663	#	p 479	N86-25365	#	p 506	N86-26566	#	p 611	N86-27291	#	p 599
N86-22985	#	p 459	N86-24664	#	p 479	N86-25368	#	p 507	N86-26603	#	p 611	N86-27293	#	p 599
N86-23012	#	p 459	N86-24665	#	p 479	N86-25369	#	p 507	N86-26629	#	p 611	N86-27294	#	p 599
N86-23013	#	p 459	N86-24666	#	p 479	N86-25370	#	p 518	N86-26653	#	p 611	N86-27295	#	p 599
N86-23014	#	p 459	N86-24667	#	p 479	N86-25371	#	p 526	N86-26661	#	p 611	N86-27296	#	p 600
N86-23016	#	p 459	N86-24668	#	p 479	N86-25373	#	p 526	N86-26662	#	p 611	N86-27351	#	p 600
N86-23159	#	p 462	N86-24668	#	p 479	N86-25375	#	p 526	N86-26663	#	p 612	N86-27354	#	p 600
N86-23309	#	p 485	N86-24669	#	p 479	N86-25376	#	p 519	N86-26664	#	p 612	N86-27406	#	p 600
N86-23321	#	p 466	N86-24670	#	p 480	N86-25378	#	p 526	N86-26714	#	p 616	N86-27425	#	p 604
N86-23322	#	p 466	N86-24672	#	p 483	N86-25379	#	p 507	N86-26715	#	p 616	N86-27457	#	p 604
N86-23323	#	p 466	N86-24673	#	p 483	N86-25379	#	p 507	N86-26804	#	p 619	N86-27461	#	p 604
N86-23323	#	p 466	N86-24674	#	p 483	N86-25380	#	p 526	N86-26804	#	p 619	N86-27465	#	p 604
N86-23325	#	p 466	N86-24675	#	p 483	N86-25381	#	p 527	N86-26811	#	p 619	N86-27467	#	p 612
N86-23350	#	p 466	N86-24677	#	p 485	N86-25384	#	p 512	N86-27018	#	p 618	N86-27471	#	p 612
N86-23371	#	p 469	N86-24677	#	p 485	N86-25384	#	p 512	N86-27176	#	p 540	N86-27473	#	p 619
N86-23372	#	p 469	N86-24678	#	p 485	N86-25385	#	p 514	N86-27177	#	p 540	N86-27474	#	p 619
N86-23491	#	p 470	N86-24679	#	p 486	N86-25502	#	p 519	N86-27182	#	p 555	N86-27475	#	p 612
N86-23552	#	p 408	N86-24681	#	p 486	N86-25534	#	p 480	N86-27184	#	p 555	N86-27477	#	p 616
N86-23553	#	p 408	N86-24685	#	p 496	N86-25555	#	p 527	N86-27185	#	p 556	N86-27478	#	p 616
N86-23554	#	p 408	N86-24687	#	p 497	N86-25556	#	p 480	N86-27187	#	p 556	N86-27479	#	p 616
N86-23555	#	p 408	N86-24688	#	p 497	N86-25560	#	p 481	N86-27190	#	p 556	N86-27480	#	p 616
N86-23556	#	p 408	N86-24688	#	p 497	N86-25562	#	p 481	N86-27191	#	p 556	N86-27481	#	p 616
N86-23556	#	p 408	N86-24689	#	p 497	N86-25562	#	p 481	N86-27192	#	p 556	N86-27482	#	p 616
N86-23559	#	p 415	N86-24690	#	p 497	N86-25560	#	p 527	N86-27193	#	p 556	N86-27483	#	p 616
N86-23561	#	p 416	N86-24692	#	p 503	N86-25601	#	p 498	N86-27194	#	p 556	N86-27484	#	p 616
N86-23562	#	p 416	N86-24694	#	p 503	N86-25602	#	p 498	N86-27195	#	p 557	N86-27485	#	p 617
N86-23565	#	p 416	N86-24695	#	p 503	N86-25603	#	p 513	N86-27196	#	p 557	N86-27486	#	p 617
N86-23566	#	p 416	N86-24696	#	p 504	N86-25793	#	p 527	N86-27197	#	p 557	N86-27487	#	p 617
N86-23567	#	p 416	N86-24697	#	p 504	N86-25823	#	p 527	N86-27198	#	p 557	N86-27488	#	p 618
N86-23568	#	p 416	N86-24698	#	p 504	N86-25826	#	p 527	N86-27199	#	p 557	N86-27489	#	p 618
N86-23569	#	p 417	N86-24700	#	p 511	N86-25831	#	p 527	N86-27200	#	p 557	N86-27490	#	p 619
N86-23570	#	p 417	N86-24701	#	p 511	N86-25838	#	p 527	N86-27201	#	p 558	N86-27491	#	p 620
N86-23571	#	p 417	N86-24702	#	p 512	N86-25956	#	p 529	N86-27202	#	p 558	N86-27492	#	p 620
N86-23572	#	p 417	N86-24703	#	p 512	N86-26030	#	p 533	N86-27203	#	p 558	N86-27493	#	p 620
N86-23573	#	p 417	N86-24705	#	p 512	N86-26074	#	p 533	N86-27204	#	p 558	N86-27494	#	p 620
N86-23575	#	p 417	N86-24706	#	p 512	N86-26160	#	p 534	N86-27205	#	p 558	N86-27495	#	p 620
N86-23576	#	p 418	N86-24707	#	p 512	N86-26161	#	p 534	N86-27206	#	p 558	N86-27496	#	p 620
N86-23577	#	p 420	N86-24708	#	p 512	N86-26162	#	p 536	N86-27207	#	p 558	N86-27497	#	p 620
N86-23578	#	p 420	N86-24710	#	p 514	N86-26163	#	p 536	N86-27208	#	p 558	N86-27498	#	p 620
N86-23580	#	p 424	N86-24722	#	p 515	N86-26276	#	p 537	N86-27209	#	p 559	N86-27499	#	p 620
N86-23581	#	p 425	N86-24760	#	p 517	N86-26277	#	p 539	N86-27210	#	p 559	N86-27500	#	p 620
N86-23582	#	p 425	N86-24781	#	p 518	N86-26278	#	p 539	N86-27211	#	p 559	N86-27501	#	p 620
N86-23583	#	p 425	N86-24788	#	p 518	N86-26279	#	p 539	N86-27212	#	p 559	N86-27502	#	p 620
N86-23584	#	p 425	N86-24818	#	p 518	N86-26280	#	p 540	N86-27213	#	p 559	N86-27503	#	p 620
N86-23585	#	p 436	N86-24818	#	p 518	N86-26281	#	p 540	N86-27214	#	p 559	N86-27504	#	p 620
N86-23586	#	p 436	N86-24821	#	p 518	N86-26282	#	p 540	N86-27215	#	p 559	N86-27505	#	p 620
N86-23587	#	p 436	N86-24883	#	p 524	N86-26283	#	p 540	N86-27216	#	p 559	N86-27506	#	p 620
N86-23588	#	p 436	N86-24897	#	p 524	N86-26285	#	p 554	N86-27217	#	p 559	N86-27507	#	p 620
N86-23589	#	p 437	N86-24934	#	p 524	N86-26286	#	p 555	N86-27218	#	p 559	N86-27508	#	p 620
N86-23590	#	p 437	N86-24936	#	p 524	N86-26288	#	p 555	N86-27219	#	p 559	N86-27509	#	p 620
N86-2359														



## ACCESSION NUMBER INDEX

## N86-33126

N86-28090	#	p 652	N86-28984	#	p 657	N86-29886	#	p 726	N86-30715	#	p 705	N86-31590	#	p 835
N86-28092	#	p 653	N86-28989	#	p 657	N86-29887	#	p 726	N86-30718	#	p 716	N86-31591	#	p 835
N86-28093	#	p 653	N86-29028	#	p 665	N86-29888	#	p 727	N86-30719	#	p 716	N86-31592	#	p 836
N86-28094	#	p 653	N86-29037	#	p 665	N86-29889	#	p 727	N86-30720	#	p 716	N86-31593	#	p 836
N86-28095	#	p 653	N86-29039	#	p 666	N86-29890	#	p 727	N86-30721	#	p 716	N86-31598	#	p 840
N86-28096	#	p 653	N86-29060	#	p 642	N86-29870	#	p 727	N86-30722	#	p 716	N86-31602	#	p 840
N86-28098	#	p 656	N86-29062	#	p 676	N86-29871	#	p 731	N86-30723	#	p 717	N86-31827	#	p 850
N86-28102	#	p 656	N86-29119	#	p 676	N86-29872	#	p 731	N86-30724	#	p 717	N86-31860	#	p 850
N86-28131	#	p 664	N86-29152	#	p 676	N86-30007	#	p 733	N86-30725	#	p 717	N86-31872	#	p 851
N86-28133	#	p 664	N86-29159	#	p 676	N86-30008	#	p 733	N86-30726	#	p 717	N86-31917	#	p 851
N86-28168	#	p 664	N86-29173	#	p 676	N86-30009	#	p 733	N86-30727	#	p 717	N86-32249	#	p 856
N86-28186	#	p 665	N86-29198	#	p 677	N86-30010	#	p 733	N86-30728	#	p 719	N86-32390	#	p 782
N86-28193	#	p 665	N86-29218	#	p 677	N86-30011	#	p 733	N86-30729	#	p 719	N86-32392	#	p 782
N86-28236	#	p 666	N86-29236	#	p 677	N86-30012	#	p 733	N86-30730	#	p 722	N86-32393	#	p 782
N86-28237	#	p 673	N86-29238	#	p 677	N86-30013	#	p 734	N86-30731	#	p 722	N86-32408	#	p 782
N86-28239	#	p 656	N86-29239	#	p 677	N86-30015	#	p 734	N86-30732	#	p 722	N86-32416	#	p 787
N86-28240	#	p 659	N86-29240	#	p 677	N86-30016	#	p 734	N86-30733	#	p 722	N86-32418	#	p 787
N86-28241	#	p 659	N86-29241	#	p 677	N86-30017	#	p 734	N86-30734	#	p 723	N86-32419	#	p 789
N86-28242	#	p 659	N86-29242	#	p 686	N86-30018	#	p 734	N86-30735	#	p 723	N86-32425	#	p 806
N86-28266	#	p 673	N86-29243	#	p 678	N86-30019	#	p 700	N86-30736	#	p 729	N86-32428	#	p 809
N86-28309	#	p 673	N86-29244	#	p 686	N86-30020	#	p 701	N86-30737	#	p 729	N86-32429	#	p 809
N86-28337	#	p 674	N86-29245	#	p 686	N86-30021	#	p 734	N86-30738	#	p 729	N86-32430	#	p 809
N86-28341	#	p 674	N86-29249	#	p 686	N86-30022	#	p 701	N86-30739	#	p 729	N86-32431	#	p 811
N86-28359	#	p 681	N86-29250	#	p 686	N86-30024	#	p 734	N86-30741	#	p 729	N86-32436	#	p 820
N86-28369	#	p 674	N86-29251	#	p 687	N86-30090	#	p 742	N86-30781	#	p 743	N86-32437	#	p 820
N86-28371	#	p 674	N86-29253	#	p 687	N86-30094	#	p 742	N86-30812	#	p 734	N86-32438	#	p 820
N86-28372	#	p 674	N86-29271	#	p 678	N86-30126	#	p 742	N86-30821	#	p 735	N86-32439	#	p 836
N86-28373	#	p 674	N86-29279	#	p 678	N86-30219	#	p 743	N86-30836	#	p 735	N86-32440	#	p 836
N86-28374	#	p 675	N86-29466	#	p 679	N86-30233	#	p 743	N86-30863	#	p 735	N86-32444	#	p 836
N86-28375	#	p 675	N86-29508	#	p 679	N86-30285	#	p 746	N86-30890	#	p 743	N86-32445	#	p 837
N86-28377	#	p 675	N86-29547	#	p 682	N86-30349	#	p 748	N86-30898	#	p 744	N86-32446	#	p 837
N86-28385	#	p 675	N86-29579	#	p 682	N86-30371	#	p 748	N86-30907	#	p 744	N86-32447	#	p 840
N86-28389	#	p 675	N86-29580	#	p 682	N86-30469	#	p 756	N86-30908	#	p 744	N86-32448	#	p 840
N86-28463	#	p 675	N86-29630	#	p 683	N86-30488	#	p 756	N86-30931	#	p 744	N86-32451	#	p 841
N86-28481	#	p 676	N86-29632	#	p 683	N86-30470	#	p 756	N86-30965	#	p 744	N86-32746	#	p 851
N86-28568	#	p 678	N86-29633	#	p 683	N86-30471	#	p 756	N86-30999	#	p 745	N86-32779	#	p 851
N86-28628	#	p 681	N86-29636	#	p 683	N86-30474	#	p 757	N86-31010	#	p 745	N86-32781	#	p 851
N86-28673	#	p 682	N86-29651	#	p 683	N86-30627	#	p 687	N86-31030	#	p 745	N86-32784	#	p 851
N86-28701	#	p 682	N86-29762	#	p 687	N86-30628	#	p 695	N86-31070	#	p 745	N86-32785	#	p 851
N86-28702	#	p 683	N86-29763	#	p 687	N86-30629	#	p 695	N86-31237	#	p 749	N86-33042	#	p 854
N86-28906	#	p 622	N86-29764	#	p 687	N86-30630	#	p 727	N86-31265	#	p 749	N86-33054	#	p 854
N86-28907	#	p 622	N86-29765	#	p 682	N86-30631	#	p 695	N86-31335	#	p 757	N86-33125	#	p 856
N86-28908	#	p 622	N86-29766	#	p 683	N86-30632	#	p 695	N86-31337	#	p 757	N86-33126	#	p 857
N86-28909	#	p 623	N86-29768	#	p 683	N86-30633	#	p 695	N86-31338	#	p 757			
N86-28910	#	p 623	N86-29769	#	p 683	N86-30634	#	p 696	N86-31339	#	p 757			
N86-28911	#	p 630	N86-29770	#	p 683	N86-30635	#	p 727	N86-31341	#	p 757			
N86-28912	#	p 630	N86-29771	#	p 683	N86-30636	#	p 696	N86-31357	#	p 758			
N86-28913	#	p 630	N86-29772	#	p 683	N86-30637	#	p 727	N86-31420	#	p 749			
N86-28914	#	p 631	N86-29773	#	p 684	N86-30638	#	p 696	N86-31454	#	p 758			
N86-28915	#	p 631	N86-29776	#	p 684	N86-30639	#	p 696	N86-31527	#	p 763			
N86-28916	#	p 631	N86-29777	#	p 684	N86-30640	#	p 696	N86-31528	#	p 763			
N86-28917	#	p 631	N86-29778	#	p 684	N86-30641	#	p 743	N86-31529	#	p 763			
N86-28918	#	p 631	N86-29782	#	p 684	N86-30642	#	p 727	N86-31531	#	p 781			
N86-28919	#	p 631	N86-29786	#	p 695	N86-30643	#	p 728	N86-31532	#	p 781			
N86-28920	#	p 632	N86-29790	#	p 699	N86-30644	#	p 728	N86-31535	#	p 781			
N86-28921	#	p 632	N86-29791	#	p 699	N86-30645	#	p 728	N86-31536	#	p 781			
N86-28922	#	p 632	N86-29792	#	p 699	N86-30646	#	p 743	N86-31539	#	p 781			
N86-28923	#	p 632	N86-29793	#	p 699	N86-30647	#	p 728	N86-31541	#	p 782			
N86-28924	#	p 632	N86-29794	#	p 699	N86-30648	#	p 749	N86-31542	#	p 782			
N86-28925	#	p 632	N86-29795	#	p 700	N86-30649	#	p 728	N86-31543	#	p 782			
N86-28926	#	p 633	N86-29796	#	p 700	N86-30650	#	p 728	N86-31544	#	p 786			
N86-28927	#	p 633	N86-29797	#	p 700	N86-30651	#	p 728	N86-31549	#	p 786			
N86-28928	#	p 633	N86-29798	#	p 700	N86-30654	#	p 715	N86-31551	#	p 789			
N86-28929	#	p 634	N86-29799	#	p 700	N86-30655	#	p 715	N86-31552	#	p 789			
N86-28930	#	p 636	N86-29800	#	p 703	N86-30656	#	p 729	N86-31554	#	p 789			
N86-28931	#	p 636	N86-29801	#	p 704	N86-30657	#	p 696	N86-31555	#	p 789			
N86-28932	#	p 636	N86-29802	#	p 704	N86-30659	#	p 696	N86-31556	#	p 789			
N86-28933	#	p 637	N86-29804	#	p 704	N86-30660	#	p 715	N86-31558	#	p 789			
N86-28935	#	p 640	N86-29805	#	p 704	N86-30661	#	p 687	N86-31562	#	p 806			
N86-28936	#	p 640	N86-29806	#	p 704	N86-30662	#	p 715	N86-31563	#	p 806			
N86-28937	#	p 641	N86-29807	#	p 705	N86-30663	#	p 731	N86-31564	#	p 806			
N86-28939	#	p 641	N86-29809	#	p 714	N86-30664	#	p 722	N86-31565	#	p 806			
N86-28940	#	p 641	N86-29810	#	p 714	N86-30665	#	p 715	N86-31566	#	p 806			
N86-28941	#	p 641	N86-29811	#	p 714	N86-30666	#	p 743	N86-31567	#	p 806			
N86-28942	#	p 641	N86-29812	#	p 714	N86-30667	#	p 716	N86-31568	#	p 806			
N86-28943	#	p 641	N86-29813	#	p 714	N86-30678	#	p 732	N86-31569	#	p 807			
N86-28944	#	p 642	N86-29814	#	p 714	N86-30679	#	p 687	N86-31570	#	p 807			
N86-28945	#	p 642	N86-29815	#	p 715	N86-30684	#	p 696	N86-31571	#	p 807			
N86-28946	#	p 650	N86-29816	#	p 719	N86-30690	#	p 697	N86-31572	#	p 807			
N86-28947	#	p 651	N86-29817	#	p 719	N86-30691	#	p 697	N86-31573	#	p 807			
N86-28948	#	p 651	N86-29818	#	p 721	N86-30693	#	p 697	N86-31574	#	p 808			
N86-28949	#	p 651	N86-29819	#	p 721	N86-30694	#	p 697	N86-31575	#	p 808			
N86-28950	#	p 653	N86-29820	#	p 721	N86-30695	#	p 697	N86-31576	#	p 808			
N86-28951	#	p 654	N86-29822	#	p 721	N86-30696	#	p 697	N86-31577	#	p 808			
N86-28952	#	p 654	N86-29827	#	p 741	N86-30697	#	p 698	N86-31578	#	p 808			
N86-28953	#	p 654	N86-29830	#	p 741	N86-30698	#	p 698	N86-31579	#	p 808			
N86-28954	#	p 654	N86-29840	#	p 741	N86-30700	#	p 701	N86-31580	#	p 811			
N86-28955	#	p 654	N86-29847	#	p 741	N86-30702	#	p 701	N86-31581	#	p 811			
N86-28956	#	p 654	N86-29856	#	p 741	N86-30703	#	p 701	N86-31582	#	p 819			
N86-28957	#	p 654	N86-29857	#	p 741	N86-30704	#	p 701	N86-31585	#	p 819			
N86-28958	#	p 655	N86-29858	#	p 742	N86-30705	#	p 702	N86-31586	#	p 819			
N86-28959	#	p 655	N86-29859	#	p 742	N86-30706	#	p 702	N86-31587	#	p 819			
N86-28960	#	p 655	N86-29861	#	p 742	N86-30707	#	p 702	N86-31588	#	p 820			
N86-28961</														

## **SPECIAL NOTICE**

The abstract sections of the monthly supplements of *Aeronautical Engineering* can be bound separately. Individual abstracts can be located readily by means of the page numbers given at each entry, e.g., p 622 N86-28050. To assist the user in binding Supplements SP-7037(197) through SP-7037(208), a title page is included in this Cumulative Index.

# AERONAUTICAL ENGINEERING

## A CONTINUING BIBLIOGRAPHY

Abstracts  
January — December 1986

### TABLE OF CONTENTS

<i>SP-7037 Supplement</i>	<i>Page</i>
197 .....	1
198 .....	75
199 .....	133
200 .....	197
201 .....	269
202 .....	335
203 .....	405
204 .....	473
205 .....	539
206 .....	621
207 .....	685
208 .....	759

1. Report No. NASA SP-7037 (209)	2. Government Accession No.	3. Recipient's Catalog No.	
4. Title and Subtitle  AERONAUTICAL ENGINEERING A Cumulative Index to the 1986 Issues		5. Report Date January 1987	
		6. Performing Organization Code	
7. Author(s)		8. Performing Organization Report No.	
		10. Work Unit No.	
9. Performing Organization Name and Address  National Aeronautics and Space Administration Washington, DC 20546		11. Contract or Grant No.	
		13. Type of Report and Period Covered	
12. Sponsoring Agency Name and Address		14. Sponsoring Agency Code	
15. Supplementary Notes			
16. Abstract  This bibliography is a cumulative index to the abstracts contained in NASA SP-7037 (197) through NASA SP-7037 (208) of Aeronautical Engineering: A Continuing Bibliography. NASA SP-7037 and its supplements have been compiled through the cooperative efforts of the American Institute of Aeronautics and Astronautics (AIAA) and the National Aeronautics and Space Administration (NASA). This cumulative index includes subject, personal author, corporate source, foreign technology, contract, report number, and accession number indexes.			
17. Key Words (Suggested by Author(s))  Aerodynamics Aeronautical Engineering Aeronautics Bibliographies		18. Distribution Statement  Unclassified - Unlimited	
19. Security Classif. (of this report)  Unclassified	20. Security Classif. (of this page)  Unclassified	21. No. of Pages  444	22. Price*  \$11.50 HC